

Sun Cluster 3.1 Data Service for Sybase ASE

Sun Microsystems, Inc. 4150 Network Circle Santa Clara, CA 95054 U.S.A.

Part No: 817–1537 May 2003, Revision A Copyright 2003 Sun Microsystems, Inc. 4150 Network Circle, Santa Clara, CA 95054 U.S.A. All rights reserved.

This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, docs.sun.com, AnswerBook, AnswerBook2, and Solaris are trademarks, registered trademarks, or service marks of Sun Microsystems, Inc. in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems. Inc.

The OPEN LOOK and Sun^{TM} Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

Federal Acquisitions: Commercial Software-Government Users Subject to Standard License Terms and Conditions.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2003 Sun Microsystems, Inc. 4150 Network Circle, Santa Clara, CA 95054 U.S.A. Tous droits réservés.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées du système Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, docs.sun.com, AnswerBook, AnswerBook2, et Solaris sont des marques de fabrique ou des marques déposées, ou marques de service, de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux États-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

L'interface d'utilisation graphique OPEN LOOK et SunTM a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun.

CETTE PUBLICATION EST FOURNIE "EN L'ETAT" ET AUCUNE GARANTIE, EXPRESSE OU IMPLICITE, N'EST ACCORDEE, Y COMPRIS DES GARANTIES CONCERNANT LA VALEUR MARCHANDE, L'APTITUDE DE LA PUBLICATION A REPONDRE A UNE UTILISATION PARTICULIERE, OU LE FAIT QU'ELLE NE SOIT PAS CONTREFAISANTE DE PRODUIT DE TIERS. CE DENI DE GARANTIE NE S'APPLIQUERAIT PAS, DANS LA MESURE OU IL SERAIT TENU JURIDIQUEMENT NUL ET NON AVENU.





Contents

Preface 5

Installing and Configuring Sun Cluster HA for Sybase ASE 11
Preparing to Install Sun Cluster HA for Sybase ASE 12
Installing the Sybase ASE 12.0 Software 13
▼ How to Prepare the Nodes 13
▼ How to Install the Sybase ASE Software 15
▼ How to Verify the Sybase ASE Installation 17
Creating the Sybase ASE Database Environment 17
 ▼ How to Configure Sybase ASE Database Access With Solstice DiskSuite/Solaris Volume Manager 17
 ▼ How to Configure Sybase ASE Database Access With VERITAS Volume Manager 18
▼ How to Create the Sybase ASE Database Environment 19
Installing the Sun Cluster HA for Sybase ASE Package 21
▼ How to Install Sun Cluster HA for Sybase ASE Packages 21
Registering and Configuring Sun Cluster HA for Sybase ASE 22
▼ How to Register and Configure Sun Cluster HA for Sybase ASE 22
Verifying the Sun Cluster HA for Sybase ASE Installation 25
▼ How to Verify the Sun Cluster HA for Sybase ASE Installation 25
Understanding Sun Cluster HA for Sybase ASE Logging and Security Issues 26
Sun Cluster HA for Sybase ASE Logging 26
Important Security Issues 27
Configuring Sun Cluster HA for Sybase ASE Extension Properties 27
Sun Cluster HA for Sybase ASE Fault Monitor 31

Installing and Configuring Sun Cluster HA for Sybase ASE

Main Fault Monitor Process 31

Database-Client Fault Probe 32

Extension Properties 32

Index 33

Preface

The Sun Cluster 3.1 Data Service for Sybase ASE contains procedures to install and configure the Sun Cluster data services.

This document is intended for system administrators with extensive knowledge of Sun software and hardware. Do not use this document as a planning or presales guide. Before reading this document, you should have already determined your system requirements and purchased the appropriate equipment and software.

The instructions in this document assume knowledge of the Solaris™ operating environment and expertise with the volume manager software used with Sun Cluster.

UNIX Commands

This document contains information on commands specific to installing and configuring Sun Cluster data services. It might not contain information on basic UNIX® commands and procedures, such as shutting down the system, booting the system, and configuring devices. For that information, see one or more of the following:

- Online documentation for the Solaris software environment
- Solaris operating environment man pages
- Other software documentation that you received with your system

Typographic Conventions

Typeface or Symbol	Meaning	Examples
AaBbCc123	The names of commands, files, and directories; on-screen computer output	Edit your file.
		Use 1s -a to list all files.
	1	% You have mail.
AaBbCc123	What you type, when contrasted	% su
with on-screen computer of	with on-screen computer output	Password:
AaBbCc123	Book titles, new words or terms, words to be emphasized	Read Chapter 6 in the <i>User's Guide</i> .
		These are called <i>class</i> options.
		You <i>must</i> be superuser to do this.
	Command-line variable; replace with a real name or value	To delete a file, type rm filename.

Shell Prompts

Shell	Prompt
C shell	machine_name%
C shell superuser	machine_name#
Bourne shell and Korn shell	\$
Bourne shell and Korn shell superuser	#

Related Documentation

Application	Title	Part Number
Installation	Sun Cluster 3.1 Software Installation Guide	816-3388
Data Services Installation and Configuration	Sun Cluster 3.1 Data Service Planning and Administration Guide	817–1526
	Sun Cluster 3.1 Data Service for Apache	817–1532
	Sun Cluster 3.1 Data Service for BroadVision One-To-One Enterprise	817–1542
	Sun Cluster 3.1 Data Service for Domain Name Service (DNS)	817–1533
	Sun Cluster 3.1 Data Service for Netbackup	817–1538
	Sun Cluster 3.1 Data Service for Network File System (NFS)	817–1534
	Sun Cluster 3.1 Data Service for Oracle	817–1527
	Sun Cluster 3.1 Data Service for Oracle Parallel Server/Real Application Clusters	817–1535
	Sun Cluster 3.1 Data Service for SAP	817–1536
	Sun Cluster 3.1 Data Service for SAP liveCache	817–1539
	Sun Cluster 3.1 Data Service for Siebel	817-1540
	Sun Cluster 3.1 Data Service for Sun ONE Application Server	817–1530
	Sun Cluster 3.1 Data Service for Sun ONE Directory Server	817–1529
	Sun Cluster 3.1 Data Service for Sun ONE Message Queue	817–1531
	Sun Cluster 3.1 Data Service for Sun ONE Web Server	817–1528
	Sun Cluster 3.1 Data Service for Sybase ASE	817-1537
	Sun Cluster 3.1 Data Service for WebLogic Server	817–1537
	Sun Cluster 3.1 Data Service for DHCP	817–1716
	Sun Cluster 3.1 Data Service for Samba	817–1715
	Sun Cluster 3.1 Data Service for WebSphere MQ	817–1714

Application	Title	Part Number
	Sun Cluster 3.1 Data Service for WebSphere MQ Integrator	817–1713
Hardware	Sun Cluster 3.x Hardware Administration Manual	817–0168
	Sun Cluster 3.x Data Service Collection at http://docs.sun.com/db/col1/1024.1	
API development	Sun Cluster 3.1 Data Services Developer's Guide	816-3385
Administration	Sun Cluster 3.1 5/03 System Administration Guide	816-3384
Cluster concepts	Sun Cluster 3.1 Concepts Guide	816-3383
Error Messages	Sun Cluster 3.1 Error Messages Guide	816-3382
Man Pages	Sun Cluster 3.1 Reference Manual	816–5251
Release notes	Sun Cluster 3.1 Data Service 5/03 Release Notes	817–1790
	Sun Cluster 3.1 Release Notes	816-5317
	Sun Cluster 3.1 Release Notes Supplement	816-3381

Sun Documentation Online

The $docs.sun.com^{SM}$ Web site enables you to access Sun technical documentation on the Web. You can browse the docs.sun.com archive or search for a specific book title or subject at http://docs.sun.com.

Help

If you have problems installing or using Sun Cluster, contact your service provider and provide the following information:

- Your name and E-mail address (if available)
- Your company name, address, and phone number
- The model and serial numbers of your systems
- The release number of the operating environment (for example, Solaris 8)
- The release number of Sun Cluster (for example, Sun Cluster 3.0)

Use the following commands to gather information about each node on your system for your service provider.

Command	Function
prtconf -v	Displays the size of the system memory and reports information about peripheral devices.
psrinfo -v	Displays information about processors.
showrev -p	Reports which patches are installed.
prtdiag -v	Displays system diagnostic information.
scinstall -pv	Displays Sun Cluster release and package version information.

Also have available the contents of the $\protect\operatorname{\sc var/adm/messages}$ file.

Installing and Configuring Sun Cluster HA for Sybase ASE

This chapter provides instructions on how to configure and administer Sun Cluster HA for Sybase ASE on your Sun Cluster nodes.

This chapter contains the following procedures.

- "How to Prepare the Nodes" on page 13
- "How to Install the Sybase ASE Software" on page 15
- "How to Verify the Sybase ASE Installation" on page 17
- "How to Configure Sybase ASE Database Access With Solstice DiskSuite/Solaris Volume Manager" on page 17
- "How to Configure Sybase ASE Database Access With VERITAS Volume Manager" on page 18
- "How to Create the Sybase ASE Database Environment" on page 19
- "How to Install Sun Cluster HA for Sybase ASE Packages" on page 21
- "How to Register and Configure Sun Cluster HA for Sybase ASE" on page 22
- "How to Verify the Sun Cluster HA for Sybase ASE Installation" on page 25

You must configure Sun Cluster HA for Sybase ASE as a failover data service. See the *Sun Cluster 3.1 Concepts Guide* document and "Planning for Sun Cluster Data Services" in *Sun Cluster 3.1 Data Service Planning and Administration Guide* for general information about data services, resource groups, resources, and other related topics.

Installing and Configuring Sun Cluster HA for Sybase ASE

The following table lists sections that describe the installation and configuration tasks.

TABLE 1-1 Task Map: Installing and Configuring Sun Cluster HA for Sybase ASE

Task	For Instructions, Go To
Prepare to install Sun Cluster HA for Sybase ASE	"Preparing to Install Sun Cluster HA for Sybase ASE" on page 12
Install the Sybase ASE 12.0 software	"Installing the Sybase ASE 12.0 Software" on page 13
Create the Sybase database environment	"Creating the Sybase ASE Database Environment" on page 17
Install the Sun Cluster HA for Sybase ASE package	"Installing the Sun Cluster HA for Sybase ASE Package" on page 21
Register Sun Cluster HA for Sybase ASE resource types and configure resource groups and resources	"Registering and Configuring Sun Cluster HA for Sybase ASE" on page 22
Verify the Sun Cluster HA for Sybase ASE installation	"Verifying the Sun Cluster HA for Sybase ASE Installation" on page 25
Understand Sun Cluster HA for Sybase ASE logging and security issues	"Understanding Sun Cluster HA for Sybase ASE Logging and Security Issues" on page 26
Configure Sun Cluster HA for Sybase ASE extension properties	"Configuring Sun Cluster HA for Sybase ASE Extension Properties" on page 27
View fault monitor information	"Sun Cluster HA for Sybase ASE Fault Monitor" on page 31

Preparing to Install Sun Cluster HA for Sybase ASE

To prepare your nodes for the Sun Cluster HA for Sybase Adaptive Server 12.0 installation, select an installation location for the following files.

- Sybase ASE application files These files include Sybase ASE binaries and libraries. You can install these files on either the local file system or the cluster file system.
 - See "Configuration Guidelines for Sun Cluster Data Services" in Sun Cluster 3.1 Data Service Planning and Administration Guide for the advantages and disadvantages of placing the Sybase ASE binaries on the local file system as opposed to the cluster file system.
- Sybase ASE configuration files These files include the interfaces file, config file, and environment file. You can install these files on the local file system (with links), the highly available local file system, or on the cluster file system.

Database data files – These files include Sybase device files. You must install these
files on the highly available local file system or the cluster file system as either raw
devices or regular files.

Installing the Sybase ASE 12.0 Software

Use the procedures in this section to complete the following tasks.

- Prepare the nodes.
- Install the Sybase ASE software.
- Verify the Sybase ASE installation.

Note – Before you configure Sun Cluster HA for Sybase ASE, use the procedures that the *Sun Cluster 3.1 Software Installation Guide* describes to configure the Sun Cluster software on each node.

▼ How to Prepare the Nodes

This procedure describes how to prepare the cluster nodes for Sybase ASE software installation.



Caution – Perform all of the steps in this procedure on all of the nodes. If you do not perform all of the steps on all of the nodes, the Sybase ASE installation will be incomplete, and Sun Cluster HA for Sybase ASE will fail during startup.

Note – Consult the Sybase ASE documentation before you perform this procedure.

- 1. Become superuser on all of the nodes.
- Configure the /etc/nsswitch.conf file as follows so that Sun Cluster HA for Sybase ASE starts and stops correctly if a switchover or failover occurs.

On each node that can master the logical host that runs Sun Cluster HA for Sybase ASE, include one of the following entries for group in the /etc/nsswitch.conf file.

```
group:
group: files [NOTFOUND=return] nis
```

group: file [NOTFOUND=return] nisplus

Sun Cluster HA for Sybase ASE uses the su user command to start and stop the database node.

The network information name service might become unavailable when a cluster node's public network fails. Adding one of the preceding entries for group ensures that the su(1M) command does not refer to the NIS/NIS+ name services if the network information name service is unavailable.

3. Configure the cluster file system for Sun Cluster HA for Sybase ASE.

If raw devices contain the databases, configure the global devices for raw-device access. See the Sun Cluster 3.1 Software Installation Guide for information on how to configure global devices.

If you use the Solstice DiskSuite/Solaris Volume Manager, configure the Sybase ASE software to use UNIX file system (UFS) logging on mirrored meta devices or raw-mirrored meta devices. See the Solstice DiskSuite/Solaris Volume Manager documentation for information on how to configure raw-mirrored metadevices.

4. Prepare the SYBASE HOME directory on a local or multihost disk.

Note – If you install the Sybase ASE binaries on a local disk, use a separate disk if possible. Installing the Sybase ASE binaries on a separate disk prevents the binaries from overwrites during operating environment reinstallation.

5. On each node, create an entry for the database administrator (DBA) group in the /etc/group file, and add potential users to the group.

Verify that the root and sybase users are members of the dba group, and add entries as necessary for other DBA users. Ensure that group IDs are the same on all of the nodes that run Sun Cluster HA for Sybase ASE, as the following example illustrates.

```
dba: *:520:root, sybase
```

You can create group entries in a network name service. If you do so, also add your entries to the local /etc/group file to eliminate dependency on the network name

6. On each node, create an entry for the Sybase system administrator.

The following command updates the /etc/passwd and /etc/shadow files with an entry for the Sybase system administrator.

```
# useradd -u 120 -g dba -d /Sybase-home sybase
```

Ensure that the sybase user entry is the same on all of the nodes that run Sun Cluster HA for Sybase ASE.

How to Install the Sybase ASE Software

Perform the following steps to install the Sybase ASE software.

- 1. Become superuser on a cluster member.
- 2. Note the Sybase ASE installation requirements.

You can install Sybase ASE binaries on one of the following locations.

- Local disks of the cluster nodes
- Highly available local file system
- Cluster file system

Note – Before you install the Sybase ASE software on the cluster file system, start the Sun Cluster software and become the owner of the disk device group.

See "Preparing to Install Sun Cluster HA for Sybase ASE" on page 12 for more information about installation locations.

3. Create a failover resource group to hold the network and application resources.

```
# scrgadm -a -g resource-group [-h nodelist]
```

Specifies the name of the resource group. This name can be your -g resource-group

choice but must be unique for resource groups within the cluster.

-h nodelist Specifies an optional, comma-separated list of physical node

names or IDs that identify potential masters. The order here determines the order in which the Resource Group Manager

(RGM) considers primary nodes during failover.

Note – Use the -h option to specify the order of the node list. If all of the nodes in the cluster are potential masters, you do not need to use the -h option.

- 4. Verify that you have added all of the network resources that Sun Cluster HA for Sybase ASE uses to either the /etc/inet/hosts file or to your name service (NIS, NIS+) database.
- 5. Add a network resource (logical hostname or shared address) to the failover resource group.

```
# scrgadm -a -L -g resource-group -1 logical-hostname [-n netiflist]
```

-1 logical-hostname Specifies a network resource. The network resource is the

logical hostname or shared address (IP address) that clients use

to access Sun Cluster HA for Sybase ASE.

-n netiflist Specifies an optional, comma-separated list that identifies the IP

Networking Multipathing groups that are on each node. Each element in *netiflist* must be in the form of netif@node. netif can be given as an IP Networking Multipathing group name, such as sc_ipmp0. The node can be identified by the node

name or node ID, such as sc_ipmp0@1 or

sc ipmp@phys-schost-1.

Note – Sun Cluster does not currently support using the adapter name for netif.

6. Run the scswitch(1M) command to complete the following tasks.

- Enable the resource and fault monitoring.
- Move the resource group into a managed state.
- Bring the resource group online.
- # scswitch -Z -g resource-group

7. On the node mastering the resource group that you just created, login as sybase.

The installation of the Sybase binaries must be performed on the node where the corresponding logical host is running.

8. Install the Sybase ASE software.

Regardless of where you install the Sybase ASE software, modify each node's /etc/system files as you would in standard Sybase ASE installation procedures. For instructions on how to install the Sybase ASE software, refer to the Sybase installation and configuration guides.

Note – For every Sybase server, enter the hostname that is associated with a network resource when asked to specify the hostname.

Where to Go From Here

After you install the Sybase ASE software, go to "How to Configure Sybase ASE Database Access With Solstice DiskSuite/Solaris Volume Manager" on page 17 if you use the Solstice DiskSuite/Solaris Volume Manager. Go to "How to Configure Sybase ASE Database Access With VERITAS Volume Manager" on page 18 if you use the VERITAS Volume Manager (VxVM).

▼ How to Verify the Sybase ASE Installation

Perform the following steps to verify the Sybase ASE software installation.

- 1. Verify that the sybase user and the dba group own the \$SYBASE_HOME directory and \$SYBASE HOME children directories.
- Run the scstat(1M) command to verify that the Sun Cluster software functions correctly.

Creating the Sybase ASE Database Environment

The procedures in this section enable you to complete the following tasks.

- Configure Sybase ASE database access with Solstice DiskSuite/Solaris Volume Manager or VxVM.
- Create the Sybase ASE database environment.

▼ How to Configure Sybase ASE Database Access With Solstice DiskSuite/Solaris Volume Manager

If you use the Solstice DiskSuite/Solaris Volume Manager, perform the following steps to configure Sybase ASE database access with the Solstice DiskSuite/Solaris Volume Manager.

1. Configure the disk devices for the Solstice DiskSuite/Solaris Volume Manager software to use.

See the *Sun Cluster 3.1 Software Installation Guide* for information on how to configure Solstice DiskSuite/Solaris Volume Manager.

2. If you use raw devices to contain the databases, run the following commands to change each raw-mirrored metadevice's owner, group, and mode.

If you do not use raw devices, do not perform this step.

- a. If you create raw devices, run the following commands for each device on *each* node that can master the Sybase ASE resource group.
 - # chown sybase /dev/md/metaset/rdsk/dn
 - # chgrp dba /dev/md/metaset/rdsk/dn

chmod 600 /dev/md/metaset/rdsk/dn

metaset Specifies the name of the diskset.

/rdsk/dn Specifies the name of the raw disk device within the *metaset* diskset.

b. Verify that the changes are effective.

ls -lL /dev/md/metaset/rdsk/dn

▼ How to Configure Sybase ASE Database Access With VERITAS Volume Manager

If you use VxVM software, perform the following steps to configure Sybase ASE database access with the VxVM software.

1. Configure the disk devices for the VxVM software to use.

See the *Sun Cluster 3.1 Software Installation Guide* for information on how to configure VERITAS Volume Manager.

2. If you use raw devices to contain the databases, run the following commands on the current disk-group primary to change each device's owner, group, and mode.

If you do not use raw devices, do not perform this step.

a. If you create raw devices, run the following command for each raw device.

```
# vxedit -g diskgroup set user=sybase group=dba mode=0600 volume
```

-g resource-group Specifies the name of the resource group. This name can be

your choice but must be unique for resource groups within

the cluster.

-h nodelist Specifies an optional comma-separated list of physical node

names or IDs that identify potential masters. The order here determines the order in which the nodes are considered as

primary during failover.

b. Verify that the changes are effective.

ls -lL /dev/vx/rdsk/diskgroup/volume

c. Reregister the disk device group with the cluster to keep the VxVM namespace consistent throughout the cluster.

scconf -c -D name=diskgroup

How to Create the Sybase ASE Database Environment

Before you perform this procedure, ensure that you have completed the following tasks.

- Establish a highly available IP address and name, that is, a network resource that operates at installation time.
- Locate device paths for all of the Sybase ASE devices—including the master device and system devices—in the highly available local file system or cluster file system. Configure device paths as one of the following file types.
 - regular files
 - raw devices
 - files that the Solstice DiskSuite/Solaris Volume Manager software or the VxVM software manage
- Locate the Sybase ASE server logs in either the cluster file system or the local file system.
- The Sybase ASE 12.0 environment consists of the data server, backup server, monitor server, text server, and XP server. The data server is the only server that you must configure—you can choose whether to configure all of the other servers.
- The entire cluster must contain only one copy of the interfaces file. The \$SYBASE directory contains the interfaces file. If you plan to maintain per-node file copies, ensure the file contents are identical.

All of the clients that connect to Sybase ASE servers connect with Sybase OpenClient libraries and utilities. When you configure the Sybase ASE software, in the interfaces file, enter information about the network resource and various ports. All of the clients use this connection information to connect to the Sybase ASE servers.

Perform the following steps to create the Sybase ASE database environment.

1. Run the GUI-based utility srvbuild to create the Sybase ASE database.

The \$SYBASE/ASE 12-0/bin directory contains this utility. See the Sybase ASE document entitled "Installing Sybase Adaptive Server Enterprise on Sun Solaris 2.x (SPARC)."

2. To verify successful database installation, ensure that all of the servers start correctly.

Run the ps(1) command to verify the operation of all of the servers. Sybase ASE server logs indicate any errors that have occurred.

3. Set the password for the Sybase ASE system administrator account.

See the Sybase Adaptive Server Enterprise System Administration Guide for details on changing the sa login password.

4. Create a new Sybase ASE account for fault monitoring.

This account enables the fault monitor to perform the following tasks.

- Support queries to system tables.
- Create and update user tables.

Note – Do not use the sa account for these purposes.

The following example shows how to create a new Sybase ASE account for fault monitoring.

```
# isql -Usa -Psybase -Sasedb
1> use master
2> go
1> create database sc3xdb
2>go
1> sp_addlogin dbmon, dbmonp, sc3xdb
2> go
1> use sc3xdb
2> go
1> use sc3xdb
2> go
1> sp_changedbowner dbmon
2> go
1> sp_modifylogin dbmon, defdb, sc3xdb
2> go
1> exit
See "Sun Cluster HA for Sybase ASE Fault Monitor" on page 31 for more information.
```

5. Update the stop file with the sa password.

Because the stop file contains the sa password, protect the file with the appropriate permissions, and place the file in a directory that the system administrator chooses. Enable only the *sybase* user to read, write, and execute the stop file.

See "Important Security Issues" on page 27 for more information about the stop file.

Where to Go From Here

After you create the Sybase ASE database environment, go to "How to Install Sun Cluster HA for Sybase ASE Packages" on page 21.

Installing the Sun Cluster HA for Sybase **ASE Package**

You can use the scinstall(1M) utility to install SUNWscsyb, the Sun Cluster HA for Sybase ASE package, on a cluster. Do not use the -s option to non-interactive scinstall to install all of the data service packages.

If you installed the SUNWscsyb data service package as part of your initial Sun Cluster installation, proceed to "Registering and Configuring Sun Cluster HA for Sybase ASE" on page 22. Otherwise, use the following procedure to install the SUNWscsyb package.

How to Install Sun Cluster HA for Sybase ASE **Packages**

You need the Sun Cluster Agents CD-ROM to complete this procedure. Perform this procedure on all of the cluster nodes that run the Sun Cluster HA for Sybase ASE package.

- 1. Load the Sun Cluster Agents CD-ROM into the CD-ROM drive.
- 2. Run the scinstall utility with no options.

This step starts the scinstall utility in interactive mode.

- 3. Choose the menu option, Add Support for New Data Service to This Cluster Node. The scinstall utility prompts you for additional information.
- 4. Provide the path to the Sun Cluster Agents CD-ROM.

The utility refers to the CD as the "data services cd."

5. Specify the data service to install.

The scinstall utility lists the data service that you selected and asks you to confirm your choice.

- 6. Exit the scinstall utility.
- 7. Unload the CD from the drive.

Where to Go From Here

When you finish the Sun Cluster HA for Sybase ASE package installation, go to "How to Register and Configure Sun Cluster HA for Sybase ASE" on page 22.

Registering and Configuring Sun Cluster HA for Sybase ASE

Use the procedures in this section to register and configure the Sun Cluster HA for Sybase ASE data service. Register and configure Sun Cluster HA for Sybase ASE as a failover data service.

▼ How to Register and Configure Sun Cluster HA for Sybase ASE

This procedure describes how to use the scrgadm(1M) command to register and configure Sun Cluster HA for Sybase ASE.

This procedure includes creating the SUNW.HAStoragePlus resource type. This resource type synchronizes actions between HAStorage and Sun Cluster HA for Sybase ASE and enables you to use a highly available local file system. Sun Cluster HA for Sybase ASE is disk-intensive, and therefore you should configure the SUNW.HAStoragePlus resource type.

See the SUNW. HAStoragePlus(5) man page and "Relationship Between Resource Groups and Disk Device Groups" in *Sun Cluster 3.1 Data Service Planning and Administration Guide* for more information about the SUNW. HAStoragePlus resource type.

Note – Other options also enable you to register and configure the data service. See "Tools for Data Service Resource Administration" in *Sun Cluster 3.1 Data Service Planning and Administration Guide* for details about these options.

To perform this procedure, you must have the following information.

■ The names of the cluster nodes that master the data service.

- The network resource that clients use to access the data service. You typically configure the IP address when you install the cluster. See the sections in the Sun Cluster 3.1 Software Installation Guide on planning the Sun Cluster environment and on how to install the Solaris operating environment for details.
- The path to the Sybase ASE application installation.

Note – Perform the following steps on one cluster member.

- 1. Become superuser on a cluster member.
- 2. Run the scrgadm command to register resource types for Sun Cluster HA for Sybase ASE.

```
# scrgadm -a -t SUNW.sybase
```

Adds the resource type for the data service.

-t SUNW.sybase Specifies the resource type name that is predefined for your data service.

3. Register the SUNW.HAStoragePlus resource type with the cluster.

```
# scrgadm -a -t SUNW.HAStoragePlus
```

4. Create the resource sybase-hastp-rs of type SUNW.HAStoragePlus.

```
# scrgadm -a -j sybase-hastp-rs -g sybase-rg -t SUNW.HAStoragePlus \
-x GlobalDevicePaths=sybase-device-group1,/dev/global/dsk/dl \
-x FilesystemMountPoints=/global/sybase-inst \
-x AffinityOn=TRUE
```

Note – AffinityOn must be set to TRUE and the local file system must reside on global disk groups to be failover.

- 5. Run the scrgadm command to complete the following tasks and bring the resource group sybase-rg online on a cluster node.
 - Move the resource group into a managed state.
 - Bring the resource group online

This node will be made the primary for device group sybase-set1 and raw device /dev/global/dsk/d1. Device groups associated with filesystems such as /global/sybase-inst will also be made primaries on this node..

```
# scrgadm -Z -g sybase-rg
```

6. Create Sybase ASE application resources in the failover resource group.

- # scrgadm -a -j resource -g resource-group \
 -t SUNW.sybase \
 -x Environment_File=environment-file-path \
 -x Adaptive_Server_Name=adaptive-server-name \
 -x Backup_Server_Name=backup-server-name \
 -x Text_Server_Name=text-server-name \
 -x Monitor_Server_Name=monitor-server-name \
 -x Adaptive_Server_Log_File=log-file-path \
 -x Stop_File=stop-file-path \
 -x Connect_string=user/passwd
 -y resource_dependencies=storageplus-resource
 -j resource
 Specifies the resource name to add.
- -g resource-group

Specifies the resource group name into which the RGM places the resources.

- -t SUNW.sybase Specifies the resource type to add.
- -x Environment_File=environment-file Sets the name of the environment file.
- -x Adaptive_Server_Name=adaptive-server-name Sets the name of the adaptive server.
- -x Backup_Server_Name=backup-server-name Sets the name of the backup server.
- -x Text_Server_Name=text-server-name
 Sets the name of the text server.
- -x Monitor_Server_Name=monitor-server-name
 Sets the name of the monitor server.
- -x Adaptive_Server_Log_File=log-file-path
 Sets the path to the log file for the adaptive server.
- -x Stop_File=stop-file-path
 Sets the path to the stop file.
- -x Connect_string=user/passwd Specifies the user name and password that the fault monitor uses to connect to the database.

You do not have to specify extension properties that have default values. See "Configuring Sun Cluster HA for Sybase ASE Extension Properties" on page 27 for more information.

7. Enable the resource and fault monitoring.

Note – Sybase start logs print to the console when the Sybase servers start. If you do not want these messages to print to the console, update the appropriate RUN files to redirect these messages to another file.

scswitch -Z -g resource-group

Where to Go From Here

After you register and configure Sun Cluster HA for Sybase ASE, go to "How to Verify the Sun Cluster HA for Sybase ASE Installation " on page 25.

Verifying the Sun Cluster HA for Sybase **ASE Installation**

Perform the following verification tests to ensure that you have correctly installed and configured Sun Cluster HA for Sybase ASE.

These sanity checks ensure that all of the nodes that run Sun Cluster HA for Sybase ASE can start the Sybase ASE data server. These checks also ensure that other nodes in the configuration can access the Sybase ASE data server. Perform these sanity checks to isolate any problems with starting the Sybase ASE software from Sun Cluster HA for Sybase ASE.

▼ How to Verify the Sun Cluster HA for Sybase ASE Installation

- 1. Log in to the node that masters the Sybase ASE resource group.
- 2. Set the Sybase ASE environment variables.

The environment variables are the variables that you specify with the Environment_file extension property. See Table 1–2 for information on setting these environment variables.

3. Verify that the Sun Cluster HA for Sybase ASE resource is online.

scstat -g

4. Inspect the Sybase ASE logs to determine the cause of any errors that have occurred.

5. Confirm that you can connect to the data server and execute the following test command.

```
# isql -S adaptive-server -U sa -P password
isql> sp_help
isql> go
isql> quit
```

6. Kill the process for the Sybase ASE data server.

The Sun Cluster software restarts the process.

7. Switch the resource group that contains the Sybase ASE resource to another cluster member.

```
# scswitch -z -g resource-group -h node
```

- 8. Log in to the node that now contains the resource group.
- 9. Repeat Step 3 and Step 5.

Note – Sybase ASE client connections cannot survive a Sun Cluster HA for Sybase ASE switchover. If a switchover occurs, the existing client connections to Sybase ASE terminate, and clients must reestablish their connections. After a switchover, the time that is required to replay the Sybase ASE transaction log determines Sun Cluster HA for Sybase ASE recovery time.

Understanding Sun Cluster HA for Sybase ASE Logging and Security Issues

The following sections contain information about Sun Cluster HA for Sybase ASE logging and security issues.

Sun Cluster HA for Sybase ASE Logging

Sun Cluster HA for Sybase ASE logs messages to the file message_log in the /opt/SUNWscsyb/l directory. Although this file cannot exceed 512 Kbytes, Sun Cluster HA for Sybase ASE does not delete old log files. The number of log files, therefore, can grow to a large number.

Sun Cluster HA for Sybase ASE writes all of the error messages in the syslog file. Sun Cluster HA for Sybase ASE also logs fault monitor history to the file restart history in the log directory. These files can also grow to a large number.

As part of your regular file maintenance, check the following log files and remove files that you no longer need.

- syslog
- message_log
- restart history

Important Security Issues

Sun Cluster HA for Sybase ASE requires that you embed the system administrator's password in a stop file. The <code>/opt/SUNWscsyb/bin</code> directory contains the template for the stop file, <code>sybase_stop_servers</code>. Sun Cluster HA for Sybase ASE uses this file to log in to the Sybase ASE environment and to stop the Sybase ASE servers. Enable the <code>sybase</code> user to execute the stop file, but protect the file from general access. Give read, write, and execute privileges to only the following users.

- *sybase* user
- sybase group

Configuring Sun Cluster HA for Sybase ASE Extension Properties

This section describes how to configure Sun Cluster HA for Sybase ASE extension properties. Typically, you use the command line <code>scrgadm-xparameter=value</code> to configure extension properties when you create the Sybase ASE resources. You can also use the procedures that "Administering Data Service Resources" in *Sun Cluster 3.1 Data Service Planning and Administration Guide* describes to configure them later.

See the r_properties(5) and the rg_properties(5) man pages for details on all of the Sun Cluster extension properties.

Table 1–2 describes the extension properties that you can set for the Sybase ASE server resource. You can update some extension properties dynamically. You can update others, however, only when you create or disable a resource. The Tunable entries indicate when you can update each property.

 TABLE 1-2 Sun Cluster HA for Sybase ASE Extension Properties

Name/Data Type	Description
Environment_File	File that contains all of the Sybase ASE environment variables. Sun Cluster HA for Sybase ASE requires that you define the variables SYBASE, SYBASE_ASE, and SYBASE_OCS. Other variables that you define are passed as environment variables to the Sybase server.
	The definition of each environment variable defined must follow the format
	VARIABLE_NAME=VARIABLE_VALUE
	Each of these environment variables must also be specified, one per line in the Environment_File.
	Typically, users use the SYBASE.sh environment file created by the Sybase installation.
	Note – The value of this property is independent of the shell being used by the <i>sybase</i> user. In other words, the <i>sybase</i> user can have csh as its default shell.
	Default: None
	Range: Minimum=1
	Tunable: When disabled
Adaptive_Server_Name	The name of the data server. Sun Cluster HA for Sybase ASE uses this property to locate the RUN server in the \$SYBASE/\$ASE/install directory.
	Default: None
	Range: Minimum=1
	Tunable: When disabled

TABLE 1–2 Sun Cluster HA for Sybase ASE Extension Properties	(Continued)
--	-------------

Name/Data Type	Description
Backup_Server_Name	The name of the backup server. Sun Cluster HA for Sybase ASE uses this property to locate the RUN server in the \$SYBASE/\$ASE/install directory. If you do not set this property, Sun Cluster HA for Sybase ASE will not manage the server.
	Default: Null
	Range: None
	Tunable: When disabled
Monitor_Server_Name	The name of the monitor server. Sun Cluster HA for Sybase ASE uses this property to locate the RUN server in the \$SYBASE/\$ASE/install directory. If you do not set this property, Sun Cluster HA for Sybase ASE will not manage the server.
	Default: Null
	Range: None
	Tunable: When disabled
Text_Server_Name	The name of the text server. The Sun Cluster HA for Sybase ASE data service uses this property to locate the RUN server in the \$SYBASE/\$ASE/install directory. If you do not set this property, the Sun Cluster HA for Sybase ASE data service will not manage the server.
	Default: Null
	Range: None
	Tunable: When disabled
Adaptive_Server_Log_ File	The path to the log file for the adaptive server. Sun Cluster HA for Sybase ASE continually reads this property for error monitoring.
	Default: None
	Range: Minimum=1
	Tunable: When disabled

 TABLE 1-2 Sun Cluster HA for Sybase ASE Extension Properties
 (Continued)

Name/Data Type	Description
Stop_File	Sun Cluster HA for Sybase ASE uses this property during server stoppages. This property contains the sa password. Protect this property from general access.
	Default: None
	Range: Minimum=1
	Tunable: When disabled
Probe_timeout	Time-out value for the fault monitor probe.
	Default: 30 seconds
	Range: 1 – 99999 seconds
	Tunable: Any time
Debug_level	Debug level for writing to the Sun Cluster HA for Sybase ASE log.
	Default: 0
	Range: 0 – 15
	Tunable: Any time
Connect_string	String of format <i>user/password</i> . Sun Cluster HA for Sybase ASE uses this property for database probes.
	Default: None
	Range: Minimum=1
	Tunable: When disabled
Connect_cycle	Number of fault monitor probe cycles before Sun Cluster HA for Sybase ASE establishes a new connection.
	Default: 5
	Range: 1 – 100
	Tunable: Any time
Wait_for_online	Whether the START method waits for the database to come online before exiting.
	Default: FALSE
	Range: TRUE - FALSE
	Tunable: Any time

Sun Cluster HA for Sybase ASE Fault Monitor

The Sun Cluster HA for Sybase ASE fault monitor queries the Sybase ASE server to determine server health.

Note – The Sun Cluster HA for Sybase ASE fault monitor only monitors the Adaptive server. The fault monitor does not monitor auxiliary servers.

The fault monitor consists of the following processes.

- a main fault monitor process
- a database-client fault probe

The following sections describe the Sun Cluster HA for Sybase ASE fault monitor processes and the extension properties that the fault monitor uses.

Main Fault Monitor Process

The fault monitor process diagnoses errors and checks statistics. The monitor labels an operation successful if the following conditions occur.

- The database is online.
- The activity check returns no errors.
- The test transaction returns no errors.

If an operation fails, the main process checks the action table for an action to perform and then performs the predetermined action. If an operation fails, the main process can perform the following actions, which execute external programs as separate processes in the background.

- 1. Restarts the resource on the current node.
- 2. Restarts the resource group on the current node.
- 3. Fails over the resource group to the next node on the resource group's nodelist.

The server fault monitor also scans the Adaptive_Server_Log file and acts to correct any errors that the scan identifies.

Database-Client Fault Probe

The database-client fault probe performs activity checks and test transactions. The extension property Connect_string specifies an account that performs all of the database operations. The extension property Probe timeout sets the time-out value that the probe uses to determine the time that has elapsed in a successful database probe.

Extension Properties

The fault monitor uses the following extension properties.

- Thorough probe interval
- Retry_count
- Retry_interval
- Probe_timeout
- Connect string
- Connect cycle
- Adaptive Server Log

See "Configuring Sun Cluster HA for Sybase ASE Extension Properties" on page 27 for more information about these extension properties.

Index

A adding See modifying	deleting See modifying disabling See stopping displaying
C	See listing
changing	
See modifying	
commands	-
prtconf -v, 9	E
prtdiag -v, 9	editing
psrinfo -v, 9	See modifying
showrev -p, 9	enabling
configuring Sun Cluster HA for Sybase ASE, 22	See starting
•	executing See starting
Sybase ASE database with Solstice DiskSuite, 17	extension properties
Sybase ASE database with VERITAS Volume	Sun Cluster HA for Sybase ASE
Manager, 18	Adaptive Server Log File, 31
creating, Sybase ASE database environment, 19	Adaptive Server Name, 31
<i>g, - y,</i>	Backup Server Name, 31
	Copnnect cycle, 31
	Debug level, 31
	Environment File, 31
	Monitor_Server_Name, 31
	Probe_timeout, 31
	Stop_File, 31
	Text_Server_Name, 31
	Wait_for_online, 31

F	extension properties (Continued)
fault monitor, Sun Cluster HA for Sybase	Environment_File, 31
ASE, 31	Monitor_Server_Name, 31
	Probe timeout, 31
	Stop File, 31
	Text_Server_Name, 31
Ī	Wait_for_online, 31
installing	fault monitor, 31
Sun Cluster HA for Sybase ASE, 21	installation
Sybase ASE, 15	preparing, 12
	Sun Cluster HA for Sybase ASE
	packages, 21
	verifying, 25
L	logging and security issues, 26
logging and security issues, Sun Cluster HA for	registering and configuring, 22
Sybase ASE, 26	SUNW.HAStoragePlus resource type, 22
	task map, 11
	SUNW.HAStoragePlus resource type, Sun
P	Cluster HA for Sybase ASE, 22
	Sybase ASE
printing See listing	See also Sun Cluster HA for Sybase ASE
prtconf -v command, 9	database
psrinfo -v command, 9	configuring with Solstice DiskSuite, 17
-pv command, 9	configuring with VERITAS Volume
R	Manager, 18
	creating environment, 19
	installation
	installing software, 15
	preparing the nodes, 13
registering, Sun Cluster HA for Sybase ASE, 22	verifying, 17
running	
See enabling	
	_
	Т
S	task map, Sun Cluster HA for Sybase ASE, 11
	turning off
Sun Cluster HA for Oracle	See disabling
Server extension properties	turning on
Debug_level, 31	See enabling
Sun Cluster HA for Sybase ASE	
See also Sybase ASE	
extension properties	
Adaptive_Server_Log_File, 31	U
Adaptive_Server_Name, 31	/usr/cluster/bin/scinstall-pv, 9
Backup_Server_Name, 31	
Connect_cycle, 31	
Connect string, 31	

٧

verifying
Sun Cluster HA for Sybase ASE, 25
Sybase ASE installation, 17