



Solaris 8 Maintenance Update 5 Installation Guide

Sun Microsystems, Inc.
901 San Antonio Road
Palo Alto, CA 94303-4900
U.S.A.

Part Number 806-7944-10
July 2001

Copyright 2001 Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California 94303-4900 U.S.A. All rights reserved.

This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the U.S. and other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, docs.sun.com, AnswerBook, AnswerBook2, Solaris 8 Maintenance Update, SunOS, JumpStart, and Solaris are trademarks, registered trademarks, or service marks of Sun Microsystems, Inc. in the U.S. and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the U.S. and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

Federal Acquisitions: Commercial Software—Government Users Subject to Standard License Terms and Conditions.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2001 Sun Microsystems, Inc. 901 San Antonio Road, Palo Alto, California 94303-4900 Etats-Unis. Tous droits réservés.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées du système Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque déposée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd.

Sun, Sun Microsystems, le logo Sun, docs.sun.com, AnswerBook, AnswerBook2, Solaris 8 Maintenance Update, JumpStart, SunOS, et Solaris sont des marques de fabrique ou des marques déposées, ou marques de service, de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

L'interface d'utilisation graphique OPEN LOOK et Sun™ a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun.

CETTE PUBLICATION EST FOURNIE "EN L'ETAT" ET AUCUNE GARANTIE, EXPRESSE OU IMPLICITE, N'EST ACCORDEE, Y COMPRIS DES GARANTIES CONCERNANT LA VALEUR MARCHANDE, L'APTITUDE DE LA PUBLICATION A REpondre A UNE UTILISATION PARTICULIERE, OU LE FAIT QU'ELLE NE SOIT PAS CONTREFAISANTE DE PRODUIT DE TIERS. CE DENI DE GARANTIE NE S'APPLIQUERAIT PAS, DANS LA MESURE OU IL SERAIT TENU JURIDIQUEMENT NUL ET NON AVENU.



Contents

1. **Introduction** 5
 - What Is the Solaris 8 Maintenance Update 5 5
 - When to Install the Solaris 8 Maintenance Update 5 6
2. **Installing the Solaris 8 Maintenance Update** 5 7
 - Time Considerations 7
 - Requirements 7
 - Installing the Solaris 8 MU5 8
 - Identifying the Version of Your Solaris 8 Maintenance Update 12
3. **Backing Out the Solaris 8 Maintenance Update** 5 15
 - Backing Out the Solaris 8 MU5 15
4. **Known Problems** 19
 - Installation Bugs 19
 - `install_mu` Does Not Function Correctly When Starting It Using `sh` (4062334) 19
 - `patchadd` Displays an Error That It Is Terminating 19
 - Cannot `login` if System Is Not Rebooted (4423853) 20
5. **Error Messages** 23
- A. **Solaris 8 Maintenance Update 5 Contents** 29
 - SPARC Platform Patch List 29

Introduction

The *Solaris 8 Maintenance Update 5 Installation Guide* explains how to install and back out the Solaris™ 8 Maintenance Update™ 5 (MU5) software. This guide is for system administrators installing the MU5 software. For late-breaking MU5 issues identified too late to be included in this guide, refer to the *Solaris 8 Maintenance Update 5 Installation Guide* on <http://docs.sun.com>.

If you need more information on general procedures for system administration, refer to the *Solaris 8 System Administration Guide, Volumes I, II, and III*.

What Is the Solaris 8 Maintenance Update 5

The Solaris 8 MU5 contains the same set of patches as the ones prepackaged on the Solaris 8 7/01 software CDs. These patches have been tested together and packaged for a one-step installation. The MU5 installation automatically updates your system without regressing any patches you have previously installed.

The Solaris 8 MU5 is available on a CD or as a file for download from the Web.

When to Install the Solaris 8 Maintenance Update 5

If your system is running the Solaris 8, Solaris 8 6/00, Solaris 8 10/00, Solaris 8 1/01, or Solaris 8 4/01 operating environment and you want to apply patches released in the Solaris 8 7/01 operating environment without losing patches you previously applied to your system, install the Solaris 8 MU5. Patches applied using the MU5 can be backed out.

If your system is running the Solaris 8 operating environment, or a Solaris 8 Update release, and you want to fully upgrade to new features and hardware support, install the Solaris 8 7/01 operating environment. The patches applied by installing the Solaris 8 7/01 operating environment will replace any previously installed Solaris 8 patches and cannot be backed out of the release.

Maintenance Updates are primarily designed to update the Solaris operating environment to a known, tested patch-level. If you want to apply a particular patch, and only that patch, do so through your normal support channels.

Note - The name of this product is Solaris 8 MU5, but code or package path names might use Solaris 2.8 or SunOS™ 5.8. Always follow the code or path as it is written in this document.

Installing the Solaris 8 Maintenance Update 5

This chapter describes how to install your Solaris 8 MU5 software. If you want to install the Solaris 8 MU5 software as part of a custom JumpStart™ installation, refer to the *Solaris 8 Advanced Installation Guide*.

Time Considerations

The Solaris 8 MU5 installation procedure is faster than the installation of the individual MU5 patches. The Solaris 8 MU5 installation time varies depending on:

- CPU speed of your machine
- `install_mu` option you select
- Transfer speed of the CD-ROM drive, hard drive, or network you use to access the `install_mu` code and patch set

If you install the MU5 with the backout option disabled, installation will proceed more quickly. However, you will not be able to back out any of the patches MU5 delivers.

Requirements

The MU5 may only be installed on a system running the Solaris 8, Solaris 8 6/00, Solaris 8 10/00, Solaris 8 1/01, or Solaris 8 4/01 operating environment.

Space requirements per file system vary depending on:

- Whether you select the backout option
- The location of the backout directory when saving backout data
- The disk partitions and the space available in each file system versus the patch disk space needed per file system
- Your system's locale
- Whether some of the Maintenance Update patches are already installed on your system

The `install_mu` script performs a space analysis and reports the space needed per file system, including back out space if applicable. The space calculations take several minutes to complete.

The `install_mu` script does not proceed if it determines that space is lacking in one or more file systems. Although the patch installation space needed is calculated fairly precisely, the backout data space need is estimated and the reported need may be higher than the actual need.

If you are certain that you have enough space to apply the patch set (and backout data if desired) and you want to bypass the space calculation, run `install_mu` with the `-f` option.

Installing the Solaris 8 MU5

Solaris 8 MU5 software can only be installed if the system running `install_mu` is already running the Solaris 8, Solaris 8 6/00, Solaris 8 10/00, Solaris 8 1/01, or Solaris 8 4/01 operating environment.

Note - Diskless client systems are not supported in MU5.

It is best to reboot your system in single-user mode before installing MU5 because MU5 applies patches to system libraries. Individual systems in a multiuser system will be unstable if any processes have mapped to an unpatched version of a library and later attempt to map to different sections of the old library.

In single-user mode, network services are not available. If the MU5 image is on the network rather than on a CD, you must copy the MU5 image from the network to your local system before booting your system in single-user mode.

If it is not possible to reboot the system in single-user mode or if you do not have enough disk space to make a local copy of the MU5 image, you will need to install MU5 using NFS in multiuser mode. In this case, you should have the system in as quiet a state as possible, without users logged on or running jobs.

When in single-user, or multi-user mode, you must reboot your system after MU5 is installed. Do not use the `exit` command. If `exit` is used, the system is brought to `init 3` and no one can log in until the system is rebooted. If the root user has logged out and no other root users remain logged in, the system must be rebooted. See Chapter 4, *Known Problems*, for more detail.

Note - Be sure that you have backed up your system's operating system before proceeding.

To install the Solaris 8 MU5 software:

1. **Make sure that no important user or system processes are running.**

2. **Exit the current session.**

The CDE login screen appears.

3. **Click the Options button and select Command Line Login.**

The system prompts you to log in.

4. **Type your login name as `root` and type the root password:**

```
login: root
password: root password
```

5. **Reboot in single-user mode. From the root shell prompt, type:**

```
# reboot -- -s
```

Note - Changing the run level from multiuser mode to single-user mode with the `shutdown` or `init` command might leave the `vold` process running. This process can cause problems mounting the MU5 CD in single-user mode.

6. **Type the root password.**

Check that the system displays the following message and is now in system maintenance mode.

```
Entering System Maintenance Mode
Sun Microsystems Inc. SunOS 5.8 Generic Feb 2000
#
```

7. Determine where you are running the `install_mu` command.

- If you are running `install_mu` from the CD, go to Step 8 on page 10.
- If you are running `install_mu` from a local copy of the MU5 image, go to Step 9 on page 10.

8. To mount the MU5 CD, place the CD in the drive and from the root shell prompt, type:

```
# mount -o ro -F hsfs /dev/dsk/c0t6d0s0 /cdrom
```

Note - In some cases the CD-ROM drive might be on a controller other than `c0` or a target other than `t6`, which would require a different path to the CD-ROM device. Check with your system administrator if you have questions about mounting the CD-ROM drive.

9. Run `install_mu`.

- From a local copy of the MU5 image, type:

```
# cd local_directory
# ./install_mu options
```

- From the MU5 CD, type:

```
# cd /cdrom
# ./install_mu options
```

You can use the following options on the command line.

TABLE 2-1 Command-Line Options for `install_mu`

| Option | Description |
|----------------------------|--|
| <code>-d</code> | Specifies that patches will not be backed up. Using this argument decreases the time to install the software, but it also prevents you from backing out individual patches. Cannot be specified with <code>-B</code> option. |
| <code>-p patchdir</code> | Specifies directory that includes all the patches. |
| <code>-q</code> | Disables the display of dots that indicate <code>install_mu</code> activity. |
| <code>-B backoutdir</code> | Specifies that the backout data is saved in the indicated directory. Cannot be specified with the <code>-d</code> option. |
| <code>-f</code> | Forces installation of patch set without checking for sufficient disk space. Using this option saves time, but you must use it only if you are certain that you have enough space. |

When the installation is complete, the following message appears.

```
install_mu completed at date_time.
```

- If you see this message, go to Step 10 on page 11.
- If you encounter any errors, go to Chapter 5.

10. Reboot the system by typing:

```
# sync ; reboot
```

You are then prompted for a login.

Note - To prevent the library conflict problem, you must reboot your system after installing MU5.

11. Type your login name and password:

```
login: login
password: password
```

Identifying the Version of Your Solaris 8 Maintenance Update

To identify the version of your Solaris 8 MU software, type:

```
# cat /etc/release
```

To identify the patches the MU software applied to your system, type:

```
# showrev -p
```

Note - If you compare the `showrev -p` output from applying the Solaris 8 MU5 software to the `showrev -p` output from installing the Solaris 8 7/01 operating environment, you will note that the following patches are not applied in the MU5 installation:

- Solaris 8 MU5 SPARC Platform Edition:

- 110597-02
- 110600-02
- 110712-03
- 110423-01
- 110418-01

- Solaris 8 MU5 Intel Platform Edition:

- 110598-02
- 110601-02
- 110713-03
- 110424-01
- 110419-01

These patches are needed to generate the Solaris 8 7/01 operating environment, but are not needed to apply the Solaris 8 MU5 patches.

Backing Out the Solaris 8 Maintenance Update 5

The patches in the Solaris 8 MU5 software have been tested together as a set and, for the greatest stability, should be used that way. If you need to remove one of the patches, you may do so provided that you did not use the `-d` option of `install_mu` during the installation of the Solaris 8 MU5 software.

Instructions for backing out individual patches are located in each patch directory. Patch directories are located in `/var/sadm/patch/`.

Note - Backing out the entire MU is not possible if you selected the `-d` option of `install_mu`.

Backing Out the Solaris 8 MU5

It is best to reboot your system in single-user mode before backing out the MU5. MU5 applies patches to system libraries. Individual systems in a multiuser system will be unstable if any processes have mapped to a patched version of a library and later attempt to map to different sections of the old library.

In single-user mode, network services are not available. If the MU5 image is on the network rather than on a CD, you must copy the MU5 image from the network to your local system before booting your system in single-user mode.

If you cannot reboot the system in single-user mode or if you do not have enough disk space to make a local copy of the MU5 image, you need to back out MU5 using NFS in multiuser mode. In this case, you should have the system in as quiet a state as possible, without users logged on or running jobs.

The `backout_mu` script provided by MU5 enables you to back out an entire MU.

To back out the Solaris 8 MU5 software:

1. Make sure that no important user or system processes are running.

2. Exit the current session.

The CDE login screen appears.

3. Click the Options button and select Command Line Login.

The system prompts you to log in.

4. Type your login name as `root` and type the root password:

```
login: root
password: root password
```

5. Reboot in single-user mode. From the root shell prompt, type:

```
# reboot -- -s
```

Note - Changing the run level from multiuser mode to single-user mode with the `shutdown` or `init` command might leave the `vold` process running. This process can cause problems when mounting the MU5 CD in single-user mode.

6. Type the root password.

Check that the system displays the following message and is now in system maintenance mode.

```
Entering System Maintenance Mode

Sun Microsystems Inc. SunOS 5.8 Generic Feb 2000
#
```

7. Determine where you are running the `backout_mu` command.

- If you are running `backout_mu` from the CD, go to Step 8 on page 17.
- If you are running `backout_mu` from a local copy of the MU5 image, go to Step 9 on page 17.

8. To mount the MU5 CD, place the CD in the drive and from the root shell prompt, type:

```
# mount -o ro -F hsfs /dev/dsk/c0t6d0s0 /cdrom
```

Note - In some cases, the CD-ROM drive might be on a controller other than `c0` or a target other than `t6`, which would require a different path to the CD-ROM device. Check with your system administrator if you have questions about mounting the CD-ROM drive.

9. Run `backout_mu`.

- From a local copy of the MU5 image, type:

```
# cd local_directory
# ./backout_mu options
```

- From the MU5 CD, type:

```
# cd /cdrom
# ./backout_mu options
```

TABLE 3-1 Command-Line Options for `backout_mu`

| Option | Description |
|----------------------------|--|
| <code>-q</code> | Disables the display of dots that indicate <code>backout_mu</code> activity. |
| <code>-B backoutdir</code> | Specifies an alternate directory in which the information required to back a patch out will be held. |

When the backout is complete, the following message is displayed.

```
backout_mu completed at date_time.
```

- If you see this message, go to Step 10 on page 18 to complete the backout.
- If you encounter any errors, go to Chapter 5.

10. Reboot the system by typing:

```
# sync ; reboot
```

You are then prompted for a login.

Note - To prevent the library conflict problem, you must reboot your system after backing out MU5 .

11. Type your login name and password:

```
login: login  
password: password
```

Known Problems

This chapter describes known problems relating to the installation and use of the Solaris 8 MU5 software.

Installation Bugs

`install_mu` Does Not Function Correctly When Starting It Using `sh` (4062334)

Because of problems regarding the interactions between `sh(1)` and `ksh(1)`, the `install_mu` utility might fail to install certain patches correctly when you start it using the following command from the command line or from an administrative script:

```
# /bin/sh ./install_mu options
```

Workaround: Execute `install_mu` from the command line or from an administrative script as follows:

```
# ./install_mu options
```

`Patchadd` Displays an Error That It Is Terminating

One of the following benign messages might be displayed by `install_mu`:

```
One or more patch packages included in
XXXXXX-YY are not installed on this system.
```

```
Patchadd is terminating.
```

Or:

```
Installation of XXXXXX-YY failed:
  Attempting to patch a package that is not installed.
```

These messages indicate that `patchadd` could not find on your system any of the packages that it intended to patch, so it skipped the indicated patch.

The message is displayed when `patchadd` notices a discrepancy installing a patch of one architecture onto a system with a different architecture (for example, a `sun4u` patch on a `sun4m` system.)

This may also be the result of one or more missing packages. The package might have been removed by the administrator, or never installed, as in the case of installing a cluster smaller than the Entire Distribution.

Workaround: Ignore the message.

Cannot login if System Is Not Rebooted (4423853)

When installing in single-user mode, do not use the `exit` command when done. You must instead use the `reboot` command. If `exit` is used instead of `reboot`, the following happens:

- The system is brought to `init 3` and you cannot log in until the system is rebooted.
- No other users can log in until the system is rebooted.
- `pam_projects.so.1` dumps core when any user or process tries to log in. The following message is displayed:

```
NOTICE: core_log: in.rshd[1479] core dumped:
/var/crash/core.in.rshd.1479
```

- If a process attempts to access the `pam_projects.so.1` module, load module messages are displayed on the system console. A message similar to the following is displayed:

```
cron[1433]: load_modules: can not open module
/usr/lib/security/pam_projects.so.1
```

These messages are also displayed if MU5 is installed in multi-user mode. In both cases, the messages will disappear once the system is rebooted.

Workaround: If the `exit` command is used after installing in single-user mode, reboot the system.

If the `exit` command is used after installing in multi-user mode and no root users remain logged in, reboot the system.

Error Messages

The screen messages displayed during the execution of `install_mu` and `backout_mu` do not include all errors that might have occurred. Therefore, check the detail log file for additional information about any patches or packages that were not installed or backed out.

```
# more /var/sadm/install_data/log_file.mu_version_name.date_time
```

In this example:

- `log_file` is the name of the log file for the process you completed. For `install`, it is `Maintenance_Update_log`. For `backout`, it is `MU_Backout_log`.
- `mu_version_name` is the name of the MU (it is `Solaris_8MU5` for MU5).
- `date_time` is the designated date and time copied from `date +%Y%m%d%H%M%S` (`yyyymmddHHMMSS` or `year-month-day-hour-minute-second`).

Note - `/var/sadm/install_data/log_file` is a symbolic link to the most recent MU log file.

Note - You will see only the error text when the message appears, not the error code number included here. The error code numbers are included here in case you are writing a script that calls the `install_mu` or `backout_mu` and your script needs to know the return values for the failure conditions.

Error Code 1:

```
signal detected.
```

```
install_mu (backout_mu) is terminating.
```

Explanation and recommended action: You interrupted `install_mu` (or `backout_mu`) by pressing Control-C. Reinvoke the program. If you reinvoke `install_mu`, error messages about previously applied patches will appear in the log file. Ignore the error messages.

Error Code 2:

`install_mu` (`backout_mu`) is unable to find the `INST_RELEASE` file for the target file system. This file must be present for `install_mu` (`backout_mu`) to function correctly.

Explanation and recommended action: The program cannot find the file `/var/sadm/system/admin/INST_RELEASE` in the client's root area. The client was not created properly or has become corrupted. Back up the client, then remove and re-create it.

Error Code 3:

ERROR: Cannot find `$xcommand` which is required for proper execution of `install_mu` (`backout_mu`).

Explanation and recommended action: `install_mu` and `backout_mu` require certain system utilities (for example `awk`, `sed`, `grep`) to be present in the server's `/usr/bin` and `/usr/sbin` directories. One of these utilities is missing. Contact your system administrator for assistance.

Error Code 4:

The `-B` and `-d` arguments are mutually exclusive.

Explanation and recommended action: The `-d` option requests that no backout data be saved. The `-B` option specifies a directory to store backout data. You cannot use these two options together. Reinvoke `install_mu` with only one of these options.

Error Code 5:

The `-p` parameter must be a directory. `$uPATCHDIR` is not a directory.

Explanation and recommended action: You selected the `-p` option and supplied a path that is not a valid directory. Reinvoke `install_mu` (or `backout_mu`) with a valid path to the `-p` option.

Error Code 6:

The `-B` parameter must be a directory. `$I` is not a directory.

Explanation and recommended action: You supplied an option to `-B` that is not a directory. Reinvoke `install_mu` (or `backout_mu`) with a valid path to the `-B` option.

Error Code 7:

Permissions on backout directory *\$BACKOUTDIR* not adequate.

Explanation and recommended action: You supplied an option to *-B* that is not a writable directory. Contact your system administrator for assistance.

Error Code 10:

Invalid option.

Explanation and recommended action: You selected an unrecognized option. Read the usage message displayed and reinvoke *install_mu* (or *backout_mu*).

Error Code 11:

Can't write to Log File: *\$LOGFILE*

Explanation and recommended action: *install_mu* and *backout_mu* need to write its log into the */var/sadm/install_data* directory. Check that the *install_data* directory is writable, then reinvoke *install_mu* (or *backout_mu*).

Error Code 12:

SUNWcar (core architecture root) package does not exist in */var/sadm/pkg*.

Explanation and recommended action: The */var/sadm/pkg/SUNWcar* directory is missing in the client or server's root area. Your client or server has become corrupted. Contact your system administrator for assistance.

Error Code 13:

install_mu (*backout_mu*) only supports *sparc* and *i386* architectures. *install_mu* (*backout_mu*) has detected *ARCH=\$LPROC*.

Explanation and recommended action: You ran *install_mu* (or *backout_mu*) on a system whose architecture is not SPARC or i386. Reinvoke *install_mu* (or *backout_mu*) on a supported platform.

Error Code 14:

-p parameter does not point to a directory containing a *.order* file. Looked in *\$uPATCHDIR* and in *\$uPATCHDIR/\$MU_TOP/\$LPROC/Patches*.

Explanation and recommended action: You provided a path to a patch directory but *install_mu* could not find a *.order* file in that directory, which it needs to determine the correct patch installation order. *install_mu* (or *backout_mu*)

looked in *\$path_you_specified* and in *\$path_you_specified/MU/\$sarch/Patches*, where *\$sarch* is either "sparc" or "i386." Check for the existence of a .order file and reinvoke `install_mu` (or `backout_mu`).

Error Code 15:

`install_mu` cannot locate patch order (.order) file. Paths searched: `./$LPROC/Patches`, `$MU_TOP/$LPROC/Patches`, `/cdrom/cdrom0/$LPROC/Patches`, `./$uPATCHDIR`, and `./$uPATCHDIR/$MU_TOP/$LPROC/Patches`.

Explanation and recommended action: You did not supply `install_mu` (or `backout_mu`) with the `-p` option to identify the patch directory and `install_mu` (or `backout_mu`) could not locate the patch directory. Reinvoke `install_mu` (or `backout_mu`) with the `-p` option.

Error Code 16:

You must be root to execute this script.

Explanation and recommended action: You need root privileges to run `install_mu` or `backout_mu` because only user root can apply and remove patches. Reinvoke the program as root.

Error Code 17:

`install_mu` (`backout_mu`) can only patch version 2.8 systems. Target system is version *\$TrgOSVers*.

Explanation and recommended action: You asked `install_mu` to apply patches to a server or client not running Solaris 8, or you asked `backout_mu` to back out patches from a server or client not running Solaris 8. `install_mu` and `backout_mu` must be run on a Solaris 8 system.

Error Code 22:

Not enough disk space to apply entire patch set.

Explanation and recommended action: `install_mu` analyzed your system and determined that not enough disk space was on one or more file systems to install the entire patch set. Make disk space available in the deficient file systems reported and reinvoke `install_mu`. If you believe that you have enough disk space to apply the Maintenance Update, reinvoke `install_mu` with the `-f` option.

Error Code 23:

Not enough disk space to save patch backout data.

Explanation and recommended action: `install_mu` analyzed your system and determined that not enough disk space was in the backout directory to save patch backout data. Select a backout directory with enough space, then reinvoke

install_mu. If you believe that you really have enough disk space in the backout directory, reinvoke install_mu with the -f option.

Error Code 24:

Dry run disk space check failed.

Explanation and recommended action: install_mu invokes pkgadd with a special option to check for sufficient disk space. pkgadd failed, probably because / or /var is very low on disk space or because your system has become corrupted. Contact your system administrator for assistance.

Error Code 25:

The -f and -D options are mutually exclusive.

Explanation and recommended action: The -f option instructs install_mu to skip the dry-run disk space calculation phase. The -D option requests that only the dry-run calculations be made. Choose one option, but not both.

Error Code 27:

Cannot find state file. Looked for a file of the form /var/sadm/install_data/.mu_state.{*root_or_usr.date_time*}.

Explanation and recommended action: backout_mu requires a file containing a list of the patches install_mu applied in order to know which patches to back out. If this file is missing, backout_mu cannot function. To remove the MU5 patch set, run the backout_mu program from the MU5 software distribution.

Solaris 8 Maintenance Update 5 Contents

This chapter provides the contents of the Solaris 8 MU5.

For example, the following patch:

```
108561-02 : CDE 1.4 Window Manager Features Patch
```

```
4301525 4301522 4299651 4301229 4300013 4303415 4304468 4302626
```

lists all parts of a patch where:

- 108561-02 is the patch ID number
- CDE 1.4 Window Manager Features Patch is the synopsis patch description
- 4301525 4301522 4299651 4301229 4300013 4303415 4304468 4302626 are the identification numbers of the bugs fixed by patch ID 108561-02

SPARC Platform Patch List

108528-09 SunOS 5.8: kernel update patch

```
1231256 1256102 4015840 4044653 4049222 4093980 4111373 4159348 4178572 4184090
4224166 4226443 4226932 4233718 4233832 4234426 4235823 4236043 4242051 4253619 4253713
4254594 4255980 4256799 4259051 4259848 4261064 4261322 4261567 4262685 4262842 4262930
4264390 4265649 4266124 4269556 4269582 4269845 4271378 4271726 4271733 4271738 4272737
4275177 4276021 4278679 4278935 4279959 4281502 4282158 4282212 4284196 4286659 4288248
4290073 4290269 4290532 4290575 4291601 4293528 4293692 4294881 4295047 4295776 4296081
4296124 4296614 4296770 4296961 4298256 4298472 4298789 4298790 4298792 4298794 4299010
4299504 4299838 4300040 4300179 4300788 4300951 4301117 4301683 4302637 4302919 4303126
4303474 4303649 4304033 4304051 4304696 4305131 4305365 4305392 4305709 4305817 4306004
```

(continued)

4306367 4306802 4307062 4307080 4307475 4307697 4307747 4307771 4307827 4308242 4308245
 4308370 4308807 4309011 4309330 4309719 4309750 4309761 4309784 4309802 4309804 4309818
 4310353 4310864 4311081 4311126 4311134 4311755 4312278 4312461 4312641 4312838 4312876
 4312937 4313235 4313746 4313747 4314121 4314201 4314488 4314616 4314656 4314662 4314936
 4315098 4315100 4315101 4316672 4316683 4317007 4317174 4317476 4317657 4317667 4317728
 4318351 4318358 4318728 4318747 4318795 4319122 4319440 4319715 4319724 4320047 4320297
 4320338 4320394 4320440 4320471 4320547 4320653 4321259 4321326 4321803 4321810 4322424
 4322734 4322741 4323534 4323981 4324244 4324250 4324390 4324900 4324992 4325075 4325225
 4325336 4325366 4325617 4325626 4325641 4325722 4325730 4325934 4325959 4326076 4326110
 4326851 4327038 4327135 4327330 4327674 4327795 4328067 4328075 4328225 4328669 4328671
 4328843 4329112 4329695 4330014 4330027 4330206 4330301 4330383 4330429 4330774 4330882
 4331384 4331496 4331744 4331884 4332219 4332425 4332484 4332521 4332740 4333138 4333639
 4333882 4334198 4334346 4334348 4334446 4334462 4334505 4335003 4335109 4335251 4335285
 4335837 4335935 4336156 4336182 4336274 4336303 4336323 4336443 4336779 4336906 4337039
 4337295 4337300 4337543 4337605 4337637 4337674 4337951 4338007 4338009 4338028 4338033
 4338035 4338148 4338189 4338275 4338702 4338704 4339009 4339049 4339179 4339235 4339354
 4339732 4340118 4340131 4340385 4340527 4340614 4340646 4340910 4340924 4340960 4341008
 4341185 4341337 4341378 4341664 4341714 4342756 4343039 4343115 4343189 4343237 4343285
 4343391 4343425 4343443 4343480 4343762 4343991 4344008 4344042 4345163 4345667 4346088
 4346167 4346319 4346495 4346666 4346875 4346976 4346998 4347358 4347359 4347965 4348040
 4349102 4349272 4349393 4349603 4350263 4350354 4350574 4350726 4350849 4351116 4351181
 4351877 4351971 4352174 4352284 4352611 4353353 4353432 4353449 4354331 4354397 4354498
 4354564 4354802 4355025 4355205 4355206 4355538 4356439 4356587 4356615 4356641 4357092
 4357097 4357216 4357245 4357371 4357552 4357646 4357714 4357897 4357919 4358151 4358192
 4358385 4358414 4358416 4358837 4359294 4359440 4359501 4359524 4359812 4360867 4361705
 4362122 4362141 4362327 4362522 4362966 4362970 4362979 4362980 4362983 4362985 4362986
 4363051 4363646 4363678 4363751 4363907 4364048 4364167 4364314 4364556 4365247 4365336
 4365604 4365733 4365739 4367538 4367584 4367625 4367773 4367903 4368026 4368057 4368758
 4368921 4369175 4369300 4369543 4369993 4370121 4370146 4370148 4370240 4370674 4371112
 4371183 4371549 4371615 4371697 4371769 4371774 4371775 4371777 4371778 4371970 4371993
 4372173 4372356 4372359 4372457 4373222 4373322 4374117 4374859 4374973 4375172 4375461
 4375699 4375901 4376089 4376101 4376956 4377012 4377215 4377831 4380262 4380319 4380688
 4380916 4381564 4381743 4381821 4381900 4382190 4382663 4382693 4383099 4383218 4383260
 4384445 4384675 4385718 4386088 4386092 4386857 4387010 4387034 4387227 4387923 4388263
 4388913 4389866 4390721 4391048 4391799 4392082 4392586 4393407 4394023 4394372 4395736
 4397335 4398255 4398298 4400262 4400356 4400359 4400361 4401747 4401837 4401865 4402431
 4402894 4403129 4405240 4405395 4406476 4406571 4408028 4408832 4408953 4409089 4413562
 4414594 4417257 4417289 4421352 4422232 4424175 4427954 4428317 4428907 4430416 4431763
 4439142 4445279 4446725 4449640 4454152 4463166

108569-05 X11 6.4.1: platform support for new hardware
 4335033 4346835 4376310 4376485 4414947

108576-14 SunOS 5.8: Expert3D IFB Graphics Patch
 4287694 4288477 4288903 4292508 4294341 4294348 4297823 4299666 4304542 4309471
 4303922 4299963 4306459 4307648 4311205 4310445 4306528 4307008 4304337 4314581 4275102
 4312920 4325797 4281786 4320218 4281768 4330211 4332169 4312416 4334722 4336101 4331089
 4327729 4330221 4329466 4338179 4338885 4339551 4342292 4339999 4345131 4343337 4345441
 4345824 4318209 4308321 4346269 4343794 4319009 4351258 4350874 4354581 4349383 4371825
 4374934 4362248 4368895 4373831 4367838 4370226 4342520 4361200 4366380 4374490 4375322
 4381790 4384560 4381091 4383456 4359327 4379613 4380904 4382690 4381752 4386795 4399009
 4312755 4412574 4419902 4393312 4426775 4420598 4404698 4416323 4426717

(continued)

108604-16 SunOS 5.8: Elite3D AFB Graphics Patch
4234045 4294963 4300089 4303885 4308725 4314165 4317186 4318450 4318781 4326599
4300698 4331783 4332163 4337138 4345380 4346269 4301100 4383203 4398494 4403310 4358552
4390300 4391869 4422952

108605-15 SunOS 5.8: Creator 8 FFB Graphics Patch
4234045 4294963 4303885 4308725 4314165 4317186 4318781 4326599 4300698 4331783
4327149 4335445 4343038 4343163 4343439 4343491 4346269 4383203 4398494 4403310 4334848
4358552 4391869 4415264 4422952 4404365

108606-10 SunOS 5.8: M64 Graphics Patch
4346365 4346366 4323033 4330240 4339896 4344317 4339609 4348035 4348038 4355633
4357093 4346269 4353922 4337456 4344114 4359222 4382556 4388408 4359199 4412237 4417526
4426011

108609-01 SunOS 5.8: Buttons/Dials Patch
4299526

108623-02 SunOS 5.8: Thai Wordbreak Iterator module
4389752

108652-34 X11 6.4.1 Xsun patch
4281374 4292395 4286682 4300866 1221324 4308554 4306350 4312517 4287741 4297581
4297830 4299495 4306774 4308640 4308661 4308670 4311088 4312780 4312893 4305597 4310813
4293861 4311804 4318777 4311685 4317727 4314304 4310120 4299667 4310536 4330738 4332966
4107762 4323892 4333070 4185418 4336308 4314423 4346749 4332982 4312537 4323164 4338851
4356114 4355797 4356265 4345609 4380139 4379301 4201153 4364219 4383751 4373395 4296832
4363016 4366826 4351398 4351928 4357191 4384470 4386513 4379921 4266226 4303123 4315367
4332582 4344578 4345315 4362714 4384349 4401442 4388540 4322639 4351432 4425100 4396244
4389859 4415638 4356377 4421358 4423990 4430205 4421610 4422000 4408780 4420281 4428762
4068021 4102547 4423292 4434695 4459544

108664-07 SunOS 5.8: Support for Network Service Provider platforms
4298987 4309134 4321825 4365953 4395774

108680-09 SunOS 5.8: su, su_pnp, and eri driver patch
4252667 4306404 4351894 4374325 4376935 4377930 4385015 4388147

108711-04 Solaris 8: Missing Catalan Locale Support
4305956 4328876 4337258

108714-05 CDE 1.4: libDtWidget patch
4289349 4321189 4360030

108723-01 SunOS 5.8: /kernel/fs/lofs and /kernel/fs/sparcv9/lofs patch
4126922

108725-05 SunOS 5.8: st driver patch
4180382 4258164 4258222 4270641 4271247 4303253 4319238 4347576 4347741 4351714
4387086 4397319

108727-06 SunOS 5.8: /kernel/fs/nfs and /kernel/fs/sparcv9/nfs patch
4193748 4249187 4276984 4293528 4331346 4338770 4349744

(continued)

108734-02 Polish UTF-8 Support Solaris 8
4325497 4328876

108735-03 u.RU.KOJ8-R : Cannot cut and paste cyrillic between dtapps
4307614 4325497 4328876 4359095

108773-08 SunOS 5.8: IIM and X Input & Output Method patch
4409148 4390729 4391701 4379997 4366559 4363883 4306958 4305501 4304989 4301739
4307230 4307224 4295996 4325454 4313845 4342196 4332958 4339874

108781-01 Solaris 8: Get UDCTool to work for zh_TW
4307173

108806-04 SunOS 5.8: Sun Quad FastEthernet qfe driver
4411462 4401250 4400713 4372906 4382499 4321069 4321602 4306341 4301636

108808-30 SunOS 5.8: Manual Page updates for Solaris 8
4456136 4357397 4449584 4450465 4405204 4434152 4427574 4377183 4380002 4397100
4406751 4417820 4419194 4427238 4312747 4389539 4414537 4401236 4405204 4409584 4414442
4401520 4406485 4373372 4396019 4396026 4400590 4195476 4310895 4311279 4311281 4311373
4311374 4312130 4314114 4314390 4317975 4323321 4323394 4325356 4338576 4345255 4345863
4347481 4351085 4352046 4353279 4356775 4358328 4359608 4360350 4360561 4365567 4365858
4367587 4369053 4370464 4372215 4372924 4375651 4375910 4375911 4375914 4376137 4377107
4377109 4377110 4379281 4379596 4379982 4381797 4381815 4383769 4383792 4384483 4384874
4385712 4385721 4385727 4385769 4386452 4386980 4388637 4388648 4388763 4394740 4398147
4398148 4398152 4398196 4398301 4331001

108813-06 SunOS 5.8: Sun Gigabit Ethernet 3.0
4355771 4343651 4309515 4295731 4311852 4285590 4327077 4286596 4335247 4347663
4368504 4333896 4381305 4415127 4336578

108820-01 SunOS 5.8: nss_compat.so.1 patch
4302441

108823-01 SunOS 5.8: compress/uncompress/zcat patch
4295877

108825-01 SunOS 5.8: /usr/lib/fs/cachefs/cfsadmin patch
4207874

108827-10 SunOS 5.8: libthread patch
4091466 4236427 4288299 4300228 4307551 4311948 4335956 4336933 4367192 4368163
4376585 4381908

108833-05 SunOS 5.8: kdmouse and kb_ps2 driver patch 4433935 synopsis is incorrect in -04 version
of patch 108833
4286023 4309431 4351910 4359774 4433935

108835-02 CDE 1.4: dtcm patch
4285729 4320553

108869-06 SunOS 5.8: snmpdx/mibiisa/libssasmp/snmpplib patch

(continued)

4299328 4301970 4309416 4330039 4333417 4359519 4361619 4368330 4377219 4390382
4404944 4412996 4414237

108875-09 SunOS 5.8: c2audit patch
1253973 4224166 4290575 4307306 4308525 4322741 4325997 4336689 4336959 4339611
4344275 4349180 4353965

108897-01 X11 6.4.1 Xprint patch
4305734

108899-01 SunOS 5.8: /usr/bin/ftp patch
4294697

108901-03 SunOS 5.8: /kernel/sys/rpcmod and /kernel/strmod/rpcmod patch
4107735 4321293 4330007

108909-11 CDE 1.4: Smart Card Administration GUI patch
4301377 4301411 4310298 4330268 4350318 4353115 4292889 4328443 4343393 4358106
4359950 4358885 4288789 4300862 4304481 4364860 4428095 4428113

108914-02 SunOS 5.8: localisation updates for different components
4331185

108919-09 CDE 1.4: dtlogin patch
4072784 4293300 4302209 4299160 4346072 4328385 4293551 4379999 4317622 4423832
4421008

108921-11 CDE 1.4: dtwm patch
4306589 4311842 4301522 4299651 4300013 4261430 4311753 4330496 4335592 4335971
4332153 4293551 4383544 4389935 4392829 4395985

108923-01 CDE 1.4: dtwm patch
4261430 4310640 4311753

108925-10 Solaris 8: New Messages for new I18N projects(Sync with UR5 B6)
4331886 4351024

108933-01 Hex broken in Swedish dtcalc, Mistranslation in Spanish dtmail
4308864 4304021

108940-25 Motif 1.2.7 and 2.1.1: Runtime library patch for Solaris 8
4299216 4294643 4320106 4318757 4322319 4299139 4312519 4322466 4327272 4327592
4336559 4327637 4322728 4342603 4343099 4350517 4334155 4367450 4362266 4350828 4400646
4383575 4393364 4406624 4386891 4412362 4340913 4317815 4414939 4424753 4449086 4441305
4449359 4437563

108947-01 SunOS 5.8: /platform/sun4u/cprboot patch
4296960

108949-06 CDE 1.4: libDtHelp/libDtSvc patch
4298416 4307660 4345282 1191725 4389935 4402567

108954-02 SunOS 5.8: localisation updates for different components

(continued)

108956-01 SunOS 5.8: htt_server dumps core on SCH's cm.so in utf-8 locales
4314242

108962-01 SunOS 5.8: XmlReader fails on an HTTP stream
4314140

108964-05 SunOS 5.8: /usr/sbin/snoop patch
1110881 4218869 4247106 4297326 4297676 4304083 4313760 4315280 4317713 4321696
4321713 4321720 4321721 4321723 4321725 4321726 4322042 4322055 4322058 4322060 4322064
4322200 4322670

108968-05 SunOS 5.8: vol/vold/rmmount patch
1206000 4108297 4145529 4205437 4211612 4254816 4255049 4285374 4286446 4292408
4292563 4296452 4298451 4298465 4298563 4298567 4303430 4304283 4304289 4305067 4306425
4307495 4307500 4307620 4307634 4312778 4313091 4314778 4355643 4365412 4392241

108970-01 SunOS 5.8: /usr/lib/fs/pcfs/fsck and /usr/lib/fs/pcfs/mkfs patch
4145536 4210625 4250242 4256652

108972-04 SunOS 5.8: /sbin/fdisk patch
4221693 4304790 4347145

108974-11 SunOS 5.8: dada, uata, dad, sd and scsi drivers patch
4102203 4231195 4231208 4237299 4262676 4263164 4271068 4271069 4275749 4279959
4284198 4285368 4285546 4291601 4297348 4302559 4304790 4305131 4305767 4313216 4313235
4318239 4325722 4325730 4328843 4329580 4329996 4335919 4337637 4343075 4343747 4346167
4347117 4348075 4349893 4352908 4353025 4353074 4354337 4357397 4361271 4384992 4393407

108975-04 SunOS 5.8: /usr/bin/rmformat and /usr/sbin/format patch
4242879 4292212 4304790 4308431 4311553 4322206 4328893

108977-01 SunOS 5.8: libsmmedia patch
4292214 4308431 4311553

108981-06 SunOS 5.8: /kernel/drv/hme and /kernel/drv/sparcv9/hme patch
4151557 4247473 4305997 4327121 4327720 4369451 4372616 4372906 4382499 4398871

108982-09 SunOS 5.8: fctl/fp/fcp/usoc driver patch
4270724 4278408 4291069 4294605 4295939 4298666 4298671 4298676 4298680 4298689
4298693 4298699 4299785 4300516 4300943 4300953 4302739 4303724 4303736 4304902 4305775
4306340 4306737 4319582 4320820 4323071 4324847 4325628 4326575 4326893 4329579 4331095
4331778 4334397 4336589 4336669 4336671 4342072 4342080 4342091 4342847 4343652 4343660
4344776 4344777 4353138 4353873 4353887 4353895 4353900 4353906 4355988 4357644 4363620
4364099 4368105 4368384 4372083 4372479 4372763 4373469 4373730 4377565 4377643 4383009
4410561

108983-08 SunOS 5.8: fcip patch
4304890 4319582 4320876 4337691 4340152 4342080 4342091 4342847 4355959 4355971
4358603 4368384 4369500 4373906

108984-08 SunOS 5.8: qlc patch

(continued)

4264323 4278254 4300470 4300943 4300953 4302087 4304897 4319582 4324126 4324180
4324192 4324478 4326893 4327991 4328447 4330730 4334838 4335949 4336664 4336665 4336667
4337688 4344845 4353138 4353797 4353806 4353815 4353831 4353855 4355029 4357943 4360096
4360591 4360623 4363212 4364558 4366910 4367402 4368073 4369500 4375320 4377554 4377565
4380799 4394478

108985-02 SunOS 5.8: /usr/sbin/in.rshd patch
4158689 4305888 4335632

108987-04 SunOS 5.8: Patch for patchadd and patchrm
4115232 4278860 4292990 4299710 4303509 4304640 4311375 4319950 4330590 4350280
4351626 4356028 4379881 4384137 4388023

108989-02 SunOS 5.8: /usr/kernel/sys/acctctl and /usr/kernel/sys/exacctsys patch
4305365 4312278 4313746 4313747 4314201

108991-13 SunOS 5.8: /usr/lib/libc.so.1 patch
1257084 4193683 4225913 4244731 4291844 4292683 4302592 4303962 4310353 4312278
4314913 4314993 4341290 4355205 4355206 4357778 4366956 4374039 4375449 4395379 4400361

108993-03 SunOS 5.8: nss and ldap patch
1257084 4312278 4353601 4357778

108995-02 SunOS 5.8: /usr/lib/libproc.so.1 patch
4312278 4400361

108997-03 SunOS 5.8: libexacct and libproject patch
4305365 4312278 4313746 4313747 4314201

108999-01 SunOS 5.8: PAM patch
4312278

109003-01 SunOS 5.8: /etc/init.d/acctadm and /usr/sbin/acctadm patch
4312278

109005-02 SunOS 5.8: /sbin/su.static and /usr/bin/su patch
4312278 4374692

109007-05 SunOS 5.8: at/atrm/batch/cron patch
4261967 4304184 4312278 4368876 4379735

109009-01 SunOS 5.8: /etc/magic and /usr/bin/file patch
4312278

109011-01 SunOS 5.8: /usr/bin/id and /usr/xpg4/bin/id patch
4312278

109013-02 SunOS 5.8: /usr/bin/lastcomm patch
4305365 4312278 4313746 4313747 4314201

109015-01 SunOS 5.8: /usr/bin/newtask patch
4312278

(continued)

109017-01 SunOS 5.8: /usr/bin/pgrep and /usr/bin/pkill patch
4312278

109019-02 SunOS 5.8: /usr/bin/priocntl patch
4312278 4409616

109021-01 SunOS 5.8: /usr/bin/projects patch
4312278

109023-01 SunOS 5.8: /usr/bin/sparcv7/ps and /usr/bin/sparcv9/ps patch
4312278

109025-03 SunOS 5.8: /usr/bin/sparcv7/truss and /usr/bin/sparcv9/truss patch
4312278 4355205 4355206 4389754 4400361

109027-01 SunOS 5.8: /usr/bin/wracct patch
4312278

109029-02 SunOS 5.8: perl patch
4312278 4458516

109031-01 SunOS 5.8: projadd/projdel/projmod patch
4312278

109033-01 SunOS 5.8: /usr/bin/sparcv7/prstat and /usr/bin/sparcv9/prstat patch
4312278

109035-02 SunOS 5.8: useradd/userdel/usermod patch
4312278 4361232

109037-01 SunOS 5.8: /var/yp/Makefile and /var/yp/nicknames patch
4312278

109043-02 SunOS 5.8: sonode adb macro patch
4224166 4290575 4322741

109045-02 SunOS 5.8: /usr/sbin/sparcv7/crash and /usr/sbin/sparcv9/crash patch
4224166 4290575 4322741

109068-01 Japanese CDE 1.4: Update Japanese CDE help files
4302904

109070-03 SunOS 5.8: fix WBEM improper Japanese messages and update
4302909 4380748 4417297

109072-08 CDE 1.4: (Japanese) sdtsmartcardadmin update
4318088 4301377 4328596 4346028 4346738 4350168 4357755 4384414 4304481 4457450

109077-04 SunOS 5.8: dhcp server and admin patch
4006121 4081088 4087704 4118738 4123989 4217448 4236794 4247106 4259606 4261028
4262563 4266337 4280050 4292039 4294562 4313817 4321169 4325569 4332717 4343883 4344207
4345227 4351640 4365946 4366907 4373015 4382760 4401269 4403345 4406599 4418313 4419584
4421892 4426477 4432319 4446827

(continued)

109087-01 SunOS 5.8: atok8 terminates "Shell widget modeShell has zero..."
4297016 4301750

109091-04 SunOS 5.8: /usr/lib/fs/ufs/ufsrestore patch
4132365 4297558 4302943 4339366 4366956 4375449

109093-09 SunOS 5.8: JFP message files patch
4318917 4345727 4357764 4358930 4380324 4402947 4433611 4460436

109094-01 SunOS 5.8: localisation updates for different components

109128-01 Provide conversion between codepages 1256 and ISO8859-6
4301870

109131-07 SunOS 5.8: JFP manpages patch
4320935 4345069 4302905 4351981 4379437 4405735 4458124

109133-02 SunOS 5.8 : Cut and Paste not functioning in ru_RU.KOI8-R locale
4307614 4328876

109134-19 SunOS 5.8: WBEM patch 4382365 Multiple lines in patch README can cause CIM_ERR_FAILED
4209330 4297248 4309319 4314792 4318408 4329995 4332540 4333798 4333799 4336708
4336719 4336764 4346486 4346810 4346974 4352831 4355958 4355986 4356000 4357738 4358748
4358807 4358814 4358855 4359098 4359109 4359136 4359580 4359722 4360208 4361147 4362256
4362879 4363471 4363474 4364065 4364250 4364418 4364642 4364742 4364795 4364806 4365026
4365215 4365386 4365462 4365763 4365811 4365940 4366652 4366809 4367110 4367132 4368018
4368410 4368421 4368575 4368608 4368626 4368682 4368756 4368777 4369122 4369554 4370171
4370176 4370212 4370711 4371192 4371214 4371217 4371519 4372191 4372647 4372914 4373672
4374771 4376028 4376259 4377284 4377534 4377870 4377923 4377924 4377935 4377936 4377946
4377957 4377958 4377997 4378011 4378016 4378181 4378271 4378310 4378375 4378523 4378622
4378628 4378636 4378639 4378646 4378763 4378782 4378798 4378801 4379010 4379015 4379045
4379135 4379174 4379554 4379726 4379737 4379936 4380100 4380186 4380380 4380397 4380478
4380481 4380490 4380596 4380882 4380945 4381254 4381266 4381310 4381411 4381431 4382365
4382371 4382812 4383045 4383774 4383837 4385381 4385396 4385564 4385603 4385798 4387049
4387367 4387991 4388779 4389220 4390236 4391275 4391281 4391370 4391522 4392230 4395633
4396481 4396893 4396895 4396991 4397253 4398656 4400195 4403686 4403893 4404301 4406776
4407241 4407677 4416423 4417302 4417303 4417342

109142-06 CDE 1.4: dtterm libDtTerm patch
4308751 4340259 4355107 4308971 4093503 4387002

109145-01 SunOS 5.8: /usr/sbin/in.routed patch
4319852

109147-09 SunOS 5.8: linker patch
4040628 4077245 4103449 4187211 4204447 4210412 4219652 4235315 4239213 4243097
4248250 4250694 4255943 4287274 4297563 4300018 4303609 4306415 4309212 4310324 4310901
4311226 4312449 4313765 4316531 4318162 4321634 4322528 4322581 4324134 4324324 4324775
4327653 4329785 4334617 4335801 4336102 4336980 4338812 4340878 4341496 4343417 4343801
4344528 4346001 4346144 4346615 4349137 4349563 4351197 4351715 4352233 4352330 4354500
4355795 4356879 4357805 4358751 4358862 4366905 4367118 4367405 4368846 4369068 4371114

(continued)

4372554 4377941 4381116 4381783 4385402 4390308 4391527 4393044 4394212 4394698 4401232
4401815 4402861 4413168 4452202 4452220

109149-01 SunOS 5.8: /usr/sbin/mkdevmaps patch
4316613

109152-01 SunOS 5.8: /usr/4lib/libc.so.1.9 and /usr/4lib/libc.so.2.9 patch
4128267

109154-08 SunOS 5.8: PGX32 Graphics Patch
4313132 4329407 4340417 4340678 4344436 4347028 4357957 4383508 4372518 4377807
4398941 4373617 4352469 4396037 4417836 4417842 4417849

109157-17 SunOS 5.8: WOS Message Update and more bug fix for UR4/UR5
4350770 4351383 4332965 4343790 4334002 4337487 4337974 4338505 4341638 4323845
4362981 4413585 4440717

109159-01 SunOS 5.8: the mapping of zh_CN.euc%UTF-8 is consistent
4334099 4337362

109165-10 CDE 1.4: dtfile patch
4257760 4256612 4256615 4256616 4256617 4297751 4259270 4287012 4292249 4303367
4297401 4302856 4305084 4305248 4303443 4291565 4308823 4306243 4291444 4286997 4310115
4302740 4301375 4312545 4314867 4312316 4310827 4292266 4316515 4314491 4317156 4317797
4314870 4322296 4318940 4325417 4335592 4331909 4331578 4339457 4343798 4353856 4346376
4406203 4280247

109167-01 CDE 1.4: Desktop Help Updates Patch
4307183 4319636

109169-12 CDE 1.4: Window Manager Enhancements Patch GWM sdtgwm dumps core after selecting
Window->Close Window
4301525 4301229 4303415 4304468 4308078 4310419 4311506 4312315 4311916 4312250 4311992
4321374 4312375 4305293 4316508 4299329 4321374 4327961 4321817 4328036 4328268 4327801
4330458 4327967 4332309 4330198 4331955 4328255 4330445 4336342 4360521 4376807 4389935
4382452 4319599 4384360 4390631 4392829 4391179 4411689

109176-04 CDE 1.4: Japanese patch to sync base CDE update
4322170 4346025 4365384 4373355 4410646

109179-04 SunOS 5.8: localisation updates for SmartCard and Removable Media
4337729 4313061 4329376 4333754 4329372

109181-04 SunOS 5.8: /kernel/fs/cacheofs patch
4103817 4166371 4292697 4299056 4299427 4308026 4308068 4345825 4377598

109189-02 SunOS 5.8: ifp driver patch
4275418 4285969 4294568 4309042 4329645 4329671 4333114

109200-02 SunOS 5.8: I10n updates: Removable Media, Window Mgr & Pam Proj
4336934 4313061 4333002

109202-01 SunOS 5.8: /kernel/misc/gld and /kernel/misc/sparcv9/gld patch

(continued)

- 4197367
- 109223-01 SunOS 5.8: libgss.so.1 and libkadm5clnt.so.1 patch
4308978
- 109234-04 SunOS 5.8: Apache and NCA patch
4285881 4294231 4296334 4297125 4297126 4297294 4299951 4300202 4300429 4300836
4301047 4303787 4306793 4307672 4307679 4307683 4308402 4309183 4309784 4311970 4312075
4312109 4312396 4313734 4316564 4317634 4318360 4318365 4324351 4326195 4326198 4335591
4374333 4383806 4386685 4400356 4400359 4406963 4406965 4411982 4411983 4416245 4419168
4421127 4421142 4427593 4428375 4428382 4428554 4428696 4429882 4430068 4430085 4430216
4430242 4440248
- 109238-01 SunOS 5.8: /usr/bin/sparcv7/ipcs and /usr/bin/sparcv9/ipcs patch
4310353
- 109247-01 Bad translation causes core dump in German install
4324017
- 109249-01 Help not localised for the dhcpgmr
4324311
- 109255-01 Unlocalised buttons on user-interface of dhcpgmr
4324315
- 109264-01 Graphics missing from Help in Smart Card
4324308
- 109277-01 SunOS 5.8: /usr/bin/iostat patch
4313169
- 109279-14 SunOS 5.8: /kernel/drv/ip patch
4239154 4278842 4291034 4299644 4299951 4302749 4303422 4304991 4305039 4306362
4308728 4310956 4311938 4313189 4317221 4320818 4323647 4323830 4324051 4324430 4333995
4335568 4336478 4337275 4338724 4339375 4340455 4347223 4352770 4360818 4370123 4374157
4375920 4376886 4387783 4390248
- 109318-18 SunOS 5.8: suninstall patch
4186765 4210386 4245794 4256556 4265363 4299103 4302899 4310379 4310705 4313039
4322703 4324404 4325840 4334036 4336779 4337779 4338255 4342090 4344764 4345757 4350971
4351009 4351486 4355192 4358804 4360631 4365737 4367081 4367650 4372310 4378277 4382446
4384102 4384301 4384377 4387795 4389127 4390941 4391651 4392519 4392524 4394060 4400744
4401306 4402955 4403108 4406142 4408096 4410691 4410698 4417149 4422464 4428478 4434830
4446215 4452998
- 109320-03 SunOS 5.8: LP jumbo patch
4187773 4188167 4235953 4260829 4263321 4265529 4281487 4302705 4303242 4310991
4319723 4324679 4325537 4337699 4411642
- 109322-07 SunOS 5.8: libnsl patch
4283726 4302592 4305859 4320661 4327396 4336332 4354007 4357266 4374142
- 109324-02 SunOS 5.8: sh/jsh/rsh/pfsh patch

(continued)

4300733 4313399

109326-04 SunOS 5.8: libresolv.so.2, in.named patch
4136555 4253123 4284409 4300887 4349983 4365909 4409676 4444745

109328-01 SunOS 5.8: /usr/lib/netsvc/yp/ypserv and usr/lib/netsvc/yp/ypxfr patch
4203989

109354-09 CDE 1.4: dtsession patch
4239375 4344648 4316439 4335987 4293551 4389935 4392829 4353429 4386226 4448598

109374-02 SunOS 5.8: audioens driver patch
4289079 4304954 4307758 4309820 4329870

109384-01 SunOS 5.8: libaio patch
4253437

109411-02 SunOS 5.8: dtmail prints garbage strings
4326649 4350277

109441-04 SunOS 5.8: sdtudctool patch
4312994 4342214 4393648 4407566

109452-01 SunOS 5.8: Window List, buttons unlocalised in Options dialog
4329351

109454-01 SunOS 5.8: /kernel/fs/fifofs and /kernel/fs/sparcv9/fifofs patch
4302216

109458-02 SunOS 5.8: /kernel/strmod/ldterm patch
4152717 4250344

109460-05 SunOS 5.8: socal and sf driver patch
4137818 4259911 4285968 4296275 4300684 4301468 4303182 4304245 4307129 4307585
4322210 4327372 4327766 4328635 4330062 4381613 4420576

109470-02 CDE 1.4: Actions Patch
4326649 4353583

109472-06 SunOS 5.8: /kernel/drv/tcp patch
4278842 4291034 4299644 4308728 4310189 4311938 4313189 4319441 4319681 4319717
4324051 4330074 4332542 4360818 4370123 4375920 4376886 4400356

109524-05 SunOS 5.8: ssd driver patch
4271068 4271069 4295457 4297348 4318239 4329996 4337798 4343075 4343747 4349893
4352908 4353025 4353074 4354337 4356701 4357397 4367306 4375899 4384992 4397494

109529-06 SunOS 5.8: luxadm, liba5k and libg_fc patch
4174203 4239619 4255709 4261528 4267328 4278281 4299846 4300876 4306461 4306571
4308889 4309126 4319786 4322825 4325179 4328845 4331309 4332727 4342013 4346160 4351705
4353263 4354574 4358935 4359401 4364789 4375525 4375872 4384199 4430689

109552-01 SunOS 5.8: FIGSS-UTF.8, Removable media manager unlocalised

(continued)

4327983

109564-01 SunOS 5.8: Removable Media Mgr, Missing floppy error unlocalised
4329409

109568-03 SunOS 5.8: sys-suspend need to support low power mode
4278930 4355638 4358149 4361324

109573-01 SunOS 5.8: dhcprmgr help graphics not displayed correctly
4330902

109576-01 SunOS 5.8: mountall and fsckall patch
4260430

109582-01 CDE 1.4: sdtaudio patch
4305400

109607-01 SunOS 5.8: /usr/include/iso/stdlib_iso.h patch
4300780

109609-01 SunOS 5.8: UTF-8 Korean attached text becomes garbled
4309015

109613-02 CDE 1.4: dtmail patch
4336922 4133950 4362276 4372376

109618-01 SunOS 5.8: en_US.UTF-8 locale patch
4311444 4336840

109622-01 SunOS 5.8: env LANG=zh_TW dtterm doesn't work in partial zh_TW.UTF-8
4330770

109639-02 SunOS 5.8: th locale has errors in / lacks some LC_CTYPE definitions
4314263 4353504 4306111

109642-01 SunOS 5.8: /usr/include/sys/dkio.h patch
4304790

109657-04 SunOS 5.8: isp driver patch
4225880 4296113 4298594 4299727 4305985 4323441 4330876 4342019 4342469 4347100
4362676 4363019 4363024 4384300

109667-03 SunOS 5.8: /usr/lib/inet/xntpd and /usr/sbin/ntpdate patch
4279094 4320855 4330427

109679-01 SunOS 5.8: /usr/share/lib/smartcard/ibutton.jar patch
4330248

109692-03 SunOS 5.8: Information: File contents are out of date
4339515 4345433 4350242

109695-02 SunOS 5.8: /etc/smartcard/opencard.properties patch
4324685 4343216

(continued)

109704-02 SunOS 5.8: Japanese iconv patch
4350293 4344163 4344139 4340250 4340245 4227824

109727-01 SunOS 5.8: /usr/sadm/admin/printmgr/classes/pmclient.jar patch
4326665

109729-01 SunOS 5.8: /usr/bin/cat patch
4163406

109740-04 SunOS 5.8: /kernel/drv/udp patch
4278842 4291034 4299644 4302749 4303422 4306362 4308728 4310956 4311938 4313189
4317221 4320818 4324051 4335568 4360818 4370123 4375920 4376886

109742-04 SunOS 5.8: /kernel/drv/icmp patch
4278842 4291034 4299644 4303422 4306362 4308728 4311938 4313189 4324051 4360818
4370123 4375920 4376886 4390212

109748-01 CDE 1.4: sdtaudiocontrol patch
4324012 4324019 4295904

109750-03 Solaris 8: translation update and sync with base team's PDA images
4339505

109752-01 Solaris 8: UI of admintool is lost in partail installation
4347036

109754-03 SunOS 5.8: i2c driver patch
4327656 4336169 4348220 4359774

109755-01 OpenWindows 3.6.1: (japanese) update for power mgt util for s28u2
4345748

109764-02 SunOS 5.8: /kernel/fs/hsfs and /kernel/fs/sparcv9/hsfs patch
4305026 4328133

109766-02 SunOS 5.8: SUNWjxmft and SUNWjxcft patch for 8/10 dot font.
4345078 4400714

109783-01 SunOS 5.8: /usr/lib/nfs/nfsd patch
4305333 4325431

109785-01 SunOS 5.8: /etc/inittab patch
4273366

109793-07 SunOS 5.8: su patch
4242185 4284204 4293633 4305633 4329068 4329329 4331497 4333100 4334180 4351341
4352519 4354803 4356143 4357331 4358336 4362909 4394849

109803-01 SunOS 5.8: /usr/bin/du and /usr/xpg4/bin/du patch
4306228

109805-03 SunOS 5.8: pam_krb5.so.1 patch

(continued)

4330143 4351689 4373142

109807-01 SunOS 5.8: /usr/sbin/dumpadm patch
4340246

109809-01 SunOS 5.8: timezone data patch for Australasia
4313766

109813-01 SunOS 5.8: /usr/include/memory.h patch
4313659

109815-07 SunOS 5.8: se, acebus, pcf8574, pcf8591 and scsb patch
4304938 4308769 4319571 4320055 4333577 4335099 4335407 4338933 4341299 4342866
4343535 4343601 4345375 4346323 4353422 4353426 4353430 4354219 4354857 4354859 4358059
4358940 4364763 4365262 4367981 4368931 4375225 4376423 4379189 4383950 4384345 4385065
4391660 4393595 4396693 4401945 4402018 4412952 4417867 4417908 4418400 4418408 4420763
4421345 4424145 4437712

109862-01 X11 6.4.1 Font Server patch
4314299 4323233 4335325 4335328 4336593 4345905

109868-05 SunOS 5.8: WOS Help File Update
4338011 4350353 4419807

109872-01 SunOS 5.8: vis driver patch
4269556

109873-07 SunOS 5.8: prtdiag patch
4285559 4286659 4319714 4326851 4332032 4336443 4337039 4339157 4339689 4339732
4341185 4342594 4352438 4357014 4361157 4362289 4362805 4363440 4363858 4363997 4366980
4366986 4367573 4370121 4370746 4372567 4373616 4380560 4384142 4384394 4386281 4386308
4387908 4401725 4404968

109874-06 SunOS 5.8: audio patch
4246091 4271687 4291027 4304911 4305392 4307415 4311829 4327740 4329687 4332773
4333448 4339937 4348566 4350077 4353457 4353828 4368842 4382602

109876-02 SunOS 5.8: fd driver patch
4271682 4333588 4336201 4382509

109877-01 SunOS 5.8: /usr/include/sys/dma_i8237A.h patch
4333588

109879-02 SunOS 5.8: isadma driver patch
4334446 4346495 4358337

109881-02 SunOS 5.8: 1394 adb macros patch
4329522 4330882 4331744 4351774

109882-04 SunOS 5.8: eri header files patch
4231424 4327054 4345671 4345969 4363777 4364842 4376935 4378440 4386437 4389260
4412127

(continued)

109883-02 SunOS 5.8: /usr/include/sys/ecppsys.h patch
1167460 4241460 4250652 4257428 4270674 4271686 4275074 4275092 4275119 4275200
4275205 4276209 4295173 4297052 4299441 4299456 4299460 4299467 4299470 4299621 4299631
4301029 4301079 4301556 4309750 4310788 4314412 4314419 4329805 4349418 4364900

109885-05 SunOS 5.8: glm patch
4258589 4324244 4324250 4329411 4331145 4331147 4334348 4334505 4337546 4338033
4340982 4341851 4342624 4345567 4347753 4400052 4405933 4416758

109887-08 SunOS 5.8: smartcard patch
4252211 4259952 4260074 4275177 4288077 4290329 4293165 4293939 4298260 4305335
4306126 4315034 4322446 4330625 4332392 4341789 4341792 4343702 4343711 4346640 4352242
4352260 4352312 4352345 4353105 4355630 4361637 4389861 4390593 4396204 4401809 4418518
4420910 4423025 4423038 4423901 4423932 4426474 4434303 4445519 4451847

109888-09 SunOS 5.8: platform drivers patch
4184705 4282158 4282162 4282212 4298789 4298792 4298974 4300179 4302637 4309879
4310136 4311755 4312461 4317174 4317841 4319122 4320338 4322734 4325336 4326197 4328374
4329677 4333868 4333891 4333978 4334198 4334465 4334709 4335760 4337039 4345163 4346495
4349747 4352438 4367126 4375285 4386595 4389036 4393883 4405240 4422232 4454748 4460897

109889-01 SunOS 5.8: usr platform links and libc_psr patch
4231424 4275177 4321184 4327624 4328624 4334502 4346495

109890-01 SunOS 5.8: pmserver.jar patch
4308951

109892-03 SunOS 5.8: ecpp patch
1167460 4241460 4250652 4257428 4270674 4271686 4275074 4275092 4275119 4275200
4275205 4276209 4295173 4297052 4299441 4299456 4299460 4299467 4299470 4299621 4299631
4301029 4301079 4301556 4308951 4309750 4310788 4314412 4314419 4328669 4328671 4329805
4332425 4334210 4334506 4337450 4344459 4345596 4347469 4347728 4349418 4364900 4375134
4380979

109893-02 SunOS 5.8: stc driver patch
4255596 4309750

109894-01 SunOS 5.8: bpp patch
4309750

109896-04 SunOS 5.8: USB patch
4042931 4178572 4179082 4204158 4207634 4257491 4278766 4282084 4284408 4284481
4288456 4290035 4290038 4290048 4295084 4297451 4297991 4298047 4299321 4299711 4300133
4301110 4302435 4303153 4303369 4303371 4304019 4304060 4304250 4304253 4304383 4304968
4305434 4305436 4305437 4305467 4305645 4305649 4305819 4306676 4307085 4307542 4308510
4308511 4309328 4309368 4309566 4309916 4311023 4312163 4312381 4313650 4314164 4314166
4315368 4317503 4317522 4317527 4317528 4320410 4323024 4326037 4328542 4328590 4329325
4329560 4330021 4331700 4331710 4332033 4332613 4332707 4333879 4336235 4336592 4337149
4337561 4337816 4338525 4338614 4339292 4341714 4341839 4342024 4342426 4342488 4343230
4343443 4343762 4344107 4344121 4344122 4346249 4346254 4346963 4347288 4349013 4349282
4349339 4350113 4350570 4350901 4351268 4351426 4351707 4352101 4352931 4353264 4353820
4357035 4357915 4359440 4359658 4359875 4362924 4363252 4364427 4364575 4364748 4365137
4365848 4366523 4366874 4369166 4380154

(continued)

109898-02 SunOS 5.8: /kernel/drv/arp patch
4291034 4299644 4302198 4308728 4311938

109900-02 SunOS 5.8: /etc/init.d/network and /sbin/ifparse patch
4209200 4291034 4299644 4308728 4311938 4382115

109902-03 SunOS 5.8: /usr/lib/inet/in.ndpd patch
4291034 4299644 4308728 4311938 4347223 4386544

109904-04 SunOS 5.8: /etc/default/mpathd and /sbin/in.mpathd patch
4291034 4299644 4308728 4311938 4314132 4328423 4338258 4338530 4347223 4369240
4386544

109906-06 SunOS 5.8: dhcpgent, dhcpinf, ifconfig and netstat patch
4209200 4218277 4247106 4291034 4299644 4308728 4311938 4344914 4347223 4373331
4386544

109910-01 Help unlocalised for Winlst, Rem. Media Mgr. & Workspace Mgr.
4329353 4329355 4339080

109920-05 SunOS 5.8: pcic driver patch
4243709 4286161 4337039 4341224 4347834 4352356 4352663 4367607

109922-02 SunOS 5.8: pcelx, pcser and cs driver patch
4090692 4243709 4308863 4308870 4320108 4352663

109924-02 SunOS 5.8: pcata driver patch
4287520 4303758 4352663

109926-02 SunOS 5.8: /kernel/drv/pem and /kernel/drv/sparcv9/pem patch
4243709 4303863 4332477 4352663

109928-04 SunOS 5.8: pcmem and pcmcia patch
4243709 4265532 4280422 4303875 4337357 4339636 4352663 4355964

109931-02 CDE 1.4: sdtimage Patch
4345373 4396192

109933-01 SunOS 5.8: mv, cp, ln patch
4264701

109935-02 SunOS 5.8: libprtdiag_psr.so.1 for SUNW,UltraSPARC-III-Netract patch
4338306 4353761 4353762 4364922

109936-01 SunOS 5.8: /usr/bin/diff patch
4338744

109951-01 SunOS 5.8: jserver buffer overflow
4352777

109954-01 SunOS 5.8: /kernel/sys/pset and /kernel/sys/sparcv9/pset patch
4352049

(continued)

109960-01 CDE 1.4: sdtperfmeter patch
4341412 4290470 4280252

109990-01 SunOS 5.8: /usr/ccs/bin/dis patch
4015840 4350263

109994-01 SunOS 5.8: /usr/bin/sparcv7/adb and /usr/bin/sparcv9/adb patch
4015840 4350263

110019-04 SunOS 5.8: JFP install/sysadm messages patch
4354350 4375794 4405716 4449597

110044-01 SunOS 5.8: iswalph() can't work well in zh.GBK locale
4355229

110065-01 SunOS 5.8: New features added to install
4357775

110068-02 CDE 1.4: PDASync patch
4341358 4335220 4367008

110075-01 SunOS 5.8: /kernel/drv/devinfo and /kernel/drv/sparcv9/devinfo patch
4341354

110088-02 CDE 1.4: DtPower patch
4354583 4336307 4370067 4372350 4374505 4374554

110127-02 SunOS 5.8: Generic Framebuffer configuration Graphics Patch
4305334

110150-02 SunOS 5.8: rasctrl driver patch
4351894 4364221

110165-02 SunOS 5.8: /usr/bin/sed patch
4287555 4400740

110206-01 SunOS 5.8: sdtwinlst and sdtgwm utf8 unlocalised
4352861 4352800

110221-03 SunOS 5.8: Dcam1394 patch
4365341 4349294 4372839 4382327

110269-01 SunOS 5.8: /usr/lib/libnisdb.so.2 patch
4318294

110274-03 SunOS 5.8: Figgs Custom install new features and install help
4367029

110283-03 SunOS 5.8: mkfs and newfs patch
4297460 4333516 4339330 4344221 4380132 4374181

110285-01 SunOS 5.8: consconfig_dacf patch

(continued)

4350044

110286-02 OpenWindows 3.6.2: Tooltalk patch
4334998 4379430 4363822

110320-01 SunOS 5.8: /kernel/misc/sparcv9/s1394 patch
4362967

110322-01 SunOS 5.8: /usr/lib/netshvc/yp/ypbind patch
4362647

110326-02 CDE 1.4: dtstyle patch
4321874 4389935 4384360 4319599 4382452 4392829 4390631

110335-02 CDE 1.4: dtprintinfo patch
4325603 4380805

110364-02 SunOS 5.8: Add L10N sdttypesbinder files
4366984 4383627

110368-02 SunOS 5.8: pcf8574 driver patch for SUNW,Sun-Fire-280R
4286659 4326851 4336443 4339732 4341185 4434341

110369-04 SunOS 5.8: sgc patch
4286659 4326851 4337039 4362703 4362745 4374123 4376376 4385014

110370-02 SunOS 5.8: usr_platform patch
4286659 4326851 4337039 4414560

110371-02 SunOS 5.8: serengeti support, Update3, sgfru patch
4286659 4326851 4337039 4386526

110373-02 SunOS 5.8: sgbb patch
4286659 4319715 4319724 4326851 4337039 4339009 4351116 4352174 4353000 4354331
4354794 4363095 4363101 4367252 4370240 4398255 4401747

110374-06 SunOS 5.8: /platform/SUNW,Sun-Fire/kernel/drv/sparcv9/sge patch
4286659 4319715 4319724 4326851 4337039 4339009 4345060 4351116 4354331 4370121
4375808 4379057 4386281 4386308 4386526 4401805 4404305

110375-02 SunOS 5.8: serengeti support, Update3, ssm patch
4286659 4319715 4319724 4326851 4339009 4351116 4352284 4354331 4370146 4370148
4371549 4371993 4375901

110376-01 SunOS 5.8: littleneck support, usr_platform patch, S8 Update 3
4286659 4326851 4336443 4339732 4341185

110378-05 SunOS 5.8: mipagent patch Mobile IP
4278842 4302749 4310956 4313189 4317221 4320818 4324051 4335568 4360818 4370123
4370438 4375915 4375920 4376886 4377368 4377693 4377694 4378163 4378727 4379361 4382946
4382996 4382998 4383001 4383007 4386544 4390912 4391040 4392110

110379-01 SunOS 5.8: littleneck support, gpio patch

(continued)

4336443 4339732 4341185

110380-03 SunOS 5.8: ufssnapshots support, libadm patch
4025718 4296770 4451305

110381-01 SunOS 5.8: ufssnapshots support, clri patch
4296770

110382-01 SunOS 5.8:
4296770

110383-02 SunOS 5.8: libnvpair patch
4233832 4326110 4336779 4357245 4458516

110384-05 SunOS 5.8: RCM libraries & header patch
4233832 4326110 4336779 4357245 4363985 4364006 4364129 4373331 4375059 4375416
4379314 4384391 4386436 4386544 4387223

110385-03 SunOS 5.8: RCM modules patch
4233832 4326110 4336779 4357245 4375059 4375416 4386544

110386-01 SunOS 5.8: RBAC Feature Patch
4311781 4313955

110387-03 SunOS 5.8: ufssnapshots support, ufsdump patch
4132365 4296770 4339366 4358666

110388-01 SunOS 5.8:
4311781 4313955

110389-04 SunOS 5.8: cvc CPU signature
4333639 4337039 4362110 4386544

110390-02 SunOS 5.8: ldapclient patch
4310379 4415143

110407-02 CDE 1.4 Sdttypes patch
4313855 4329990 4357804 4365790 4374350

110416-03 SunOS 5.8: ATOK12 patch
4361738 4372858 4384092 4443974

110428-01 SunOS 5.8: New Turkish UTF-8 locale
4368177

110453-01 SunOS 5.8: admintool patch
4354306

110457-03 SunOS 5.8: scmi2c driver patch
4282989 4349315 4401809 4435178

110458-02 SunOS 5.8: libcurses patch
4313067 4398331

(continued)

110460-08 SunOS 5.8: fruid/PICL plug-ins patch
4286659 4326851 4336443 4339732 4341185 4358170 4358736 4361074 4361175 4363225
4363846 4365022 4366798 4367556 4369058 4370374 4370505 4370718 4372341 4372567 4374731
4375863 4381076 4382336 4382488 4384212 4384220 4384394 4384521 4385799 4387852 4387925
4387926 4389250 4389946 4396092 4400130 4404281 4404295 4404426 4404992 4409825 4409888
4413285 4414411 4418145 4429023 4433768 4454748

110461-01 SunOS 5.8: ttcompat patch
4335144

110503-01 SunOS 5.8: Polish locale monetary incorrect
4380484

110511-01 SunOS 5.8: rpc.nisd patch
4326943

110603-01 CDE 1.4: sdtname patch
4149628 4235799

110605-02 Motif 2.1.1 uil patch for Solaris 8
4404810 4385838

110609-02 SunOS 5.8: cdio.h and command.h USB header patch
4369151 4458516

110611-01 SunOS 5.8: lp.cat and postio ECP patch
4310788 4329805 4349418 4364900

110615-01 SunOS 5.8: sendmail patch
1119353 1254405 4086468 4304080 4317819 4329124 4329128 4329131 4332599 4344081
4357054

110662-04 SunOS 5.8: ksh patch
4286837 4356624 4379531 4422293 4446868 4457987

110668-01 SunOS 5.8: /usr/sbin/in.telnetd patch
4366956 4375449

110670-01 SunOS 5.8: usr/sbin/static/rcp patch
4366956 4375449

110716-02 SunOS 5.8: Solaris Product Registry 3.0 patch
4366927 4378201 4407526

110723-02 SunOS 5.8: eri Driver patch
4363777 4364842 4376935 4378440 4386437 4389260 4412127

110724-01 SunOS 5.8: liblayout patch
4393355

110745-01 SunOS 5.8: toolbox syntax correction
4391812 4391778 4391779 4391781

(continued)

110750-01 SunOS 5.8: TCX Graphics Patch
4349827

110752-01 SunOS 5.8: Uninstaller doesn't come up with error messages
4389792

110754-03 SunOS 5.8: UR3 new features WBEM updates

110756-02 SunOS 5.8: UR3 new features DCL updates
4404182

110758-03 SunOS 5.8: UR3 new fatures SMC updates
4398894 4404182

110764-03 SunOS 5.8: UR3 new features MGP updates
4398893 4404182

110766-03 SunOS 5.8: s28_u4 SUNW0mp update

110794-02 SunOS 5.8: dr_daemon patch
4250626 4254422 4299508 4355886 4356318 4357762 4375745

110797-02 SunOS 5.8: UR4 New int
4389039 4384498 4399740 4420102

110811-01 SunOS 5.8: libnls patch
4346460

110813-01 SunOS 5.8: libxfn patch
4346471

110815-01 SunOS 5.8: libmp patch
4346496

110817-01 SunOS 5.8: apprtrace and interceptors patch
4307470 4344373

110819-01 SunOS 5.8: us driver patch
4370572

110820-03 SunOS 5.8: dman driver patch
4352615 4356741 4356803 4363907 4378444 4381083 4384426 4387731 4388848 4399242
4405711 4406097 4406900 4406902 4408062 4408453 4413586 4413590 4413592 4413593 4415373
4416329 4421452

110821-02 SunOS 5.8: iosram driver patch
4363907 4414084

110822-01 SunOS 5.8: mboxsc driver patch
4363907

(continued)

110823-03 SunOS 5.8: fcode patch
4363907 4405109 4411034

110824-02 SunOS 5.8: fcpci driver patch
4363907 4405109

110825-02 SunOS 5.8: fcodem driver patch
4363907 4405109

110826-03 SunOS 5.8: schpc driver patch
4363907 4389226 4389669 4393561 4393772 4398474 4412060 4415707

110827-01 SunOS 5.8: scosmb driver patch
4363907

110828-01 SunOS 5.8: sbbc driver patch
4363907

110829-01 SunOS 5.8: todstarcat driver patch
4363907

110830-01 SunOS 5.8: cvcd patch
4363907

110831-02 SunOS 5.8: /platform/SUNW,Sun-Fire-15000/kernel/drv/sparcv9/cvc patch
4363907 4370761 4396065

110832-01 SunOS 5.8: cvcredir patch
4363907

110833-01 SunOS 5.8: usr platform links
4363907

110834-02 SunOS 5.8: SUNW,Sun-Fire-15000 libprtdiag_psr.so.1 patch
4363907 4382538

110835-02 SunOS 5.8: gptwo_cpu patch
4363907 4405109

110836-03 SunOS 5.8: /platform/sun4u/kernel/misc/sparcv9/gptwocfg patch
4363907 4405109 4418093

110837-03 SunOS 5.8: efcodes patch
4363907 4393561 4393772 4398474 4405109

110838-02 SunOS 5.8: axq platform patch
4363907 4409372 4418109

110839-01 SunOS 5.8: IP Multipathing RCM patch
4373331

110840-02 SunOS 5.8: bbc patch

(continued)

4369175 4381743 4389945

110841-01 SunOS 5.8: gptwo patch
4369175 4381743

110842-03 SunOS 5.8: hpc3130 driver patch for SUNW,Sun-Fire-880
4369175 4371073 4381743 4434341

110843-02 SunOS 5.8: libprtdiag_psr.so.1 patch for SUNW,Sun-Fire-880
4369175 4381743 4408182

110844-02 SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/lm75 patch
4369175 4381743 4434341

110845-03 SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/ltc1427 patch
4369175 4381743 4396092 4404992 4409825 4409888 4434341

110846-02 SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/pcf8574 patch
4369175 4381743 4434341

110847-02 SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/pcf8591 patch
4369175 4381743 4434341

110848-02 SunOS 5.8: pcicfg patch
4369175 4381743 4405109

110849-04 SunOS 5.8: PICL support for SUNW,Sun-Fire-880
4369175 4381743 4386743 4391856 4396092 4397396 4397400 4398426 4399865 4402759
4404295 4404953 4404992 4409825 4409888 4410173 4413285 4421202 4454748

110850-01 SunOS 5.8: sbdp patch
4369175 4381743

110851-01 SunOS 5.8: ssc050 patch
4369175 4381743

110852-02 SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/ssc100 patch
4369175 4381743 4434341

110853-01 SunOS 5.8: usr_platform patch
4369175 4381743

110854-02 SunOS 5.8: /platform/sun4u/kernel/drv/sparcv9/smbus_ara patch
4369175 4381743 4434341

110856-01 SunOS 5.8: /etc/inet/services patch
4363907

110864-01 SunOS 5.8:Need to back port fixes for SUNW_PKGLIST for ALC packages
4402062

110867-01 SunOS 5.8:Need to back port fixes for SUNW_PKGLIST for ALC packages
4399082

(continued)

110885-01 SunOS 5.8: JFP Solaris Product Registry 3.0 patch
4405721

110888-01 SunOS 5.8 : s28u4_06.figgs,New and updated message strings
4406660 4407100

110896-01 SunOS 5.8: /usr/lib/fs/cachefs/mount patch
4332446

110898-02 SunOS 5.8: csh/pfsh patch
4384080 4404641

110900-01 SunOS 5.8: /platform/sun4u/kernel/misc/sparcv9/pcicfg.e patch
4393561 4393772 4398474

110901-01 SunOS 5.8: /kernel/drv/sgen and /kernel/drv/sparcv9/sgen patch
4319695 4325990

110903-01 SunOS 5.8: edit, ex, vedit, vi and view patch
4059978 4320573

110905-01 SunOS 5.8: /usr/bin/find patch
4354572

110907-01 SunOS 5.8: /usr/include/arpa/inet.h patch
4345816

110910-01 SunOS 5.8: /usr/lib/fs/ufs/fsck patch
4225018

110912-01 SunOS 5.8: cfgadm patch
4301920 4301922 4301984 4387106

110914-01 SunOS 5.8: /usr/bin/tr patch
4366964

110916-02 SunOS 5.8: sort patch
4300461 4303258 4304444 4314724 4330831 4334641 4338929 4343080 4351862 4352007
4357085 4366860 4389764 4404621

110918-01 SunOS 5.8: openeep patch
4334314

110927-01 SunOS 5.8:Need to backport fixes in SUNW_PKGLIST in s8u4
4399235

110934-03 SunOS 5.8: pkgtrans, pkgadd, pkgchk and libpkg.a patch
4025718 4318844 4331907 4451305

110939-01 SunOS 5.8: /usr/lib/acct/closewtmp patch
4352064

(continued)

110941-01 SunOS 5.8: sar and sadc patch
4026830

110943-01 SunOS 5.8: /usr/bin/tcsh patch
4384076

110945-01 SunOS 5.8: /usr/sbin/syslogd patch
4309712 4323101 4336917 4337337 4345133 4345785 4353901 4357732 4374785 4386798

110949-01 SunOS 5.8: /usr/sadm/install/bin/pkgremove patch
4386585

110951-01 SunOS 5.8: /usr/sbin/tar and /usr/sbin/static/tar patch
4063224

110953-01 SunOS 5.8: llc2 driver patch
4375787

110955-01 SunOS 5.8: /kernel/strmod/timod patch
4380632

110957-01 SunOS 5.8: /usr/bin/mailx patch
4350331

110986-02 SunOS 5.8: SMC help fix
4354567 4366476 4384181

111008-04 SunOS 5.8: Update SUNW*reg to sync with base changes for S8UR5
4410946 4414341

111016-01 SunOS 5.8: /usr/bin/sdiff patch
4355588

111018-01 SunOS 5.8: /etc/driver_aliases patch for gpio
4395277

111023-01 SunOS 5.8: /kernel/fs/mntfs and /kernel/fs/sparcv9/mntfs patch
4367486

111035-01 SunOS 5.8: /kernel/sys/doorfs and /kernel/sys/sparcv9/doorfs patch
4273536 4321534 4385972

111049-02 SunOS 5.8: patch /platform/SUNW,Ultra-Enterprise-10000/lib/cvcd
4285908 4362110

111069-01 SunOS 5.8: bsmunconv overwrites root cron tab if cu created /tmp/root
4383308

111071-01 SunOS 5.8: cu patch
4406722

111073-01 SunOS 5.8: re_comp header patch
4345842

(continued)

- 111075-02 X11 6.4.1: keyboards patch
4395929 4405756 4422290 4434254
- 111085-01 SunOS 5.8: /bin/login misses failure when logging to /var/adm/loginlog
4291278
- 111088-02 SunOS 5.8: mdb patch
4367773 4374045
- 111090-01 SunOS 5.8: ldap backend doesn't search multiple paths
4359656
- 111098-01 SunOS 5.8: ROC timezone should be avoided for political reasons
4411173
- 111111-01 SunOS 5.8: nawk line length limit corrupts patch dependency checking
4395685
- 111141-01 SunOS 5.8: last doesn't work correctly for more than 256 users login
4353938
- 111177-03 SunOS 5.8: /usr/lib/lwp/libthread.so.1 patch
4305389 4336933 4371624 4390345 4393363 4407002 4421186 4441422
- 111197-01 SunOS 5.8: nfs mount of a file > 2GB is impossible
4389722
- 111225-01 SunOS 5.8: tail reserves 2G when reading from a stdin
4348627
- 111231-02 SunOS 5.8: Solaris user registration patch
4382052 4428154
- 111232-01 SunOS 5.8: patch in.fingerd
4298915
- 111234-01 SunOS 5.8: patch finger
4298986
- 111265-01 SunOS 5.8: patch who
4384285
- 111267-02 SunOS 5.8: /kernel/fs/specfs patch
1101389 4445656
- 111269-02 SunOS 5.8: Solaris Management Console patch
4354567 4394572
- 111275-01 SunOS 5.8: New features Solaris 8 Update 5 European
4451579 4355669 4437042
- 111293-03 SunOS 5.8: /usr/lib/libdevinfo.so.1 patch

(continued)

4226932 4423315 4461872

111295-01 SunOS 5.8: /usr/bin/sparcv7/pstack & /usr/bin/sparcv9/pstack patch
4393386 4399452 4400361

111297-01 SunOS 5.8: /usr/lib/libsendfile.so.1 patch
4400361

111299-01 SunOS 5.8: PPP patch
1264523 4098801 4410142

111302-01 SunOS 5.8: EDHCP libraries patch
4247106 4404390 4406599

111304-01 SunOS 5.8: /kernel/misc/nfs_dlboot patch
4247106

111306-01 SunOS 5.8: /usr/platform/sun4{d,m,u}/lib/fs/nfs/inetboot patch
4247106

111308-01 SunOS 5.8: /usr/lib/libmtmalloc.so.1 patch
4247106

111310-01 SunOS 5.8: /usr/lib/libdhcagent.so.1 patch
4247106

111313-01 SunOS 5.8: Viper tools are very slow to load
4415738

111317-01 SunOS 5.8: /sbin/init and /usr/sbin/init patch
4350392

111319-01 SunOS 5.8: /usr/sbin/in.rdisc patch
4304158

111321-01 SunOS 5.8: /kernel/misc/klmops patch
4372812

111323-01 SunOS 5.8: /usr/xpg4/bin/more patch
4373943

111325-01 SunOS 5.8: /usr/lib/saf/ttymon patch
4246300

111327-01 SunOS 5.8: libsocket patch
4356490

111332-01 SunOS 5.8: /usr/lib/dcs patch
4402784

111335-01 SunOS 5.8: dr, drmach, gptwo_pci and sc_gptwocfg drivers patch
4385107 4397382 4399138 4399165 4400692 4404492 4404532 4406374 4406903 4407043
4407520 4409977 4412070 4414010 4416528 4416546 4418267 4418315 4419158 4419171 4421238

(continued)

- 4422946 4423982
- 111337-01 SunOS 5.8: /usr/sbin/ocfserv patch
4429492
- 111363-01 SunOS 5.8: /usr/sbin/installf patch
4394391
- 111368-01 SunOS 5.8: /usr/bin/groups patch
4423602
- 111380-01 solregis: Japanese message patch
4449182
- 111398-01 SunOS 5.8: parse_dynamic_clustertoc needs to use dynamic_tests
4430962
- 111400-01 SunOS 5.8: KCMS configure tool has a security vulnerability
4415570
- 111481-01 OpenWindows 3.6.2: clock Patch
4443940
- 111503-01 SunOS 5.8: libpiclenvd.so.1 patch for SUNW,Sun-Blade-100
4454748
- 111548-01 SunOS 5.8: catman, man, whatis, apropos and makewhatis patch
4392144 4434978

Intel Platform Patch List

- 108529-09 SunOS 5.8_x86: kernel update patch
1231256 4044653 4093980 4159348 4178572 4184090 4224166 4226443 4226932 4233718
4233832 4234426 4235823 4253619 4254594 4259051 4259848 4261064 4261322 4262842 4262930
4264390 4265649 4269556 4271378 4271733 4271738 4282158 4282212 4288248 4290073 4290575
4293528 4293692 4294881 4295776 4296081 4296124 4296770 4298256 4298472 4298789 4298790
4298792 4298794 4299504 4299838 4300179 4300788 4300951 4301683 4302637 4303474 4303649
4304033 4304696 4305365 4305709 4306004 4307475 4307771 4308242 4308245 4308370 4309330
4309719 4309750 4309784 4311755 4312278 4312461 4312641 4313746 4313747 4314201 4314488
4316672 4317174 4317476 4317728 4319122 4319440 4320338 4320653 4321259 4322741 4324244
4324250 4324390 4325075 4325336 4325617 4325626 4325641 4325730 4325934 4325959 4326110

(continued)

4327330 4328843 4330206 4330301 4331306 4332219 4332484 4332740 4333639 4334198 4334346
4334348 4334505 4335837 4336182 4336443 4336779 4337039 4337295 4337300 4337605 4337912
4338033 4338148 4338275 4339732 4340527 4340614 4340646 4341008 4341185 4341337 4341378
4341714 4343039 4343115 4343237 4343425 4343443 4343991 4345667 4346254 4346976 4347359
4349102 4349272 4349393 4349603 4350574 4351877 4351971 4352611 4354397 4354802 4355205
4355206 4357245 4357919 4359440 4362141 4363051 4363678 4363907 4365336 4365733 4367625
4368026 4368057 4368921 4369543 4373222 4375699 4377012 4380319 4380688 4380916 4381900
4382190 4382663 4382693 4383099 4387923 4388913 4389685 4390721 4391799 4394023 4395736
4400356 4400359 4400361 4404947 4408508 4408832 4408953 4409089 4414557 4449640 4454152

108624-02 SunOS 5.8_x86: Thai Wordbreak Iterator module
4389752

108653-29 X11 6.4.1_x86: Xsun patch
4281374 4292395 4286682 4300866 1221324 4308554 4306350 4312517 4287741 4297581
4297830 4299495 4306774 4308640 4308661 4308670 4311088 4312780 4312893 4305597 4310813
4293861 4311804 4318777 4311685 4317727 4314304 4310120 4299667 4292075 4310536 4330738
4332966 4107762 4323892 4333070 4185418 4336308 4336246 4346749 4332982 4323164 4338851
4355797 4356265 4345609 4379301 4383751 4296832 4363016 4351928 4357191 4384470 4386513
4379921 4425100 4396244 4389859 4421358 4423990 4430205 4421610 4422000 4408780 4420281
4428762 4068021 4102547 4459544

108715-05 CDE 1.4_x86: libDtWidget patch
4289349 4321189 4360030

108724-01 SunOS 5.8_x86: /kernel/fs/lofs patch
4126922

108726-05 SunOS 5.8_x86: st driver patch
4180382 4258164 4258222 4270641 4271247 4303253 4319238 4345067 4347576 4347741
4351714 4387086 4397319

108728-06 SunOS 5.8_x86: /kernel/fs/nfs patch
4193748 4249187 4276984 4293528 4331346 4338770 4349744

108774-08 SunOS 5.8_x86: IIM and X Input & Output Method patch
4409148 4390729 4391701 4379997 4366559 4363883 4306958 4305501 4304989 4301739
4307230 4307224 4295996 4325454 4313845 4342196 4332958 4339874

108782-01 Solaris 8_x86: Get UDCTool to work for zh_TW
4307173

108809-30 SunOS 5.8_x86: Manual Page updates for Solaris 8
4456136 4357397 4449584 4450465 4405204 4434152 4427574 4377183 4380002 4397100
4406751 4417820 4419194 4427238 4312747 4389539 4414537 4401236 4405204 4409584 4414442
4401520 4406485 4373372 4396019 4396026 4400590 4195476 4310895 4311279 4311281 4311373
4311374 4312130 4314114 4314390 4317975 4323321 4323394 4325356 4338576 4345255 4345863
4347481 4351085 4352046 4353279 4356775 4358328 4359608 4360350 4360561 4365567 4365858
4367587 4369053 4370464 4372215 4372924 4375651 4375910 4375911 4375914 4376137 4377107
4377109 4377110 4379281 4379596 4379982 4381797 4381815 4383769 4383792 4384483 4384874
4385712 4385721 4385727 4385769 4386452 4386980 4388637 4388648 4388763 4394740 4398147
4398148 4398152 4398196 4398301 4331001

(continued)

108821-01 SunOS 5.8_x86: /usr/lib/nss_compat.so.1 patch
4302441

108822-02 SunOS 5.8_x86: /boot/solaris/boot.bin patch
4300016 4344312 4354815

108824-01 SunOS 5.8_x86: compress/uncompress/zcat patch
4295877

108826-01 SunOS 5.8_x86: /usr/lib/fs/cachefs/cfsadmin patch
4207874

108828-11 SunOS 5.8_x86: libthread patch
4091466 4236427 4279077 4288299 4300228 4307551 4311948 4335956 4336933 4367192
4368163 4376585 4381908

108836-02 CDE 1.4_x86: dtcm patch
4285729 4320553

108870-06 SunOS 5.8_x86: snmpdx/mibiisa/libssasmp/snmplib patch
4299328 4301970 4309416 4330039 4333417 4359519 4361619 4368330 4377219 4390382
4404944 4412996 4414237

108876-09 SunOS 5.8_x86: c2audit patch
1253973 4224166 4290575 4307306 4308525 4322741 4325997 4336689 4336959 4339611
4344275 4349180 4353965

108883-03 SunOS 5.8_x86: mmu32/mmu36 patch
4305696 4307800 4344475 4357919

108898-01 X11 6.4.1_x86: Xprint patch
4305734

108900-01 SunOS 5.8_x86: /usr/bin/ftp patch
4294697

108902-03 SunOS 5.8_x86: /kernel/sys/rpcmod and /kernel/strmod/rpcmod patch
4107735 4321293 4330007

108915-01 SunOS 5.8_x86: localisation updates for different components

108920-09 CDE 1.4_x86: dtlogin patch
4072784 4293300 4302209 4299160 4346072 4328385 4293551 4379999 4317622 4423832
4421008

108922-11 CDE 1.4_x86: dtwm patch
4306589 4311842 4301522 4299651 4300013 4261430 4311753 4330496 4335592 4335971
4332153 4293551 4383544 4389935 4392829 4395985

108924-01 CDE 1.4_x86: dtwm patch
4261430 4310640 4311753

(continued)

108934-01 SunOS 5.8_x86: bugfix for European locales, dtmail, dtcalc, SmartCard
4308864 4304021 4301544

108941-25 Motif 1.2.7_x86 and 2.1.1_x86: Runtime library patch for Solaris 8_x86
4299216 4318757 4294643 4320106 4322319 4299139 4312519 4322466 4327272 4327592
4336559 4327637 4322728 4342603 4343099 4350517 4334155 4367450 4362266 4350828 4383575
4393364 4400646 4406624 4386891 4412362 4340913 4317815 4414939 4424753 4449086 4441305
4449359 4437563

108950-06 CDE 1.4_x86: litDtHelp/libDtSvc patch
4298416 4307660 4345282 1191725 4389935 4402567

108955-01 SunOS 5.8_x86: localisation updates for different components

108957-01 SunOS 5.8_x86: htt_server dumps core on SCH's cm.so in utf-8 locales
4314242

108963-01 SunOS 5.8_x86: XmlReader fails on an HTTP stream
4314140

108965-05 SunOS 5.8_x86: /usr/sbin/snoop patch
1110881 4218869 4247106 4297326 4297676 4304083 4313760 4315280 4317713 4321696
4321713 4321720 4321721 4321723 4321725 4321726 4322042 4322055 4322058 4322060 4322064
4322200 4322670

108969-05 SunOS 5.8_x86: vol/vold/rmmount patch
1206000 4108297 4145529 4205437 4211612 4254816 4255049 4285374 4286446 4292408
4292563 4296452 4298451 4298465 4298563 4298567 4303430 4304283 4304289 4305067 4306425
4307495 4307500 4307620 4307634 4312778 4313091 4314778 4355643 4365412 4392241

108971-01 SunOS 5.8_x86: /usr/lib/fs/pfcs/fsck and /usr/lib/fs/pfcs/mkfs patch
4145536 4210625 4250242 4256652

108973-04 SunOS 5.8_x86: /sbin/fdisk patch
4221693 4304790 4347145

108976-04 SunOS 5.8_x86: /usr/bin/rmformat and /usr/sbin/format patch
4242879 4292212 4304790 4308431 4311553 4322206 4328893

108978-01 SunOS 5.8_x86: libsmmedia patch
4292214 4308431 4311553

108980-14 SunOS 5.8_x86: PCI HotPlug framework and devfsadm patch
4272737 4276021 4303126 4306367 4307062 4307080 4307747 4307827 4309011 4309750
4309802 4309818 4310864 4311126 4311134 4312937 4314121 4314936 4315098 4315100 4315101
4318351 4318747 4319122 4320440 4320471 4321326 4322424 4328067 4329695 4330383 4330429
4330774 4332425 4334198 4335003 4335285 4335935 4336443 4337039 4337674 4338007 4338009
4338633 4338702 4338704 4339732 4341185 4341224 4349603 4357092 4357552 4359294 4363907
4364048 4365270 4367993 4369175 4372712 4381743 4386092 4386544 4387034 4389866 4400262
4401837

108986-02 SunOS 5.8_x86: /usr/sbin/in.rshd patch

(continued)

4158689 4305888 4335632

108988-04 SunOS 5.8_x86: Patch for patchadd and patchrm
4115232 4278860 4292990 4299710 4303509 4304640 4311375 4319950 4330590 4350280
4351626 4356028 4379881 4384137 4388023

108990-02 SunOS 5.8_x86: acctctl & exacctsys patch
4305365 4312278 4313746 4313747 4314201

108992-13 SunOS 5.8_x86: /usr/lib/libc.so.1 patch
1257084 4193683 4225913 4244731 4291844 4292683 4302592 4303962 4310353 4312278
4314913 4341290 4355205 4355206 4357778 4366956 4374039 4375449 4395379 4400361

108994-03 SunOS 5.8_x86: nss and ldap patch
1257084 4312278 4353601 4357778

108996-02 SunOS 5.8_x86: /usr/lib/libproc.so.1 patch
4312278 4400361

108998-03 SunOS 5.8_x86: libexacct and libproject patch
4305365 4312278 4313746 4313747 4314201

109000-01 SunOS 5.8_x86: PAM patch
4312278

109004-01 SunOS 5.8_x86: /etc/init.d/acctadm and /usr/sbin/acctadm patch
4312278

109006-02 SunOS 5.8_x86: /sbin/su.static and /usr/bin/su patch
4312278 4374692

109008-05 SunOS 5.8_x86: at/atrm/batch/cron patch
4261967 4304184 4312278 4368876 4379735

109010-01 SunOS 5.8_x86: /etc/magic and /usr/bin/file patch
4312278

109012-01 SunOS 5.8_x86: /usr/bin/id and /usr/xpg4/bin/id patch
4312278

109014-02 SunOS 5.8_x86: /usr/bin/lastcomm patch
4305365 4312278 4313746 4313747 4314201

109016-01 SunOS 5.8_x86: /usr/bin/newtask patch
4312278

109018-01 SunOS 5.8_x86: /usr/bin/pgrep and /usr/bin/pkill patch
4312278

109020-02 SunOS 5.8_x86: /usr/bin/priocntl patch
4312278 4409616

109022-01 SunOS 5.8_x86: /usr/bin/projects patch

(continued)

4312278

109024-01 SunOS 5.8_x86: /usr/bin/i86/ps patch
4312278

109026-04 SunOS 5.8_x86: /usr/bin/i86/truss patch
4312278 4355205 4355206 4389754 4400361

109028-01 SunOS 5.8_x86: /usr/bin/wracct patch
4312278

109030-02 SunOS 5.8_x86: perl patch
4312278 4458516

109032-01 SunOS 5.8_x86: projadd/projdel/projmod patch
4312278

109034-01 SunOS 5.8_x86: /usr/bin/i86/prstat patch
4312278

109036-02 SunOS 5.8_x86: useradd/userdel/usermod patch
4312278 4361232

109038-01 SunOS 5.8_x86: /var/yp/Makefile and /var/yp/nicknames patch
4312278

109044-02 SunOS 5.8_x86: sonode adb macro patch
4224166 4290575 4322741

109046-02 SunOS 5.8_x86: /usr/sbin/i86/crash patch
4224166 4290575 4322741

109069-01 Japanese CDE 1.4: update CDE help files for _x86
4302904

109071-04 SunOS 5.8_x86: fix WBEM improper Japanese messages and update
4302909 4380748 4417297 4424921 4426597

109073-05 CDE 1.4_x86: (Japanese) New Feature patch
4302027 4305195 4322170 4346025 4365384 4373355 4410646

109078-04 SunOS 5.8_x86: dhcp server and admin patch
4006121 4081088 4087704 4118738 4123989 4217448 4236794 4247106 4259606 4261028
4262563 4266337 4280050 4292039 4294562 4313817 4321169 4325569 4332717 4343883 4344207
4345227 4351640 4365946 4366907 4373015 4382760 4401269 4403345 4406599 4418313 4419584
4421892 4426477 4432319 4446827

109088-01 SunOS 5.8_x86: atok8 terminates "Shell widget modeShell has zero..."
4297016 4301750

109092-04 SunOS 5.8_x86: /usr/lib/fs/ufs/ufsrestore patch
4132365 4297558 4302943 4339366 4366956 4375449

(continued)

109095-01 SunOS 5.8_x86: localisation updates for different components

109119-09 SunOS 5.8_x86: JFP message files patch
4318917 4345727 4357764 4358930 4380324 4402947 4433611 4460436

109129-01 SunOS 5.8_x86: Provide conversion between codepages 1256 and ISO8859-6
4301870

109132-07 SunOS 5.8_x86: JFP manpages patch
4320935 4345069 4302905 4351981 4379437 4405735 4458124

109135-19 SunOS 5.8_x86: WBEM patch 4382365 Multiple lines in patch README can cause
CIM_ERR_FAILED

4209330 4297248 4309319 4314792 4318408 4329995 4332540 4333798 4333799 4336708
4336719 4336764 4346486 4346810 4346974 4352831 4355958 4355986 4356000 4357738 4358748
4358807 4358814 4358855 4359098 4359109 4359136 4359580 4359722 4360208 4361147 4362256
4362879 4363471 4363474 4364065 4364250 4364418 4364642 4364742 4364795 4364806 4365026
4365215 4365386 4365462 4365763 4365811 4365940 4366652 4366809 4367110 4367132 4368018
4368410 4368421 4368575 4368608 4368626 4368682 4368756 4368777 4369122 4369554 4370171
4370176 4370212 4370711 4371192 4371214 4371217 4371519 4372191 4372647 4372914 4373672
4374771 4376028 4376259 4377284 4377534 4377870 4377923 4377924 4377935 4377936 4377946
4377957 4377958 4377997 4378011 4378016 4378181 4378271 4378310 4378375 4378523 4378622
4378628 4378636 4378639 4378646 4378763 4378782 4378798 4378801 4379010 4379015 4379045
4379135 4379174 4379554 4379726 4379737 4379936 4380100 4380186 4380380 4380397 4380478
4380481 4380490 4380596 4380882 4380945 4381254 4381266 4381310 4381411 4381431 4382365
4382371 4382812 4383045 4383774 4383837 4385381 4385396 4385564 4387049 4387367 4387991
4388779 4389220 4390236 4391275 4391281 4391370 4391522 4392230 4395633 4396481 4396893
4396895 4396991 4397253 4398656 4400195 4403686 4403893 4404301 4406776 4407241 4407677
4416423 4417302 4417303 4417342

109143-07 CDE 1.4_x86: dtterm libDtTerm patch
4308751 4340259 4355107 4308971 4093503 4387002

109146-01 SunOS 5.8_x86: /usr/sbin/in.routed patch
4319852

109148-09 SunOS 5.8_x86: linker patch
4040628 4077245 4103449 4187211 4204447 4210412 4219652 4235315 4239213 4243097
4248250 4250694 4255943 4287274 4297563 4300018 4303609 4306415 4309212 4310324 4310901
4311226 4312449 4313765 4316531 4318162 4321634 4322528 4322581 4324134 4324324 4324775
4327653 4329785 4334617 4335801 4336102 4336980 4338812 4340878 4341496 4343417 4343801
4344528 4346001 4346144 4346615 4349137 4349563 4351197 4351715 4352233 4352330 4354500
4355795 4356879 4357805 4358751 4358862 4366905 4367118 4367405 4368846 4369068 4371114
4372554 4377941 4381116 4381783 4385402 4390308 4391527 4393044 4394212 4394698 4401232
4401815 4402861 4413168 4452202 4452220

109150-01 SunOS 5.8_x86: /usr/sbin/mkdevmaps patch
4316613

109155-01 SunOS 5.8_x86: vgatext and terminal-emulator patch
4307285

(continued)

109158-17 SunOS 5.8_x86: WOS Message Update and more bug fix for UR4/UR5
4350770 4351383 4332965 4343790 4334002 4337487 4337974 4338505 4341638 4323845
4362981 4413585 4440717

109160-01 SunOS 5.8_x86: the mapping of zh_CN.euc%UTF-8 is consistent
4334099 4337362

109166-10 CDE 1.4_x86: dtfile patch
4257760 4256612 4256615 4256616 4256617 4297751 4259270 4287012 4292249 4303367
4297401 4302856 4305084 4305248 4303443 4291565 4308823 4306243 4291444 4286997 4310115
4302740 4301375 4312545 4314867 4312316 4310827 4292266 4316515 4314491 4317156 4317797
4314870 4322296 4318940 4325417 4335592 4331909 4331578 4339457 4343798 4353856 4346376
4406203 4280247

109168-01 CDE 1.4_x86: Desktop Help Updates Patch
4307183 4319636

109170-12 CDE 1.4_x86: Window Manager Enhancements Patch GWM sdtgwm dumps core after
selecting Window->Close Window
4301525 4301229 4303415 4304468 4308078 4310419 4311506 4312315 4311916 4312250
4311992 4321374 4312375 4305293 4316508 4299329 4321374 4327961 4321817 4328036 4328268
4327801 4330458 4327967 4332309 4330198 4331955 4328255 4330445 4336342 4360521 4376807
4389935 4384360 4319599 4382452 4391179 4390631 4392829 4411689

109180-03 SunOS 5.8_x86: localisation updates for Removable Media
4313061 4329376 4333754 4329372

109182-04 SunOS 5.8_x86: /kernel/fs/cachefs patch
4103817 4166371 4292697 4299056 4299427 4308026 4308068 4345825 4377598

109190-04 SunOS 5.8_x86 : Extra Catalan Support required
4305956 4328876 4337258

109191-03 SunOS 5.8_x86 : ru.RU.KOI8-R Cannot cut/paste cyrillic between dtapps
4325497 4328876 4359095

109192-02 SunOS 5.8_x86 : Cut/Paste not functioning in ru_RU.KOI8-R
4307614 4328876

109193-02 SunOS 5.8_x86 : Polish UTF-8 Support Solaris 8
4325497 4328876

109201-03 SunOS 5.8_x86: l10n updates: Removable Media, Window Mgr & Pam Proj.
4336934 4313061 4327905 4333002

109224-01 SunOS 5.8_x86: libgss.so.1 and libkadm5clnt.so.1 patch
4308978

109235-05 SunOS 5.8_x86: Apache/mod_jserv patch
4285881 4294231 4296334 4297125 4297126 4297294 4299951 4300202 4300429 4300836
4301047 4303787 4306793 4307672 4307679 4307683 4308402 4309183 4309784 4311970 4312075
4312109 4312396 4313734 4316564 4317634 4318360 4318365 4324351 4326195 4326198 4335591
4374333 4383806 4386685 4400356 4400359 4406963 4406965 4411982 4411983 4416245 4419168

(continued)

4421127 4421142 4427593 4428375 4428382 4428554 4428696 4429882 4430068 4430085 4430216
4430242 4440248

109239-01 SunOS 5.8_x86: /usr/bin/i86/ipcs patch
4310353

109248-01 SunOS 5.8_x86: Bad translation causes core dump in German install
4324017

109250-01 SunOS 5.8_x86: Help not localised for the dhcpmgr
4324311

109278-01 SunOS 5.8_x86: /usr/bin/iostat patch
4313169

109280-14 SunOS 5.8_x86: /kernel/drv/ip patch
4239154 4278842 4291034 4299644 4299951 4302749 4303422 4304991 4305039 4306362
4308728 4310956 4311938 4313189 4317221 4320818 4323647 4323830 4324051 4324430 4333995
4335568 4336478 4337275 4338724 4339375 4340455 4347223 4352770 4360818 4370123 4374157
4375920 4376886 4387783 4390248

109319-19 SunOS 5.8_x86: suninstall patch
4186765 4210386 4245794 4256556 4265363 4299103 4302899 4310379 4310705 4313039
4322703 4324404 4325840 4334036 4336779 4337779 4338255 4342090 4344764 4345757 4350971
4351009 4351486 4355192 4358804 4360631 4365737 4367650 4372310 4378277 4382446 4384102
4384301 4384377 4387795 4389127 4390941 4391651 4392519 4392524 4394060 4400744 4401306
4402955 4403108 4406142 4408096 4410691 4410698 4415508 4417149 4422464 4428478 4434830
4446215 4452998

109321-03 SunOS 5.8_x86: LP jumbo patch
4187773 4188167 4235953 4260829 4263321 4265529 4281487 4302705 4303242 4310991
4319723 4324679 4325537 4337699 4411642

109323-07 SunOS 5.8_x86: libnsl patch
4283726 4302592 4305859 4320661 4327396 4336332 4354007 4357266 4374142

109325-02 SunOS 5.8_x86: sh/jsh/rsh/pfsh patch
4300733 4313399

109327-04 SunOS 5.8_x86: libresolv.so.2, in.named patch
4136555 4253123 4284409 4300887 4349983 4365909 4409676 4444745

109329-01 SunOS 5.8_x86: ypserv and ypxfr patch
4203989

109355-09 CDE 1.4_x86: dtsession patch
4239375 4344648 4316439 4335987 4293551 4389935 4392829 4353429 4386226 4448598

109385-01 SunOS 5.8_x86: libaio patch
4253437

109401-09 SunOS 5.8_x86: Updated video drivers and fixes
4214829 4282716 4286989 4302364 4302368 4308451 4309613 4319297 4322314 4326353

(continued)

4330223 4330423 4331923 4359858 4360725 4360743 4361061 4361998 4373680 4386578 4387761
4401551 4411550 4419645 4422935 4425845 4447973 4449958

109412-02 SunOS 5.8_x86: dtmail prints garbage strings
4326649 4350277

109442-04 SunOS 5.8_x86: sdtudctool patch
4312994 4342214 4393648 4407566

109453-01 SunOS 5.8_x86: Window List, buttons unlocalised in Options dialog
4329351

109455-01 SunOS 5.8_x86: /kernel/fs/fifofs patch
4302216

109459-02 SunOS 5.8_x86: /kernel/strmod/ldterm patch
4152717 4250344

109471-02 CDE 1.4_x86: Actions Patch
4326649 4353583

109473-07 SunOS 5.8_x86: /kernel/drv/tcp patch
4278842 4291034 4299644 4308728 4310189 4311938 4313189 4319441 4319681 4319717
4324051 4330074 4332542 4360818 4370123 4375920 4376886 4400356

109538-01 SunOS 5.8_x86: Unlocalised buttons on user-interface of dhcpmgr
4324315

109553-01 SunOS 5.8_x86: FIGSS-UTF-8, Removable media manager unlocalised
4327983

109565-01 SunOS 5.8_x86: Removable Media Mgr, Missing floppy error unlocalised
4329409

109574-01 SunOS 5.8_x86: dhcpmgr help graphics not displayed correctly
4330902

109577-01 SunOS 5.8_x86: mountall and fsckall patch
4260430

109583-01 CDE 1.4_x86: sdtaudio patch
4305400

109608-01 SunOS 5.8_x86: /usr/include/iso/stdlib_iso.h patch
4300780

109610-01 SunOS 5.8_x86: UTF-8 Korean attached text becomes garbled
4309015

109614-02 CDE 1.4_x86: dtmail patch
4133950 4362276 4372376 4336922

109619-01 SunOS 5.8_x86: en_US.UTF-8 locale patch

(continued)

4311444 4336840

109623-01 SunOS 5.8_x86: env LANG=zh_TW dtterm doesn't work in zh_TW.UTF-8
4330770

109640-01 SunOS 5.8_x86: th locale error in / lacks some LC_CTYPE definitions
4314263

109643-01 SunOS 5.8_x86: /usr/include/sys/dkio.h patch
4304790

109644-04 SunOS 5.8_x86: /kernel/drv/sd patch
4304790 4338963 4348075 4363821 4370615

109668-03 SunOS 5.8_x86: /usr/lib/inet/xntpd and /usr/sbin/ntpdate patch
4279094 4320855 4330427

109693-02 SunOS 5.8_x86: Information: File contents are out of date
4339515 4345433 4350242

109705-02 SunOS 5.8_x86: Japanese iconv patch
4350293 4344163 4344139 4340250 4340245 4227824

109728-01 SunOS 5.8_x86: /usr/sadm/admin/printmgr/classes/pmclient.jar patch
4326665

109730-01 SunOS 5.8_x86: /usr/bin/cat patch
4163406

109741-05 SunOS 5.8_x86: /kernel/drv/udp patch
4278842 4291034 4299644 4302749 4303422 4306362 4308728 4310956 4311938 4313189
4317221 4320818 4324051 4335568 4360818 4370123 4375920 4376886

109743-05 SunOS 5.8_x86: /kernel/drv/icmp patch
4278842 4291034 4299644 4303422 4306362 4308728 4311938 4313189 4324051 4360818
4370123 4375920 4376886 4390212

109749-01 CDE 1.4_x86: sdtudiocontrol patch
4324012 4324019 4295904

109751-03 SunOS 5.8_x86: translation update and sync with base's PDA images
4339505

109753-01 SunOS 5.8_x86: UI of admintool is lost in partail installation
4347036

109756-01 OpenWindows 3.6.1 (japanese)_x86: update for power mgt util for s28u2
4345748

109765-02 SunOS 5.8_x86: /kernel/fs/hsfs patch
4305026 4328133

109767-02 SunOS 5.8_x86: SUNWjxmft and SUNWjxcft patch for 8/10 dot font.

(continued)

4345078 4400714

109784-01 SunOS 5.8_x86: /usr/lib/nfs/nfsd patch
4305333 4325431

109786-01 SunOS 5.8_x86: /etc/inittab patch
4273366

109798-01 SunOS 5.8_x86: /platform/i86pc/kernel/drv/ata patch
4353406

109804-01 SunOS 5.8_x86: /usr/bin/du and /usr/xpg4/bin/du patch
4306228

109806-03 SunOS 5.8_x86: pam_krb5.so.1 patch
4330143 4351689 4373142

109808-01 SunOS 5.8_x86: /usr/sbin/dumpadm patch
4340246

109810-01 SunOS 5.8_x86: timezone data patch for Australasia
4313766

109814-01 SunOS 5.8_x86: /usr/include/memory.h patch
4313659

109863-01 X11 6.4.1_x86: Font Server patch
4314299 4323233 4335325 4335328 4336593 4345905

109866-03 SunOS 5.8_x86: elxl patch
4351739 4355560 4256331 4202169 4292440 4273911

109869-05 SunOS 5.8_x86: WOS Help File Update
4338011 4350353 4419807

109875-01 SunOS 5.8_x86: /usr/include/sys/ac97.h patch
4271687 4304911 4307415 4329687

109878-01 SunOS 5.8_x86: /usr/include/sys/dma_i8237A.h patch
4333588

109884-02 SunOS 5.8_x86: /usr/include/sys/ecppsys.h patch
1167460 4241460 4250652 4257428 4270674 4271686 4275074 4275092 4275119 4275200
4275205 4276209 4295173 4297052 4299441 4299456 4299460 4299467 4299470 4299621 4299631
4301029 4301079 4301556 4309750 4310788 4314412 4314419 4329805 4349418 4364900

109886-02 SunOS 5.8_x86: pci driver patch
4261567 4262685 4271733 4271738 4278935 4284196 4290532 4302637 4307697 4322734
4324244 4324250 4327135 4334348 4334505 4338033 4357092

109891-01 SunOS 5.8_x86: pmserver.jar patch
4308951

(continued)

109895-01 SunOS 5.8_x86: lp driver patch
4309750

109897-05 SunOS 5.8_x86: USB patch
4042931 4178572 4179082 4204158 4207634 4257491 4278766 4282084 4284408 4284481
4288456 4290035 4290038 4290048 4295084 4297451 4297991 4298047 4299321 4299711 4300133
4301110 4302435 4303153 4303369 4303371 4304019 4304060 4304250 4304253 4304383 4304968
4305434 4305436 4305437 4305467 4305645 4305649 4305819 4306676 4307085 4307542 4308510
4308511 4309328 4309368 4309566 4309916 4311023 4312163 4312381 4313650 4314164 4314166
4315368 4317503 4317522 4317527 4317528 4320410 4323024 4326037 4328542 4328590 4329325
4329560 4330021 4331700 4331710 4332033 4332613 4332707 4333879 4336235 4336592 4337149
4337561 4337816 4338525 4338614 4339292 4341714 4341839 4342024 4342426 4342488 4343230
4343443 4343762 4344107 4344121 4344122 4346254 4346963 4347288 4349013 4349282 4349339
4350113 4350570 4350901 4351268 4351426 4351707 4352101 4352931 4353820 4357035 4357915
4359440 4359658 4359875 4362924 4363252 4364427 4364575 4364748 4365137 4365848 4366523
4366874 4369166 4380154 4416071

109899-02 SunOS 5.8_x86: /kernel/drv/arp patch
4291034 4299644 4302198 4308728 4311938

109901-02 SunOS 5.8_x86: /etc/init.d/network and /sbin/ifparse patch
4209200 4291034 4299644 4308728 4311938 4382115

109903-03 SunOS 5.8_x86: /usr/lib/inet/in.ndpd patch
4291034 4299644 4308728 4311938 4347223 4386544

109905-04 SunOS 5.8_x86: /etc/default/mpathd and /sbin/in.mpathd patch
4291034 4299644 4308728 4311938 4314132 4328423 4338258 4338530 4347223 4369240
4386544

109907-06 SunOS 5.8_x86: dhcpageant, dhcpcinfo, ifconfig and netstat patch
4209200 4218277 4247106 4291034 4299644 4308728 4311938 4344914 4347223 4373331
4386544

109911-01 SunOS 5.8_x86: CDE help for Winlst, Rem. Media Mgr. & Workspace Mgr.
4329353 4329355 4339080

109921-05 SunOS 5.8_x86: pcic driver patch
4243709 4286161 4337039 4341224 4347834 4352356 4352663 4367607

109923-02 SunOS 5.8_x86: pcelx, pcser and cs driver patch
4090692 4243709 4308863 4308870 4320108 4352663

109925-02 SunOS 5.8_x86: pcata driver patch
4287520 4303758 4352663

109927-02 SunOS 5.8_x86: /kernel/drv/pem patch
4243709 4303863 4332477 4352663

109929-02 SunOS 5.8_x86: pcmem and pcmcia patch
4243709 4265532 4280422 4303875 4337357 4352663

109932-02 CDE 1.4_x86: sdtimage Patch

(continued)

4345373 4396192

109934-01 SunOS 5.8_x86: mv, cp, ln patch
4264701

109937-01 SunOS 5.8_x86: /usr/bin/diff patch
4338744

109952-01 SunOS 5.8_x86: jserver buffer overflow
4352777

109955-01 SunOS 5.8_x86: /kernel/sys/pset patch
4352049

109961-01 CDE 1.4_x86: sdtperfmer patch
4341412 4290470 4280252

109991-01 SunOS 5.8_x86: /usr/ccs/bin/dis patch
4015840 4350263

110020-04 SunOS 5.8_x86: JFP install/sysadm messages patch
4354350 4375794 4405716 4449597

110045-01 SunOS 5.8_x86: iswalph() can't work well in zh.GBK locale
4355229

110064-01 SunOS 5.8_x86: New features added to install
4357775

110069-02 CDE 1.4_x86: PDASync patch
4341358 4335220 4367008

110076-01 SunOS 5.8_x86: /kernel/drv/devinfo patch
4341354

110089-02 CDE 1.4_x86: DtPower patch
4354583 4336307 4370067 4372350 4374505 4374554

110166-02 SunOS 5.8_x86: /usr/bin/sed patch
4287555 4400740

110207-01 UTF-8 Windows List Application and Windows mgr (sdtgwm) unlocalised
4352800 4352861 4342970

110270-01 SunOS 5.8_x86: /usr/lib/libnisdb.so.2 patch
4318294

110273-03 SunOS 5.8_x86:Figgs Custom install new features and install help
4367029

110284-03 SunOS 5.8_x86: mkfs and newfs patch
4297460 4333516 4339330 4344221 4380132 4374181

(continued)

110287-02 OpenWindows 3.6.2_x86: Tooltalk patch
4334998 4379430 4363822

110323-01 SunOS 5.8_x86: /usr/lib/netsvc/yp/ypbind patch
4362647

110325-01 SunOS 5.8_x86: /kernel/drv/asy patch
4247612

110327-02 CDE 1.4_x86: dtstyle patch
4321874 4389935 4384360 4319599 4382452 4392829 4390631

110336-02 CDE 1.4_x86: dtprintinfo patch
4325603 4380805

110365-02 SunOS 5.8_x86: Add L10N dttypesbinder files
4366984 4383627

110396-05 SunOS 5.8_x86: udp ip mipagent
4278842 4302749 4310956 4313189 4317221 4320818 4324051 4335568 4360818 4370123
4370438 4375915 4375920 4376886 4377368 4377693 4377694 4378163 4378727 4379361 4382946
4382996 4382998 4383001 4383007 4386544 4390912 4391040 4392110

110397-02 SunOS 5.8_x86: libnvpair patch
4233832 4326110 4336779 4357245 4458516

110398-05 SunOS 5.8_x86: RCM, libnvpair and sysevent patch
4233832 4326110 4336779 4357245 4363985 4364006 4364129 4373331 4375059 4375416
4379314 4384391 4386436 4386544 4387223

110399-03 SunOS 5.8_x86: RCM libnvpair serengeti sysevent
4233832 4326110 4336779 4357245 4375059 4375416 4386544

110400-01 SunOS 5.8_x86:
4311781 4313955

110401-01 SunOS 5.8_x86:
4311781 4313955

110402-03 SunOS 5.8_x86: ufsdump patch
4132365 4296770 4339366 4358666

110403-03 SunOS 5.8_x86: ufs snapshots support, libadm patch
4025718 4296770 4451305

110404-01 SunOS 5.8_x86: file systems should support snapshots for online bkups
4296770

110405-01 SunOS 5.8_x86: file systems should support snapshots for online bkups
4296770

110406-02 SunOS 5.8_x86: ldapclient patch
4310379 4415143

(continued)

(Continuation)

110408-02 CDE 1.4_x86: Sdttypes patch
4313855 4329990 4357804 4365790 4374350

110417-03 SunOS 5.8_x86: ATOK12 patch
4361738 4372858 4384092 4443974

110429-01 SunOS 5.8_x86: New Turkish UTF-8 locale
4368177

110454-01 SunOS 5.8_x86: admintool patch
4354306

110459-02 SunOS 5.8_x86: libcurses patch
4313067 4398331

110462-01 SunOS 5.8_x86: ttcompat patch
4335144

110504-01 SunOS 5.8_x86: Polish locale monetary incorrect
4380484

110512-01 SunOS 5.8_x86: rpc.nisd patch
4326943

110604-01 CDE 1.4_x86: sdtname patch
4149628 4235799

110606-02 Motif 2.1.1_x86 uil patch for Solaris 8_x86
4404810 4385838

110610-02 SunOS 5.8_x86: cdio.h and commands.h USB patch
4369151 4458516

110612-01 SunOS 5.8_x86: lp.cat postio
4310788 4329805 4349418 4364900

110616-01 SunOS 5.8_x86: sendmail patch
1119353 1254405 4086468 4304080 4317819 4329124 4329128 4329131 4332599 4344081
4357054

110663-04 SunOS 5.8_x86: ksh patch
4286837 4356624 4379531 4422293 4446868 4457987

110669-01 SunOS 5.8_x86: /usr/sbin/in.telnetd patch
4366956 4375449

110671-01 SunOS 5.8_x86: usr/sbin/static/rcp patch
4366956 4375449

110717-02 SunOS 5.8_x86: Solaris Product Registry 3.0 patch
4366927 4378201 4407526

(continued)

110725-01 SunOS 5.8_x86: liblayout patch
4393355

110746-01 SunOS 5.8_x86: toolbox syntax correction
4391812 4391778 4391779 4391781

110753-01 SunOS 5.8_x86: Uninstaller doesn't come up with error messages
4389792

110755-03 SunOS 5.8_x86: UR3 new features WBEM updates

110757-02 SunOS 5.8_x86: UR3 new features DCL updates
4404182

110759-03 SunOS 5.8_x86: UR3 new features SMC updates
4398894 4404182

110765-03 SunOS 5.8_x86: UR3 new features MGP updates
4398893 4404182

110767-03 SunOS 5.8_x86: s28_u4 SUNW0mp update

110798-02 SunOS 5.8_x86:UR4 New msgs and bug fixes
4389039 4384498 4399740 4420102

110812-01 SunOS 5.8_x86: libnls patch
4346460

110814-01 SunOS 5.8_x86: libxfn patch
4346471

110816-01 SunOS 5.8_x86: libmp patch
4346496

110818-01 SunOS 5.8_x86: appttrace and interceptors patch
4307470 4344373

110855-02 SunOS 5.8_x86: /usr/lib/rcm/modules/SUNW_ip_rcm.so
4373331

110865-01 SunOS 5.8_x86: Need to back port fixes for SUNW_PKGLIST
4402062

110886-01 SunOS 5.8_x86: JFP Solaris Product Registry 3.0 patch
4405721

110889-01 SunOS 5.8_x86:s28u4_06,figgs,New and updated message strings
4406660 4407100

110897-01 SunOS 5.8_x86: /usr/lib/fs/cachefs/mount patch
4332446

(continued)

110899-02 SunOS 5.8_x86: csh/pfsh patch
4384080 4404641

110902-01 SunOS 5.8_x86: /kernel/drv/sngen patch
4319695 4325990

110904-01 SunOS 5.8_x86: edit, ex, vedit, vi and view patch
4059978 4320573

110906-01 SunOS 5.8_x86: /usr/bin/find patch
4354572

110908-01 SunOS 5.8_x86: /usr/include/arpa/inet.h patch
4345816

110911-01 SunOS 5.8_x86: /usr/lib/fs/ufs/fsck patch
4225018

110913-01 SunOS 5.8_x86: cfgadm patch
4301920 4301922 4301984 4387106

110915-01 SunOS 5.8_x86: /usr/bin/tr patch
4366964

110917-02 SunOS 5.8_x86: /usr/bin/i86/sort and /usr/xpg4/bin/sort patch
4300461 4303258 4304444 4314724 4330831 4334641 4338929 4343080 4351862 4352007 4357085 4366860 4389764 4404621

110919-01 SunOS 5.8_x86: /kernel/drv/openepr patch
4334314

110935-03 SunOS 5.8_x86: pkgtrans, pkgadd, pkgchk and libpkg.a patch
4025718 4318844 4331907 4451305

110940-01 SunOS 5.8_x86: /usr/lib/acct/closewtmp patch
4352064

110942-01 SunOS 5.8_x86: sar and sadc patch
4026830

110944-01 SunOS 5.8_x86: /usr/bin/tcsh patch
4384076

110946-01 SunOS 5.8_x86: /usr/sbin/syslogd patch
4309712 4323101 4336917 4337337 4345133 4345785 4353901 4357732 4374785 4386798

110950-01 SunOS 5.8_x86: /usr/sadm/install/bin/pkgremove patch
4386585

110952-01 SunOS 5.8_x86: /usr/sbin/tar and /usr/sbin/static/tar patch
4063224

110954-01 SunOS 5.8_x86: llc2 driver patch

(continued)

4375787

110956-01 SunOS 5.8_x86: /kernel/strmod/timod patch
4380632

110958-01 SunOS 5.8_x86: /usr/bin/mailx patch
4350331

110959-01 SunOS 5.8_x86: /kernel/drv/xsvc and /kernel/drv/xsvc.conf patch
4400315

110962-01 SunOS 5.8_x86: /boot/solaris/bootconf.exe patch
4321845

110987-02 SunOS 5.8_x86: SMC help fix
4354567 4366476 4384181

111009-04 SunOS 5.8_x86: Update SUNW*reg to sync with base changes for S8UR5
4410946 4414341

111015-01 SunOS 5.8_x86: sbpro patch
4233143

111017-01 SunOS 5.8_x86: /usr/bin/sdiff patch
4355588

111024-01 SunOS 5.8_x86: /kernel/fs/mntfs patch
4367486

111036-01 SunOS 5.8_x86: /kernel/sys/doorfs patch
4273536 4321534 4385972

111070-01 SunOS 5.8_x86: bsmunconv overwrites root cron tab if cu created /tmp/root
4383308

111072-01 SunOS 5.8_x86: cu patch
4406722

111074-01 SunOS 5.8_x86: re_comp header patch
4345842

111086-01 SunOS 5.8_x86: /bin/login misses failure when logging to /var/adm/loginlog
4291278

111091-01 SunOS 5.8_x86: ldap backend doesn't search multiple paths
4359656

111099-01 SunOS 5.8_x86: ROC timezone should be avoided for political reasons
4411173

111112-01 SunOS 5.8_x86: nawk line length limit corrupts patch dependency checking
4395685

(continued)

111142-01 SunOS 5.8_x86: last doesn't work correctly for more than 256 users login
4353938

111178-03 SunOS 5.8_x86: /usr/lib/lwp/libthread.so.1 patch
4305389 4336933 4371624 4390345 4393363 4407002 4421186 4441422

111187-02 SunOS 5.8_x86: iprb patch
4137829 4321234 4325890 4375256 4406777

111194-02 SunOS 5.8_x86: Solaris user registration patch
4382052 4428154

111198-01 SunOS 5.8_x86: nfs mount of a file > 2GB is impossible
4389722

111226-01 SunOS 5.8_x86: tail reserves 2G when reading from a stdin
4348627

111233-01 SunOS 5.8_x86: patch in.fingerd
4298915

111235-01 SunOS 5.8_x86: patch finger
4298986

111264-01 SunOS 5.8_x86: patch mdb
4374045

111266-01 SunOS 5.8_x86: patch who
4384285

111268-02 SunOS 5.8_x86: /kernel/fs/specfs patch
1101389 4445656

111270-02 SunOS 5.8_x86: Solaris Management Console patch
4354567 4394572

111276-01 SunOS 5.8_x86: New features Solaris 8 Update 5 European
4437042

111294-03 SunOS 5.8_x86: /usr/lib/libdevinfo.so.1 patch
4226932 4423315 4461872

111296-01 SunOS 5.8_x86: /usr/bin/i86/pstack patch
4393386 4399452 4400361

111298-01 SunOS 5.8_x86: /usr/lib/libsendfile.so.1 patch
4400361

111300-01 SunOS 5.8_x86: PPP patch
1264523 4098801 4410142

111303-01 SunOS 5.8_x86: EDHCP libraries patch
4247106 4404390 4406599

(continued)

- 111305-01 SunOS 5.8_x86: /kernel/misc/nfs_dlboot patch
4247106
- 111307-01 SunOS 5.8_x86: /usr/platform/i86pc/lib/fs/nfs/inetboot patch
4247106
- 111309-01 SunOS 5.8_x86: /usr/lib/libmtmalloc.so.1 patch
4247106
- 111311-01 SunOS 5.8_x86: /usr/lib/libdhcpagent.so.1 patch
4247106
- 111314-01 SunOS 5.8_x86: Viper tools are very slow to load
4415738
- 111318-01 SunOS 5.8_x86: /sbin/init and /usr/sbin/init patch
4350392
- 111320-01 SunOS 5.8_x86: /usr/sbin/in.rdisc patch
4304158
- 111322-01 SunOS 5.8_x86: /kernel/misc/klmops patch
4372812
- 111324-01 SunOS 5.8_x86: /usr/xpg4/bin/more patch
4373943
- 111326-01 SunOS 5.8_x86: /usr/lib/saf/ttymon patch
4246300
- 111328-01 SunOS 5.8_x86: libsocket patch
4356490
- 111334-01 SunOS 5.8_x86: /kernel/drv/adp patch
4405440
- 111364-01 SunOS 5.8_x86: /usr/sbin/installf patch
4394391
- 111369-01 SunOS 5.8_x86: /usr/bin/groups patch
4423602
- 111379-01 SunOS 5.8_x86: /kernel/drv/chs patch
4350990
- 111381-01 solregis_x86: Japanese message patch
4449182
- 111399-01 SunOS 5.8_x86: parse_dynamic_clustertoc needs to use dynamic_tests
4430962
- 111401-01 SunOS 5.8_x86: KCMS configure tool has a security vulnerability

(continued)

4415570

111482-01 OpenWindows 3.6.2_x86: clock Patch
4443940

111517-01 SunOS 5.8_x86: /kernel/drv/cpqhpc patch
4399186

111549-01 SunOS 5.8_x86: catman, man, whatis, apropos and makewhatis patch
4392144 4434978