

# Oracle® Communications Convergent Charging Controller

## Location Capabilities Pack Alarms Guide



Release 15.1

April 2025

The Oracle logo, consisting of the word "ORACLE" in white, uppercase, sans-serif font, centered within a solid red square.

ORACLE®

# Copyright

Copyright © 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Alarm Topic Description .....1

Location Capabilities Pack Alarms .....3



# Alarm Topic Description

## Alarm Generation

Alarms on each configured node are written to the syslog and are then captured by the smsAlarmDaemon for entry in the SMF database.

For management of these alarms, see *Service Management System Technical Guide*.

## Severity Levels

This table describes the alarm severity levels.

| Level    | Abbreviation | Description                                                                                                                          |
|----------|--------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Critical | C            | These alarms are raised when the application has encountered an error indicating that the system is unable to function.              |
| Error    | E            | These alarms indicate the application has encountered a serious problem completing a necessary task and could not complete the task. |
| Warning  | W            | Warnings are raised to indicate the application encountered a problem completing a non-mission critical task.                        |
| Notice   | N            | Notices are raised to indicate that the application has completed a task successfully.                                               |

## Alarm Format

Alarms usually follow this format:

```
Mon DD 24:MM:SS hostname process name: [ID alarmID user.severity] process(PID)
SEVERITY: Alarm text with possible variables
```

Where:

| Variable     | Description                                                                                                                                   |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| Mon DD       | Month and date the alarm was logged.                                                                                                          |
| 24:MM:SS     | Time the alarm was logged in 24 hour format.                                                                                                  |
| hostname     | Name of the machine on which the alarm was generated.                                                                                         |
| process name | Name of the process which logged the alarm.                                                                                                   |
| alarmID      | ID number of the alarm.                                                                                                                       |
| severity     | Alarm severity.                                                                                                                               |
| process      | Name of the process which logged the alarm.                                                                                                   |
| PID          | Process ID of the process which logged the alarm.                                                                                             |
| SEVERITY     | Alarm severity.                                                                                                                               |
| Alarm text   | Alarm text. This may include variables such as node number.<br><b>Note:</b> In some cases, the entire alarm text is generated from variables. |

**Note:** Some alarms from some subsystems may have a different format.

**Example:** This text shows an smsMaster alarm about pending update queues.

```
Mar 30 13:34:54 prodsmpl smsMaster: [ID 953149 user.warning] smsMaster(17833)
WARNING: Pending queue now above 15 (Worst Node 317)
```

## Alarm Text and Variables

The %d and %s symbols represent variables within the alarm text. These values are generated by the subsystem and added to the message when the alarm is raised.

Usually the %d is a number and the %s is text in the context of the message to complete the alarm message. Occasionally other % symbols are also used (for example, %u) for different variables.

## Further Information

For more information about:

- The SMS Alarms subsystem, see *Service Management System Technical Guide*
- Creating and maintaining the SMS Alarm Relay rule set, see *Service Management System User's Guide*

## Location Capabilities Pack Alarms

| Alarm  | Severity | Text                                                       | Cause                                                          | Resolution                                    | Service |
|--------|----------|------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------------------|---------|
| 700000 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZshm_open(3RT)%z                    | Run out of shared memory.                                      | Contact Oracle Support.                       | ACS     |
| 700001 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZmmap(2)%z                          | Shared memory internal error.                                  | Contact Oracle Support.                       | ACS     |
| 700002 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZtmpnam(3C)%z                       | Unknown                                                        | Contact Oracle Support.                       | ACS     |
| 700003 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZopen(2)%z                          | Error on open.                                                 | Contact Oracle Support.                       | ACS     |
| 700004 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZftruncate(3C)%z                    | Shared memory internal error.                                  | Contact Oracle Support.                       | ACS     |
| 700005 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLocation cache fullZZZ             | Location cache is full                                         | Contact Oracle Support.                       | ACS     |
| 700006 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZCached location more recentZZZ   | Writing a location, but the old one is newer than the new one. | Contact Oracle Support.<br>Check system time. | ACS     |
| 700007 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZCache entry missingZZZ             | Internal software error.                                       | Contact Oracle Support.                       | ACS     |
| 700008 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZInitial isating all subsystems.%z | Startup info.                                                  | Information only.                             | ACS     |
| 700009 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZInitial isating location cache.%z | Startup info.                                                  | Information only.                             | ACS     |
| 700010 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLoading configuration.%z          | Startup info.                                                  | Information only.                             | ACS     |
| 700011 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZOracle login set to %z            | Startup info.                                                  | Information only.                             | ACS     |

| Alarm  | Severity | Text                                                                | Cause                                                  | Resolution              | Service |
|--------|----------|---------------------------------------------------------------------|--------------------------------------------------------|-------------------------|---------|
| 700012 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZTimer interface name set to %z             | Startup info.                                          | Information only.       | ACS     |
| 700013 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZUnknown command line option %z            | Startup options need checking.                         | Contact Oracle Support. | ACS     |
| 700014 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZMissing argument for %z                   | Startup options need checking.                         | Contact Oracle Support. | ACS     |
| 700015 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZgetopt error. Status: %z                    | Startup options need checking.                         | Contact Oracle Support. | ACS     |
| 700016 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZFailed to find timer interface. Name: %z | cannot get handle to the timer interface               | Contact Oracle Support. | ACS     |
| 700017 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZStartup successful.%z                      | Startup info.                                          | Information only.       | ACS     |
| 700018 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::length_error %z            | Uncaught std::length_error, anywhere in main loop.     | Contact Oracle Support. | ACS     |
| 700019 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::domain_error %z            | Uncaught std::domain_error, anywhere in main loop.     | Contact Oracle Support. | ACS     |
| 700020 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::out_of_range %z            | Uncaught std::out_of_range, anywhere in main loop.     | Contact Oracle Support. | ACS     |
| 700021 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::invalid_argument %z        | Uncaught std::invalid_argument, anywhere in main loop. | Contact Oracle Support. | ACS     |



| Alarm  | Severity | Text                                                        | Cause                                                 | Resolution              | Service |
|--------|----------|-------------------------------------------------------------|-------------------------------------------------------|-------------------------|---------|
| 700022 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::logic_error %z     | Uncaught std::logic_error, anywhere in main loop.     | Contact Oracle Support. | ACS     |
| 700023 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::range_error %z     | Uncaught std::range_error, anywhere in main loop.     | Contact Oracle Support. | ACS     |
| 700024 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::overflow_error %z  | Uncaught std::overflow_error, anywhere in main loop.  | Contact Oracle Support. | ACS     |
| 700025 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::underflow_error %z | Uncaught std::underflow_error, anywhere in main loop. | Contact Oracle Support. | ACS     |
| 700026 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::runtime_error %z   | Uncaught std::runtime_error, anywhere in main loop.   | Contact Oracle Support. | ACS     |
| 700027 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::bad_alloc %z       | Uncaught std::bad_alloc, anywhere in main loop.       | Contact Oracle Support. | ACS     |
| 700028 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::bad_exception %z   | Uncaught std::bad_exception, anywhere in main loop.   | Contact Oracle Support. | ACS     |
| 700029 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::bad_cast %z        | Uncaught std::bad_cast, anywhere in main loop.        | Contact Oracle Support. | ACS     |

| Alarm  | Severity | Text                                                                  | Cause                                                    | Resolution                                  | Service |
|--------|----------|-----------------------------------------------------------------------|----------------------------------------------------------|---------------------------------------------|---------|
| 700030 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::bad_typeid %z                | Uncaught std::bad_typeid, anywhere in main loop.         | Contact Oracle Support.                     | ACS     |
| 700031 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::ios_base::failure %z         | Uncaught std::ios_base::failure, anywhere in main loop.  | Contact Oracle Support.                     | ACS     |
| 700032 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUncaught std::exception %z                 | Uncaught std::exception, anywhere in main loop.          | Contact Oracle Support.                     | ACS     |
| 700033 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZUnknown exception caught.%z                | Uncaught exception.                                      | Contact Oracle Support.                     | ACS     |
| 700034 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZAll subsystem stopped.%z                     | Shutdown information.                                    | Information only.                           | ACS     |
| 700035 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZNon-SLEE event type with no dialog. Type: %z | Internal software error. No proper handle to the dialog. | Report to Oracle Support. Information only. | ACS     |
| 700036 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZTpAddresses not of E164 type.%z               | Malformed address.                                       | Contact Oracle Support.                     | ACS     |
| 700037 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZReceived reply to unknown request.%z       | Received a reply to a request we never sent.             | Contact Oracle Support.                     | ACS     |
| 700038 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZService enabled: %z                          | Location Service enabled.                                | Information only.                           | ACS     |
| 700039 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZService disabled: %z                         | Location Service disabled.                               | Information only.                           | ACS     |
| 700040 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZSLEE: APPLICATION_END.%z                     | Slee management event received. End Application.         | Information only.                           | ACS     |

| Alarm  | Severity | Text                                                                         | Cause                                                    | Resolution                                 | Service |
|--------|----------|------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------|---------|
| 700041 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZSLEE:APPLICATION_KILL.%z                            | Slee management event received. Kill Application.        | Information only.                          | ACS     |
| 700042 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZSLEE:Re-reading configuration - no effectZZZ        | Slee management event received. Rereading configuration. | Information only.                          | ACS     |
| 700043 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZSLEE:WatchDog event.%z                              | Slee management event received. Watchdog event received. | Information only.                          | ACS     |
| 700044 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZSLEE:INTERFACE_END.%z                               | Slee management event received. End Interface.           | Information only.                          | ACS     |
| 700045 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZSLEE:INTERFACE_KILL.%z                              | Slee management event received. Kill Interface.          | Information only.                          | ACS     |
| 700046 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZSLEE:Unknown SLEE event type: %z                    | Slee management event received. Unknown slee event.      | Information only. Refer to Oracle Support. | ACS     |
| 700047 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZDialogue gets unknown event type: %z                 | Expecting a tcap event, but got something else.          | Contact Oracle Support.                    | ACS     |
| 700048 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZLocati on query timed out.%z                       | Location Interaction timedout                            | Contact Oracle Support.                    | ACS     |
| 700049 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZATI plugin: Using configuration file: %z            | The ATI plugin is reading config                         | Information Only                           | ACS     |
| 700050 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZATI plugin: Unknown TCAP primitive type received.%z | got a result in a TCAP_BEGIN                             | Contact Oracle Support.                    | ACS     |

| Alarm  | Severity | Text                                                                                       | Cause                                                  | Resolution                                                      | Service |
|--------|----------|--------------------------------------------------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------------------|---------|
| 700051 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZATI plugin: Unknown TCAP component received.%z                    | got an unexpected TCAP component                       | Contact Oracle Support.                                         | ACS     |
| 700052 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZATI plugin: Event from unknown dialog received.%z                 | got n event from an unknown dialog.                    | Contact Oracle Support.                                         | ACS     |
| 700053 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZATI plugin: No Cell ID/LAI returned.%z                            | No Cell ID/LAI in ATI result                           | Information Only.                                               | ACS     |
| 700054 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZDialogue already exist for an location interaction.%z              | Wont allow a second dialog in the map of interactions. | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700055 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZATI plugin: Invoke ID not found.%z                                 | No invoke ID in TCAP_CONTINUE or TCAP_END              | Contact Oracle Support.                                         | ACS     |
| 700056 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZATI plugin: unable to find TCAP interface: %z                      | No TCAP interface handle.                              | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700057 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZATI plugin config: gsmScfAddress not set.%z                        | Internal table missing entry.                          | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700058 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZATI plugin config: tcapIF not set.%z                               | Internal table missing entry.                          | Contact Oracle Support.                                         | ACS     |
| 700059 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZATI plugin config: ABORT received.%z                              | Received a TCAP_ABORT.                                 | Information Only                                                | ACS     |
| 700060 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZUnrecognised event received.%z                                     | Event unrecognised                                     | Contact Oracle Support                                          | ACS     |
| 700061 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZUnclosed dialog detected when all should be closed. Closing all.%z | Dialog unclosed                                        | Contact Oracle Support.                                         | ACS     |

| Alarm  | Severity | Text                                                                                      | Cause                                                  | Resolution                                                                | Service |
|--------|----------|-------------------------------------------------------------------------------------------|--------------------------------------------------------|---------------------------------------------------------------------------|---------|
| 700062 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZUnable to gettimeofday from SleeApplicationAPI. Error code is: %z | Internal software error with gettimeofday              | Contact Oracle Support.                                                   | ACS     |
| 700063 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZgettimeofday(3c)%z                                                | Internal software error with gettimeofday.             | Contact Oracle Support. No further information can be obtained.           | ACS     |
| 700064 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZInitialisation failed. Exiting.%z                                 | Initialisation of locApp failed.                       | Contact Oracle Support.                                                   | ACS     |
| 700065 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZInitialising all plugins.%z                                      | Internal software error in loadAllPlugin.              | Contact Oracle Support.                                                   | ACS     |
| 700066 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZdlopen(3DL) error %z                                              | Error trying to open plugin.                           | Contact Oracle Support.                                                   | ACS     |
| 700067 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZdlsym(3DL) error %z                                               | Error loading function.                                | Contact Oracle Support.                                                   | ACS     |
| 700068 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZCache size set to %z                                             | Size of the cache                                      | Information Only                                                          | ACS     |
| 700069 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZInvalid cache size %z                                           | Bad Cache Size in command line parameters              | Restart with different cache size parameter on command line.              | ACS     |
| 700070 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZResponse deadline size set to %z                                 | Size of Deadline.                                      | Information Only                                                          | ACS     |
| 700071 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZInvalid response deadline %z                                    | Bad deadline in command line paramters.                | Restart with different deadline parameter on command line.                | ACS     |
| 700072 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZCache entry expiry time set to %z                                | Cache entry expiry time.                               | Information Only                                                          | ACS     |
| 700073 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZInvalid cache entry expiry time %z                              | Bad Cache entry expiry time in command line paramters. | Restart with different cache entry expiry time parameter on command line. | ACS     |

| Alarm  | Severity | Text                                                               | Cause                                                             | Resolution                                          | Service |
|--------|----------|--------------------------------------------------------------------|-------------------------------------------------------------------|-----------------------------------------------------|---------|
| 700074 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZConnecting to Oracle database.%z          | connecting to database.                                           | Information Only.                                   | ACS     |
| 700075 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZUnable to connect to oracle using login:%z | could not connect to database.                                    | Check for oracle processes. Contact Oracle Support. | ACS     |
| 700076 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZsemget(2) errorZZZ                         | Internal software error with semaphores.                          | Contact Oracle Support.                             | ACS     |
| 700077 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZftok(3c) errorZZZ                          | Internal software error with semaphores.                          | Contact Oracle Support.                             | ACS     |
| 700078 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZsemop(2) errorZZZ                          | Internal software error with semaphores.                          | Contact Oracle Support.                             | ACS     |
| 700079 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZToo many plugins defined.%z              | Too many location plugins are defined in the db.                  | Contact Oracle Support.                             | ACS     |
| 700080 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZSetting up signal handlers.%z             | Initialising signal handlers                                      | Information only.                                   | ACS     |
| 700081 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZsignal(3C) error.%z                        | Error in Signal Handlers initialise.                              | Contact Oracle Support.                             | ACS     |
| 700082 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZUnknown MSISDN for the interaction.%z      | Unknown MSISDN.                                                   | Contact Oracle Support.                             | ACS     |
| 700083 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZNo plugin found for the MSISDN.%z          | Cannot find a plugin to deal with this interaction for the MSISDN | Contact Oracle Support.                             | ACS     |
| 700084 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZConversion data not found.%z               | LCP conversion not found in database.                             | Contact Oracle Support.                             | ACS     |
| 700085 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZOracle error.%z                            | Oracle error when accessing LCP database.                         | Contact Oracle Support.                             | ACS     |

| Alarm  | Severity | Text                                                                     | Cause                                                             | Resolution                                                      | Service |
|--------|----------|--------------------------------------------------------------------------|-------------------------------------------------------------------|-----------------------------------------------------------------|---------|
| 700086 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZNo plugin configured.%z                          | No location plugins defined. Need at least 1.                     | Need a plugin defined. Contact Oracle Support.                  | ACS     |
| 700087 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZUnable to create dialog to TCAP interface.%z     | Cant create a dialog to the TCAP interface                        | Contact Oracle Support.                                         | ACS     |
| 700088 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZInvalid statistics counter specified.%z          | Internal software error.                                          | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700089 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZFailed to log stats. Statistics ID: %z           | Failed to log statistics                                          | Contact Oracle Support.                                         | ACS     |
| 700090 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZMAP2 error - system failure.%z                   | Internal software error.                                          | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700091 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZMAP2 error - data missing.%z                     | received MAP2_DATA_MISSING in TCAP_CONTINUE or TCAP_END.          | Contact Oracle Support.                                         | ACS     |
| 700092 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZMAP2 error - unexpected data value.%z            | received MAP2_UNEXPECTED_DATA_VALUE in TCAP_CONTINUE or TCAP_END. | Contact Oracle Support.                                         | ACS     |
| 700093 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZMAP2 error - ATI not allowed.%z                  | Internal software error.                                          | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700094 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZACS Macro node registration failed. Fast key: %z | Functional Node has failed ACS macro node registration.           | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700095 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZACS Macro nodes failed to register with ACS.%z | some functional nodes have failed ACS macro node registration.    | Information only.                                               | ACS     |

| Alarm  | Severity | Text                                                                                              | Cause                                                                                     | Resolution              | Service |
|--------|----------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------|---------|
| 700096 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLocation Action initialisation successful.%z                             | Location subsystem startup successful.                                                    | Information only.       | ACS     |
| 700097 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLocation Action Registration failed.%z                                    | Location Action Registration failed.                                                      | Contact Oracle Support. | ACS     |
| 700098 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLocation Action Registration successful.%z                               | Location handler registered successful.                                                   | Information only.       | ACS     |
| 700099 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZUnable to obtain an instance of SLEE Application API.%z                   | SLEE Application API Instance not found.                                                  | Contact Oracle Support. | ACS     |
| 700100 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZOut of memory trying to create an instance of LocActionHandle.%z       | Location Query Handler instance cannot be created.                                        | Contact Oracle Support. | ACS     |
| 700101 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZOut of memory trying to create an instance of LocEventHandle.%z        | Location Event Handler instance cannot be created.                                        | Contact Oracle Support. | ACS     |
| 700102 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLocation Action Handler: No locApp service key set (locAppSK).%z          | Internal software error with locAppSK table                                               | Contact Oracle Support. | ACS     |
| 700103 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLocation Action Handler: Unable to create dialog to locApp.%z             | Cant create a dialog to the locApp application.                                           | Contact Oracle Support. | ACS     |
| 700104 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZOut of memory trying to create an instance of LocationReportRequest.%z | Out of memory creating a LocationReportRequest, so not much can be done. Call will abort. | Contact Oracle Support. | ACS     |
| 700105 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZUnable to register dialog with ACS Chassis.%z                             | Error informing ACS Chassis we want a response on the dialog.                             | Contact Oracle Support. | ACS     |



| Alarm  | Severity | Text                                                                                                       | Cause                                     | Resolution                                                      | Service |
|--------|----------|------------------------------------------------------------------------------------------------------------|-------------------------------------------|-----------------------------------------------------------------|---------|
| 700106 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZSLEE exception caught: %z                                                       | Internal software error - SLEE exception. | Contact Oracle Support.                                         | ACS     |
| 700107 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLocation Action Event Handler: No outstanding action when event handler invoked.%z | Cannot find action in lookup in table     | Contact Oracle Support.                                         | ACS     |
| 700108 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLocation Action Event Handler: Incorrect event type received.%z                    | Mismatch in the event type                | Contact Oracle Support.                                         | ACS     |
| 700109 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLocation Event Handler: Dialog closed before response received.%z                  | Dialog closed before response received.   | Contact Oracle Support.                                         | ACS     |
| 700110 | CRITICAL | ZZZslee_acs(%d)CRITICAL:ZZZputenv(3c) error: out of memory.%z                                              | Internal software error.                  | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700111 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZATI plugin: config section LCP.atiPlugin not found.%z                              | Missing configuration section.            | Add an LCP.atiPlugin section to your configuration.             | ACS     |
| 700112 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLCP Action Handler: config section LCP.actionHandler not found: %z                 | Missing configuration section.            | Add an LCP.actionHandler section to your configuration.         | ACS     |
| 700113 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLCP Action Handler: Using configuration file: %z                                  | Using this configuration file.            | Information Only                                                | ACS     |
| 700114 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLCP Macro Nodes: Using configuration file: %z                                     | Using this configuration file.            | Information Only                                                | ACS     |
| 700115 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLCP current location processor: Config section LCP.currentLocation not found.%z   | Missing configuration section.            | Add an LCP.currentLocation section to your configuration.       | ACS     |

| Alarm  | Severity | Text                                                                                                             | Cause                                                | Resolution                           | Service |
|--------|----------|------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|--------------------------------------|---------|
| 700116 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLCP<br>current location processor:<br>option<br>Map_Uncertainty_constant_C not<br>set.%z | Internal software<br>error.                          | Contact Oracle Support.              | ACS     |
| 700117 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLCP<br>current location processor:<br>option<br>Map_Uncertainty_constant_x not<br>set.%z | Internal software<br>error.                          | Contact Oracle Support.              | ACS     |
| 700118 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZIn The<br>Zone: No node parameter set.%z                                                 | Error parsing node<br>parameter string.              | Contact Oracle Support.              | ACS     |
| 700119 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZIn The<br>Zone: Parameter parsing error.%z                                               | Error parsing node<br>parameter string.              | Contact Oracle Support.              | ACS     |
| 700120 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZSet My<br>Zone: No node parameter set.%z                                                 | Error parsing node<br>parameter string.              | Contact Oracle Support.              | ACS     |
| 700121 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZSet My<br>Zone: Parameter parsing error.%z                                               | Error parsing node<br>parameter string.              | Contact Oracle Support.              | ACS     |
| 700122 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZIncorrec<br>t action type received.%z                                                    | Action types<br>mismatch.                            | Contact Oracle Support.              | ACS     |
| 700123 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZBad or<br>missing mode.%z                                                                | Conversion Loader<br>invoked with a bad<br>mode.     | Reinvoke changing the<br>parameters. | ACS     |
| 700124 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZNo input<br>files specified.%z                                                           | Conversion Loader<br>invoked without<br>input files. | Find input files and<br>reinvoke.    | ACS     |
| 700125 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZCell<br>input file could not be<br>opened.%z                                             | Conversion Loader<br>invoked with bad<br>cell file.  | Find input files and<br>reinvoke.    | ACS     |
| 700126 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZArea<br>input file could not be<br>opened.%z                                             | Conversion Loader<br>invoked without area<br>files.  | Find input files and<br>reinvoke.    | ACS     |

| Alarm  | Severity | Text                                                                                  | Cause                                          | Resolution                             | Service |
|--------|----------|---------------------------------------------------------------------------------------|------------------------------------------------|----------------------------------------|---------|
| 700127 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZOutput file could not be opened.%z                            | Conversion Loader cannot create output files.  | check output file permissions and path | ACS     |
| 700128 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZID not found.%z                                               | Conversion Loader - bad format in input files  | Fix input files and reinvoke.          | ACS     |
| 700129 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZBad format.%z                                                 | Conversion Loader - bad format in input files  | Fix input files and reinvoke.          | ACS     |
| 700130 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLCP current location processor: Using configuration file: %z | Info on configuration file                     | Information only                       | ACS     |
| 700131 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZInitialising current location processor.%z                   | Initialising location processor.               | Information only.                      | ACS     |
| 700132 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZUnable to process the current location.%z                   | Current location cannot be processed.          | Contact Oracle Support.                | ACS     |
| 700133 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZfopen(3c)%z                                                   | Cant open internal cache                       | Contact Oracle Support.                | ACS     |
| 700134 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZIncorrect number of results returned from locApp.%z           | Macro node expects only 1 location result.     | Contact Oracle Support.                | ACS     |
| 700135 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZSystem Failure.%z                                             | Macronode reports error when getting lcoation. | Contact Oracle Support.                | ACS     |
| 700136 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZUnauthorised network.%z                                       | Macronode reports error when getting lcoation. | Contact Oracle Support.                | ACS     |
| 700137 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZUnauthorised application.%z                                   | Macronode reports error when getting lcoation. | Contact Oracle Support.                | ACS     |

| Alarm  | Severity | Text                                                                     | Cause                                          | Resolution                                                      | Service |
|--------|----------|--------------------------------------------------------------------------|------------------------------------------------|-----------------------------------------------------------------|---------|
| 700138 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZUnknown Subscriber.%z                            | Macronode reports error when getting lcoation. | Contact Oracle Support.                                         | ACS     |
| 700139 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZAbsent Subscriber.%z                            | Macronode reports error when getting lcoation. | Contact Oracle Support.                                         | ACS     |
| 700140 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZPosition method failure.%z                       | Macronode reports error when getting lcoation. | Contact Oracle Support.                                         | ACS     |
| 700141 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZNon-originating/terminating end detected.%z      | Non-originating/terminating end detected.      | Contact Oracle Support.                                         | ACS     |
| 700142 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZOut of bound status detected.%z                  | Out of bound (unknown) status detected.        | Contact Oracle Support.                                         | ACS     |
| 700143 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZBad shape definition in profile encountered.%z | Bad shape definition amongst definitions.      | Change erroneous shape definition.                              | ACS     |
| 700144 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZSet My Zone node: Unable to add zone shape.%z    | Internal software error.                       | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700145 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLCP nodes: Using configuration file: %z         | Internal software error.                       | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700146 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZBad parameter string specified .%z               | Bad type conversion. Internal Software error.  | Contact Oracle Support.                                         | ACS     |
| 700147 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLCP Set My Zone: Profile update error.%z         | Could not update profile.                      | Contact Oracle Support.                                         | ACS     |
| 700148 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZNon-existent plugin specified.%z                 | cannot find a plugin with overridden id.       | Contact Oracle Support.                                         | ACS     |

| Alarm  | Severity | Text                                                                                        | Cause                                                  | Resolution                                                      | Service |
|--------|----------|---------------------------------------------------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------------------|---------|
| 700149 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLCP nodes: Geographical Position information not available.%z       | Expected a Geographical Position but did not get one.  | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700150 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZStore My Location: Geographical Position not currently supported.%z | Could not store geographical location.                 | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700151 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZStore My Location: Serving Cell information not available.%z        | Do not have a cell ID                                  | Contact Oracle Support.                                         | ACS     |
| 700152 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZStore My Location: Invalid buffer number selected.%z                | Chosen context field is invalid.                       | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700153 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZStore My Location: No node parameter set.%z                         | We must have a parameter in the node parameter string. | Contact Oracle Support.                                         | ACS     |
| 700154 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZStore My Location: Parameter parsing error.%z                       | We must have a parameter in the node parameter string. | Contact Oracle Support.                                         | ACS     |
| 700155 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZPOSREQ plugin: Using configuration file: %z                        | Using this configuration file for POSREQ plugin.       | Information only.                                               | ACS     |
| 700156 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZPOSREQ plugin: config section LCP.posreqPlugin not found.%z         | POSREQ configuration lacks a LCP.posreqPlugin section. | Edit configuration options.                                     | ACS     |
| 700157 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZPOSREQ plugin config: scfPC SCF PC address not set.%z               | POSREQ configuration lacks a scfPC value.              | Edit configuration options.                                     | ACS     |

| Alarm  | Severity | Text                                                                                          | Cause                                                 | Resolution                  | Service |
|--------|----------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------|-----------------------------|---------|
| 700158 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZPOSREQ plugin config: scfSSN SCF SSN address not set.%z               | POSREQ configuration lacks a scfSSN value.            | Edit configuration options. | ACS     |
| 700159 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZPOSREQ plugin config: hlrSSN HLR SSN address not set.%z               | POSREQ configuration lacks a hlrSSN value.            | Edit configuration options. | ACS     |
| 700160 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZPOSREQ plugin config: tcapIF not set.%z                               | POSREQ configuration lacks a tcapIF value.            | Edit configuration options. | ACS     |
| 700161 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZPOSREQ plugin config: forwardToMsc not set, using default: %z        | POSREQ configuration lacks a forwardToMsc value.      | Edit configuration options. | ACS     |
| 700162 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZPOSREQ plugin: unable to find TCAP interface: %z                      | Cannot find the TCAP interface handle.                | Contact Oracle Support.     | ACS     |
| 700163 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZPOSREQ plugin: Unable to create dialog to TCAP interface.%z           | Unable to create dialog to TCAP interface.            | Contact Oracle Support.     | ACS     |
| 700164 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZPOSREQ plugin: No MSStatus or Cell ID returned.%z                   | Failed response from MSC. Dont have Status or CellID. | Contact Oracle Support.     | ACS     |
| 700165 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZPOSREQ plugin: No MSC Routing Address (PC_SSN) returned from HLR.%z | Failed to receive MSC Routing Address.                | Contact Oracle Support.     | ACS     |
| 700166 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZPOSREQ plugin: Unknown TCAP component type received: %z             | Unknown Tcap Component Type.                          | Contact Oracle Support.     | ACS     |
| 700167 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZPOSREQ plugin: Unknown Invoke ID received.%z                        | unexpected invokeID, when we only sent POSREQ.        | Contact Oracle Support.     | ACS     |
| 700168 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZPOSREQ plugin: TCAP ABORT received.%z                               | Received unexpected TCAP_ABORT.                       | Contact Oracle Support.     | ACS     |

| Alarm  | Severity | Text                                                                                                                                            | Cause                                                   | Resolution                        | Service |
|--------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|-----------------------------------|---------|
| 700169 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZPOSREQ plugin: Event from unknown dialog received.%z                                                                  | Unknown event recieved on dialog.                       | Contact Oracle Support.           | ACS     |
| 700170 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZPOSREQ plugin: Unknown TCAP primitive type received.%z                                                                 | Received Unknown Tcap Primitive.                        | Contact Oracle Support.           | ACS     |
| 700171 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZInvalid handle retrieved for Slee Dialog.%z                                                                           | Invalid null handle retrieved for Slee Dialog.          | Contact Oracle Support.           | ACS     |
| 700172 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZIS41 Error - Missing ParameterZZZ                                                                                       | Specific TCAP_U_ERROR received in TCAP_RESPONSE.        | Contact Oracle Support.           | ACS     |
| 700173 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZIS41 Error - Feature InactiveZZZ                                                                                        | Specific TCAP_U_ERROR received in TCAP_RESPONSE.        | Contact Oracle Support.           | ACS     |
| 700174 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZIS41 Error - Parameter ErrorZZZ                                                                                         | Specific TCAP_U_ERROR received in TCAP_RESPONSE.        | Contact Oracle Support.           | ACS     |
| 700175 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZIS41 Error - Operation Sequence ProblemZZZ                                                                              | Specific TCAP_U_ERROR received in TCAP_RESPONSE.        | Contact Oracle Support.           | ACS     |
| 700176 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLCP current location processor: Config LocationNumberLength not set, using default: %z                                 | LocationNumberLength not set in config.                 | Information Only or set in config | ACS     |
| 700177 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLCP current location processor: LocationNumber length does not match configured length, cannot use current location.%z | LocationNumber length does not match configured length. | Information only.                 | ACS     |

| Alarm  | Severity | Text                                                                                                  | Cause                                                          | Resolution                                    | Service |
|--------|----------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------------------|---------|
| 700178 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLCP action handler: Config normalisedNumbers not set, using default: trueZZZ | normalisedNumbers not set in config.                           | Information Only or set in config             | ACS     |
| 700179 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZPOSREQ plugin config: mscMktId MSC Market-ID not set.%z                       | mscMktId not set in config.                                    | Set mscMktId value in configuration file      | ACS     |
| 700180 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZPOSREQ plugin config: mscSwId MSC Switch-ID not set.%z                        | mscSwId not set in config.                                     | Set mscSwId value in configuration file       | ACS     |
| 700181 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZSRI plugin: Using configuration file: %z                                     | SRI plugin using this configuration file.                      | Information only.                             | ACS     |
| 700182 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZSRI plugin: config section LCP.sriPlugin not found.%z                         | LCP.sriPlugin value not found in SRI plugin configuration file | Set LCP.sriPlugin value in configuration file | ACS     |
| 700183 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZSRI plugin config: tcapIF not set.%z                                          | tcapIF value not found in SRI plugin configuration file        | Set tcapIF value in configuration file        | ACS     |
| 700184 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZSRI plugin config: gmscAddress not set.%z                                     | gmscAddress value not found in SRI plugin configuration file   | Set gmscAddress value in configuration file   | ACS     |
| 700185 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZSRI plugin: unable to find TCAP interface: %z                                 | Cannot find TCAP interface handle                              | Contact Oracle Support.                       | ACS     |
| 700186 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZSRI plugin: Unable to create dialog to TCAP interface.%z                      | Cannot create a dialog to the TCAP interface.                  | Contact Oracle Support.                       | ACS     |
| 700187 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZSRI plugin: TCAP ABORT received.%z                                          | Received an unexpected TCAP_ABORT.                             | Contact Oracle Support.                       | ACS     |



| Alarm  | Severity | Text                                                                              | Cause                                           | Resolution                                               | Service |
|--------|----------|-----------------------------------------------------------------------------------|-------------------------------------------------|----------------------------------------------------------|---------|
| 700188 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZSRI plugin: Unknown Invoke ID received.%z               | Received TCAP response with Unknown Invoke ID.  | Contact Oracle Support.                                  | ACS     |
| 700190 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZSRI plugin: Unknown TCAP primitive type received.%z     | Received Unknown Tcap Primitive.                | Contact Oracle Support.                                  | ACS     |
| 700191 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZSRI plugin: Unknown TCAP component type received.%z     | Received Unknown Tcap Component Type.           | Contact Oracle Support.                                  | ACS     |
| 700192 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZSRI plugin: Event from unknown dialog received.%z       | Received an event from unknown dialog received. | Contact Oracle Support.                                  | ACS     |
| 700193 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZSRI plugin: No MSRN returned.%z                         | Cannot find the roaming num.                    | Contact Oracle Support.                                  | ACS     |
| 700194 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZLCP Action: HLR IDP Conversion not required.%z          | Optional configuration not found                | No action required, unless HLR IDP Conversion is needed. | ACS     |
| 700195 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLCP Action: Failed to load MSISDN Query Source Profile.%z | Failed to load profile                          | Contact Oracle Support.                                  | ACS     |
| 700196 | ERROR    | ZZZslee_acs(%d)ERROR:ZZZLCP Action: MSISDN Query digits invalid.%z                | Supplied digits for query were invalid          | Check control plan.                                      | ACS     |
| 700197 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZTrack latency set to %z                                  | Not an error                                    | No action required.                                      | ACS     |
| 700198 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZPerformance reporting frequency set to %z                | Not an error                                    | No action required.                                      | ACS     |
| 700199 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZFlush period (in second) set to %z                       | Not an error                                    | No action required.                                      | ACS     |

| Alarm  | Severity | Text                                                                                     | Cause                                     | Resolution                                            | Service |
|--------|----------|------------------------------------------------------------------------------------------|-------------------------------------------|-------------------------------------------------------|---------|
| 700200 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZFinal location of generated EDR files set to %z                 | Not an error                              | No action required.                                   | ACS     |
| 700201 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZTemporary location of generated EDR files set to %z             | Not an error                              | No action required.                                   | ACS     |
| 700202 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZMaximum number of EDR records per file set to %z                | Not an error                              | No action required.                                   | ACS     |
| 700203 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZThe prefix of EDR files set to %z                               | Not an error                              | No action required.                                   | ACS     |
| 700204 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZInvalid TCAP error number received.%z                           | HLR error.                                | Look at the logs on the HLR to see why this happened. | ACS     |
| 700205 | WARNING  | ZZZslee_acs(%d)WARNING:ZZZLocation Action Event Handler: Unable to reset bound dialog.%z | Cannot find dialog in the event bindings. | Contact Oracle Support.                               | ACS     |
| 700206 | NOTICE   | ZZZslee_acs(%d)NOTICE:ZZZLog EDR set to %z                                               | Not an error                              | No action required.                                   | ACS     |
| 700300 | ERROR    | ZZZlocApp(%d)ERROR:ZZZshm_open(3RT)%z                                                    | Run out of shared memory.                 | Contact Oracle Support.                               | ACS     |
| 700301 | ERROR    | ZZZlocApp(%d)ERROR:ZZZmmap(2)%z                                                          | Shared memory internal error.             | Contact Oracle Support.                               | ACS     |
| 700302 | ERROR    | ZZZlocApp(%d)ERROR:ZZZtmpnam(3c)%z                                                       | Unknown                                   | Contact Oracle Support.                               | ACS     |
| 700303 | ERROR    | ZZZlocApp(%d)ERROR:ZZZopen(2)%z                                                          | Error on open.                            | Contact Oracle Support.                               | ACS     |
| 700304 | ERROR    | ZZZlocApp(%d)ERROR:ZZZftruncate(3C)%z                                                    | Shared memory internal error.             | Contact Oracle Support.                               | ACS     |
| 700305 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLocation cache fullZZZ                                             | Location cache is full                    | Contact Oracle Support.                               | ACS     |

| Alarm  | Severity | Text                                                              | Cause                                                          | Resolution                                 | Service |
|--------|----------|-------------------------------------------------------------------|----------------------------------------------------------------|--------------------------------------------|---------|
| 700306 | WARNING  | ZZZlocApp(%d)WARNING:ZZZCached location more recentZZZ            | Writing a location, but the old one is newer than the new one. | Contact Oracle Support. Check system time. | ACS     |
| 700307 | ERROR    | ZZZlocApp(%d)ERROR:ZZZCache entry missingZZZ                      | Internal software error.                                       | Contact Oracle Support.                    | ACS     |
| 700308 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZInitialisating all subsystems.%z           | Startup info.                                                  | Information only.                          | ACS     |
| 700309 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZInitialisating location cache.%z           | Startup info.                                                  | Information only.                          | ACS     |
| 700310 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLoading configuration.%z                   | Startup info.                                                  | Information only.                          | ACS     |
| 700311 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZOracle login set to %z                     | Startup info.                                                  | Information only.                          | ACS     |
| 700312 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZTimer interface name set to %z             | Startup info.                                                  | Information only.                          | ACS     |
| 700313 | WARNING  | ZZZlocApp(%d)WARNING:ZZZUnknown command line option %z            | Startup options need checking.                                 | Contact Oracle Support.                    | ACS     |
| 700314 | WARNING  | ZZZlocApp(%d)WARNING:ZZZMissing argument for %z                   | Startup options need checking.                                 | Contact Oracle Support.                    | ACS     |
| 700315 | ERROR    | ZZZlocApp(%d)ERROR:ZZZgetopt error. Status: %z                    | Startup options need checking.                                 | Contact Oracle Support.                    | ACS     |
| 700316 | CRITICAL | ZZZlocApp(%d)CRITICAL:ZZZFailed to find timer interface. Name: %z | cannot get handle to the timer interface                       | Contact Oracle Support.                    | ACS     |
| 700317 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZStartup successful.%z                      | Startup info.                                                  | Information only.                          | ACS     |
| 700318 | CRITICAL | ZZZlocApp(%d)CRITICAL:ZZZUncaught std::length_error %z            | Uncaught std::length_error, anywhere in main loop.             | Contact Oracle Support.                    | ACS     |

| Alarm  | Severity | Text                                                        | Cause                                                  | Resolution              | Service |
|--------|----------|-------------------------------------------------------------|--------------------------------------------------------|-------------------------|---------|
| 700319 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::domain_error %z     | Uncaught std::domain_error, anywhere in main loop.     | Contact Oracle Support. | ACS     |
| 700320 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::out_of_range %z     | Uncaught std::out_of_range, anywhere in main loop.     | Contact Oracle Support. | ACS     |
| 700321 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::invalid_argument %z | Uncaught std::invalid_argument, anywhere in main loop. | Contact Oracle Support. | ACS     |
| 700322 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::logic_error %z      | Uncaught std::logic_error, anywhere in main loop.      | Contact Oracle Support. | ACS     |
| 700323 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::range_error %z      | Uncaught std::range_error, anywhere in main loop.      | Contact Oracle Support. | ACS     |
| 700324 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::overflow_error %z   | Uncaught std::overflow_error, anywhere in main loop.   | Contact Oracle Support. | ACS     |
| 700325 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::underflow_error %z  | Uncaught std::underflow_error, anywhere in main loop.  | Contact Oracle Support. | ACS     |
| 700326 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::runtime_error %z    | Uncaught std::runtime_error, anywhere in main loop.    | Contact Oracle Support. | ACS     |

| Alarm  | Severity | Text                                                                  | Cause                                                    | Resolution                                  | Service |
|--------|----------|-----------------------------------------------------------------------|----------------------------------------------------------|---------------------------------------------|---------|
| 700327 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::bad_alloc %z                  | Uncaught std::bad_alloc, anywhere in main loop.          | Contact Oracle Support.                     | ACS     |
| 700328 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::bad_exception %z              | Uncaught std::bad_exception, anywhere in main loop.      | Contact Oracle Support.                     | ACS     |
| 700329 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::bad_cast %z                   | Uncaught std::bad_cast, anywhere in main loop.           | Contact Oracle Support.                     | ACS     |
| 700330 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::bad_typeid %z                 | Uncaught std::bad_typeid, anywhere in main loop.         | Contact Oracle Support.                     | ACS     |
| 700331 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::ios_base::failure %z          | Uncaught std::ios_base::failure, anywhere in main loop.  | Contact Oracle Support.                     | ACS     |
| 700332 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUncaught std::exception %z                  | Uncaught std::exception, anywhere in main loop.          | Contact Oracle Support.                     | ACS     |
| 700333 | CRITICAL | ZZZlocApp(%d) CRITICAL:ZZZUnknown exception caught.%z                 | Uncaught exception.                                      | Contact Oracle Support.                     | ACS     |
| 700334 | NOTICE   | ZZZlocApp(%d) NOTICE:ZZZAll subsystem stopped.%z                      | Shutdown information.                                    | Information only.                           | ACS     |
| 700335 | NOTICE   | ZZZlocApp(%d) NOTICE:ZZZNon-SLEEP event type with no dialog. Type: %z | Internal software error. No proper handle to the dialog. | Report to Oracle Support. Information only. | ACS     |

| Alarm  | Severity | Text                                                                | Cause                                                    | Resolution                                 | Service |
|--------|----------|---------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------|---------|
| 700336 | ERROR    | ZZZlocApp(%d)ERROR:ZZZTpAddress not of E164 type.%z                 | Malformed address.                                       | Contact Oracle Support.                    | ACS     |
| 700337 | CRITICAL | ZZZlocApp(%d)CRITICAL:ZZZReceived reply to unknown request.%z       | Received a reply to a request we never sent.             | Contact Oracle Support.                    | ACS     |
| 700338 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZService enabled: %z                          | Location Service enabled.                                | Information only.                          | ACS     |
| 700339 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZService disabled: %z                         | Location Service disabled.                               | Information only.                          | ACS     |
| 700340 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZSLEE: APPLICATION_END.%z                     | Slee management event received. End Application.         | Information only.                          | ACS     |
| 700341 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZSLEE: APPLICATION_KILL.%z                    | Slee management event received. Kill Application.        | Information only.                          | ACS     |
| 700342 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZSLEE: Rereading configuration - no effectZZZ | Slee management event received. Rereading configuration. | Information only.                          | ACS     |
| 700343 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZSLEE: WatchDog event.%z                      | Slee management event received. Watchdog event received. | Information only.                          | ACS     |
| 700344 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZSLEE: INTERFACE_END.%z                       | Slee management event received. End Interface.           | Information only.                          | ACS     |
| 700345 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZSLEE: INTERFACE_KILL.%z                      | Slee management event received. Kill Interface.          | Information only.                          | ACS     |
| 700346 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZSLEE: Unknown SLEE event type: %z            | Slee management event received. Unknown slee event.      | Information only. Refer to Oracle Support. | ACS     |

| Alarm  | Severity | Text                                                                        | Cause                                                  | Resolution                                                      | Service |
|--------|----------|-----------------------------------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------------------|---------|
| 700347 | ERROR    | ZZZlocApp(%d)ERROR:ZZZDialogue gets unknown event type: %z                  | Expecting a tcap event, but got something else.        | Contact Oracle Support.                                         | ACS     |
| 700348 | WARNING  | ZZZlocApp(%d)WARNING:ZZZLocation query timed out.%z                         | Location Interaction timeout                           | Contact Oracle Support.                                         | ACS     |
| 700349 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZATI plugin: Using configuration file: %z             | The ATI plugin is reading config                       | Information Only                                                | ACS     |
| 700350 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZATI plugin: Unknown TCAP primitive type received.%z  | got a result in a TCAP_BEGIN                           | Contact Oracle Support.                                         | ACS     |
| 700351 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZATI plugin: Unknown TCAP component received.%z       | got an unexpected TCAP component                       | Contact Oracle Support.                                         | ACS     |
| 700352 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZATI plugin: Event from unknown dialog received.%z    | got n event from an unknown dialog.                    | Contact Oracle Support.                                         | ACS     |
| 700353 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZATI plugin: No Cell ID/LAI returned.%z               | No Cell ID/LAI in ATI result                           | Information Only.                                               | ACS     |
| 700354 | ERROR    | ZZZlocApp(%d)ERROR:ZZZDialogue already exist for an location interaction.%z | Wont allow a second dialog in the map of interactions. | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700355 | ERROR    | ZZZlocApp(%d)ERROR:ZZZATI plugin: Invoke ID not found.%z                    | No invoke ID in TCAP_CONTINUE or TCAP_END              | Contact Oracle Support.                                         | ACS     |
| 700356 | ERROR    | ZZZlocApp(%d)ERROR:ZZZATI plugin: unable to find TCAP interface: %z         | No TCAP interface handle.                              | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700357 | ERROR    | ZZZlocApp(%d)ERROR:ZZZATI plugin config: gsmScfAddress not set.%z           | Internal table missing entry.                          | Contact Oracle Support. No further information can be obtained. | ACS     |

| Alarm  | Severity | Text                                                                                     | Cause                                      | Resolution                                                      | Service |
|--------|----------|------------------------------------------------------------------------------------------|--------------------------------------------|-----------------------------------------------------------------|---------|
| 700358 | ERROR    | ZZZlocApp(%d)ERROR:ZZZATI plugin config: tcapIF not set.%z                               | Internal table missing entry.              | Contact Oracle Support.                                         | ACS     |
| 700359 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZATI plugin config: ABORT received.%z                              | Received a TCAP_ABORT.                     | Information Only                                                | ACS     |
| 700360 | ERROR    | ZZZlocApp(%d)ERROR:ZZZUnrecognised event received.%z                                     | Event unrecognised                         | Contact Oracle Support                                          | ACS     |
| 700361 | ERROR    | ZZZlocApp(%d)ERROR:ZZZUnclosed dialog detected when all should be closed. Closing all.%z | Dialog unclosed                            | Contact Oracle Support.                                         | ACS     |
| 700362 | ERROR    | ZZZlocApp(%d)ERROR:ZZZUnable to gettimeofday from SleeApplicationAPI. Error code is: %z  | Internal software error with gettimeofday  | Contact Oracle Support.                                         | ACS     |
| 700363 | ERROR    | ZZZlocApp(%d)ERROR:ZZZgettimeofday(3c)%z                                                 | Internal software error with gettimeofday. | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700364 | ERROR    | ZZZlocApp(%d)ERROR:ZZZInitialisation failed. Exiting.%z                                  | Initialisation of locApp failed.           | Contact Oracle Support.                                         | ACS     |
| 700365 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZInitialising all plugins.%z                                       | Internal software error in loadAllPlugin.  | Contact Oracle Support.                                         | ACS     |
| 700366 | ERROR    | ZZZlocApp(%d)ERROR:ZZZdlopen(3DL) error %z                                               | Error trying to open plugin.               | Contact Oracle Support.                                         | ACS     |
| 700367 | ERROR    | ZZZlocApp(%d)ERROR:ZZZdlsym(3DL) error %z                                                | Error loading function.                    | Contact Oracle Support.                                         | ACS     |
| 700368 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZCache size set to %z                                              | Size of the cache                          | Information Only                                                | ACS     |
| 700369 | WARNING  | ZZZlocApp(%d)WARNING:ZZZInvalid cache size %z                                            | Bad Cache Size in command line parameters  | Restart with different cache size parameter on command line.    | ACS     |



| Alarm  | Severity | Text                                                             | Cause                                                  | Resolution                                                                | Service |
|--------|----------|------------------------------------------------------------------|--------------------------------------------------------|---------------------------------------------------------------------------|---------|
| 700370 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZResponse deadline size set to %z          | Size of Deadline.                                      | Information Only                                                          | ACS     |
| 700371 | WARNING  | ZZZlocApp(%d)WARNING:ZZZInvalid response deadline %z             | Bad deadline in command line paramters.                | Restart with different deadline parameter on command line.                | ACS     |
| 700372 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZCache entry expiry time set to %z         | Cache entry expiry time.                               | Information Only                                                          | ACS     |
| 700373 | WARNING  | ZZZlocApp(%d)WARNING:ZZZInvalid cache entry expiry time %z       | Bad Cache entry expiry time in command line paramters. | Restart with different cache entry expiry time parameter on command line. | ACS     |
| 700374 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZConnecting to Oracle database.%z          | connecting to database.                                | Information Only.                                                         | ACS     |
| 700375 | ERROR    | ZZZlocApp(%d)ERROR:ZZZUnable to connect to oracle using login:%z | could not connect to database.                         | Check for oracle processes. Contact Oracle Support.                       | ACS     |
| 700376 | ERROR    | ZZZlocApp(%d)ERROR:ZZZsemget(2) errorZZZ                         | Internal software error with semaphores.               | Contact Oracle Support.                                                   | ACS     |
| 700377 | ERROR    | ZZZlocApp(%d)ERROR:ZZZftok(3c) errorZZZ                          | Internal software error with semaphores.               | Contact Oracle Support.                                                   | ACS     |
| 700378 | ERROR    | ZZZlocApp(%d)ERROR:ZZZsemop(2) errorZZZ                          | Internal software error with semaphores.               | Contact Oracle Support.                                                   | ACS     |
| 700379 | WARNING  | ZZZlocApp(%d)WARNING:ZZZToo many plugins defined.%z              | Too many location plugins are defined in the db.       | Contact Oracle Support.                                                   | ACS     |
| 700380 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZSetting up signal handlers.%z             | Initialising signal handlers                           | Information only.                                                         | ACS     |
| 700381 | ERROR    | ZZZlocApp(%d)ERROR:ZZZsignal(3C) error.%z                        | Error in Signal Handlers initialise.                   | Contact Oracle Support.                                                   | ACS     |

| Alarm  | Severity | Text                                                               | Cause                                                             | Resolution                                                      | Service |
|--------|----------|--------------------------------------------------------------------|-------------------------------------------------------------------|-----------------------------------------------------------------|---------|
| 700382 | ERROR    | ZZZlocApp(%d)ERROR:ZZZUnknown MSISDN for the interaction.%z        | Unknown MSISDN.                                                   | Contact Oracle Support.                                         | ACS     |
| 700383 | ERROR    | ZZZlocApp(%d)ERROR:ZZZNo plugin found for the MSISDN.%z            | Cannot find a plugin to deal with this interaction for the MSISDN | Contact Oracle Support.                                         | ACS     |
| 700384 | ERROR    | ZZZlocApp(%d)ERROR:ZZZConversion data not found.%z                 | LCP conversion not found in database.                             | Contact Oracle Support.                                         | ACS     |
| 700385 | ERROR    | ZZZlocApp(%d)ERROR:ZZZOracle error.%z                              | Oracle error when accessing LCP database.                         | Contact Oracle Support.                                         | ACS     |
| 700386 | ERROR    | ZZZlocApp(%d)ERROR:ZZZNo plugin configured.%z                      | No location plugins defined. Need at least 1.                     | Need a plugin defined. Contact Oracle Support.                  | ACS     |
| 700387 | ERROR    | ZZZlocApp(%d)ERROR:ZZZUnable to create dialog to TCAP interface.%z | Cant create a dialog to the TCAP interface                        | Contact Oracle Support.                                         | ACS     |
| 700388 | ERROR    | ZZZlocApp(%d)ERROR:ZZZInvalid statistics counter specified.%z      | Internal software error.                                          | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700389 | ERROR    | ZZZlocApp(%d)ERROR:ZZZFailed to log stats. Statistics ID: %z       | Failed to log statistics                                          | Contact Oracle Support.                                         | ACS     |
| 700390 | ERROR    | ZZZlocApp(%d)ERROR:ZZZMAP2 error - system failure.%z               | Internal software error.                                          | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700391 | ERROR    | ZZZlocApp(%d)ERROR:ZZZMAP2 error - data missing.%z                 | received MAP2_DATA_MISSING in TCAP_CONTINUE or TCAP_END.          | Contact Oracle Support.                                         | ACS     |

| Alarm  | Severity | Text                                                                                      | Cause                                                             | Resolution                                                      | Service |
|--------|----------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------|-----------------------------------------------------------------|---------|
| 700392 | ERROR    | ZZZlocApp(%d)ERROR:ZZZMAP2 error - unexpected data value.%z                               | received MAP2_UNEXPECTED_DATA_VALUE in TCAP_CONTINUE or TCAP_END. | Contact Oracle Support.                                         | ACS     |
| 700393 | ERROR    | ZZZlocApp(%d)ERROR:ZZZMAP2 error - ATI not allowed.%z                                     | Internal software error.                                          | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700394 | ERROR    | ZZZlocApp(%d)ERROR:ZZZACS Macro node registration failed. Fast key: %z                    | Functional Node has failed ACS macro node registration.           | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700395 | WARNING  | ZZZlocApp(%d)WARNING:ZZZACS Macro nodes failed to register with ACS.%z                    | some functional nodes have failed ACS macro node registration.    | Information only.                                               | ACS     |
| 700396 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLocation Action initialisation successful.%z                       | Location subsystem startup successful.                            | Information only.                                               | ACS     |
| 700397 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLocation Action Registration failed.%z                              | Location Action Registration failed.                              | Contact Oracle Support.                                         | ACS     |
| 700398 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLocation Action Registration successful.%z                         | Location handler registered successful.                           | Information only.                                               | ACS     |
| 700399 | ERROR    | ZZZlocApp(%d)ERROR:ZZZUnable to obtain an instance of SLEE Application API.%z             | SLEE Application API Instance not found.                          | Contact Oracle Support.                                         | ACS     |
| 700400 | CRITICAL | ZZZlocApp(%d)CRITICAL:ZZZOut of memory trying to create an instance of LocActionHandle.%z | Location Query Handler instance cannot be created.                | Contact Oracle Support.                                         | ACS     |
| 700401 | CRITICAL | ZZZlocApp(%d)CRITICAL:ZZZOut of memory trying to create an instance of LocEventHandle.%z  | Location Event Handler instance cannot be created.                | Contact Oracle Support.                                         | ACS     |

| Alarm  | Severity | Text                                                                                                     | Cause                                                                                     | Resolution                                                      | Service |
|--------|----------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------|---------|
| 700402 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLocation Action Handler: No locApp service key set (locAppSK).%z                   | Internal software error with locAppSK table                                               | Contact Oracle Support.                                         | ACS     |
| 700403 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLocation Action Handler: Unable to create dialog to locApp.%z                      | Cant create a dialog to the locApp application.                                           | Contact Oracle Support.                                         | ACS     |
| 700404 | CRITICAL | ZZZlocApp(%d)CRITICAL:ZZZOut of memory trying to create an instance of LocationReportRequest.%z          | Out of memory creating a LocationReportRequest, so not much can be done. Call will abort. | Contact Oracle Support.                                         | ACS     |
| 700405 | ERROR    | ZZZlocApp(%d)ERROR:ZZZUnable to register dialog with ACS Chassis.%z                                      | Error informing ACS Chassis we want a response on the dialog.                             | Contact Oracle Support.                                         | ACS     |
| 700406 | CRITICAL | ZZZlocApp(%d)CRITICAL:ZZZSLEE exception caught: %z                                                       | Internal software error - SLEE exception.                                                 | Contact Oracle Support.                                         | ACS     |
| 700407 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLocation Action Event Handler: No outstanding action when event handler invoked.%z | Cannot find action in lookup in table                                                     | Contact Oracle Support.                                         | ACS     |
| 700408 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLocation Action Event Handler: Incorrect event type received.%z                    | Mismatch in the event type                                                                | Contact Oracle Support.                                         | ACS     |
| 700409 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLocation Event Handler: Dialog closed before response received.%z                  | Dialog closed before response received.                                                   | Contact Oracle Support.                                         | ACS     |
| 700410 | CRITICAL | ZZZlocApp(%d)CRITICAL:ZZZputenv(3c) error: out of memory.%z                                              | Internal software error.                                                                  | Contact Oracle Support. No further information can be obtained. | ACS     |

| Alarm  | Severity | Text                                                                                                   | Cause                                | Resolution                                                | Service |
|--------|----------|--------------------------------------------------------------------------------------------------------|--------------------------------------|-----------------------------------------------------------|---------|
| 700411 | ERROR    | ZZZlocApp(%d)ERROR:ZZZATI plugin: config section LCP.atiPlugin not found.%z                            | Missing configuration section.       | Add an LCP.atiPlugin section to your configuration.       | ACS     |
| 700412 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLCP Action Handler: config section LCP.actionHandler not found: %z               | Missing configuration section.       | Add an LCP.actionHandler section to your configuration.   | ACS     |
| 700413 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLCP Action Handler: Using configuration file: %z                                | Using this configuration file.       | Information Only                                          | ACS     |
| 700414 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLCP Macro Nodes: Using configuration file: %z                                   | Using this configuration file.       | Information Only                                          | ACS     |
| 700415 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLCP current location processor: Config section LCP.currentLocation not found.%z | Missing configuration section.       | Add an LCP.currentLocation section to your configuration. | ACS     |
| 700416 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLCP current location processor: option Map_Uncertainty_constant_C not set.%z     | Internal software error.             | Contact Oracle Support.                                   | ACS     |
| 700417 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLCP current location processor: option Map_Uncertainty_constant_x not set.%z     | Internal software error.             | Contact Oracle Support.                                   | ACS     |
| 700418 | ERROR    | ZZZlocApp(%d)ERROR:ZZZIn The Zone: No node parameter set.%z                                            | Error parsing node parameter string. | Contact Oracle Support.                                   | ACS     |
| 700419 | ERROR    | ZZZlocApp(%d)ERROR:ZZZIn The Zone: Parameter parsing error.%z                                          | Error parsing node parameter string. | Contact Oracle Support.                                   | ACS     |
| 700420 | ERROR    | ZZZlocApp(%d)ERROR:ZZZSet My Zone: No node parameter set.%z                                            | Error parsing node parameter string. | Contact Oracle Support.                                   | ACS     |

| Alarm  | Severity | Text                                                                                | Cause                                          | Resolution                             | Service |
|--------|----------|-------------------------------------------------------------------------------------|------------------------------------------------|----------------------------------------|---------|
| 700421 | ERROR    | ZZZlocApp(%d)ERROR:ZZZSet My Zone: Parameter parsing error.%z                       | Error parsing node parameter string.           | Contact Oracle Support.                | ACS     |
| 700422 | ERROR    | ZZZlocApp(%d)ERROR:ZZZIncorrect action type received.%z                             | Action types mismatch.                         | Contact Oracle Support.                | ACS     |
| 700423 | ERROR    | ZZZlocApp(%d)ERROR:ZZZBad or missing mode.%z                                        | Conversion Loader invoked with a bad mode.     | Reinvoke changing the parameters.      | ACS     |
| 700424 | ERROR    | ZZZlocApp(%d)ERROR:ZZZNo input files specified.%z                                   | Conversion Loader invoked without input files. | Find input files and reinvoke.         | ACS     |
| 700425 | ERROR    | ZZZlocApp(%d)ERROR:ZZZCell input file could not be opened.%z                        | Conversion Loader invoked with bad cell file.  | Find input files and reinvoke.         | ACS     |
| 700426 | ERROR    | ZZZlocApp(%d)ERROR:ZZZArea input file could not be opened.%z                        | Conversion Loader invoked without area files.  | Find input files and reinvoke.         | ACS     |
| 700427 | ERROR    | ZZZlocApp(%d)ERROR:ZZZOutput file could not be opened.%z                            | Conversion Loader cannot create output files.  | check output file permissions and path | ACS     |
| 700428 | ERROR    | ZZZlocApp(%d)ERROR:ZZZID not found.%z                                               | Conversion Loader - bad format in input files  | Fix input files and reinvoke.          | ACS     |
| 700429 | ERROR    | ZZZlocApp(%d)ERROR:ZZZBad format.%z                                                 | Conversion Loader - bad format in input files  | Fix input files and reinvoke.          | ACS     |
| 700430 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLCP current location processor: Using configuration file: %z | Info on configuration file                     | Information only                       | ACS     |
| 700431 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZInitialising current location processor.%z                   | Initialising location processor.               | Information only.                      | ACS     |

| Alarm  | Severity | Text                                                                       | Cause                                          | Resolution              | Service |
|--------|----------|----------------------------------------------------------------------------|------------------------------------------------|-------------------------|---------|
| 700432 | WARNING  | ZZZlocApp(%d) WARNING:ZZZUnable to process the current location.%z         | Current location cannot be processed.          | Contact Oracle Support. | ACS     |
| 700433 | ERROR    | ZZZlocApp(%d) ERROR:ZZZfopen(3c) %z                                        | Cant open internal cache                       | Contact Oracle Support. | ACS     |
| 700434 | ERROR    | ZZZlocApp(%d) ERROR:ZZZIncorrect number of results returned from locApp.%z | Macro node expects only 1 location result.     | Contact Oracle Support. | ACS     |
| 700435 | ERROR    | ZZZlocApp(%d) ERROR:ZZZSystem Failure.%z                                   | Macronode reports error when getting lcoation. | Contact Oracle Support. | ACS     |
| 700436 | ERROR    | ZZZlocApp(%d) ERROR:ZZZUnauthoris ed network.%z                            | Macronode reports error when getting lcoation. | Contact Oracle Support. | ACS     |
| 700437 | ERROR    | ZZZlocApp(%d) ERROR:ZZZUnauthoris ed application.%z                        | Macronode reports error when getting lcoation. | Contact Oracle Support. | ACS     |
| 700438 | ERROR    | ZZZlocApp(%d) ERROR:ZZZUnknown Subscriber.%z                               | Macronode reports error when getting lcoation. | Contact Oracle Support. | ACS     |
| 700439 | NOTICE   | ZZZlocApp(%d) NOTICE:ZZZAbsent Subscriber.%z                               | Macronode reports error when getting lcoation. | Contact Oracle Support. | ACS     |
| 700440 | ERROR    | ZZZlocApp(%d) ERROR:ZZZPosition method failure.%z                          | Macronode reports error when getting lcoation. | Contact Oracle Support. | ACS     |
| 700441 | ERROR    | ZZZlocApp(%d) ERROR:ZZZNon-originating/terminating end detected.%z         | Non-originating/terminating end detected.      | Contact Oracle Support. | ACS     |
| 700442 | ERROR    | ZZZlocApp(%d) ERROR:ZZZOut of bound status detected.%z                     | Out of bound (unknown) status detected.        | Contact Oracle Support. | ACS     |

| Alarm  | Severity | Text                                                                                      | Cause                                                 | Resolution                                                      | Service |
|--------|----------|-------------------------------------------------------------------------------------------|-------------------------------------------------------|-----------------------------------------------------------------|---------|
| 700443 | WARNING  | ZZZlocApp(%d)WARNING:ZZZBad shape definition in profile encountered.%z                    | Bad shape definition amongst definitions.             | Change erroneous shape definition.                              | ACS     |
| 700444 | ERROR    | ZZZlocApp(%d)ERROR:ZZZSet My Zone node: Unable to add zone shape.%z                       | Internal software error.                              | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700445 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLCP nodes: Using configuration file: %z                            | Internal software error.                              | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700446 | ERROR    | ZZZlocApp(%d)ERROR:ZZZBad parameter string specified .%z                                  | Bad type conversion. Internal Software error.         | Contact Oracle Support.                                         | ACS     |
| 700447 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLCP Set My Zone: Profile update error.%z                            | Could not update profile.                             | Contact Oracle Support.                                         | ACS     |
| 700448 | ERROR    | ZZZlocApp(%d)ERROR:ZZZNon-existent plugin specified.%z                                    | cannot find a plugin with overridden id.              | Contact Oracle Support.                                         | ACS     |
| 700449 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLCP nodes: Geographical Position information not available.%z       | Expected a Geographical Position but did not get one. | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700450 | ERROR    | ZZZlocApp(%d)ERROR:ZZZStore My Location: Geographical Position not currently supported.%z | Could not store geographical location.                | Contact Oracle Support. No further information can be obtained. | ACS     |
| 700451 | ERROR    | ZZZlocApp(%d)ERROR:ZZZStore My Location: Serving Cell information not available.%z        | Do not have a cell ID                                 | Contact Oracle Support.                                         | ACS     |
| 700452 | ERROR    | ZZZlocApp(%d)ERROR:ZZZStore My Location: Invalid buffer number selected.%z                | Chosen context field is invalid.                      | Contact Oracle Support. No further information can be obtained. | ACS     |



| Alarm  | Severity | Text                                                                                 | Cause                                                  | Resolution                  | Service |
|--------|----------|--------------------------------------------------------------------------------------|--------------------------------------------------------|-----------------------------|---------|
| 700453 | ERROR    | ZZZlocApp(%d)ERROR:ZZZStore My Location: No node parameter set.%z                    | We must have a parameter in the node parameter string. | Contact Oracle Support.     | ACS     |
| 700454 | ERROR    | ZZZlocApp(%d)ERROR:ZZZStore My Location: Parameter parsing error.%z                  | We must have a parameter in the node parameter string. | Contact Oracle Support.     | ACS     |
| 700455 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZPOSREQ plugin: Using configuration file: %z                   | Using this configuration file for POSREQ plugin.       | Information only.           | ACS     |
| 700456 | ERROR    | ZZZlocApp(%d)ERROR:ZZZPOSREQ plugin: config section LCP.posreqPlugin not found.%z    | POSREQ configuration lacks a LCP.posreqPlugin section. | Edit configuration options. | ACS     |
| 700457 | ERROR    | ZZZlocApp(%d)ERROR:ZZZPOSREQ plugin config: scfPC SCF PC address not set.%z          | POSREQ configuration lacks a scfPC value.              | Edit configuration options. | ACS     |
| 700458 | ERROR    | ZZZlocApp(%d)ERROR:ZZZPOSREQ plugin config: scfSSN SCF SSN address not set.%z        | POSREQ configuration lacks a scfSSN value.             | Edit configuration options. | ACS     |
| 700459 | ERROR    | ZZZlocApp(%d)ERROR:ZZZPOSREQ plugin config: hlrSSN HLR SSN address not set.%z        | POSREQ configuration lacks a hlrSSN value.             | Edit configuration options. | ACS     |
| 700460 | ERROR    | ZZZlocApp(%d)ERROR:ZZZPOSREQ plugin config: tcapIF not set.%z                        | POSREQ configuration lacks a tcapIF value.             | Edit configuration options. | ACS     |
| 700461 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZPOSREQ plugin config: forwardToMsc not set, using default: %z | POSREQ configuration lacks a forwardToMsc value.       | Edit configuration options. | ACS     |
| 700462 | ERROR    | ZZZlocApp(%d)ERROR:ZZZPOSREQ plugin: unable to find TCAP interface: %z               | Cannot find the TCAP interface handle.                 | Contact Oracle Support.     | ACS     |

| Alarm  | Severity | Text                                                                                        | Cause                                                 | Resolution              | Service |
|--------|----------|---------------------------------------------------------------------------------------------|-------------------------------------------------------|-------------------------|---------|
| 700463 | ERROR    | ZZZlocApp(%d)ERROR:ZZZPOSREQ plugin: Unable to create dialog to TCAP interface.%z           | Unable to create dialog to TCAP interface.            | Contact Oracle Support. | ACS     |
| 700464 | WARNING  | ZZZlocApp(%d)WARNING:ZZZPOSREQ plugin: No MSStatus or Cell ID returned.%z                   | Failed response from MSC. Dont have Status or CellID. | Contact Oracle Support. | ACS     |
| 700465 | WARNING  | ZZZlocApp(%d)WARNING:ZZZPOSREQ plugin: No MSC Routing Address (PC_SSN) returned from HLR.%z | Failed to receive MSC Routing Address.                | Contact Oracle Support. | ACS     |
| 700466 | WARNING  | ZZZlocApp(%d)WARNING:ZZZPOSREQ plugin: Unknown TCAP component type received: %z             | Unknown Tcap Component Type.                          | Contact Oracle Support. | ACS     |
| 700467 | WARNING  | ZZZlocApp(%d)WARNING:ZZZPOSREQ plugin: Unknown Invoke ID received.%z                        | unexpected invokeID, when we only sent POSREQ.        | Contact Oracle Support. | ACS     |
| 700468 | WARNING  | ZZZlocApp(%d)WARNING:ZZZPOSREQ plugin: TCAP ABORT received.%z                               | Received unexpected TCAP_ABORT.                       | Contact Oracle Support. | ACS     |
| 700469 | WARNING  | ZZZlocApp(%d)WARNING:ZZZPOSREQ plugin: Event from unknown dialog received.%z                | Unknown event recieved on dialog.                     | Contact Oracle Support. | ACS     |
| 700470 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZPOSREQ plugin: Unknown TCAP primitive type received.%z               | Received Unknown Tcap Primitive.                      | Contact Oracle Support. | ACS     |
| 700471 | WARNING  | ZZZlocApp(%d)WARNING:ZZZInvalid handle retrieved for Slee Dialog.%z                         | Invalid null handle retrieved for Slee Dialog.        | Contact Oracle Support. | ACS     |
| 700472 | ERROR    | ZZZlocApp(%d)ERROR:ZZZIS41 Error - Missing ParameterZZZ                                     | Specific TCAP_U_ERROR received in TCAP_RESPONSE.      | Contact Oracle Support. | ACS     |

| Alarm  | Severity | Text                                                                                                                                                      | Cause                                                            | Resolution                                  | Service |
|--------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------|---------|
| 700473 | ERROR    | ZZZlocApp(%d)ERROR:ZZZIS41 Error<br>- Feature InactiveZZZ                                                                                                 | Specific<br>TCAP_U_ERROR<br>received in<br>TCAP_RESPONSE.        | Contact Oracle Support.                     | ACS     |
| 700474 | ERROR    | ZZZlocApp(%d)ERROR:ZZZIS41 Error<br>- Parameter ErrorZZZ                                                                                                  | Specific<br>TCAP_U_ERROR<br>received in<br>TCAP_RESPONSE.        | Contact Oracle Support.                     | ACS     |
| 700475 | ERROR    | ZZZlocApp(%d)ERROR:ZZZIS41 Error<br>- Operation Sequence ProblemZZZ                                                                                       | Specific<br>TCAP_U_ERROR<br>received in<br>TCAP_RESPONSE.        | Contact Oracle Support.                     | ACS     |
| 700476 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLCP<br>current location processor:<br>Config LocationNumberLength not<br>set, using default: %z                                    | LocationNumberLength<br>not set in config.                       | Information Only or set in<br>config        | ACS     |
| 700477 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLCP<br>current location processor:<br>LocationNumber length does not<br>match configured length, cannot<br>use current location.%z | LocationNumber<br>length does not<br>match configured<br>length. | Information only.                           | ACS     |
| 700478 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLCP<br>action handler: Config<br>normalisedNumbers not set, using<br>default: trueZZZ                                              | normalisedNumbers<br>not set in config.                          | Information Only or set in<br>config        | ACS     |
| 700479 | ERROR    | ZZZlocApp(%d)ERROR:ZZZPOSREQ<br>plugin config: mscMktId MSC<br>Market-ID not set.%z                                                                       | mscMktId not set in<br>config.                                   | Set mscMktId value in<br>configuration file | ACS     |
| 700480 | ERROR    | ZZZlocApp(%d)ERROR:ZZZPOSREQ<br>plugin config: mscSwId MSC<br>Switch-ID not set.%z                                                                        | mscSwId not set in<br>config.                                    | Set mscSwId value in<br>configuration file  | ACS     |
| 700481 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZSRI<br>plugin: Using configuration<br>file: %z                                                                                     | SRI plugin using<br>this configuration<br>file.                  | Information only.                           | ACS     |

| Alarm  | Severity | Text                                                                           | Cause                                                          | Resolution                                    | Service |
|--------|----------|--------------------------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------------------|---------|
| 700482 | ERROR    | ZZZlocApp(%d)ERROR:ZZZSRI plugin: config section LCP.sriPlugin not found.%z    | LCP.sriPlugin value not found in SRI plugin configuration file | Set LCP.sriPlugin value in configuration file | ACS     |
| 700483 | ERROR    | ZZZlocApp(%d)ERROR:ZZZSRI plugin config: tcapIF not set.%z                     | tcapIF value not found in SRI plugin configuration file        | Set tcapIF value in configuration file        | ACS     |
| 700484 | ERROR    | ZZZlocApp(%d)ERROR:ZZZSRI plugin config: gmscAddress not set.%z                | gmscAddress value not found in SRI plugin configuration file   | Set gmscAddress value in configuration file   | ACS     |
| 700485 | ERROR    | ZZZlocApp(%d)ERROR:ZZZSRI plugin: unable to find TCAP interface: %z            | Cannot find TCAP interface handle                              | Contact Oracle Support.                       | ACS     |
| 700486 | ERROR    | ZZZlocApp(%d)ERROR:ZZZSRI plugin: Unable to create dialog to TCAP interface.%z | Cannot create a dialog to the TCAP interface.                  | Contact Oracle Support.                       | ACS     |
| 700487 | WARNING  | ZZZlocApp(%d)WARNING:ZZZSRI plugin: TCAP ABORT received.%z                     | Received an unexpected TCAP_ABORT.                             | Contact Oracle Support.                       | ACS     |
| 700488 | WARNING  | ZZZlocApp(%d)WARNING:ZZZSRI plugin: Unknown Invoke ID received.%z              | Received TCAP response with Unknown Invoke ID.                 | Contact Oracle Support.                       | ACS     |
| 700490 | WARNING  | ZZZlocApp(%d)WARNING:ZZZSRI plugin: Unknown TCAP primitive type received.%z    | Received Unknown Tcap Primitive.                               | Contact Oracle Support.                       | ACS     |
| 700491 | WARNING  | ZZZlocApp(%d)WARNING:ZZZSRI plugin: Unknown TCAP component type received.%z    | Received Unknown Tcap Component Type.                          | Contact Oracle Support.                       | ACS     |
| 700492 | WARNING  | ZZZlocApp(%d)WARNING:ZZZSRI plugin: Event from unknown dialog received.%z      | Received an event from unknown dialog received.                | Contact Oracle Support.                       | ACS     |

| Alarm  | Severity | Text                                                                            | Cause                                  | Resolution                                               | Service |
|--------|----------|---------------------------------------------------------------------------------|----------------------------------------|----------------------------------------------------------|---------|
| 700493 | WARNING  | ZZZlocApp(%d)WARNING:ZZZSRI plugin: No MSRN returned.%z                         | Cannot find the roaming num.           | Contact Oracle Support.                                  | ACS     |
| 700494 | WARNING  | ZZZlocApp(%d)WARNING:ZZZLCP Action: HLR IDP Conversion not required.%z          | Optional configuration not found       | No action required, unless HLR IDP Conversion is needed. | ACS     |
| 700495 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLCP Action: Failed to load MSISDN Query Source Profile.%z | Failed to load profile                 | Contact Oracle Support.                                  | ACS     |
| 700496 | ERROR    | ZZZlocApp(%d)ERROR:ZZZLCP Action: MSISDN Query digits invalid.%z                | Supplied digits for query were invalid | Check control plan.                                      | ACS     |
| 700497 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZTrack latency set to %z                                  | Not an error                           | No action required.                                      | ACS     |
| 700498 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZPerformance reporting frequency set to %z                | Not an error                           | No action required.                                      | ACS     |
| 700499 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZFlush period (in second) set to %z                       | Not an error                           | No action required.                                      | ACS     |
| 700500 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZFinal location of generated EDR files set to %z          | Not an error                           | No action required.                                      | ACS     |
| 700501 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZTemporary location of generated EDR files set to %z      | Not an error                           | No action required.                                      | ACS     |
| 700502 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZMaximum number of EDR records per file set to %z         | Not an error                           | No action required.                                      | ACS     |
| 700503 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZThe prefix of EDR files set to %z                        | Not an error                           | No action required.                                      | ACS     |
| 700504 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZInvalid TCAP error number received.%z                    | HLR error.                             | Look at the logs on the HLR to see why this happened.    | ACS     |

| Alarm  | Severity | Text                                                                                         | Cause                                           | Resolution              | Service |
|--------|----------|----------------------------------------------------------------------------------------------|-------------------------------------------------|-------------------------|---------|
| 700505 | WARNING  | ZZZlocApp(%d)WARNING:ZZZLocation<br>Action Event Handler: Unable to<br>reset bound dialog.%z | Cannot find dialog<br>in the event<br>bindings. | Contact Oracle Support. | ACS     |
| 700506 | NOTICE   | ZZZlocApp(%d)NOTICE:ZZZLog EDR<br>set to %z                                                  | Not an error                                    | No action required.     | ACS     |