

# Oracle® Database

Release Notes

10g Release 2 (10.2) for Solaris Operating System (x86-64)

**B15703-11**

April 2010

---

This document contains important information that was not included in the platform-specific or product-specific documentation for this release. This document supplements *Oracle Database Readme* and may be updated after it is released.

This document may be updated after it is released. To check for updates to this document and to view other Oracle documentation, refer to the Documentation section on the Oracle Technology Network (OTN) Web site:

<http://www.oracle.com/technology/documentation/>

For additional information about this release, refer to the readme files located in the `$ORACLE_HOME/relnotes` directory.

---

---

**Note:** The Database Quick Installation Guides are no longer available in printed format. These documents are available with the media in the same location as the software and on Oracle Technology Network.

---

---

This document contains the following topics:

- [Certification Information](#)
- [Unsupported Products](#)
- [Preinstallation Requirements](#)
- [Installation, Configuration, and Upgrade Issues](#)
- [Other Known Issues](#)
- [Documentation Corrections and Additions](#)
- [Documentation Accessibility](#)

## 1 Certification Information

The latest certification information for Oracle Database 10g release 2 (10.2) is available on My Oracle Support (formerly OracleMetaLink) at:

<https://support.oracle.com>

## 2 Unsupported Products

The following products are not supported with Oracle Database 10g release 2 (10.2):

---

**ORACLE®**

- Grid Control Support
 

Oracle Database 10g release 2 (10.2) can be managed as a target by Grid Control 10.1.0.4. However, Oracle Database 10g release 2 is not supported by Grid Control 10.1.0.4 as a repository.
- Pro\*COBOL
- JDBC 1.2 driver
 

JDBC 1.2 driver is not supported on Solaris 10
- Radius with the CHAP protocol
- Verity
 

Verity filters used for Oracle Text are not supported on Solaris 10.

### 3 Preinstallation Requirements

Refer to the installation guides for the preinstallation requirements. However, the following section contains additional preinstallation requirement:

- [Displaying and Modifying Resource Control Settings on Solaris 10](#)
- [Configure Shell Limits](#)

#### 3.1 Displaying and Modifying Resource Control Settings on Solaris 10

On Solaris 10, use the following procedure to display the current value specified for resource controls, and to change them if necessary:

1. To display the current values of the resource control, enter the following commands:

```
$ id -p // to verify the project id
uid=100(oracle) gid=100(dba) projid=1 (group.dba)
$ prctl -n project.max-shm-memory -i project group.dba
$ prctl -n project.max-sem-ids -i project group.dba
```

2. If you must change any of the current values, then:

- a. To modify the value of max-shm-memory to 6 GB:

```
# prctl -n project.max-shm-memory -v 6gb -r -i project group.dba
```

- b. To modify the value of max-sem-ids to 256:

```
# prctl -n project.max-sem-ids -v 256 -r -i project group.dba
```

---



---

**Note:** When you use the `prctl` command (Resource Control) to change system parameters, you do not need to restart the system for these parameter changes to take effect. However, the changed parameters do not persist after a system restart.

---



---

Use the following procedure to modify the resource control project settings, so that they persist after a system restart:

1. By default, Oracle instances are run as the `oracle` user of the `dba` group. A project with the name `group.dba` is created to serve as the default project for the `oracle` user. Run the command `id` to verify the default project for the `oracle` user:

```
# su - oracle
$ id -p
uid=100(oracle) gid=100(dba) projid=100(group.dba)
$ exit
```

2. To set the maximum shared memory size to 2 GB, run the `projmod` command:

```
# projmod -sK "project.max-shm-memory=(privileged,2G,deny)" group.dba
```

Alternatively, add the resource control value `project.max-shm-memory=(privileged,2147483648,deny)` to the last field of the project entries for the Oracle project.

3. After these steps are complete, check the values for the `/etc/project` file using the following command:

```
# cat /etc/project
```

The output should be similar to the following:

```
system:0::::
user.root:1::::
noproject:2::::
default:3::::
group.staff:10::::
group.dba:100:Oracle default
project:::project.max-shmmemory=(privileged,2147483648,deny)
```

4. To verify that the resource control is active, check process ownership, and run the commands `id` and `prctl`, as in the following example:

```
# su - oracle
$ id -p
uid=100(oracle) gid=100(dba) projid=100(group.dba)
$ prctl -n project.max-shm-memory -i process $$
process: 5754: -bash
NAME                                PRIVILEGE    VALUE    FLAG    ACTION    RECIPIENT
project.max-shm-memory               privileged   2.00GB   -       deny
```

---

**Note:** The value for the maximum shared memory depends on the SGA requirements and should be set to a value greater than the SGA size.

For additional information, refer to the Solaris Tunable Parameters Reference Manual.

---

## 3.2 Configure Shell Limits

Oracle recommends that you set shell limits and system configuration parameters as described in this section.

The `ulimit` settings determine process memory related resource limits. Verify that the shell limits displayed in the following table are set to the values shown:

| Shell Limit | Recommended Value     |
|-------------|-----------------------|
| TIME        | -1 (Unlimited)        |
| FILE        | -1 (Unlimited)        |
| DATA        | Minium value: 1048576 |
| STACK       | Minium value: 32768   |
| NOFILES     | Minium value: 4096    |
| VMEMORY     | Minium value: 4194304 |

To display the current value specified for these shell limits enter the following commands:

```
ulimit -t
ulimit -f
ulimit -d
ulimit -s
ulimit -n
ulimit -v
```

## 4 Installation, Configuration, and Upgrade Issues

Review the following sections for information about issues that affect Oracle Database installation, configuration, and upgrade:

- [Latest Upgrade Information](#)
- [Determining Size of Configured Swap Space](#)
- [Oracle Storage Compatibility Program Obsolete](#)
- [Installing Enterprise Security Manager](#)
- [Installing Oracle Database on a Computer That has an Automatic Storage Management Instance](#)
- [extjob Executable Required Directory Permissions](#)
- [Modifying a Virtual IP Address Node Application](#)
- [Running the Rootpre.sh Script on x86-64 With Sun Cluster](#)
- [Installing Oracle Database Client into an Existing Oracle Home](#)
- [Database Installation Types](#)

### 4.1 Latest Upgrade Information

For late-breaking updates and best practices about preupgrades, postupgrades, compatibility, and interoperability discussions refer to note 466181.1 on *OracleMetaLink* (<https://metalink.oracle.com/>) that links to "10g Upgrade Companion" page.

### 4.2 Determining Size of Configured Swap Space

To determine the size of the configured swap space, enter the following command:

```
# /usr/sbin/swap -l
```

---

---

**Note:** The output of this command shows the total/available swap blocks, where each block is equal to 512 bytes and not 1 KB.

---

---

### 4.3 Oracle Storage Compatibility Program Obsolete

Oracle Storage Compatibility Program (OSCP) is no longer valid. Disregard the OSCP content in the section C.1, "General Configuration Guidelines for NAS Devices" of Appendix C, "Using NAS Devices" in *Oracle Database Installation Guide for Solaris Operating System (SPARC 64-Bit)*.

### 4.4 Installing Enterprise Security Manager

To install Oracle Security Manager, install Oracle Client and then select the Administrator installation type.

### 4.5 Installing Oracle Database on a Computer That has an Automatic Storage Management Instance

Oracle Universal Installer displays an error message that reads 0. This message is displayed after you specify the database home and path in the Specify Home Details screen and click Next. Ignore the error message whenever it is displayed, and continue the installation.

### 4.6 extjob Executable Required Directory Permissions

To enable the `extjob` executable to locate required libraries, the `$ORACLE_HOME/lib` directory and all of its parent directories must have execute permissions for `group` and `other`.

### 4.7 Modifying a Virtual IP Address Node Application

When modifying the name, IP address, or netmask of an existing virtual IP address (VIP) resource, use the `srvctl modify nodeapps` command and include the existing interfaces for the VIP in the `-A` argument. For example:

```
srvctl modify nodeapps -n mynode1 -A 100.200.300.40/255.255.255.0/eth0
```

This issue is tracked with Oracle bug 4500688.

### 4.8 Running the Rootpre.sh Script on x86-64 With Sun Cluster

On x86-64 platforms running Solaris, if you install Sun Cluster in addition to Oracle Clusterware, then complete the following task:

1. Switch user to root:

```
$ su - root
```

2. Complete one of the following steps, depending on the location of the installation
  - If the installation files are on a DVD, then enter a command similar to the following, where `mountpoint` is the disk mount point directory or the path of the database directory on the DVD:

```
# mountpoint/clusterware/rootpre/rootpre.sh
```

- If the installation files are on the hard disk, change directory to the directory /Disk1/rootpre and enter the following command:

```
# ./rootpre.sh
```

3. Exit from the root account:

```
# exit
```

---

---

**Note:** Do not run the rootpre.sh script if you have a later release. If the Oracle Database software already installed on this system.

---

---

4. Repeat steps 1 through 3 on all nodes of the cluster.

## 4.9 Installing Oracle Database Client into an Existing Oracle Home

Oracle Database Client can be installed in the same Oracle Database home if both products are at the same release level. For example, you can install Oracle Database Client 10g Release 2 (10.2) into an existing Oracle Database 10g Release 2 (10.2) home. If you apply a patch set before installing the client, then you must apply the patch set again.

## 4.10 Database Installation Types

If you perform a Custom installation, then ensure that you install only the components covered by your license. You can not install Standard Edition using Custom installation.

## 5 Other Known Issues

The following sections contain information about issues related to Oracle Database 10g and associated products:

- [Materialized View and Partition Change Tracking Rewrite](#)
- [Host-Based Mirroring](#)
- [Oracle ODBC Driver Limitations](#)
- [Importing a User Certificate Into Oracle Wallet Using Oracle Wallet Manager](#)
- [Removing Metrics for Wait Classes Removes Them Permanently](#)
- [Preventing Loss of Quorum](#)
- [Solaris the SMF Boot Archive Service](#)
- [Increasing the CSS misscount Parameter](#)
- [Node Names do not Reflect in the Specify Cluster Nodes to Add to Installation Dialog Box](#)
- [Invalid Link to Monitor in Memory Access Mode Feature](#)
- [Oracle Clusterware Private IP Addresses with Sun Cluster](#)
- [Vendor Clusterware Restrictions for Node Names](#)

## 5.1 Materialized View and Partition Change Tracking Rewrite

When the query has single column in-lists, the materialized view has ranges, and partition change tracking rewrite is used, you might get stale results with Query Rewrite. Turn off the fresh partition containment rewrite to avoid this problem by using the following command:

```
SQL> alter session set "_query_rewrite_fpc" = false;
```

## 5.2 Host-Based Mirroring

The host-based mirroring is not supported with ASM. Note that there is no issue with resilvering for storage based mirroring.

**Workaround:** Use ASM redundancy.

This issue is tracked with Oracle bug 4466206.

## 5.3 Oracle ODBC Driver Limitations

Oracle ODBC driver for Solaris does not work if you use the REAL data type for a column and the application tries to retrieve data as native double or float data type through PL/SQL stored procedure.

**Workaround:** Instead of the REAL data type, use the NUMBER(s,p) data type while creating a table.

This issue is tracked with Oracle bug 4551566.

## 5.4 Importing a User Certificate Into Oracle Wallet Using Oracle Wallet Manager

Oracle Wallet Manager will fail to recognize the user certificate as valid if you capture the user certificate contents from the Oracle Certificate Authority site and save this as a flat file. This is because when saving as a flat file, all the lines of the user certificate are run together with no line breaks.

**Workaround:** Edit the user certificate. Insert a new line after  
-----BEGIN CERTIFICATE----- and a new line before  
-----END CERTIFICATE-----.

## 5.5 Removing Metrics for Wait Classes Removes Them Permanently

Do not remove the key values for the wait class metrics. Doing so removes them permanently and currently there is no easy way to recover them.

This issue is tracked with Oracle bug 4602952.

## 5.6 Preventing Loss of Quorum

If a storage area network (SAN) device is used to provide access to a shared storage and IO Multi-pathing (MPxIO) is enabled, then you must install the following patches on all the nodes of the cluster.

- 119374-13
- 119715-10
- 119375-13

- 119716-10

Without these patches, a node can lose access to the shared storage being accessed through the physical link that gets disconnected or fails.

## 5.7 Solaris the SMF Boot Archive Service

In Solaris 10 update 1, the boot archive service is introduced. The main purpose of this service is to reduce the boot time and simplify the boot loader. Due to an aggressive shutdown, the boot archive verification service may require manual intervention during boot.

During a patch installation or software upgrade, if you do not shutdown the computer properly, then kernel modules are reported to be out of sync. In such a case, start the computer to the fail-safe menu entry, follow the prompts to re-sync the archive, and then reboot. If you do not want the manual intervention, you can disable the check by running the following commands:

```
# svcprop -p start/exec boot-archive:true
# svcadm refresh boot-archive
```

However, if the kernel modules are not reported to be out of sync, then you can clear the check by logging into the single user shell and running the following command:

```
# svcadm clear boot-archive
```

It is possible to disable the boot archive check on production computer to avoid manual intervention during aggressive reboots. To do so, the patch application and installation of driver or kernel software must be followed by a boot archive update. The kernel software includes the non-Solaris kernel modules.

The boot archive update can be achieved by applying a graceful reboot or an explicit re-sync of the boot archive by running the following command:

```
bootadm update-archive
```

Oracle recommends that you remove the node from the cluster before patch installation and software installation or upgrade. When using CRS this can be done by completing the following steps:

1. Stop the CRS service by using the following command:

```
$_CRS_HOME/bin/crsctl stop crs
```

2. Disable the CRS service by using the following command:

```
$_CRS_HOME/bin/crsctl disable crs
```

3. Install or upgrade the required patch or software

4. Reboot or re-sync the boot archive

5. Enable the CRS service by using the following command:

```
$_CRS_HOME/bin/crsctl enable crs
```

6. Start the CRS service by using the following command:

```
$_CRS_HOME/bin/crsctl start crs
```

Complete the following steps to remove the node from the cluster if you are using Sun Cluster:

1. Reboot the node in the maintenance mode

**See Also:** *Sun Cluster documentation* for details on rebooting a node in maintenance mode

2. Install or upgrade the required patch or software
3. Reboot the node in the cluster mode

A fix for the boot archive service will be integrated in a future Solaris 10 update. After this fix is in place there will be no need to disable the check or to provide manual intervention during a reboot. The boot archive check can be re-enabled by running the following commands:

```
# svccfg -s boot-archive setprop start/exec=/lib/svc/method/boot-archive
# svcadm refresh boot-archive
```

## 5.8 Increasing the CSS misscount Parameter

When the Solaris fiber channel port driver senses that a link is down, it gives two minutes timeout period before offlining the LUN path associated with the port. The purpose of this delay is to prevent a premature fail over in as a result of a transient link failure. If there are alternate active paths to the LUNs and SCSI reservations are not active, then within this timeout MPxIO automatically reconfigures to use the alternate path.

However, during this timeout period the port failure is not perceived by CRS because the path is not offlined. If the node is evicted during this timeout period, the CRS daemons fail to reboot the node and services will not fail over to other nodes. In this case, the node will reboot only until the link is up again. After the reboot, all services belonging to the node will be up.

To avoid this problem the `misscount` parameter must be set to a value greater than 120 seconds. As a result, the eviction and reboot process is not affected by the Solaris timeout period. The node is evicted, it reboots and its services fail over to other nodes as expected.

After CRS installation is complete, you can change the `misscount` parameter by completing the following steps:

1. On any node run the `$CRS_HOME/bin/crsctl set css misscount 130` command.
2. On all nodes run the `$CRS_HOME/bin/crsctl stop crs` command.
3. On all nodes run the `$CRS_HOME/bin/crsctl start crs` command.

The default value for the `misscount` parameter is 27. Increasing the value of this parameter increases the time the node takes to fail over. Therefore, the service level of the cluster reduces for a longer period of time. It is up to the user to decide if a longer fail over time is acceptable. Solaris has a mechanism in place to allow applications to be notified immediately of a link down.

In this release, Oracle is not using this mechanism but work is in progress to make use of this mechanism. In a future Oracle release this workaround will no longer be needed.

## 5.9 Node Names do not Reflect in the Specify Cluster Nodes to Add to Installation Dialog Box

In the Specify Cluster Nodes to Add to Installation dialog box, an intermittent timing issue is observed. This dialog box prompts you to enter Public Node Names, Private Node Names, and Virtual Node Names for the new nodes to be added. Even after entering the node names, the configuration specified does not reflect in the install area. To avoid this issue, you need to press **Tab** after the last input to this dialog box.

## 5.10 Invalid Link to Monitor in Memory Access Mode Feature

Do not click the link to the Monitor in Memory Access Mode feature in the database screen. This feature is not available in Enterprise Manager Database Control 10.2.0.2 release. Clicking this link may stop an agent from responding.

This issue is tracked with Oracle bug 4866231.

## 5.11 Oracle Clusterware Private IP Addresses with Sun Cluster

If you are using a Sun Cluster, then do not enter the private interconnect in the `/etc/hosts` file, but instead use `clusternodeX-priv` to indicate the private interconnect for Oracle Clusterware and Oracle RAC.

This issue is tracked with bug 6238217.

## 5.12 Vendor Clusterware Restrictions for Node Names

If you use a vendor clusterware with Oracle Clusterware and Oracle Real Application Clusters, then you must use the node names and host names registered with that vendor clusterware you have installed.

# 6 Documentation Corrections and Additions

This section lists the following corrections to the installation guides for Solaris operating System (Solaris x86-64):

- The second note under the "Configuring Kernel Parameters" section incorrectly reads as "In Solaris 10, you are not required to make changes to the `/etc/system` file to implement the System V TPC. Solaris 10 uses the resource control facility for its implementation." The following is the complete note text for the same:  
  
In Solaris 10, you are not required to make changes to the `/etc/system` file to implement the System V IPC. Solaris 10 uses the resource control facility for its implementation. However, Oracle recommends that you set both resource control and `/etc/system/` parameters. Operating system parameters not replaced by resource controls continue to affect performance and security on Solaris 10 systems. For further information, contact the Sun vendor.
- In the "Configuring Kernel Parameters" section of the Oracle Database Installation Guide for Solaris Operating System (x86-64) the `SHMMAX` parameter is incorrectly referred as `project.max-sem-nsems`. This parameter should be read as `process.max-sem-nsems`.
- In the "Modifying the listener.ora File for External Procedures" section of Chapter 2 of Database and Client installation guides, the path specified for `LD_LIBRARY_PATH` results in an error message. The following are the correct path for the variable:

```
/oracle_home/jdk/jre/lib/i386/server:/oracle_home/lib (for server)
/oracle_home/jdk/jre/lib/i386/client:/oracle_home/lib (for client)
```

- In the "Configuring Kernel Parameters" section of the Database Quick Installation Guide and Preinstallation Tasks chapter of the installation guide for this platform contains the procedure for changing the kernel parameters on Solaris 10. However, if you set the kernel parameters using this procedure, the values are lost when you restart the system. To make the values available after the system restart, use the following procedure to change the kernel parameters:

1. By default, Oracle instances are run as the `oracle` user of the `dba` group. A project with the `group.dba` name is created to serve as the default project for the `oracle` user. Run the `id` command to verify the default project for the `oracle` user:

```
# su - oracle
$ id -p
uid=100(oracle) gid=100(dba) projid=100(group.dba)
$ exit
```

2. To set the maximum shared memory size to 2 GB, run the `projmod` command:

```
# projmod -sK "project.max-shm-memory=(privileged,2G,deny)" group.dba
```

Alternatively, add the `project.max-shm-memory=(privileged,2147483648,deny)` resource control to the last field of the project entries for the Oracle project.

3. After these steps are complete, the `/etc/project` file should contain the following:

```
# cat /etc/project
```

The following is the output of the command:

```
system:0:::
user.root:1:::
noproject:2:::
default:3:::
group.staff:10:::
group.dba:100:Oracle default
project::project.max-shmmemory=(privileged,2147483648,deny)
```

4. To verify that the resource control is active, run the `id` and `prctl` commands:

```
# su - oracle
$ id -p
uid=100(oracle) gid=100(dba) projid=100(group.dba)
$ prctl -n project.max-shm-memory -i process $$
process: 5754: -bash
NAME      PRIVILEGE  VALUE      FLAG      ACTION    RECIPIENT
project.max-shm-memory
                privileged      2.00GB    -          deny
```

---

**Note:** For additional information, refer to the Solaris Tunable Parameters Reference Manual.

---

- The table in the "Checking Software Requirements" section of Chapter 2 in installation guides for Solaris Operating System (x86-64) displays Sun One Studio

10 (c and C++ 5.5) and gcc 3.4.2 as a requirement for PL/SQL native compilation, Pro\*C/C++, Oracle Call Interface, Oracle C++ Call Interface, Oracle XML Developer's Kit (XDK), GNU Compiler Collection (GCC). However, this row should be spilt into the following two rows:

| Item   | Requirement  |
|--|--|
| PL/SQL native compilation  | One of the following: <ul style="list-style-type: none"> <li>■ Sun ONE Studio 10 (C and C++ 5.7)</li> <li>■ gcc 3.4.2</li> </ul> |
| Pro*C/C++, Oracle Call Interface, Oracle C++ Call Interface, Oracle XML Developer's Kit (XDK), GNU Compiler Collection (GCC) | Sun ONE Studio 10 (C and C++ 5.7)  |

- The "Checking Software Requirements" section of Chpter 2 in *Oracle Database Installation Guide for Solaris Operating System (x86-64)* does not specify the command to verify the update level of the operating system. You can use the following command to verify the update level of the operating system:

```
$ cat /etc/release
Solaris 9 4/03 s9s_u3wos_
```

In the output of the command, `_u3` refers to update 3 of Solaris 9.

- In *Oracle Database Oracle Clusterware and Oracle Real Application Clusters Installation Guide*, Chapter 2, "Preinstallation," in the section "Oracle Clusterware Home Directory," it incorrectly lists the path `/u01/app/oracle/product/crs` as a possible Oracle Clusterware home (or CRS home) path. This is incorrect. A default Oracle base path is `/u01/app/oracle`, and the Oracle Clusterware home must never be a subdirectory of the Oracle base directory.

A possible CRS home directory is in a path outside of the Oracle base directory. for example, if the Oracle base directory is `u01/app/oracle`, then the CRS home can be an option similar to one of the following:

```
u01/crs/
/u01/crs/oracle/product/10/crs
/crs/home
```

This issue is tracked with Oracle bug 5843155.

- The following text of the section 2.6.1, "IP Address Requirements," in Chapter 2, "Pre-Installation Tasks," of *Oracle Database Oracle Clusterware and Oracle Real Application Clusters Installation Guide* states that the virtual IP address (VIP) should respond to a `ping` command:

During installation, Oracle Universal Installer uses the `ping` command to ensure that the VIP is reachable.

The preceding statement is incorrect. Before installation, the VIP address should be configured in DHCP or `/etc/hosts`, or both, but it must not be assigned to a server that can respond to a `ping` command.

This issue is tracked with Oracle bug 6017001.

- The section 1.3.1, "DB\_BLOCK\_SIZE Initialization Parameter" of Chapter 1, "Administering Oracle Database" in *Oracle Database Administrator's Reference for*

*UNIX-Based Operating Systems* states an incorrect value (16 KB) for the DB\_BLOCK\_SIZE on Solaris. The correct value for this parameter on Solaris is 32 KB.

- Appendix H, "Database Limits" of *Oracle Database Administrator's Reference for UNIX-Based Operating Systems* states the incorrect maximum value (63) for the MAXINSTANCES variable. The correct maximum limit for the variable is 1055.
- Chapter 2, "Stopping and Starting Oracle Software" of *Oracle Database Administrator's Reference for UNIX-Based Operating Systems* list the following symbolic link to be made in the "Automating Database Startup and Shutdown on Other Operating Systems" section:

| Platform   | Symbolic Links Commands  |
|------------|--|
| AIX        | # ln -s /etc/dbora /etc/rc.d/rc2.d/S99dbora<br># ln -s /etc/dbora /etc/rc.d/rc2.d/K01dbora   |
| HP-UX      | # ln -s /sbin/init.d/dbora /sbin/rc3.d/S990dbora<br># ln -s /sbin/init.d/dbora /sbin/rc3.d/K001dbora   |
| Linux      | # ln -s /etc/init.d/dbora /etc/rc.d/rc3.d/K01dbora<br># ln -s /etc/init.d/dbora /etc/rc.d/rc3.d/S99dbora<br># ln -s /etc/init.d/dbora /etc/rc.d/rc5.d/K01dbora<br># ln -s /etc/init.d/dbora /etc/rc.d/rc5.d/S99dbora |
| Solaris    | # ln -s /etc/init.d/dbora /etc/rc3.d/K01dbora<br># ln -s /etc/init.d/dbora /etc/rc3.d/S99dbora   |
| Tru64 UNIX | # ln -s /sbin/init.d/dbora /sbin/rc3.d/S99dbora<br># ln -s /sbin/init.d/dbora /sbin/rc3.d/K01dbora   |

This following is the correct list of symbolic links to be made:

| Platform   | Symbolic Links Commands  |
|------------|--|
| AIX        | # ln -s /etc/dbora /etc/rc.d/rc2.d/S99dbora<br># ln -s /etc/dbora /etc/rc.d/rc0.d/K01dbora   |
| HP-UX      | # ln -s /sbin/init.d/dbora /sbin/rc3.d/S990dbora<br># ln -s /sbin/init.d/dbora /sbin/rc0.d/K001dbora   |
| Linux      | # ln -s /etc/init.d/dbora /etc/rc.d/rc0.d/K01dbora<br># ln -s /etc/init.d/dbora /etc/rc.d/rc3.d/S99dbora<br># ln -s /etc/init.d/dbora /etc/rc.d/rc5.d/S99dbora |
| Solaris    | # ln -s /etc/init.d/dbora /etc/rc0.d/K01dbora<br># ln -s /etc/init.d/dbora /etc/rc3.d/S99dbora   |
| Tru64 UNIX | # ln -s /sbin/init.d/dbora /sbin/rc3.d/S99dbora<br># ln -s /sbin/init.d/dbora /sbin/rc3.d/K01dbora   |

- In the "Overview" section of Chapter 20, "JDBC RowSets" in *Oracle Database JDBC Developer's Guide and Reference* the following information is missing:

The `javax.sql.rowset` package has to be downloaded from the following link at the Sun site:

[http://java.sun.com/products/jdbc/download.html#rowset1\\_0\\_1](http://java.sun.com/products/jdbc/download.html#rowset1_0_1)

Extract the `rowset.jar` file from the zip file downloaded and include this jar file in the CLASSPATH.

- In section 2.3.7, "Configuring SSH on All Cluster Nodes" in *Oracle Database Oracle Clusterware and Oracle Real Application Clusters Installation Guide 10g Release 2 (10.2) for Solaris Operating System*, the document says "You must configure SSH (or RSH) so that these commands do not prompt for a password." This is incorrect. You must have SSH configured for installation, or the installation user equivalence check fails.

This issue is tracked with Bug 7208052.

- In Oracle documentation, Oracle inventory group is represented as `oinstall`. However, it is not mandatory to use the same name, you can enter a different name for the group.
- Appendix H, "Database Limits" of *Oracle Database Administrator's Reference for UNIX-Based Operating Systems* guide states the incorrect value for control files as 20000 database blocks. The correct value is 25000 control file blocks with a block size of 4096 bytes.

This issue is tracked with Bug 9437136

## 7 Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible to all users, including users that are disabled. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at <http://www.oracle.com/accessibility/>.

### Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

### Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

### Deaf/Hard of Hearing Access to Oracle Support Services

To reach Oracle Support Services, use a telecommunications relay service (TRS) to call Oracle Support at 1.800.223.1711. An Oracle Support Services engineer will handle technical issues and provide customer support according to the Oracle service request process. Information about TRS is available at <http://www.fcc.gov/cgb/consumerfacts/trs.html>, and a list of phone numbers is available at <http://www.fcc.gov/cgb/dro/trsphonebk.html>.

by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

