

Oracle® Retail Warehouse Management System
Installation Guide
Release 12.0.10

April 2009

Copyright © 2009, Oracle. All rights reserved.

Primary Author: Paul Kehler

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the software component known as **ACUMATE** developed and licensed by Lucent Technologies Inc. of Murray Hill, New Jersey, to Oracle and imbedded in the Oracle Retail Predictive Application Server – Enterprise Engine, Oracle Retail Category Management, Oracle Retail Item Planning, Oracle Retail Merchandise Financial Planning, Oracle Retail Advanced Inventory Planning, Oracle Retail Demand Forecasting, Oracle Retail Regular Price Optimization, Oracle Retail Size Profile Optimization, Oracle Retail Replenishment Optimization applications.
- (ii) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (iii) the **SeeBeyond** component developed and licensed by Sun Microsystems, Inc. (Sun) of Santa Clara, California, to Oracle and imbedded in the Oracle Retail Integration Bus application.
- (iv) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.
- (v) the software component known as **Crystal Enterprise Professional and/or Crystal Reports Professional** licensed by SAP and imbedded in Oracle Retail Store Inventory Management.
- (vi) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (vii) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.
- (viii) the software component known as **Style Report™** developed and licensed by InetSoft Technology Corp. of Piscataway, New Jersey, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.
- (ix) the software component known as **DataBeacon™** developed and licensed by Cognos Incorporated of Ottawa, Ontario, Canada, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, “alteration” refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle’s licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.

Contents

Preface	vii
Audience	vii
Related Documents.....	vii
Customer Support.....	vii
Review Patch Documentation.....	vii
Oracle Retail Documentation on the Oracle Technology Network.....	vii
Conventions.....	viii
1 Preinstallation Tasks.....	1
Check Database Server Requirements	1
Check Application Server Requirements.....	1
Check Web Browser and Client Requirements.....	2
Supported Oracle Retail Products	2
2 Database Upgrade Instructions.....	3
Before You Begin.....	3
Mount CD-ROM on the Database Server	3
Update RWMS DDL	3
Update RWMS Database Objects.....	4
Update Data for RWMS	4
Validate all Invalid Objects.....	4
3 Application Server Installation Instructions	5
Mount CD-ROM on the Application Server.....	5
Setting Up the Environment Variables	5
Copying the Files	5
Compiling the RWMS Libraries (*.pll).....	6
Compiling the Forms (*.fmb).....	6
Compiling the Menus (*.mmb)	6

Preface

Oracle Retail Installation Guides contain the requirements and procedures that are necessary for the retailer to install Oracle Retail products.

Audience This Installation Guide is written for the following audiences:

- Database administrators (DBA)
- System analysts and designers
- Integrators and implementation staff

Related Documents

For more information, see the following documents in the Oracle Retail Warehouse Management System Release 12.0.10 documentation set:

- Oracle Retail Warehouse Management System Release Notes
- Oracle Retail Warehouse Management System Data Model

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://metalink.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Review Patch Documentation

If you are installing the application for the first time, you install either a base release (for example, 13.0) or a later patch release (for example, 13.0.2). If you are installing a software version other than the base release, be sure to read the documentation for each patch release (since the base release) before you begin installation. Patch documentation can contain critical information related to the base release and code changes that have been made since the base release.

Oracle Retail Documentation on the Oracle Technology Network

In addition to being packaged with each product release (on the base or patch level), all Oracle Retail documentation is available on the following Web site (with the exception of the Data Model which is only available with the release packaged code):

http://www.oracle.com/technology/documentation/oracle_retail.html

Documentation should be available on this Web site within a month after a product release. Note that documentation is always available with the packaged code on the release date.

Conventions

Navigate: This is a navigate statement. It tells you how to get to the start of the procedure and ends with a screen shot of the starting point and the statement “the Window Name window opens.”

Note: This is a note. It is used to call out information that is important, but not necessarily part of the procedure.

This is a code sample
It is used to display examples of code

A [hyperlink](#) appears like this.

Preinstallation Tasks

Check Database Server Requirements

General Requirements for a database server running RWMS include:

Supported on:	Versions Supported:
Database Server OS	OS certified with Oracle 9i Enterprise Edition. Options are: <ul style="list-style-type: none"> ▪ AIX 5.3 ▪ Solaris 10 ▪ HP-UX 11.23
Database Server	Oracle Database 9i Enterprise Edition (minimum 9.2.0.8 patchset required) with the following patches and components: Patches: <ul style="list-style-type: none"> ▪ 4689959 (DST RULE CHANGE IN US, NEED PATCHED TIMEZONE FILES) Components: <ul style="list-style-type: none"> ▪ Oracle Database ▪ Oracle Partitioning ▪ Oracle Net Services ▪ Oracle Call Interface (OCI) ▪ Oracle Programmer ▪ Oracle XML Development Kit ANSI compliant C compiler (certified with OS and database version) Perl compiler 5.0 or later x-Windows interface

Check Application Server Requirements

General requirements for an application server capable of running RWMS include:

Supported on:	Versions Supported:
Application Server OS	OS certified with Oracle Application Server (9IAS) 1.0.2.2.x. Options are <ul style="list-style-type: none"> ▪ AIX5.3 ▪ Solaris 10 ▪ HP-UX 11.23
Application Server	Oracle Application Server (9IAS) 1.0.2.2.x x-Windows interface (only if UNIX OS)

Check Web Browser and Client Requirements

General requirements for client running RWMS include:

Requirement	Version
Operating system	Microsoft Windows 2000, XP Pro SP2
Sun JRE Plug-in	Oracle JInitiator 1.1.8.xx
Microsoft Internet Explorer	version 5.5, 6.0 and higher

Supported Oracle Retail Products

Requirement	Version
RMS	12.0.10
SIM	12.0.10

Database Upgrade Instructions

This chapter describes how you can upgrade the RWMS database with this patch release.

Before You Begin

Before you apply the RWMS 12.0.10 patch:

- Make a backup of all your objects and database schema.
- Check that RWMS 12.0.1 through 12.0.9 are installed.
- Review the enclosed RWMS 12.0.10 Patch Release Notes (rwms-12010-rn.pdf).
- Review each of the enclosed defect documents.

Before copying over any files:

- Note whether customizations have been made to the module. If so, then the customizations must be reapplied over the new version of the module (or the fix may need to be applied to the custom version of the code).
- Copy the original files to a different directory before copying over them in case they need to be referred to at a later date.

Note: These instructions refer to RWMS12DEV as the Oracle owning schema.

Mount CD-ROM on the Database Server

1. Copy the rwms12010dbpatch.zip file from the CD/dbserverunix directory to a newly created staging directory on your UNIX server.
2. Unzip the file using the following command:
`unzip rwms12010dbpatch.zip`

Update RWMS DDL

1. Change directories to the <staging area>/dbcs.
2. Log on to SQL* Plus as RWMS12DEV, and run the following command:
`SQL> @patch12010dbcs.sql`
3. Check the log file patch12010dbcs.log for any errors.

Update RWMS Database Objects

1. Change directories to the <staging area>/db_objects.
2. Log on to SQL*Plus as RWMS12DEV, and run the following command:
SQL> @patch12010rwms.sql
3. Check the log file patch12010rwms.log for any errors.

Update Data for RWMS

1. Change directories to the <staging area>/data.
2. Log on to SQL*Plus as RWMS12DEV, and run the following command:
SQL> @patch12010ctl.sql
3. Check the log file patch12010ctl.log for any errors.

Validate all Invalid Objects

Note: Deadlocked objects may appear when running this script. Run the script until no more invalid objects remain.

1. Change directories to <INSTALL_DIR>/utility.
2. Log on to SQL*Plus as RWMS12DEV, and run the following command:
SQL> @inv_obj_comp.sql

You may need to run this script more than once.

Application Server Installation Instructions

This chapter describes how you can apply this patch release to an RWMS 12.0.x environment set up for your business.

In this chapter,

- `INSTALL_DIR` indicates the location where the RWMS 12.x files are extracted.
- `9IAS10G_ORACLE_HOME` indicates the location where the Oracle 9iAS 10g Forms and Reports Services (9iAS 10g) are installed.

Mount CD-ROM on the Application Server

1. Copy the `rwms12010apppatch.zip` file from the `CD/appserverunix` directory to a newly created staging directory on your UNIX server.
2. Unzip the file using the following command:

```
unzip rwms12010apppatch.zip
```

Setting Up the Environment Variables

1. Set and export your `DISPLAY` variable.
 For example:

```
export DISPLAY=10.1.2.153:0.0
```
2. Set the following variables:

```
export FORMS60_PATH= <INSTALL_DIR>/forms/bin
```

 (Fill in the appropriate values for `<INSTALL_DIR>`)

```
export UP=<db_user>/<db_user_password>@<oracle_db>
```

 (`db_user` is the RWMS oracle schema owner.)

```
export LD_LIBRARY_PATH=
9IAS_ORACLE_HOME/6iserver/lib:9IAS_ORACLE_HOME/6iserver/network/jre11/lib/spar
c/native_threads
```

```
export REPORTS60_PATH=<INSTALL_DIR>/reports/bin
```

```
export PATH=<INSTALL_DIR>/forms6i_scripts:$PATH
```

```
export NLS_LANG=AMERICAN.AMERICA.utf8
```

```
export TK60_UNKNOWN=(location of the Tk2Motif.rgb)
```

Copying the Files

1. Change directories to `<staging area>/forms/src`.
2. Copy all files from `<staging area>/forms/src` to `<INSTALL_DIR>/forms/src`.
3. Change directories to `<staging area>/forms/bin`.
4. Copy all files from `<staging area>/reports/src` to `<INSTALL_DIR>/reports/bin`.

Compiling the RWMS Libraries (*.pll)

1. Change directories to <INSTALL_DIR>/forms/src.
2. Copy all of the libraries (.pll files) in the <INSTALL_DIR>/forms/src to the <INSTALL_DIR>/forms/bin.
3. Change directories to <INSTALL_DIR>/forms/bin.
4. Run the p112plx script.
This converts the .pll files to .plx format. The messge36.pll and stand36.pll files do not convert.

Compiling the Forms (*.fmb)

1. Change directories to <INSTALL_DIR>/forms/src.
2. Use the fmb2fmx script in the following manner to compile and generate the executable forms (.fmx):

```
> chmod 755 fmb2fmx (if necessary).  
> ./fmb2fmx
```
3. Check to make sure each .fmb file has a corresponding .fmx file. If a form fails to compile (there is no .fmx file), you may have to manually compile the form by launching the form builder tool (f60desm&).
4. From the <INSTALL_DIR>/forms/src directory, run the following command to move all the .fmx files to the <INSTALL_DIR>/forms/bin directory:

```
> mv *.fmx ../bin
```

Compiling the Menus (*.mmb)

1. Change directories to <INSTALL_DIR>/forms/src.
2. Use the mmb2mmx script in the following manner to compile and generate the executable form menu (.mmx):

```
> chmod 755 mmb2mmx (if necessary).  
> ./mmb2mmx
```
3. From the <INSTALL_DIR>/forms/src directory, run the following command to move all the .mmx files to the <INSTALL_DIR>/forms/bin directory:

```
> mv *.mmx ../bin
```