

Oracle® Retail Warehouse Management System
Installation Guide
Release 12.0.8
E39548-02

February 2013

Copyright © 2008, Oracle. All rights reserved.

Primary Author: Paul Kehler

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software—Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Value-Added Reseller (VAR) Language

- (i) the software component known as **ACUMATE** developed and licensed by Lucent Technologies Inc. of Murray Hill, New Jersey, to Oracle and imbedded in the Oracle Retail Predictive Application Server – Enterprise Engine, Oracle Retail Category Management, Oracle Retail Item Planning, Oracle Retail Merchandise Financial Planning, Oracle Retail Advanced Inventory Planning and Oracle Retail Demand Forecasting applications.
- (ii) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (iii) the **SeeBeyond** component developed and licensed by Sun Microsystems, Inc. (Sun) of Santa Clara, California, to Oracle and imbedded in the Oracle Retail Integration Bus application.
- (iv) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Store Inventory Management.
- (v) the software component known as **Crystal Enterprise Professional and/or Crystal Reports Professional** licensed by Business Objects Software Limited (“Business Objects”) and imbedded in Oracle Retail Store Inventory Management.
- (vi) the software component known as **Access Via**TM licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (vii) the software component known as **Adobe Flex**TM licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.
- (viii) the software component known as **Style Report**TM developed and licensed by InetSoft Technology Corp. of Piscataway, New Jersey, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.
- (ix) the software component known as **WebLogic**TM developed and licensed by BEA Systems, Inc. of San Jose, California, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.
- (x) the software component known as **DataBeacon**TM developed and licensed by Cognos Incorporated of Ottawa, Ontario, Canada, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.

Contents

Preface	vii
Audience	vii
Related Documents.....	vii
Customer Support.....	vii
Review Patch Documentation.....	vii
Oracle Retail Documentation on the Oracle Technology Network.....	vii
Conventions.....	viii
1 Preinstallation Tasks.....	1
Check Database Server Requirements	1
Check Application Server Requirements.....	1
Check Web Browser and Client Requirements.....	2
Supported Oracle Retail Products	2
2 Database Upgrade Instructions.....	3
Before You Begin.....	3
Mount CD-ROM on the Database Server	3
Update RWMS DDL	3
Update RWMS Database Objects.....	3
Update Data for RWMS	4
Validate all Invalid Objects.....	4
3 Application Server Installation Instructions	5
Mount CD-ROM on the Application Server.....	5
Setting Up the Environment Variables	5
Copying the Files	5
Compiling the RWMS Libraries (*.pll).....	6
Compiling the Forms (*.fmb).....	6
Compiling the Menus (*.mmb).....	6

Preface

Oracle Retail Installation Guides contain the requirements and procedures that are necessary for the retailer to install Oracle Retail products.

Audience

This Installation Guide is written for the following audiences:

- Database administrators (DBA)
- System analysts and designers
- Integrators and implementation staff

Related Documents

For more information, see the following documents in the Oracle Retail Warehouse Management System Release 12.0.8 documentation set:

- Oracle Retail Warehouse Management System Release Notes

Customer Support

<https://metalink.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Review Patch Documentation

For a base release (".0" release, such as 12.0), Oracle Retail strongly recommends that you read all patch documentation before you begin installation procedures. Patch documentation can contain critical information related to the base release, based on new information and code changes that have been made since the base release.

Oracle Retail Documentation on the Oracle Technology Network

In addition to being packaged with each product release (on the base or patch level), all Oracle Retail documentation is available on the following Web site:

http://www.oracle.com/technology/documentation/oracle_retail.html

Documentation should be available on this Web site within a month after a product release. Note that documentation is always available with the packaged code on the release date.

Conventions

Navigate: This is a navigate statement. It tells you how to get to the start of the procedure and ends with a screen shot of the starting point and the statement “the Window Name window opens.”

Note: This is a note. It is used to call out information that is important, but not necessarily part of the procedure.

This is a code sample
It is used to display examples of code

A [hyperlink](#) appears like this.

Preinstallation Tasks

Check Database Server Requirements

General Requirements for a database server running RWMS include:

Supported on:	Versions Supported:
Database Server OS	UNIX based OS certified with Oracle 9i Enterprise Edition. Options are: <ul style="list-style-type: none"> ▪ AIX 5.2 ▪ AIX 5.3 ▪ Solaris 5.9 ▪ HP-UX 11.23 (PA-RISC)
Database Server	Oracle RDBMS 9i Enterprise Edition (minimum 9.2.0.8 patchset required) with the following patches and components: Patches: <ul style="list-style-type: none"> ▪ 4689959 (DST RULE CHANGE IN US, NEED PATCHED TIMEZONE FILES) Components: <ul style="list-style-type: none"> ▪ Oracle Database ▪ Oracle Partitioning ▪ Oracle Net Services ▪ Oracle Call Interface (OCI) ▪ Oracle Programmer ▪ Oracle XML Development Kit ANSI compliant C compiler (certified with OS and database version) Perl compiler 5.0 or later x-Windows interface

Check Application Server Requirements

General requirements for an application server capable of running RWMS include:

Supported on:	Versions Supported:
Application Server OS	UNIX based OS certified with Oracle Application Server (9IAS) 1.0.2.2.x. Options are: <ul style="list-style-type: none"> ▪ AIX5.2 ▪ AIX5.3 ▪ Solaris 9 ▪ HP-UX 11.23 (PA-RISC)
Application Server	Oracle Application Server (9IAS) 1.0.2.2.x x-Windows interface (only if UNIX OS)

Check Web Browser and Client Requirements

General requirements for client running RWMS include:

Requirement	Version
Operating system	Microsoft Windows 2000, XP Pro SP2
Sun JRE Plug-in	Oracle JInitiator 1.1.8.19
Microsoft Internet Explorer	version 5.5, 6.0 and higher

Supported Oracle Retail Products

Requirement	Version
Oracle Retail Merchandising System (RMS)	12.0.8
SIM	12.0.3

Database Upgrade Instructions

This chapter describes how you can upgrade the RWMS database with this patch release.

Before You Begin

Before you apply the RWMS 12.0.8 patch:

- Make a backup of all your objects and database schema.
- Check that RWMS 12.0.1 through 12.0.7 are installed.
- Review the enclosed RWMS 12.0.8 Patch Release Notes (rwms-1208-rn.pdf).
- Review each of the enclosed defect documents.

Before copying over any files:

- Note whether customizations have been made to the module. If so, then the customizations must be reapplied over the new version of the module (or the fix may need to be applied to the custom version of the code).
- Copy the original files to a different directory before copying over them in case they need to be referred to at a later date.

Note: These instructions refer to RWMS12DEV as the Oracle owning schema.

Mount CD-ROM on the Database Server

1. Copy the rwms1208dbpatch.zip file from the CD/dbserverunix directory to a newly created staging directory on your UNIX server.
2. Unzip the file using the following command:

```
unzip rwms1208dbpatch.zip
```

Update RWMS DDL

1. Change directories to the <staging area>/dbcs.
2. Log on to SQL* Plus as RWMS12DEV, and run the following command:

```
SQL> @patch1208dbcs.sql
```
3. Check the log file patch1208dbcs.log for any errors.

Update RWMS Database Objects

1. Change directories to the <staging area>/db_objects.
2. Log on to SQL* Plus as RWMS12DEV, and run the following command:

```
SQL> @patch1208rwms.sql
```
3. Check the log file patch1208rwms.log for any errors.

Update Data for RWMS

1. Change directories to the <staging area>/data.
2. Log on to SQL*Plus as RWMS12DEV, and run the following command:
SQL> @patch1208ctl.sql
3. Check the log file patch1208ctl.log for any errors.

Validate all Invalid Objects

Note: Deadlocked objects may appear when running this script. Run the script until no more invalid objects remain.

1. Change directories to <INSTALL_DIR>/utility.
2. Log on to SQL*Plus as RWMS12DEV, and run the following command:
SQL> @inv_obj_comp.sql

You may need to run this script more than once.

Application Server Installation Instructions

This chapter describes how you can apply this patch release to a RWMS 12.0.x environment set up for your business.

In this chapter,

- `INSTALL_DIR` indicates the location where the RWMS 12.x files are extracted.
- `9iAS10G_ORACLE_HOME` indicates the location where the Oracle 9iAS 10g Forms and Reports Services (9iAS 10g) are installed.

Mount CD-ROM on the Application Server

1. Copy the `rwms1208apppatch.zip` file from the `CD/appserverunix` directory to a newly created staging directory on your UNIX server.
2. Unzip the file using the following command:

```
unzip rwms1208apppatch.zip
```

Setting Up the Environment Variables

1. Set and export your `DISPLAY` variable.
 For example:

```
export DISPLAY=10.1.2.153:0.0
```
2. Set the following variables:

```
export FORMS60_PATH= <INSTALL_DIR>/forms/bin
```

 (Fill in the appropriate values for `<INSTALL_DIR>`)

```
export UP=<db_user>/<db_user_password>@<oracle_db>
```

 (`db_user` is the RWMS oracle schema owner.)

```
export LD_LIBRARY_PATH=
9IAS_ORACLE_HOME/6iserver/lib:9IAS_ORACLE_HOME/6iserver/network/jre11/lib/spar
c/native_threads
export REPORTS60_PATH=<INSTALL_DIR>/reports/bin
export PATH=<INSTALL_DIR>/forms6i_scripts:$PATH
export NLS_LANG=AMERICAN.AMERICA.utf8
export TK60_UNKNOWN=(location of the Tk2Motif.rgb)
```

Copying the Files

1. Change directories to `<staging area>/forms/src`.
2. Copy all files from `<staging area>/forms/src` to `<INSTALL_DIR>/forms/src`.
3. Change directories to `<staging area>/forms/bin`.
4. Copy all files from `<staging area>/forms/bin` to `<INSTALL_DIR>/forms/bin`.
5. Change directories to `<staging area>/reports/src`.
6. Copy all files from `<staging area>/reports/src` to `<INSTALL_DIR>/reports/src`.

Compiling the RWMS Libraries (*.pll)

1. Change directories to <INSTALL_DIR>/forms/src.
2. Copy all of the libraries (.pll files) in the <INSTALL_DIR>/forms/src to the <INSTALL_DIR>/forms/bin.
3. Change directories to <INSTALL_DIR>/forms/bin.
4. Run the p112plx script.
This converts the .pll files to .plx format. The messge36.pll and stand36.pll files do not convert.

Compiling the Forms (*.fmb)

1. Change directories to <INSTALL_DIR>/forms/src.
2. Use the fmb2fmx script in the following manner to compile and generate the executable forms (.fmx):
> chmod 755 fmb2fmx (if necessary).
> ./fmb2fmx
3. Check to make sure each .fmb file has a corresponding .fmx file. If a form fails to compile (there is no .fmx file), you may have to manually compile the form by launching the form builder tool (f60desm&).
4. From the <INSTALL_DIR>/forms/src directory, run the following command to move all the .fmx files to the <INSTALL_DIR>/forms/bin directory:
> mv *.fmx ../bin

Compiling the Menus (*.mmb)

1. Change directories to <INSTALL_DIR>/forms/src.
2. Use the mmb2mmx script in the following manner to compile and generate the executable form menu (.mmx):
> chmod 755 mmb2mmx (if necessary).
> ./mmb2mmx
3. From the <INSTALL_DIR>/forms/src directory, run the following command to move all the .mmx files to the <INSTALL_DIR>/forms/bin directory:
> mv *.mmx ../bin