

**Oracle® Retail Central Office**

Installation Guide

Release 12.0.3IN

October 2008

Copyright © 2007, 2008, Oracle. All rights reserved.

Primary Author: Sujata Nimbalkar

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

## Value-Added Reseller (VAR) Language

### Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the software component known as **ACUMATE** developed and licensed by Lucent Technologies Inc. of Murray Hill, New Jersey, to Oracle and imbedded in the Oracle Retail Predictive Application Server - Enterprise Engine, Oracle Retail Category Management, Oracle Retail Item Planning, Oracle Retail Merchandise Financial Planning, Oracle Retail Advanced Inventory Planning and Oracle Retail Demand Forecasting applications.
- (ii) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (iii) the **SeeBeyond** component developed and licensed by Sun Microsystems, Inc. (Sun) of Santa Clara, California, to Oracle and imbedded in the Oracle Retail Integration Bus application.
- (iv) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Store Inventory Management.
- (v) the software component known as **Crystal Enterprise Professional and/or Crystal Reports Professional** licensed by Business Objects Software Limited ("Business Objects") and imbedded in Oracle Retail Store Inventory Management.
- (vi) the software component known as **Access Via**<sup>TM</sup> licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (vii) the software component known as **Adobe Flex**<sup>TM</sup> licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.
- (viii) the software component known as **Style Report**<sup>TM</sup> developed and licensed by InetSoft Technology Corp. of Piscataway, New Jersey, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.
- (ix) the software component known as **DataBeacon**<sup>TM</sup> developed and licensed by Cognos Incorporated of Ottawa, Ontario, Canada, to Oracle and imbedded in the Oracle Retail Value Chain Collaboration application.



---

---

# Contents

<b>Preface</b> .....	xi
Audience.....	xi
Related Documents .....	xi
Customer Support.....	xi
Review Patch Documentation .....	xii
Oracle Retail Documentation on the Oracle Technology Network .....	xii
Conventions .....	xii
<b>1 Pre-installation Tasks</b>	
<b>Check Oracle Retail Merchandise Operations Management Version</b> .....	1-1
<b>Check Database Server Requirements</b> .....	1-1
Required Settings for Database Installation.....	1-2
<b>Check Application Server Requirements</b> .....	1-2
<b>Minimum Hardware Requirements</b> .....	1-3
<b>Check Client PC and Web Browser Requirements</b> .....	1-3
<b>2 Installation of the Oracle Stack on Linux</b>	
<b>Create a New OC4J Instance for Central Office</b> .....	2-1
<b>Expand the Central Office Distribution</b> .....	2-2
<b>Obtain the Third-Party Library File Required by Central Office</b> .....	2-3
<b>Run the Central Office Application Installer</b> .....	2-3
<b>Resolving Errors Encountered During Application Installation</b> .....	2-4
<b>Populate the Database Schema</b> .....	2-5
<b>Install Parameters</b> .....	2-5
<b>Additional Configuration Steps Required for Parameter Export</b> .....	2-5
<b>Manual Deployment Option</b> .....	2-6
<b>Backups Created by Installer</b> .....	2-7
<b>Import Initial Parameters</b> .....	2-7
Importing Parameters Through the User Interface.....	2-7
Importing Parameters By Using an Ant Target.....	2-8
<b>Load Optional Purge Procedures</b> .....	2-8
<b>Using the Central Office Application</b> .....	2-8

### **3 Configuration for Firefox Browser**

#### **A Appendix: Central Office Application Installer Screens for the Oracle Stack**

#### **B Appendix: Installer Silent Mode**

#### **C Appendix: Reinstalling Central Office**

Reinstalling Central Office on the Oracle Stack.....	C-1
--	-----

#### **D Appendix: URL Reference**

URLs for the Oracle Stack.....	D-1
JDBC URL for a Database .....	D-1
JNDI Provider URL for an Application .....	D-1
Deployer URI .....	D-2

#### **E Appendix: Common Installation Errors**

Unreadable Buttons in the Installer .....	E-1
Installation Errors for the Oracle Stack Only .....	E-1
Oracle Application Server Forceful Shutdown.....	E-1
"Unable to get a deployment manager" Message.....	E-1
"Could not create system preferences directory" Warning.....	E-2
Installation Hangs at "Compiling EJB generated code".....	E-2
"Failed to set the internal configuration" Message.....	E-3

#### **F Appendix: Troubleshooting Problems on the Oracle Stack**

Creating a New OC4J Instance for Central Office.....	F-1
Creating the Central Office Database Schema .....	F-2

#### **G Appendix: Installation Data Load**

## List of Figures

A-1	Introduction .....	A-1
A-2	Requirements .....	A-2
A-3	Data Source Details .....	A-2
A-4	Install Database Option .....	A-3
A-5	Default Locale .....	A-4
A-6	App Server ORACLE_HOME .....	A-4
A-7	Mail Session Details .....	A-5
A-8	Application Server Details .....	A-6
A-9	Install Parameters Option .....	A-7
A-10	Application Server RMI Port .....	A-7
A-11	Manual Deployment Option .....	A-8
A-12	Application Deployment Details .....	A-9
A-13	OC4J Administrative User .....	A-10
A-14	Installation Progress .....	A-11
F-1	Sequence of Steps to build database schema .....	F-4



## List of Tables

1-1	Database Server Requirements .....	1-1
1-2	Application Server Requirements .....	1-2
1-3	Minimum Hardware Requirements.....	1-3



---

---

# Preface

Oracle Retail Installation Guides contain the requirements and procedures that are necessary for the retailer to install Oracle Retail products.

## Audience

This Installation Guide is written for the following audiences:

- Database Administrators (DBA)
- System analysts and designers
- Integrators and implementation staff

## Related Documents

For more information, see the following documents in the Oracle Retail Central Office documentation set, Oracle Retail Strategic Store Solutions documentation set, or Oracle Application Server 10g documentation set:

- *Oracle Retail Central Office Release Notes*
- *Oracle Retail Central Office User Guide*
- *Oracle Retail Central Office Installation Guide*
- *Oracle Retail Strategic Store Solutions Configuration Guide*
- *Oracle Retail Strategic Store Solutions Data Model*

## Customer Support

- <https://metalink.oracle.com>

When contacting Customer Support, please provide:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to recreate
- Exact error message received
- Screen shots of each step you take

## Review Patch Documentation

For a base release (".0" release, such as 12.0), Oracle Retail strongly recommends that you read all patch documentation before you begin installation procedures. Patch documentation can contain critical information related to the base release, based on new information and code changes that have been made since the base release.

## Oracle Retail Documentation on the Oracle Technology Network

In addition to being packaged with each product release (on the base or patch level), all Oracle Retail documentation is available on the following Web site:

[http://www.oracle.com/technology/documentation/oracle\\_retail.html](http://www.oracle.com/technology/documentation/oracle_retail.html)

Documentation should be available on this Web site within a month after a product release. Note that documentation is always available with the packaged code on the release date.

## Conventions

The following text conventions are used in this document:

<b>Convention</b>	<b>Meaning</b>
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

---

---

# Pre-installation Tasks

This chapter describes the requirements that must be met before the Oracle Retail Central Office application can be installed.

---

---

**Note:** This release of ORCO was tested on the Oracle stack configurations. The components required for Oracle stack are listed in this chapter. For each component, the product and the version that were used for testing are included. While Central Office may work in other configurations, Oracle Stack configurations are supported for this release.

---

---

## Check Oracle Retail Merchandise Operations Management Version

The integration with Oracle Retail Merchandise Operations Management requires version 12.0.5IN of the following products:

- Oracle Retail Merchandising System
- Oracle Retail Price Management
- Oracle Retail Sales Audit

## Check Database Server Requirements

[Table 1-1](#) lists the components required for a database server running Central Office and the versions tested for this release.

**Table 1-1 Database Server Requirements**

Component	Oracle Stack
Hardware	x86-64 bit
Operating System	Oracle Enterprise Linux R4
Database	64-bit Oracle RDBMS 10g R2 (10.2.0.2)

## Required Settings for Database Installation

The following settings must be made during database creation:

- The database must be set to UTF8.
- When using the Oracle 10g database server, make the following changes to the system settings:

---



---

**Note:** These changes are only needed when using the Oracle 10g database server.

---



---

```
ALTER SYSTEM SET NLS_NUMERIC_CHARACTERS = '.,-' SCOPE=SPFILE;
ALTER SYSTEM SET NLS_DATE_FORMAT = 'YYYY-MM-DD' SCOPE=SPFILE;
ALTER SYSTEM SET NLS_TIMESTAMP_FORMAT = 'YYYY-MM-DD HH24:MI:SS.FF'
SCOPE=SPFILE;
```

## Check Application Server Requirements

Table 1–2 lists the components required for an application server capable of running Central Office and the versions tested for this release.

**Table 1–2 Application Server Requirements**

Component	Oracle Stack
Hardware	x86-64 bit
Operating System	Oracle Enterprise Linux R4
J2EE Application Server	32-bit Oracle Application Server 10g 10.1.3  <b>Note:</b> This release of Central Office is only supported in a managed OC4J instance as part of Oracle AS 10g. It is not supported on OC4J standalone.
J2EE Application Server JVM	Sun 1.5.x
Messaging Provider	(included in Oracle Application Server)

## Minimum Hardware Requirements

Specific hardware requirements for the machines running Oracle Retail Central Office depend on several variables including the number of users, number of stores/lanes, and other applications running on the same machine. A general guideline is shown in [Table 1-3](#). These minimum requirements assume the database server and application server are not on the same physical server. These minimums may not deliver adequate performance based on the actual implementation.

**Table 1-3** *Minimum Hardware Requirements*

Machine	CPU	Memory	Hard Drive
Central Office Server	2 CPU server with minimum 1 GHZ per CPU	4 GB per server	Two 160 GB + drives using RAID 0

Please note the following about the minimum hardware requirements:

- The CPU and memory requirements can vary based on the operating system and middleware selected.
- Disk size can vary based on the operating system and middleware requirements as well as the amount of data storage needed. Data storage can vary based on the data retention period and so forth.

## Check Client PC and Web Browser Requirements

The general requirements for the client system include the following:

- Adobe Acrobat Reader or another application capable of rendering Scalable Vector Graphics (SVG) and Portable Data Format (PDF) files

The following web browsers were tested for this release:

- Microsoft Internet Explorer 6 and Mozilla Firefox 1



---

---

## Installation of the Oracle Stack on Linux

Before proceeding, you must install the database and application server software. For a list of supported versions, see [Chapter 1](#).

During installation, the Central Office database schema will be created and the Central Office application will be deployed to an OC4J instance within the OracleAS 10g installation. The Java JDK that is included with the Oracle Application Server (under `$ORACLE_HOME/jdk`) will be used to run the application.

---

---

**Note:** J2EE\_HOME refers to the directory  
`ORACLE_HOME/j2ee/<instancename>`

---

---

### Create a New OC4J Instance for Central Office

You can skip this section if you are redeploying to an existing OC4J instance.

The Central Office application must be deployed to its own dedicated OC4J instance. For instructions on how to create a new OC4J instance, see [Adding and Deleting OC4J Instances](#) in the [Reconfiguring Application Server Instances](#) chapter of the [Oracle Application Server Administrator's Guide](#).

To create a new OC4J instance:

1. Log onto the server, which is running your OracleAS 10g installation, as the user who owns the OracleAS 10g installation. Set your `ORACLE_HOME` environment variable to point to this installation.
2. Choose a name for the new OC4J instance. In the remainder of this installation guide, `<orco-inst>` is used for the name.
3. Create this OC4J instance as documented in the [Oracle Application Server Administrator's Guide](#), for example:

```
$ORACLE_HOME/bin/createinstance -instanceName <orco-inst>
```

---

---

**Note:** When prompted for the `oc4jadmin` password, provide the same administrative password you gave for the OracleAS 10g installation. All OC4J instances running Oracle Retail applications must have the same `oc4jadmin` password.

---

---

---

---

**Note:** The `jms` and `rmi` port numbers should be set so that the numbers do not overlap between all the instances in your configuration.

The port numbers are defined in the `ORACLE_HOME/opmn/conf/opmn.xml` file. The following is an example definition of the port numbers in that file.

Port number definitions for the home instance:

```
<port id="rmi" range="12401-12401"/>
<port id="jms" range="12601-12601"/>
```

Port number definitions for the Central Office instance:

```
<port id="rmi" range="12402-12402"/>
<port id="jms" range="12602-12602"/>
```

---

---

4. Start the OC4J instance. You can do this through the Enterprise Manager web interface, or on the command line using the `opmnctl` utility:

```
ORACLE_HOME/opmn/bin/opmnctl startproc
  process-type=<orco-inst>
```

5. Verify that the OC4J instance was fully started. If you are using the Enterprise Manager web interface, the instance should have a green arrow indicating that it is running. On the command line, verify that the instance has a status of "Alive".

```
ORACLE_HOME/opmn/bin/opmnctl status
```

If you are unable to start the OC4J instance after several attempts, try increasing the startup timeouts in `ORACLE_HOME/opmn/conf/opmn.xml`. If that does not help, consult the Oracle Application Server documentation for further assistance.

## Expand the Central Office Distribution

To extract the Central Office files:

1. Extract the `ORCO-12.03IN.zip` file from the Central Office distribution.
2. Log into the UNIX server as the user who owns the OracleAS 10g installation. Create a new staging directory for the Central Office application distribution (`ORCO-12.03IN.zip`), for example, `/tmp/j2ee/orco-inst/orco-staging`.

---

---

**Note:** There should be a minimum of 60 MB of disk space available for the application installation files.

The staging directory (*staging\_directory*) can exist anywhere on the system. It does not need to be under `ORACLE_HOME`.

---

---

3. Copy or upload `ORCO-12.03IN.zip` to *staging\_directory* and extract its contents. The following files and directories should be created under *staging\_directory*/`ORCO-12.03IN`:

```
ant/
ant-ext/
antinstall/
centraloffice/
external-lib/
installer-resources/
```

```
.preinstall.cmd
.preinstall.sh
.preinstall-oas.cmd
.preinstall-oas.sh
.preinstall-was.cmd
.preinstall-was.sh
ant.install.properties.sample
ant.install.properties.sample.oas
ant.install.properties.sample.was
antinstall-config.xml
build.xml
checkdeps.cmd
checkdeps.sh
install.sh
install.cmd
prepare.xml
```

For the remainder of this chapter, *staging\_directory/ORCO-12.03* IN is referred to as `<INSTALL_DIR>`.

## Obtain the Third-Party Library File Required by Central Office

The Central Office application uses the Pager Tag Library from JSPTags. You must download the `pager-taglib.jar` file from the JSPTags website before running the Central Office application installer.

1. Download the `pager-taglib-2.0.war` file from the JSPTags website: <http://jsptags.com/tags/navigation/pager/download.jsp>
2. Extract the `pager-taglib.jar` file from the `WEB-INF/lib` subdirectory in the `pager-taglib-2.0.war` file. Copy `pager-taglib.jar` into `<INSTALL_DIR>/external-lib/`.

## Run the Central Office Application Installer

Once you have an OC4J instance that is configured and started, you can run the Central Office application installer. This installer will configure and deploy the Central Office application.

---



---

**Note:** To see details on every screen and field in the application installer, see [Appendix A](#).

---



---

1. Change to the `<INSTALL_DIR>` directory.
2. Set the `ORACLE_HOME` and `JAVA_HOME` environment variables.  
`ORACLE_HOME` should point to your OracleAS 10g installation, for example, `/opt/Oracle/10.1.3/OracleAS_1`.  
`JAVA_HOME` should point to `%ORACLE_HOME%/jdk`.

---



---

**Note:** The installer is not compatible with versions of Java earlier than 1.4.2.

---



---

3. If you are using an X server such as Xceed, set the DISPLAY environment variable so that you can run the installer in GUI mode (recommended). If you are not using an X server, or the GUI is too slow over your network, unset DISPLAY for text mode or use the `install.sh` script.

---

---

**Caution:** Password fields are masked in GUI mode, but in text mode your input is shown in plain text in the console window.

---

---

4. Run the installer.
  - a. Log into the UNIX server as the user who owns the OracleAS 10g installation.
  - b. Change the mode of `install.sh` to executable.
  - c. Run the `install.sh` script. This will launch the installer.

---

---

**Note:** The usage details for `install.sh` are shown below. The typical usage for GUI mode does not use arguments.

```
install.sh [text | silent oracle]
```

---

---

After installation is complete, a detailed installation log file is created:  
`orco-install-app.<timestamp>.log`

5. The installer leaves behind the `ant.install.properties` file for future reference and repeat installations. This file contains all the inputs you provided, including passwords. As a security precaution, make sure that the file has restrictive permissions.

```
chmod 600 ant.install.properties
```

6. Verify that the installer was able to delete the `$ORACLE_HOME/jdk/jre/lib/ext/security-360-ora.jar` file. This is a file that is temporarily created by the installer. If the installer was unable to delete the file, you must shut down all OC4J instances, delete the file manually, and start the OC4J instances back up again.

---

---

**Note:** If the installer is unable to delete this file, it prints a warning that instructs you to delete it manually. This warning also shows up at the end of the installer log file.

---

---

## Resolving Errors Encountered During Application Installation

If the application installer encounters any errors, it will halt execution immediately. You can run the installer in silent mode so that you do not have to reenter the settings for your environment. For instructions on silent mode, see [Appendix B](#).

For a list of common installation errors, see [Appendix E](#).

Since the application installation is a full reinstall every time, any previous partial installs will be overwritten by the successful installation.

## Populate the Database Schema

The database must be populated before configuring the application server. On the Install Database Option screen, you select whether the installer completes installation of the database schema and seed data or if you want to do this manually.

- If you chose Yes, you do not need to perform any further steps to populate the database. This is the default selection on the screen.
- If you chose No, the installer will not populate the database schema. For manually populating the database schema, see [Creating the Central Office Database Schema](#) section.

---



---

**Note:** The India L10N related db scripts are not executed during installation of Central Office. It is mandatory to run the scripts. For manually running the database scripts related to India L10N, see [Creating the Central Office Database Schema](#) section.

---



---

## Install Parameters

The application parameters must be installed before the Central Office application is fully operational. On the Install Parameters screen, you select whether the installer completes installation of the parameters or if you want to do this manually.

- If you chose Yes, you do not need to perform any further steps to install the parameters. This is the default selection on the screen.
- If you chose No, the installer did not install the parameters. For information on installing the parameters, see "[Import Initial Parameters](#)".

## Additional Configuration Steps Required for Parameter Export

When a store is added to the enterprise store hierarchy or the default store number is not used, the `J2EE_HOME/config/jms.xml` file must be updated with the correct queue definitions. The queues used to export parameters to each store must reflect the current store hierarchy for the enterprise.

The installation is pre-configured to support the default store number 04241. The following example shows the queue definition for the default store.

```
default:
  <queue name="store_04241" location="jms/store_04241">
    <description/>
  </queue>
```

For example, if you have three stores numbered 10000, 10001, and 10002, the queue definitions for these stores should look like the following definitions.

```
<queue name="store_10000" location="jms/store_10000">
  <description/>
</queue>
  <queue name="store_10001" location="jms/store_10001">
    <description/>
  </queue>
  <queue name="store_10002" location="jms/store_10002">
    <description/>
  </queue>
```

## Manual Deployment Option

Skip this section if you chose the default option of allowing the installer to complete installation to the application server.

The installer includes the option to configure the application locally and skip deployment to the application server. If this option is chosen, the installer will make the configured application files available under

`<INSTALL_DIR>/centraloffice/configured-output/`.

If you chose this installer option, you can complete the installation by following these steps:

1. Make sure there have not been any application server configuration changes since the installer was run. You can do this by comparing the backup files created by the installer in the staging area to the same files in the application server.

```
diff ./centraloffice/configured-output/appserver/ORACLE_
HOME/j2ee/myinstance/config/jms.xml.<date and time> $ORACLE_
HOME/j2ee/myinstance/config/jms.xml
```

If there are changes to the application server's configuration file, they should be merged into the local copy under `configured-output` before proceeding to the next step.

2. Inspect the contents of the `<INSTALL_DIR>/centraloffice/configured-output/appserver/ORACLE_HOME` directory, and then overlay the files in the application server's `ORACLE_HOME` directory, using the same directory structure. This will install library files required by the application and required application server configuration changes.
3. Set `JAVA_HOME` and `PATH` environment variables to use the JDK located at `$ORACLE_HOME/jdk`.

```
JAVA_HOME=$ORACLE_HOME/jdk; PATH=$JAVA_HOME/bin:$PATH; export PATH JAVA_HOME
```

4. Copy the `<INSTALL_DIR>/centraloffice/lib/oracle/security-360-ora.jar` file to the `$ORACLE_HOME/jdk/jre/lib/ext/` directory.
5. Create the required JAAS configuration for Central Office:

- a. Set `JAVA_HOME` and `PATH` environment variables to use the JDK located at `$ORACLE_HOME/jdk`.

```
JAVA_HOME=$ORACLE_HOME/jdk; PATH=$JAVA_HOME/bin:$PATH;
export PATH JAVA_HOME
```

- b. Grant RMI access permissions for the Central Office application.

```
java -jar ../home/jazn.jar -grantperm com._
360commerce.commerceservice.security.oracle.CustomPrincipal oracle_rmi_
access com.evermind.server.rmi.RMIPermission login
```

The `AbstractLoginModule` prompts you for the user name and password. Enter the same user name and password you entered on the OC4J Administrative User installer screen.

6. Delete `$ORACLE_HOME/jdk/jre/lib/ext/security-360-ora.jar`. You may need to shut down all OC4J instances to successfully delete this file.
7. Restart the OC4J instance where Central Office will be deployed.

```
$ORACLE_HOME/opmn/bin/opmnctl restartproc process-type=orco-inst
```

8. Deploy the Central Office ear file using the Enterprise Manager web interface. The configured ear file is located at `<INSTALL_DIR>/centraloffice/configured-output/centraloffice.ear`. When deploying the ear file, you should provide the same application name and context root you gave to the installer. These values were stored in the `<INSTALL_DIR>/ant.install.properties` file by the installer for later reference.

## Backups Created by Installer

The Central Office application installer will back up modified application server files and directories by renaming them with a timestamp. This is done to prevent the removal of any custom changes you might have. These backup files and directories can be safely removed without affecting the current installation. For example, the file could be named `jms.xml.200605011726`.

## Import Initial Parameters

---



---

**Note:** If you did not choose to have the installer set the initial parameters, you must import an initial set of parameters before you can use Oracle Retail Central Office. For more information on parameters, see the Oracle Retail Strategic Store Solutions Configuration Guide.

---



---

This section provides an overview of the procedures for importing an initial set of parameters. You can import the parameters through the Oracle Retail Central Office user interface or by using an ant target. You only need to use one of the procedures. The procedure for importing parameters through the application user interface is described in more detail in the Oracle Retail Central Office User Guide.

These instructions assume you have already expanded the `centralofficeDBInstall.jar` file under the `<INSTALL_DIR>` directory as part of the database schema installation earlier in this chapter.

## Importing Parameters Through the User Interface

To import the initial parameters through the user interface:

1. Open the Oracle Retail Central Office application in a web browser. The address is provided at the end of the installer output and in the log file.  
`http://<your host name>:<your port number>/centraloffice`
2. Log in to the application as user ID **pos** and password **pos**, or any other user ID that has full administrative rights.
3. Click the **Data Management** tab. The Available Imports screen appears.
4. To import the master parameter set, click the **File** link in the Import Parameters for Distribution row. Follow the instructions to import `parameterset.xml` from the `<INSTALL_DIR>/centraloffice/db` folder.
5. To import the initial set of Oracle Retail Central Office application parameters, click the **File** link in the Import Application Parameters row. Follow the instructions to import `centraloffice.xml` from the `<INSTALL_DIR>/centraloffice/db` folder.

## Importing Parameters By Using an Ant Target

To import parameters using an ant target:

1. Change to the `<INSTALL_DIR>/centraloffice/configured-output/db` directory.
2. Update the following properties in the 'Generic DB Parameter Install - Used By Installer' section of the `db.properties` file.
  - a. Change `ora.home.dir` to your installation directory.

```
ora.home.dir=C:/Oracle/10.1.3/OracleAS_1
```
  - b. Change `ORA_HOST_NAME` to your host name. Change 12401 to your port number.

```
parameters.apphost=ormi://ORA_HOST_NAME:12401/CentralOffice
```
3. Set the `JAVA_HOME`, `ANT_HOME`, and `PATH` environment variables. See "[Creating the Central Office Database Schema](#)" in [Appendix F](#) for the settings to be used.
4. Execute the following command:

```
ant load_parameters
```

## Load Optional Purge Procedures

For information on the procedures provided for purging aged data, see the Oracle Retail Central Office Operations Guide. If purge procedures are needed, run the available Ant target to load the data:

```
ant load_purge_procedures
```

## Using the Central Office Application

---

---

**Note:** When you are done installing Central Office, log out and close the browser window. This ensures that your session information is cleared and prevents another user from accessing Central Office with your login information.

---

---

After the application installer completes and you have run the initial parameter load, you should have a working Central Office application installation. To launch the application, open a web browser and go to `http://<servername>:<portnumber>/<context root>`

For example, `http://myhost:9080/centraloffice`

---

---

## Configuration for Firefox Browser

When Central Office is viewed from the Firefox browser, displayed graphs may not be updated correctly when you change users. To avoid this problem, disable image caching.

To disable image caching:

1. In the browser's address bar, enter **about:config**.
2. Scroll to the entry `browser.cache.memory.enable` and double-click it. A dialog box appears.
3. Change the value in the dialog box to **false**.
4. Click **OK**.
5. Restart the browser.



# A

---

---

## Appendix: Central Office Application Installer Screens for the Oracle Stack


You need the following details about your environment for the installer to successfully deploy the Central Office application on the Oracle stack. Depending on the options you select, you may not see some screens or fields.

For each field on a screen, a table is included in this appendix that describes the field. If you want to document any specific information about your environment for any field, a Notes row is provided in each table for saving that information.


**Figure A-1 Introduction**



**Figure A-2 Requirements**



**Figure A-3 Data Source Details**




The fields on this screen are described in the following tables.

Field Title	JDBC URL
Field Description	URL used by the Central Office application to access the database schema. See <a href="#">Appendix D</a> for the expected syntax.
Example	jdbc:oracle:thin:@myhost:1525:mydatabase
Notes	

Field Title	Schema
Field Description	Database schema user used by the Central Office application.
Example	DBUSER
Notes	

Field Title	Schema password
Field Description	Password for the Central Office schema user.
Notes	

**Figure A-4 Install Database Option**



The field on this screen is described in the following table.

Field Title	Populate database schema?
Field Description	The database schema must be populated before Oracle Application Server can be configured for Central Office. This screen gives you the option to leave the database schema unmodified and populate the database schema manually. For example, you choose No if the database is already created.  If you choose No, see <a href="#">"Populate the Database Schema"</a> in <a href="#">Chapter 2</a> for the manual steps you need to perform after the installer completes.
Example	No
Notes	For India L10N ddl changes, see <a href="#">Creating the Central Office Database Schema</a> in <a href="#">Appendix F</a> . It is mandatory to run these scripts.


**Figure A-5 Default Locale**



The field on this screen is described in the following table.

Field Title	Please select the Default Locale
Field Description	Limited locale support in Central Office enables the date, time, currency, and calendar to be displayed in the format for the selected default locale.
Example	English - India
Notes	


**Figure A-6 App Server ORACLE\_HOME**



The field on this screen is described in the following table.

<b>Field Title</b>	<b>ORACLE_HOME</b>
Field Description	ORACLE_HOME directory for the Oracle Application Server installation.
Example	/opt/Oracle/10.1.3/OracleAS_1
Notes	

**Figure A-7 Mail Session Details**




The fields on this screen are described in the following tables.

<b>Field Title</b>	<b>SMTP host</b>
Field Description	Host where the SMTP server is running.
Example	mail.mycompany.com
Notes	

<b>Field Title</b>	<b>Reply-To Address</b>
Field Description	Reply-to address in e-mails generated by Central Office.
Example	donotreply@mycompany.com
Notes	

<b>Field Title</b>	<b>From Address</b>
Field Description	From address in e-mails generated by Central Office.
Example	donotreply@mycompany.com
Notes	

**Figure A-8 Application Server Details**




The fields on this screen are described in the following tables.

Field Title	Hostname
Field Description	Hostname of the application server.
Example	myhost
Notes	

Field Title	OPMN request port
Field Description	Port on which OPMN listens for requests to forward on to OC4J instances. This port can be found in the ORACLE_HOME/opmn/conf/opmn.xml file: <code>&lt;port local="6100" remote="6200" request="6003"/&gt;</code>
Example	6003
Notes	


**Figure A-9 Install Parameters Option**



The field on this screen is described in the following table.

Field Title	Install the parameters?
Field Description	The application parameters must be set up before Central Office can be used. This screen gives you the option to set up the parameters manually. If you choose No, see <a href="#">"Import Initial Parameters"</a> in <a href="#">Chapter 2</a> for the manual steps you need to perform after the installer completes.
Example	Yes
Notes	Choose this install parameters as Yes only if you had chosen Yes option in the "Populate the database schema" installer screen.


**Figure A-10 Application Server RMI Port**



This screen is only if **Yes** is selected for the Install the Parameters option. The field on this screen is described in the following table.

Field Title	RMI Port
Field Description	Port to be used for installing parameters. This port can be found in the ORACLE_HOME/opmn/conf/opmn.xml file.
Example	12401
Notes	


**Figure A-11 Manual Deployment Option**



The field on this screen is described in the following table.

Field Title	Install files to app server?
Field Description	By default, the installer will deploy the ear file and copy files under the application server ORACLE_HOME. This screen gives you the option to leave ORACLE_HOME unmodified and configure the application in the staging area for use in a manual installation at a later time. This option can be used in situations where modifications to files under ORACLE_HOME must be reviewed by another party before being applied.  If you choose No, see " <a href="#">Manual Deployment Option</a> " in <a href="#">Chapter 2</a> for the manual steps you need to perform after the installer completes.
Example	Yes
Notes	

**Figure A-12 Application Deployment Details**




The fields on this screen are described in the following tables.

Field Title	App Deployment Name
Field Description	Name by which this Central Office application will be identified in the application server.
Example	CentralOffice
Notes	

Field Title	Context Root
Field Description	Path under the HTTP URL that will be used to access the Central Office application. For example, a context root of 'centraloffice' will result in the application being accessed at <code>http://host:port/centraloffice/index.jsp</code> .
Example	centraloffice
Notes	

Field Title	OC4J Instance
Field Description	Name of the OC4J instance that was created for this Central Office application.
Example	orco-inst
Notes	

**Figure A-13 OC4J Administrative User**



The fields on this screen are described in the following tables.

---

<b>Field Title</b>	<b>OC4J admin user</b>
Field Description	User name of the admin user for the OC4J instance to which the Central Office application is being deployed.
Example	oc4jadmin
Notes	


---

---

<b>Field Title</b>	<b>OC4J admin password</b>
Field Description	Password for the OC4J admin user. You chose this password when you created the OC4J instance.
Notes	

---

**Figure A-14** *Installation Progress*





---

---

## Appendix: Installer Silent Mode

In addition to the GUI and text interfaces of the Central Office installer, there is a silent mode that can be run. This mode is useful if you wish to run a new installation and use the settings you provided in a previous installation. It is also useful if you encounter errors in the middle of an installation and wish to continue after resolving them.

The installer runs in two distinct phases. The first phase involves gathering settings from the user. At the end of the first phase, a properties file named `ant.install.properties` is created with the settings that were provided. In the second phase, this properties file is used to provide your settings for the installation.

To skip the first phase and re-use the `ant.install.properties` file from a previous run, follow these instructions:

1. Edit the `ant.install.properties` file and correct any invalid settings that may have caused the installer to fail in its previous run.
2. Run the installer again with the silent argument.

```
install.sh silent [oracle | websphere]
```



---

---

## Appendix: Reinstalling Central Office

Central Office does not provide the capability to uninstall and reinstall the application. If you need to run the Central Office installer again, perform the following steps.

### Reinstalling Central Office on the Oracle Stack

To reinstall:

1. Stop the OC4J Central Office instance.
2. Delete the instance.
3. Recreate the OC4J Central Office instance.
4. Start the instance.
5. Run the Central Office installer. For more information, see "[Run the Central Office Application Installer](#)" in [Chapter 2](#).



---

---

## Appendix: URL Reference

Both the database schema and application installers for the Central Office product will ask for several different URLs. These include the following.

### URLs for the Oracle Stack

The following URLs are used for the Oracle stack.

### JDBC URL for a Database

Used by the Java application and by the installer to connect to the database.

Syntax: `jdbc:oracle:thin:@<host>:<port>:<sid>`

- `<host>`: hostname of the database server
- `<port>`: database listener port
- `<sid>`: system identifier for the database

For example, `jdbc:oracle:thin:@myhost:1525:mysid`

### JNDI Provider URL for an Application

Used for server-to-server calls between applications.

Syntax: `opmn:ormi://<host>:<port>:<instance>/<app>`

- `<host>`: hostname of the OracleAS environment
- `<port>`: OPMN request port of the OracleAS environment. This can be found in the `<ORACLE_HOME>/opmn/conf/opmn.xml` file
- `<instance>`: name of the OC4J instance running the application
- `<app>`: deployment name for the application

For example, `opmn:ormi://myhost:6003:rpm-oc4j-instance/rpm12`

---

---

**Note:** The JNDI provider URL can have a different format depending on your cluster topology. Consult the Oracle Application Server documentation for further details.

---

---

## Deployer URI

Used by the Oracle Ant tasks to deploy an application to an OC4J instance. The application installer does not ask the user for this value. It is constructed based on other inputs and written to the `ant.install.properties` file for input to the installation script. For repeat installations using silent mode, you may need to correct mistakes in the deployer URI.

---

---

**Note:** There are several different formats for the deployer URI depending on your cluster topology. Consult the Deploying with the OC4J Ant Tasks chapter of the OC4J Deployment Guide for further details.

---

---

Syntax (managed OC4J):

`deployer:cluster:opmn://<host>:<port>/<instance>`

- `<host>`: hostname of the OracleAS environment
- `<port>`: OPMN request port of the OracleAS environment. This can be found in the `<ORACLE_HOME>/opmn/conf/opmn.xml` file.
- `<instance>`: name of the OC4J instance where the application will be deployed

For example, `deployer:cluster:opmn://myhost:6003/orco-inst`

Syntax (standalone OC4J): `deployer:oc4j:<host>:<port>`

- `<host>`: hostname of the OracleAS environment
- `<port>`: RMI port of the OC4J server. This can be found in the `<ORACLE_HOME>/j2ee/home/config/rmi.xml` file.

For example, `deployer:oc4j:myhost:23791`

---

---

## Appendix: Common Installation Errors

This appendix describes some common errors encountered during installation of Central Office.

### Unreadable Buttons in the Installer

If you are unable to read the text within the installer buttons, it probably means that your `JAVA_HOME` points to a pre-1.4.2 JDK. Set `JAVA_HOME` to a Java development kit of version 1.4.2 or later and run the installer again.

### Installation Errors for the Oracle Stack Only

The following errors only occur when installing for the Oracle Stack.

#### Oracle Application Server Forceful Shutdown

If an error occurs during installation, Oracle Application Server may not shutdown gracefully but will instead do a forceful shutdown. This is a known problem with Oracle Application Server.

You can use `opmnctl status` to check if the application server has stopped appropriately.

#### "Unable to get a deployment manager" Message

##### Symptom:

The application installer quits with the following error message:

```
[oracle:deploy] Unable to get a deployment manager.  
[oracle:deploy]  
[oracle:deploy] This is typically the result of an invalid deployer URI format  
being supplied, the target server not being in a started state or incorrect  
authentication details being supplied.  
[oracle:deploy]  
[oracle:deploy] More information is available by enabling logging -- please see  
the Oracle Containers for J2EE Configuration and Administration Guide for details.
```

**Solution:**

This error can be caused by any of the following conditions:

- OC4J instance provided is not running
- Incorrect OC4J instance name provided
- Incorrect OC4J administrative username, password, or both
- Incorrect OPMN request port provided

Make sure that the OC4J instance is running, and then check the `ant.install.properties` file for entry mistakes. Pay close attention to the `input.deployer.uri` (see [Appendix D](#)), `input.oc4j.instance`, `input.admin.user`, and `input.admin.password` properties. If you need to make a correction, you can run the installer again with this file as input by running silent mode (see [Appendix B](#)).

## "Could not create system preferences directory" Warning

**Symptom:**

The following text appears in the installer Errors tab:

```
[May 22, 2006 11:16:39 AM java.util.prefs.FileSystemPreferences$3 run
WARNING: Could not create system preferences directory. System preferences are
unusable.
May 22, 2006 11:17:09 AM java.util.prefs.FileSystemPreferences
checkLockFile0ErrorCode
WARNING: Could not lock System prefs. Unix error code -264946424
```

**Solution:**

This is related to Java bug 4838770. The `/etc/.java/.systemPrefs` directory may not have been created on your system. See <http://bugs.sun.com> for details.

This is an issue with your installation of Java and does not affect the Oracle Retail product installation.

## Installation Hangs at "Compiling EJB generated code"

**Symptom:**

The installer freezes for 10 minutes or more showing this as the last message:

```
[[myinstance.name] 06/11/17 16:51:57 Notification ==>Compiling EJB generated code
```

**Solution:**

Before cancelling the installation, check the OC4J log file. This file is usually located under `$ORACLE_HOME/opmn/logs` and is named after the OC4J instance. This could be a memory problem if you did not follow the steps to set the PermSize space. See ["Create a New OC4J Instance for Central Office"](#) in [Chapter 2](#).

## "Failed to set the internal configuration" Message

### Symptom:

The following text appears in the log file:

```
07/03/19 14:34:51 *** (SEVERE) Failed to set the internal configuration of the
OC4J JMS Server with: XMLJMServerConfig[file:/D:/10.1.3/OracleAS_1/
j2ee/home/config/jms.xml]
```

### Solution:

Check the OC4J log file. This file is usually located under `$ORACLE_HOME/opmn/logs` and is named after the OC4J instance. A `NameNotFoundException` for `jms/XAQueueConnectionFactory` appears in the log.

To resolve the problem, do the following:

1. Shutdown the application server.
2. Delete the `OracleAS_1/j2ee/<OC4J instance>/persistence/<OC4J instance>_default_group_1/*.lock` file.
3. Restart the application server.



---



---

## Appendix: Troubleshooting Problems on the Oracle Stack

This appendix contains information that may be useful if you encounter errors running Central Office for the first time after an install. These steps are performed by the installer. If you have problems, you may want to ensure the steps were successfully completed by the installer.

### Creating a New OC4J Instance for Central Office

You can skip this section if you are redeploying to an existing OC4J instance.

To create a new OC4J instance:

1. Increase memory for the new OC4J instance by modifying `$ORACLE_HOME/opmn/conf/opmn.xml`. Locate the OC4J instance you just created. Add the text, shown in bold in the following example, to the start-parameters section.

```
<process-type id="orco-inst" module-id="OC4J" status="enabled">
  <module-data>
    <category id="start-parameters">
      <data id="java-options" value="-server -XX:PermSize=128m
-XX:MaxPermSize=256m -Djava.security.policy=$ORACLE_
HOME/j2ee/orco-inst/config/java2.policy -Djava.awt.headless=true
-Dhttp.webdir.enabled=false"/>
    </category>
  </module-data>
</process-type>
```

2. Set the `-userThreads` OC4J option by modifying `$ORACLE_HOME/opmn/conf/opmn.xml` similar to the previous step. Add the text shown in bold in the following example:

```
<process-type id="orco-inst" module-id="OC4J" status="enabled">
  <module-data>
    <category id="start-parameters">
      <data id="java-options" value="-server -XX:PermSize=128m
-XX:MaxPermSize=256m -Djava.security.policy=$ORACLE_
HOME/j2ee/orco-inst/config/java2.policy -Djava.awt.headless=true
-Dhttp.webdir.enabled=false"/>
      <data id="oc4j-options" value="-userThreads"/>
    </category>
  </module-data>
</process-type>
```

3. Reload OPMN for this change to take effect.

```
$ORACLE_HOME/opmn/bin/opmnctl reload
```

4. Increase the transaction timeout for this OC4J instance:
  - a. Log into the Enterprise Manager application.

`http://<myhost>:<portnumber>/em`

- b. Click the OC4J instance that was just created.  
`<orco-inst>`
- c. Click the Administration tab, and then the Transaction Manager (JTA) task.
- d. Click the Administration tab of the Transaction Manager page.
- e. Locate the Transaction Timeout field and increase it to at least 120 seconds.
- f. Click **Apply** and then restart the OC4J instance.

## Creating the Central Office Database Schema

The scripts that create the Central Office database schema can be run from the same staging directory as the application files. The database server can be on the same system as the application server or on a different system.

To create the database schema:

1. Create a user in the database:

```
create role APP_ROLE;
```

```
grant CREATE TABLE, CREATE VIEW, CREATE SEQUENCE, CREATE SYNONYM, CREATE
CLUSTER, CREATE DATABASE LINK, ALTER SESSION to APP_ROLE;
```

```
grant CONNECT, RESOURCE, APP_ROLE, SELECT_CATALOG_ROLE to <db_user>;
```

2. Change to the `<INSTALL_DIR>\centraloffice\configured-output\db` directory.
3. Set the `JAVA_HOME` and `ANT_HOME` environment variables. You can use the JDK and Ant that are installed with the Oracle Application Server.

```
JAVA_HOME=$ORACLE_HOME/jdk; ANT_HOME=$ORACLE_HOME/ant; export JAVA_HOME ANT_
HOME
```

4. Add `$JAVA_HOME/bin` and `$ANT_HOME/bin` to the front of the `PATH` environment variable.

```
PATH=$JAVA_HOME/bin:$ANT_HOME/bin:$PATH; export PATH
```

5. Modify `db.properties`.

- a. Verify that the following properties are set correctly:

```
db.product=oracle
```

```
db.app.server.product=oracleAS
```

- b. Uncomment the Oracle properties and comment out properties for the other vendors such as DB2 and MS-SqlServer.

- c. Provide your database settings in the following properties:

```
db_user: database user under which tables will be created
```

```
db_password: password for db_user
```

```
db.jdbc-url: JDBC URL for your database
```

- d. Set the `ora.home.dir` property to point to your OracleAS 10g installation.

- e. Set the host name and port number for the `parameters.apphost` property to point to your Central Office installation in the 'Generic DB Parameter Install - Used By Installer' section of the properties file.
- f. In the 'Generic DB Parameter Install - Used By Installer' section of the `parameters.classpath` properties file, replace the semicolons used as separators with colons. This is needed to run with UNIX systems.
- g. Update the Store Id key with the store ID for which the default login ID needs to be configured.

```
store.id=<<Replace with the StoreId for which default login ID is
configured>>
```

6. Uncomment the following properties in `jndi.properties`.

```
java.naming.factory.initial=com.evermind.server.rmi.RMIInitialContextFactory
java.naming.security.principal=<user>
java.naming.security.credentials=<user>
```

7. Run `seed_data` ant target in the `db.xml` to create the base database schema and load all the data required for Central Office to be completely operational. If you are integrating with the Merchandising Operations Management then do not run the `seed_data` ant target.

**Usage:** `ant -f db.xml seed_data`

---

**Note:** At this point, the India related data like MRP, Tax Category are not seeded. They will have default values like MRP as 0 and Tax Category as -1. For more details on the DDL changes for India L10N, refer the Data Model documentation.

---


8. Run `integration_data` ant target in the `db.xml` to create the base database schema to populate the minimum data required for Central Office. If you are integrating with Merchandising Operations Management Products, then Central Office database schema needs to be built with the `integration_data` ant target.  
**Usage:** `ant -f db.xml integration_data`
  9. To make ddl changes for IN L10N changes on top of the seeded data or integration data, run the `en_IN_setup_db` ant target in the `db.xml`.  
**Usage:** `ant -f db.xml en_IN_setup_db`
  10. The target `en_IN_setup_db` will run the `en_IN_create_schema`, `en_IN_create_view`, `en_IN_alter_schema`, and `en_IN_compile_package` targets and will make necessary changes for India L10N.
  11. Run the `load_parameters` ant target in `build.xml` to install the parameters for Central Office.
    - Change to the `<INSTALL_DIR>\centraloffice\configured-output\db` directory.
    - In the 'Generic DB Parameter Install - Used By Installer' section of the `db.properties` file, update the following properties:
      - Change `ora.home.dir` to your installation directory.  
`ora.home.dir=C:\Oracle\10.1.3\OracleAS_1`
      - Change `ORA_HOST_NAME` to your host name. Change 12401 to your port number.
- a. `parameters.apphost=ormi://ORA_HOST_NAME:12401/CentralOffice`
  - b. Execute the command `ant load_parameters`.

12. Run the `en_IN_configure_data` ant target in the `db.xml` to configure the INR currency and Geo Code.

**Usage:** `ant -f db.xml en_IN_configure_data`

Below is the sequence of steps which needs to be executed to build the database schema for Oracle Retail Central Office.

**Figure F-1 Sequence of Steps to build database schema**



---

---

## Appendix: Installation Data Load

By default when running the installer, all of your test data is loaded into the database. Depending upon your configuration, the system may attempt to send the test data to Central Office.

If your system sends the transactions, it may need to run for 15 minutes. The system will complete loading the test data before sending any new transactions to Central Office.

If you prefer to load only seed data:

1. Stop the Central Office application.
2. Change to the `<INSTALL_DIR>/centraloffice/db` directory.
3. Run the ant `seed_data` target in the `db.xml` file.
4. Run the ant `en_IN_setup_db` target in the `db.xml` file.
5. Restart the Central Office application.
6. Run the ant `load_parameters` target in the `build.xml` file.
7. Run the ant `en_IN_configure_data` in the `db.xml` file.

---

---

**Note:** The corporate and store databases can be updated with seed data independently of each other. However, this should be done before starting the store server and bringing any Point-of-Service client online.

---

---

