

Oracle® Workforce Scheduling

Users Guide for Functional Administrators

Release 5.0.3 for Windows

Part No. E12667-01

July 2008

ORACLE

Part No. E12667-01

Copyright © 2004, 2006, 2007, 2008, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third party content, products and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third party content, products or services.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Table Of Contents

Welcome to Oracle Workforce Scheduling.....	1
About Oracle Workforce Scheduling.....	1
Role of Functional Administrator.....	2
Home Page	3
Application Bar.....	4
Working with the To-Do List.....	5
Using the Online Help	7
Manage Stores	9
Store Management	9
Store Management	11
How To.....	13
Open a New Store.....	13
Job Management.....	15
Job Management Overview	15
How Tos	16
Using Advanced Search to Find a Job.....	16
Rescheduling a Pending Job.....	18
Canceling a Job.....	19
Manage Contracts	21
Contract Management	21
How To.....	22
Modify a Contract	22
Work with Utilities	23
Utilities Overview.....	23
Drivers History.....	24
Week Type	25
Distribution	26
Time Window	28
Properties.....	29
Driver.....	32
Store Closing.....	34
How To.....	35
View Driver History.....	35
View Pre-Forecasted Drivers	36

Oracle Workforce Scheduling for Functional Administrators

Manage Week Types	37
View Distribution Profiles.....	39
Make a Daily or Weekly Exception to the Distribution Profile	40
Update Distribution Profiles.....	41
View Time Frames	42
Make Exceptional Changes to Time Frames.....	43
Delete Exceptional Changes to Time Frames.....	44
Update Time Frame Profiles	45
Edit Activity Parameters	46
Edit Task Parameters.....	47
Edit Store Parameters.....	48
Edit Derived Drivers	49
Editing Weekly Percentage Weights.....	50
Close a Store for a Specific Date	51
Define Events	53
Events Management.....	53
How To.....	54
Define and Assign Global Events.....	54
Edit a Global Event.....	56
Delete a Global Event	57
Manage Employee Assignments.....	59
Assign Employees to Other Stores	59
Job Scheduler.....	61
Job Scheduler Overview	61
How To.....	64
Export a Workforce Schedule.....	64
Export Key Performance Indicators	66
Schedule a Batch Process	68
Glossary.....	71
Index	75

Welcome to Oracle Workforce Scheduling



ABOUT ORACLE WORKFORCE SCHEDULING

Oracle Workforce Scheduling (OWS) is a flexible and powerful workforce management tool that forecasts the labor demand requirements of an organization and optimizes employee schedules to match this demand for labor, in order to meet customer demands and cost objectives.

Controlling labor hours, and thus cost, is one of the biggest problems facing labor-intensive industries. OWS is a simple-to-use product that can reduce over staffing and under staffing, increase customer service, and decrease payroll costs. The powerful optimization routines built into the product take into account factors such as: demand, employee preferences, skills, availability, labor laws, payroll budgets, workplace rules, best practices, and seasonality.

OWS is a stand-alone application targeted toward solving employee-scheduling problems primarily within the retail sector, although the underlying technology can be applied to other industries as well.

Note: Depending on your access rights, you may not have access to all the modules or screens described in this help. Furthermore, you may have read-only access to certain screens.

See:

[Using the Online Help](#)

[Role of Functional Administrator](#)

ROLE OF FUNCTIONAL ADMINISTRATOR

Oracle Workforce Scheduling includes three administration roles:

- Operations Administrator (Admin)
The operations administrator is responsible for organization management, including managing hierarchies and logins, and managing asynchronous jobs.
- Functional Administrator (OWS Admin)
The functional administrator manages global functions related to the store, including defining global values for contracts and events, opening new stores, and scheduling and managing asynchronous jobs.
- Corporate Applications Administrator
The corporate applications administrator performs the tasks of the functional administrator (OWS Admin) and the store manager. Store managers view and work on the stores and departments associated to their login, maintain employee information, monitor key performance indicators, view and modify parameters used to generate forecasts and hour requirements.

Activities

Functional administrators in OWS are responsible for store management and must configure the settings of the application to suit the business process of their enterprise. They have the following responsibilities:

- Create a new store based on an existing store.
[Store Management](#)
- Modify a contract.
[Contract Management](#)
- Enter global values at the corporate level for forecasts and hour requirements at setup and update them when necessary.
[Utilities Overview](#)
- Define a complete list of global events at a particular node in the organizational hierarchy.
[Events Overview](#)
- Assign employees to other stores.
[Manage Employee Assignments](#)
- Manage jobs
[Job Management](#)
- Schedule jobs
[Job Scheduler Overview](#)

See:

[Home Page](#)

HOME PAGE

When you launch the functional administration site (OWS ADMIN), the home page opens. It contains the application bar and the module bar.

Application Bar

The application bar appears on each page. You can use it to select a store or a department, date, and team.

See: [Application Bar](#)

Module Bar









The module bar appears on each page. You can use the module bar to:

- Navigate to the other modules
- Open the online help
- View additional information about OWS

To-Do List

The To-Do List contains notifications that you can close after reading or responding to them. You can delete them when they no longer apply. The type of notifications you receive depends on which ones the administrator set up for your role. The notifications might inform you about jobs you have scheduled or run, an event you created, or a store you have opened.

APPLICATION BAR

	Return to the home page.
	Save your data.
	Refresh the data in current screen.
	Select an item in store organization.
	Select a date.
	Select an item in team organization.
	Display error messages (when the icon is red).
	Display statistics about network exchanges between the browser and the server.

See:
[Home page](#)

WORKING WITH THE TO-DO LIST

The To-Do List includes notifications that may impact your store or department. The role assigned your login determines the type of notification you receive, and whether the To-Do List appears on the home page or only as a link on the module bar.

The notifications inform you about:

- Steps completed in the weekly process
- Data imported
- People on loan to your store or department or people you have loaned
- Jobs that have been run
- Information that has changed at the corporate, store, or department level

These notifications include information:

- Changes to activity or task properties
- The store, such as week types, events, and store closings
- Employees, such as changes to contracts, break rules, assignments and absences.

Responding to Items on the To-Do List

You can access the To-Do List from the Home page or from a link on the module bar. Clicking the My To-Do List link places the To-Do List in a separate window so you can continue to work on a task while referring to the notification.

The To-Do List contains notifications that you can close after you read them or act on them (for example, by updating a schedule due to an absence). You can delete the items on the list when they no longer apply.

To manage your to-do list, you can:

- Select a single item: Click the selection check box next to the item. To select all the items, click the down arrow next to the Select column title.
- Close an item: Select it and click Close. The closed item remains in the list as an updated status item until you delete it.
- Open a previously closed item to read it: Select it and click Open.
- Delete an item: Select it and click Delete.

Sorting the To-Do List

The To-Do List displays the most current notification at the top of the list. You can re-sort the list based on any column heading. For example, you might sort the list by Origin to view notifications resulting from imports, or sort by Nature to identify which Demand steps have been confirmed in the schedules.

The Date Impact is the date on which the notification takes effect, such as when an absence occurs, a break rules change takes effect, or a schedule begins. You might sort the list by Date Impact to review the items whose effective date approaches.

To sort an item:

Oracle Workforce Scheduling for Functional Administrators

- Click the appropriate column title. Click the column title again to order the items in a descending order.

USING THE ONLINE HELP

Using the online help does not require any special instructions, but the following pointers can enhance your efficiency when making searches.

To open the online help, click Help in the application bar. The help page corresponding to the current screen displays.

To access the Contents, Index, and Search functions, click Show.

There are two basic types of help pages: organizing concept pages and procedure pages. The bottom of each organizing concept page contains links to the relevant procedure pages. You can also return directly to the concept page from the procedure page.

[Home page](#)

Manage Stores

STORE MANAGEMENT

There are three phases to set up a store.

The first phase is the analysis and configuration phase. The business consultant and project management establish the business models for the stores. This phase concludes with the generation of the Customer Configuration Dictionary, a dictionary of objects and related parameters.

The second phase is the data definition phase. The business consultant and functional administrator define default values for the models and import the results to the OWS application.

The third phase is the application startup and maintenance phase. The functional administrator manages and maintains information about the stores using the OWS application.

The following table describes the process of setting up a store.

Phase	Roles	Application	Objective	Results
Analysis/ Configuration	<ul style="list-style-type: none"> Customer project management Business consultants 	<ul style="list-style-type: none"> OWS Designer 	Define models for the Customer Configuration Dictionary.	<ul style="list-style-type: none"> Store organization templates. Team organization templates. Description of employee profiles, contracts, activities and related tasks.
Data Definition	<ul style="list-style-type: none"> Business consultants Functional administrator 	<ul style="list-style-type: none"> OWS Application 	<ul style="list-style-type: none"> Create hierarchies and stores. Import businesses and employee data. 	<ul style="list-style-type: none"> Business organization. Team organization. Default store data defined.
Application startup and maintenance	<ul style="list-style-type: none"> Operations administrator Functional administrator 	<ul style="list-style-type: none"> OWS Application 	<ul style="list-style-type: none"> Create user logins. Create a new 	<ul style="list-style-type: none"> Logins for store, district, corporate managers.

Oracle Workforce Scheduling for Functional Administrators

	or		store. <ul style="list-style-type: none">• Maintain organization hierarchies and data.	<ul style="list-style-type: none">• Store created based on existing store.• Updates to organization hierarchies, contracts, and global events.
--	----	--	--	---

See:

[Open a New Store](#)

STORE MANAGEMENT

There are three phases to set up a store.

The first phase is the analysis and configuration phase. The business consultant and project management establish the business models for the stores. This phase concludes with the generation of the Customer Configuration Dictionary, a dictionary of objects and related parameters.

The second phase is the data definition phase. The business consultant and functional administrator define default values for the models and import the results to the OWS application.

The third phase is the application startup and maintenance phase. The functional administrator manages and maintains information about the stores using the OWS application.

The following table describes the process of setting up a store.

Phase	Roles	Application	Objective	Results
Analysis/ Configuration	<ul style="list-style-type: none"> • Customer project management • Business consultants 	<ul style="list-style-type: none"> • OWS Designer 	Define models for the Customer Configuration Dictionary.	<ul style="list-style-type: none"> • Store organization templates. • Team organization templates. • Description of employee profiles, contracts, activities and related tasks.
Data Definition	<ul style="list-style-type: none"> • Business consultants • Functional administrator 	<ul style="list-style-type: none"> • OWS Application 	<ul style="list-style-type: none"> • Create hierarchies and stores. • Import businesses and employee data. 	<ul style="list-style-type: none"> • Business organization. • Team organization. • Default store data defined.
Application startup and maintenance	<ul style="list-style-type: none"> • Operations administrator • Functional administrator 	<ul style="list-style-type: none"> • OWS Application 	<ul style="list-style-type: none"> • Create user logins. • Create a new store. 	<ul style="list-style-type: none"> • Logins for store, district, corporate managers. • Store

Oracle Workforce Scheduling for Functional Administrators

			<ul style="list-style-type: none">• Maintain organization hierarchies and data.	<p>created based on existing store.</p> <ul style="list-style-type: none">• Updates to organization hierarchies, contracts, and global events.
--	--	--	---	--

See:



[Open a New Store](#)

How To

Open a New Store

Using the OWS application, you can create a set of data for a new store that you have added to the business hierarchy. You can do this by copying data items from an existing store such as, time profiles for the work week to the new store.

To open a new store:


1. On the administrator's home page, click  and select the store from the business hierarchy.
2. Click Open a New Store.
3. Click  to display the list of existing stores.
4. Select a store that has the same type of data as the new store you want to create. The application uses the data from the selected store to create the new store.
5. Click Next. The window displays all the data from the selected store in the Sample Store box.
6. Enter the Start Date and End Date for the new store. To copy all the source store's data, select – infinity ($-\infty$) for the start date and +infinity ($+\infty$) for the end date.
7. Select the data items you want to use for the new store.
 - To add items to the new store, select the item and click Add. (To add several items at once, select the first item in the list, hold down the shift key, and select the last item in the sequence, and then click Add.)
 - To remove items from the new store, select the item and click Remove.
8. When you have finished selecting the data items you want for the new store, click Next. The Summary page displays the list of items exported to the new store.
9. Review the data in the Summary table.
Note: To make corrections, click Back until you reach the window that contains the wrong information. After correcting it, continue to the next step.
10. To exit the procedure without saving your current work, click Cancel. You return to the home page.
11. When you are satisfied with the information contained in the Summary table, click Finish to save the new store data.

Job Management

JOB MANAGEMENT OVERVIEW

The Job Management module provides complete job status information. You can search for a job that has been launched, view job details, change the scheduled date or priority of a pending job, and cancel a job that is pending or running.

To search for a job:

1. Open the Job Management module.
2. Click  and select a level of the business organization, such as a store or department.
3. In the Search Jobs window, from the list of common job statuses, select the status of the jobs you want to view.

To set more specific criteria, choose [Advanced Search](#).

4. In the Jobs List, locate the job.
To sort the list, click the column heading that corresponds to the criteria you want to use. Click the heading again to change the sort order from ascending to descending.
5. To view more information about the job, click the Details link to display the Job Information dialog.

For waiting jobs, you can update the scheduled date and priority.

6. To display more information, click Show Report.
7. From the Job Reports window, you can display further information, such as:
 - Job log
 - Trace record
 - Input parameters of the optimization process

See:

[Canceling a Job](#)


[Rescheduling a Pending Job](#)

How Tos

Using Advanced Search to Find a Job

The Job Management module provides job status information. You can search for a job that has been launched and view details about it. The initial search window lists the most common searches performed for a job, such as Last Executed Jobs. If you require additional search criteria to reduce or widen the scope of the search, you can use the Advanced Search feature.

To conduct an advanced search:

1. Open the Job Management module.
2. Click  and select a level of the business organization, such as a district, store, or department.
3. In the Search Jobs window, select Advanced Search.

The application displays additional windows for entering search criteria. (You do not have to complete all the fields.) If you enter more than one set of search criteria, the application can sort the results based on the priority that you assign:

- Order: Enter the importance of the search criteria, using 1 as the highest priority. For example, you might enter 1 for the sort order priority for the Select Procedure Information, and 2 for the Scheduled Time
 - Desc: Sort the results in descending order
4. In the Select Procedure window, you can select the type of job. Several field labels correspond to the job name, such as Check Schedule. The others include:
 - Optim: Optimization
 - Outinterface: Export job
 - InInterface: Import job
 - Job Schedule: Job produced when you initiate a job using the Job Scheduler module
 5. In the Select Schedule Dates window, you can select the dates on which you plan to run the job. Enter a date:
 - From: The job is scheduled to run after this date
 - To: The job is scheduled to run before this date

You can leave either field blank. Entering a From date searches all jobs after that date; entering a To date searches all jobs which run before the job scheduled completion date.

For example, if you scheduled a job to run next week to export KPIs for the current week, the:

- 'From' is the day next week when the job is scheduled to run, for example, on Monday
- 'To' is the day next week when the job is scheduled to end, for example, on the same day (Monday) or following day (Tuesday)

6. In the Select Start Date window, select a date range for the system date when the job started. Use this window for jobs that have finished running. Enter a date:
 - From: The earliest date for the Start Date
 - To: The latest date for the Start Date

For example: If you are looking for an Import job that started early last week, you could enter the first day of the week as the From' date and the third day of the week as the To date.

7. In the Select End Date window, select a date range for the system date when the job has concluded. Use this window for jobs that have finished running. Enter a date:
 - From: The earliest date for the End Date
 - To: The latest date for the End Date

For example: If you are looking for an Import job that finished at the end of the month, you could enter the last day of the month in the To field and a few days before the last of the month in the From field.

8. In the Select Dates window, you can select the precise date or the interval that applies to the job context. The context is the day or the range of days the application uses as a basis for the calculation, optimization, or export process. The application enters default dates of the start and end of the week. You can enter a different date:
 - From: The context date occurs after this date
 - To: The context date occurs before this date.

For example: If you run a job today Wednesday June 4 to calculate a forecast for the following week, you could enter a From date of Monday, June 9 and a To date Monday, June 16. The application would search for jobs which have a context range of June 9 to June 16.

You can leave either field blank. Entering a From date searches all jobs after that date; entering a To date searches all jobs before that date.

9. In the Select Queue window, you can enter the number of the job queue you set up.

The queue number is determined at configuration; every application that posts a job has a predefined queue number.
10. In the Select Status window, select a status that corresponds to the job phase or job state, such as Running or Suspended.
11. Click Search to display the results of your search in the Job List window.

See:

[Job Management](#)

[Canceling a Job](#)


[Rescheduling a Pending Job](#)

Rescheduling a Pending Job

The Job Management module provides complete job status information. You can search for a job with a Waiting status and:

- Reschedule the job by changing the date on which it runs
If you need to change other details about the job, cancel the job, or have the administrator reschedule it using the Job Scheduler.
- Change the priority assigned the job

To reschedule a pending job:

1. Open the Job Management module.
2. Click  and select a level of the business organization, such as a store or department.
3. In the Search Jobs window, select Waiting Jobs. Click Search.
4. In the Jobs List, locate the pending job.
To sort the list, click the column heading that corresponds to the criteria you want to use. Click the heading again to change the sort order from ascending to descending.
5. Click the Details link to display the Job Information dialog.
 - The Context Date refers to the date the application uses as a basis for the calculation, such as a Pre-Scheduling Check.
 - The Schedule Date is when you plan to run the job.
 - The Start and End Dates are when the job runs and ends.
6. To change the Schedule Date, place your cursor in date field and enter a new date.
7. To change the Priority, enter a different number.

See:

[Using Advanced Search to Find a Job](#)


[Canceling a Job](#)

[Job Management](#)

Canceling a Job

The Job Management module provides complete job status information. You can search for a job that has been launched and cancel it. You can also cancel a job with a Waiting or Running status to remove it from the Job List.

To cancel a job:

1. Open the Job Management module.
2. Click  and select a level of the business organization, such as a store or department.
3. In the Search Jobs window, select a job status, such as Waiting. Click Search.

To set more specific criteria, choose [Advanced Search](#).

4. In the Jobs List, locate the job.

To sort the list, click the column heading that corresponds to the criteria to use. Click the heading again to change the sort order from ascending to descending.

5. Click the Select checkbox to select the job.

To select all the jobs in the list, click the down arrow next to Select in the column title.

6. Click Cancel.

You can view a listing for the cancelled job by searching for Last Executed Jobs. The application lists the job with a status of StoppedbyAdmin.

See:

[Job Management](#)

[Using Advanced Search to Find a Job](#)

[Rescheduling a Pending Job](#)

Manage Contracts

CONTRACT MANAGEMENT

Scheduling Rules

Break Rules

During setup, you create standard types of contracts, such as open-ended, fixed term, and part-time contracts. You link each contract type to a level of the business organization and specify default values for the contract. You can link several types of contracts to the same node level.

Inheritance always occurs from the top down, with one exception: A standard contract linked to a lower level node replaces the properties of the same type of contract linked at a higher level. (The replacement occurs only if you specify values for the contract at the lower level.) For example, if you designed an open-ended contract for a specific region, the regional contract replaces the open-ended corporate contract.

After you import the contract to OWS, you can modify its default values, including the scheduling rules and employee's break details for a work shift.

See:





[Modify a Contract](#)

How To

Modify a Contract

In the Contract Values tab, you can modify the default values of a contract, including the scheduling rules and employee's break details for a work shift.

To modify a contract:

1. On the module bar, click Contracts Values.
2. On the application bar, click  to display the team hierarchy that has the links to the contracts you want to modify.
At each level of the tree, you can click  to display the sublevels.
3. Select the level that contains the contract.
4. On the Scheduling Rules tab or the Break Rules tab, click  to display the list of contracts for that level.
5. Select the contract type you want to modify.
The Scheduling Rules and Break Rules tabs display the contract properties.
6. On the Scheduling Rules and Break Rules tabs, enter missing information in the cells or edit existing information.
To edit a time in hours and minutes (separated by a colon ":"), position the cursor in the hours field and click the arrows to the right of the field. Repeat this step to change the number of minutes.
Red triangles indicate that the value is inherited from the same type of contract that is linked to a node at a higher level of the team hierarchy. When you change the value, the color of the triangle changes to indicate that the local value applies.
Note: Complete all the cells in the table. The application does not enter a default value for the empty cells when you assign the contract to an employee.
7. When you complete the modifications, click  on the application bar to save the new values.
The application modifies the contract based on the values you entered.

See:

[Contract Management](#)

Work with Utilities

UTILITIES OVERVIEW



The Utilities module contains the seven tabs displayed here. OWS uses the data in these tabs to determine forecasts and hour requirements.

Drivers History

From this tab, you can view the data OWS uses to calculate the system forecasts.

Week Type

From this tab, you can assign week types to each calendar week. Week types are a key component in generating the data in the Forecast and Demand steps.

Distribution

This tab displays how forecasts and hour requirements are distributed over a day or week. The data in this tab is directly tied to the data in the Drivers History and Actual Drivers tabs.

Time Window

This tab displays time frames. A time frame is a range of hours that is tied to a week type.

Properties

From this tab, you can modify activity, task, and store parameters.

Driver

This tab displays the actual drivers imported into the OWS application, derived drivers, and the percentage weights applied to actual driver values for the past weeks.

Store Closing

This tab displays the dates on which a store remains closed.

DRIVERS HISTORY

Drivers History	Week Type	Distribution	Time Window	Properties	Driver	Store Closing
------------------------	------------------	---------------------	--------------------	-------------------	---------------	----------------------

The Drivers History tab is located in the Utilities module. From this tab, you can view the data OWS uses to calculate the system forecasts. System forecasts form the basis of the Forecast step.

There are two types of forecasts:

- Those calculated directly by OWS.
- Those calculated by external applications and imported into OWS.

The former type of forecast appears in the Drivers History page, and the latter in the Forecasted Drivers page.

Drivers History

This page shows the data OWS uses to calculate the system forecasts it generates. To calculate the forecasts for a particular week, OWS uses historical data from weeks of the same type (for example, Christmas Week or Summer Week). You determine the number of weeks used for the forecast during the OWS setup.

- Drivers History Daily: Shows driver data for each day. This table displays if your store data allows this level of detail.
- Drivers History Weekly: Shows driver data for each week.

Forecasted Drivers

This page shows the driver forecasts that were generated by external applications and then imported into OWS. These forecasts are called "pre-forecasted" forecasts.

- Drivers Pre-Forecasted Daily: Shows driver data for each day. This table displays if your store data allows this level of detail.
- Drivers Pre-Forecasted Weekly: Shows driver data for each week.

See:

[View Driver History](#)

[View Pre-Forecasted Drivers](#)

WEEK TYPE



The Week Type tab is part of the Utilities module. From this tab, you can assign week types to each calendar week. Week types are a key component in generating the data in the Forecast and Demand steps. The expected "behavior" of a given week is largely dependent on the week type you assign to it.

In some cases, you would use a single week type for multiple drivers, activities, or profiles. For example: You may want to assign a week type called "Peak week" to the sales, transactions, and traffic drivers.

You can assign week types manually or automatically by creating rotations. The method you use depends on the driver, activity, or profile selected. If you are assigning week types manually, just enter the week type for each week. For week types that are based on a rotation, you can define or change the number of weeks and the week types in the rotation.

You can also define a new week type rotation.

See:

[Manage Week Types](#)

DISTRIBUTION

Drivers History	Week Type	Distribution	Time Window	Properties	Driver	Store Closing
-----------------	-----------	---------------------	-------------	------------	--------	---------------

The Distribution tab in the Utilities module displays the daily and weekly distribution profiles. Daily and weekly distribution profiles are based on cyclic profiles. However, to reflect an unpredictable event, you can edit the daily or weekly distribution profiles so that they apply only to a particular day or week.

For example: If the coming Thursday is declared as an emergency holiday and the store will be closed, you can modify the distribution profile values for the previous day (say, from 4 P.M. Wednesday) to indicate increased business. This is because more customers will visit the store on Wednesday to purchase items. The modified profile values impact only the day (Wednesday) for which it is defined. The daily or weekly distribution values impact the way OWS distributes the forecasts, hour requirements, and actual drivers over periods of time.

You can view these daily or weekly exceptions to the cyclic profiles in the Daily Distribution and the Weekly Distribution page.

Daily Distribution


The Dated Daily Profiles table displays all daily profiles for the date selected and their corresponding distribution values for every quarter of an hour. You can edit these values, if required. The changed profile values only applies to the days selected and not the whole profile cycle.

Weekly Distribution

The Dated Weekly Profiles table lists all weekly profiles and their corresponding distribution values for every day of the selected week. You can edit these values, if required. The changed profile values only applies to the days selected and not the whole profile cycle.

Update Distribution Rotation


If you want to change the profile for all days or weeks of the same type, you must use the Update Distribution Rotation link in the Distribution tab.

As the Functional Administrator, you must have created weekly and daily profiles at setup using the OWS Designer application. Profiles are specific to a driver, but in some cases you can use one profile for multiple drivers. Each profile is also tied to a week type. In general, the order of the profiles in the  list follows the order of the week types they are tied to. Viewing the profile values can help you understand how forecasts are distributed. The profiles are also shown in the form of a graph at the bottom of the page.


The Update Distribution Rotation link contains two pages: Daily Distribution and Weekly Distribution. The data in these pages are directly tied to the Drivers History and Actual Drivers tabs.

- Daily Distribution

The Drivers History Daily table (in Drivers History tab) displays the data OWS uses to generate daily forecasts. Since the hour requirements generated in Demand are calculated

for each quarter hour, the daily forecast must be broken down into quarter hours using one of the profiles you select from the  list.

- Weekly Distribution

The Drivers History Weekly table (in the Drivers History tab) displays the data OWS uses to generate weekly forecasts. Since driver forecasts are daily, OWS breaks down the weekly forecast into daily forecasts. This is performed using one of the profiles you select from the  list.

You cannot modify the profile setup, but if necessary, you can edit the profile values provided by the system administrator.

See:

[Actual Drivers](#)

[View Daily and Weekly Distribution Profiles](#)

[Update Distribution Profiles](#)

TIME WINDOW



The Time Window tab is located in the Utilities module. From this tab, you can view and edit time frames (such as, time frames for store hours or morning deliveries).

Time frame values are cyclic. You must link each time frame to a specific week type; though you may use the same time frame for more than one week type.

The Time Window tab contains two pages: Time Window and Update Time Window.

Time Window

This page displays the hours for the selected time frame. From this page, you can make changes to a time frame for a given day.

Update Time Window

From this page, you can edit the hours in the time frame using the cyclic profiles. You can view your saved changes in the Time Window page.

See:

[Delete Exceptional Changes to Time Frames](#)

[Make Exceptional Changes to Time Frames](#)

[Update Time Frame Profiles](#)

[View Time Frames](#)

PROPERTIES

Drivers History	Week Type	Distribution	Time Window	Properties	Driver	Store Closing
-----------------	-----------	--------------	-------------	------------	--------	---------------

The Properties tab is located in the Utilities module. Use this tab to modify the activity, task, and store parameters.

The Properties tab contains three pages: Activity, Task, and Store.

IMPORTANT: In most cases, you should not modify the default parameters. Changing the defaults without a thorough understanding of how these parameters work may result in a weekly schedule that does not meet your actual needs.

Activity

This page displays a number of parameters for each activity. The functional administrator defines the values of these parameters at setup, but if necessary, you can modify them to meet your specific requirements.

To edit an activity parameter, select the appropriate activity:

- **Min Staffing and Max Staffing:** Sets the minimum and maximum number of people you can schedule at a given time for the selected activity.
- **For example:** If your store has five cash registers, you can specify a minimum of one cashier per shift and a maximum of five.
- **Min Duration:** Defines the minimum amount of time you can schedule an employee for the selected activity.
- **Activity Priority:** Determines the priority level of each activity. Use this parameter if employee constraints prevent OWS from scheduling employees to all the activities required for the week. In this case, activities with the highest priority would have a greater chance of being covered than activities with a lower priority. 100 is the highest priority; 0 is the lowest priority.
- **Hourly Cost:** Calculates the cost per activity to adjust the demand cost relative to the labor cost. You enter the additional amount the application should use when determining the workload cost for the activity.

Task

This page displays several task parameters. Tasks are components of each activity. The functional administrator defines the values of these task parameters at setup, but you can edit them.

To edit a value, choose a task and select the appropriate cell. You can select one task at a time, or all the tasks combined. If you select all the tasks, use the horizontal scroll bar to view tasks that are not on-screen.

Note: If you want to have the option of reusing the default values, write the default values down before modifying them. If you did not record the default values and wish to recover them, contact your system administrator.

- **Compression Factor:** In the Demand step, if the total number of hours in a Demand Hours cell exceeds the Budget for a given day, clicking Update Demand recalculates or "compresses" the hours so that each daily total does not exceed the assigned budget for that day. However, OWS does not compress all tasks

proportionally. The compression factor defines the maximum level that the hours for a given task can be compressed. (Special Fixed Activities and fixed activities are not adjusted based on compression factors.)

For example: A compression factor of 70% means that no more than 30% of the hours initially required for the task can be compressed. In this instance, a requirement of 100 hours cannot be compressed to less than 70 hours. A compression factor of 100% means the task cannot be compressed at all.

- **Expansion Factor:** In the Demand step, if the total number of hours in a Demand Hours cell falls below the Budget for a given day, clicking Update Demand recalculates or "expands" the hours so that each daily total reaches the assigned budget for that day. However, OWS does not expand all tasks proportionally. The expansion factor defines the maximum level that the hours for a given task can be expanded. (Special Fixed Activities and fixed activities are not adjusted based on expansion factors.)

For example: An expansion factor of 20% means that 20% of the hours initially required for the task can be expanded. In this instance, a requirement of 100 hours can be expanded by 20 hours. An expansion factor of 0% means the task cannot be expanded at all.

- **Mix Percent:** You can break a task into several activities. Through the Mix Percent parameter, you can control the way this breakdown occurs. Mix Percents range from 0 to 1. A value of 1 is equivalent to 100%. A value of less than 1 means that OWS translates the task into activities at a rate below that of the labor standard for that task. Using Mix Percent, you can adjust how OWS applies the labor standard without actually modifying the standard itself.
- **Labor Standard Parameters:** Each task has a specific labor standard. The Labor Properties table shows the labor standard parameters OWS uses for each task. An empty cell means the parameter in question is not used for that task. From this table, you can modify the labor standard parameters for each task.

Store

This page displays a number of parameters that are specific to your store. The functional administrator usually determines these values during setup, but you can edit them.

- **Store Property:** Store properties represent "physical" characteristics specific to a store. Store parameters are generally constant. They are not greatly affected by factors such as business levels or week types. The Store Property drivers use the store parameters in the Forecast step. An example of a store parameter is the surface area of a store. More than any business factor, it is the surface area that affects how many hours it takes to clean the store.

If your budget is based on labor costs, included in the store properties parameters is the ability to change the percentage used by the application in the demand budget as a basis for calculating the workload costs.

You can state store parameters using numeric values or boolean values (Yes/No). This parameter provides two separate grids for each of the two types.

- **Additional Hours:** Additional Hours are extra hours that are granted (typically by an administrator, district manager, or other corporate role) in addition to the store budget defined in the Demand Summary. OWS does not include Additional Hours

when generating the schedule. The store manager specifies them manually, generally after optimization.

- Productivity Fatigue and Delay (PFD): The Productivity Fatigue and Delay factor is an allowance for fatigue and reduced performance that can occur over time when performing certain physical activities. The PFD factor increases the number of hours that would normally be scheduled.

A PFD factor can apply to the entire store, or it can be department-specific. PFD factors do not affect Special Fixed Activities.

For example: Unloading 1000 items from a truck may typically take 2 hours.

However, it might take 2.5 hours if the store has a damaged freight elevator (PFD greater than 1).

See:

[Edit Task Parameters](#)

[Edit Store Parameters](#)

[Edit Activity Parameters](#)

[Utilities Overview](#)

DRIVER



The Driver tab is located in the Utilities module. Use this tab to:

- View actual drivers
- View and modify derived drivers
- Change the percentage weights applied to previous weeks that the application uses to calculate the current forecast

Actual Daily Driver

This page displays actual drivers. Actual drivers are the real values of drivers recorded by the store and imported the following day or at the end of the week.

For example: You may forecast a day's sales to be \$1000; however, the actual sales may have been \$1300. The forecast value is 1000, and the actual value is 1300.

The application uses actual drivers to calculate the Earned Hours data, which displays on the Dashboard.

Actual Daily Driver: Shows actual driver data per day. This table is only available if your store data allows this level of detail (defined by your administrator during setup).

Actual Weekly Driver. Displays the imported actual driver data. To translate it into the Earned Hours data, the application automatically breaks down the weekly data into daily data based on distribution profiles.

Derived Driver

This page displays derived drivers. In some cases, the functional administrator may determine that a driver needs to be calculated based on another driver. Drivers calculated in this way are called derived drivers.

The application calculates a derived driver by multiplying or dividing the value of the driver on which it is based by a coefficient. From this page, you can view or edit the coefficient.

Recent Weeks Weight

This page displays the percentage weights assigned to a driver's actual value for the past weeks. The number of weeks and the percentage applied to each week depend on the information entered during setup. The application calculates the values for those weeks using the percentage weights, and derives an average that it uses to calculate the forecast values for the current week.

You can change the weight percentages that apply to the driver values. For example, you might adjust the percentages for the sales driver to increase the percentage based on last week's actual sales for the forecast calculations. These percentage weights are not dated, so all forecasted weeks apply these percentages to the driver calculations.

See:

[Distribution](#)

[Utilities Overview](#)

[Edit Derived Drivers](#)

STORE CLOSING

Drivers History	Week Type	Distribution	Time Window	Properties	Driver	Store Closing
-----------------	-----------	--------------	-------------	------------	--------	---------------

The Store Closing tab is located in the Utilities module. You can use this tab to define the dates on which a store will remain closed for business and also specify the impact on the drivers, activities, and employees of the store. On these dates, OWS calculates the forecasts and the driver values, and sets the demand for not-enabled activities to zero.

You can express the impact of the store closure as a percentage. Impacts can be positive or negative. For instance, a back-to-school event would have a positive impact, indicating increased business. However, if a store is being renovated, the impact value would probably be negative. OWS uses this percentage to automatically calculate the impact on the affected drivers. Store managers can modify the values manually for each day and each affected driver, if necessary.

Additionally, you can select the activities that have to be performed and the employees who may be required to work on the day the store is closed.

Store Closing Impact

The impact of the store closing is measured in percentages. OWS uses this value to automatically calculate the impact on the drivers.

Drivers Impact

The Drivers Impact refers to the drivers that are impacted due to the store closing.

Enabled Activities

Enabled Activities are those activities that have to be performed on the days the store is closed for business. Examples of activities include opening of the store by authorized employees (key holders) and maintenance of perishable food items such as meat and fish.

OWS calculates the hour requirements in the Demand step only for those activities that you select in this table.

Enabled Employees

Enabled Employees are those who may be required to work on the day the store is closed. For example: You may close a store to conduct an inventory and so need some employees for this activity.

OWS creates schedules only for the employees whom you select in the Enabled Employees table, for the day the store is closed.

See:

[Close a Store for a Specific Day](#)

[Utilities Overview](#)

How To

View Driver History

From the Drivers History tab, you can view the data OWS uses to calculate the system forecasts.

To view driver history:

1. Open the Drivers History page:
Utilities > Drivers History tab > Drivers History
2. Select a date in the application bar.
The Drivers History Weekly table appears at the bottom of the page. The Drivers History Daily table may also appear, depending on the level of detail of your store data system.

See:

[Drivers History](#)

[View Pre-Forecasted Drivers](#)

View Pre-Forecasted Drivers

From the Drivers History tab, you can view the driver forecasts generated by external applications and imported directly into OWS.

To view a pre-forecasted driver forecast:

1. Open the Forecasted Drivers page:
Utilities > Drivers History tab > Forecasted Drivers
2. Select a date in the application bar.
The Driver Pre-Forecasted Weekly table appears at the bottom of the page. The Driver Pre-Forecasted Daily table may also appear, depending on the level of detail of the store data system.

See:


[Drivers History](#)

[View Driver History](#)

Manage Week Types

You can assign week types to week models manually or automatically using rotations. The method you use depends on the week model you select. You can edit existing week type rotations or create new ones.


To assign week types:

1. Click the Week Type tab:
Utilities > Week Type tab
2. Click  to select a week model.
If the Update Type Rotation link appears at the bottom of the page, then OWS assigns the selected week model to the week types (based on a cyclic rotation).


If no link appears at the bottom of the page, you can manually edit the week types.
3. Select a week type from the Week Type table to assign it to a week.

To edit a week type rotation:



The Update Week Type Rotation link appears at the bottom of the page.

1. Click Update Week Type Rotation.
The Rotations page opens, listing all the rotations for the week model.
 - To change the number of weeks in the rotation, click directly in the Number of Weeks field and change the number.
 - To erase a rotation, click To delete on the line of that rotation.
2. Click Next.
The Rotation Description page opens. There is a line for each week in the current rotation.
Note: If you are erasing a rotation, the Rotation Assignment page displays. Proceed to Step 6.
3. Using the list in the first line, change the week type for the first week in the rotation.
4. Repeat step 3 for each week in the rotation.
5. Click Next.
If there are several rotations, the next rotation is displayed. Edit the rotation and click Next.
If you have finished editing all the rotations, the Rotation Assignment page appears.
6. If you are defining a new week type rotation, click  and select a range from the dialog box. Else, proceed to step 7.
7. To choose which week the rotation starts on, select the rotation type from the list and enter a value in Offset.
A value of 1 means the rotation starts on week 1, a value of 2 that the rotation starts on week 2, and so on.
8. Click Finish to confirm your changes.

To assign a week type manually:

1. In the Week Type table, enter a week type for each week displayed.
2. On the application bar, click  to save your changes.

To define a new week type rotation:

1. Click the Week Type tab:
Utilities > Week Type
2. Click  to select a week model.
3. Click Update Week Type Rotation.
The Rotations page opens, listing all the existing rotations for the week model.
4. Click  .
A new line appears at the bottom of the table.
5. Enter the name of the new rotation.
6. Enter the number of weeks to be included in the new rotation.
7. Click Next.
8. Proceed as when editing a rotation as described in the procedure above To Edit a Week Type Rotation.

See

[Week Type](#)

View Distribution Profiles

Viewing the daily and weekly distribution profiles helps you understand how OWS breaks down the daily and weekly forecasts into hours and days.

To view a daily distribution profile:

1. Open the Daily Distribution page:
Utilities > Distribution tab > Daily Distribution
2. View distribution profile values for every quarter hour of the day in the Dated Daily Profiles table.
Note: Use the horizontal scroll bar below the table to view the values that are outside the area of your page.
Percentages are expressed as a fraction of 1. For example, 0.01 means 1%.

To view a weekly distribution profile:

1. Open the Weekly Distribution page:
Utilities > Distribution tab > Weekly Distribution
2. View distribution profile values for every day of the week in the Dated Weekly Profiles table.
Percentages are expressed as a fraction of 1. For example, 0.10 means 10%.

See:

[Distribution](#)

[Utilities Overview](#)


[Update Distribution Profiles](#)

Make a Daily or Weekly Exception to the Distribution Profile


From the Daily or Weekly Distribution page, you can make exceptional changes to distribution profiles. Distribution profiles are based on cyclic profiles. This procedure overrides the values generated by the cyclic profiles.

The new value only applies to the day or week you specify.

To make a daily exception to a cyclic profile:

1. Open the Daily Distribution page:
Utilities > Distribution tab > Daily Distribution
2. Select the appropriate cell in the Dated Daily Profiles table and change its value.
Note: This value applies only to the quarter hour of the day that you specify.
3. On the application bar, click  to save your changes.

To make a weekly exception to a cyclic profile:

1. Open the Weekly Distribution page:
Utilities > Distribution tab > Weekly Distribution
2. Select the appropriate cell in the Dated Weekly Profiles table and change its value.
Note: This value applies only to the day that you specify.
3. On the application bar, click  to save your changes.

See:

Utilities Overview

[Update Distribution Profiles](#)

[Distribution](#)

Update Distribution Profiles

From the Daily or Weekly Distribution screen, you can update distribution profiles. Daily and weekly distribution profiles are based on cyclic profiles.



Updating a daily distribution profile consists of changing the profile for all days of the same week type. Likewise, updating a weekly distribution profile consists of changing the profile for all weeks of the same week type.

[To update a daily distribution profile](#)

[To update a weekly distribution profile](#)



To update a daily distribution profile:



1. Click Update Distribution Rotation.
Utilities > Distribution tab
2. Click  to select a daily profile.
3. Select a cell in the Daily Profiles table to change the percentage for that quarter hour.
Repeat this step for each cell you want to edit.
Use the horizontal scroll bar below the table to view quarter hours that are outside the area of your page.
4. On the application bar, click  to save your changes.

To update a weekly distribution profile:



1. Click Update Distribution Rotation:
Utilities > Distribution tab > Weekly Distribution
2. Click  to select a weekly profile.
3. Select a cell in the Weekly Profiles table to change the percentage for that day.
Repeat this step for each cell you want to edit.
4. On the application bar, click  to save your changes.

See:

[Distribution](#)


[Utilities Overview](#)

[Make a Daily or Weekly Exception to the Distribution Profile](#)

View Time Frames

From the Time Window screen, you can view the time frame values. You must link each time frame to a specific week type; though you may use the same time frame for more than one week type.

To view a time frame:

1. Open the Time Window page:
Utilities > Time Window tab > Time Window
2. Click  to select a time frame.
The hours for the selected time frame appear in the Time Window table.

See:

[Delete Exceptional Changes to Time Frames](#)

[Distribution](#)

[Make Exceptional Changes to Time Frames](#)

[Time Window](#)



[Update Time Frame Profiles](#)

[Utilities Overview](#)

Make Exceptional Changes to Time Frames

From the Time Window page, you can make exceptional changes to time frames. Time frames are based on cyclic profiles. This procedure overrides the values generated by these cyclic profiles. The new value only applies to the day you specified.

To make an exceptional change to a time frame:

1. Open the Time Window page:
Utilities > Time Window tab > Time Window
2. Click  to select a time frame.
The hours for the selected time frame appear in the Time Window table.
3. Double-click the appropriate cell in the Time Window table to change its value.
The Oracle - Workforce Scheduling Web Page Dialog box displays.
4. Change the start and the end time and click Update.
5. Click OK.
The change is shown in the Time Window table.
6. On the application bar, click  to save your changes.

See:

[Delete Exceptional Changes to Time Frames](#)

[Distribution](#)

[Time Window](#)

[Update Time Frame Profiles](#)




[Utilities Overview](#)

[View Time Frames](#)

Delete Exceptional Changes to Time Frames

The Time Window page enables you to make exceptional changes to time frames. You can also delete exceptional changes.

To delete an exceptional change to a time frame:

1. Open the Time Window page:
Utilities > Time Window tab > Time Window
2. Click  to select a time frame.
The hours for the selected time frame appear in the Time Window table.
3. Double-click the cell of the exceptional change that you want to delete.
4. In the OWS - Web Page Dialog box, click  on the line of the exceptional change you want to delete.
5. Click OK.
The change is shown in the Time Window table.
6. On the application bar, click  to save your changes.

See:

[Distribution](#)

[Make Exceptional Changes to Time Frames](#)

[Time Window](#)


[Utilities Overview](#)

[View Time Frames](#)

Update Time Frame Profiles

The Update Time Window page enables you to update time frame profiles. The changes you make to the time frame profiles are cyclic.

To update a time frame profile:

1. Open the Update Time Window page:
Utilities > Time Window tab > Update Time Window
2. Select a week type.
3. Edit the Start and End hours.
If there are no hours for a given day of the week, select the check box for that day.
4. On the application bar, click  to save your changes.

The Time Window screen updates.

See:

[Delete Exceptional Changes to Time Frames](#)

[Distribution](#)

[Make Exceptional Changes to Time Frames](#)

[Time Window](#)

[Utilities Overview](#)

[View Time Frames](#)

Edit Activity Parameters

From the Properties tab, you can edit the values of the parameters of each activity.


You can edit each parameter for a specific activity and a specific day. You can also edit the cyclic values of activity parameters.

[To edit an activity parameter for a specific day](#)

[To edit an activity parameter cycle](#)

To edit an activity parameter for a specific day:






1. Open the Activity page:
Utilities > Properties tab > Activity
2. Click  to select an activity.
3. Click the cell of the appropriate date, and modify the parameter.
 - A blue triangle indicates an unmodified cyclic value in the daily table.
 - A red triangle indicates a modified cyclic value in the daily table.

Note: Any values you edit in this page override the cyclic values, even if you change the cyclic value afterwards.

4. On the application bar, click  to save your changes.

To edit an activity parameter cycle:



1. Open the Activity page:
Utilities > Properties tab > Activity
2. Click  to select an activity.
3. Click Update Activity Properties.
4. Click  to select the same activity .
The list displays the available parameters for the activity. You can also click the activity parameter directly if you just want to display one parameter.
5. Click the cell of the activity parameter you want to modify, and enter a new value.
For Min Staffing, you can enter a different cyclic value for each day of the week. For all other parameters, the value entered applies to all the days of the week.
Important: Any values you edit in the daily activity page override the cyclic values, even if you change the cyclic value afterwards.
6. On the application bar, click  to save your changes.
7. Click Back at the bottom of the page to return to the Activity page.

See:



[Properties](#)

[Utilities Overview](#)

Edit Task Parameters

From the Properties tab, you can edit task parameters. You can edit each parameter for a specific activity.

To edit a task parameter:

1. Open the Task page:
Utilities > Properties tab > Task
2. Click  to select a task.
3. Click the appropriate cell to modify the parameter.
4. On the application bar, click  to save your changes.

See:

[Properties](#)



Utilities Overview

Edit Store Parameters

From the Properties tab, you can edit the values of store parameters. There are three types of store parameters:

- Store properties: "Physical" parameters that are specific to a store.
- Additional hours: Extra hours that you can grant in addition to the store budget.
- Productivity Fatigue and Delay (PFD): Allowance for reduced performance that occurs when performing certain physical activities.

To edit a store parameter:

1. Open the Store page:
Utilities > Properties tab > Store
2. Select the parameter you want to edit and enter a value.
Note: PFDs may be available for the entire store or for specific departments. Click  on the application bar to select the store or department. To apply a PFD factor of 5%, enter a value of 1.05.
A value of 1 is equivalent to no PFD factor. PFD factors do not affect Special Fixed Activities.
3. Repeat for all the parameters you want to edit.
4. On the application bar, click  to save your changes.

See:



[Properties](#)

Utilities Overview

Edit Derived Drivers

From the Derived Driver table, you can view and edit the coefficients of derived drivers. Derived drivers are drivers whose values OWS calculates based on other drivers.

To edit a derived driver:

1. Open the Driver page:
Utilities > Properties tab > Driver
2. Click  to select a Derived Driver.
3. Click the cell to modify the coefficient.
4. On the application bar, click  to save your changes.

See:

[Properties](#)

Utilities Overview

Editing Weekly Percentage Weights


From the Driver tab, you can view the percentages applied to the forecast across the most recent weeks. This page displays the percentage weights assigned to a driver's actual value for the past weeks. The number of weeks and the percentage applied to each week depend on the information entered during setup. The application calculates the values for those weeks using the percentage weights, and derives an average that it uses to calculate the forecast values for the current week.

You can change the weight percentages that apply to the driver values. For example, you might adjust the percentages for the sales driver to increase the percentage based on last week's actual sales for the forecast calculations. These percentage weights are not dated, so all forecasted weeks apply these percentages to the driver calculations.

To edit weekly percentage weights:

1. Open the Recent Weeks Weight page:

Utilities > Driver tab > Recent Weeks Weight page

2. Click  and select a driver.
3. Select the cell to modify the percentage weight.

In the left column of the table, 0 represents last week's weight, 1 represents two weeks ago, and so on. Enter in the adjacent cell the percentage weight to apply for that week.

4. On the application bar, click  to save your changes.

See:

[Utilities Overview](#)


[Driver](#)

Close a Store for a Specific Date

From the Store Closing tab, you can select the days on which the store will remain closed for business. You can express the impact of the store closure as a percentage.

Additionally, you can select the activities that have to be performed and the employees who may be required to work on the day the store is closed.

To close a store on a specific day:

1. Click the Store Closing tab:
Utilities > Store Closing
2. Select a date in the application bar.
The Store Closing table displays the corresponding date.
3. Double-click in the appropriate cell to close the store on that day.
4. Enter the impact of the store closing in percentage, in the appropriate cell of the table.
OWS uses this value to automatically calculate the impact on the drivers.
Note: If required, you can edit the percentage of impact on the drivers.
5. Click the Enabled Activities tab.
6. Double-click in the appropriate cell to select the activity that has to be performed on the day.
7. Click the Enabled Employees tab.
8. Double-click in the appropriate cell to select the employee who will work on the day.
9. On the application bar, click  to save your changes.

See:

[Store Closing](#)

[Utilities Overview](#)

Define Events

EVENTS MANAGEMENT

A global event is a special event that has an impact on certain drivers. Special promotions, clearance sales, and holidays are examples of global events.

During the configuration process, you can define global events and assign these to levels of the organization and determine their impact on drivers such as sales.

Using the Events Management tab in the OWS application, you can similarly:

- Define a complete list of global events at a particular node in the organizational hierarchy.
- Determine the drivers affected by the event.
- Assign a level of impact as a percent amount.
- Specify the duration of the event as a single day or period of days.

After you define an event, you can assign it to a specific store.

See:

[Define and Assign a Global Event](#)

[Edit a Global Event](#)

[Delete a Global Event](#)

How To




Define and Assign Global Events

Using the OWS application, you can define a complete list of global events. Clearance sales, special promotions, and holidays are examples of global events.

You can define a global event for a particular node in the organization hierarchy. All the stores below this node inherit this event. When you define the global event, you can assign it to any store within the hierarchy, determine the drivers affected by the event, assign a level of impact of the driver as a percent amount, and specify the duration (in days) of the driver impact.

For example: If you want to define a Summer Discount Sales for a number of stores simultaneously both at the district and the store level, then you can define the event at the appropriate node. All the stores below this level inherit this event for the specified duration.

To define a global event:



1. On the module bar, click Events.
2. On the application bar, select the appropriate business organization level.
Note: All the stores below this level inherit the event that you define.
3. On the Events Management tab, click Search.
The application displays the list of events that you defined previously.
4. Click  to display the Event Definition wizard.
5. Enter a name for the event.
6. In the Drivers List, select a driver that the event impacts.
7. To select a second driver, click  to add another row.
8. Select a driver from the list.
Continue to repeat this step until you have selected all the drivers impacted by the event.
9. Click Next.
The Day Impact List dialog box appears.
The name of the driver appears at the top of the page.
10. Enter the level of impact as a percentage.
Note: An impact is a positive or negative percentage of an existing driver forecast. A positive impact increases the driver forecast; a negative impact reduces the driver forecast. For example, an impact value of 8 for a Clearance Sales Event increases the sales for the day the event occurs by 8%.
11. To create an impact cycle over several days, click  to add more days.
Day 0 represents the first day of the cycle, Day 1 the second day, Day 2 the third day, and so on. You can add as many days to the cycle as you want.
12. Enter the level of impact as a percent amount for each day.
13. If you defined more than one driver, click Next to display the Day Impact List for the next driver. Enter the percentage for this driver, and if necessary, add more days to the cycle, following the instructions in the previous steps.

14. Click Next for the last driver.
The application displays a summary that shows the impact values for each driver.
15. Click Finish to return to the Events Management tab.
16. Click Search to view the defined event.

To assign a global event to a specific store:

1. On the module bar, click navigate to the Hierarchy Event tab. Depending on the role assigned to your login:
 - Click Events, and click Hierarchy Event
 - Click Weekly Process, click Forecast step, and click Hierarchy Event

The Events List displays the list of events you can declare.

2. On the application bar, select the appropriate business organization level to which you want to assign the event.
3. In the History table, click 
The Create a Range window opens.
4. Enter the start and end dates.
You can select infinity or enter a date range. The end date represents the day after the event ends.
5. Click OK to close the dialog box.
A new line is added to the History table.
6. On this new line, select an event name from the list.
7. In the application bar, click  to save your changes.

See:

[Events Management](#)





[Edit a Global Event](#)

[Delete a Global Event](#)

Edit a Global Event

You can edit the drivers assigned to the global event, change the level of impact of the driver (the percent amount), and the duration of the driver impact (in days).

To edit a global event:

1. On the module bar, click Events.
2. On the Events Management tab, click Search.
The Events List displays the list of events previously defined.
3. Click Edit for the event you want to modify.
The Event wizard opens.
 - To add a driver, click  and select a driver from the drop down list. Repeat this step for each driver.
 - To remove a driver, click 
4. Click Next.
 - To change the impact value for a day, enter a different percentage.
 - To add days to the cycle, click  for each new day.
 - To remove days from the cycle, click 
5. Click Next, and repeat the above step for each driver impact you want to edit.
6. Click Next for the last driver.
The application displays a summary of the impact values for each driver you changed.
7. Click Finish to return to the Events Management tab.

See:

[Events Management](#)



[Define a Global Event](#)

[Delete a Global Event](#)

Delete a Global Event

You can delete unwanted global events using the Events Management tab.

To delete a global event:

1. In the module bar, click Events.
2. In the Events Management tab, click Search.
The Events List table displays the list of events previously defined.
3. Click  for each event you want to delete.
4. On the application bar, click  to save your changes.

See:

[Events Management](#)

[Define a Global Event](#)

[Edit a Global Event](#)





Manage Employee Assignments

ASSIGN EMPLOYEES TO OTHER STORES

Assignment Management

You can change the store assignment for an employee.

To assign an employee to another store:

1. On the administrator's home page, click Assignments.
2. On the application bar, click  to select a Team.
3. Select an employee from the Select Employee list.
If you do not know the employee's name, enter a search criterion in the Employee Filtered Search table and click Search.
The application displays a list of employees matching the search criteria.
The application also displays the person's assignment history.
4. To reassign the employee, create a new row and click  to set the Start and End Dates for the new assignment.
5. Click Ok.
The application starts a new row for the new assignment and enters an end date for the current assignment.
6. Click  to select the team for the person's new assignment.
The application lists the person's new assignment.
7. Click  to save your changes.

Job Scheduler

JOB SCHEDULER OVERVIEW

Export Schedule	Export KPIs	Calculations
---------------------------------	-----------------------------	------------------------------

The Job Scheduler module gives you control over scheduling jobs through the following pages:

- **Export Schedule:** Exports workforce schedules to other applications, such as Human Resources, Time and Labor, and Time and Attendance.
- **Export KPIs:** Exports workforce key performance indicators (KPIs) format to other applications. You can create an extract of daily or weekly KPIs.
- **Calculations:** Processes jobs in batches. To coordinate results, you could schedule the batch jobs for all stores. For example, you might run the weekly process updates on the same day for each store within the district so that managers can more easily coordinate resources.

The application generates an XML file at the path specified during the configuration of the Integration Server, using the OWS Admin application.

Job Scheduler

The Job Scheduler window is common to all three pages. It captures information about when a job runs, how often, and what period the job covers for the selected business or team node. Each page contains additional information that you complete after supplying the schedule details. For example, on the Calculations page, you select which batch process you want to run, and on the Export KPIs page which KPIs to export.

The following scenarios describe how to complete the Schedule, Run Job, and Period Covered parameters to solve typical scheduling demands.

Scenario 1

Requirement: Schedule a job to run every Monday for two months to export the previous week's schedule.

Scenario	Schedule		Run Job			Period Covered			Export Schedule
	Start Date	End Date (excluded)	Frequency	Job Day	Export Time	Begins	Number	Interval	Type
Current Date: Monday June 2									
Starting this week, export the schedule on Monday	June 2	August 4	Weekly	Monday	12:00 PM	Before	1	Week	Business

for the previous week. Continue for the next 2 months									
---	--	--	--	--	--	--	--	--	--

Scenario 2

Requirement: Run a job today to generate the weekly KPI reports for this week and the last two weeks.

Scenario	Schedule		Run Job			Period Covered		
	Start Date	End Date (excluded)	Frequency	Job Day	Export Time	Begins	Number	Interval
Current Date: Monday June 2								
Export the KPIs from the last 2 weeks, including the KPIs for this week	May 26	June 9		Now		Job Start Date		

Scenario 3

Requirement: Set up two jobs, one to run the forecast batch process for the current week, the other to run the forecast batch process for the following week. Note: For each process you enter the same Start Date and End Date for the three week period, but you produce different results based on the criteria entered for Period Covered:

- Job Start Date updates the forecast for the current week, producing forecast updates for June 2, June 9, and June 16
- After 1 Week updates the forecast for the following week, producing forecast updates for June 9, June 16, and June 23

Scenario	Schedule		Run Job			Period Covered			Calculations
	Start Date	End Date (excluded)	Frequency	Job Day	Export Time	Begins	Number	Interval	Type
Current									

Date: Monday June 2									
Each Monday run the forecast batch process for the current week. Continue for the next 3 weeks.	June 2	June 23	Weekly	Monday		Job Start Date			Forecast Batch
Each Monday run the forecast batch process for the following week. Continue for the next 3 weeks.	June 2	June 23	Weekly	Monday		After	1	Week	Forecast Batch

Job Management

After you initiate jobs using the Job Scheduler, you can use the Job Management module to view the status of jobs, update the priority and start dates of pending jobs, and cancel jobs from the queue.

See:

[Job Management](#)

How To

Export a Workforce Schedule





Use the Export Schedule page to export workforce schedules to other applications, such as Human Resources, Time and Labor, and Time and Attendance. The application generates an XML file at the path specified during the configuration of the Integration Server, using the OWS Admin application.

To export a workforce schedule:

1. On the application bar, select the level of hierarchy for which you want to schedule the job.
2. Open the Export Schedule page:
Job Scheduler > Export Schedule
3. In the Schedule window, enter Start Date and End Dates to specify the period of time during the job runs.
4. In the Run Job window, select a Frequency.

The application runs the job based on the frequency throughout the period defined in the Schedule window. For example: If the scheduled dates cover a 2 month period, and you select Weekly, the application exports eight schedules.

5. Select the Job Day (the day on which the job runs) and enter a Job Time. The frequency determines the choices:
 - Monthly frequency:
 - Select a number for the day of the month on which to export the schedule.
 - Select Now to start the job immediately. If you select Now, the application uses the current time for the remaining jobs. The time format depends on the language specified during setup.
 - Weekly frequency:
 - Select the day of the week on which to export the schedule. You define the first day of the week during setup.
 - Select Now to start the job immediately. If you select Now, the application uses the current time for the remaining jobs. The time format depends on the language specified during setup.
 - Daily frequency:
 - Select none (blank) to have the application run the job at the Job Time.
 - Select Now to start the job immediately. If you select Now, the application uses the current time for the remaining jobs. The time format depends on the language specified during setup.
5. Enter a Job Time.

6. In the Export Schedule Type, select:
 - Business: Exports the schedules of all employees who perform at least one activity in the organization level you selected from the  list (application bar).
 - Team: Exports the schedules of all employees in the team you selected in the  list (application bar).

6. Click Create Job.

The application runs the job. You can use the Job Management module to view the status of jobs, update the priority and start dates of pending jobs, and cancel jobs from the queue.

See:

[Job Scheduler Overview](#)

[Job Management](#)

Export Key Performance Indicators



Use the Export KPIs page to export workforce key performance indicators (KPIs) to other applications, such as Human Resources, Time and Labor, and Time and Attendance. You can create an extract of daily or weekly KPIs, such as a weekly summary of the KPIs for all the stores in a given region. The application generates an XML file at the path specified during the configuration of the Integration Server, using the OWS Admin application.

Depending on the type of report you want to generate, you can specify the:

- Level of the hierarchy.
- Type of report.
- Date range the report covers.
- Number of KPIs included in the report.
- Scope of report (daily or weekly).

To export workforce KPIs:

1. On the application bar, select the level of hierarchy for which you want to schedule the job.
2. Open the Export Schedule page:
Job Scheduler > Export KPIs
3. In the Schedule window, enter Start and End Dates to specify the period that you want the extract to cover.
4. In the Run Job window, select a Frequency.

The application runs the job based on the frequency throughout the period defined in the Schedule window.

5. Select the Job Day (the day on which the job runs), and enter a Job Time. The frequency determines the choices:
 - Monthly frequency:
 - Select a number for the day of the month on which to export the KPIs.
 - Select Now to start the job immediately. If you select Now, the application uses the current time for the remaining jobs. The time format depends on the language specified during setup.
 - Weekly frequency:
 - Select the day of the week on which to export the KPIs. You define the first day of the week during setup.
 - Select Now to start the job immediately. If you select Now, the application uses the current time for the remaining jobs. The time format depends on the language specified during setup.
 - Daily frequency:

- Select none (blank) to have the application run the job at the Job Time.
 - Select Now to start the job immediately. If you select Now, the application uses the current time for the remaining jobs. The time format depends on the language specified during setup.
5. Enter a Job Time.
 6. Select a Type:
 - Summary extract: Exports data for the node that you selected in the hierarchy.
 - Distribution extract: Exports data for the node that you selected in the hierarchy and for any of the nodes that fall below it.
 - Detail Extract: Exports data for the node that you selected from the Level BU or Level Team list. (The items that appear on the Level BU and Level Team list depend on the node you selected for the hierarchy.)
 7. Select a Granularity:
 0. Click Day to obtain KPIs for each day during the specified period
 1. Click Week for each week that falls within the period
 8. Select the KPIs to export:
 0. Click All to export the entire list of available KPIs
 1. Click Custom to export selected KPIs. Select a KPI from the list of available KPIs. Click Add to include it in the list of KPIs to export. Repeat this step for each KPI you want to export.

If you change your mind, you can select a KPI from your customized list and click Remove.
 5. Click Create Job to export the KPI report.

The application runs the job. You can use the Job Management module to view the status of jobs, update the priority and start dates of pending jobs, and cancel jobs from the queue.

See:

[Job Scheduler Overview](#)

[Job Management](#)

Schedule a Batch Process



Use the Calculations page to coordinate and update information for the stores grouped under the selected node of the business hierarchy:

- **Forecast:** Creates a job for the Update Forecast process for each store grouped under the same organization node of your business hierarchy. Store managers can then view the results of these updates.
- **Demand:** Creates a job for the Update Forecast and Update Demand process for each store grouped under the same organization node of your business hierarchy. Store managers can then view the results of these updates.
- **Check:** Creates a job for the for the Update Forecast, Update Demand process, and Pre-Schedule Check process for each store grouped under the same organization node of your business hierarchy. Store managers can then view the results of these schedule checks.
- **Weekly Process Batch:** Creates a job for the Update Forecast, Update Demand, Create Schedule (includes the Pre-Schedule Check), and Update KPIs weekly processes for each store grouped under the same organization node of your business hierarchy. Store managers can then view the results of these weekly processes.
- **Earned Hours Batch:** Updates the earned hours, actual hours, and the corresponding hours efficiency ratio. The amounts cover the period from the first day of the week to the day selected in the calendar.

The application generates an XML file at the path specified during the configuration of the Integration Server, using the OWS Admin application.

To schedule a batch process:

1. On the application bar, select the level of hierarchy for which you want to schedule the job.
2. Open the Calculations page:
Job Scheduler > Calculations
3. In the Schedule window, enter Start and End Dates to specify the period of time during the job runs.
4. In the Run Job window, the Frequency is weekly. The application runs the job based on the weekly frequency throughout the period defined in the Schedule window.
5. Select a Job Day, the day on which the application runs the job:
 - Select the day of the week on which you want to run the batch process. You define the first day of the week during setup.
 - Select Now to start the job immediately. If you select Now, the application uses the current time for the remaining jobs. (The time format depends on the language specified during setup.)

5. Enter a Job Time.
6. In the Calculation Type, select the batch process you want to run: Forecast Batch, Demand Batch, check Batch, Weekly Process Batch, Earned Hours Batch.
7. Click Create Job.

The application runs the job. You can use the Job Management module to view the status of jobs, update the priority and start dates of pending jobs, and cancel jobs from the queue.

See:

[Job Scheduler Overview](#)

[Job Management](#)

Glossary

A

Activity: In the schedule, employees are assigned to activities for which they are qualified. An employee may be assigned to several activities in the same day.

Actual drivers: Actual drivers are the real values of drivers recorded by the store system and imported into OWS the following day or at the end of the week. For example: You may forecast a day's sales to be \$1000; however, the actual sales may have been \$1300. The forecast value is 1000, and the actual value is 1300. OWS uses actual values in the earned hours calculation.

Alert: Warns you if your data is inconsistent, or if your workforce cannot meet your work requirements. Some alerts are for information purposes only, while others require you to address the problem before proceeding further. Alerts contain information to help you locate the problem.

B

Budget: Global store target, established at corporate level. In the Forecast step, the budget is in dollars. In the Demand step, the budget is in hours.

C

Cap: The total amount of time that all employees are assigned to a given special fixed activity can be capped. Caps can be daily, weekly, or both.

Check step: The third step in the weekly process. Allows you to run a preliminary check to identify potential scheduling problems, to solve the problems, and to submit your schedule optimization request.

Core activity: A core activity is a responsibility that may be called upon, such as first-aid assistant or key holder. It is not a real activity in that it does not appear in the weekly schedule. Employees are never assigned to just a core activity. They are always assigned to an activity (see Activity).

Core coverage: The coverage required to ensure the minimum level of core activities.

Cycle: Period during which one or more week types recur in a repetitive pattern. Cycles can have specific start and end dates, or be open-ended (infinity).

D

Demand: The number of hours of work required for each activity. The demand is calculated by applying labor standards to the forecasts.

Demand step: The second step in the weekly process. It shows the hours required to perform each daily activity for the week. These hours are calculated based on the driver forecasts.

Derived drivers: A driver that is calculated based on another driver.

Driver: Daily forecasts can be made in a wide range of areas (e.g. sales, store traffic, number of transactions, number of crates received, etc.). Each of these areas is called a driver. Depending on the driver, the forecast can be in dollars, number of people, number of

boxes, etc. There are two basic types of drivers: forecasted drivers and non-forecasted drivers.

E

Earned hours: Earned hours are hour requirements that are calculated based on actual driver values.

Employee hours: There are three types of employee hours: availabilities, preferences and fixed hours. Availabilities: total hours the employee is available to work on a day . Preferences: employee's preferred hours. Fixed hours: hours the employee must work within a specific time range.

F

Fixed hours: 1. Activities that must be performed within a given time period, and that require either a specific number of hours or a specific number of persons. 2. An employee scheduling requirement.

Forecast step: The first step in the weekly process. It allows you to view, customize, and commit daily forecasts for the week selected. Forecasts are based on drivers.

Forecasted drivers: Drivers that are forecasted by the system. Forecasted drivers are either calculated by OWS or generated by outside systems and imported into OWS. You can customize the forecasts of forecasted drivers based on your store-specific knowledge.

K

Key performance indicators (KPIs): A set of performance indicators that allow you to monitor your business and the quality of your schedules.

L

Labor standard: To obtain the daily hour requirements for each activity based on the forecasts, a specific labor standard is applied, translating the forecast into a number of hours in one or more activities. For example, the labor standard for boxes may state that 100 boxes received generates 1 hour of unloading and 2 hours of stocking.

N

Non-forecasted drivers: Drivers that are not forecasted by the system because they are too unpredictable or store-specific. You can customize the forecasts of non-forecasted drivers based on your store-specific knowledge.

O

Optimized schedule: OWS matches the hourly requirements from the Demand step against employee availabilities, constraints, and skills and seeks the best match between the two. The result is an optimized schedule (a schedule that makes optimum use of your workforce)..

P

Post step: The last step in the weekly process. It allows you to display and print the schedule, and to close the weekly process.

Pre-forecasted drivers: Drivers that are forecasted by external systems and then imported into OWS. Combined with forecasted drivers, they make up the system forecast.

Pre-scheduling check: The check that you run before actually generating the schedule. Potential scheduling problems due to inconsistencies in employee data are identified and can be corrected at this stage.

Profile: Profiles are used to forecast cyclic occurrences. They are mainly used to forecast drivers.

R

Rotation: A set of week types arranged in a specific pattern and occurring repetitively throughout a cycle.

S

Schedule step: The fourth step in the weekly process. It allows you to assess the optimized weekly schedule, remove scheduling problems, and make any necessary changes to the schedule.

Special fixed activities: Activities that require a specific person at a specific time.

Store event: A special event such as clearance sales, special promotions, or holidays occurring over a specific period and has an impact on certain driver forecasts.

Store parameters: Physical parameters that are specific to a store. Store parameters are generally constant: They are not greatly affected by factors such as business levels or week types. Floor square footage is a store parameter.

Store property driver: A driver you define using a store property (such as square footage).

System forecasts: Forecasts that are either calculated directly by OWS or generated by outside systems and imported into OWS.

W

Week type: To characterize the weeks of a year, you assign each week a week type. A similar calendar week often has the same week type. However, for a same calendar week, different drivers, activities, and profiles may use different week types. OWS also uses week types to determine employee hours.

Weekly Process: The core of OWS, used to generate the weekly schedule. The Weekly process consists of five steps: Forecast, Demand, Check, Schedule, and Post.

Index

A

activity.....	29
activity parameters.....	29, 46
actual drivers	26, 32
additional hours	29
application bar	3, 4
assignment	59
asynchronous jobs.....	16, 18, 19

B

batch process	68
---------------------	----

C

cancel job.....	19
Check batch process	68
compression factor	29
contract.....	21, 22

D

Demand batch process.....	68
derived drivers	29
distribution	26, 40, 41
distribution profile.....	26, 40, 41
driver	24, 26, 29, 35
drivers history	24, 26, 35

E

earned hours.....	32
enabled activities	34
enabled employees	34
event	53, 54, 56
export	
KPI	66
Workforce Schedule.....	64

F

finding jobs.....	15, 16
fire button.....	68
Forecast batch process	68

H

help	7
home page	3

J

job	15, 16, 18, 19, 61, 64, 66, 68
job scheduler.....	61

K

KPI	66
-----------	----

M

managing jobs.....	15, 16, 18, 19
max staffing.....	29
min staffing.....	29
module bar	3

P

percentage weights.....	50
performance summary.....	3
pre-forecasted driver.....	24, 36
process	68
Productivity Fatigue and Delay (PFD)	29
profile	26, 28
property.....	29

R

recent weeks weight	50
reschedule job.....	18
running job	18

S

schedule.....	68
Schedule batch process	68
schedule export.....	64
schedule KPI.....	66
schedule process	68
search for job	16
store closing.....	34
store closing impact.....	34

Oracle Workforce Scheduling for Functional Administrators

store event	53, 54, 56, 57	time window	28, 45
store management.....	9, 11	to-do list	5
store opening	13	U	
store parameters.....	29, 48	update earned hours.....	68
store property.....	29	utilities	23, 26, 28, 29, 32
T		W	
task parameters	29	waiting job	18
time frame.....	28, 42, 43, 44	week type.....	25
time frame profile.....	45	weight percentages.....	32