

# **Oracle® Communications Services Gatekeeper**

Managing Accounts and SLAs

Release 4.1

September 2009

**ORACLE®**

Copyright © 2007, 2008, 2009, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

# Contents

## Introduction and Document Roadmap

- Document Scope and Audience. . . . . 1-1
- Guide to this Document. . . . . 1-2

## Creating and Maintaining Service Provider and Application Accounts

- System SLAs . . . . . 2-3
- Custom SLAs. . . . . 2-4
- Typical workflow. . . . . 2-5

## Managing Application Instances

- Summary of Tasks related to Application Instances . . . . . 3-2
- States of Application Instances . . . . . 3-2
- Web Services Security. . . . . 3-2
- Password Encryption . . . . . 3-3
- Reference: ApplicationInstances . . . . . 3-3

## Managing Service Provider and Application Accounts

- Summary of tasks Related to Accounts. . . . . 4-2
  - Application Accounts . . . . . 4-2
  - Service Provider Accounts . . . . . 4-2
- States of Accounts . . . . . 4-3
- Account Properties. . . . . 4-4

Account References. . . . .	4-4
Reference: Attributes and Operations for ApplicationAccounts. . . . .	4-5

## Managing Groups

Summary of Tasks Related to Groups. . . . .	5-1
Application Groups . . . . .	5-1
Service Provider Groups . . . . .	5-2
Reference: Attributes and Operations for ApplicationGroups . . . . .	5-2

## Managing SLAs

Introduction to SLA types. . . . .	6-1
Summary of Tasks Related to SLAs. . . . .	6-6
Service Provider and Application Group System SLAs . . . . .	6-6
Node SLAs. . . . .	6-7
Subscriber SLAs . . . . .	6-8
Custom SLAs. . . . .	6-8
Reference: ApplicationSLAs. . . . .	6-10

## Managing Sessions

About Sessions . . . . .	7-1
Reference: ApplicationSessions . . . . .	7-3

## Defining Service Provider Group and Application Group SLAs

Structure of a Service Level Agreement . . . . .	8-1
<Sla> . . . . .	8-3
<serviceTypeContract> . . . . .	8-4
<serviceTypeName> . . . . .	8-4
<serviceContract> . . . . .	8-5
<startdate> . . . . .	8-5

<enddate>	8-5
<scs>	8-6
<contract>	8-6
<overrides>	8-6
<override>	8-6
<enforceAcrossGeoSites>	8-9
Contract structure	8-9
<contract>	8-10
<guarantee>	8-11
<methodRestrictions>	8-11
<methodAccess>	8-14
<params>	8-14
<requestContext>	8-16
<resultRestrictions>	8-17

## Defining Global Node and Service Provider Group Node SLAs

Structure of a Node Service Level Agreement	9-2
Node SLA Overview	9-5
Service Provider Group Node SLA	9-6
Node Contract	9-7
Global Node SLA	9-8
Global Contract	9-9



# Introduction and Document Roadmap

The following sections describe the audience for and organization of this document:

- [Document Scope and Audience](#)
- [Guide to this Document](#)

## Document Scope and Audience

This document describes how to perform service provider and application provisioning for Oracle Communications Services Gatekeeper, including:

- An overview of the administration model
- Managing service provider groups
- Managing service provider accounts
- Managing application groups
- Managing application accounts
- Managing application instances

The document will be of use to telecom operators, especially in relation to service provider and application provisioning. Managers, support engineers, and sales and marketing people will also find information of value here.

## Guide to this Document

The document contains the following chapters:

- [Chapter 1, “Introduction and Document Roadmap”](#): This chapter
- [Chapter 2, “Creating and Maintaining Service Provider and Application Accounts”](#): An overview of the Oracle Communications Services Gatekeeper service provider and application administration model, including a high level workflow
- [Chapter 3, “Managing Application Instances”](#): Instructions for managing application instances
- [Chapter 4, “Managing Service Provider and Application Accounts”](#): Instructions for managing service provider and application accounts
- [Chapter 5, “Managing Groups”](#): Instructions for managing service provider and application groups
- [Chapter 6, “Managing SLAs”](#): Instructions for managing service provider group-, application group-, node-, subscriber-, and custom SLAs.
- [Chapter 7, “Managing Sessions”](#): Step-instructions for managing application account sessions.
- [Chapter 8, “Defining Service Provider Group and Application Group SLAs”](#): Description of Service provider group and application group SLAs
- [Chapter 9, “Defining Global Node and Service Provider Group Node SLAs”](#): Description of global node and service provider group node LAs

# Creating and Maintaining Service Provider and Application Accounts

An essential part of managing Oracle Communications Services Gatekeeper is dealing with service provider partners. Oracle Communications Services Gatekeeper provides a partner administration model to help operators handle the needs and demands of their partners in a flexible and powerful way:

- Each application that uses the application-facing interfaces in Oracle Communications Services Gatekeeper must establish an account. The account is uniquely identified by an *application instance*.
- An *application instance* belongs to an *application account* and a *service provider account*.
- An *application account* belongs to a *service provider account* and an *application group*.
- A *service provider account* belongs to a *service provider group*. A service provider account can have zero or more application accounts associated with it.
- An *application group* is associated with an *application group SLA* and zero or more *custom application group SLAs*.
- A *service provider group* is associated with a service level agreement on the service provider-level and may also be associated with a *service provider node SLA* and zero or more *custom service provider group SLAs*.
- Zero or more custom global SLAs can be defined. These are not associated with any special group or account, but are valid for all accounts and groups.
- A *global node SLA* is not associated with any special group or account, but is valid for all accounts and groups.

The SLAs are defined in XML. System SLAs have static XSDs and enforcement logic, while custom SLAs are defined in addition to the system SLAs. The XSDs and the enforcement logic for custom SLAs must be developed.

The following SLAs are system SLAs:


- Service provider group SLA
- Application group SLA
- Service provider node SLA
- Global node SLA
- Subscriber SLA

The following SLAs are custom SLAs:

- Custom service provider group SLAs
- Custom application group SLAs
- Custom global SLAs

See [Figure 2-1](#) for an illustration of the relationship among the different account types and SLAs.

Figure 2-1 Service provider and application model with SLAs



The separation of accounts and groups provides a flexible way of defining service level agreements. Groups allow the Oracle Communications Services Gatekeeper administrator to offer tiers of service at both the service provider (via service provider group SLAs) and application (via application group SLAs) level.

Application group SLAs and Service provider group SLAs can be managed and enforced either locally in one site or across geo-redundant sites.

## System SLAs

The system SLAs have static XSDs. The enforcement logic is already in place for these types of SLAs, except for the subscriber SLA which needs custom subscriber policy logic.

See [Defining Service Provider Group and Application Group SLAs](#), [Defining Global Node and Service Provider Group Node SLAs](#), and [Managing a Subscriber SLA](#) for more information about the system SLAs.

Below is an example of how an Oracle Communications Services Gatekeeper administrator might use system SLAs to create three different categories of service providers:

- Bronze
- Silver
- Gold

Each of these would have different privileges when it comes to maximum throughput and QoS parameters. When a new service provider is provisioned, the service provider is associated with an appropriate group based on, for example, the amount of network traffic the service provider is projected to generate. If the outcome is not what was predicted, the service provider account can be reassigned to another service provider group with a different QoS parameter defined in the service provider level SLA.

**Note:** IDs of service provider groups, application groups, application instances, service provider accounts must be unique. The combination of service provider account and application account for an application instance must be unique.

The service provider and application account and group registrations are performed either through the Oracle Communications Services Gatekeeper Administration Console or through external management systems integrated with Oracle Communications Services Gatekeeper using the Oracle Communications Services Gatekeeper Partner Relationship Management Interfaces or via MBeans. This guide describes many of the tasks associated with establishing and maintaining these accounts and groups using the Administration Console.

**Note:** Service provider accounts, application accounts, and application instances have states that can be changed using OAM, so they can be temporarily be taken out of service. See [States of Accounts](#).

## Custom SLAs

Custom SLAs are enforced by custom logic that operates on data provided in the SLAs and on data that comes with the request from an application and data about the originator of the request. The request can provide information such as application ID, application instance, service provider ID, application group ID, and service provider group ID. The data in the SLA is

formatted according to the SLA XSD, and the enforcement logic uses the Document Object Model (DOM) representation of the XSD to get the data in the SLA.

Custom SLAs can be associated with application groups and service provider groups or be global. A custom global SLA is valid for all requests, regardless of which application group or service provider group the application that triggered the request belongs to.

Custom SLAs are loaded either through the Oracle Communications Services Gatekeeper Administration Console or through external management systems integrated with Oracle Communications Services Gatekeeper using the MBeans.

## Typical workflow

1. Define the set of service classes, expressed as SLAs, at both the service provider group level and the application group level, see [Defining Service Provider Group and Application Group SLAs](#).
2. Define the set of node service classes, expressed as SLAs, at both the service provider node level and global node level, see [Defining Global Node and Service Provider Group Node SLAs](#).
3. Create service provider and application groups that correspond to these SLAs, see [Managing Groups](#).
4. Associate the service provider group SLAs and application group SLAs with the groups, see [Managing SLAs](#).
5. Load the global node SLA and service provider group node SLAs, see [Managing SLAs](#).
6. Create a service provider account and associate it with the appropriate service provider group. See [Managing Service Provider and Application Accounts](#).
7. Create an application account and associate it with the appropriate application group. See [Managing Service Provider and Application Accounts](#).
8. Create an application instance, see [Managing Application Instances](#).
9. Depending on which communication service is being used, provision communication service specific data using the operation and management for relevant communication service.
10. Distribute the credentials to be used by the application to the service provider.

## Creating and Maintaining Service Provider and Application Accounts

**Note:** It is also possible to create unique SLAs and groups for an individual application. Accounts can be associated with other groups in runtime, so the class of service can be adjusted over time.

# Managing Application Instances

This section describes how application instances are managed and provisioned:

- [Summary of Tasks related to Application Instances](#)
- [States of Application Instances](#)
- [Web Services Security](#)
- [Password Encryption](#)

See [Reference: ApplicationInstances](#), for information finding the operations in the Administration Console and for the name of the MBean.

Prior to registering application instances, service provider and application accounts must have been created: see [Managing Service Provider and Application Accounts](#).

## Summary of Tasks related to Application Instances

To...	Use...
Get information about the number of application instances.	<a href="#">Operation: countApplicationInstances</a>
Add, remove and get information about an application instance.	<a href="#">Operation: addApplicationInstance</a> <a href="#">Operation: removeApplicationInstance</a> <a href="#">Operation: getApplicationInstance</a>
List registered application instances.	<a href="#">Operation: listApplicationInstances</a>
Define additional properties for an application instance.	<a href="#">Operation: setApplicationInstancePassword</a> <a href="#">Operation: setApplicationInstanceProperties</a> <a href="#">Operation: setApplicationInstanceReference</a> <a href="#">Operation: setApplicationInstanceState</a>

## States of Application Instances

Application instances have states. Two states are possible:

- ACTIVATED
- DEACTIVATED

In state ACTIVATED, the application using this application instance ID is in normal operation.

In state DEACTIVATED, the application using this application instance ID is not allowed to send traffic through Oracle Communications Services Gatekeeper. The account is still valid and the state can be transitional by the Oracle Communications Services Gatekeeper Administrator using:

[Operation: setApplicationInstanceState](#)

## Web Services Security

When Web Services Security is being used as authentication for the application instance, its credentials must be set up, as in the mapping rules in [Table 3-1](#).

**Table 3-1 Credential mapping**

<b>ApplicationInstance</b>	<b>UserNameToken</b>	<b>X.509</b>	<b>SAML</b>
ApplicationInstanceName	userName	CN	CN
Password	password	n/a	n/a

In addition, if X.509 or SAML are being used, the certificates and private keys must be provisioned in the WebLogic Server keystore. For example, `ImportPrivateKey` utility can be used to load the key and digital certificate files into the keystore. See *Oracle WebLogic Server Command Reference* at [http://download.oracle.com/docs/cd/E12840\\_01/wls/docs103/admin\\_ref/](http://download.oracle.com/docs/cd/E12840_01/wls/docs103/admin_ref/) for a description of `ImportPrivateKey`.

## Password Encryption

Application instance passwords are encrypted using 3DES algorithm and stored in persistent storage. If no encryption key is configured, a default encryption key is used, but best practice to use your own key. It should be 24 Bytes.

Configure the encryption key, starting in the Administration Console:

1. Select **Security realms**→**myrealm**
2. Select **Providers** tab→**Authentication** tab.
3. Select **WLNG Application Authenticator**
4. Select **Configuration** tab → **Provider specific** tab.

In **Encryption Key** field enter your key.

In **Please type again To confirm** field enter your key again for verification.

## Reference: ApplicationInstances

All operations are reachable from:

## Managing Application Instances

- Oracle Communications Services Gatekeeper Administration Console Managed Object: Container Services→AccountService→ApplicationInstances
- MBean: com.bea.wlcp.wlng.account.management.ApplicationInstanceMBean

Below is a list of operations for management.

- Operation: [addApplicationInstance](#)
- Operation: [countApplicationInstances](#)
- Operation: [getApplicationInstance](#)
- Operation: [listApplicationInstances](#)
- Operation: [removeApplicationInstance](#)
- Operation: [setApplicationInstancePassword](#)
- Operation: [setApplicationInstanceProperties](#)
- Operation: [setApplicationInstanceReference](#)
- Operation: [setApplicationInstanceState](#)

### Operation: **addApplicationInstance**

Scope: Domain

Adds an application instance. Always connected to a service provider/application account combination.

Signature:

```
addApplicationInstance(ApplicationInstanceName: String, Password: String,  
ApplicationIdentifier: String, ServiceProviderIdentifier: String,  
Reference: String)
```

**Table 3-2 addApplicationInstance**

<b>addApplicationInstance</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationInstanceName	ID for the new application instance. Used by an application to authenticate. Must be unique.
Password	Password for the application instance.
ApplicationIdentifier	ID of the application account the application instance shall belong to.
ServiceProviderIdentifier	ID of the service provider the application instance shall belong to.
Reference	See <a href="#">Account References</a> . Must be unique.

## Operation: countApplicationInstances

Scope: Domain

Displays the number of registered application instances for a service provider/application account/application instance combinations. Can be filtered by state.

Signature:

```
countApplicationInstances(ApplicationIdentifier: String,
ServiceProviderIdentifier: String, State: String)
```

**Table 3-3 countApplicationInstances**

<b>countApplicationInstances</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationIdentifier	ID of the application account. Optional. Leave empty to match all.

**Table 3-3 countApplicationInstances**

<b>countApplicationInstances</b>	
<b>Parameter</b>	<b>Description</b>
ServiceProviderIdentifier	ID of the service provider account. Optional. Leave empty to match all.
State	State of application instance. Valid values: <ul style="list-style-type: none"> <li>• ACTIVATED</li> <li>• DEACTIVATED</li> </ul> Optional. Leave empty to match all.

## Operation: getApplicationInstance

Scope: Domain

Gets information about a registered application instance.

The information includes:

- ID of the application account to which the application instance belongs.
- ID of the service provider account to which the application instance belongs.
- State: see [States of Application Instances](#).
- Reference: see [Account References](#).
- Properties: see [Account Properties](#).

Signature:

```
getApplicationInstance(ApplicationInstanceName: String)
```

**Table 3-4 getApplicationInstance**

<b>getApplicationInstance</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationInstanceName	ID of the application instance to get information about.

## Operation: listApplicationInstances

Scope: Domain

Displays a list of registered application instances for a specific service provider/application account/application instance state combination.

The list contains application instance IDs.

Signature:

```
listApplicationInstances(ApplicationIdentifier: String,
ServiceProviderIdentifier: String, State: String, Offset: int, Size: int)
```

**Table 3-5 listApplicationInstances**

<b>listApplicationInstances</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationIdentifier	ID of the application account to list application instances for. Optional. Leave empty to match all.
ServiceProviderIdentifier	ID of the service provider account to list application instances for. Optional. Leave empty to match all.
State	State of application instance. Valid values: <ul style="list-style-type: none"> <li>• ACTIVATED</li> <li>• DEACTIVATED</li> </ul> Optional. Leave empty to match all.
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

## Operation: removeApplicationInstance

Scope: Domain

Removes a registered application instance.

The account must be in state DEACTIVATED.

Signature:

```
removeApplicationInstance(ApplicationInstanceName: String)
```

**Table 3-6** removeApplicationInstance

removeApplicationInstance	
Parameter	Description
ApplicationInstanceName	ID of the application instance to remove.

### Operation: setApplicationInstancePassword

Scope: Domain

Defines a new password for an application instance.

Signature:

```
setApplicationInstancePassword(ApplicationInstanceName: String, Password: String)
```

**Table 3-7** setApplicationInstancePassword

setApplicationInstancePassword	
Parameter	Description
ApplicationInstanceName	ID of the application instance.
Password	New password.

### Operation: setApplicationInstanceProperties

Scope: Domain

Specifies properties for an application instance: see [Account Properties](#).

**Note:** Only applicable when accessing the MBean directly.

Signature:

```
setApplicationInstanceProperties(ApplicationInstanceName: String,
Properties: Set<Map.Entry<String, String>>)
```

**Table 3-8 setApplicationInstanceProperties**

<b>setApplicationInstanceProperties</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationInstanceName	ID of the application instance to set properties for.
Properties	See <a href="#">Account Properties</a> .

## Operation: setApplicationInstanceReference

Scope: Domain

Specifies a reference for an application instance: see [Account References](#).

Signature:

```
setApplicationInstanceReference(ApplicationInstanceName: String,
Reference: String)
```

**Table 3-9 setApplicationInstanceReference**

<b>setApplicationInstanceReference</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationInstanceName	ID of the application instance to set the reference for.
Reference	See <a href="#">Account References</a> .

## Operation: setApplicationInstanceState

Scope: Domain

## Managing Application Instances

Performs a state transition for an application instance: see [States of Application Instances](#).

Signature:

```
setApplicationInstanceState(ApplicationInstanceName: String, State:  
String)
```

**Table 3-10** setApplicationInstanceState

setApplicationInstanceState	
Parameter	Description
ApplicationInstanceName	ID of the application instance to change state for.
State	See <a href="#">States of Application Instances</a> . One of: <ul style="list-style-type: none"><li>• ACTIVATED</li><li>• DEACTIVATED</li></ul>

# Managing Service Provider and Application Accounts

This section describes how service provider and application accounts are managed and provisioned:

- [Summary of tasks Related to Accounts](#)
- [States of Accounts](#)
- [Account Properties](#)
- [Account References](#)
- [Reference: Attributes and Operations for ApplicationAccounts](#)

See [Reference: Attributes and Operations for ApplicationAccounts](#) for information on finding the operations in the Administration Console and for the name of the MBean.

Prior to registering application accounts, service provider accounts must be created (see [Service Provider Accounts](#)) and application groups must be created (see [Application Groups](#)).

Prior to registering service provider accounts, service provider groups must be created: see [Service Provider Groups](#).

## Summary of tasks Related to Accounts

### Application Accounts

To...	Use...
Get information about the number of application accounts	<a href="#">Operation: countApplicationAccounts</a>
Add, remove and get information about an application account	<a href="#">Operation: addApplicationAccount</a> <a href="#">Operation: removeApplicationAccount</a> <a href="#">Operation: getApplicationAccount</a>
List registered application accounts	<a href="#">Operation: listApplicationAccounts</a>
Define additional properties for an application account	<a href="#">Operation: setApplicationAccountGroup</a> <a href="#">Operation: setApplicationAccountProperties</a> <a href="#">Operation: setApplicationAccountReference</a> <a href="#">Operation: setApplicationAccountState</a>

### Service Provider Accounts

To...	Use...
Get information about the number of service provider accounts	<a href="#">Operation: countServiceProviderAccounts</a>
Add, remove and get information about a service provider account	<a href="#">Operation: addServiceProviderAccount</a> <a href="#">Operation: removeServiceProviderAccount</a> <a href="#">Operation: getServiceProviderAccount</a>

To...	Use...
List registered service provider accounts	<a href="#">Operation: listServiceProviderAccounts</a>
Define additional properties for a service provider account	<a href="#">Operation: setServiceProviderAccountGroup</a> <a href="#">Operation: setServiceProviderAccountProperties</a> <a href="#">Operation: setServiceProviderAccountReference</a> <a href="#">Operation: setServiceProviderAccountState</a>

## States of Accounts

In order to provide an easy way to temporarily take an application out-of-service, service provider and application accounts have associated states. States are also used by the Oracle Communications Services Gatekeeper Partner Relationship Management module to enforce workflow management.

Accounts can be in either one of the following states:

Account state	An application belonging to the account...
ACTIVATED	is allowed to send requests to the application-facing interfaces exposed by Oracle Communications Services Gatekeeper.
DEACTIVATED	is not allowed to send requests to the application-facing interfaces exposed by Oracle Communications Services Gatekeeper.

State transition is provided using:

- [Operation: setApplicationAccountState](#)
- [Operation: setServiceProviderAccountState](#)

It is possible to filter on account state in all the following methods:

- [Operation: countApplicationAccounts](#)

- [Operation: countServiceProviderAccounts](#)
- [Operation: listApplicationAccounts](#)
- [Operation: listServiceProviderAccounts](#)

When an account is created using [Operation: addApplicationAccount](#) or [Operation: addServiceProviderAccount](#), state is always ACTIVATED.

## Account Properties

An account can have a set of associated properties. These are generic key-value pairs. You cannot set these using the Administration Console, but you can use MBeans or the PRM Web Services.

The properties are displayed in the following operations:

- [Operation: getApplicationInstance](#)
- [Operation: getApplicationAccount](#)
- [Operation: getApplicationGroup](#)
- [Operation: getServiceProviderAccount](#)
- [Operation: getServiceProviderGroup](#)

## Account References

An account can have an associated reference. The reference is a form of alias or internal ID for the account. It is used to correlate the account with an operator-internal ID.

The properties are defined as parameters in the following operations:

- [Operation: addApplicationInstance](#)
- [Operation: setApplicationInstanceReference](#)
- [Operation: setApplicationInstanceProperties](#)
- [Operation: addApplicationAccount](#)
- [Operation: setApplicationAccountReference](#)
- [Operation: addServiceProviderAccount](#)
- [Operation: setApplicationAccountReference](#)

They are retrieved as part of the result of:

- Operation: [getApplicationInstance](#)
- Operation: [getApplicationAccount](#)
- Operation: [getServiceProviderAccount](#)

## Reference: Attributes and Operations for ApplicationAccounts

Managed object: Container Services→AccountService→ApplicationAccounts

MBean: com.bea.wlcp.wlng.account.management.ApplicationAccountMBean

Below is a list of operations for configuration and maintenance:

- Operation: [addApplicationAccount](#)
- Operation: [addServiceProviderAccount](#)
- Operation: [countApplicationAccounts](#)
- Operation: [countServiceProviderAccounts](#)
- Operation: [getApplicationAccount](#)
- Operation: [getServiceProviderAccount](#)
- Operation: [listApplicationAccounts](#)
- Operation: [listServiceProviderAccounts](#)
- Operation: [removeApplicationAccount](#)
- Operation: [removeServiceProviderAccount](#)
- Operation: [setApplicationAccountGroup](#)
- Operation: [setApplicationAccountProperties](#)
- Operation: [setApplicationAccountReference](#)
- Operation: [setApplicationAccountState](#)
- Operation: [setServiceProviderAccountGroup](#)

- [Operation: setServiceProviderAccountProperties](#)
- [Operation: setServiceProviderAccountReference](#)
- [Operation: setServiceProviderAccountState](#)

## Operation: addApplicationAccount

Scope: Domain

Adds an application account.

Signature:

```
addApplicationAccount(Application Identifier: String, Service Provider Identifier: String, Application Group Identifier: String, Reference: String)
```

**Table 4-1 addApplicationAccount**

addApplicationAccount	
Parameter	Description
Application Identifier	ID of the application account to add.
Service Provider Identifier	ID of the service provider account the application account shall belong to.
Application Group Identifier	ID of the application group the application account shall belong to.
Reference	See <a href="#">Account References</a> .

## Operation: addServiceProviderAccount

Scope: Domain

Adds a service provider account.

Signature:

```
addServiceProviderAccount(Service Provider Identifier: String, Service Provider Group Identifier: String, Reference: String)
```

**Table 4-2 addServiceProviderAccount**

<b>addServiceProviderAccount</b>	
<b>Parameter</b>	<b>Description</b>
Service Provider Identifier	ID of the service provider account to add.
Service Provider Group Identifier	ID of the service provider group the service provider account shall belong to.
Reference	See <a href="#">Account References</a> .

## Operation: countApplicationAccounts

Scope: Domain

Displays the number of registered application accounts. Can be filtered on any combination of:

- service provider account
- application group
- application account state.

Signature:

```
countApplicationAccounts(serviceProviderIdentifier : String,
applicationGroupIdentifier: String, state : String)
```

**Table 4-3 countApplicationAccounts**

<b>countApplicationAccounts</b>	
<b>Parameter</b>	<b>Description</b>
ServiceProviderIdentifier	ID of the service provider account. Optional. Leave empty to match all.

**Table 4-3 countApplicationAccounts**

<b>countApplicationAccounts</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationGroupIdentifier	ID of the application group. Optional. Leave empty to match all.
State	State of application account. See <a href="#">States of Accounts</a> . Valid values: <ul style="list-style-type: none"><li>• ACTIVATED</li><li>• DEACTIVATED</li></ul> Optional. Leave empty to match all.

## **Operation: countServiceProviderAccounts**

Scope: Domain

Displays the number of registered service provider accounts. Can be filtered on any combination of:

- service provider group
- service provider account state.

Signature:

```
countServiceProviderAccounts(serviceProviderGroupIdentifier : String,  
state :String)
```

**Table 4-4** countServiceProviderAccounts

<b>countServiceProviderAccounts</b>	
<b>Parameter</b>	<b>Description</b>
serviceProviderGroupIdentifier	ID of the service provider group. Optional. Leave empty to match all.
State	State of service provider account. See <a href="#">States of Accounts</a> . Valid values: <ul style="list-style-type: none"> <li>• ACTIVATED</li> <li>• DEACTIVATED</li> </ul> Optional. Leave empty to match all.

## Operation: getApplicationAccount

Scope: Domain

Gets information about an application account. Because the application account is not necessarily unique across service provider accounts, you must also specify the relevant service provider account

The information includes:

- Application account ID.
- ID of the service provider account to which the application account belongs.
- State, see [States of Accounts](#).
- Reference, see [Account References](#).
- Properties, see [Account Properties](#).

Signature:

```
getApplicationAccount(Application Identifier: String, Service Provider Identifier: String)
```

**Table 4-5** `getApplicationAccount`

<code>getApplicationAccount</code>	
Parameter	Description
Application Identifier	ID of the application account to get information about.
Service Provider Identifier	ID of the service provider account to which the application account belongs.

## Operation: `getServiceProviderAccount`

Scope: Domain

Gets information about a service provider account.

The information includes:

- Service provider account ID.
- State, see [States of Accounts](#).
- Reference, see [Account References](#).
- Properties, see [Account Properties](#).

Signature:

```
getServiceProviderAccount(Service Provider Identifier: String)
```

**Table 4-6** `getServiceProviderAccount`

<code>getServiceProviderAccount</code>	
Parameter	Description
Service Provider Identifier	ID of the service provider account.

## Operation: listApplicationAccounts

Scope: Domain

Displays a list of application accounts. Can be filtered on any combination of:

- service provider account.
- application group.
- state of application account.

The resultant list contains application account IDs.

Signature:

```
listApplicationAccounts(ServiceProviderIdentifier: String,
ApplicationGroupIdentifier : String, State: String, Offset: int, Size: int)
```

**Table 4-7 listApplicationAccounts**

<b>listApplicationAccounts</b>	
<b>Parameter</b>	<b>Description</b>
ServiceProviderIdentifier	ID of the service provider account. Optional. Leave empty to match all.
ApplicationGroupIdentifier	Application group ID. Optional. Leave empty to match all.
State	State of application account, see <a href="#">States of Accounts</a> Valid values: <ul style="list-style-type: none"> <li>• ACTIVATED</li> <li>• DEACTIVATED</li> </ul> Optional. Leave empty to match all.
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

## Operation: listServiceProviderAccounts

Scope: Domain

Displays a list of service provider accounts. Can be filtered on any combination of:

- service provider group.
- state of service provider account.

The resultant list contains service provider account IDs.

Signature:

```
listServiceProviderAccounts(ServiceProviderGroupIdentifier: String, State: String, Offset: int, Size: int)
```

**Table 4-8 listServiceProviderAccounts**

listServiceProviderAccounts	
Parameter	Description
ServiceProviderGroupIdentifier	Service provider group ID. Optional. Leave empty to match all.
State	State of service provider account, see <a href="#">States of Accounts</a> Valid values: <ul style="list-style-type: none"><li>• ACTIVATED</li><li>• DEACTIVATED</li></ul> Optional. Leave empty to match all.
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

## Operation: removeApplicationAccount

Scope: Domain

Removes an application account.

To be removed, the account must not have any associated application instances. The application account must also be in state DEACTIVATED.

Because the application account is not necessarily unique across service provider accounts, you must also specify the relevant service provider account.

Signature:

```
removeApplicationAccount(Application Identifier: String, Service Provider Identifier: String)
```

**Table 4-9 removeApplicationAccount**

<b>removeApplicationAccount</b>	
<b>Parameter</b>	<b>Description</b>
Application Identifier	ID of the application account to remove.
Service Provider Identifier	ID of the service provider account the application account belongs to.

## **Operation: removeServiceProviderAccount**

Scope: Domain

Removes a service provider account.

To be removed, the service provider account must not have any associated application accounts, and must be in state DEACTIVATED.

Signature:

```
removeServiceProviderAccount(Service Provider Identifier: String)
```

**Table 4-10 removeServiceProviderAccount**

<b>removeServiceProviderAccount</b>	
<b>Parameter</b>	<b>Description</b>
Service Provider Identifier	ID of the service provider account to remove.

### Operation: setApplicationAccountGroup

Sets the application account group for a particular application account/service provider account combination. Is also used to change to which group a combination belongs.

Signature:

```
setApplicationAccountGroup(Application Identifier: String, Service Provider Identifier: String, Application Group Identifier: String)
```

**Table 4-11 setApplicationAccountGroup**

<b>setApplicationAccountGroup</b>	
<b>Parameter</b>	<b>Description</b>
Application Identifier	ID of the application account to be assigned.
Service Provider Identifier	ID of the service provider account associated with the application account to be assigned.
Application Group Identifier	ID of the application group to which the combination is to be assigned.

### Operation: setApplicationAccountProperties

Specifies properties for an application account/service provider account combination: see [Account Properties](#).

**Note:** Only applicable when accessing the MBean directly.

Signature:

```
setApplicationAccountProperties(Application Identifier: String, Service
Provider Identifier: String, Properties: Set<Map.Entry<String, String>>)
```

**Table 4-12 setApplicationAccountProperties**

<b>setApplicationAccountProperties</b>	
<b>Parameter</b>	<b>Description</b>
Application Identifier	ID of the application account whose properties are being set.
Service Provider Identifier	ID of the service provider account to which the application account belongs.
Properties	See <a href="#">Account Properties</a> .

## Operation: setApplicationAccountReference

Specifies a reference for an application account/service provide account combinations: see [Account References](#).

Signature:

```
setApplicationAccountReference(Application Identifier: String, Service
Provider Identifier: String, Reference: String)
```

**Table 4-13 setApplicationAccountProperties**

<b>setApplicationAccountProperties</b>	
<b>Parameter</b>	<b>Description</b>
Application Identifier	ID of the application account whose reference is being set.
Service Provider Identifier	ID of the service provider account to which the application account belongs.
Reference	See <a href="#">Account References</a> .

## Operation: `setApplicationAccountState`

Performs a state transition for an application account/service provide account combination: see [States of Accounts](#).

Signature:

```
setApplicationAccountReference(Application Identifier: String, Service  
Provider Identifier: String, State: String)
```

**Table 4-14** `setApplicationAccountState`

<code>setApplicationAccountState</code>	
Parameter	Description
Application Identifier	ID of the application account whose state is to be changed.
Service Provider Identifier	ID of the service provider account to which the application account belongs.
State	See <a href="#">States of Accounts</a> . One of: <ul style="list-style-type: none"><li>• ACTIVATED</li><li>• DEACTIVATED</li></ul>

## Operation: `setServiceProviderAccountGroup`

Specifies to which service provider group a certain service provider account belongs. Can be used as well to change the group assignment.

Signature:

```
setServiceProviderAccountGroup(Service Provider Identifier: String, Service  
Provider Group Identifier: String)
```

**Table 4-15** `setServiceProviderAccountGroup`

<code>setServiceProviderAccountGroup</code>	
Parameter	Description
Service Provider Identifier	ID of the service provider account being assigned.
Service Provider Group Identifier	ID of the service provider group to which the account is being assigned.

### Operation: `setServiceProviderAccountProperties`

Specifies properties for a service provider account: see [Account Properties](#).

**Note:** Only applicable when accessing the MBean directly.

Signature:

```
setServiceProviderAccountProperties(Service Provider Identifier: String,
Properties: Set<Map.Entry<String, String>>)
```

**Table 4-16** `setServiceProviderAccountProperties`

<code>setServiceProviderAccountProperties</code>	
Parameter	Description
Service Provider Identifier	ID of the service provider account whose properties are being set.
Properties	See <a href="#">Account Properties</a> .

### Operation: `setServiceProviderAccountReference`

Specifies a reference for a service provider account: see [Account References](#).

Signature:

```
setServiceProviderAccountReference(Service Provider Identifier: String,
Reference: String)
```

**Table 4-17 setServiceProviderAccountReference**

<b>setServiceProviderAccountReference</b>	
<b>Parameter</b>	<b>Description</b>
Service Provider Identifier	ID of the service provider account whose reference is being set.
Reference	See <a href="#">Account References</a> .

## Operation: setServiceProviderAccountState

Performs a state transition for a service provider account: see [States of Accounts](#).

Signature:

```
setServiceProviderAccountState(Service Provider Identifier: String, State: String)
```

**Table 4-18 setServiceProviderAccountState**

<b>setServiceProviderAccountState</b>	
<b>Parameter</b>	<b>Description</b>
Service Provider Identifier	ID of the service provider account whose state is being changed.
State	See <a href="#">States of Accounts</a> . One of: <ul style="list-style-type: none"><li>• ACTIVATED</li><li>• DEACTIVATED</li></ul>

# Managing Groups

This section describes how service provider and application groups are managed and provisioned:

- [Summary of Tasks Related to Groups](#)
- [Reference: Attributes and Operations for ApplicationGroups](#)

See [Reference: Attributes and Operations for ApplicationGroups](#) for information finding the operations in the Administration Console and for the name of the MBean.

Prior to registering application and service provider groups, SLAs must be created, see [Defining Service Provider Group and Application Group SLAs](#).

## Summary of Tasks Related to Groups

### Application Groups

To...	Use...
Get information about the number of application groups	<a href="#">Operation: countApplicationGroups</a>
Add, remove and get information about an application group.	<a href="#">Operation: addApplicationGroup</a> <a href="#">Operation: removeApplicationGroup</a> <a href="#">Operation: getApplicationGroup</a>

To...	Use...
List registered application groups.	<a href="#">Operation: listApplicationGroups</a>
Define additional properties for an application group	<a href="#">Operation: setApplicationGroupProperties</a>

## Service Provider Groups

To...	Use...
Get information about the number of service provider groups	<a href="#">Operation: countServiceProviderGroups</a>
Add, remove and get information about a service provider group.	<a href="#">Operation: addServiceProviderGroup</a> <a href="#">Operation: removeServiceProviderGroup</a> <a href="#">Operation: getServiceProviderGroup</a>
List registered service provider groups.	<a href="#">Operation: listServiceProviderGroups</a>
Define additional properties for an service provider group	<a href="#">Operation: setServiceProviderGroupProperties</a>

## Reference: Attributes and Operations for ApplicationGroups

Managed object: Container Services->AccountService->ApplicationGroups

MBean: com.bea.wlcp.wlmg.account.management.ApplicationGroupMBean

Below is a list of operations for configuration and maintenance

- [Operation: addApplicationGroup](#)
- [Operation: addServiceProviderGroup](#)
- [Operation: countApplicationGroups](#)
- [Operation: countServiceProviderGroups](#)
- [Operation: getApplicationGroup](#)

- Operation: `getServiceProviderGroup`
- Operation: `listApplicationGroups`
- Operation: `listServiceProviderGroups`
- Operation: `removeApplicationGroup`
- Operation: `removeServiceProviderGroup`
- Operation: `setApplicationGroupProperties`
- Operation: `setServiceProviderGroupProperties`

## Operation: `addApplicationGroup`

Scope: Domain

Adds a new application group.

Signature:

```
addApplicationGroup(ApplicationGroupIdentifier: String)
```

**Table 5-1** `addApplicationGroup`

<code>addApplicationGroup</code>	
Parameter	Description
<code>ApplicationGroupIdentifier</code>	Unique ID for the application group.

## Operation: `addServiceProviderGroup`

Scope: Domain

Adds a new service provider group.

Signature:

```
addServiceProviderGroup(ServiceProviderGroupIdentifier: String)
```

**Table 5-2 addServiceProviderGroup**

---

**addServiceProviderGroup**

---

Parameter	Description
ServiceProviderGroupId tifier	Unique ID for the service provider group.

---

### **Operation: countApplicationGroups**

Scope: Domain

Displays the number of application groups.

Signature:

```
countApplicationGroups()
```

**Table 5-3 countApplicationGroups**

---

**countApplicationGroups**

---

Parameter	Description
-	-

---

### **Operation: countServiceProviderGroups**

Scope: Domain

Displays the number of service provider groups.

Signature:

```
countServiceProviderGroups()
```

**Table 5-4 countServiceProviderGroups**

<b>countServiceProviderGroups</b>	
<b>Parameter</b>	<b>Description</b>
-	-

## Operation: getApplicationGroup

Scope: Domain

Displays information about an application group, including:

- Application group description
- Properties: see [Account Properties](#)

Signature:

```
getApplicationGroup(ApplicationGroupIdentifier: String)
```

**Table 5-5 getApplicationGroup**

<b>getApplicationGroup</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationGroupIdentifier	ID of the application group whose description is desired.

## Operation: getServiceProviderGroup

Scope: Domain

Displays information about a service provider group.

The information includes:

- Service provider group description.
- Properties: see [Account Properties](#)

Signature:

```
getServiceProviderGroup(ServiceProviderGroupIdentifier: String)
```

**Table 5-6** getServiceProviderGroup

getApplicationGroup	
Parameter	Description
ServiceProviderGroupIdentifier	ID of the service provider group to get information for.

### Operation: listApplicationGroups

Scope: Domain

Displays a list of application groups.

The resultant list contains application group IDs.

Signature:

```
listApplicationGroups(Offset: int, Size: int)
```

**Table 5-7** listApplicationGroups

listApplicationGroups	
Parameter	Description
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

### Operation: listServiceProviderGroups

Scope: Domain

Displays a list of service provider groups.

The resultant list contains service provider group IDs.

Signature:

```
listServiceProviderGroups(Offset: int, Size: int)
```

**Table 5-8 listServiceProviderGroups**

<b>listServiceProviderGroups</b>	
<b>Parameter</b>	<b>Description</b>
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

## Operation: removeApplicationGroup

Scope: Domain

Removes an existing application group. The group must not have any applications associated with it.

Signature:

```
removeApplicationGroup(ApplicationGroupIdentifier: String)
```

**Table 5-9 removeApplicationGroup**

<b>removeApplicationGroup</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationGroupIdentifier	ID for the application group.

## Operation: removeServiceProviderGroup

Scope: Domain

Removes an existing service provider group. The group must not have any service providers associated with it.

Signature:

```
removeServiceProviderGroup(ServiceProviderGroupIdentifier: String)
```

**Table 5-10** `removeServiceProviderGroup`

<code>removeServiceProviderGroup</code>	
Parameter	Description
<code>ServiceProviderGroupIdentifier</code>	ID for the service provider group.

### Operation: `setApplicationGroupProperties`

Specifies properties for an application group: see [Account Properties](#).

**Note:** Only applicable when accessing the MBean directly.

Signature:

```
setApplicationGroupProperties(ApplicationGroupIdentifier: String,  
Properties: Set<Map.Entry<String, String>>)
```

**Table 5-11** `setApplicationAccountProperties`

<code>setApplicationAccountProperties</code>	
Parameter	Description
<code>ApplicationGroupIdentifier</code>	ID of the application group whose properties are to be set.
<code>Properties</code>	See <a href="#">Account Properties</a> .

### Operation: `setServiceProviderGroupProperties`

Specifies properties for a service provider group: see [Account Properties](#).

**Note:** Only applicable when accessing the MBean directly.

Signature:

```
setServiceProviderGroupProperties(ServiceProviderGroupIdentifier: String,  
Properties: Set<Map.Entry<String, String>>)
```

**Table 5-12 setServiceProviderGroupProperties**

<b>setServiceProviderGroupProperties</b>	
<b>Parameter</b>	<b>Description</b>
ServiceProviderGroupIdentifier	ID of the service provider group whose properties are to be set.
Properties	See <a href="#">Account Properties</a> .

## Managing Groups

# Managing SLAs

This section describes how the different types of SLAs are managed and provisioned:

- [Introduction to SLA types](#)
- [Summary of Tasks Related to SLAs](#)
  - [Service Provider and Application Group System SLAs](#)
  - [Node SLAs](#)
  - [Custom SLAs](#)
- [Reference: ApplicationSLAs](#)

## Introduction to SLA types

See [Reference: ApplicationSLAs](#) for information on finding the operations in the Administration Console and for the name of the MBean.

There are two different kinds of SLAs:

- System level SLAs
- Custom SLAs

System level SLAs have static XSDs that are already defined in Oracle Communications Services Gatekeeper, while custom SLAs provides the possibility to use a custom XSD. Any given service provider group or application group can have only one system SLA associated with them, while they can have many custom SLAs. Custom SLAs should be used when there is a need of

additional SLA enforcement logic that is not provided out-of-the-box by Oracle Communications Services Gatekeeper. The enforcement logic for a Custom SLA needs to be created. See *Oracle Communications Services Gatekeeper Platform Development Studio Developer's Guide* for information on how to develop Custom SLAs.

When SLAs are loaded into memory, they are stored in the SLA repository. SLAs can be loaded into the repository in two ways:

- The contents of the SLA is provided as a parameter in the operation that loads the SLA.
- The SLA is stored in a file and the URL to that file is provided as a parameter in the operation that loads the SLA.

SLAs can be retrieved from the SLA repository using the retrieve operations.

The SLA that is loaded into the SLA repository is the one being enforced. Changes to the file after the SLA is loaded into the repository will not automatically be reflected in the active version.

[Table 6-1](#) Outlines the different SLA types, the IDs and their scope.

Table 6-1 SLA Types

SLA Type	ID(s)	Description
Application Group	application system:geo_application	<p>System SLA.</p> <p>Defines how application can use Oracle Communications Services Gatekeeper. See <a href="#">Application Group SLAs</a> for a summary of related management operations.</p> <p>For information on creating these SLAs, see <a href="#">Defining Service Provider Group and Application Group SLAs</a>.</p> <p>The SLA type ID:</p> <ul style="list-style-type: none"> <li>• <b>application</b> indicates that the SLA is loaded to and enforced in the network tier cluster it is loaded.</li> <li>• <b>system:geo_application</b> indicates that the SLA is loaded to and enforced across all network tier clusters in a geo-redundant configuration.</li> </ul>
Service Provider Group	service_provider system:geo_service_provider	<p>System SLA.</p> <p>Defines how service providers can use Oracle Communications Services Gatekeeper. See <a href="#">Service Provider Group SLAs</a> for a summary of related management operations.</p> <p>For information on creating these SLAs, see <a href="#">Defining Service Provider Group and Application Group SLAs</a>.</p> <p>The SLA type ID:</p> <ul style="list-style-type: none"> <li>• <b>service_provider</b> indicates that the SLA is loaded to and enforced in the network tier cluster it is loaded.</li> <li>• <b>system:geo_service_provider</b> indicates that the SLA is loaded to and enforced across all network tier clusters in a geo-redundant configuration.</li> </ul>

**Table 6-1 SLA Types**

SLA Type	ID(s)	Description
Global Node	global_node	<p>System SLA.</p> <p>Defines how Oracle Communications Services Gatekeeper is allowed to use the underlying telecom network nodes. See <a href="#">Global Node SLAs</a> for a summary of related management operations.</p> <p>For information on creating these SLAs, see <a href="#">Defining Global Node and Service Provider Group Node SLAs</a>.</p> <p>This SLA type is loaded and enforced locally in the network tier cluster it is loaded.</p>
Service Provider Node	service_provider_node	<p>System SLA.</p> <p>Defines how Service Providers are allowed to use the underlying telecom network nodes. See <a href="#">Service Provider Node SLAs</a>.</p> <p>For information on creating these SLAs, see <a href="#">Defining Global Node and Service Provider Group Node SLAs</a>.</p> <p>This SLA type is loaded and enforced locally in the network tier cluster it is loaded.</p>

**Table 6-1 SLA Types**

SLA Type	ID(s)	Description
Subscriber	subscr	<p>System SLA.</p> <p>Defines classes of application services that can be associated with subscribers in the context of Oracle Communications Services Gatekeeper. Using the Platform Development Studio, an operator or integrator may create a subscriber-centric policy mechanism. The specifics of this mechanism are covered in the <a href="#">“Subscriber-centric Policy”</a> chapter in the <i>Platform Development Studio - Developer’s Guide</i>, a separate document in this set.</p> <p>This SLA type is loaded and enforced locally in the network tier cluster on which it is loaded.</p>
Custom	Defined at load time	<p>Custom SLA.</p> <p>A custom SLA is defined by an XSD, that must be created and loaded. A custom SLA type ID is associated with the XSD, and this type is the one being referenced when loading the custom SLAs.</p> <p>In addition to the SLA, the enforcement logic that operates on the data in the SLA must be created. See the section <a href="#">Custom Service Level Agreements</a> in <i>Oracle Communications Services Gatekeeper Platform Development Studio - Developer’s Guide</i>. Just like system SLAs, the custom SLAs are associated with service provider groups and application groups. In addition there is a custom global SLA, that does not take into consideration the originator of the request, but affects all requests.</p> <p>SLAs of custom type are loaded and enforced locally in the network tier cluster it is loaded.</p>

**Note:** The prefix system: is reserved, and should not be used by custom SLAs. Due to reasons of backwards compatibility, there is a set of SLA type without this prefix.

## Summary of Tasks Related to SLAs

### Service Provider and Application Group System SLAs

#### Application Group SLAs

Service provider groups...	Management operation
...are associated with SLAs using	<a href="#">Operation: loadApplicationGroupSlaByType</a> <a href="#">Operation: loadApplicationGroupSlaFromUrlByType</a> Deprecated: <a href="#">Operation: loadApplicationGroupSla</a> <a href="#">Operation: loadApplicationGroupSlaFromUrl</a>
...can be viewed using	<a href="#">Operation: retrieveApplicationGroupSlaByType</a> Deprecated: <a href="#">Operation: retrieveApplicationGroupSla</a>

#### Service Provider Group SLAs

Service provider group SLAs...	Management operation
...are associated with SLAs using	<a href="#">Operation: loadServiceProviderGroupSlaByType</a> <a href="#">Operation: loadServiceProviderGroupSlaFromUrlByType</a> Deprecated: <a href="#">Operation: loadServiceProviderGroupSla</a> <a href="#">Operation: loadServiceProviderGroupSlaFromUrl</a>
...can be viewed using	<a href="#">Operation: retrieveServiceProviderGroupSlaByType</a> Deprecated: <a href="#">Operation: retrieveServiceProviderGroupSla</a>

## Node SLAs

### Global Node SLAs

Global node SLAs...	Management operation
...are loaded using	<a href="#">Operation: loadGlobalSlaByType</a> <a href="#">Operation: loadGlobalSlaFromUrlByType</a> Deprecated: <a href="#">Operation: loadGlobalNodeSla</a>
...can be viewed using	<a href="#">Operation: retrieveGlobalSlaByType</a> Deprecated: <a href="#">Operation: retrieveGlobalNodeSla</a>

### Service Provider Node SLAs

Service Provider Node SLAs...	Management operation
...are associated with a service provider group using	<a href="#">Operation: loadServiceProviderGroupSlaByType</a> <a href="#">Operation: loadServiceProviderGroupSlaFromUrlByType</a> Deprecated: <a href="#">Operation: loadServiceProviderGroupNodeSla</a> <a href="#">Operation: loadServiceProviderGroupNodeSlaFromUrl</a>
...can be viewed using	<a href="#">Operation: retrieveServiceProviderGroupSlaByType</a> Deprecated: <a href="#">Operation: retrieveServiceProviderGroupNodeSla</a>

## Subscriber SLAs

<b>Subscriber SLAs...</b>	<b>Management operation</b>
...are loaded using	<a href="#">Operation: loadGlobalSlaByType</a> <a href="#">Operation: loadGlobalSlaFromUrlByType</a> Deprecated: <a href="#">Operation: loadSubscriberSla</a> <a href="#">Operation: loadSubscriberSlaFromUrl</a>
...can be viewed using	<a href="#">Operation: retrieveGlobalSlaByType</a> Deprecated: <a href="#">Operation: retrieveSubscriberSLA</a>

## Custom SLAs

### Custom XSDs

<b>Custom SLA definitions....</b>	<b>Management operation</b>
...are loaded using	<a href="#">Operation: setupCustomSlaXSDDefinition</a> <a href="#">Operation: setupCustomSlaXSDDefinitionFromUrl</a>
...can be viewed using	<a href="#">Operation: retrieveCustomSlaXSDDefinition</a>
...can be counted using	<a href="#">Operation: countCustomSlaXSDDefinition</a>
...can be listed using	<a href="#">Operation: listCustomSlaXSDDefinition</a>

## Custom Application Group SLAs

<b>Custom application group SLAs...</b>	<b>Management operation</b>
...are loaded using	<a href="#">Operation: loadApplicationGroupSlaByType</a> <a href="#">Operation: loadApplicationGroupSlaFromUrlByType</a>
...can be viewed using	<a href="#">Operation: retrieveApplicationGroupSlaByType</a>
...can be counted using	<a href="#">Operation: countApplicationGroupsByType</a>
...can be listed using	<a href="#">Operation: listApplicationGroupsByType</a>

## Custom Service Provider Group SLAs

<b>Custom service provider group SLAs...</b>	<b>Management operation</b>
...are loaded using	<a href="#">Operation: loadServiceProviderGroupSlaByType</a> <a href="#">Operation: loadServiceProviderGroupSlaFromUrlByType</a>
...can be viewed using	<a href="#">Operation: retrieveServiceProviderGroupSlaByType</a>
...can be counted using	<a href="#">Operation: countServiceProviderGroupsByType</a>
...can be listed using	<a href="#">Operation: listServiceProviderGroupSlaTypes</a> <a href="#">Operation: listServiceProviderGroupsByType</a>

## Custom Global SLAs

Custom global SLAs...	Management operation
...are loaded using	<a href="#">Operation: loadGlobalSlaByType</a> <a href="#">Operation: loadGlobalSlaFromUrlByType</a>
...can be viewed using	<a href="#">Operation: retrieveGlobalSlaByType</a>
...can be counted using	<a href="#">Operation: countGlobalSlaTypes</a>
...can be listed using	<a href="#">Operation: listGlobalSlaTypes</a>

## Reference: ApplicationSLAs

All operations are reachable from:

- Oracle Communications Services Gatekeeper Management Console Managed Object: ApplicationSLAs
- MBean: com.bea.wlcp.wlmg.account.management.ServiceLevelAgreementMBean

Below is a list of operations for management:

- [Operation: countApplicationGroupsByType](#)
- [Operation: countApplicationGroupSlaTypes](#)
- [Operation: countApplicationSlaGroups](#)
- [Operation: countCustomSlaXSDDefinition](#)
- [Operation: countGlobalSlaTypes](#)
- [Operation: countServiceProviderGroupsByType](#)
- [Operation: countServiceProviderGroupSlaTypes](#)
- [Operation: countServiceProviderSlaGroups](#)
- [Operation: listApplicationGroupsByType](#)
- [Operation: listApplicationGroupSlaTypes](#)

- Operation: listApplicationSlaGroups
- Operation: listCustomSlaXSDDefinition
- Operation: listGlobalSlaTypes
- Operation: listServiceProviderGroupsByType
- Operation: listServiceProviderGroupSlaTypes
- Operation: listServiceProviderSlaGroups
- Operation: loadApplicationGroupSla
- Operation: loadApplicationGroupSlaByType
- Operation: loadApplicationGroupSlaFromUrl
- Operation: loadApplicationGroupSlaFromUrlByType
- Operation: loadGlobalNodeSla
- Operation: loadGlobalNodeSlaFromUrl
- Operation: loadGlobalSlaByType
- Operation: loadGlobalSlaFromUrlByType
- Operation: loadServiceProviderGroupNodeSla
- Operation: loadServiceProviderGroupNodeSlaFromUrl
- Operation: loadServiceProviderGroupSla
- Operation: loadServiceProviderGroupSlaFromUrl
- Operation: loadServiceProviderGroupSlaFromUrlByType
- Operation: loadServiceProviderGroupSlaByType
- Operation: loadSubscriberSla
- Operation: loadSubscriberSlaFromUrl
- Operation: retrieveApplicationGroupSla
- Operation: retrieveApplicationGroupSlaByType
- Operation: retrieveCustomSlaXSDDefinition

- [Operation: retrieveGlobalNodeSla](#)
- [Operation: retrieveGlobalSlaByType](#)
- [Operation: retrieveServiceProviderGroupNodeSla](#)
- [Operation: retrieveServiceProviderGroupSla](#)
- [Operation: retrieveServiceProviderGroupSlaByType](#)
- [Operation: retrieveSubscriberSLA](#)
- [Operation: setupCustomSlaXSDDefinition](#)
- [Operation: setupCustomSlaXSDDefinitionFromUrl](#)

## Operation: countApplicationGroupsByType

Scope: Domain

Displays the number of a application groups that are associated with a specific system SLA type or custom SLA type.

Signature:

```
countApplicationGroupsByType(SlaType: String)
```

**Table 6-2 countApplicationGroupsByType**

countApplicationGroupsByType	
Parameter	Description
SlaType	The system SLA type or custom SLA type.

## Operation: countApplicationGroupSlaTypes

Scope: Domain

Displays the number of system and custom SLA types for an application group.

Signature:

```
countApplicationGroupSlaTypes(applicationGroupIdentifier: String)
```

**Table 6-3** countApplicationGroupSlaTypes

countApplicationGroupSlaTypes	
Parameter	Description
applicationGroupIdentifier	The ID of the application group.

## Operation: countApplicationSlaGroups

Scope: Domain

Deprecated. Use [Operation: countApplicationGroupsByType](#) with slaType **application**.

Displays the number of registered application groups that have SLAs associated with them.

Signature:

```
countApplicationSlaGroups()
```

**Table 6-4** countApplicationSlaGroups

countApplicationSlaGroups	
Parameter	Description
-	-

## Operation: countCustomSlaXSDDefinition

Scope: Domain

Displays the number of registered custom SLA types.

Signature:

```
countApplicationSlaGroups()
```

**Table 6-5 countCustomSlaXSDDefinition**

<b>countCustomSlaXSDDefinition</b>	
<b>Parameter</b>	<b>Description</b>
-	-

### **Operation: countGlobalSlaTypes**

Scope: Domain

Displays the number of registered SLA types that has global scope.

Signature:

```
countGlobalSlaTypes()
```

**Table 6-6 countGlobalSlaTypes**

<b>countGlobalSlaTypes</b>	
<b>Parameter</b>	<b>Description</b>
-	-

### **Operation: countServiceProviderGroupsByType**

Scope: Domain

Displays the number of service provider groups that are associated with a specific SLA type.

Signature:

```
countServiceProviderGroupsByType(slaType: String)
```

**Table 6-7 countServiceProviderGroupsByType**

<b>countServiceProviderGroupSlaByType</b>	
<b>Parameter</b>	<b>Description</b>
slaType	The system SLA type or custom SLA type. For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> .

## Operation: countServiceProviderGroupSlaTypes

Scope: Domain

Displays the number of system SLA types and custom SLA types for a service provider group.

Signature:

```
countServiceProviderGroupSlaTypes(serviceProviderGroupIdentifier: String)
```

**Table 6-8 countServiceProviderGroupSlaTypes**

<b>countServiceProviderGroupSlaTypes</b>	
<b>Parameter</b>	<b>Description</b>
serviceProviderGroupIdentifier	The ID of the service provider group.

## Operation: countServiceProviderSlaGroups

Scope: Domain

Deprecated. Use [Operation: countServiceProviderGroupsByType](#) with slaType **service\_provider**.

Displays the number of registered service provider groups that have SLAs associated with them.

Signature:

```
countServiceProviderGroups()
```

**Table 6-9 countServiceProviderSlaGroups**

<b>countServiceProviderSlaGroups</b>	
<b>Parameter</b>	<b>Description</b>
-	-

## Operation: listApplicationGroupsByType

Scope: Domain

Displays a list of registered application groups that have a system level or custom SLA associated, filtered by the SLA type.

The list contains application group IDs.

Signature:

```
listApplicationGroupsByType(slaType: String, Offset: int, Size: int)
```

**Table 6-10 listApplicationGroupsByType**

<b>listApplicationGroupSlaByType</b>	
<b>Parameter</b>	<b>Description</b>
slaType	The SLA type. For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> . For system level SLAs, see <a href="#">SLA Types</a> .
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

## Operation: listApplicationGroupSlaTypes

Scope: Domain

Displays a list of system and custom SLAs for an application group.

Signature:

```
listApplicationGroupSlaTypes(applicationGroupIdentifier: String, Offset:
int, Size: int)
```

**Table 6-11 listApplicationGroupSlaTypes**

<b>listApplicationGroupSlaTypes</b>	
<b>Parameter</b>	<b>Description</b>
applicationGroupIdentifier	The ID of the application group.
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

## Operation: listApplicationSlaGroups

Scope: Domain

Deprecated. Use [Operation: listApplicationGroupsByType](#) with slaType **application**.

Displays a list of registered application groups that has application SLAs associated.

The list contains application group IDs.

Signature:

```
listApplicationSlaGroups(Offset: int, Size: int)
```

**Table 6-12 listApplicationSlaGroups**

<b>listApplicationSlaGroups</b>	
<b>Parameter</b>	<b>Description</b>
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

### **Operation: listCustomSlaXSDDefinition**

Scope: Domain

Displays a list of registered custom SLA XSD.

The list contains custom SLA types.

Signature:

```
listCustomSlaXSDDefinition(Offset: int, Size: int)
```

**Table 6-13 listCustomSlaXSDDefinition**

<b>listCustomSlaXSDDefinition</b>	
<b>Parameter</b>	<b>Description</b>
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

### **Operation: listGlobalSlaTypes**

Scope: Domain

Displays a list of system and custom global SLA types.

Signature:

```
listGlobalSlaTypes(Offset: int, Size: int)
```

**Table 6-14 listGlobalSlaTypes**

<b>listGlobalSlaTypes</b>	
<b>Parameter</b>	<b>Description</b>
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

## Operation: listServiceProviderGroupsByType

Scope: Domain

Displays a list of registered service provider groups that have a system level or custom SLA associated, filtered by the SLA type.

The list contains service provider group IDs.

Signature:

```
listServiceProviderGroupsByType(slaType: String, Offset: int, Size: int)
```

**Table 6-15 listServiceProviderGroupsByType**

<b>listServiceProviderGroupsByType</b>	
<b>Parameter</b>	<b>Description</b>
slaType	The SLA type. For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> . For system level SLAs, see <a href="#">SLA Types</a> .
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

## Operation: listServiceProviderGroupSlaTypes

Scope: Domain

Displays a list of system and custom SLA types defined for a service provider group.

Signature:

```
listServiceProviderGroupSlaTypes(applicationGroupIdentifier: String,  
Offset: int, Size: int)
```

**Table 6-16 listServiceProviderGroupSlaTypes**

listServiceProviderGroupSlaTypes	
Parameter	Description
serviceProviderGroupIdentifier	The ID of the service provider group.
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

## Operation: listServiceProviderSlaGroups

Scope: Domain

Deprecated. Use [Operation: listServiceProviderGroupsByType](#) with slaType **service\_provider**.

Displays a list of registered service provider groups that has application SLAs associated.

The list contains service provider group IDs.

Signature:

```
listServiceProviderSlaGroups(Offset: int, Size: int)
```

**Table 6-17 listServiceProviderSlaGroups**

<b>listServiceProviderSlaGroups</b>	
<b>Parameter</b>	<b>Description</b>
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

## Operation: loadApplicationGroupSla

Scope: Domain

Deprecated. Use [Operation: loadApplicationGroupSlaByType](#) with slaType **application**.

Associates an application group SLA with an application group using the contents of the SLA as a parameter.

Signature:

```
loadApplicationGroupSla(ApplicationGroupIdentifier String,
ServiceLevelAgreement: String)
```

**Table 6-18 loadApplicationGroupSla**

<b>loadApplicationGroupSla</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationGroupIdentifier	Unique ID for the application group.
ServiceLevelAgreement	Contents of an application group SLA.

## Operation: loadApplicationGroupSlaByType

Scope: Domain or all geo-redundant sites.

Associates a system or custom SLA with an application group using the contents of the SLA as a parameter.

Signature:

```
loadApplicationGroupSlaByType(slaType: String, ApplicationGroupIdentifier : String, ServiceLevelAgreement: String)
```

**Table 6-19 loadApplicationGroupSlaByType**

loadApplicationGroupSlaByType	
Parameter	Description
slaType	The SLA type. For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> . For system level SLAs, see <a href="#">SLA Types</a> .
ApplicationGroupIdentifier	Unique ID for the application group.
ServiceLevelAgreement	Contents of the system level SLA or custom SLA. The content must be formatted according to the XSD associated with the SLA type.

## Operation: loadApplicationGroupSlaFromUrl

Scope: Domain

Deprecated. Use [Operation: loadApplicationGroupSlaFromUrlByType](#) with slaType **application**.

Associates an application group SLA with an application group using the URL to a file that contains the SLA.

Signature:

```
loadApplicationGroupSlaFromUrl(ApplicationGroupIdentifier : String, ServiceLevelAgreementURL: String)
```

**Table 6-20 loadApplicationGroupSlaFromUrl**

<b>loadApplicationGroupSlaFromUrl</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationGroupIdentifier	Unique ID for the application group.
ServiceLevelAgreementURL	The URL to the SLA.

## Operation: loadApplicationGroupSlaFromUrlByType

Scope: Domain or all geo-redundant sites.

Associates a system or custom SLA with an application group using the URL to a file that contains the SLA.

Signature:

```
loadApplicationGroupSlaFromUrlByType(slaType: String,
ApplicationGroupIdentifier : String, serviceLevelAgreementURL: String)
```

**Table 6-21 loadApplicationGroupSlaFromUrlByType**

<b>loadApplicationGroupSlaFromUrlByType</b>	
<b>Parameter</b>	<b>Description</b>
slaType	The SLA type. For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> . For system level SLAs, see <a href="#">SLA Types</a> .
ApplicationGroupIdentifier	Unique ID for the application group.
serviceLevelAgreementURL	The URL to the system level SLA or custom SLA. The content must be formatted according to the XSD associated with the SLA type.

## Operation: loadGlobalNodeSla

Scope: Domain

Deprecated. Use [Operation: loadGlobalSlaByType](#) with slaType **global\_node**.

Loads the global node SLA using the contents of the SLA as a parameter.

Signature:

```
loadGlobalNodeSla(ServiceLevelAgreement: String)
```

**Table 6-22** loadGlobalNodeSla

loadGlobalNodeSla	
Parameter	Description
ServiceLevelAgreement	Contents of a global node SLA. The content must be formatted according to the XSD associated with the SLA type.

## Operation: loadGlobalNodeSlaFromUrl

Scope: Domain

Deprecated. Use [Operation: loadGlobalSlaFromUrlByType](#) with slaType **global\_node**.

Loads a global node SLA using the URL to a file that contains the SLA as a parameter.

Signature:

```
loadGlobalNodeSlaFromUrl(ServiceLevelAgreement: String)
```

**Table 6-23** loadGlobalNodeSlaFromUrl

loadGlobalNodeSlaFromUrl	
Parameter	Description
ServiceLevelAgreement URL	The URL to the global node SLA. The content must be formatted according to the XSD associated with the SLA type.

## Operation: loadGlobalSlaByType

Scope: Domain

Loads a system level or custom global SLA.

Signature:

```
loadGlobalSlaByType(ServiceLevelAgreement: String)
```

**Table 6-24 loadGlobalSlaByType**

loadGlobalSlaByType	
Parameter	Description
slaType	The SLA type. For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> . For system level SLAs, see <a href="#">SLA Types</a> .
ServiceLevelAgreement	Contents of the global SLA. The content must be formatted according to the XSD associated with the SLA type.

## Operation: loadGlobalSlaFromUrlByType

Scope: Domain

Loads a global SLA using the URL to a file that contains the SLA as a parameter.

Signature:

```
loadGlobalSlaFromUrlByType(ServiceLevelAgreement: String)
```

**Table 6-25 loadGlobalSlaFromUrlByType**

<b>loadGlobalSlaFromUrlByType</b>	
<b>Parameter</b>	<b>Description</b>
slaType	The SLA type. For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> . For system level SLAs, see <a href="#">SLA Types</a> .
ServiceLevelAgreement	The URL to the global SLA. The content must be formatted according to the XSD associated with the SLA type.

## Operation: loadServiceProviderGroupNodeSla

Scope: Domain

Deprecated. Use [Operation: loadServiceProviderGroupSlaByType](#) with slaType **service\_provider\_node**.

Associates a service provider group node SLA with a service provider group using the contents of the SLA a parameter.

Signature:

```
loadServiceProviderGroupNodeSla(ServiceProviderGroupIdentifier : String,
ServiceLevelAgreement: String)
```

**Table 6-26 loadServiceProviderGroupNodeSlaFromUrl**

<b>loadServiceProviderGroupNodeSlaFromUrl</b>	
<b>Parameter</b>	<b>Description</b>
ServiceProviderGroupIdentifier	Unique ID for the service provider group.
ServiceLevelAgreement	The contents of the service provider group node SLA.

## Operation: loadServiceProviderGroupNodeSlaFromUrl

Scope: Domain

Deprecated. Use [Operation: loadServiceProviderGroupSlaFromUrlByType](#) with `slaType` **service\_provider\_node**.

Associates a service provider group node SLA with a service provider group using the URL to a file that contains the SLA. as a parameter.

Signature:

```
loadServiceProviderGroupNodeSlaFromUrl(ServiceProviderGroupIdentifier :
String, ServiceLevelAgreementUrl: String)
```

**Table 6-27** loadServiceProviderGroupNodeSlaFromUrl

loadServiceProviderGroupNodeSlaFromUrl	
Parameter	Description
ServiceProviderGroupIdentifier	Unique ID for the service provider group.
ServiceLevelAgreementURL	The URL to the SLA.

## Operation: loadServiceProviderGroupSla

Scope: Domain

Deprecated. Use [Operation: loadServiceProviderGroupSlaByType](#) with `slaType` **service\_provider**.

Associates a service provider group SLA with a service provider group using the contents of the SLA as a parameter.

Signature:

```
loadServiceProviderGroupSla(ServiceProviderGroupIdentifier: String,
ServiceLevelAgreement: String)
```

**Table 6-28 loadServiceProviderGroupSla**

<b>loadServiceProviderGroupSla</b>	
<b>Parameter</b>	<b>Description</b>
ServiceProviderGroupIdentifier	Unique ID for the service provider group.
ServiceLevelAgreement	Contents of a service provider group SLA. The content must be formatted according to the XSD associated with the SLA type.

## Operation: loadServiceProviderGroupSlaFromUrl

Scope: Domain

Deprecated. Use [Operation: loadServiceProviderGroupSlaFromUrlByType](#) with `slaType service_provider`.

Associates a service provider group SLA with a service provider group using the URL to a file that contains the SLA as a parameter.

Signature:

```
loadServiceProviderGroupSlaFromUrl(ServiceProviderGroupIdentifier :
String, ServiceLevelAgreementURL: String)
```

**Table 6-29 loadServiceProviderGroupSlaFromUrl**

<b>loadServiceProviderGroupNodeSlaFromUrl</b>	
<b>Parameter</b>	<b>Description</b>
ServiceProviderGroupIdentifier	The ID of the service provider group.
ServiceLevelAgreementURL	The URL to the SLA. The content must be formatted according to the XSD associated with the SLA type.

## Operation: loadServiceProviderGroupSlaFromUrlByType

Scope: Domain or all geo-redundant sites

Associates a system level or custom SLA with a service provider group using the URL to a file that contains the SLA as a parameter.

Signature:

```
loadServiceProviderGroupSlaFromUrlByType(slaType: String,
serviceProviderGroupIdentifier : String, serviceLevelAgreementURL: String)
```

**Table 6-30 loadServiceProviderGroupSlaFromUrlByType**

loadServiceProviderGroupSlaFromUrlByType	
Parameter	Description
slaType	The SLA type. For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> . For system level SLAs, see <a href="#">SLA Types</a> .
serviceProviderGroupIdentifier	The ID for the service provider group.
serviceLevelAgreementURL	The URL to the SLA. The content must be formatted according to the XSD associated with the SLA type.

## Operation: loadServiceProviderGroupSlaByType

Scope: Domain or all geo-redundant sites

Associates a system level or custom SLA with a service provider group using the contents of the SLA as a parameter.

Signature:

```
loadServiceProviderGroupSlaByType(slaType: String,
serviceProviderGroupIdentifier : String, ServiceLevelAgreement: String)
```

**Table 6-31 loadServiceProviderGroupSlaByType**

<b>loadServiceProviderGroupSlaByType</b>	
<b>Parameter</b>	<b>Description</b>
slaType	The SLA type. For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> . For system level SLAs, see <a href="#">SLA Types</a> .
serviceProviderGroupIdentifier	The ID for the service provider group.
ServiceLevelAgreement	Contents of the system level SLA or custom SLA. The content must be formatted according to the XSD associated with the custom SLA type.

## Operation: loadSubscriberSla

Scope: Domain

Deprecated. Use [Operation: loadGlobalSlaByType](#) with slaType **subscr**.

Loads the Subscriber SLA into the repository.

Signature:

```
loadSubscriberSla(ServiceLevelAgreement: String)
```

**Table 6-32 loadSubscriberSla**

<b>loadApplicationGroupSla</b>	
<b>Parameter</b>	<b>Description</b>
ServiceLevelAgreement	The contents of a Subscriber SLA.

## Operation: loadSubscriberSlaFromUrl

Scope: Domain

Deprecated. Use [Operation: loadGlobalSlaFromUrlByType](#) with slaType **subscriber**.

Loads the Subscriber SLA into the repository using a URL.

Signature:

```
loadSubscriberSlaFromURL(ServiceLevelAgreementURL: String)
```

**Table 6-33 loadSubscriberSla**

loadApplicationGroupSla	
Parameter	Description
ServiceLevelAgreementURL	The URL for the Subscriber SLA

## Operation: retrieveApplicationGroupSla

Scope: Domain

Deprecated. Use [Operation: retrieveApplicationGroupSlaByType](#) with slaType **application**.

Retrieves an application group SLA.

Signature:

```
retrieveApplicationGroupSla(ApplicationGroupIdentifier : String)
```

**Table 6-34 retrieveApplicationGroupSla**

retrieveApplicationGroupSla	
Parameter	Description
ApplicationGroupIdentifier	Unique ID for the service provider group.

## Operation: retrieveApplicationGroupSlaByType

Scope: Domain

Retrieves a system level or custom SLA for an application group.

Signature:

```
retrieveApplicationGroupSlaByType(slaType : String,
ApplicationGroupIdentifier : String)
```

**Table 6-35** retrieveApplicationGroupSlaByType

retrieveApplicationGroupSlaByType	
Parameter	Description
slaType	The SLA type. For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> . For system level SLAs, see <a href="#">SLA Types</a> .
ApplicationGroupIdentifier	Unique ID for the application group.

## Operation: retrieveCustomSlaXSDDefinition

Scope: Domain

Retrieve the XSD that defines the custom SLA type.

Signature:

```
retrieveCustomSlaXSDDefinition(slaType : String)
```

**Table 6-36** retrieveCustomSlaXSDDefinition

retrieveCustomSlaXSDDefinition	
Parameter	Description
slaType	The name of the custom SLA type.

## Operation: retrieveGlobalNodeSla

Scope: Domain

Deprecated. Use [Operation: retrieveGlobalSlaByType](#) with slaType **global\_node**.

Retrieves a global node SLA.

Signature:

```
retrieveGlobalNodeSla()
```

**Table 6-37** retrieveGlobalNodeSla

retrieveGlobalNodeSla	
Parameter	Description
-	-

## Operation: retrieveGlobalSlaByType

Scope: Domain

Retrieves a system level or custom global SLA.

Signature:

```
retrieveGlobalSlaByType(slaType : String)
```

**Table 6-38** retrieveGlobalSlaByType

retrieveGlobalSlaByType	
Parameter	Description
slaType	For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> . For system level SLAs, see <a href="#">SLA Types</a> .

## Operation: retrieveServiceProviderGroupNodeSla

Scope: Domain

Deprecated. Use [Operation: retrieveServiceProviderGroupSlaByType](#) with `slaType` **service\_provider\_node**.

Retrieves an service provider group node SLA.

Signature:

```
retrieveServiceProviderGroupNodeSla(ServiceProviderGroupIdentifier : String)
```

**Table 6-39** retrieveServiceProviderGroupNodeSla

retrieveServiceProviderGroupNodeSla	
Parameter	Description
ServiceProviderGroupIdentifier	ID for the service provider group.

## Operation: retrieveServiceProviderGroupSla

Scope: Domain

Deprecated. Use [Operation: retrieveServiceProviderGroupSlaByType](#) with `slaType` **service\_provider**.

Retrieves an service provider group SLA.

Signature:

```
retrieveServiceProviderGroupSla(ServiceProviderGroupIdentifier : String)
```

**Table 6-40** retrieveServiceProviderGroupSla

retrieveServiceProviderGroupSla	
Parameter	Description
ServiceProviderGroupIdentifier	ID for the service provider group.

## Operation: retrieveServiceProviderGroupSlaByType

Scope: Domain

Retrieves a system level or custom SLA for a service provider group.

Signature:

```
retrieveServiceProviderGroupSlaByType(slaType : String,
serviceProviderGroupIdentifier : String)
```

**Table 6-41** retrieveServiceProviderGroupSlaByType

retrieveServiceProviderGroupSlaByType	
Parameter	Description
slaType	The SLA type. For custom SLAs, the SLA type was registered in <a href="#">Operation: setupCustomSlaXSDDefinition</a> . For system level SLAs, see <a href="#">SLA Types</a> .
serviceProviderGroupIdentifier	The ID for the service provider group.

## Operation: retrieveSubscriberSLA

Scope: Domain

Deprecated. Use [Operation: retrieveGlobalSlaByType](#) with slaType **subscr**.

Returns the Subscriber SLA.

Signature:

```
retrieveSubscriberSla()
```

**Table 6-42 retrieveSubscriberSla**

<b>loadApplicationGroupSla</b>	
<b>Parameter</b>	<b>Description</b>
-	-

### **Operation: setupCustomSlaXSDDefinition**

Scope: Domain

Set up an XSD document defined as a custom Service Level Agreement type.

Signature:

```
setupCustomSlaXSDDefinition(slaType : String, xsdDocument : String)
```

**Table 6-43 setupCustomSlaXSDDefinition**

<b>setupCustomSlaXSDDefinition</b>	
<b>Parameter</b>	<b>Description</b>
slaType	The named type of the custom SLA. Used when loading custom SLAs and when fetching the custom SLA in the enforcement logic for the custom SLA.  This parameter is case-sensitive.
xsdDocument	The XSD document that describes the custom type

### **Operation: setupCustomSlaXSDDefinitionFromUrl**

Scope: Domain

Set up an XSD document defined as a custom Service Level Agreement type.

Signature:

```
setupCustomSlaXSDDefinitionFromUrl(slaType : String, xsdDocumentURL : String)
```

**Table 6-44 setupCustomSlaXSDDefinitionFromUrl**

<b>setupCustomSlaXSDDefinitionFromUrl</b>	
<b>Parameter</b>	<b>Description</b>
slaType	The named type of the custom SLA. Used when loading custom SLAs and when fetching the custom SLA in the enforcement logic for the custom SLA. This parameter is case-sensitive.
xsdDocumentURL	The URL of the XSD document that describes the custom type.

## Managing SLAs

# Managing Sessions

This section describes how to configure the behavior of and manage ongoing sessions:

- [About Sessions](#)
- [Reference: ApplicationSessions](#)

See [Reference: ApplicationSessions](#), for information on where to find the operations in the Administration Console and the name of the MBean.

## About Sessions

You can configure whether or not to use sessions between applications and Oracle Communications Services Gatekeeper. Sessions can be used for establishing site affinity when using geographical redundant sites.

The setting of [Attribute: sessionRequired](#) specifies if sessions are used or not.

When using sessions, the application must get a session from the Session Web Service prior to using the other application-facing interfaces. The application must also provide the session ID in all requests to the application-facing interfaces, except for requests to the Session Web Service.

A session has a unique ID. A session, once established, can have two states:

- ACTIVE
- INVALID

When a session is established it is always in state ACTIVE.

When a session is in state...	It transitions into state...	When...
ACTIVE	INVALID	The age of the state ACTIVE of a session is older than a configurable time-interval, see <a href="#">Attribute: validityTime</a> .
ACTIVE	n/a (This is not a state but rather that the session is not current, or not existing.)	<p>Either one of these scenarios are applied:</p> <ul style="list-style-type: none"> <li>• An application request to destroy the session using, depending on which session establishment mechanism being used, either: <ul style="list-style-type: none"> <li>– <a href="#">Operation: destroySession</a> on the Session Manager Web Service.</li> <li>– <a href="#">Operation: applicationLogout</a> on the Access Web Service.</li> </ul> </li> <li>• A management user performs one of the following management operations: <ul style="list-style-type: none"> <li>– <a href="#">Operation: destroySession</a></li> <li>– <a href="#">Operation: destroyApplicationInstanceSession</a></li> <li>– <a href="#">Operation: destroyApplicationSessions</a></li> <li>– <a href="#">Operation: destroyServiceProviderSessions</a></li> </ul> </li> </ul>
INVALID	ACTIVE	<p>An application request to refresh the session using, depending on which session establishment mechanism being used, either:</p> <ul style="list-style-type: none"> <li>• <a href="#">Operation: refreshSession</a> on the Session Manager Web Service.</li> <li>• <a href="#">Operation: refreshLoginTicket</a> on the Access Web Service.</li> </ul>
INVALID	n/a (This is not a state but rather that the session is not current, or not existing.)	<p>The age of the state INVALID of a session is older than a configurable time-interval, see <a href="#">Attribute: expiryTime</a>.</p> <hr/> <p>A management user performs one of the following management operations:</p> <ul style="list-style-type: none"> <li>• <a href="#">Operation: destroyApplicationInstanceSession</a></li> <li>• <a href="#">Operation: destroyApplicationSessions</a></li> <li>• <a href="#">Operation: destroySession</a></li> <li>• <a href="#">Operation: destroyServiceProviderSessions</a></li> </ul>

## Reference: ApplicationSessions

All operations are reachable from:

- Oracle Communications Services Gatekeeper Management Console Managed Object: Container Services→ AccountService→ApplicationSessions
- MBean: com.bea.wlcp.wlng.account.management.ApplicationSessionMBean

Below is a list of attributes and operations for ApplicationSessions:

- [Attribute: expiryTime](#)
- [Attribute: sessionRequired](#)
- [Attribute: validityTime](#)
- [Operation: countApplicationSessions](#)
- [Operation: destroyServiceProviderSessions](#)
- [Operation: getApplicationInstanceSession](#)
- [Operation: destroySession](#)
- [Operation: destroyApplicationInstanceSession](#)
- [Operation: destroyApplicationSessions](#)
- [Operation: getCurrentSession](#)
- [Operation: listApplicationSessions](#)

### **Attribute: expiryTime**

Scope: Domain

Unit: minutes

Format: int

Specifies the expiry time of sessions.

See [About Sessions](#).

### **Attribute: sessionRequired**

Scope: Domain

Unit: n/a

Format: Boolean

Specifies if sessions must be established prior to use the application-facing interfaces in Oracle Communications Services Gatekeeper. See [About Sessions](#).

### Attribute: validityTime

Scope: Domain

Unit: minutes

Format: int

Specifies the validity time of sessions.

See [About Sessions](#).

### Operation: countApplicationSessions

Scope: Domain

Displays the number of established sessions filtered on:

- service provider account
- application account

Signature:

```
countApplicationSessions(ApplicationIdentifier: String,  
ServiceProviderIdentifier: String)
```

**Table 7-1** countApplicationSessions

countApplicationSessions	
Parameter	Description
ApplicationIdentifier	ID of the application account. Optional. Leave empty to match all.
Service ProviderIdentifier	ID of the service provider account. Optional. Leave empty to match all.

## Operation: destroySession

Scope: Domain

Destroys an ongoing session using the ID of the session.

Signature:

```
destroySession(SessionIdentifier: String)
```

**Table 7-2** destroySession

destroySession	
Parameter	Description
SessionIdentifier	ID of the session to destroy.

## Operation: destroyApplicationInstanceSession

Scope: Domain

Destroys the ongoing session using the ID of the application instance that established the session.

Signature:

```
destroyApplicationInstanceSession(ApplicationInstanceIdentifier: String)
```

**Table 7-3** destroyApplicationInstanceSession

destroyApplicationInstanceSession	
Parameter	Description
ApplicationInstanceIdentifier	ID of the application instance that established the session.

## Operation: destroyApplicationSessions

Scope: Domain

Destroys all ongoing session established by applications associated with a specific service provider /application account combination.

Signature:

```
destroyApplicationSessions(ApplicationIdentifier: String,  
ServiceProviderIdentifier: String)
```

**Table 7-4 destroyApplicationSessions**

<b>destroyApplicationSessions</b>	
<b>Parameter</b>	<b>Description</b>
ApplicationIdentifier	ID of the application account.
ServiceProviderIdentifier	ID of the service provider account.

### **Operation: destroyServiceProviderSessions**

Scope: Domain

Destroys all ongoing session established by applications associated with a specific service provider account.

Signature:

```
destroyServiceProviderSessions(ServiceProviderIdentifier: String)
```

**Table 7-5 destroyServiceProviderSessions**

<b>destroyServiceProviderSessions</b>	
<b>Parameter</b>	<b>Description</b>
ServiceProviderIdentifier	ID of the service provider account.

### **Operation: getApplicationInstanceSession**

Scope: Domain

Gets information about a session, active or invalid, using the ID of the application instance that established the session.

The information includes:

- Session ID.
- ID of the application instance that established the session.
- Age, the time since the session was established. Given in minutes.
- Validity indicator for the session:
  - true if ACTIVE
  - false if INVALID

Signature:

```
getApplicationInstanceSession(ApplicationInstanceIdentifier: String)
```

**Table 7-6** `getApplicationInstanceSession`

<code>getApplicationInstanceSession</code>	
Parameter	Description
<code>ApplicationInstanceIdentifier</code>	ID of the application instance.

## Operation: `getCurrentSession`

Scope: Domain

Gets information about a session, ongoing or invalid, using the ID of the session.

The information includes:

- Session ID.
- ID of the application instance that established the session.
- Age, the time since the session was established. Given in minutes.
- Validity indicator for the session:
  - true if valid
  - false if invalid

Signature:

```
getCurrentSession(SessionIdentifier: String)
```

**Table 7-7** `getCurrentSession`

<b>getCurrentSession</b>	
<b>Parameter</b>	<b>Description</b>
SessionIdentifier	ID of the session to get information about.

## Operation: `listApplicationSessions`

Scope: Domain

Displays a list of IDs for all sessions, ongoing or invalid, established by applications. Filters on:

- service provider account
- application account

Signature:

```
listApplicationSessions(ApplicationIdentifier: String,  
ServiceProviderIdentifier: String, Offset: int, Size: int)
```

**Table 7-8** `listApplicationSessions`

<b>listApplicationSessions</b>	
<b>Parameter</b>	<b>Description</b>
applicationIdentifier	ID of the application account. Optional. Leave empty to match all.
serviceProviderIdentifier	ID of the service provider account. Optional. Leave empty to match all.
Offset	Offset in the list. Starts with 0 (zero)
Size	Size of the list. For no restrictions on the size of the list, use 0 (zero).

# Defining Service Provider Group and Application Group SLAs

An application's usage policies of Oracle Communications Services Gatekeeper are specified in Service Level Agreement (SLA) XML files. There is an SLA associated with the service provider group and one associated with the application group. For more information on this administration model, see [Creating and Maintaining Service Provider and Application Accounts](#).

This section describes:

- [Structure of a Service Level Agreement](#)
- [Contract structure](#)

## Structure of a Service Level Agreement

The xsds for the SLAs are found in `/sla_schema/` in `$BEA_HOME/wlmg400/modules/com.bea.wlcp.wlmg.policy_4.0.0.0.jar`:

- `app_sla_file.xsd` is the application group SLA xsd.
- `sp_sla_file.xsd` is and the service provider group SLA xsd.

The SLA contains two main types of information specified by the attributes in the `<serviceTypeContract>` tag and the contents of the `<serviceContract>` tags.

The `<serviceTypeContract>` tag includes usage restrictions per service type. The `<serviceContract>` tag defines restrictions on a more granular level: per interface and method.

It is possible to override parts of a `<serviceContract>` based on time-of-day and day-of-week. This is not possible in a `<serviceTypeContract>`

[Service level agreement XML file overview](#) shows the service provider level SLA XML file's main structure and the relation between the <serviceTypeContract> and the <serviceContract> tags.

Differences between the SLAs on service provider and application level are described in the tag descriptions below the listing.

**Note:** If the SLA XML file has spaces before the <?xml . . .> tag, the SLA will not load.

### Listing 8-1 Service level agreement XML file overview

---

```
<Sla [serviceProviderGroupID | applicationGroupID] ="<Group>"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:noNamespaceSchemaLocation="[sp_sla_file.xsd | app_sla_file.xsd]">
  <serviceTypeContract>
    <serviceTypeName></serviceTypeName>
    <startDate></startDate>
    <endDate></endDate>
    <serviceTypeName></serviceTypeName>
    <rate></rate>
    <quota></quota>
  </serviceTypeContract>
  <serviceContract>
    <startDate></startDate>
    <endDate></endDate>
    <scs></scs>
    <contract>
      . . .
    </contract>
    <overrides>
      <override>
```

```

        <startDate></startDate>
        <endDate></endDate>
        <startDow></startDow>
        <endDow></endDow>
        <startTime></startTime>
        <endTime></endTime>
        <contract>
            ...
        </contract>
    </override>
</overrides>
</serviceContract>
</Sla>

```

---

## <Sla>

This tag contains a number of service contracts specifying under which conditions a service provider or an application is allowed to access and use service capabilities.

The **serviceProviderGroupID** attribute specifies service provider group the service provider belongs to and for which the SLA is valid. For SLAs on application level the **applicationGroupID** attribute is used instead. It specifies the application group the application belongs to and for which the SLA is valid.

The attribute **xmlns:xsi** contains processing information and should not be changed.

The attribute **xsi:noNamespaceSchemaLocation** shall point to the xsd for the service provider group SLA or the application group SLA, depending on which type of SLA it is:

- app\_sla\_file.xsd is the application group SLA xsd
- sp\_sla\_file.xsd is and the service provider group SLA xsd

## <serviceTypeContract>

This tag contains contractual data specifying under which conditions a service provider or an application is allowed to access and use specific service types in Oracle Communications Services Gatekeeper. One <serviceTypeContract> tag is needed for each service type a service provider or an application shall have access to.

The data to be defined in the <serviceTypeContract> tag for each interface is described below.

In each occurrence of this tag, the following sub tags can be used:

- <serviceTypeName>
- <startdate>
- <enddate>
- <rate>
- <quota>

## <serviceTypeName>

This tag specifies the service type that the service contract applies to. The content of this tag is an Identifier that defines the service type. See section [Managing and Configuring the Plug-in Manager](#) in *Oracle Communications Services Gatekeeper Administration Guide* for information on how to get a list of service types.

For example, the service type for the interfaces for Parlay X 2.1 Short Messaging and RESTful Short Messaging interfaces is **Sms**.

**Note:** There must be only one <serviceTypeContract> for a given <serviceTypeName> defined in the SLA for a group in the combined set of SLAs (the local SLA and the geo-redundant SLA). For example, if the geo-redundant service provider group SLA defines a <serviceContract> for the service type CallNotification, it must not be defined in the local service provider group SLA.

### Listing 8-2 Listing D-2 <serviceTypeContract> example

---

...

```
<serviceTypeContract>
  <serviceTypeName>CallNotification<serviceTypeName>
```

```

    <startDate>2008-11-01</startDate>
    <endDate>2008-11-30</endDate>
    <rate>25</rate>
    <quota>250</quota>
</serviceTypeContract>
<serviceTypeContract>
    <serviceName>Sms</serviceName>
    <startDate>2008-11-01</startDate>
    <endDate>2008-11-30</endDate>
    <rate>35</rate>
    <quota>350</quota>
</serviceTypeContract>
...

```

## <serviceContract>

This tag contains contractual data specifying under which conditions a service provider or an application is allowed to access and use specific interfaces and methods in Oracle Communications Services Gatekeeper. One **<serviceContract>** tag is needed for each application-facing interface a service provider or an application shall have access to.

The data to be defined in the **<serviceContract>** tag for each interface is described below.

### <startdate>

This tag specifies the date the application can start using the service capability. Use format YYYY-MM-DD.

**Note:** A later start date on the service provider level service contract overrides this date.

### <enddate>

This tag specifies the last date the application can use the service capability. Use format YYYY-MM-DD.

**Note:** A earlier end date on the service provider level service contract overrides this date.

## <SCS>

This tag specifies the application-facing interface that the service contract applies to. The content of this tag is a Java representation of the WSDL that defines the interface. See section [Managing and Configuring the Plug-in Manager](#) in *Oracle Communications Services Gatekeeper Administration Guide* for information on how to get a list of valid content.

Typically, the Java representation is expressed according to the pattern below:

```
<package name>.<standard indicator>.plugin.<interface name from WSDL>
```

For example, the Java representation of the interfaces for Parlay X 2.1 Short Messaging interfaces are:

- com.bea.wlcp.wlng.px21.plugin.SendSmsPlugin
- com.bea.wlcp.wlng.px21.plugin.ReceiveSmsPlugin
- com.bea.wlcp.wlng.px21.plugin.SmsNotificationManagerPlugin

**Note:** There must be only one <serviceContract> for a given <scs> defined for a group in the combined set of SLAs (the local SLA and the geo-redundant SLA). For example, if the geo-redundant service provider group SLA defines a <serviceContract> for the interface com.bea.wlcp.wlng.px21.plugin.SendSmsPlugin it must not be defined in the local service provider group SLA.

## <contract>

This tag contains all contractual data.

The <contract> tag directly following the <scs> tag contains the default restrictions.

This tag, including its' sub tags, can also be defined within the <override> tag in order to override the default restrictions.

## <overrides>

This tag is a container of one or more <override> tags.

**Note:** If the SLA is enforced across geo-redundant sites, the SLA can not contains this tag.

## <override>

The contract data specified within this tag is used for overriding the default contractual data given in the <contract> tag directly following the <scs> tag.

When an override occurs, only the restrictions given in the <override> section are used. That is, all restrictions that are present in the normal contract will be disregarded if not explicitly restated in the override section. No quota definitions are valid within the override section.

In each occurrence of this tag, the following sub tags can be used:

- <startDate>, specifies the start date the contract data given within the <override> tag is valid. Use format YYYY-MM-DD. Optional tag. If omitted, the start date for the service contract is used.
- <endDate>, specifies the end date the contract data given within the <override> tag is valid. Use format YYYY-MM-DD. If omitted, the end date for the service contract is used.
- <startDow>, specifies the starting weekday for which the contract data given within the <override> tag is valid. Use 1 for Sunday, 2 for Monday and so on. Optional tag.
- <endDow>, specifies the end weekday for which the contract data given within the <override> tag is valid. Use 1 for Sunday, 2 for Monday and so on. Optional tag if <startDow> is not given.
- <startTime>, specifies the start time for which the contract data given within the <override> tag is valid. Use format hh:mm:ss, where hh can be 00-24. Optional tag.
- <endTime>, specifies the end time for which the contract data given within the <override> tag is valid. Use format hh:mm:ss, where hh can be 00-24. Optional tag if <startTime> is not given.
- <contract>, specifies the contract data that overrides the contract data given directly after the <scs> tag. The tags that can be defined within the <contract> tag are described in the sections describing the contract data for each service capability.

**Note:** For an override to be active all of the following must be true:

- Today's date must be the same as or later than startDate
- Today's date must be earlier than endDate (must not be the same date)
- Current time must be between startTime and endTime. endTime being earlier than **startTime** means the limit spans midnight.
- Current day of week must be between startDow and endDow or equal to startDow or endDow. endDow being less than startDow means the limit spans the week end.

Since several <override> tags can be defined, with different settings for the time periods for which the restrictions applies, make sure the time periods do not overlap. In the case of overlapping time periods, there is no guarantee which contract that applies.

Below are two examples of `<override>` sections.

**Listing 8-3 Listing D-2 `<override>` example**

---

```
<overrides>
  <override>
    <startDate>2008-11-01</startDate>
    <endDate>2008-11-30</endDate>
    <startDow>2</startDow>
    <endDow>2</endDow>
    <startTime>09:00:00</startTime>
    <endTime>10:00:00</endTime>
    <contract>
      ...
    </contract>
  </override>
  <override>
    <startDate>2008-12-01</startDate>
    <endDate>2008-12-30</endDate>
    <startDow>2</startDow>
    <endDow>2</endDow>
    <contract>
      ...
    </contract>
  </override>
</overrides>
```

---

## <enforceAcrossGeoSites>

Deprecated.

The decision to enforce the SLA across geo-redundant sites or not is taken at load time using the SLA type parameter. See:

- [Operation: loadApplicationGroupSlaByType](#)
- [Operation: loadApplicationGroupSlaFromUrlByType](#)
- [Operation: loadServiceProviderGroupSlaFromUrlByType](#)
- [Operation: loadServiceProviderGroupSlaByType](#).

Also see the description of the different SLA types to use in [Introduction to SLA types](#).

**Note:** This tag should not be used. Instead the, above mentioned functionality should be used. If an SLA with this element set to true is loaded under the non geographically redundant SLA type, exceptions are thrown and the SLA provisioning fails.

The previous behavior is maintained as described below.

This tag specifies if the SLA shall be enforced across geo-redundant sites.

Specify `<enforceAcrossGeoSites>true</enforceAcrossGeoSites>` if the SLA shall be enforced across geo-redundant site, otherwise `false`.

Optional tag. If not present, default is false.

**Note:** If set to `true`, the SLA must not contain any `<override>` tag.

## Contract structure

The listing below illustrates the structure of the `<contract>` segment of an SLA.

### Listing 8-4 Contract structure

---

```
<contract>
  <guarantee>
    <methodGuarantee>
      <methodNameGuarantee></methodNameGuarantee>
      <reqLimitGuarantee></reqLimitGuarantee>
    </methodGuarantee>
  </guarantee>
</contract>
```

## Defining Service Provider Group and Application Group SLAs

```
        <timePeriodGuarantee></timePeriodGuarantee>
    </methodGuarantee>
</guarantee>
<methodRestrictions>
    <methodRestriction>
        <methodName></methodName>
        <rate>
            <reqLimit></reqLimit>
            <timePeriod></timePeriod>
        </rate>
        <quota>
            <qtaLimit></qtaLimit>
            <days></days>
            <limitExceedOK></limitExceedOK>
        </quota>
    </methodRestriction>
</methodRestrictions>
<methodAccess>
    <blacklistedMethod>
        <methodName></methodName>
    </blacklistedMethod>
</methodAccess>
</contract>
```

---

### <contract>

This tag serves to hold together all service-specific data. A <contract> tag occurs once for every <scs> and once for every <override>.

## <guarantee>

Optional.

This tag is used to specify a number of method requests the service provider or application is guaranteed during a specified time period (in milliseconds). Method requests from service providers and applications having the method tagged as guaranteed will have precedence above requests from service providers and applications not having the method tagged as guaranteed. Requests are given high priority if the request rate is below either the request rate stated in the service provider level SLA or the application level SLA, whichever has the higher request rate. For example, if the service provider level SLA guarantees 30 requests per second and the application level SLA guarantees 40 requests per second, the application level SLA applies.

The <guarantee> tag must encapsulate the <methodNameGuarantee>, <reqLimitGuarantee>, and <timePeriodGuarantee> tags within a <methodGuarantee> tag.

**Note:** The <methodGuarantee> tag is ignored for mobile-originated traffic.

Each method in <methodNameGuarantee> must also be defined in <methodRestrictions>. The time period defined for a certain method must be identical in both the <guarantee> tag and the <methodRestriction>. See <methodRestriction>.

### <methodNameGuarantee>

The name of the method to have guaranteed precedence.

### <reqLimitGuarantee>

The number of requests to be guaranteed over the time period given in <timeperiodGuarantee>.

### <timePeriodGuarantee>

The timeperiod to apply the guarantee, given in milliseconds.

## <methodRestrictions>

Optional.

This tag is used for restricting the number of method requests an application is allowed to do over a short time period, the short time period is referred to as a *rate*, typically spanning a few seconds. A longer time period, referred to as a *quota*, typically spans several days.

**Note:** The <methodRestrictions> tag is ignored for mobile-originated traffic.

One **<methodRestrictions>** tag, including one or more **<methodRestriction>** tags, is needed for each method that should have restricted usage. Only one **<methodRestrictions>** tag is allowed.

Below is an example with usage restrictions both for quotas and rates.

### Listing 8-5 Example of a usage restriction

---

```
<methodRestrictions>
  <methodRestriction>
    <methodName>sendSms</methodName>
    <rate>
      <reqLimit>5</reqLimit>
      <timePeriod>1000</timePeriod>
    </rate>
    <quota>
      <qtaLimit>600</qtaLimit>
      <days>3</days>
      <limitExceedOK>true</limitExceedOK>
    </quota>
  </methodRestriction>
  <methodRestriction>
    <methodName>sendSmsLogo</methodName>
    <rate>
      <reqLimit>5</reqLimit>
      <timePeriod>1000</timePeriod>
    </rate>
    <quota>
      <qtaLimit>600</qtaLimit>
      <days>3</days>
```

```

        <limitExceedOK>true</limitExceedOK>
    </quota>
</methodRestriction>
</methodRestrictions>

```

---

The example above specifies the usage restrictions for the methods `SendSms` and `SendSmsLogo`. The usage restriction for the short time period is 5 requests per second (5 requests divided by 1000 milliseconds). The usage restriction for the longer time period, the quota, is 600 requests over a 3 day period.

If the application does not have any usage restrictions within the allowed methods, the whole **<restriction>** tag should be deleted or commented out.

The most restrictive limit is always enforced, so if a restriction in a service provider level SLA is more restrictive than a restriction defined in an application level SLA, the service provider level SLA is the one being enforced.

## **<methodRestriction>**

Contains restrictions for a method in the application-facing interface. Encapsulates the tags:

- **<methodName>**
- **<rate>**
- **<quota>**

### **<methodName>**

The name of the method to put restrictions on. The content of this tag is the Java representation of the method defined in the WSDL. See section [Managing and Configuring the Plug-in Manager](#) in *Oracle Communications Services Gatekeeper Administration Guide* for information on how to get a list of valid method names.

### **<rate>**

This tag defines the maximum number of requests to be guaranteed over a short time period, *rate*.

The **<rate>** tag contains two sub-tags:

- **<reqLimit>** defines the maximum number of requests over the timeperiod given in **<timePeriod>**
- **<timePeriod>** defines the time period, given in milliseconds.

## **<quota>**

This tag defines the maximum number of requests over a longer time period.

The counters associated with the quota are reset at the beginning of each time period.

The **<quota>** tag contains the tags:

- **<qtaLimit>** defines the maximum number of requests over the timeperiod defined in **<qtaLimit>**.
- **<days>** defines the timeperiod period, given in days (only integers are valid). The starting day (day 0) is the same day as the **<startdate>** for the service contract. Only one quota limit and time period can be specified per **<quota>** tag.
- **<limitExceedOK>** is used to specify what action to take if the quota limit is exceeded. If it is defined as true, the request will be allowed even if the quota is exceeded. If it is defined as false, the request will be rejected. An alarm is always emitted if the limit is exceeded.

## **<methodAccess>**

Optional.

This tag is used to block the application from accessing one or more methods in the service capability. If the application is allowed to access all methods, the **<methodAccess>** tag should be omitted.

This tag encapsulates one or more **<blacklistedMethod>** tags.

## **<params>**

This tag is used to either allow or deny certain parameters values to be provided by applications.

The **<params>** tag can encapsulate zero (0) or more **<methodParameters>** tags, each containing a **<methodName>**, **<parameterName>**, **<parameterValues>** and **<acceptValues>** tag.

In the example below, the parameter subject is allowed to contain only the parameter values A, B, and C for the method sendMessage. No other values for this parameter are allowed.

**Listing 8-6 Example of <params>**

---

```

<params>
  <methodParameters>
    <methodName>sendMessage</methodName>
    <parameterName>arg0.subject</parameterName>
    <parameterValues>A B C</parameterValues>
    <acceptValues>true</acceptValues>
  </methodParameters>
</params>

```

---

**<methodParameters>**

Encapsulates the <methodName>, <parameterName>, <ParameterValue> and <acceptValues> tag.

- <methodName> contains name of the method whose parameters are to be allowed or denied.
- <parameterName> contains the name of the parameter whose values are to be defined as allowed or denied. The content of this tag is the Java representation of the parameter defined in the WSDL. See section [Managing and Configuring the Plug-in Manager](#) in *Oracle Communications Services Gatekeeper Administration Guide* for information on how to get a list of valid parameter names. The representation is arg0.<name of parameter as defined in WSDL>

**Note:** If the parameter is an array (for example, arg0.addresses[]), do **not** use the brackets in the SLA. For the example, the parameter name should be:

```
<parameterName>arg0.addresses</parameterName>.
```

**Note:** If the SLA is regulating the Binary SMS Communication Service, UDH values must be specified in decimal. For example:

```

<methodParameters>
  <methodName>sendBinarySms</methodName>
  <parameterName>arg0.binaryMessage[0].udh</parameterName>

```

```
<parameterValues>4 5 68 127</parameterValues>  
<acceptValues>>false</acceptValues>  
</methodParameters>
```

In this case any UDH with the values of 04, 05, 44, or 7F will be blocked.

- **<parameterValue>** tag contains a list of allowed values. Several values can be defined, separated by white space.
- **<acceptValues>** tag defines if the parameter values shall be allowed or denied. If the tag contains true, the parameter values given are allowed and all other values are denied. If the tag contains false, the parameter values given are denied and all other values are allowed.

## <requestContext>

Encapsulates one or more **<contextAttribute>** tags.

A **<contextAttribute>** tag contains one **<attributeName>** and one **<attributeValue>** tag.

A plug-in can retrieve the value specified in **<attributeValue>** using the name specified in **<attributeName>**.

**Note:** The plug-in must implement the functionality for fetching the value by name, see section [Policy in Platform Development Studio- Developer's Guide](#) for more information. Contact support for information on which parameters are supported by the standard Communication Services provided in this release.

### Listing 8-7 Example of <requestContext>

---

```
<requestContext>  
  <contextAttribute>  
    <attributeName>com.bea.wlcp.wlmg.plugin.sms.testName1</attributeName>  
    <attributeValue>testValue1</attributeValue>  
  </contextAttribute>  
  <contextAttribute>  
    <attributeName>com.bea.wlcp.wlmg.plugin.sms.testName2</attributeName>  
    <attributeValue>testValue2</attributeValue>
```

```

    </contextAttribute>
</requestContext>

```

---

## <resultRestrictions>

Optional.

This tag is used to filter results from application-initiated requests.

This tag encapsulates one or more <resultRestriction> tags.

### <resultRestriction>

Specifies a result restriction.

Encloses the following sub-tags:

- <methodName> the method for which to restrict the return parameter.
- <parameterRemovalName> the parameter, or set of parameters to remove.
- <parameterMatch> filter to match to enable the removal (optional).
- <filterMethod> defines how the filter is applied.

The result restriction makes it possible to remove return parameters from application-initiated requests.

The name of the method is identical to the name in the WSDL that defines the interface.

The return parameter is expressed as a String representation of a Java class. Arrays are expressed using the notation [ ] directly following the parameter name. The notation format is:

- `arg0.result.<name of parameter as defined in WSDL>` when the parameter is a single entity.
- `arg0.result[.<name of parameter as defined in WSDL>` when the parameter is an array.

If the return parameter is a complex type, the hierarchy is expressed using dot notation. For example, if the return value expressed in XML is:

```

<xsd:complexType name="SmsMessage">
    <xsd:sequence>

```

## Defining Service Provider Group and Application Group SLAs

```
<xsd:element name="message" type="xsd:string"/>
<xsd:element name="senderAddress" type="xsd:anyURI"/>
<xsd:element name="smsServiceActivationNumber" type="xsd:anyURI"/>
<xsd:element name="dateTime" type="xsd:dateTime" minOccurs="0"
maxOccurs="1"/>
</xsd:sequence>
</xsd:complexType>
```

The String representation is:

```
arg0.result[].dateTime.firstDayOfWeek
arg0.result[].dateTime.lenient
arg0.result[].dateTime.minimalDaysInFirstWeek
arg0.result[].dateTime.time.date
arg0.result[].dateTime.time.hours
arg0.result[].dateTime.time.minutes
arg0.result[].dateTime.time.month
arg0.result[].dateTime.time.seconds
arg0.result[].dateTime.time.time
arg0.result[].dateTime.time.year
arg0.result[].dateTime.timeInMillis
arg0.result[].dateTime.timeZone.ID
arg0.result[].dateTime.timeZone.rawOffset
arg0.result[].message
arg0.result[].senderAddress
arg0.result[].smsServiceActivationNumber
```

**Note:** In the example above, an array of SmsMessage is returned, hence `arg0.result[]`

The tag `<parameterRemovalName>` specifies which part of the return parameter to remove. It is possible to explicitly specify a leaf or to specify a node in the hierarchy. When specifying a

node, the node and all siblings are removed. If the parameter to remove is a Boolean, it will not be removed but set to False.

For example, if specifying

```
<parameterRemovalName>arg0.result[].dateTime.timeZone.ID</parameterRemovalName>
```

only that part of the result parameter is removed, since it is a leaf.

If specifying:

```
<parameterRemovalName>arg0.result[].dateTime.time</parameterRemovalName>
```

All of the siblings are removed from the result parameters:

- `arg0.result[].dateTime.time.date`
- `arg0.result[].dateTime.time.hours`
- `arg0.result[].dateTime.time.minutes`
- `arg0.result[].dateTime.time.month`
- `arg0.result[].dateTime.time.seconds`
- `arg0.result[].dateTime.time.time`
- `arg0.result[].dateTime.time.year`

See section [Managing and Configuring the Plug-in Manager](#) in *Oracle Communications Services Gatekeeper System Administrator's Guide* for information on how to get a list of all method names and parameter names.

## <parameterMatch>

Encapsulates the following sub-tags:

- **<parameterName>** (exactly one)
- **<parameterValues>** (exactly one).

Optional tag.

If **<parameterMatch>** is present, result filtering takes place only if the parameter defined in **<parameterName>** has a value defined in one of the **<parameterValue>** tags.

The format of **<parameterName>** is the same as for **<parameterRemovalName>**.

**<ParameterValues>** encapsulates one or more **<ParameterValue>** tags.

The **<ParameterValue>** tag is the value of **<parameterName>**. The value can be expressed as a regular expression.

### **<filterMethod>**

Enumeration. Possible values:

- BLACK\_LIST
- WHITE\_LIST

Defines how the filter defined in **<parameterMatch>** is applied.

If **<filterMethod>** is defined as **BLACK\_LIST**, all parameters matching **<parameterRemovalName>** are removed if the request matches the filter.

If **<filterMethod>** is defined as **WHITE\_LIST**, only the parameters matching **<parameterRemovalName>** are kept if the request matches the filter.

### **Example**

The method `getData` returns an array of data, where data is a complex type consisting of the name-value pair:

- `dataName`
- `dataValue`

[Listing 8-8](#) illustrates the SLA.

#### **Listing 8-8 Result filter for blacklisting array parameter values**

---

```
<resultRestrictions>
  <resultRestriction>
    <methodName>getData</methodName>
    <parameterRemovalName>result.data[].dataName</parameterRemovalName>
    <parameterMatch>
      <parameterName>result.data[].dataName</parameterName>
      <parameterValues>
        <parameterValue>ssn</parameterValue>
      </parameterValues>
    </parameterMatch>
  </resultRestriction>
</resultRestrictions>
```

```

        <parameterValue>homephone</parameterValue>
    </parameterValues>
</parameterMatch>
    <filterMethod>BLACK_LIST</filterMethod>
</resultFilter>
</resultFilters>

```

---

Assuming the result before the filter is applied is:

- result.data[0].dataName = "cellphone"
- result.data[0].dataValue = "415-555-1234"
- result.data[1].dataName = "ssn"
- result.data[1].dataValue = "123 45 6789"
- result.data[2].dataName = "homephone"
- result.data[2].dataValue = "415-333-4444"

After applying the result filter, the result is:

- result.data[0].dataName = "cellphone"
- result.data[0].dataValue = "415-555-1234"

since **<filterMethod>** is **BLACK\_LIST** and **<parameterValue>** contains only **ssn** and **homephone**, these are removed from the result returned to the application.

If **<filterMethod>** had been **WHITE\_LIST**, the result after applying the filter would be:

- result.data[0].dataName = "ssn"
- result.data[0].dataValue = "123 45 6789"
- result.data[0].dataName = "homephone"
- result.data[0].dataValue = "415-333-4444"

since only these parameters matches the filter.

## Defining Service Provider Group and Application Group SLAs

If `<parameterRemovalName>` is `result.data` instead of `result.data[]` the filtered result would be null in both cases, since both filters match and the absence of the `[]` means that all results starting from the hierarchy `result.data` should be removed given that the filter matches the result.

# Defining Global Node and Service Provider Group Node SLAs

In addition to SLAs that describe an application's use of Oracle Communications Services Gatekeeper, there is a separate SLA that defines that application's access to underlying network elements. In addition, there is an SLA that defines Oracle Communications Services Gatekeeper as a whole's access to underlying network elements. These are known as Node SLAs and are expressed in XML.

This section describes:

- [Structure of a Node Service Level Agreement](#)
- [Node SLA Overview](#)
- [Service Provider Group Node SLA](#)
- [Global Node SLA](#)

## Structure of a Node Service Level Agreement

**Table 9-1 Structure and contents of a global node and service provider group node SLA**

Tag	Description
<Sla>	<p>Main tag. Contains:</p> <p>&lt;nodeContract&gt;, zero (0) or more.</p> <p>&lt;globalContract&gt;, zero (0) or more.</p> <p><b>Note:</b> &lt;nodeContract&gt; and &lt;globalContract&gt; are mutually exclusive in one SLA instance.</p> <p>Has the following attributes:</p> <p>serviceProviderGroupID, that contains the service provider group ID for the SLA is associated with, in the case of a service provider group node SLA. Remove if it is a global node SLA</p>
<nodeContract>	<p>Parent tag: &lt;Sla&gt;.</p> <p>Defines under which conditions one, or a set of network node(s) can be accessed by Oracle Communications Services Gatekeeper. <i>This contract takes into account which service provider a requests originates from.</i></p> <p>This tag is use for service provider node SLAs. These SLAs are provisioned using the management operations described in <a href="#">Service Provider Node SLAs</a>.</p> <p>Contains the following tags:</p> <ul style="list-style-type: none"> <li>• &lt;startDate&gt;, one (1)</li> <li>• &lt;endDate&gt;, one (1)</li> <li>• &lt;nodeID&gt;, one (1)</li> <li>• &lt;nodeRestrictions&gt;, zero (0) or one (1).</li> </ul>

**Table 9-1 Structure and contents of a global node and service provider group node SLA**

Tag	Description
<globalContract>	<p>Parent tag: &lt;Sla&gt;.</p> <p>Defines under which conditions one or a set of network node(s) can be accessed by Oracle Communications Services Gatekeeper. <i>This contract does not take into account which service provider a requests originates from. It defines how Oracle Communications Services Gatekeeper as a whole can use the node(s).</i></p> <p>These SLAs are provisioned using the management operations described in <a href="#">Global Node SLAs</a></p> <p>Contains the following tags:</p> <ul style="list-style-type: none"> <li>• &lt;startDate&gt;, one (1)</li> <li>• &lt;endDate&gt;, one (1)</li> <li>• &lt;nodeID&gt;, one (1)</li> <li>• &lt;globalRestrictions&gt;, zero (0) or one (1)</li> </ul>
<nodeRestrictions>	<p>Parent: &lt;nodeContract&gt;</p> <p>Contains the following tags:</p> <ul style="list-style-type: none"> <li>• &lt;nodeRestriction&gt;, zero (0) or one (1)</li> </ul>
<nodeRestriction>	<p>Parent: &lt;nodeRestrictions&gt;</p> <p>Contains the following tags:</p> <ul style="list-style-type: none"> <li>• &lt;reqLimit&gt;, zero (0) or one (1)</li> <li>• &lt;timePeriod&gt;, zero (0) or one (1)</li> </ul>
<globalRestrictions>	<p>Parent: &lt;nodeContract&gt;</p> <p>Contains the following tags:</p> <p>&lt;globalRestriction&gt;, zero (0) or one (1)</p>
<globalRestriction>	<p>Parent: &lt;globalRestrictions&gt;</p> <p>Contains the following tags:</p> <ul style="list-style-type: none"> <li>• &lt;reqLimit&gt;, zero (0) or one (1)</li> <li>• &lt;timePeriod&gt;, zero (0) or one (1)</li> <li>• &lt;guaranteePercentage&gt;, zero (0) or one (1)</li> </ul>

**Table 9-1 Structure and contents of a global node and service provider group node SLA**

Tag	Description
<startDate>	<p>Specifies the date the service provider or Oracle Communications Services Gatekeeper, depending of it is a service provider group node SLA or a global node SLA can start accessing the network node.</p> <p>Format YYYY-MM-DD.</p>
<endDate>	<p>Specifies the last date (expiry date) the service provider or Oracle Communications Services Gatekeeper can access the network node.</p> <p>Format YYYY-MM-DD.</p>
<nodeID>	<p>Specifies the network node's node ID as registered in the Plug-in manager. A node ID can be assigned to one or more network nodes and the contract is subsequently valid for one or a group of nodes.</p> <p>The plug-in manager is used for provisioning of node IDs, see the section about the <a href="#">Plug-in manager</a> in the <i>System Administrator's Guide</i>.</p>
<reqLimit>	<p>Content of this tag specifies a number of requests.</p> <p>Specifies the number of requests allowed during the time-period specified in &lt;timePeriod&gt;.</p>

**Table 9-1 Structure and contents of a global node and service provider group node SLA**

Tag	Description
<timePeriod>	<p>Specifies the time period during which the request limit, specified in &lt;reqLimit&gt;, is valid.</p> <p>Unit: milliseconds.</p>
<guaranteePercentage>	<p>Specifies the relative priority between requests marked as guaranteed (high priority) normal priority requests. Specified in percentage.</p> <p>If set to 0, guaranteed requests and normal priority requests are treated equally, no matter if it is a guaranteed or normal priority request. The value of 0 makes the priority of the requests obsolete.</p> <p>If set to 100, only guaranteed requests are allowed to be passed on to the network node. No normal priority requests are allowed.</p> <p>If set to 50, normal priority requests are passed on to the network node up to the point where the maximum request rate is reached. At this point requests with normal priority are being rejected.</p> <p>Other values may be used to fine tune how likely it is that requests of different priority are allowed. A larger value makes is more likely that normal priority requests are rejected as traffic rate increases and a smaller value makes it less likely that normal priority requests are rejected.</p> <p>The default value is 50.</p> <p>Unit: percentage.</p>

## Node SLA Overview

The SLAs are written in XML. The SLA looks slightly different depending on the type of node SLA. The types are:

- global node SLA
- service provider group node SLA

The schema for the global node SLA is found in:

```
$BEA_Home/wlmg400/modules/com.bea.wlcp.wlmg.policy_<version>.jar:
sla_schema/global_node_sla_file.xsd
```

## Defining Global Node and Service Provider Group Node SLAs

The schema for the service provider group node SLA is found in:

```
$BEA_Home/wlmg400/modules/com.bea.wlcp.wlmg.policy_<version>.jar:  
sla_schema/sp_node_sla_file.xsd
```

# Service Provider Group Node SLA

The service provider group node SLA consists of an `<sla>` tag containing zero (0) or more `<nodeContract>` tags as shown in [Listing 9-1](#). The `serviceProviderGroupID` attribute specifies the service provider group for which the SLA file is valid. The structure and contents of the `<nodeContract>` tag is further described in Global contract data.

### Listing 9-1 Service provider group node SLA

---

```
<Sla serviceProviderGroupID="spGroup1"  
  
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
  
  xsi:noNamespaceSchemaLocation="sp_node_sla_file.xsd">  
  
  <nodeContract>  
  
    <!--Contract data for network node 1-->  
  
  </nodeContract>  
  
  <nodeContract>  
  
    <!--Contract data for network node 2-->  
  
  </nodeContract>
```

```

<nodeContract>

    <!--Contract data for network node n-->

</nodeContract>

</Sla>

```

---

## Node Contract

The **<nodeContract>** tag contains a set of tags that define under which conditions a network node can be accessed by a service provider. See [Listing 9-2](#). The contents of each tag are further described below the listing.

### Listing 9-2 <nodeContract> tag contents

---

```

<nodeContract>
  <startDate>2005-01-01</startDate>
  <endDate>2010-06-01</endDate>
  <nodeID>A</nodeID>
  <nodeRestrictions>
    <nodeRestriction>
      <reqLimit>10</reqLimit>
      <timePeriod>1000</timePeriod>
    </nodeRestriction>
  </nodeRestrictions>
</nodeContract>

```

---

## Global Node SLA

The global node SLA consists of an `<sla>` tag containing zero (0) or more `<globalContract>` tags as shown in [Listing 9-3](#). In this case, the `serviceProviderGroupID` attribute is left empty. The structure and contents of the `<globalContract>` tag are further described in [Node Contract](#).

### Listing 9-3 Global Node SLA

---

```
<Sla xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:noNamespaceSchemaLocation="global_node_sla_file.xsd">

  <globalContract>

    <!--Contract data for network node 1-->

  </globalContract>

  <globalContract>

    <!--Contract data for network node 2-->

  </globalContract>

  <globalContract>

    <!--Contract data for network node n-->
```

```
</globalContract>
```

```
</Sla>
```

---

## Global Contract

The `<globalContract>` tags contains a set of tags that define under which conditions a network node can be accessed. The contents of each tag are further described below in [Listing 9-4](#).

### Listing 9-4 `<globalContract>` tag contents

---

```
<globalContract>
  <startDate>2005-01-01</startDate>
  <endDate>2010-06-01</endDate>
  <nodeID>A</nodeID>
  <globalRestrictions>
    <globalRestriction>
      <reqLimit>1000</reqLimit>
      <timePeriod>10000</timePeriod>
      <guaranteePercentage>50</guaranteePercentage>
    </globalRestriction>
  </globalRestrictions>
</globalContract>
```

---

## Defining Global Node and Service Provider Group Node SLAs