

# **Oracle® Transportation Management**

Branding Guide

Release 6.0

Part No. E14517-01

March 2009

Copyright © 2001, 2009, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

#### U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

# Contents

<b>CONTENTS.....</b>	<b>III</b>
<b>SEND US YOUR COMMENTS .....</b>	<b>V</b>
<b>PREFACE .....</b>	<b>VII</b>
<b>CHANGE HISTORY .....</b>	<b>VII</b>
<b>1. BRANDING OVERVIEW .....</b>	<b>1-1</b>
<b>ORACLE TRANSPORTATION MANAGEMENT WEB PAGE TECHNOLOGY .....</b>	<b>1-1</b>
BRANDABLE VS. NON-BRANDABLE APPLICATION FEATURES .....	1-1
STYLE REDESIGN .....	1-1
<b>2. BRANDING TECHNOLOGY .....</b>	<b>2-1</b>
EXTENSIBLE MARKUP LANGUAGE (XML) .....	2-1
EXTENSIBLE STYLESHEET LANGUAGE (XSL) .....	2-1
CASCADING STYLE SHEETS (CSS) .....	2-1
<b>3. REQUIREMENTS .....</b>	<b>3-1</b>
RECOMMENDED BRANDING SKILL SET .....	3-1
REQUIRED DOCUMENTS .....	3-1
<b>4. THEMES.....</b>	<b>4-2</b>
PRE-ORACLE THEMES .....	4-2
ORACLE THEMES .....	4-2
SAMPLE THEMES .....	4-3
USER PREFERENCE – STYLESHEET LOCATION .....	4-4
<b>CREATING THEMES FOR A LOCALE .....</b>	<b>4-6</b>
DOUBLE-BYTE CHARACTER SETS .....	4-6
APPLY BRANDING BASED ON LOCALE .....	4-6
TRANSLATIONS .....	4-7
<b>CSS DESCRIPTIONS .....</b>	<b>4-7</b>
HTML TAG STYLES .....	4-7
GENERIC CLASSES .....	4-8
BODY CLASSES .....	4-9
HEADER CLASSES .....	4-9
BODY DATA CLASSES .....	4-9
HEADER FIELDS .....	4-10
BODY FOOTER .....	4-10
SECTION DEFINITIONS .....	4-10
SECTION LABEL CLASSES .....	4-11
GRID CLASSES .....	4-11
FIELD DATA CLASSES .....	4-13
AUTO COMPLETE CLASSES .....	4-14
TEXT .....	4-14
MESSAGE BOX .....	4-15
MISCELLANEOUS .....	4-16

POWER DATA CLASSES .....	4-16
TAB CLASSES .....	4-17
GLOBAL AREA .....	4-17
ASK OTM CLASSES .....	4-18
CALENDAR CLASSES .....	4-19
LOGIN CLASSES .....	4-20
SCROLL GRID CLASSES .....	4-20
TREE CONTROL CLASSES .....	4-22
SIMPLE TREE CONTROL CLASSES .....	4-23
SIMPLE TREE 2 CONTROL CLASSES .....	4-24
LEGACY TREE CONTROL CLASSES .....	4-24
BUTTON CLASSES .....	4-25
CONTEXT MENU CLASSES .....	4-25
IWINDOW CLASSES .....	4-26
DOCK SCHEDULING / DISPATCH BOARD .....	4-26
<b>DEPRECIATED CLASSES .....</b>	<b>4-37</b>
<b>5. BRANDING OTHER PARTS OF ORACLE TRANSPORTATION MANAGEMENT</b>	
<b>5-1</b>	
EMAILS .....	5-1
MAPS .....	5-1
<b>6. IMAGES .....</b>	<b>6-1</b>
FINDING AN IMAGE .....	6-1
UPDATING IMAGES WITHIN THEMES .....	6-1
<b>7. BRANDING FUSION TRANSPORTATION INTELLIGENCE.....</b>	<b>7-1</b>
<b>8. APPENDIX A - ADDITIONAL RESOURCES.....</b>	<b>8-1</b>
XML RESOURCES .....	8-1
XSL RESOURCES .....	8-1
CSS RESOURCES .....	8-1

## Send Us Your Comments

Oracle Transportation Management Administration Guide, Release 6.0

Part No. E14517-01

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, please indicate the title and part number of the documentation and the chapter, section, and page number (if available). You can send comments to us in the following ways:

- Electronic mail: [otm-doc\\_us@oracle.com](mailto:otm-doc_us@oracle.com)
- FAX: 610-491-9897 Attn: Manager OTM Curriculum & Documentation
- Postal service:  
Manager OTM Curriculum & Documentation  
Oracle Corporation  
1016 W. Ninth Ave.  
Suite 300  
King of Prussia, PA 19406  
USA

If you would like a reply, please give your name, address, telephone number, and electronic mail address (optional).

If you have problems with the software, contact Support at <https://metalink.oracle.com> or find the Support phone number for your region at <http://www.oracle.com/support/contact.html>.



## Preface

The *Oracle Transportation Management Branding Guide* provides information about the process of branding the Oracle Transportation Management Web interface. The term “branding” refers to the practice of customizing images and Web interface themes to more closely reflect a company's brand.

This document is intended to provide detailed information about the process of branding the Oracle Transportation Management Web interface. It is intended specifically to assist Web developers at client sites. However, this guide may also prove useful for internal (Oracle) audiences who wish to gain a greater understanding of the Oracle Transportation Management branding process.

## Change History

Date	Document Revision	Summary of Changes
3/31/09	-01	Initial release.





# 1. Branding Overview

As it relates to Oracle Transportation Management, the term “branding” refers to the process of changing the look and feel of the application to reflect the client’s brand. Oracle Transportation Management is shipped with customizable images and web interface themes, which gives you the ability to easily change colors and logos viewed on Oracle Transportation Management Web pages. For example, clients can use their own logos to replace the default Oracle and Oracle Transportation Management logos throughout the application.

Branding helps you to develop a strong awareness for your trade name, product, or services. The ability to brand Oracle Transportation Management is also beneficial for those businesses that plan to distribute the Oracle Transportation Management product.

## Oracle Transportation Management Web Page Technology

Oracle Transportation Management Web interface themes are separate from the structure and function of Oracle Transportation Management, independent of the business logic of the Oracle Transportation Management user interface. Extensible markup language (XML) defines the structure of Oracle Transportation Management. Java describes the behavior of the Oracle Transportation Management application. CSS combined with extensible style sheet language (XSL) and JavaServer Pages (JSP) defines the coherent look and feel of Oracle Transportation Management.

By changing the CSS/XSL files, pointing to a different set of CSS/XSL files, or by customizing a manager layout screen, you can change the look of Oracle Transportation Management without affecting the underlying structure or functionality.

### ***Brandable vs. Non-brandable Application Features***

By changing the CSS or XSL files, or pointing to a different set of files, you can change the look of Oracle Transportation Management without affecting the underlying structure or functionality. Specifically, you have the ability to change button images, logos, color schemes, font sizes and colors viewed throughout the Oracle Transportation Management web application. To a lesser extent, you may also change the layout of some Oracle Transportation Management pages, although this aspect of branding is handled through the Menu Manager feature within Oracle Transportation Management.

Branding **does not** include the ability to add, rename, or delete fields in Oracle Transportation Management. Nor does it include the ability to move, rename, or rearrange sections of Oracle Transportation Management pages. These features are available to Manager Layout pages written using the JSP technology.

### ***Style Redesign***

Starting with the Oracle Transportation Management 5.5 CU2 release the software was written using an Oracle standard style. To differentiate between the old (pre-Oracle) and new (Oracle) styles they will be referred as pre-Oracle and Oracle, respectively.



## 2. Branding Technology

Oracle Transportation Management web pages are constructed using XML to provide structure, and XSL and CSS files to define the look.

### Extensible Markup Language (XML)

XML is an open standard for describing data, as defined by the World Wide Web Consortium (W3C). XML is used for defining data elements on a web page and business-to-business documents. It uses a similar tag structure as HTML; however, where HTML defines how elements are displayed, XML defines what those elements contain.

HTML uses predefined tags, but XML allows page developers to define the tags. Therefore, virtually any data items (for example, product and amount due) can be identified, allowing Web pages to function much like database records.

### Extensible Stylesheet Language (XSL)

XSL is a style sheet format for XML documents. XSL is the XML counterpart to the CSS language in HTML, although XML supports CSS1 and CSS2. XSL Transformations (XSLT) are extensions to XSL for converting XML documents into XML or other document types and may be used independently of XSL.

Unlike HTML, element names in XML have no intrinsic presentation semantics. Without a style sheet, a processor could not know how to render the content of an XML document, other than as an undifferentiated string of characters. XSL provides a comprehensive model and a vocabulary for writing such style sheets using XML syntax.

### Cascading Style Sheets (CSS)

CSS is the style sheet format that provides layout settings that can be applied to Web pages. Any structured document format can use CSS; XML is just one example of where CSS can be applied.

CSS2 (Version 2.0) is the style sheet format supported for XML; Oracle Transportation Management uses this style sheet format.



## 3. Requirements

In addition to the required software and documents listed in this chapter, you should have an Oracle Transportation Management test environment available in order to test your customizations.

You must have access to the following items prior to beginning the Oracle Transportation Management branding process:

- Adobe PhotoShop, Version 7.0 (or above)
- A text editor (HomeSite is recommended)
- It is recommended that you have a file compare utility.

### Recommended Branding Skill Set

It is recommended that the branding developer have thorough knowledge of DHTML/HTML/CSS and Javascript, as well as experience with XML/XSL.

The branding developer should have experience/understanding of graphical user interfaces, as well as experience developing graphical content.

An understanding of the following applications is recommended:

- Internet Explorer or Firefox
- WebLogic
- Oracle RDBMS
- Apache
- Tomcat

### Required Documents

The required documents are available on your Oracle Transportation Management web server under `<otm_install_dir>/apache/htdocs/`.

The following documents are needed in order to create a theme:

- `/xsl/themes/themes.xml` - This document calls the theme to be presented. By importing a specified theme, the user is presented with a new look and feel.
- `/xsl/themes/themesswanblue.xml` - This document contains links to all of the CSS (Cascading Style Sheets) used throughout the theme. It also contains references to every image used throughout the Web interface. (pre-Oracle used `/xsl/themes/themestechblue.xml`)
- `/css/themes/themesswanblue.css` - This document defines the theme's color and font usage. For certain elements it also defines positioning, spacing, padding, margins, alignment, background image, and border definitions. (pre-Oracle used `/css/themes/themestechblue.css`)
- `/images/themes/themesswanblue` - This directory contains all of the images used throughout the theme (themesswanblue contains images for the Oracle Transportation Management Theme, and so on). (pre-Oracle used `/images/themes/themestechblue`)

## 4. Themes

An Oracle Transportation Management “theme” is a specific color scheme for the application. This section explains how you create and customize themes, along with the XSL and CSS **for each theme shipped with Oracle Transportation Management**. Depending on your needs, you can brand across all accounts, limit to certain roles, domains or users.

The required documents are available on your Oracle Transportation Management web server under `<otm_install_dir>/apache/htdocs/`.

**Note:** During the development process to enable the XSL interpreter to load changed XSL files without stopping and restarting the webserver, set the property `glog.webserver.xsl.debug=true` in your `glog.properties` file.

### Pre-Oracle Themes

These themes are no longer supported

- red
- silver
- gc3
- metalred
- metalgreen
- metalpurple
- metalred
- technoblue
- technogreen
- technorange

### Oracle Themes

These themes are supported



- themesswanblue (default)
- themesswanorange
- themesswangreen


There may still be simple screens that have not been converted to the Oracle format. These screens will use old themes depending on which theme is the current theme.

- themesswanblue -> Unconverted screens will use themestechoblue
- themesswangreen -> Unconverted screens will use themestechogreen
- themesswanorange -> Unconverted screens will use themestechorange

If a branding has already been performed, it is recommended to go back and look at which previous themes were being referenced. The references should be changed to one of the three currently supported themes.

## Sample Themes

Theme Name	Example
Themesswanblue	
themesswangreen	

Theme Name	Example
themesswanorange	

### User Preference – Stylesheet Location

User Preferences 1 of 1 [New](#) [Finished](#) [Copy User Preference](#)

* User Preference ID	Domain Name
EXAMPLE	GUEST

Preference	
* Name	* Value
Stylesheet Location	client199

Save

The value entered for the **Stylesheet Location** is used to resolve the XSL files location. The XSL file location is resolved by the following search:

- If the user does not have a Stylesheet Location defined, the default Oracle Transportation Management version is used.
- If the user has a Stylesheet Location defined:
  - Look for the XSL file `<otm_install_dir>/apache/htdocs/xsl/{Stylesheet Location value}/{XSL file requested}`
  - If not found, try the parent directory of the Stylesheet Location value until either the XSL file is found or use the default Oracle Transportation Management version.

**Note:** The Stylesheet Location value can contain a directory hierarchy to support multiple themes for different user preferences.

For example: Stylesheet Location value is `client199/vendor` and this location contains the XSL file  
`<otm_install_dir>/apache/htdocs/xsl/client199/vendor/themes/themes.xsl`  
only.



- XSL file to resolve themes/themes.xml

This file is found at the first search location

```
<otm_install_dir>/apache/htdocs/xsl/client199/vendor/themes/themes.xml
```

This file has been modified to import themes/themesswanblue.xml. The following is the search that is done:

- <otm\_install\_dir>/apache/htdocs/xsl/client199/vendor/themes/themesswanblue.xml ... not found.
- <otm\_install\_dir>/apache/htdocs/xsl/client199/themes/themesswanblue.xml ... not found.
- <otm\_install\_dir>/apache/htdocs/xsl/themes/themesswanblue.xml ... found in the default Oracle Transportation Management location.

The User Preference - Stylesheet Location value should have the first directory value set to the client ID that is assigned. This will guarantee any custom work provided by Oracle for a client will be found correctly along with any client changes.

**Note:** Client IDs were a value provided to customers prior to the 5.5 CU2 release. They have been depreciated. The term is still being used here to help demonstrate a directory structure.

A new XSL variable (clientDirectory) is provided in comm/otm/StdWidgets.xml that will return the base directory (client ID). This .xml file is used for pages that have been converted to the Oracle style. Unconverted pages use comm/StdWidgets.xml.

Examples:

When defining a XSL variable for new images:

```
<xsl:variable name="butleft_img"><xsl:value-of
select="$glogUrlPrefix"/>/images/<xsl:value-of
select="$clientDirectory"/>themes/themesmycompany/arrowright.gif</xsl:v
ariable>
```

If you need to define a HREF for a client implemented JavaScript file:

```
<script language="javascript" type="text/javascript"
src="{ $glogUrlPrefix }/js/{ $clientDirectory }problemcount/additional.js"/
>
```

## Create a Theme

To create a theme:

1. Copy /xsl/themes/themes.xml. For example, /xsl/{client ID or clientID/subdirectory}/themes/themes.xml.
2. Copy and rename /xsl/themes/themes.xml (for example, /xsl/{client ID or clientID/subdirectory}/themes/themesmycompany.xml). You can change the base theme by changing the import. By default, the base theme is themesswanblue.
3. If necessary, create a blank text file (for example, /css/{client ID or clientID/subdirectory}/themes/themesmycompany.css). This is where you would add your own style modifications.
4. Create a new image subdirectory /images/{client ID or clientID/subdirectory}/themes/themesmycompany.

5. Add the new theme by importing it into /xsl/{client ID or clientID/subdirectory}/themes/themes.xml.  

```
<xsl:import href="file:themes/themesmycompany.xml"/>
```
6. If you performed step 3, in /xsl/{client ID or clientID/subdirectory}/themes/themesmycompany.xml, replace the default "css" template with your own that includes a reference to your CSS file to match the one you created above after the default. For example, the addition could read:  

```
<xsl:template name="css">
  <link rel="stylesheet" type="text/css">
    <xsl:attribute name="href">
      <xsl:value-of
        select="$glogUrlPrefix"/>/css/<xsl:value-of
        select="$clientDirectory"/>/themes<xsl:value-of
        select="translator:get-translated-
          value('css.root_dir')"/>themesswanblue.css
      </xsl:attribute>
    </link>
    <link rel="stylesheet" type="text/css">
      <xsl:attribute name="href">
        <xsl:value-of
          select="$glogUrlPrefix"/>/css/<xsl:value-of
          select="$clientDirectory"/>/themes<xsl:value-of
          select="translator:get-translated-
            value('css.root_dir')"/>themesmycompany.css
        </xsl:attribute>
      </link>
    </xsl:template>
```

Also, you will need to add a new xsl variable to reference your CSS file. This is so that the JSP-based screens pick up your new CSS file:

```
<xsl:variable name="css_name">themesmycompany.css</xsl:variable>
```

## Creating Themes for a Locale

Oracle Transportation Management allows for branding of certain attributes based on locale (language and country). CSS files can be created for each locale, adjusting for font styles and sizes, as well as color preferences. For example, you might want to brand by locale to add more space for double-byte languages like Chinese.

### ***Double-byte Character Sets***

Because double-byte character sets (ideographs like in Chinese) consists of much more details than normal ASCII characters, you need to adapt your stylesheets. Oracle Transportation Management ships with the three supported themes adapted for pictograph languages (themesswanblue.css, themesswangreen.css, and themesswanorange.css). They are located in: /css/themes/pict.

### ***Apply Branding Based On Locale***

To implement internationalized branding:

1. Log in to Oracle Transportation Management as DBA.ADMIN.

2. Go to the translation manager and search for the Translation ID "css.root\_dir". Learn more about the translation manager in the online help.
3. Edit the css.root\_dir record you found.
4. Add a **language**, **country**, and **domain** as required for what you want to brand. For example, if you want to create a webserver wide CSS stylesheet for Chinese, add Chinese as language, China as Country, and \* as domain name. The country code is optional, since many countries have a national language.  
**Note:** If your language is not listed, contact Oracle Support for help.
5. As **text** enter /DIR/ where DIR will be the directory in which you will place the localized CSS files. A good naming convention would be to use the LANGUAGE\_COUNTRY of the file you are editing. Examples: fr\_CA is French Canadian, zh is Chinese.
6. Click **Save**.
7. Click **Finished**.
8. In <otm\_install\_dir>/apache/htdocs/css/{client ID or client ID/subdirectory}/themes/, create a directory with the same name you entered in css.root.dir.
9. Copy your default themes directory, including all CSS file to <otm\_install\_dir>/apache/htdocs/css/{client ID or client ID/subdirectory}/themes/<DIR>/.
10. Edit the file to create the new, branded look.
11. Test your locale specific theme by logging into Oracle Transportation Management and setting your user preferences to the country and language you have branded for. See the online help for more information on how to do this. Your new look and feel should be visible after pressing the reload button in your browser.

## Translations

You may wish to change some translations in the Oracle Transportation Management system. For example, you can update "OTM" to "My Company Name".

If you only want to make a few changes, you can use the Label Manager in Oracle Transportation Management (**Configuration and Administration>User Configuration>Label Manager**).

**Note:** This feature is only available to users who are logged in as administrators.

If you need to change large amounts of phrases in Oracle Transportation Management, consider using CSV files to upload your changes to the TRANSLATION\_D table in the database.

## CSS Descriptions

The following are descriptions of the classes defined in the themesswan\*.css files.

### HTML tag styles

These are styles applied directly to the definition of an HTML element

Class Name / Tag Name	Description	Notes
body	This contains the default values of the <body> tag.	

Class Name / Tag Name	Description	Notes
a	This contains the default values of the <a> tag	
input	This contains the default values of the <input> tag. The [type=radio] and [type=submit] classes are Firefox-specific and are for radio buttons and submit buttons, respectively.	
num	Used specifically for <input> tags. Defined on number fields.	
select	Default for <select> tag.	Modified in 6.0
textarea	Default for <textarea> tag.	
option	Default for <option> tag.	
form	Default for <form> tag.	
hr	Default for <hr> tag	New in 5.5 CU3

## Generic Classes

These are generic classes that are often used in conjunction with other classes

Class Name / Tag Name	Description	Notes
.bold	Generic class used for bold text.	
.required	Generic class used for required text.	
.w100	Generic class used to define an element to have a width of 100%.	
.wa	Generic class used to define an element to have a width of auto.	
.error	Generic class used for error text	
.success	Generic class used for success text	New in 5.5 CU4
.nw	Generic class used to define an element to remove text wrapping.	
.cl	Generic class used to remove any float definitions.	
.it	Generic class used for italic text.	New in 5.5 CU3

Class Name / Tag Name	Description	Notes
.curDefault	Generic class for the default cursor (used mainly on trees)	New in 5.5 CU4

## Body Classes

These are classes used on the <body> tag

Class Name / Tag Name	Description
.body1	Used on almost all screens.
.body2	Used on screens without a header section.
.sbody	Stands for Standard body. This is used on the finder buttons and result header screens. The original intention was for it to be used when the spacing of body1 and body2 did not fit.

## Header Classes

The header section of the page

Class Name / Tag Name	Description	Notes
.bodyHeaderCont	Container of the header section.	
.hdTitle	Header text.	
.hdLine	The line under the header title	

## Body Data Classes

The data section of the page

Class Name / Tag Name	Description	Notes
bodyOutDataCont	Outer container of the data section. This wraps around the succeeding data containers.	
bodyTabDataCont	Container of the data section of tabular pages. Tabular pages are used for new and edit pages (including single tab pages and second page data even though they may not/do not have any tabs associated with them)	

Class Name / Tag Name	Description	Notes
bodyDataCont	Container of the data section of non-tabular pages. These include view pages, action/ask otm input pages and action/ask otm result page.	

### ***Header Fields***

The line right under the tabs on edit/new pages

Class Name / Tag Name	Description	Notes
headerFieldsCont	Container of the header fields section for tabs	
subHeaderFieldsCont	Container of the header fields section for subtabs	
headerField	Header field (contains a label and data)	
hfLabel	Header field label	
hfData	Header field data value	

### ***Body Footer***

The footer section of the page

Class Name / Tag Name	Description	Notes
bodyDataFooterCont	Container of the footer section	

### ***Section Definitions***

The data inside the body data section is split into individual sections.

Class Name / Tag Name	Description	Notes
.bodySubTabSectCont	Container for a subtab section	
.bodySubDataCont	Container for the data within a subtab section	Modified in 5.5 CU3
.bodySectsCont	Container for sections that appear side-by-side	
.bodySectsInCont	Inner container for sections that appear side-by-side	
.bodySectHorizSpacer	Used to space out sections that appear side-by-side	

Class Name / Tag Name	Description	Notes
.bodySectFFCont	Free-form section container. Current uses include the confirmation page, error page, and results page.	
.bodySectCont	Section container	
.bodySectBG	Defines the background color of a section (when used).	
.bodySectInCont .bodyInputAlign	Aligns buttons with an input HTML tag within a section.	
.bodySectInCont	The inner container of a body section. This is used for field sections.	
.noTbSp	No table spacing. Used on table elements where we don't want table spacing defined.	

## Section Label Classes

The labels for a data section

Class Name / Tag Name	Description	Notes
.sectLabel	Section label	Changed in 5.5 CU3; Modified in 6.0.
.sectLabel input	Input elements within a section label.	Changed in 5.5 CU3

## Grid Classes

Inline and second page grids

Class Name / Tag Name	Description	Notes
.grid	Grid container	Modified in 6.0.
.gridColGroupRow	Grid column group row	Modified in 5.5 CU3
.gridColGroupRow .gridColGroupLabelCell	Grid column group row label cell	
.gridColGroupRow .gridColGroupLabel	Grid column group row label	
.gridColGroupRow .gridColGroupDataCell	Grid column group row data cell	

Class Name / Tag Name	Description	Notes
.gridColGroupRow .gridColGroupData	Grid column group row data	
.grid .gridHeadCell	Grid header column	
.grid .gridHeadBtnsCell	Grid header column for buttons (used with .gridHeadCell)	
.grid .gridHeadImgCell	Grid header column for images (used with .gridHeadCell)	
.grid .gridHeadCheckCell	Grid header column for checkboxes (used with .gridHeadCell)	
.grid .gridHeadLabel	Grid header column for labels (used with .gridHeadCell)	Modified in 5.5 CU3
.grid .gridHeadRequired	Used on the * (required) symbol on a grid header column	
.grid .rowHead	Grid body header row	New in 5.5 CU3
.grid .rowOdd	Grid body row (odd)	
.grid .rowEvent	Grid body row (even)	
.rowSelected	Selected grid body row	
.rowHighlighted	Highlighted grid body row	
.rowTotal	Grid total row	
.gridBodyCell	Grid body cell (all subsequent body columns are used with this class)	
.gridBodyCell pre	Grid body preformatted text cell	New in 5.5 CU3
.gridBodyDetCell	Grid body detail cell. Used for row detail sections.	New in 5.5 CU4
.gridBodyDurCell	Grid body duration cell	Changed in 5.5 CU3
.gridBodyNumCell	Grid body number cell	
.gridBodyUomCell	Grid body unit of measure cell (excluding duration)	
.gridBodyDateCell	Grid body date cell	
.gridBodyImgCell	Grid body image cell	



Class Name / Tag Name	Description	Notes
.gridBodyRadioCell	Grid body radio button cell	Changed in 5.5 CU3
.gridBodyCheckCell	Grid body checkbox cell	
.gridBodyBtnsCell	Grid body buttons cell	
.gridBodyLabelCell	Grid body label cell	
.gridBodyErrorCell	Grid body error cell	
.gridBodyEmptyCell	Grid body empty cell	
.gridBodyFocusCell	Grid body focus cell	
.gridBodyBlackenedCell	Grid body blackened cell	
.gridBodyFixedCell	Grid body fixed cell	
.gridBodyEditedCell	Grid body edited cell	
.gridBodyDisabledCell	Grid body disabled cell	
.gridBodyInfeasibleCell	Grid body infeasible cell	
.gridBodyCurrentCell	Grid body current cell	
.gridFooterCont	Container for the grid footer	Modified in 5.5 CU3
.gridButtonsCont	Container for buttons within a grid	
.gridBodyMediumAlertCell	Grid body medium alert cell. Exclusive to the Yard Manager.	New in 5.5 CU4
.gridBodyHighAlertCell	Grid body high alert cell. Exclusive to the Yard Manager.	New in 5.5 CU4

### ***Field Data Classes***

Fields (PickList, Volume, Weight, DropList, etc.)

Class Name / Tag Name	Description	Notes
.utilization	The utilization field	Modified in 5.5 CU3
.utilizationFill	The filled-in portion of the utilization field.	Modified in 5.5 CU3
.fieldsCont	Multiple field container	New in 5.5 CU3

<b>Class Name / Tag Name</b>	<b>Description</b>	<b>Notes</b>
.fieldCont	Data field container.	
.fieldLabel	Label for a top-bottom data field	
.fieldLRLabel	Label for a left-right read-only data field.	
.fieldLRLabel2	Label for a left-right input data field	New in 5.5 CU3
.fieldData	Data value for a data field	Modified in 5.5 CU3
.fieldData pre	Preformatted data value for a data field	Modified in 5.5 CU3
.fieldLRData	Data value for a left-right data field.	
.fieldRadioContOut	Outer container for a group of radio buttons	
.fieldRadioCont	Container for a group of radio buttons	Removed in 5.5 CU3
.fieldCbsContOut	Outer container for a group of checkboxes	New in 5.5 CU3
.fieldCbsCont	Container for a group of checkboxes	New in 5.5 CU3
.queryCtlCont	Container around the query controls on the finder page.	

## ***Auto Complete Classes***

PickList auto complete

<b>Class Name / Tag Name</b>	<b>Description</b>	<b>Notes</b>
.acData	Container for the auto complete control	New in 6.0
.acTable	Table container for the auto complete control. Replaces .popupFrame	New in 6.0
.acItem	Row item. Replaces .popupItem	New in 6.0
.acSelItem	Selected row item. Replaces .pItemSel	New in 6.0

## ***Text***

Free-form text

Class Name / Tag Name	Description	Notes
.text	Normal text	Modified in 5.5 CU3
.errorText	Error text	
.exceptionText	Exception text	

## Message Box

Messages

Class Name / Tag Name	Description	Notes
.msgSectCont	Message section container	
.msgCont	Message container	
.msgMain	Horizontally. the message is made up of 3 pieces: Left, Main (this is where the message text resides), and Right.	Changed in 5.5 CU3
.msgMain .bodySectInCont	Redefine of the bodySectInCont for within .msgMain	
.msgMain a	Redefine of anchors within .msgMain	
.msgTopBg	Background of the message top	
.msgBtmBg	Background of the message bottom	
.msgMainL	Left piece of the message main	
.msgMainR	Right piece of the message main	
.msgHead	Message header	New in 5.5 CU3
.msgHeadErr	Message header error text	New in 5.5 CU3
.msgHeadWarn	Message header warning text	New in 5.5 CU3
.msgHeadInfo	Message header information text	New in 5.5 CU3
.msgHeadConfirm	Message header confirmation text	New in 5.5 CU3
.msgSub	Message subject	Changed 5.5 in CU3

Class Name / Tag Name	Description	Notes
.msgBodyCont	Message body container	Changed 5.5 in CU3
.msgLine	Message body line of text	Changed 5.5 in CU3

### ***Miscellaneous***

Class Name / Tag Name	Description	Notes
#userMenuBody	ID of the user menu frame	New in 5.5 CU4
#sidelogo	The logo on the user menu	
#bodyimage	Container for the navigation wheel on the start page.	
#tooltip	Not used	
.box	A generic box. Uses include the saved query section on the finder and finder results screens and legends.	
.popMask	Used on the finder results. This disables the screen on certain operations.	
#processingDiv	Used on the finder results. Container for the message displayed during screen disabling.	
.popmenu	Not used	

### ***Power Data Classes***

Power data menu screens

Class Name / Tag Name	Description	Notes
.pdCont	Container for the entire power data menu	
.pdSubMenu	Power Data submenu (menu on the right)	
.pdSubMenuTitle	The title of a submenu	

## Tab Classes

Class Name / Tag Name	Description	Notes
.tabLabelCont	Container for a tab label	
.subTabLabelCont	Container for a subtab label	
.tabCur	Current tab	
.subTabCur	Current subtab	
.tabDim	Non-current tab	
.subTabDim	Non-current subtab	

## Global Area

Where the info button, business monitor button, logout button, help button, and message center resides

Class Name / Tag Name	Description	Notes
.globalArea	The global area	Modified in 5.5 CU4
.msgCntChanged	Style for when the message count dynamically changes	New in 5.5 CU4
#version	ID of the Version	New in 5.5 CU4
#welcome	ID of the Welcome	New in 5.5 CU4
#role	ID of the Role text	New in 5.5 CU4
#msgCenter	ID of the Message Center	New in 5.5 CU4
#info	ID of the Information link	New in 5.5 CU4
#bm	ID of Business Monitor link	New in 5.5 CU4
#logout	ID of the Logout link	New in 5.5 CU4
#help	ID of the Help link	New in 5.5 CU4
#askOTM	ID of the Ask OTM link	New in 5.5 CU4
#toplogo2	Logo on the global area within a window when 'opened in a new window'	

Class Name / Tag Name	Description	Notes
#closewindowicon	Close icon on the global area within a window when 'opened in a new window'	
#gc3helpicon2	Help icon on the global area within a window when 'opened in a new window'	

## Ask OTM Classes

Ask OTM bar

Class Name / Tag Name	Description	Notes
#askarrow	Ask arrow	
#askglog	Ask OTM text	
#navwheelsm	Navigation Wheel	
#co	Container Optimization text	
#containerbox	Container image	
#airschedules	Air Schedule text	
#airschedulesbox	Air Schedule image	
#vesselsch	Vessel Schedule text	
#vesselbox	Vessel Schedule image	
#groundsch	Ground Schedule text	
#groundbox	Ground Schedule image	
#glogriq	Rates text	
#glogriqbox	Rates image	
#iriq	International Rates text	
#iriqbox	International Rates image	
#airport	Airport text	
#airportbox	Airport image	
#port	Port text	
#portbox	Port image	

Class Name / Tag Name	Description	Notes
#time	Time text	
#timebox	Time image	
#currency	Currency text	
#currencybox	Currency image	
#distance	Distance text	
#distancebox	Distance image	
#logisticsguide	Logistics Guide text	
#logisticsguidebox	Logistics Guide image	
#routingrule	Routing Rule text	
#routingrulebox	Routing Rule image	
.footer1	Used on Container Optimization text	

## Calendar Classes

Calendar popup

Class Name / Tag Name	Description	Notes
.cal	Container for the calendar	New in 5.5 CU5; Changed in 6.0
.calDOWRow	Day of week row	
.calDOWTitle	Text for each day of week	Modified in 5.5 CU5
.calIPM	Previous month button	New in 5.5 CU5
.calINM	Next month button	
.calGrid	Calendar body (days)	New in 6.0
.calBody	Calendar body (days)	Changed in CU3
.calDay	Day	
.calDayCur	Current day	
.calDayDis	Days from the previous months	

Class Name / Tag Name	Description	Notes
.tm_chooseDate_spinbox	Spinbox to choose the year	New in 6.0
.tm_chooseDate_spinbox-content	Content of the spinbox	New in 6.0
.tm_chooseDate_increment-cell	Increment cell of the spinbox	New in 6.0
.tm_chooseDate_decrement-cell	Decrement cell of the spinbox	New in 6.0
.tm_chooseDate_spinbox-cell	Not implemented	New in 6.0
.tm_chooseDate_spinbox-incrementor-icon-style	Increment icon link of the spinbox	New in 6.0
.tm_chooseDate_spinbox-decrementor-icon-style	Decrement icon cell of the spinbox	New in 6.0

## ***Login Classes***

Login page

Class Name / Tag Name	Description	Notes
.loginframe	Container for the login form	
.loginbutton	Login button	
.copyright	Copyright text	

## ***Scroll Grid Classes***

Finder Results Grid

Class Name / Tag Name	Description	Notes
.sgContainer	Grid container	
.sgContainerRow	Grid container row (used for captions)	
.sgSection	Grid section	
.sgSecBordLeft	Grid section left border	
.sgSubSection	Grid subsection	
.sgBodyRow	Grid body row	Modified in 5.5 CU4



<b>Class Name / Tag Name</b>	<b>Description</b>	<b>Notes</b>
.sgTotalRow	Grid total row	
.sgTreeRow	Grid tree row	
.sgBodyRowHighlighted	Highlighted grid body row	
.sgBodyRowOdd	Grid body row (odd)	
.sgBodyRowEven	Grid body row (even)	
.sgBodyRowSelected	Selected grid body row	
.sgBodyRowHighlightedAndSelected	Highlighted and selected grid body row	
.sgBodyCol	Grid body column	Modified in 5.5 CU4
.sgBodyCol2 a	Added onto sgBodyCol (changes the anchor style)	
.sgTreeCol	Tree column	
.sgBodyColFocus (and sgBodyCol: focus)	Grid body column that has focus. The former is for IE, the latter for Firefox	
.sgBodyColEdited	Grid body column that has been changed (not saved)	
.sgBodyColError	Grid body column that has an error	
.sgBodyCheckCol	Grid body checkbox column	
.sgBodyDurCol	Grid body duration column	New in 5.5 CU4
.sgBodyNumCol	Grid body number column	New in 5.5 CU4
.sgBodyUOMCol	Grid body uom column	New in 5.5 CU4
.sgBodyImgCol	Gid body image column	New in 5.5 CU4
.sgBodyCheck	Grid body checkbox (applied to the <input> tag)	
.sgSortAsc	Grid header ascending sort image	
.sgSortDes	Grid header descending sort image	
.sgCaptionCol	Grid caption column	
.sgCaptionColImg	Grid caption column image	Modified in 5.5 CU4
.sgCaptionColImg2	Grid caption column image	

Class Name / Tag Name	Description	Notes
.sgFiller	Filler for empty space of grid.	
.sgFillerBotLeft	Bottom left filler for empty space of grid	
.sgFillerBotLeftTop	Bottom left top filler for empty space of grid	
.sgFillerBotRight	Bottom right filler for empty space of grid	
.sgVertScrollSpace	Grid vertical scroll	
.sgHeadRow	Grid header row	Modified in 5.5 CU4; Modified in 6.0
.sgHeadCol0	Grid header column for the first column in a section	Modified in 6.0
.sgHeadCol1	Grid header column for each subsequent columns	Modified in 6.0
.sgHeadColPart	Grid header column partition	Modified in 6.0
.sgHeadColVal	Grid header column value	
.sgHeadColVal2 a	Added onto sgHeadColVal (changes the anchor style)	
.sgHeadColValS	Grid header column sortable value	Modified in 5.5 CU3; Modified in 6.0
sgHeadColValHighlighted	Currently unused	
.sgHeadCheck	Grid header checkbox	
.sgImageButtonOn	Not used	
.sgDivider	Not used	
.sgEditCD	Grid editable control	
div.sgMsg	Grid message box	

### ***Tree Control Classes***

Class Name / Tag Name	Description	Notes

<b>Class Name / Tag Name</b>	<b>Description</b>	<b>Notes</b>
.treeCont	Tree Container	New in 5.5 CU4
.tree	Tree	Modified in 5.5 CU4
.tree .wrap	Used for wrappable nodes	New in 5.5 CU4
.tree .nodeInactiveL	Inactive node (text section)	New in 5.5 CU4
.tree .nodeInactiveR	Inactive node (button section)	New in 5.5 CU4
.tree .nodeSelectedL	Selected node (text section)	New in 5.5 CU4
.tree .nodeSelectedR	Selected node (button section)	New in 5.5 CU4
.tree .nodeFocused	Focused node (text only)	New in 5.5 CU4
.tree .nodeFocusedL	Focused node (text section)	New in 5.5 CU4
.tree .nodeFocusedR	Focused node (button section)	New in 5.5 CU4
.tree .nodeDisabled	Disabled node	New in 5.5 CU4
.tree .nodeCancelled	Cancelled node	New in 5.5 CU4
.tree .node	Node	New in 5.5 CU4
.tree .node pre	Preformatted node text	New in 5.5 CU4
.tree .node .oc	Open / Close image container	New in 5.5 CU4
.tree .node .e	Empty image container (used when no open/close image)	New in 5.5 CU4
.tree .node .i	Icon container	New in 5.5 CU4
.tree .node .l	Label (text) container	New in 5.5 CU4
.tree .node .b	Buttons container	New in 5.5 CU4
.tree .child	Child container	New in 5.5 CU4

### ***Simple Tree Control Classes***

<b>Class Name / Tag Name</b>	<b>Description</b>	<b>Notes</b>
.simTreeCont	Tree container	New in 5.5 CU4

Class Name / Tag Name	Description	Notes
.simTree	Tree	Modified in 5.5 CU4
.simTree ul	Tree / Subtree node container	New in 5.5 CU3
.simTree li	Node	Modified in 5.5 CU4
.simTree .nodeSelected	Selected node	New in 5.5 CU4
.simTree .nodeFocused	Focused node	New in 5.5 CU4
.simTree li pre	Preformatted node text	New in 5.5 CU4
.simTree .nodeCl	Closed node	New in 5.5 CU3

### ***Simple Tree 2 Control Classes***

Used for trees without any decorations other than list styles

Class Name / Tag Name	Description	Notes
.simTree2Cont	Tree container	New in 5.5 CU4
.simTree2	Tree	Modified in 5.5 CU4
.simTree2 ul	Tree / Subtree container	New in 5.5 CU3
.simTree2 li	Node	Modified in 5.5 CU4
.simTree2.nodeSelected	Selected node	New in 5.5 CU4
.simTree2.nodeFocused	Focused node	New in 5.5 CU4
.simTree2 li pre	Preformatted node text	New in 5.5 CU4
.simTree2 .nodeCl	Closed node	New in 5.5 CU3
.draggable	Drag container	New in 5.5 CU4

### ***Legacy Tree Control Classes***

Main menu

Class Name / Tag Name	Description	Notes
#divFoldCont	Tree container	

Class Name / Tag Name	Description	Notes
.clFold	Container for the links	
.clFoldSub	Container for sublinks	
.clFoldSub2	Container for end links	
.clFoldLinks	Top level links	
.clFoldLinks .disabled	Disabled top level links	New in 5.5 CU4
.clSubLinks	Second level links	
. clSubLinks .disabled	Disabled second level links	New in 5.5 CU4
.clSubLinks2	End links	
. clSubLinks2 .disabled	Disabled end level links	New in 5.5 CU4
.clSubLinks3	Not used	
.clsExpNode	UIC reference number/remarks. (not sure exactly what this does)	

## ***Button Classes***

Buttons

Class Name / Tag Name	Description	Notes
.buttonsCont	Container for a group of buttons	
.buttonCont	Container for a button	
.submitButtonBoxEnable	Enabled submit button	
.submitButtonEnable	Combined with submitButtonBoxEnable	
.buttonCont .enButton	Enabled button	
.buttonCont .disButton	Disabled button	

## ***Context Menu Classes***

Includes Smart Links and other context menus

Class Name / Tag Name	Description	Notes
.contextMenu	Menu Container	Modified in 5.5 CU4
.contextMenuContent	Content	Modified in 5.5 CU4
.contextMenuContent .menuTree	Tree within the context menu	New in 5.5 CU4

## ***IWindow classes***

Replaces the pop-in classes. Used for internal windows such as Mass Update, Configure Results, Action Menu, Smart Links, etc.

Class Name / Tag Name	Description	Notes
.iWin	Window container	New in 5.5 CU4
.iWinFrame	Window container (for use of <iframe>'s)	New in 5.5 CU4
.iWinFrameBody	Window body (for use of <iframe>'s)	New in 5.5 CU4
.iWinHeader	Window header container	New in 5.5 CU4
.iWinTitle	Window title container	New in 5.5 CU4
.iWinContent	Window content	New in 5.5 CU4
.iWinContentFit	Window content (window resizes to fit the content)	New in 5.5 CU4
.iWinFooter	Window footer container	New in 5.5 CU4
.iWinHelp	Window help	New in 5.5 CU4
.iWinClose	Window close	New in 5.5 CU4

## ***Dock Scheduling / Dispatch Board***

Classes used by the Dock Scheduling and Dispatch Board screens.

### **Multiple Class Selectors**

Class Name / Tag Name	Description	Notes
.p_TMMaximized	Maximized	New in 5.5 CU5
.TMVisualRoot	Visual Root	New in 5.5 CU5
.p_TMSelected	Selected	New in 5.5 CU5

Class Name / Tag Name	Description	Notes
.p_TMInactive	Inactive	New in 5.5 CU5
.p_TMFocused	Focused	New in 5.5 CU5
.p_TMTextOnly	Not implemented	New in 6.0
.p_TMEndOverflow	Overflow items	New in 6.0
.p_TMDropTarget	Drop target	New in 5.5 CU5

Class Name / Tag Name	Description	Notes
.tm_document	Added to the <body> element	New in 5.5 CU5
.tm_form	Added to the <form> element	New in 5.5 CU5
.RichUIBlockingDiv	Used in creating the div that blocks input	New in 5.5 CU5

### Panel Stretch Layout

Splits a layout that enables the content in the center to stretch to fill all available space

Class Name / Tag Name	Description	Notes
.tm_panelStretchLayout	Panel stretch layout container	New in 5.5 CU5

### Panel Group Layout

Layout element that arranges its children horizontally or vertically.

Class Name / Tag Name	Description	Notes
.tm_panelGroupLayout	Panel group layout container	New in 5.5 CU5

### Panel Form Layout

Positions input form controls

Also used on the volume control

Class Name / Tag Name	Description	Notes
.tm_panelFormLayout	Panel Form Layout container	New in 5.5 CU5

Class Name / Tag Name	Description	Notes
.TMPanelFormLayoutContentCell	Cell within the layout	New in 5.5 CU5
.TMPanelFormLayoutButtonContentCell	Cell containing a button within the layout	New in 5.5 CU5

## Button Group

Groups buttons together

Class Name / Tag Name	Description	Notes
.tm_buttonGroup	Button group container	New in 5.5 CU5
.tm_buttonGroup_button-cell	Cell within a button group	New in 5.5 CU5

## Command Button

Button containing text, image, or text with an image

Class Name / Tag Name	Description	Notes
.tm_commandButton	Button	New in 5.5 CU5; Modified in 6.0

## Table

Displays tabular data.

Class Name / Tag Name	Description	Notes
.tm_table	Table container	New in 5.5 CU5
.tm_column_column-header	Header	New in 5.5 CU5
.tm_column_select-all-header	Header select all cell	New in 6.0
.tm_column_column-header-fixed-table	Header fixed table	New in 5.5 CU5
.tm_column_column-header-cell-sizer	Header size cell	New in 5.5 CU5
.tm_column_column-header-cell	Header cell	New in 5.5 CU5; Modified in 6.0
.tm_column_column-header-scroll-div	Header scroll div	New in 5.5 CU5



Class Name / Tag Name	Description	Notes
.tm_column_column-header-scroll-table	Header scroll table	New in 5.5 CU5
.tm_table_data-table	Data table	New in 5.5 CU5
.tm_table_data-table-noV	Data (no vertical lines)	New in 6.0
.tm_table_data-row-odd	Data row (odd number)	New in 5.5 CU5; Modified in 6.0
.tm_table_data-row-even	Data row (even number)	New in 5.5 CU5; Modified in 6.0
.tm_column_data-cell	Data cell	New in 5.5 CU5
.tm_column_data-cell1	Data cell (no border)	New in 5.5 CU5
.tm_column_data-cell2	Data cell (no left border)	New in 5.5 CU5
.tm_column_data-cell3	Data cell (no right border)	New in 5.5 CU5
.tm_column_data-cell-current	Current data cell (used for Dock Scheduling)	New in 5.5 CU5
.tm_column_data-cell-fixed	Fixed data cell (used for Dock Scheduling)	New in 5.5 CU5
.tm_column_data-cell-disabled	Disabled data cell (used for Dock Scheduling)	New in 5.5 CU5
.tm_column_data-cell-infeasible	Infeasible data cell (used for Dock Scheduling)	New in 5.5 CU5
.tm_column_data-cell-blocked	Blocked data cell (used for Dock Scheduling)	New in 5.5 CU5
.tm_column_data-cell-edited	Edited data cell (used for Dock Scheduling)	New in 5.5 CU5
.tm_column_data-cell-standing	Standing data cell (used for Dock Scheduling)	New in 5.5 CU5
.tm_column_data-cell-uom	UOM data cell	New in 5.5 CU5
.tm_column_data-cell-num	Number data cell	New in 5.5 CU5
.tm_column_data-cell-dur	Duration data cell	New in 5.5 CU5
.tm_column_data-cell-img	Image data cell	New in 5.5 CU5
.tm_column_data-cell-db-ship	Shipment data cell	New in 6.0
.tm_column_data-cell-db-unavail	Unavailable data cell (used for Dispatch Board)	New in 6.0

Class Name / Tag Name	Description	Notes
.tm_column_data-cell-db-avail	Available data cell (used for Dispatch Board)	New in 6.0
.tm_column_data-cell-db-work	Working data cell (used for Dispatch Board)	New in 6.0
.tm_column_data-cell-db-notwork	Not working data cell (used for Dispatch Board)	New in 6.0
.tm_column_data-cell-bl	Data cell (border left)	New in 6.0
.tm_column_data-cell-br	Data cell (border right)	New in 6.0
.tm_table_data-body	Data body	New in 5.5 CU5
.tm_column_row-header-cell	Row header cell	New in 5.5 CU5
.tm_table_data_scroll_div	Data scroll section div	New in 5.5 CU5
.tm_table_data_scroll_table	Data scroll section table	New in 5.5 CU5
.tm_column_frozen_border	Border that differentiates the frozen and scrollable portions of the table	New in 5.5 CU5
.tm_column_day_border	Border that differentiates between different days	New in 5.5 CU5
.tm_table_column-resize-indicator	Column resize indicator	New in 5.5 CU5

## Menu

A vertical menu component

Class Name / Tag Name	Description	Notes
.tm_menu_child-container	Menu child container	New in 5.5 CU5
.tm_menu_separator-row	Separator row	New in 6.0
.tm_menu_item-empty-cell	Not implemented	New in 6.0
.tm_menu_separator	Menu item separator	New in 6.0
.tm_menu_scroll-box	Menu scroll box container	New in 6.0
.tm_menu_scroll-up-icon-style	Scroll box up	New in 6.0
.tm_menu_scroll-down-icon-style	Scroll box down	New in 6.0
.tm_menu_submenu-icon-style	Not implement	New in 6.0

## Command Menu

Item in a menu

Class Name / Tag Name	Description	Notes
.tm_commandMenuItem_menu-item	Menu item container	New in 5.5 CU5
.tm_commandMenuItem_menu-item-text	Menu item text	New in 5.5 CU5
.tm_commandMenuItem_menu-item-accelerator	Menu item accelerator	New in 5.5 CU5
.tm_commandMenuItem_menu-item-open-indicator	Menu item open indicator	New in 5.5 CU5
.tm_commandMenuItem_menu-item-icon-style	Menu item icon	New in 5.5 CU5
.tm_commandMenuItem_menu-item-check-icon-style	Menu item checkbox icon	New in 5.5 CU5
.tm_commandMenuItem_menu-item-radio-icon-style	Menu item radio button icon	New in 5.5 CU5
.tm_commandMenuItem_menu-item-empty-cell	Empty space	New in 5.5 CU5

## Popup

Container control used in popup windows

Class Name / Tag Name	Description	Notes
.TMPopupMenuPopup	Popup container	New in 5.5 CU5
.TMPopupMenuContent	Popup content	New in 5.5 CU5
.TMZOrderLayerContainer	Z-Order container	New in 5.5 CU5
.TMZOrderLayer	Z-Order layer	New in 5.5 CU5

## Show Detail Header

Provides a means of toggling the contents under a header from being shown or hidden

Class Name / Tag Name	Description	Notes
.tm_showDetailHeader0 - .tm_showDetailHeader5	Show Detail Header container (levels 0 – 5)	New in 5.5 CU5
.tm_showDetailHeader_table0 - .tm_showDetailHeader_table5	Show Detail Header table (levels 0 – 5)	New in 5.5 CU5

Class Name / Tag Name	Description	Notes
.tm_showDetailHeader_title0 - .tm_showDetailHeader_title5	Show Detail Header title (levels 0 – 5)	New in 5.5 CU5
.tm_showDetailHeader_disclosure-icon-container	Disclosure icon container	New in 5.5 CU5
.tm_showDetailHeader_disclosure-link	Disclosure link	New in 5.5 CU5
.tm_showDetailHeader_title-text0 - .tm_showDetailHeader_title-text5	Show Detail Header title text (levels 0 – 5)	New in 5.5 CU5
.tm_showDetailHeader_title-content0 - .tm_showDetailHeader_title-content5	Show Detail Header title content (levels 0 – 5)	New in 5.5 CU5
.tm_showDetailHeader_title-start0 - .tm_showDetailHeader_title-start5	Show Detail Header title start (levels 0 – 5)	New in 5.5 CU5
.tm_showDetailHeader_title-end0 - .tm_showDetailHeader_title-end5	Show Detail Header title end (levels 0 – 5)	New in 5.5 CU5
.tm_showDetailheader_context-container	Context container	New in 5.5 CU5
.tm_showDetailHeader_dynamic-help-icon-container	Show Detail Header help icon container	New in 5.5 CU5
.tm_showDetailHeader_dynamic-help-icon-style	Show Detail Header help icon	New in 5.5 CU5

## Navigation Pane

A series of navigation items

Class Name / Tag Name	Description	Notes
.tm_navigationPane	Navigation pane container	New in 5.5 CU5
.tm_navigationPane-bar	Navigation pane bar	New in 5.5 CU5
.tm_navigationPane-bar_icon-style	Not implemented	New in 5.5 CU5
.tm_navigationPane-bar_link	Not implemented	New in 5.5 CU5
.tm_navigationPane-bar_start-overflow-indicator	Not implemented	New in 5.5 CU5
.tm_navigationPane-bar_end-overflow-indicator	Not implemented	New in 5.5 CU5
.tm_navigationPane-bar_overflow-container	Not implemented	New in 5.5 CU5

Class Name / Tag Name	Description	Notes
.tm_navigationPane-bar_overflow_spacer	Not implemented	New in 5.5 CU5
.tm_navigationPane-bar_body	Navigation pane bar body	New in 5.5 CU5
.tm_navigationPane-bar_access-key	Not implemented	New in 5.5 CU5

## Message

Displays a message

Class Name / Tag Name	Description	Notes
.tm_message	Message container	New in 5.5 CU5
.tm_message_type	Type of message (Error, Warning, Information)	New in 5.5 CU5
.tm_message_detail	Message content	New in 5.5 CU5

## Panel Header

Similar to the Show Detail Header without the toggling

Class Name / Tag Name	Description	Notes
.tm_panelHeader_table0 - .tm_panelHeader_table5	Panel header container (levels 0 – 5)	New in 5.5 CU5
.tm_panelHeader_title0 - .tm_panelHeader_title5	Panel header title (levels 0 – 5)	New in 5.5 CU5
.tm_panelHeader_title-text0 - .tm_panelHeader_title-text5	Panel header title text (levels 0 – 5)	New in 5.5 CU5
.tm_panelHeader_content0 - .tm_panelHeader_content5	Panel header content (levels 0-5)	New in 5.5 CU5
.tm_panelHeader_title_start0 - .tm_panelHeader_title_start5	Panel header title start (levels 0 – 5)	New in 5.5 CU5
.tm_panelHeader_title_end0 - .tm_panelHeader_title_end5	Panel header title end (levels 0 – 5)	New in 5.5 CU5
.tm_panelHeader_context-container	Context container	New in 5.5 CU5
.tm_panelHeader_dynamic-help-icon-container	Panel header help icon container	New in 5.5 CU5

Class Name / Tag Name	Description	Notes
.tm_panelHeader_dynamic-help-icon-style	Panel header help icon	New in 5.5 CU5; Modified in 6.0
.tm_panelHeader_toolbar	Panel header toolbar	New in 6.0

## Panel Collection

Surrounds a table to display menus, toolbars, and statusbar items.

Class Name / Tag Name	Description	Notes
.tm_panelCollection	Panel collection container	New in 6.0
.tm_panelCollection_statusbar-text-item	Statusbar text	New in 6.0
.tm_panelCollection_statusbar-count-item	Statusbar count text	New in 6.0

## Toolbox

A container for Toolbars and MenuBars

Class Name / Tag Name	Description	Notes
.tm_toolbox	Toolbox container	New in 6.0
.tm_toolbox_body	Toolbox body	New in 6.0
.tm_toolbox_row	Toolbox row	New in 6.0
.tm_toolbox_leading-cell	Toolbox leading cell	New in 6.0
.tm_toolbox_last-cell	Toolbox last cell	New in 6.0

## Menu Bar

Container for a menu

Class Name / Tag Name	Description	Notes
.tm_menuBar	Menu bar container	New in 6.0
.tm_menuBar_enabled	Not implemented	New in 6.0
.tm_menuBar_selected	Not implemented	New in 6.0

Class Name / Tag Name	Description	Notes
.tm_menuBar_separator	Not implemented	New in 6.0
.tm_menuBar_body	Not implemented	New in 6.0
.tm_menuBar_title	Not implemented	New in 6.0
.tm_menuBar_empty	Not implemented	New in 6.0
.tm_menu_bar-item-content	Not implemented	New in 6.0
.tm_menu_bar-item-open-icon-style	Not implemented	New in 6.0
.tm_menu_bar-item-access-key	Not implemented	New in 6.0
.tm_menu_bar-item	Not implemented	New in 6.0
.tm_menu_bar-item-text	Not implemented	New in 6.0

## Toolbar

Container for Command Toolbar Buttons

Class Name / Tag Name	Description	Notes
.tm_toolbar_overflow-container	Toolbar overflow container	New in 6.0
.tm_toolbar_overflow-indicator	Toolbar overflow indicator	New in 6.0
.tm_toolbar_overflow-spacer	Toolbar overflow spacer	New in 6.0
.tm_toolbar	Toolbar container	New in 6.0
.tm_toolbar_body	Toolbar body	New in 6.0
.tm_toolbar_item	Toolbar item	New in 6.0
.tm_toolbar_separator	Toolbar separator	New in 6.0

## Command Toolbar Button

Button in a toolbar

Class Name / Tag Name	Description	Notes
.tm_commandToolbarButton_image-hover	Not implemented	New in 6.0
.tm_commandToolbarButton_image-depressed	Not implemented	New in 6.0

Class Name / Tag Name	Description	Notes
.tm_commandToolbarButton	Command toolbar container	New in 6.0
.tm_commandToolbarButton_link	Command toolbar link (text)	New in 6.0
.tm_commandToolbarButton_text	Not implemented	New in 6.0
.tm_commandToolbarButton_dropdown-cell	Not implemented	New in 6.0
.tm_commandToolbarButton_dropdown-icon-style	Not implemented	New in 6.0
.tm_commandToolbarButton_image	Not implemented	New in 6.0

## Panel Splitter

Divides a region into two parts with a repositional divider

Class Name / Tag Name	Description	Notes
.tm_panelSplitter	Panel splitter container	New in 6.0
.tm_panelSplitter_vertical-icon-style	Panel splitter vertical icon	New in 6.0
.tm_panelSplitter_horizontal-icon-style	Panel splitter horizontal icon	New in 6.0
.tm_panelSplitter_pane	Panel splitter pane	New in 6.0
.tm_panelSplitter_horizontal-divider	Panel splitter horizontal divider	New in 6.0
.tm_panelSplitter_vertical-divider	Panel splitter vertical divider	New in 6.0
.tm_panelSplitter_horizontal-highlighter	Panel splitter horizontal (highlighted)	New in 6.0
.tm_panelSplitter_vertical-highlighter	Panel splitter vertical (highlighted)	New in 6.0

## Dialog

Dialog window (also used on the Results Page)

Class Name / Tag Name	Description	Notes
.tm_dialog	Dialog container	New in 6.0
.tm_dialog_main	Dialog main table	New in 6.0
.tm_dialog_header-start	Dialog header start (left)	New in 6.0
.tm_dialog_header	Dialog header content	New in 6.0



Class Name / Tag Name	Description	Notes
.tm_dialog_header-end	Dialog header end (right)	New in 6.0
.tm_dialog_header-content-center	Dialog header content center	New in 6.0
.tm_dialog_title	Dialog title	New in 6.0
.tm_dialog_icon-region	Dialog icon region	New in 6.0
.tm_dialog_close-icon	Not implemented	New in 6.0
.tm_dialog_close-icon-style	Dialog close icon	New in 6.0
.tm_dialog_content-start	Dialog content start (left)	New in 6.0
.tm_dialog_content	Dialog main content	New in 6.0
.tm_dialog_content-end	Dialog end (right)	New in 6.0
.tm_dialog_footer-start	Dialog footer start (left)	New in 6.0
.tm_dialog_footer	Dialog footer	New in 6.0
.tm_dialog_footer-end	Dialog footer end (right)	New in 6.0
.tm_dialog_footer-content	Dialog footer content	New in 6.0
.tm_dialog_footer-button	Dialog footer button	New in 6.0
.tm_dialog_inactive-background		New in 6.0

## Miscellaneous

Class Name / Tag Name	Description	Notes
.tm_input_label	Input control label	New in 6.0
.tm_commandLink	Link to launch window	New in 6.0

## Deprecated Classes

Class Name / Tag Name	Description	Notes
popinBodyDataCont	Container of pop-in body data sections. Uses include the action menu, mass update screen, and configure results screen.	Removed in 6.0
popinBodyDataFooterCont	Container of the footer section of pop-ins.	Removed in 6.0

Class Name / Tag Name	Description	Notes
.popupFrame	Container for the auto complete control	Removed in 6.0
.popupItem	Row item	Removed in 6.0
.pItemSel	Selected row item	Removed in 6.0
.msgSubCont	Container of the message subject	Removed in 5.5 CU3
.msgSubErr	Message error subject	Removed in 5.5 CU3
.msgSubWarn	Message warning subject	Removed in 5.5 CU3
#toplogo	The logo	Removed in 5.5 CU4
#welcome	Welcome text	Removed in 5.5 CU4
#gc3infoicon	Information icon	Removed in 5.5 CU4
#gc3bmicon	Business Monitor icon	Removed in 5.5 CU4
#gc3logouticon	Logout icon	Removed in 5.5 CU4
#gc3helpicon	Help icon	Removed in 5.5 CU4
#launchaskglogicon	Ask OTM icon	Removed in 5.5 CU4
#gc3info	Not used	Removed in 5.5 CU4
#gc3bm	Not used	Removed in 5.5 CU4
#gc3logout	Not used	Removed in 5.5 CU4
#gc3help	Not used	Removed in 5.5 CU4
#launchaskglog	Not used	Removed in 5.5 CU4
#total	Total text	Removed in 5.5 CU4

Class Name / Tag Name	Description	Notes
#view	Not used	Removed in 5.5 CU4
#version	Version text	Removed in 5.5 CU4
#header_user_role	User role text	Removed in 5.5 CU4
.version	Not used	Removed in 5.5 CU4
.message	Not used	Removed in 5.5 CU4
.welcome	Not used	Removed in 5.5 CU4
.header_user_role	Not used	Removed in 5.5 CU4
.topbar	Used for View Messages and Refresh Messages	Removed in 5.5 CU4
.topbar1	Used for Message Center, Unread, and Total.	Removed in 5.5 CU4
.footer2	Used on all other text	Removed in 6.0
.calCont	Container for the calendar	Removed in 5.5 CU5
.calMain	Encompasses the DOW row and the calendar body	Removed in 5.5 CU5
.calLine	Separator between day of week row and the calendar body	Removed in 5.5 CU5
.calTitle	Title row (Where you can choose the month, year, time, etc)	Removed in 5.5 CU5
.volCont	Container for the volume	Changed in 5.5 CU3; Removed in 6.0
.tree .treeNode	Node	Removed in 5.5 CU3
.tree .treeNodeIC	Node inner container	New in 5.5 CU3; Removed in 5.5 CU4

Class Name / Tag Name	Description	Notes
.tree .treeNodeSelected	Selected node	Modified in 5.5 CU3; Removed in 5.5 CU4
.tree .treeNodeIC .e	Empty (used when no open/close image)	Removed in 5.5 CU4
.tree .treeNodeIC .oc	Open / Close	Removed in 5.5 CU4
.tree .treeNodeIC .dataCont	Data container	Removed in 5.5 CU4
.tree .treeNodeIC .buttonsCont	Buttons container	Removed in 5.5 CU4
.tree .treeNodeIC .buttonsCont img	Buttons container image	Removed in 5.5 CU4
.tree .treeNodeIC .dataCont .exceptionText	Data container exception text	Removed in 5.5 CU4
.tree .treeNodeIC .ic	Image container	Removed in 5.5 CU4
.tree .st	Subtree container	Removed in 5.5 CU4
.tree .opCICont		Removed in 5.5 CU3
.tree .opCICont div		Removed in 5.5 CU3
.tree .opCICont div.open		Removed in 5.5 CU3
.tree .opCICont div.closed		Removed in 5.5 CU3
.tree .dataCont		Removed in 5.5 CU3
.tree .dataCont a		Removed in 5.5 CU3
.tree .dataCont .buttonsCont		Removed in 5.5 CU3
.tree .dataCont pre		Removed in 5.5 CU3

Class Name / Tag Name	Description	Notes
.tree .imgCont		Removed in 5.5 CU3
.dragCont	Drag container	Removed in 5.5 CU4
.popinFrame	Frame Container	Removed in 5.5 CU4
.popinBody	Frame Body	Removed in 5.5 CU4
.popinTitleBar	Title bar	Removed in 5.5 CU4
.popinTitle	Title	Removed in 5.5 CU4
.popinContent	Content	Removed in 5.5 CU4
#popinHelp	Help button	Removed in 5.5 CU4
#popinClose	Close button	Removed in 5.5 CU4
.contextMenuTitleBar	Title Bar	Removed in 5.5 CU4
.contextMenuTitle	Title	Removed in 5.5 CU4



## 5. Branding Other Parts of Oracle Transportation Management

### Emails

All emails contain an Oracle Transportation Management logo. If all you want to do is change the logo that appears in all these emails, follow these steps:

1. Copy your new logo to your Oracle Transportation Management Web Server under `<otm_install_dir>/apache/htdocs/images/mail`.
2. Open your `glog.appserver.properties` file for editing.
3. Add the property `glog.mail.logo.filename=<logoFileName.gif>`.
4. Add the property `glog.mail.logo.height=<height of image in pixels>`. Oracle Transportation Management stretches you image to this height.
5. Add the property `glog.mail.logo.width=<width of image in pixels>`. Oracle Transportation Management stretches you image to this width.

**Note:** You might want to keep your new logo at the same or similar size as the original Oracle Transportation Management logo of 96 pixels wide x 62 pixels high.

Your changes take effect the next time you restart Oracle Transportation Management.

### Maps

Location icons on the map correspond to the location's role. Default icons are provided for each role. The icons associated to each role can be configured to use custom images. In order to use custom image icons, follow these steps:

6. Copy your custom images to your Oracle Transportation Management Web Server under `<otm_install_dir>/apache/htdocs/images/icons/map_icons`.
7. Open your `glog.map.properties` file for editing.
8. Each location role has a property pointing to the default icon image using the following format:

```
glog.map.style.icon.<LOCATION_ROLE>=<image_location_path>
```

e.g. `glog.map.style.icon.WAREHOUSE=/images/icons/map_icons/BillTo.gif`

9. Modify the icon image path to point to your custom images.

**Note:** You might want to keep your new logo at the same or similar size as the original Oracle Transportation Management logo of 24 pixels wide x 24 pixels high.

Your changes take effect the next time you restart Oracle Transportation Management.





## 6. Images

### Finding an Image

You can find an image name and location the following ways:

1. Get the image source
  - In Internet Explorer, right-click on the image and choose Properties. In the resultant dialog box, the image location is in the Address field.
  - In Firefox, right-click on the image and choose Properties. In the resultant dialog box, the image location is in the Location field.
2. To get the xsl variable name, get the image name from the source and search for it in the `/xsl/themes/<theme name>/<image name>`. E.g., if the image source is [http://www.oracle.com/images/themes/themesswanblue/sm\\_l.gif](http://www.oracle.com/images/themes/themesswanblue/sm_l.gif), then the `<theme name>` is `themesswanblue` and the image name is `sm_l.gif`.

Some of the images may be defined in the .css file. The easiest way to find these images is to go into the images directory using Windows Explorer, change the view type to Thumbnails, and search for the image. If you are not using Windows, then the easiest way is to determine which .css class is being used and look for it within the .css file.

### Updating Images within Themes

To update images within themes:

1. Save the image to the theme's image subdirectory (for example, `/images/{clientID or clientID/subdirectory}/themes/themesmycompany/`).
2. Update the path to the images directory within the `themesmycompany.xsl` document (for example, `<xsl:variable name="butleft_img"><xsl:value-of select="$glogUrlPrefix"/>/images/<xsl:value-of select="$clientDirectory"/>themes/themesmycompany/arrowright.gif</xsl:variable>`)



## 7. Branding Fusion Transportation Intelligence

Fusion Transportation Intelligence (FTI) uses the add-on component of Oracle Business Intelligence Enterprise Edition (OBI EE). Additional branding is needed on the OBI EE side to get a similar look and feel as that of branded Oracle Transportation Management.

For branding OBI EE, users must consult the OBI EE manual.

**Note:** Oracle Transportation Management's Oracle branding is also OBI EE's default. If you stay with Oracle Transportation Management Oracle, no additional changes are needed on OBI EE.



## 8. Appendix A - Additional Resources

### XML Resources

- WC3 XML Page (<http://www.w3.org/XML/>)
- XML.com (<http://www.xml.com>)
- The XML FAQ (<http://www.ucc.ie/xml/>)

### XSL Resources

- W3C XSL Page (<http://www.w3.org/Style/XSL/>)
- XSL (from XML 101) (<http://www.xml101.com/xsl/>)

### CSS Resources

- Cascading Style Sheets, Level 2 (<http://www.w3.org/TR/REC-CSS2>)
- Introduction to CSS2 (<http://www.w3.org/TR/REC-CSS2/intro.html>)
- CSS2 Reference ([http://www.w3schools.com/css/css\\_reference.asp](http://www.w3schools.com/css/css_reference.asp))

