

## PeopleTools 8.55 Online Help Updates, November 2016

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
Application Designer Developer's Guide	Creating Field Definitions, Using the Translate Table, Understanding the Translate Table	Added a note stating that NULL values are not supported for effective dates.
Application Designer Developer's Guide	Creating Component Definitions, Setting Component Properties	Added description of new Back button options: Page Navigation in History and Return to Last Page in History.
Application Designer Developer's Guide	Creating Page Definitions, Producing Pages	Updated screenshots of the Page Properties dialog box to include current properties and tabs.
Application Designer Developer's Guide	Creating Page Definitions, Improving Online Performance	Added a section describing how pages with numerous interactive fields placed next to each other on a page, can lead to processing issues when end users navigate between fields too quickly.
Application Designer Developer's Guide	Creating Component Definitions, Setting Component Properties	Added a note indicating that the WSRP Compliant check box applies to classic applications only.
Application Designer Developer's Guide	Using Scroll Areas, Scroll Bars, and Grids > Using Grids, Setting Grid Use Properties, Grid Style	Added note indicating HTML area controls should not be inserted into grids set to Scrollable Grid Layout.
Application Designer Developer's Guide	Creating New Field Definitions, Specifying Character Field Attributes	Added note indicating that the system requires an XML declaration of the SVG image of an expected format.
Application Designer Developer's Guide	Creating Component Definitions, Setting Component Properties, Setting Style Properties	Added a new section to describe the Style tab, which appears for classic components and supports component-level branding.

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
Application Designer Developer's Guide	Creating Component Definitions, Setting Component Properties	Added information for the Hide Back Button Property in the Toolbar group box.
Application Designer Developer's Guide	Using Page Controls, Using HTML Areas	Removed recommendation that when using JavaScript in an HTML Area, to use the absolutized parameter.
Application Engine	Using Application Engine Meta-SQL	Added a note on while using %Execute, do not use any comment statements.
Applications User's Guide	Working With PeopleSoft Fluid User Interface, Working With Fluid Homepages	Changed the "Personalize" label to "Personalize Homepage."
Applications User's Guide	Working with Fluid Homepages Using Navigation Pages	Added a note indicating that pinning (using the Add To ... feature) is not supported for SmartNavigation pages.
Applications User's Guide	Working With PeopleSoft Applications, Using Keyboard Shortcuts	Added a note indicating that typical keyboard hot keys and shortcuts do not behave in a fluid application as they do in a classic application.
Automated Configuration Management	Working with Custom Configuration Plug-ins and Templates, Working with Custom Templates	Added a note in the Defining Template Variables topic to state that passwords that are defined as template variables are not encrypted or masked, so passwords should not be defined as template variables.
Automated Configuration Management	Working with the Automated Configuration PIA Interface, Delivered Configuration Plug-ins	Added a section for the new ACM template (PTSConfigureSrchInstance) in Elasticsearch.
BI Publisher	Defining System Properties, Understanding xdo.cfg File	PeopleBooks incorrectly stated the default location of the xdo.cfg file as being in the PS_CFG_HOME/appserver directory. The correct location of the xdo.cfg file is in the PS_HOME/appserver directory. The documentation has been updated with the correct location of the file.

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
BI Publisher	Running, Locating and Viewing BI Publisher Reports, Using Time Zones in BI Publisher Reports	BI Publisher uses Java Time Zones based on the JRE running under the PeopleSoft application server. A note in the documentation has been updated about how to access a Sun article that contains important information and considerations related to daylight savings time calculations when parsing date strings containing "EDT", "HDT" or "MDT".
BI Publisher	Setting Up BI Publisher, Defining Global Properties	A new BI Publisher property, psxp_private_report_access, has been introduced to allow the sharing of a private report, so that it may be run by other users who have a private query that shares the same name as the private query data source associated with the report.
BI Publisher	Migrating BIP Definitions, Cleaning Up BI Publisher Metadata	This topic has been modified to include information about BI Publisher temp files (vazip extension) and that the PSXPCLEAN application engine program now cleans up those files.
Change Assistant and Update Manager	Monitoring Agent Status	Registered Host Summary Page was removed in 8.54.
Change Assistant and Update Manager	Defining Custom Change Packages	Updated section Selecting Tax Updates with new screenshot showing the Tax or Regulatory Update field that was added to the page in 8.55.02.
Change Assistant and Update Manager	Defining Custom Change Packages	Added section for Selecting Other Criteria and added screenshot that includes Tracking Group Name/Value.
Change Assistant and Update Manager	Reviewing the Change Assistant Job	Added a section for Staging and Output Directories. If the same job name is reused, the staging and output directories are created with a numeric suffix, therefore retaining the original directories.
Change Assistant and Update Manager	Using Update Manager PIA Application	When filtering the Bug Status by Image pivot grid, select only one Product Status at a time.

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
Change Assistant and Update Manager	Running Change Assistant Job from the Command Line	Added a section for using a configuration file for the Action parameters when running Change Assistant from the command line.
Change Assistant and Update Manager	Viewing Log files	Enhanced logging in Change Assistant, including a new consolidate job log.
Component Interface	Understanding A Stateful CI	Added a new topic describing the Stateful CI and its benefits on performance of a component interface.
Data Management	Implementing Oracle Active Data Guard	Removed DDDAUDIT under Audit Utilities and added note Do not run DDDAudit report on standby databases.
Data Management	Running SYSAUDIT	Added PeopleSoft Test Framework Integrity with PTF-01 and PTF-02 audit queries.
Data Management	Running SYSAUDIT	Added a defined resolution for PEOPLECODE-03.
Data Management	Running SYSAUDIT	Added File Processing Integrity section and system audit utility FILEPROC-01.
Data Management	Running SYSAUDIT	From Application Dataset Integrity, the SQL codes under resolution are removed.
Data Management	Implementing Oracle GoldenGate for PeopleSoft Off-Load Reporting	Added a topic Enabling Golden Gate Replication to check and set the "enable_goldengate_replication" parameter to TRUE.
Data Management	Implementing Oracle GoldenGate for PeopleSoft Off-Load Reporting	Appended the code to the topic Creating Database Links to the Primary Database which grants CREATE PUBLIC DATABASE LINK PRIVILEGE TO EMDBO.
Data Management	Implementing Oracle GoldenGate for PeopleSoft Off-Load Reporting	<ul style="list-style-type: none"> <li>Created an appendix with extracted scripts from the original topic Implementing Oracle GoldenGate for PeopleSoft Off-Load Reporting.</li> <li>Appended the topic Implementing Oracle</li> </ul>

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
		<p>GoldenGate for PeopleSoft Off-Load Reporting with scripts and information on Oracle 12c Container Database.</p> <ul style="list-style-type: none"> <li>Replaced SYSADM userID with EMDBO.</li> </ul>
Data Management	Running SYSAUDIT	Append SQL script to check for CLASSID which is BLANK for SYSAUDIT SEC-3.
Data Management	Administering PeopleSoft Databases on Oracle, Working with Oracle Security Features	Replaced references to the PSACCESSPRL table with the name of the new table, PSACCESSPROFILE, introduced in PeopleTools 8.55.
Document Technology	Understanding Element Types and Data Types	Added a note to primitives regarding maximum length for integers and decimals.
Feed Publishing Framework	Configuring the Default User of the ANONYMOUS Node	Made changes to the permission details.
Fluid User Interface Developer's Guide	Defining Components for Fluid Applications, Setting Component Properties for Fluid Components	Added clarification regarding how the system behaves if no components are set to Display on Small Form Factor Homepage.
Fluid User Interface Developer's Guide	Working with PeopleCode for the Fluid User Interface	Listed new PeopleCode built-in functions, methods, and properties to support fluid application development.
Fluid User Interface Developer's Guide	Working with PeopleCode for the Fluid User Interface	Updated the topic, "Creating Modal Windows With PeopleCode," to list new PeopleCode functions, describe limitations on launching modal components, and define modal options.
Fluid User Interface Developer's Guide	Working with PeopleCode for the Fluid User Interface	Updated the topic, "Creating Grouplets with PeopleCode," to define "grouplets" as the encapsulation of content from one source that is presented within the context of another fluid application page. Added an example of how to create a grouplet programmatically with PeopleCode.

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
Fluid User Interface Developer's Guide	Working with PeopleCode for the Fluid User Interface	Added a new section, "Limitations on Accessing a Component as a Grouplet and Then in a Standalone Manner," describing how to avoid data integrity errors in the component buffer.
Fluid User Interface Developer's Guide	Displaying Embedded Related Content	Removed mention of specific delivered styles for use in sizing the group boxes used for embedded related content.
Fluid User Interface Developers Guide	Working with Push Notification Framework, Using the Push Notification Window	Added description of how TriggerBusinessEvent can be applied selectively to each business process, activity name, event, and worklist combination.
Fluid User Interface Developers Guide	Defining Components for Fluid Applications, Setting Component Properties for Fluid Components	Added description of current behavior of displaying an empty fluid homepage if accessing the system with a small form factor device and no tiles have Display on Small Form Factor Homepage for the associated component.
Fluid User Interface Developers Guide	Defining Components for Fluid Applications, Setting Component Properties for Fluid Components	Added a note indicating that if you switch language mid-session, the back button will continue to display in the original language.
Fluid User Interface Developers Guide	Defining Components for Fluid Applications, Working with Search Pages, Understanding Search Pages for Fluid Applications	Added note indicating if you have a component search page used for accessing a component, the Back button does not take the user to the search results page, but rather to the previous component accessed.
Fluid User Interface Developers Guide	Managing Fluid User Interface Deployments, Managing Mobile Device Access	Added information related to customizing the delivered icon for pinned applications and the impact of an upgrade.
Fluid User Interface Developers	Adding Page Controls, Working with Other Page Controls, Working with	Add information related to using charts with a cross reference to more information in the PeopleCode Reference guide.

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
Guide	Charts	
Fluid User Interface Developers Guide	Defining Components for Fluid Applications, Working with Search Pages, Comparing the Availability of Fluid Search Features to Classic Search Features	Added section comparing the features provided in classic vs. fluid search.
Integration Broker	Integrated Gateway	Added a note that App Server URL is case sensitive in Windows on the Integrated Gateway page under the topic PeopleSoft Node Configuration.
Integration Broker	Applying Queue Partitioning	Added a note to the section 'Understanding Queue Partitioning' about the possibility of re-partitioning taking place for inbound transactions when no partition key is passed.
Integration Broker	Understanding the Consume Web Service Wizard	Added a note to the Comments column of 'Message Definition'.
Integration Broker Administration	Managing User Authentication	Added a note to the section 'Understanding Outbound User Authentication'.
Lifecycle Management	Using PeopleSoft Datamover	Replaced references to the PSACCESSPRL table with the name of the new table, PSACCESSPROFILE, introduced in PeopleTools 8.55.
MultiChannel Framework	Configuring REN Servers	Updated that event notification is no longer enabled by default during REN configuration.
MultiChannel Framework	Configuring REN Servers	Edited the script to enable access logging under REN Server Configuration.
PeopleCode API Reference	Fluid Mode Considerations for Charts and Gauges	Updated information how the width, height, aspect ratio, and size of the parent group box are all considered when determining the chart's dimensions.
PeopleCode API Reference	Field Class	Added five new methods and two new properties to support fluid application development.

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
PeopleCode API Reference	Fluid Page Utilities Classes	Added a new chapter describing the PT_PAGE_UTILITIES application package and the PT_PAGE_UTILITIES:Banner, PT_PAGE_UTILITIES:PanelController, and PT_PAGE_UTILITIES:Utils classes.
PeopleCode API Reference	Grid Class Methods	Updated the SetRowHeader method to correctly describe that the method sets grid column headers for accessibility mode (for the entire grid when there are no tab separators or for each tab separator when tab separators are present).
PeopleCode API Reference	Grid Class Properties	Added one new property to support fluid application development.
PeopleCode API Reference	Grid Class Properties	The Layout property now supports 10 grid types: five fluid grid types and five classic grid types.
PeopleCode API Reference	IntBroker Class Methods	Added seven new methods to support MAP application development.
PeopleCode API Reference	Mail Classes Examples	Corrected problems in "Creating Email Attachments by Specifying URLs."
PeopleCode API Reference	Mobile Application Platform (MAP) Classes	Updated the following sections: <ul style="list-style-type: none"> <li>• Map Class Methods (7 new methods).</li> <li>• Map Class Properties (26 new properties, 3 updated properties).</li> <li>• MapElement Class Methods (1 new method).</li> <li>• MapElement Class Properties (9 new properties).</li> </ul>
PeopleCode API Reference	ReportDefn Class Methods	Added the SetPrinterType method.
PeopleCode API Reference	SearchFilterGenerator Class Methods	Added 16 new methods for generating search filters, added 7 new methods to support score boosting, and revised the descriptions and parameters for existing filter methods.
PeopleCode API Reference	Search Filter Generator Examples	Added a new topic with 6 examples of how to create complex search filters and 12 examples on how to perform score boosting.



PeopleBook	Topic	Description
PeopleCode API Reference	Tile Wizard Classes	Added a new chapter describing the methods and properties of the PTGP_APPCLASS_TILE:Tiles:Tile application class and how to use these to implement a custom application class for tile content.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	For the CopyAttachments function, the <i>FileRefRecords</i> parameter can now accept an empty array thereby retaining the default behavior of copying from all the records that contain the FILE_ATTACH_SBR subrecord.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Corrected information on the CreateSQL function: it returns a SQL object.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	<p><i>Limitations on Launching Modal Components in PeopleSoft Applications</i></p> <p>Certain PeopleCode built-in functions have limitations on which component type (fluid or classic) can be launched as a modal component. For example, certain functions support launching only a fluid modal component from a fluid source component (fluid-to-fluid).</p> <p>When launching modal components, please be aware of the following limitations:</p> <ul style="list-style-type: none"> <li>• DoModalComponent and DoModal support fluid-to-fluid, or classic-to-classic only.</li> <li>• DoModalComponentPopup and DoModalPopup support fluid-to-fluid only.</li> <li>• As a workaround, Transfer or ViewContentURLModeless can be used for fluid-to-classic.</li> <li>• As a workaround, Transfer, ViewURL, or the RedirectURL method of the Response class can be used for classic-to-fluid.</li> </ul> <p><b>Note.</b> TransferModeless is currently not supported for transfers from or to fluid components.</p>
PeopleCode Language	PeopleCode Built-in Functions and Language	Added 21 new built-in functions to support fluid application

PeopleBook	Topic	Description
Reference	Constructs	development.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Added examples to Find, LTrim, and RTrim indicating how to escape " in the search string.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	For the GetGrid function, added an optional third parameter: <i>L1_row_num</i> , which specifies the row in the parent (level 1) scroll that contains this grid. Therefore, specify this parameter for grids at level 2 only.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Added two additional new built-in functions to support fluid application development: GroupletRequestSource and IsModeless.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Added integer constants for: SetGroupletType, GetPageType, and GroupletRequestSource.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Updated the examples for the HashWithSalt function.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Added one additional new built-in function to support fluid application development: IsGroupletInteractive.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Added a new built-in function: IsScriptAuthorized.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Added a new built-in function: IsSmallFFOptimized.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Corrected the documentation for the IsNotifyEnabled function. This function is to be used in classic components only, and indicates whether the Notify toolbar option has been enabled on the component's Internet tab.  <b>Important!</b> For fluid components only, use the new IsNotificationEnabled function instead, which indicates whether the Notifications button has been enabled on the

PeopleBook	Topic	Description
		component's Fluid tab.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Corrected the documentation for ISOToDate and ISOToDateTime. Each function returns a String value.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	SetTransferAttributes can be invoked prior to the transfer (for example, in a FieldChange program) or after the transfer in the target component (for example, in a page Activate program).
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	For the <i>user_data</i> parameter of the SetTransferAttributes, provided documentation on the use of the <b>returntolastpage</b> attribute to specify which page is displayed when returning to this component via the Back button.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	For the SQLExec function, when you execute a select SQL statement that returns data from a Character type column that has leading spaces, leading spaces are removed from the resulting text. If the column is a Long Character type, leading spaces are not removed.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Added two additional new built-in functions to support fluid application development: ViewContentURLModeless and ViewURLModeless.
PeopleCode Language Reference	Meta-SQL Placement Considerations	Added a column to indicate which meta-SQL elements can be used in PeopleSoft queries.
PeopleCode Language Reference	Meta-SQL Elements	Added the %DateTimeDiffExtended meta-SQL function.
PeopleSoft Integration Broker	Configuring Routing Definitions	Changed the value of parameter from N to Y here:  Asynchronous service operations have the following routing parameters (table) > 2nd row and 2nd column (Sender is Local)
Performance Monitor	Performance Monitor Overview	Updated the overview content to state that in 8.55 Performance Monitor is enabled with default settings.

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
Pivot Grid	NA	<ul style="list-style-type: none"> <li>Repositioned few pstopics and pstopic2s to bring clarity and give prominence to 8.55 features.</li> <li>Renamed some topics.</li> </ul>
Pivot Grid	Example Configuring Related Content And Using Simplified Analytic Reports	Updated text to include that on saving the analytic report, the Add to homepage button is available for all users. For Pivot Grid administrator and super user, both Publish Options and Add to homepage buttons are available.
Pivot Grid	Creating PSQuery Pivot Grid Model Using the Pivot Grid Wizard, , Specifying Data Model Values	Added a cross reference to the Tree Manager PeopleBook to lead any user, creating a tree/maintaining a tree to the correct book.
Pivot Grid	Modifying the Query Used in a Simplified Analytic Report	Added a new topic listing non-invasive methods to modify a base query used in base templates used for pivot grids in application pages.
Pivot Grid	Specifying Data Model Options	Elaborated the options under Display As field. Percentage shows the data point in percentage. Percentage Grand Total shows the calculated percentage of the datapoint on the grand total of the field.
Pivot Grid	Understanding Pivot Grid Fluid Subpages in Application Pages	Modified the note stating in subpages for small form factor, the group box needs to be excluded.
Pivot Grid	Configuring Filters	Replaced the screenshot showing selection of the Total column checkbox with the statement that only those data source columns can be rendered as filters, which are configured as dimensions or axes on the Specify Data Model Values page.
Pivot Grid	Pivot Grid Viewer Overview	The table headers are modified to bring clarity. New headers are: Configured in View Options and Configured as User Preference.
Portal	Portal Registry	The PeopleSoft Administrator role and the Portal Administrator role give full access to all folders and content

PeopleBook	Topic	Description
Technology		reference definitions in the portal registry—that is, a user with either of these roles can navigate to all menu folders and menu items in the portal registry even if the portal registry security settings do not specifically include this user or role.
Portal Technology	<ul style="list-style-type: none"> <li>• Administering Content References</li> <li>• Limitations on PeopleSoft Content for WSRP Consumption</li> </ul>	Fluid components and pages are not WSRP producible and cannot be consumed as WSRP content.
Portal Technology	Administering Content References	For the URL Type field, indicated that the PeopleSoft Homepage Tab value is no longer used and must not be selected.
Portal Technology	Administering Content References, Setting Content Reference Permissions	<b>Note:</b> While a content reference link does inherit cascaded security from its own parent folder, it does not inherit cascaded security from the linked-to content reference's parent folder.
Portal Technology	Administering Content References, Setting Fluid Attributes for Content References	<p>For PeopleSoft components (and for PeopleSoft generic URLs starting with c/ which represent a component URL), the target content URL and the dynamic content URL are required to identify <i>different components</i> to prevent data integrity errors in the component buffer.</p> <p>When the target content (on the General page) is one of these two types, the Same as Main CREF button is not displayed. For the dynamic content, you must manually define a component different from the target component before you can save the content reference definition.</p>
Portal Technology	Administering System Branding	Added a section, "Enabling a Custom Macro Set," to "Defining Macro Sets and Macros" describing the required steps to create a custom branding theme that will enable a custom macro set.
Portal	Administering System	Added a section, "Setting the Default Homepage to be the

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
Technology	Branding	Opposite of the System-Wide Setting," describing how to use user attribute based branding to create a custom user experience, such as directing a group of users to a classic homepage tab even though the system-wide settings specify fluid homepages for all users.
Portal Technology	Configuring Web Profiles, Configuring Caching	The Cache Generated HTML field pertains to PeopleSoft application pages only, and not to classic homepages and pagelets.
Portal Technology	<ul style="list-style-type: none"> <li>• Configuring Web Profiles, Configuring Caching</li> <li>• Understanding Portal Caching</li> <li>• Administering Browser-Based Caching</li> </ul>	<b>Important!</b> Caching applies to classic homepages and pagelets only, and not to fluid homepages.
Portal Technology	Configuring Web Profiles, Configuring Custom Properties	Documented the EnablePCModal, EnablePNSubscriptions, and ps_theme custom properties.
Portal Technology	Configuring Web Profiles, Configuring Custom Properties	Documented the InPortalContext custom property.
Portal Technology	Configuring Web Profiles, Configuring Custom Properties	Documented the parallelLoading custom property.
Portal Technology	Configuring Web Profiles, Configuring Custom Properties	Documented the psback_unencoded_d custom property.
Portal Technology	Understanding Navigation Collections	Added a section, "Fluid Navigation Collections," providing a description of this feature, an overview of which PeopleTools features are used to create these, and guidelines and limitations for creating links.

PeopleBook	Topic	Description
Portal Technology	Working with Conditional Navigation	<p>Revised configuration and troubleshooting information to:</p> <ul style="list-style-type: none"> <li>• Ensure that the request URL has been constructed using the psp (portal) servlet only and not the psc (content) servlet.</li> <li>• Ensure that the request URL has been constructed with any and all of the additional parameters defined for the content reference on the Content Ref Administration page. If any additional parameters are missing or if there are extra additional parameters, the system will fail to identify the actual content reference and conditional navigation will fail.</li> </ul>
Portal Technology	Managing Homepages	The ALLOW_NAVBAR_TILES content reference attribute found on some fluid homepage definitions is not a valid attribute and is ignored.
Portal Technology	<ul style="list-style-type: none"> <li>• Managing Homepages</li> <li>• Managing Dashboards</li> </ul>	Added a topic describing how to use the Tile Publish page to publish additional tiles to users who have already personalized homepages and dashboards.
Portal Technology	Managing Homepages	For users with the appropriate role, the Actions list link was changed to Publish Homepage.
Portal Technology	Managing Homepages	Added a topic, "Restricting Fluid Homepage and NavBar Personalization," describing which definitions can be used to restrict the ways in which users can personalize fluid homepages, dashboards, and the NavBar.
Portal Technology	Using Tile Wizard	<p>Updated Step 2 - Data Source Information to reflect user interface changes for these data types:</p> <ul style="list-style-type: none"> <li>• Navigation collections</li> <li>• OBIEE</li> <li>• Pivot grids</li> </ul>
Portal Technology	Understanding WorkCenter Pages	When the WorkCenter is created from an existing menu item, the default title of the pagelet area is the same as the label for the menu item. However, when the WorkCenter is created from a link to a menu item, the title of the pagelet

PeopleBook	Topic	Description
		area is Task Panel.
Portal Technology	Understanding WorkCenter Pages	Described the page loading sequence for WorkCenter pages.
Portal Technology	Understanding WorkCenter Pages	To access any WorkCenter, users require either the PTPT1000 permission list or full access to all functions in the WEBLIB_PTAL web library.
Portal Technology	Understanding WorkCenter Pages	<p>Users can create a favorite to the WorkCenter when on the WorkCenter starting page. If users navigate to other links within the WorkCenter and then attempt to create a favorite, an error message will be displayed:</p> <p>A failure has occurred saving this favorite. Please contact your portal administrator.</p>
Portal Technology	Creating and Maintaining Activity Guide Templates	<p>Added a new section on guidelines and limitations on fluid components in activity guides that includes:</p> <ul style="list-style-type: none"> <li>• Guidelines for All Activity Guide Types</li> <li>• Additional Guidelines for Optimized Activity Guide Types</li> </ul>
Portal Technology	<ul style="list-style-type: none"> <li>• Creating and Maintaining Activity Guide Templates</li> <li>• Creating and Maintaining Action Items</li> </ul>	<ul style="list-style-type: none"> <li>• Optimized activity guide types now allow classic components, although they are not recommended.</li> <li>• When adding an action item associated with a classic component to an optimized activity guide, deselect the Fluid option on the Action Item Details - General Information tab.</li> </ul>
Portal Technology	Defining Navigation and Pagelet Options	The button label for the Submit button (the SubmitAGProcess method) can now be overridden.
Portal Technology	Copying Activity Guide Templates	<b>Note.</b> When you copy an activity guide template, the IDs for all action items will be updated to new and unique values in the new template.
Portal Technology	Defining Action Item Details: Questionnaire Tab	<p>Changed the description of the Answer field:</p> <p>Select the answer (<i>Yes</i> or <i>No</i>) that if provided by the user will</p>



PeopleBook	Topic	Description
		set this action item to active in the activity guide instance.
Portal Technology	Understanding the PeopleSoft Related Content Framework	Updated the section, "Fluid Related Content," to more completely describe embedded related content, related information, and limitations with interactive grouplets.
Portal Technology	Grouplets (Tiles) as Related Content on Fluid Pages	Removed mention of specific delivered styles for use in sizing the group boxes used for embedded related content.
Portal Technology	<ul style="list-style-type: none"> <li>Creating and Managing Related Content Service Definitions</li> <li>Configuring Related Content, Related Actions, and Menu and Frame Layouts</li> </ul>	<p>Service filters are deprecated and are retained for backward compatibility only.</p> <p>On related content service definitions, the App Class Required option has been retained for backward compatibility only and should not be selected for new service definitions.</p>
Portal Technology	Limitations on PeopleSoft Content for WSRP Consumption	Because WSRP portlets do not support AJAX, a full page refresh is invoked whenever there is an update within a WSRP portlet. Therefore, you should create a separate homepage definition specifically for WSRP portlets.
Process Scheduler	Editing the PeopleSoft Process Scheduler Configuration File, PS n/Vision Section	The description for the UseExcelAutomation parameter incorrectly stated that the default value is 1. The correct default value for the UseExcelAutomation parameter is 0 and the documentation has been corrected.
PS/nVision	Submitting Report Requests	Added new section to describe running layouts containing macros in cross platform mode.
PS/nVision	Using PeopleCode APIs for Excel	Removed <i>GetRowset ()</i> API from the PeopleCode API table.
PS/nVision	Using Configuration Manager	Updated the topic with the correct value of the parameter: <i>UseExcelAutomation (UseExcelAutomation=0)</i>
Query	<ul style="list-style-type: none"> <li>Working with Advanced Query</li> </ul>	<p>Added the following information:</p> <p>If using drilling URLs, both queries in a union must have a</p>

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
	Options, Working with Unions	drilling URL mapped to a field. The number of drilling URLs defined in the top level of the query must be the same.
Query	<ul style="list-style-type: none"> <li>Working with Advanced Query Options, Working with Unions</li> </ul>	There was a note in the topic indicating that translate values, both the long and short descriptions, cannot be displayed in a union query. Translate values can now be displayed in a union query and the note has been removed from the documentation.
Query	<ul style="list-style-type: none"> <li>Using Connected Query Quick Start, Understanding Connected Query</li> <li>Using Connected Query Manager, Understanding Connected Query Manager</li> </ul>	Added information indicating that you cannot specify a child query in a connected query that is defined in a union.
Query	Creating and Running Simple Queries, Understanding Query Types	The documentation for the Role query type contained a note indicating that Role query types override the automatic row-level query security logic that is applied to all other query types. In fact, Role query types do not override automatic row-level query security logic and the note has been removed from the documentation.
Query	Defining Prompts, Defining Optional Prompts, Understanding Defining Optional Prompts	The documentation has been enhanced to describe that when defining criteria, the Between condition type is not supported for Prompt expression types defined as optional. Instead, use an expression type of type Expression and define the expression criteria using greater than (>) and less than (<) operators.
Search Technology	Working with Search Results in Fluid User Interface	Added a note to indicate that Add button is not available on small form factor devices. Also, in the Working with Search Results in Touch Friendly Devices section, added content that Add button is not available on component search pages.
Search	Working with Search	Updated description of the Alias Node URI field to include

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
Technology	Instances, Setting Namespace Aliases	example of URI. Also updated the Database Name and the Node Name fields descriptions to add info that the names of database and node can be the same in the original and cloned environments.
Search Technology	Working with Global Search, Working with the Portal Registry Search	Added new section "Maintaining the Portal Registry Search" to add info that deleted crefs must be deleted from the PTPORTALREGISTRY index and the recommended process for deleting crefs.
Search Technology	Working with PeopleSoft Search Framework Utilities, Using the Search Test Page	Modified the description for the Refresh Security Cache button to indicate that security data cache is cleared for a user and data cache is regenerated by sending a request to PeopleSoft.
Search Technology	Working with PeopleSoft Search, Working with Search Operators in PeopleSoft Search	Added information on the search techniques implemented in SES and Elasticsearch and the general search tips.
Search Technology	Multiple topics	Added content regarding the new search engine (Elasticsearch) supported in PeopleSoft Search Framework.
Security Administration	Setting Up Roles, Executing Dynamic Role Rules, Understanding Dynamic Role Rules	The second bullet point in the topic incorrectly stated that one of the modes for executing dynamic role rules is by user profile. The correct information is that you can execute a dynamic role rule for all roles assigned to a user profile. The information in PeopleBooks has been corrected.
Security Administration	Administering User Profiles, Tracking User Sign In and Sign Out Activity	Added a section to this topic, Understanding Abandoned Sessions and the PSACCESSLOG Table, which describes that the tracking feature does not account for abandoned sessions. If a user does not sign out of the system properly, the user appears still signed into the system.
Security Administration	Administering User Profiles, Tracking User Sign-In Attempts	Added a section to this topic, Understanding Abandoned Sessions and the PSPTLOGINAUDIT Table, which describes that the tracking feature does not account for abandoned sessions. If a user does not sign out of the system properly, the user appears still signed into the system.
Security	Administering User Profiles, Tracking User	Added information to the Viewing Results in the PSPTLOGINAUDIT Table section to enhance the description of

PeopleBook	Topic	Description
Administration	Sign-In Attempts	information that is and is not captured in the PSPTLOGINAUDIT table. Also added information to enhance the description of the values that appear in the FAILEDLOGINS field of the PSPTLOGINAUDIT table.
Security Administration	Securing Data with Encryption Technology, Defining Algorithm Chains	Added information to the documentation describing that Unicode chains may work better if you omit the PSUnicodeToAscii algorithm as the first step in the chain when encrypting Unicode strings, and omit the PSAsciiToUnicode algorithm as the last step in the chain when decrypting Unicode strings.
Security Administration	Managing My Preferences Personalizations, Working with My Preferences Personalization Options, Understanding Navigation Settings	<p>Documentation for several navigation personalization options has been added to the documentation:</p> <ul style="list-style-type: none"> <li>• The <i>HPPC</i> option sets the default homepage type for all users accessing the system from a laptop or desktop computer. The valid values are Fluid (default) or Classic. (Note that the default setting for this options has changed since the PeopleTools 8.54 release and Fluid is now the default.)</li> <li>• The <i>HPTABLET</i> option sets the default homepage type for all users accessing the system from a tablet or smart phone. The valid values are Fluid (default) or Classic.</li> </ul>
Security Administration	Managing My Preferences Personalizations, Working with My Preferences Personalization Options, Understanding Navigation Settings	Added a note to the definition of the HPTABLET option indicating that homepages always appear in Fluid for smartphones and other small form factors.
Security Administration	Setting Up Roles, Using the PeopleSoft Administrator Role	The documentation has been enhanced to better explain the access privileges of the PeopleSoft Administrator role. Specifically, the PeopleSoft Administrator role gives full access to all folders and content reference definitions in the portal registry -- that is, a user with the PeopleSoft Administrator role can navigate to all menu folders and menu items in the portal registry even if the portal registry security

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
		settings do not specifically include this user or role.
Security Administration	Working with User Profiles Across Multiple Databases, Understanding User Profile Synchronization	Added a section to the topic to explain that the system cannot map user profiles with different ID types.
Security Administration	<ul style="list-style-type: none"> <li>Understanding PeopleSoft Security</li> <li>Administering User Profiles</li> </ul>	Replaced references to the PSACCESSPRL table with the name of the new table, PSACCESSPROFILE, introduced in PeopleTools 8.55.
SQR for PeopleSoft Developers	Getting Started with SQR for PeopleSoft	Added a new topic on Transparent Application Failover For SQR.
SQR Language Reference for PeopleSoft	Numbered Messages	Added additional error codes to the existing table.
System and Server Administration	Using the Quick-Configure Menu	Deleted the Select Server Process Option topic and moved some of its contents to a new topic - Selecting Server Process Options in Quick-Configure Menu.
System and Server Administration	Setting Application Server Domain Parameters, Startup Options	Updated descriptions for Connect ID and Password with information that the ID (user name) and password have a maximum length of 30 characters.
System and Server Administration	Setting Application server Domain Parameters	Updated content in multiple files that describe the PSAPPSRV parameters and placed references to other PT books where the specific PSAPPSRV parameters belong and are described in detail.
Test Framework	Installing PTF Client, Configuring Local Options	Added a section for new options in Kill Leftover Driver Options.
Test Framework	Language Reference	Revised entire Language Reference section. Converted examples from screenshots to tables. Added new commands,

<b>PeopleBook</b>	<b>Topic</b>	<b>Description</b>
		and more examples.
Test Framework	Installing a PTF Client	Added a note to inform user to open and toggle the compatibility checkbox in the Compatibility View Settings of Microsoft Internet Explorer if few PeopleSoft application pages are not rendering.
Tree Manager	Working with Tree Nodes, Inserting Nodes	Added a note to emphasize that you cannot define a sibling or child note with an effective date greater than the effective date of the tree.