

PeopleTools 8.54 Online Help Updates, October 2016

PeopleBook	Topic	Description
Application Designer Developer's Guide	Creating Page Definitions, Improving Online Performance, Enabling Automatic Save for a Page	Added new section for enabling automatic page saves.
Application Designer Developer's Guide	Creating Field Definitions, Using the Translate Table, Understanding the Translate Table	Added a note stating that NULL values are not supported for effective dates.
Application Designer Developer's Guide	Specifying File Layout Record and Field Properties	Added the following notes: Note: Within a particular file record, each field name and field tag must be unique. Note: Within a particular file layout, each record name and record tag must be unique.
Application Designer Developer's Guide	Understanding Change Control Information Reporting	Added 255 'project' object ID to the Definition Type table.
Application Designer Developer's Guide	Creating Component Definitions, Setting Component Properties, Setting Style Properties	Added a new section to describe the Style tab, which appears for classic components and supports component-level branding.
Application Designer Developer's Guide	Creating New Field Definitions, Specifying Character Field Attributes	Added note indicating that the system requires an XML declaration of the SVG image of an expected format.
Application Designer Developer's Guide	Using Scroll Areas, Scroll Bars, and Grids > Using Grids, Setting Grid Use Properties, Grid Style	Added note indicating HTML area controls should not be inserted into grids set to Scrollable Grid Layout.
Application	Using Grids	Added documentation for Row Header option on the

PeopleBook	Topic	Description
Designer Developer's Guide		Grid Properties > General tab.
Application Designer Developer's Guide	Using Page Controls, Using HTML Areas	Removed recommendation that when using JavaScript in an HTML Area to use the absolutized parameter.
Application Designer Developer's Guide	Using the PeopleCode and Other Programming Language Editors	Added note regarding highlight strings, color coding, and word wrap.
Application Designer Developer's Guide	Using PeopleSoft Application Designer, Starting PeopleSoft Application Designer	Added information showing the use of encrypted passwords when starting Application Designer from the command line.
Application Designer Developer's Guide	Constructing File Layouts	Added clarification to the options for adding a file record to the file layout definition.
Application Designer Developer's Guide	Using Long Edit Boxes	Added clarification that the pop-up modal window displays a title matching the current component description. If the component description is empty, then the system displays a title matching the current menu item name.
Application Designer Developer's Guide	Using Grids, Setting Grid Use Properties	Added note indicating that for scrollable grids, PeopleTools does not support any other style class apart from the default style classes applied to scrollable grids by the system.
Application Designer Developer's Guide	Using HTML Areas, Understanding HTML Area Controls, Using HTML Areas in Grids or Scroll Areas	Added note indicating HTML area fields in grids or scroll areas can degrade performance.
Application Designer Developer's Guide	Using HTML Areas, Understanding HTML Area Controls, Using JavaScript in HTML Areas	Added a note indicating that when using an HTML area field for adding JavaScript, make sure that the JavaScript code is added only once per page.
Application Designer Developer's	Using Grids, Setting Grid Label Properties, Body Area Properties	Show Grid Lines has no effect on fluid applications. Grid lines (if required) are applied through grid styles.

PeopleBook	Topic	Description
Guide		
Application Designer Developer's Guide	Using Grids, Setting Grid Use Properties, Grid Style	Added clarifications regarding the grid layouts recommended for classic mode and fluid mode.
Application Designer Developer's Guide	Using Search Records, Understanding Search Records	Added reference to the option of using the %OPRCLAUSE metavariable, and added a link to the PeopleCode doc for details.
Application Designer Developer's Guide	Using Pop-up Pages, Understanding Pop-up Pages in Accessibility Mode	Added a section describing the behavior of mouse over pop-up pages in accessibility mode.
Application Designer Developer's Guide	Setting Component Properties, Setting Use Properties	Added a description of the Read Only property and added a link to Oracle Golden Gate and Oracle Active Data Guard information in the Data Management PeopleBook.
Application Designer Developer's Guide	Creating Display Control and Related Fields, Using Display Control and Related Fields	Added a note indicating that if you copy fields that have display control/related field associations configured from one page to another, the mappings between the related field and the control field will be lost.
Application Engine	Using Application Engine Meta-SQL	Added a note on while using %Execute, do not use any comment statements.
Applications User's Guide	Working with Fluid Homepages Using Navigation Pages	Added a note indicating that pinning (using the Add To ... feature) is not supported for SmartNavigation pages.
Automated Configuration Manager	Executing Configuration Plug-ins	Added note about the delivery of the Approval template file as a text file in PS_HOME\utility.
BI Publisher	Understanding Report Template Types	In previous releases the documentation for eText template type featured a note that stated that XML files are the recommended data source for eText templates. The note in the documentation has been modified to state that XML files and Connected Query are the recommended data sources for eText templates.
BI Publisher	Using PDF Templates, Creating Updatable PDF	The BI Publisher updatable PDF report feature relies on Adobe technology that uses NPAPI plugins. Effective with Google Chrome version 42, Google is

PeopleBook	Topic	Description
	Reports	no longer supporting NPAPI plugins in its Chrome browser. As a result Internet Explorer and Mozilla FireFox are the preferred browsers for use with BI Publisher updatable PDF reports. The reference to Chrome as a supported browser for BI Publisher updatable reports has been removed from the documentation.
BI Publisher	Creating Report Definitions, Setting Security Options	The documentation for the "Allow viewer ID assignment at report runtime" control on the Report Definition - Security page has been enhanced.
BI Publisher	Creating Report Definitions, Printing BI Publisher Report Output	This section has been written to better document printing BI Publisher output and includes information about printing BI Publisher reports from Microsoft Windows, Unix, GNU, and Linux environments.
BI Publisher	Defining System Properties, Understanding xdo.cfg File	PeopleBooks incorrectly stated the default location of the xdo.cfg file as being in the PS_CFG_HOME/appserver directory. The correct location of the xdo.cfg file is in the PS_HOME/appserver directory. The documentation has been updated with the correct location of the file.
BI Publisher	Running, Locating and Viewing BI Publisher Reports, Using Time Zones in BI Publisher Reports	BI Publisher uses Java Time Zones based on the JRE running under the PeopleSoft application server. A note in the documentation has been updated about how to access a Sun article that contains important information and considerations related to daylight savings time calculations when parsing date strings containing "EDT", "HDT" or "MDT".
BI Publisher	Migrating BIP Definitions, Cleaning Up BI Publisher Metadata	A section called Cleaning Up Temporary BI Publisher Files has been added that describes creating a one-step application engine program to clean up BI Publisher temp files that may accumulate in the database.
Change Assistant and Update Manager	Monitoring Agent Status	Registered Host Summary Page was removed in 8.54.
Change Assistant and Update Manager	Configuring Change Assistant for Apply Update Action Selecting Update	Added note for directories in Drives to Crawl. Added note that SQL Tools error message for PUM enabled updates can be ignored.

PeopleBook	Topic	Description
	Manager Action	
Data Management	Running SYSAUDIT	Under Pivot Grid Integrity, the steps to delete Pivot Grid Models (if required) are modified.
Data Management	Running SYSAUDIT	Application Data Set Integrity added to the list of system audits where SYSADS-01, SYSADS-02, SYSADS-03 and SYSADS-04 are added with their description and resolution. Also the SQL codes are removed from the resolution because they are only for the developer and not the customer.
Data Management	Running SYSAUDIT	Under Security Integrity, the resolution SQL for SEC-34 is modified.
Data Management	Running SYSAUDIT	Added RELCONTENT 13, RELCONTENT 14, RELCONTENT 15 under Related Content Integrity.
Data Management	Running SYSAUDIT	Added IBRK-26 under Integration Broker Integrity.
Data Management	Running SYSAUDIT	Added a defined resolution for PEOPLECODE-03.
Data Management	Running SYSAUDIT	Added File Processing Integrity section and the system audit utility FILEPROC-01.
Data Management	Running SYSAUDIT	Append SQL script to check for CLASSID which is BLANK for SYSAUDIT SEC-3.
Data Management	Monitoring PeopleSoft Database Connections > Monitoring PeopleSoft MODULE and ACTION Information	The V\$SESSION field MODULE value for Application Engines is corrected to 'PSAE'.<AE program name>.<PID>.
Data Management	Using PeopleSoft Data Mover Command Modifiers>Where	Changed the description - For Import the WHERE clause only supports comparison operators as bind variables. Parentheses are not support in IMPORT.
Data Management	Setting the Number of Temporary Tables	Removed red paper hardcoded link.
Data Management	Implementing Oracle Active Data Guard	Removed DDDAUDIT under Audit Utilities and added note Do not run DDDAudit report on standby databases.

PeopleBook	Topic	Description
Document Technology	Understanding Element Types and Data Types	Added a note to primitives regarding maximum length for integers and decimals.
Fluid User Interface Developer's Guide	Working with Other Page Controls	Added note about handling grid scrolling on the small form factor.
Fluid User Interface Developer's Guide	Defining Components for Fluid Applications, Working with Search Pages, Understanding Search Pages for Fluid Applications	Added note indicating if you have a component search page used for accessing a component, the Back button does not take the user to the search results page, but rather to the previous component accessed.
Fluid User Interface Developer's Guide	Defining Components for Fluid Applications, Setting Component Properties for Fluid Components	Added clarification regarding how the system behaves if no components are set to Display on Small Form Factor Homepage.
Fluid User Interface Developer's Guide	Working with Other Page Controls	Added a new section called Working with Number Fields and HTML number input.
Fluid User Interface Developer's Guide	Spell Check	Added a note indicating spell check is not optimized for fluid components or pages and is not recommended.
Fluid User Interface Developer's Guide	Fluid Homepages	Added a note describing that users signing in to the system using laptops with "touch" capability, will be routed by default to the fluid homepage.
Fluid User Interface Developer's Guide	Personalization for Small Form Factor Devices	Added notes indicating for small form factors, personalizing the NavBar or fluid homepages is not supported.
Fluid User Interface Developer's Guide	Managing Common Control Concepts and Settings for Fluid Pages, Setting Common Page Control Fluid	Added a note saying if you select Suppress on Form Factor for a group box, all contents contained within that group box will be suppressed, regardless if the option Hide all Fields when Group Box Hidden is selected on the Grid Properties Use tab.

PeopleBook	Topic	Description
	Properties	
Fluid User Interface Developer's Guide	Fluid Homepages/NavBar/General Fluid usage	Added multiple notes indicating that for PeopleTools 8.54 fluid does not support right-to-left languages.
Fluid User Interface Developer's Guide	Setting Properties for Fluid Pages, Setting Fluid Properties	Removed section for Suppress on Small Form Factor for pages, as this option does not apply to fluid pages, only fluid page controls.
Fluid User Interface Developers Guide	Managing Fluid User Interface Deployments, Managing Mobile Device Access	Added information related to customizing the delivered icon for pinned applications and the impact of an upgrade.
Global Technology	Swapping the Base Language	Removed a note from the error description -- The following related language view(s) have the wrong structure defined.
Global Technology	Editing Data in Multiple Languages, Entering Data in Multiple Languages	Added note to modify the PS_General stylesheet to keep the IME mode enabled while entering data.
Global Technology	Swapping the Base Language, Running the SWAP Audit Report	SWAP-6 resolution updated with the PTIACLEANLNG application engine program. It is a quicker solution to clean orphaned rows.
Global Technology	Understanding Bidirectional Language Support, Features	Added a note to specify only Classic pages support bidirectional (RTL) layout in PeopleTools 8.54.
Integration Broker	Managing Service Operations, Assigning Multiple Queues to Process Service Operations, Understanding Assigning Multiple Queues to Process Service Operations	<p>The topic has been modified to document that assigning multiple queues to process service operations is a good approach to distribute message processing for inbound integrations with third-party integration partners.</p> <p>To distribute message processing for integrations with PeopleSoft Integration partners use the master-slave dispatcher functionality delivered with Integration Broker.</p>
Integration Broker	Copying Integration Metadata Between	If the system detects a duplicate routing definition during the project copy process, the routing definition

PeopleBook	Topic	Description
	Databases, Understanding Data Dependencies and Relationships for Copying Data	<p>in the project being copied overwrites the routing definition in the database.</p> <p>The documentation for the service operation routing object has been modified to document that if during the copy process the system overwrites a duplicate service operation routing on the target system, users may receive a system message that the service operation routing was deleted. The service operation routing deleted is the service operation routing that resided on the target system before the project copy process.</p>
Integration Broker	Applying Queue Partitioning	Added a note to the section 'Understanding Queue Partitioning' about the possibility of re-partitioning taking place for inbound transactions when no partition key is passed.
Integration Broker	Understanding the Consume Web Service Wizard	Added a note to the Comments column of 'Message Definition'.
Integration Broker	Creating and Managing Integration Groups	Added the note that PeopleSoft 8.54 does not support translation of the description field in subgroups.
Integration Broker Administration	Managing Integration Gateways, Encrypting Passwords, Encrypting Passwords Using the PSCipher Java Utility	<p>The location of the PSCipher Java utility, PSCipher.bat, was incorrectly documented as being located in the following directory:</p> <p><PIA_HOME>\DOMAIN\webserv\bin</p> <p>The documentation has been corrected. The location of the utility is:</p> <p><PIA_HOME>\DOMAIN\webserv\piabin</p>
MultiChannel Framework	Configuring REN Servers	Replaced diagram and added additional information to describe the diagram.
MultiChannel Framework	Configuring REN Servers	Updated that event notification is no longer enabled by default during REN configuration.
MultiChannel Framework	Configuring REN Servers	Edited the script to enable access logging under REN Server Configuration.
MultiChannel Framework	Installing Digital Certificates	Updated the REN SSL documentation.
NA	PeopleTools 8.54	Added a help ID so that the Help > PeopleBooks

PeopleBook	Topic	Description
	online help	Library menu item in Application Designer opens to the root of the PeopleTools 8.54 online help rather than producing a help ID not found error.
PeopleCode API Reference	Chart Class Properties	Added the HighlightSelectedDataPoint property to the property list.
PeopleCode API Reference	DocumentKey Class Properties	Changed the name of the DocumentName property to GetDocumentName and the name of the Version property to GetVersion to reflect how they were actually (and incorrectly) implemented in the product.
PeopleCode API Reference	Grid Class Methods	Updated the SetRowHeader method to correctly describe that the method sets grid column headers for accessibility mode (for the entire grid when there are no tab separators or for each tab separator when tab separators are present).
PeopleCode API Reference	Mobile Application Platform (MAP) Classes	Added documentation on the MapFluid class.
PeopleCode API Reference	Query Class Methods	Made changes to the definition of the QueryName parameter in the Create method: Name of the query to be created. This parameter takes a string value. This parameter takes 30 characters. A query name can contain only US ASCII alphabetic and numeric characters, as well as underscores.
PeopleCode API Reference	Search Filter Generator Examples	Added a new topic with six examples of how to create complex search filters.
PeopleCode API Reference	XmlDoc Classes > XmlNode Class Methods	Removed mention of the non-existent InsertAttributeNS method from the documentation on AddAttributeNS.
PeopleCode Developer's Guide	Compile All PeopleCode	Updated the screenshot for 'Compile All PeopleCode dialogue box' with a new screenshot with radio buttons.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	<i>Limitations on Launching Modal Components in PeopleSoft Applications</i> Certain PeopleCode built-in functions have limitations on which component type (fluid or classic) can be launched as a modal component. For example, certain functions support launching only a fluid modal

PeopleBook	Topic	Description
		<p>component from a fluid source component (fluid-to-fluid).</p> <p>When launching modal components, please be aware of the following limitations:</p> <ul style="list-style-type: none"> • DoModalComponent and DoModal support fluid-to-fluid, or classic-to-classic only. • DoModalComponentPopup and DoModalPopup support fluid-to-fluid only. • As a workaround, Transfer can be used for fluid-to-classic. • As a workaround, Transfer, ViewURL, or the RedirectURL method of the Response class can be used for classic-to-fluid. <p>Note. TransferModeless is currently not supported for transfers from or to fluid components.</p>
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	For the DetachAttachment and ViewAttachment functions, noted that any call to SetLanguage <i>must</i> be placed in a different and prior PeopleCode program and event from the PeopleCode program and event that invokes ViewAttachment or DetachAttachment.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	<ul style="list-style-type: none"> • Added note to CreateDirectory stating that CreateDirectory cannot create a Windows share but can create a directory on a Windows share. • Added note to FileExists stating that FileExists cannot find the root of a Windows share, but can find a file or directory on a Windows share.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	Updated the examples for the HashWithSalt function.
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	<p>Corrected the documentation for the IsNotifyEnabled function.</p> <p>This function is to be used in classic components only, and indicates whether the Notify toolbar option has been enabled on the component's Internet tab.</p>
PeopleCode Language	PeopleCode Built-in Functions and	SetTransferAttributes does not work in accessibility mode.

PeopleBook	Topic	Description
Reference	Language Constructs	
PeopleCode Language Reference	PeopleCode Built-in Functions and Language Constructs	<p>Added the following note regarding ViewContentURL:</p> <p>Due to restrictions inherent in certain browsers, you cannot use ViewContentURL to open a file on a local file system. See the "PeopleTools Browser Compatibility Guide (Oracle Support Document 704492.1)" on My Oracle Support for more information.</p>
PeopleCode Language Reference	Meta-SQL Reference	<p>Corrected information and examples regarding the %OPRCLAUSE:</p> <p>This metavariable fills in the WHERE clause with the value from PSOPRDEFN.OPRID, PSOPRDEFN.OPRCLASS, or PSOPRDEFN.ROWSECCLASS depending which is present in the SELECT clause.</p>
Performance Monitor	Analyzing Historical Performance Data, Viewing Completed PMUs	Added a note to indicate that when a process recycles or crashes, there may be slight loss in data until the agent registers again.
Pivot Grid	Understanding Component Real Time Search Using Pivot Grid in the Fluid Mode \ Security for Real-time Component Search	Added security details for component real-time search.
Pivot Grid	Creating PSQuery Pivot Grid Model Using the Pivot Grid Wizard, Specifying Data Model Values	Added a cross reference to the Tree Manager PeopleBook to lead any user, creating a tree/maintaining a tree to the correct book.
Portal Technology	Administering Content References	For the URL Type field, indicated that the PeopleSoft Homepage Tab value is no longer used and must not be selected.
Portal Technology	Interwindow Communication Considerations and Limitations	In a modal secondary window, you cannot configure a publication event on the close icon in the upper right corner of the window. Instead you must configure the publication event on a button such as a Save, OK, or

PeopleBook	Topic	Description
		Cancel button within the window.
Portal Technology System and Server Administration PeopleCode Developer's Guide	Configuring Web Profiles Using Administration Utilities Using the PeopleCode Editor	Added content for configuring the help URL to correct outdated information regarding a local installation of PeopleSoft online help and to add information for using the Oracle hosted documentation website.
Process Scheduler	Creating Server Definitions, Setting Notification Options	Added a note to specify that notification is only sent when the CPU or memory exceeds utilization.
Process Scheduler	Editing the PeopleSoft Process Scheduler Configuration File	Restructured and added all the parameters from PSPRCFG file with descriptions or links to the descriptions.
PS/nVision	Setting up Report Requests (Setting Query Prompts)	The documentation has been enhanced to include a workaround to enable updating parameters when a user creates and saves a new query based on an nVision Report Layout.
PS/nVision	Submitting Report Requests	Added the new section 'Running Layouts Containing Macros in Cross Platform Mode' here - PS/nVision > Running PS/nVision Reports on the Web > Submitting Report Requests > Running Reports > Running Layouts Containing Macros in Cross Platform Mode
Query	- Previewing Query Results Prior to Saving - Downloading Queries - Printing Query Results - Using Query Viewer	Modified notes for iOS device or smartphone users: Note: Currently, PeopleSoft Query partly supports iOS (Apple's mobile operating system), iOS device or smartphone users can edit or schedule queries from the Query Manager page or Query Viewer page, but they cannot download query results using the HTML, Excel, or XML link.
Query	Working with Advanced Query Options, Working	Added the following information: If using drilling URLs, both queries in a union must

PeopleBook	Topic	Description
	with Unions	have a drilling URL mapped to a field. The number of drilling URLs defined in the top level of the query must be the same.
Query	Working with Advanced Query Options, Working with Unions	There was a note in the topic indicating that translate values, both the long and short descriptions, cannot be displayed in a union query. Translate values can now be displayed in a union query and the note has been removed from the documentation.
Query	Using Connected Query Quick Start, Understanding Connected Query Using Connected Query Manager, Understanding Connected Query Manager	Added information indicating that you cannot specify a child query in a connected query that is defined in a union.
Query	Creating and Running Simple Queries, Understanding Query Types	The documentation for the Role query type contained a note indicating that Role query types override the automatic row-level query security logic that is applied to all other query types. In fact, Role query types do not override automatic row-level query security logic and the note has been removed from the documentation.
Query	Defining Prompts, Defining Optional Prompts, Understanding Defining Optional Prompts	The documentation has been enhanced to describe that when defining criteria, the Between condition type is not supported for Prompt expression types defined as optional. Instead, use an expression type of type Expression and define the expression criteria using greater than (>) and less than (<) operators.
Reporting Web Services	Canceling a Query, Defining Selection Criteria, Deleting a Query, Entering Prompts, Executing the Query, Listing Fields, QAS Security Service Operations, Retrieving Query Results,	Edited the response message names for the _REST service operations.

PeopleBook	Topic	Description
	Retrieving Query Status, Saving a Query, Selecting a Query, Adding Fields to Query Content, Selecting Records	
Search Technology	Administering PeopleSoft Search Framework	Removed the Activating the Document Service Plugin for File and Web Source Indexes topic because this topic is included in the installation document.
Search Technology	Creating File Source Search Definitions, Specifying File Source General Settings	Added a note to state conditions that are applicable for the Display URL Prefix field.
Search Technology	Working with PeopleSoft Search, Working with Search Pages	Added a note to explain the "contains phrase" operator and valid use of wild card characters in search.
Search Technology	Working with Global Search, Working with the Portal Registry Search	Added new section "Maintaining the Portal Registry Search" to add info that deleted crefs must be deleted from the PTPORTALREGISTRY index and the recommended process for deleting crefs.
Search Technology	Working with PeopleSoft Search Framework Utilities, Using the Search Test Page	Modified the description for the Refresh Security Cache button to indicate that security data cache is cleared for a user and data cache is regenerated by sending a request to PeopleSoft.
Security Administration	Implementing Single Signon, Implementing PeopleSoft-Only Single Signon, Understanding PeopleSoft-Only Single Signon	Added a note explaining that Single signon requires that user profiles exist in all databases involved in single signon. Also provided an example.
Security Administration	Administering User Profiles, Tracking User Sign In and Sign Out Activity	Added a section to this topic, Understanding Abandoned Sessions and the PSACCESSLOG Table, which describes that the tracking feature does not account for abandoned sessions. If a user does not sign out of the system properly, the user appears still signed into the system.
Security	Administering User	Added a section to this topic, Understanding

PeopleBook	Topic	Description
Administration	Profiles, Tracking User Sign-In Attempts, Understanding Abandoned Sessions and the PSPTLOGINAUDIT Table	Abandoned Sessions and the PSPTLOGINAUDIT Table, which describes that the tracking feature does not account for abandoned sessions. If a user does not sign out of the system properly, the user appears still signed into the system.
Security Administration	Administering User Profiles, Tracking User Sign-In Attempts, Viewing Results in the PSPTLOGINAUDIT Table	Added information to the Viewing Results in the PSPTLOGINAUDIT Table section to enhance the description of information that is and is not captured in the PSPTLOGINAUDIT table. Added descriptions for the FAILEDLOGINS and LASTSIGNONDTM fields.
Security Administration	Setting Up Roles, Executing Dynamic Role Rules, Understanding Dynamic Role Rules	The second bullet point in the topic incorrectly states that one of the modes for executing dynamic role rules is by user profile. The correct information is that you can execute a dynamic role rule for all roles assigned to a user profile. The information in PeopleBooks has been corrected.
Security Administration	Securing Data with Encryption Technology, Defining Algorithm Chains	Added information to the documentation describing that Unicode chains may work better if you omit the PSUnicodeToAscii algorithm as the first step in the chain when encrypting Unicode strings, and omit the PSAsciiToUnicode algorithm as the last step in the chain when decrypting Unicode strings.
Security Administration	Managing My Preferences Personalizations, Working with My Preferences Personalization Options, Understanding Navigation Settings	Documentation for several navigation personalization options has been added to the documentation: The <i>HPPC</i> option sets the default homepage type for all users accessing the system from a laptop or desktop computer. The valid values are Fluid or Classic (default). The <i>HPTABLET</i> option sets the default homepage type for all users accessing the system from a tablet or smart phone. The valid values are Fluid (default) or Classic.
Security Administration	Managing My Preferences Personalizations,	Added a note to the definition of the HPTABLET option indicating that homepages always appear in Fluid for smartphones and other small form factors.

PeopleBook	Topic	Description
	Working with My Preferences Personalization Options, Understanding Navigation Settings	
Security Administration	Setting Up Roles, Using the PeopleSoft Administrator Role	The documentation has been enhanced to better explain the access privileges of the PeopleSoft Administrator role. Specifically, the PeopleSoft Administrator role gives full access to all folders and content reference definitions in the portal registry -- that is, a user with the PeopleSoft Administrator role can navigate to all menu folders and menu items in the portal registry even if the portal registry security settings do not specifically include this user or role.
Security Administration	Working with User Profiles Across Multiple Databases, Understanding User Profile Synchronization	Added a section to the topic to explain that the system cannot map user profiles with different ID types.
SQR Language Reference for PeopleSoft	Numbered Messages	Added additional error codes to the existing table.
System and Server Administration	Using Administration Utilities, PeopleTools Options	Added content to explain that for reasons of file portability, the Maximum Attachment Chunk Size option value be set to 28,000 bytes.
System and Server Administration	Using Administration Utilities, URL Maintenance	Modified content to specifically state that the password value must be in an encrypted form.
System and Server Administration	Understanding Verity Search Indexes, Building Verity Search Indexes	Added a note on the value of free space or total allocation space that is required when creating verity index on UNIX platforms.
System and Server Administration	Using PeopleTools Utilities, Using Administration Utilities, Message	Modified note to indicate that message sets cannot exceed 32,767.

PeopleBook	Topic	Description
	Catalog	
System and Server Administration	Setting Application Server Domain Parameters, Domain Settings, Spawn Threshold	Added content to specify that domain size can be manually scaled by disabling the spawning process and setting the minimum and maximum instances of PSAPPSRV to different values.
System and Server Administration	Using PSADMIN Menus, Using the Application Server Administration Menu, Configuring an Application Server Domain to Preload Cache	Updated content to specify that preload memory cache happens during domain boot (serial or parallel).
System and Server Administration	Using PeopleTools Utilities, Using Administration Utilities, DDL Model Defaults	Updated content to specify guidelines when editing model SQL.
System and Server Administration	Setting Application Server Domain Parameters, PSTOOLS Options, DbFlags	Changed the default value of DbFlags from 1 to 0.
System and Server Administration	Working with Server Domain Configurations, Understanding PS_HOME and PS_CFG_HOME	Added content to state that PSADMIN creates the PS_CFG_HOME directory if a PS_CFG_HOME directory does not exist when PSADMIN is launched. PSADMIN creates PS_CFG_HOME when the first domain is created.
System and Server Administration	Working with Oracle WebLogic	Added new topic "Working with Reverse Proxy Servers for PeopleSoft Implementations" and removed "Setting Up Reverse Proxy Servers."
System and Server Administration	Using the Quick-Configure Menu	Deleted the Select Server Process Option topic and moved some of its contents to a new topic - Selecting Server Process Options in Quick Configure Menu.
System and Server Administration	Setting Application server Domain Parameters	Updated content in multiple files that describe the PSAPPSRV parameters and placed references to other PT books where the specific PSAPPSRV parameters

PeopleBook	Topic	Description
n		belong and are described in detail.