

PeopleTools 8.53 Online Help Updates, October 2014

PeopleBook	Topic	Description
Application Designer Developer's Guide	Constructing File Layouts and Performing Data Interchanges > Understanding File Layouts > XML Format Files	Added a section describing how to export data to an ISO standard-format XML file.
Application Designer Developer's Guide	Using Scroll Areas, Scroll Bars, and Grids > Using Grids	Added a note describing that after upgrades and updates, grid personalizations will need to be reapplied.
Application Designer Developer's Guide	Setting Record Field Properties > Setting Record Field Use Properties > Audit	Clarified further when field-level auditing is applicable.
Application Designer Developer's Guide	Style Sheets Definitions List	Added the reference table that describes definition lists to modify user interface elements for classic pages.
Application Designer Developer's Guide	Using Scroll Areas and Scroll Bar \ Selecting Scroll Area Label Properties \ Header Area Properties \ Find (term in the table)	Added a note indicating that the system ignores fields in HTML areas when users use the Find link to run a Find request.
Applications User's Guide	Defining Your User Personalizations	Added a note to disable auto-complete on search pages.
Application Designer Developer's Guide	Creating New Field Definitions > Creating New Field Definitions > Specifying Long Character Field Attributes and > Specifying Image Field Attributes	Updated information related to how DB2 handles and stores large character fields and image fields.
BI Publisher for PeopleSoft	Creating a Template that Includes Rich Text Editor Data > Including the HTML_SUB Sub-Template	Revised the section that describes how to use HTML_SUB sub-template to include information on adding the import statement in the Properties text box.
BI Publisher for PeopleSoft	Registering Data Sources > Understanding Data Source Registration	Updated section to include information on PS Query data sources for translation.
Change Impact Analyzer	Setting Reporting and Logging Options	Deleted a reference and a topic on Logging Options window. Updated the screenshot to show Options window without Logging tab because the

		Logging options are removed from user interface.
Component Interfaces	Working with Methods > Creating User-Defined Methods	Added a note to indicate using a GetPropertyName function will give errors at runtime, therefore user defined methods must not be named GetPropertyName.
Data Management	Ensuring Data Integrity: Running SYSAUDIT: "Menu Integrity"	Removed Menu-03 audit from table. It no longer applies since menu items are CREFS.
Data Management	Ensuring Data Integrity: Running SYSAUDIT: "Record Integrity"	Updated details for RECORD-11 audit.
Data Management	Ensuring Data Integrity: Running SYSAUDIT: "Security Integrity"	Revised information for SEC-25.
Data Management	Ensuring Data Integrity: Running SYSAUDIT: "Pivot Grid Integrity"	Added information for PIVOT-13 and PIVOT-14 audits.
Data Management	Ensuring Data Integrity: Running SYSAUDIT: "Integration Broker Integrity"	Added information for IBRK-25 audit.
Data Management	Administering PeopleSoft Databases on Oracle: Monitoring PeopleSoft Database Connections: "Monitoring PeopleSoft Module and Action Information"	Added information about needing to set EnableAEMonitoring to 1 to use this feature.
Data Migration Workbench	Data Migration Workbench Limitations and Recommendations	Shape changes allowed in patched 8.53.
Data Migration Workbench	Data Migration Workbench Limitations and Recommendations	Added a note indicating that you cannot generate an ADS definition from a component that has more than one record at level 0.
Data Migration Workbench	Creating and Editing Data Set Definition > Manually Defining the Data Set	Added a note indicating the key fields order of the root and child records should be in the same order.
Global Technology	Converting to Unicode on Oracle Databases > Converting to Unicode on Oracle Databases Using Database Migration	Added the My Oracle Support document link for further information on converting to unicode on Oracle databases using Database Migration

	Assistant for Unicode	Assistant for unicode.
Global Technology	Swapping the Base Language	Added a new section titled Managing and Patching Swapped Language Database to compare different methods of patching available.
Integration Broker	Managing REST Services, Adding REST Service Definitions, Understanding, Naming Services and Service Aliases for REST Service Definitions	Clarified naming conventions for REST service names and aliases. Specifically, REST services and alias names cannot begin with special characters.
Integration Broker	Managing REST Service Operations, Defining REST Service Operation Version Information, Defining Fault Messages for REST Service Operations	Added information about HTTP return status codes for fault messages, including using the OnError method and the impact of service system status (production mode versus development mode) on return status codes.
Integration Broker	Developing Transform Programs Using the XSLT Transform Builder	In the "Understanding Using Oracle XSL Mapper to Build Transformation Programs in the XSLT Transform Builder" section added a note that users cannot use Oracle XSL Mapper to modify XSLT that has been hand-coded or created with any other XSLT editing tool. In the "Manually Building Transformation Programs in the XSLT Transform Builder" section added information that step names can be no longer than eight (8) characters and step descriptions can be no longer than 30 characters.
Integration Broker Administration	Using Listening Connectors and Target Connectors, Understanding Listening Connectors	Added a section called, "Listening Connectors and UTF-8 Encoding," that describes that the listening connectors delivered with PeopleSoft Integration Broker support UTF-8 encoding.
Integration Broker Administration	Using Listening Connectors and Target Connectors, Working with the AS2 Connectors	Updated and labeled optional AS2 connector properties.
Integration Broker Administration	Managing Integration Gateways, Configuring Security and General Properties, Setting General Connection Properties	Added documentation for specifying a string of server URLs when using the integrationGateway.properties file to define Oracle Jolt connect string properties.

Integration Broker Service Operations Monitor	Viewing Integration Gateway Logging Data for Service Operations	This topic has been modified to better describe how to configure the system to view gateway transaction logs using PIA from the Service Operations Monitor.
MultiChannel Framework	Understanding the Email Channel > Handling Email > SSL Connections	Added a note to describe that email server certificates must be stored in gateway truststore.
MultiChannel Framework	Configuring Email Channel in PeopleSoft Integration Broker > Configuring GETMAILTARGET Connector Properties	Revised descriptions for the yes and no options in the MCF_UseSSL property.
MultiChannel Framework	Understanding the Email Channel > Handling Email	Added a new section - Email Address Syntax Validation - to include information on ValidateAddress method.
PeopleCode API Reference	Charting Classes	Deprecated the Gantt class, SetTaskExpanded method.
Performance Monitor	Enabling the Required Elements on the Monitoring System > Setting Up the Application Server	Added a note indicating the update required in psappsrv.cfg file when the monitoring system is configured for multiple IPs.
Performance Monitor	Event 300	Updated the description of %Memory Used to %Committed memory used from %Memory Consumed.
Pivot Grid	Creating a Pivot Grid Model Using the Pivot Grid Wizard \ Viewing Pivot Grid Displays	Add a note to clarify that the Pivot Grid Display page can displays up to 100 characters for the long character fields.
Pivot Grid	Pivot Grid \ Creating a PSQuery Pivot Grid Model Using the Pivot Grid Wizard \ Viewing Pivot Grid Displays	Added a note indicating that Pivot Grid Display page in PeopleTools 8.53 displays up to 100 characters of the long character fields.
Portal Technology	Defining Action Item Details	Added a note to ensure that the External URL in the Define Related Content Service page for a non-PeopleSoft URL has the additional parameter, PTAI=T
Portal Technology	Configuring WS-Security for WSRP Consumption and Production, Configuring WS-Security for PeopleSoft as a WSRP Producer	Added information about the WSRP security options that are supported in WebCenters.
Process Scheduler	Scheduled JobSet Definitions	Updated the description of Time Zone

		indicating that the default time zone is the server time zone.
Process Scheduler	Selecting Output Types and Formats	Added a note indicating that if multiple files of the same output format are generated and made available in the destination directory, one file may be picked up randomly and attached to an outgoing Email.
Query	Defining Selection Criteria \ Drilling URL in PeopleSoft Query \ Understanding Drilling URLs	Added a note describing the limitation when using queries with Unions.
Query	Using Query Profiles	Added a note to clarify that query users cannot run the queries that use more than one record if the "Allow Use of Any Join" option is not selected.
Query	Working with Advanced Query Options \ Joining Records \ Creating Outer Joins	Add a limitation note for using the Outer Join functionality.
Query	Creating and Running Simple Queries \ Creating New Queries	Modify a note to clarify that the record alias doesn't include AS and TO.
Query	Scheduling Queries \ Selecting Process Requests	Removing this statement: "If a query result includes a file without data, the report headers or other text are sent in email that indicates that the report was empty."
Query	Drilling URL in PeopleSoft Query \ Defining Attachment URL Widgets	Modified a note to clarify the user permissions and roles when they view the attachment URL file.
Search Technology	Working with Global Search > Working With the Portal Registry Search > Setting Up the Portal Registry Search	Updated content to include information on using SES console to combine search definitions into a single search group.
Search Technology	Mapping Search Attributes	Revised description of Attribute Name field.
Search Technology	PeopleSoft Search Framework Versus Verity Search Engine > Understanding Key Differences Between Oracle SES and Verity	Added stemming to the list and added the supported languages for stemming.
Search Technology	Working with the Search Results > Working with Persistent Search Controls	Added note on support for persistent search.

Security Administration	Managing PeopleSoft Personalizations, Working with Personalization Options	In the "Working with Personalizations Options" topic, the heading of the subtopic, Understanding Navigation Personalizations has been changed to Understanding Navigation Settings.
Security Administration	Setting Up Roles, Executing Dynamic Role Rules	This topic contained a section called, "Executing Dynamic Role Rules for a User Profile," which described using the User Profile - Roles page to execute a dynamic role rule for a single user profile. You cannot execute role rules for a single user profile. The behavior is that you can execute role rules for all roles assigned to a user profile. The incorrect section has been removed from the documentation. A new section has been added called, "Executing Dynamic Role Rules for All Roles Assigned to a User Profile," which describes using the User Profile - Roles page to execute dynamic role rules for all roles assigned to a user profile.
Security Administration	Working with User Profiles Across Multiple PeopleSoft Databases	Added a topic, "Securing User Profile Synchronization," listing options to secure service operations during user profile synchronization.
Security Administration	1) Implementing Single Signon, Implementing Kerberos as the Desktop Single Signon Solution; 2) Enabling Kerberos Authentication in a Microsoft Active Directory Environment and; 3.) Enabling Kerberos Authentication in the Browser	Previous releases of the Security Administration documentation described how to implement Kerberos as a desktop single-signon solution. The information described was a proof of concept, and is not a supported or certified implementation. As a result, the information has been removed from the Security Administration documentation.
SQR Language Reference for PeopleSoft	Processing-Limits Section	Updated the Processing-Limits Section to define the sizes and limitations of some of the internal structures used by SQR that directly affect memory requirements.
SQR Language Reference for	Processing-Limits Section	Added a note indicating that the value for the keyword NUMVARIABLES in

PeopleSoft		\$PS_HOME/sqr/pssqr.ini should be ignored.
System and Server Administration Guide	Tracing, Logging, and Debugging > Setting Up the PeopleCode Debugger	Added note: "Application Designer (PSIDE.EXE) will not connect to the PeopleCode Debugger through a firewall using Network Address Translation (NAT)."
System and Server Administration Guide	Setting Application Server Domain Parameters > PSTOOLS Options	Clarified the dbflags parameter with respect to Application Engine and PeopleCode behavior.
System and Server Administration Guide	Understanding PeopleSoft Internet Architecture > PeopleSoft Architecture Fundamentals	Added a note indicating that PeopleSoft architecture supports both IPv4 and IPv6 network protocols.
System and Server Administration Guide	Setting Up Reverse Proxy Servers>Configuring Microsoft IIS 7.0 as RPS	Removed section Configuring Microsoft IIS as an RPS and updated steps to configure Microsoft IIS 7.0 for reverse proxy server.
System and Server Administration Guide	Configuring Verity Search and Building Verity Search Indexes	Added topic - Building Verity-Based Registry Search Indexes - from Portal Technology book.
System and Server Administration Guide	Using Administration Utilities > File Extension List > Standard Extensions	Removed a note that had reference to web.xml file and revised the section.
System and Server Administration Guide	Configuring Process Scheduler > SQR	Entered a description for the PSSQR Path.
System and Server Administration Guide	Using Administration Utilities > DDL Model Defaults	Updated the list to include information about DDL model statement.
Test Framework	Installing and Configuring PTF: Defining PTF Configuration Options	Updated the description for the Allow Untrusted SSL option. This option is now disabled. Connections must be secure, unless a delivered web service is activated by a PTF administrator.
Test Framework	Installing a PTF Client: Verifying Requirements	Added a note that when using a dual monitor system, PTF must be run in the primary display.
Workflow Technology	Understanding Worklist Entries from External Systems	Removed Roles from section. PT_WORKLIST can only create Worklist entries for PeopleSoft User IDs, not Roles.
Workflow Technology	Migrating Workflow Data	Added information about delivered ADS templates for workflow data migration.