

Oracle® Solaris Cluster Data Service for Sun Java System Web Server Guide

Copyright © 2009, 2010, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related software documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. UNIX is a registered trademark licensed through X/Open Company, Ltd.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Preface	5
1 Installing and Configuring Oracle Solaris Cluster HA for Sun Java System Web Server	11
Planning the Installation and Configuration	12
Overview of the Installation and Configuration Process for Oracle Solaris Cluster HA for Sun Java System Web Server	13
Installing and Configuring a Sun Java System Web Server	14
▼ How to Install a Sun Java System Web Server	15
▼ How to Configure a Sun Java System Web Server	16
Installing the HA for Sun Java System Web Server Packages	19
▼ How to Install the HA for Sun Java System Web Server Packages	19
Registering and Configuring Oracle Solaris Cluster HA for Sun Java System Web Server	21
Setting Oracle Solaris Cluster HA for Sun Java System Web Server Extension Properties ..	21
Monitoring Arbitrary URIs	21
Setting IP Addresses and Port Numbers for the Sun Java System Web Server Application	22
▼ How to Register and Configure Oracle Solaris Cluster HA for Sun Java System Web Server in a Failover Configuration	23
▼ How to Register and Configure HA for Sun Java System Web Server in a Scalable Configuration	28
How to Configure SUNW.HASStoragePlus Resource Type	32
Tuning the Oracle Solaris Cluster HA for Sun Java System Web Server Fault Monitor	32
Operations by the Fault Monitor During a Probe	33
Upgrading the HA for Sun Java System Web Server Resource Type	35
Information for Registering the New Resource Type Version	35
Information for Migrating Existing Instances of the Resource Type	36

A HA for Sun Java System Web Server Extension Properties	37
Index	41

Preface

Oracle Solaris Cluster Data Service for Sun Java System Web Server Guide explains how to install and configure HA for Sun Java System Web Server.

Note – This Oracle Solaris Cluster release supports systems that use the SPARC and x86 families of processor architectures: UltraSPARC, SPARC64, AMD64, and Intel 64. In this document, x86 refers to the larger family of 64-bit x86 compatible products. Information in this document pertains to all platforms unless otherwise specified.

This document is intended for system administrators with extensive knowledge of Oracle software and hardware. Do not use this document as a planning or presales guide. Before reading this document, you should have already determined your system requirements and purchased the appropriate equipment and software.

The instructions in this book assume knowledge of the Oracle Solaris Operating System and expertise with the volume-manager software that is used with Oracle Solaris Cluster software.

Using UNIX Commands

This document contains information about commands that are specific to installing and configuring Oracle Solaris Cluster data services. The document does *not* contain comprehensive information about basic UNIX commands and procedures, such as shutting down the system, booting the system, and configuring devices. Information about basic UNIX commands and procedures is available from the following sources:

- Online documentation for the Oracle Solaris Operating System
- Oracle Solaris Operating System man pages
- Other software documentation that you received with your system

Typographic Conventions

The following table describes the typographic conventions that are used in this book.

TABLE P-1 Typographic Conventions

Typeface	Meaning	Example
AaBbCc123	The names of commands, files, and directories, and onscreen computer output	Edit your <code>.login</code> file. Use <code>ls -a</code> to list all files. <code>machine_name% you have mail.</code>
AaBbCc123	What you type, contrasted with onscreen computer output	<code>machine_name% su</code> Password:
<i>aabbcc123</i>	Placeholder: replace with a real name or value	The command to remove a file is <code>rm filename</code> .
<i>AaBbCc123</i>	Book titles, new terms, and terms to be emphasized	Read Chapter 6 in the <i>User's Guide</i> . <i>A cache</i> is a copy that is stored locally. Do <i>not</i> save the file. Note: Some emphasized items appear bold online.

Shell Prompts in Command Examples

The following table shows the default UNIX system prompt and superuser prompt for shells that are included in the Oracle Solaris OS. Note that the default system prompt that is displayed in command examples varies, depending on the Oracle Solaris release.

TABLE P-2 Shell Prompts

Shell	Prompt
Bash shell, Korn shell, and Bourne shell	\$
Bash shell, Korn shell, and Bourne shell for superuser	#
C shell	machine_name%
C shell for superuser	machine_name#

Related Documentation

Information about related Oracle Solaris Cluster topics is available in the documentation that is listed in the following table. All Oracle Solaris Cluster documentation is available at <http://docs.sun.com>.

Topic	Documentation
Data service administration	<i>Oracle Solaris Cluster Data Services Planning and Administration Guide</i> Individual data service guides
Concepts	<i>Oracle Solaris Cluster Concepts Guide</i>
Overview	<i>Oracle Solaris Cluster Overview</i>
Software installation	<i>Oracle Solaris Cluster Software Installation Guide</i>
System administration	<i>Oracle Solaris Cluster System Administration Guide</i>
Hardware administration	<i>Oracle Solaris Cluster 3.3 Hardware Administration Manual</i> Individual hardware administration guides
Data service development	<i>Oracle Solaris Cluster Data Services Developer's Guide</i>
Error messages	<i>Oracle Solaris Cluster Error Messages Guide</i>
Command and function reference	<i>Oracle Solaris Cluster Reference Manual</i>

For a complete list of Oracle Solaris Cluster documentation, see the release notes for your release of Oracle Solaris Cluster at <http://docs.sun.com>.

Related Third-Party Web Site References

Third-party URLs that are referenced in this document provide additional related information.

Note – Oracle is not responsible for the availability of third-party web sites mentioned in this document. Oracle does not endorse and is not responsible or liable for any content, advertising, products, or other materials that are available on or through such sites or resources. Oracle will not be responsible or liable for any actual or alleged damage or loss caused or alleged to be caused by or in connection with use of or reliance on any such content, goods, or services that are available on or through such sites or resources.

Documentation, Support, and Training

See the following web sites for additional resources:

- Documentation (<http://docs.sun.com>)
- Support (<http://www.oracle.com/us/support/systems/index.html>)
- Training (<http://education.oracle.com>) – Click the Sun link in the left navigation bar.

Oracle Welcomes Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of its documentation. If you find any errors or have any other suggestions for improvement, go to <http://docs.sun.com> and click Feedback. Indicate the title and part number of the documentation along with the chapter, section, and page number, if available. Please let us know if you want a reply.

Oracle Technology Network (<http://www.oracle.com/technetwork/index.html>) offers a range of resources related to Oracle software:

- Discuss technical problems and solutions on the [Discussion Forums](http://forums.oracle.com) (<http://forums.oracle.com>).
- Get hands-on step-by-step tutorials with [Oracle By Example](http://www.oracle.com/technology/obe/start/index.html) (<http://www.oracle.com/technology/obe/start/index.html>).
- Download [Sample Code](http://www.oracle.com/technology/sample_code/index.html) (http://www.oracle.com/technology/sample_code/index.html).

Getting Help

If you have problems installing or using Oracle Solaris Cluster, contact your service provider and provide the following information:

- Your name and email address (if available)
- Your company name, address, and phone number
- The model number and serial number of your systems
- The release number of the Oracle Solaris Operating System (for example, Oracle Solaris 10)
- The release number of Oracle Solaris Cluster (for example, Oracle Solaris Cluster 3.3)

Use the following commands to gather information about each node on your system for your service provider.

Command	Function
<code>prtconf -v</code>	Displays the size of the system memory and reports information about peripheral devices
<code>psrinfo -v</code>	Displays information about processors
<code>showrev -p</code>	Reports which patches are installed
<code>prtdiag -v</code>	Displays system diagnostic information
<code>/usr/cluster/bin/clnode show-rev</code>	Displays Oracle Solaris Cluster release and package version information

Also have available the contents of the `/var/adm/messages` file.

Installing and Configuring Oracle Solaris Cluster HA for Sun Java System Web Server

This chapter provides the procedures to install and configure Oracle Solaris Cluster HA for Sun Java System Web Server.

Note – The same procedures are also applicable for installing and configuring Oracle Solaris Cluster HA for Sun Java System Web Proxy Server.

This chapter contains the following sections.

- “Planning the Installation and Configuration” on page 12
- “Overview of the Installation and Configuration Process for Oracle Solaris Cluster HA for Sun Java System Web Server” on page 13
- “Installing and Configuring a Sun Java System Web Server” on page 14
- “Installing the HA for Sun Java System Web Server Packages” on page 19
- “Registering and Configuring Oracle Solaris Cluster HA for Sun Java System Web Server” on page 21
- “Tuning the Oracle Solaris Cluster HA for Sun Java System Web Server Fault Monitor” on page 32
- “Upgrading the HA for Sun Java System Web Server Resource Type” on page 35

You can configure Oracle Solaris Cluster HA for Sun Java System Web Server as a failover or scalable data service. See Chapter 1, “Planning for Oracle Solaris Cluster Data Services,” in *Oracle Solaris Cluster Data Services Planning and Administration Guide* and the *Solaris Cluster Concepts Guide for Solaris OS* for general information about data services, resource groups, resources, and other related topics.

Note – You can use Solaris Cluster Manager to install and configure this data service. See the Solaris Cluster Manager online help for details.

Note – If you run multiple data services in your Oracle Solaris Cluster configuration, you can set up the data services in any order, with the following exception. If Oracle Solaris Cluster HA for Sun Java System Web Server depends on Oracle Solaris Cluster HA for DNS, you must set up DNS first. See *Oracle Solaris Cluster Data Service for Domain Name Service (DNS) Guide* for details. The Solaris Operating System includes the DNS software. If the cluster is to obtain the DNS service from another server, then configure the cluster to be a DNS client first.

Note – After installation, do not manually start and stop the Sun Java System Web Server except by using the cluster administration command `clresourcegroup(1CL)`. See the man page for details. After the Sun Java System Web Server is started, the Oracle Solaris Cluster software controls it.

Planning the Installation and Configuration

Answer the following questions before you start your installation.

- Will you run Oracle Solaris Cluster HA for Sun Java System Web Server as a failover or as a scalable data service? See the *Oracle Solaris Cluster Concepts Guide* document for information on the two types of services. For scalable services, consider the following questions.
 - What nodes will host the scalable service? In most cases, you will want to scale across all nodes. You can, however, limit the set of nodes that host the service.
 - Will your Sun Java System Web Server instances require sticky IP? Sticky IP is a resource property setting, `Load_balancing_policy`, which stores the client state in memory so that return traffic from the same node always goes to the same cluster node. You can choose from several load balancing policies, as described in the table on resource properties in *Appendix A, “Standard Properties,” in Oracle Solaris Cluster Data Services Planning and Administration Guide*.

Exercise caution when you change `Load_balancing_weights` for an online scalable service that has `Load_balancing_policy` set to `LB_STICKY` or `LB_STICKY_WILD`. Changing those properties while the service is online can cause existing client affinities to be reset, and hence a different node might service a subsequent client request even if another cluster member had previously serviced the client.

Similarly, when a new instance of the service is started on a cluster, existing client affinities might be reset.

- Where will the Web server root reside?

- Does the Web server serve data for another highly available application? If so, resource dependencies might exist between the resources so that one starts or stops before the other. See [Appendix A, “Standard Properties,” in *Oracle Solaris Cluster Data Services Planning and Administration Guide*](#) for a description of the resource property `Resource_dependencies` that sets these dependencies.
- Determine the resource groups to use for network addresses and application resources and the dependencies between them. See [Appendix A, “Standard Properties,” in *Oracle Solaris Cluster Data Services Planning and Administration Guide*](#) for a description of the resource group property `RG_dependencies` that sets these dependencies.
- Provide the logical hostname (for failover services) or shared address (for scalable services) for clients to use to access the data service.
- Because you can configure Sun Java System Web Server to bind to `INADDR_ANY`, if you plan to run multiple instances of the Sun Java System Web Server data service or multiple data services on the same node, each instance must bind to a unique network address and port number.
- Determine the entries for the `Confdir_list` and `Port_list` properties. For failover services, both of these properties can have only one entry. For scalable services, they can have multiple entries. The number of entries, however, must be the same and must map to each other in the order specified. See [“How to Register and Configure Oracle Solaris Cluster HA for Sun Java System Web Server in a Failover Configuration” on page 23](#) for details.
- Determine if you will utilize the `Monitor Uri List` extension property. This extension property enables you to monitor an arbitrary list of URIs. Monitoring arbitrary URIs is beneficial if you will configure other data services that are accessible over the web. Use of the `Monitor Uri List` extension property is not supported with secure instances of Sun Java System Web Server. You must install release 3.1 10/03 or 3.2 Oracle Solaris Cluster HA for Sun Java System Web Server to use this property. If you are upgrading Oracle Solaris Cluster HA for Sun Java System Web Server from a previous version, you must perform the resource type upgrade procedure to use the new property. For instructions, see [“Upgrading a Resource Type” in *Oracle Solaris Cluster Data Services Planning and Administration Guide*](#). See [“Monitoring Arbitrary URIs” on page 21](#) for detailed information about this option and example usage of `Monitor Uri List`.
- Determine where to place logs and error files on the local file system.
- Determine where to place the contents on the cluster file system.

Overview of the Installation and Configuration Process for Oracle Solaris Cluster HA for Sun Java System Web Server

The following table lists the sections that describe the installation and configuration tasks.

TABLE 1-1 Task Map: Installing and Configuring Oracle Solaris Cluster HA for Sun Java System Web Server

Task	For Instructions
Install Sun Java System Web Server	“Installing and Configuring a Sun Java System Web Server” on page 14
Install Sun Java System Web Proxy Server	“Installing and Configuring a Sun Java System Web Server” on page 14
Install the Oracle Solaris Cluster HA for Sun Java System Web Server package	“How to Install the HA for Sun Java System Web Server Packages” on page 19
Register Oracle Solaris Cluster HA for Sun Java System Web Server and configure the cluster for the data service	“Registering and Configuring Oracle Solaris Cluster HA for Sun Java System Web Server” on page 21
Tune the Oracle Solaris Cluster HA for Sun Java System Web Server fault monitor	“Tuning the Oracle Solaris Cluster HA for Sun Java System Web Server Fault Monitor” on page 32

Installing and Configuring a Sun Java System Web Server

This section describes the steps to perform the following tasks:

- Install the Sun Java System Web Server.
- Enable the Sun Java System Web Server to run as Oracle Solaris Cluster HA for Sun Java System Web Server.

Note – The Sun Java System Web Server can be configured to run in a whole root or a sparse root non-global zone, if required.

Note – Oracle Solaris Cluster HA for Web Proxy Server is not supported in a Scalable configuration.

Note – You must follow certain conventions when you configure URL mappings for the Web server. For example, to preserve availability when setting the CGI directory, you must locate the mapped directories on the cluster file system. In this example, you map your CGI directory to `/global/pathname/cgi-bin`.

In situations where the CGI programs access “back-end” servers, such as an RDBMS, ensure that the Oracle Solaris Cluster software also controls the “back-end” server. If the server is an RDBMS that the Oracle Solaris Cluster software supports, use one of the highly available RDBMS packages. Alternatively, you can use the APIs documented in the *Solaris Cluster Data Services Developer’s Guide for Solaris OS* to put the server under Oracle Solaris Cluster control.

▼ How to Install a Sun Java System Web Server

To perform this procedure, you need the following information about your configuration.

- The server root directory (the path to the application binaries). You can install the binaries on the local disks or on the cluster file system. For a discussion of the advantages and disadvantages of each location, see “[Configuration Guidelines for Oracle Solaris Cluster Data Services](#)” in *Oracle Solaris Cluster Data Services Planning and Administration Guide*.
- The logical hostname (for failover services) or shared address (for scalable services) that clients use to access the data service. You must configure these addresses, and they must be online.

Note – If you run Oracle Solaris Cluster HA for Sun Java System Web Server and another HTTP server and they use the same network resources, configure them to listen on different ports. Otherwise, a port conflict might occur between the two servers.

- 1 On a cluster member, become superuser or assume a role that provides `solaris.cluster.admin` RBAC authorization.**
- 2 Start the installation.**
 - If you are installing the Sun Java System Web Server on Solaris 8, execute the `setup` command for Sun Java System Web Server from the `install` directory on the CD.
 - If you are installing the Sun Java System Web Server packaged with Solaris 9, follow the instructions on the installation CD.

Note – If you are installing the Sun Java System Web Server packaged with Solaris 9, do *not* enable the auto start of the web server at system restart.

3 When prompted, enter the location where the Sun Java System Web Server binaries will be installed.

You can specify a location on the cluster file system or on local disks for the location of the install. If you choose to install on local disks, install the web server on all the cluster nodes that are potential primaries of the network resource (logical hostname or shared address) that the next step specifies.

4 When prompted for a machine name, enter the logical hostname on which the Sun Java System Web Server depends and the appropriate DNS domain name.

A full logical hostname is of the format *network-resource.domainname*, such as *schost-1.sun.com*.

Note – For Oracle Solaris Cluster HA for Sun Java System Web Server to fail over correctly, you must use either the logical hostname or shared address resource name (rather than the physical hostname) here and everywhere else that you are asked.

5 Select Run Admin Server as Root when you are asked.

Note the port number that the Sun Java System install script selects for the administration server. You might want to use this default value later when you use the administration server to configure an instance of the Sun Java System Web Server. Otherwise, you can specify a different port number when you configure the Sun Java System server instance.

6 Type a Server Administrator ID and a chosen password when you are asked.

Follow the guidelines for your system.

When a message displays that the admin server will be started, your installation is ready for configuration.

▼ **How to Configure a Sun Java System Web Server**

This procedure describes how to configure an instance of the Sun Java System Web server to be highly available. Use the Netscape browser to interact with this procedure.

Consider the following points before you perform this procedure.

- Before you start, ensure that you have installed the browser on a machine that can access the network on which the cluster resides. You can install the browser on a cluster node or on the administrative workstation for the cluster.
- Oracle Solaris Cluster HA for Sun Java System Web Server now supports Sun Java System Proxy Server. For Sun Java System Proxy Server installation and configuration information, see [Chapter 1, “Installing Sun Java System Web Proxy Server,” in *Sun Java System Web Proxy Server 4.0.13 Installation and Migration Guide*](#).
- Your configuration files can reside on either a local file system or on the cluster file system.

- Any certificates that are installed for the secure instances must be installed from all cluster nodes. This installation involves running the admin console on each node. Thus, if a cluster has nodes n1, n2, n3, and n4, the installation steps are as follows.
 1. Run the admin server on node n1.
 2. From your Web browser, connect to the admin server as `http://n1.domain:port`—for example, `http://n1.eng.sun.com:8888`—or whatever you specified as the admin server port. The port is typically 8888.
 3. Install the certificate.
 4. Stop the admin server on node n1 and run the admin server from node n2.
 5. From the Web browser, connect to the new admin server as `http://n2.domain:port`, for example, `http://n2.eng.sun.com:8888`.
 6. Repeat these steps for nodes n3 and n4.

After you have considered the preceding points, complete the following steps.

- 1 If you will configure Sun Java System Web Server as a scalable data service, create a directory on the local disk of all the nodes to hold the logs and error files that Sun Java System Web Server manages.**

For the scalable configuration to work correctly, these files must be located on each node of the cluster, not on the cluster file system. Use shared storage only if you will configure Sun Java System Web Server as a failover data service.

Choose a location on the local disk that is the same for all the nodes in the cluster. Use the `mkdir -p` command to create the directory. Make nobody the owner of this directory.

The following example shows how to complete this step.

```
phys-schost-1# mkdir -p /var/pathname/http-instance/logs/
```

Note – If you anticipate large error logs, do not put them in a directory under `/var` because they will overwhelm this directory. Rather, create a directory in a partition with adequate space to handle large files.

- 2 From the administrative workstation or a cluster node, start the Netscape browser.**
- 3 On one of the cluster nodes, go to the directory `admin-server`, then start the Sun Java System admin server.**

```
# cd admin-server
# ./startserv
```

4 Enter the URL of the Sun Java System admin server in the Netscape browser.

The URL consists of the logical hostname and port number that the Sun Java System installation script established in [Step 4](#) of the server installation procedure, for example, `n1.eng.sun.com:8888`. When you perform [Step 2](#) of this procedure, the `./start` command displays the admin URL.

When prompted, use the user ID and password you specified in [Step 6](#) of the server installation procedure to log in to the Sun Java System administration server interface.

5 Using the administration server where possible and manual changes otherwise, complete the following:

- Verify that the server name is correct.
- Verify that the server user is set as superuser.
- Change the bind address field to one of the following addresses.
 - A logical hostname or shared address if you use DNS as your name service
 - The IP address associated with the logical hostname or shared address if you use NIS as your name service
- Update the ErrorLog and Access Log entries to reflect the directory created in [Step 1](#) of this section.
- Save your changes.

6 Create a file that contains the secure key password you need to start this instance, and place this file under the server root directory. Name this file `keypass`.

Note – Because this file contains the NSS database password, protect the file with the appropriate permissions.

7 If you do not want to save the password in the `keypass` file, add the following to the server `.xml` file located in the server root directory.

```
<pkcs11>
  <enabled>true</enabled>
  <token>
    <name>internal</name>
    <pin>admin123</pin>
  </token>
</pkcs11>
```

Installing the HA for Sun Java System Web Server Packages

If you did not install the HA for Sun Java System Web Server packages during your initial Oracle Solaris Cluster installation, perform this procedure to install the packages. To install the packages, use the `installer` program.

Note – You need to install the HA for Sun Java System Web Server packages in the global cluster and not in the zone cluster.

▼ How to Install the HA for Sun Java System Web Server Packages

Perform this procedure on each cluster node where you are installing the HA for Sun Java System Web Server packages.

You can run the `installer` program with a command-line interface (CLI) or with a graphical user interface (GUI). The content and sequence of instructions in the CLI and the GUI are similar.

Note – Even if you plan to configure this data service to run in non-global zones, install the packages for this data service in the global zone. The packages are propagated to any existing non-global zones and to any non-global zones that are created after you install the packages.

Before You Begin Ensure that you have the Oracle Solaris Cluster installation media.

If you intend to run the `installer` program with a GUI, ensure that your `DISPLAY` environment variable is set.

- 1 **On the cluster node where you are installing the data service packages, become superuser.**
- 2 **Load the Oracle Solaris Cluster installation media into the DVD-ROM drive.**
If the Volume Management daemon `vold(1M)` is running and configured to manage DVD-ROM devices, the daemon automatically mounts the DVD-ROM on the `/cdrom` directory.
- 3 **Change to the installation wizard directory of the DVD-ROM.**
 - **If you are installing the data service packages on the SPARC platform, type the following command:**

```
# cd /cdrom/cdrom0/Solaris_sparc
```

- **If you are installing the data service packages on the x86 platform, type the following command:**

```
# cd /cdrom/cdrom0/Solaris_x86
```

- 4 Start the installation wizard.**

```
# ./installer
```

- 5 When you are prompted, accept the license agreement.**

- 6 From the list of Oracle Solaris Cluster agents under Availability Services, select the data service for Sun Java System Web Server.**

- 7 If you require support for languages other than English, select the option to install multilingual packages.**

English language support is always installed.

- 8 When prompted whether to configure the data service now or later, choose Configure Later.**

Choose Configure Later to perform the configuration after the installation.

- 9 Follow the instructions on the screen to install the data service packages on the node.**

The installation wizard displays the status of the installation. When the installation is complete, the wizard displays an installation summary and the installation logs.

- 10 (GUI only) If you do not want to register the product and receive product updates, deselect the Product Registration option.**

The Product Registration option is not available with the CLI. If you are running the installation wizard with the CLI, omit this step.

- 11 Exit the installation wizard.**

- 12 Unload the installation media from the DVD-ROM drive.**

- a. To ensure that the DVD-ROM is not being used, change to a directory that does *not* reside on the DVD-ROM.**

- b. Eject the DVD-ROM.**

```
# eject cdrom
```

Next Steps See [“Registering and Configuring Oracle Solaris Cluster HA for Sun Java System Web Server” on page 21](#) to register Solaris Cluster HA for Sun Java System Web Server and to configure the cluster for the data service.

Registering and Configuring Oracle Solaris Cluster HA for Sun Java System Web Server

You can configure Oracle Solaris Cluster HA for Sun Java System Web Server as a failover data service or as a scalable data service. You must include some additional steps to configure Sun Java System Web Server as a scalable data service. In the first procedure in this section, these additional steps begin with a notation that they are required for scalable services only. Individual examples of a failover service and a scalable service follow the procedure.

Setting Oracle Solaris Cluster HA for Sun Java System Web Server Extension Properties

The sections that follow contain instructions for registering and configuring Oracle Solaris Cluster HA for Sun Java System Web Server resources. For information about the extension properties, see [Appendix A, “HA for Sun Java System Web Server Extension Properties.”](#) The Tunable entry indicates when you can update a property.

See [Appendix A, “Standard Properties,”](#) in *Oracle Solaris Cluster Data Services Planning and Administration Guide* for details on all the Oracle Solaris Cluster properties.

To set an extension property of a resource, include the following option in the `clresource(1CL)` command that creates or modifies the resource:

`-p property=value`

`-p property`

Identifies the extension property that you are setting.

`value`

Specifies the value to which you are setting the extension property.

You can also use the procedures in [Chapter 2, “Administering Data Service Resources,”](#) in *Oracle Solaris Cluster Data Services Planning and Administration Guide* to configure resources after the resources are created.

Monitoring Arbitrary URIs

Set the `Monitor_Uri_List` extension property if you want the web server fault monitor to probe an arbitrary list of applications (URIs) served by the web server. This extension property provides extended probing functionality and is useful if you are layering services in addition to your web server. The `Monitor_Uri_List` extension property is not supported with a secure Sun Java System Web Server instance. If you do not set the `Monitor_Uri_List` extension property, the fault monitor will perform basic probing. See [“Tuning the Oracle Solaris Cluster HA for Sun](#)

[Java System Web Server Fault Monitor](#)” on page 32 for details. The following examples show how to set the `Monitor Uri List` extension property when you add the Sun Java System Web Server instance to your configuration.

EXAMPLE 1-1 Setting `Monitor Uri List` for Scalable Sun Java System Web Server Instance

```
(Add an insecure Sun Java System Web Server instance with default load balancing.)
# clresource create -g resource-group-1 -t SUNW.iws \
-p Confdir_list=/opt/SUNWbsrv/https-Sun-app-insecure-1 \
-p Scalable=True -p Resource_dependencies=schost-1 \
-p Port_list=8000/tcp \
-p Monitor Uri_list=http://schost-1:8000/servlet/monitor web-not-secure-1
```

EXAMPLE 1-2 Setting `Monitor Uri List` for Failover Sun Java System Web Server Instance

```
(Add an insecure Sun Java System Web Server application resource instance.)
# clresource create -g resource-group-1 -t SUNW.iws \
-p Confdir_list=/opt/SUNWbsrv/conf -p Scalable=False \
-p Resource_dependencies=schost-1 -p Port_list=80/tcp \
-p Monitor Uri_list=http://schost-1:80/servlet/monitor web-not-secure-1
```

EXAMPLE 1-3 Setting `Monitor Uri List` for Failover Sun Java System Web Proxy Server Instance

```
(Add an insecure Sun Java System Web Proxy Server application resource instance.)
# clresource create -g resource-group-1 -t SUNW.iws \
-p Confdir_list=/opt/SUNWbproxy/conf -p Scalable=False \
-p Resource_dependencies=schost-1 -p Port_list=80/tcp \
-p Monitor Uri_list=http://schost-1:80/servlet/monitor Sun-app-insecure-1
```

Setting IP Addresses and Port Numbers for the Sun Java System Web Server Application

The `Resource_dependencies` setting on the Sun Java System Web Server application resource determines the set of IP addresses that Sun Java System Web Server uses. The `Port_list` setting on the resource determines the list of port numbers that Sun Java System Web Server uses. The fault monitor assumes that the Sun Java System Web Server daemon is listening on all combinations of IP and port. You can configure the `server.xml` file for the Sun Java System Web Server to listen on different port numbers (in addition to port 80). The fault monitor attempts to probe all such combinations and starts to fail if the Sun Java System Web Server is not listening on a particular IP address-port combination. If the Sun Java System Web Server does not serve all IP address-port combinations, you must break the Sun Java System Web Server into separate instances that do.

▼ How to Register and Configure Oracle Solaris Cluster HA for Sun Java System Web Server in a Failover Configuration

This procedure describes how to use the Oracle Solaris Cluster maintenance commands to register and configure Oracle Solaris Cluster HA for Sun Java System Web Server in a failover configuration.

Note – Other options also enable you to register and configure the data service. See “[Tools for Data Service Resource Administration](#)” in *Oracle Solaris Cluster Data Services Planning and Administration Guide* for details about these options.

To perform this procedure, you must have the following information.

- The name of the resource type for Oracle Solaris Cluster HA for Sun Java System Web Server. This name is `SUNW.iws`.
- The names of the cluster nodes that master the data service. For a failover service, only one node can master a data service at a time.
- The logical hostname (for failover services) or shared address (for scalable services) that clients use to access the data service.
- The path to the Sun Java System binaries. You can install the binaries on the local disks or the cluster file system. See “[Configuration Guidelines for Oracle Solaris Cluster Data Services](#)” in *Oracle Solaris Cluster Data Services Planning and Administration Guide* for a discussion of the advantages and disadvantages of each location.

Note – The `Resource_dependencies` setting on the Sun Java System application resource determines the set of IP addresses that Sun Java System Web Server uses. The `Port_list` setting on the resource determines the list of port numbers that Sun Java System Web Server uses. The fault monitor assumes that the Sun Java System Web Server daemon is listening on all combinations of IP and port. You can configure the `server.xml` file for the Sun Java System Web Server to listen on different port numbers (in addition to port 80). The fault monitor attempts to probe all such combinations and starts to fail if the Sun Java System Web Server is not listening on a particular IP address-port combination. If the Sun Java System Web Server does not serve all IP address-port combinations, you must break the Sun Java System Web Server into separate instances that do.

Note – Perform this procedure on any cluster member.

- 1 **On a cluster member, become superuser or assume a role that provides `solaris.cluster.modify` and `solaris.cluster.admin` RBAC authorization.**
- 2 **Register the `SUNW.iws` resource type for Oracle Solaris Cluster HA for Sun Java System Web Server.**

```
# clresourcetype register SUNW.iws
```

- 3 **Create a failover resource group.**

You can optionally select the set of nodes or zones on which the data service can run with the `-n` option.

```
# clresourcegroup create [-n node-zone-list] resource-group
```

resource-group

Specifies the name of the failover resource group. This name can be your choice but must be unique for resource groups within the cluster.

`-n node-zone-list`

Specifies a comma-separated, ordered list of zones that can master this resource group. The format of each entry in the list is *node*. In this format, *node* specifies the node name and *zone* specifies the name of a non-global Solaris zone. To specify the global zone, or to specify a node without non-global zones, specify only *node*.

This list is optional. If you omit this list, the global zone of each cluster node can master the resource group.

- 4 **Verify that all of the network addresses that you use have been added to your name service database.**

You should have performed this verification during the Oracle Solaris Cluster installation. See the planning chapter in the *Solaris Cluster Software Installation Guide for Solaris OS* for details.

Note – To avoid any failures because of name service lookup, ensure that all logical hostnames and shared addresses are present in the server's and client's `/etc/inet/hosts` file. Configure name service mapping in `/etc/nsswitch.conf` on the servers to first check the local files before trying to access NIS or NIS+.

- 5 **Add a logical hostname to the failover resource group.**

```
# clreslogicalhostname create -g resource-group \  
-h logical-hostname, ... \  
[-p auxodelist=node] [-N netiflist] resource
```

`-g resource-group`

Specifies the name of the failover resource group.

`-h logical-hostname,...`

Specifies a comma-separated list of logical hostnames that this resource is to make available.

-p *auxnodelist=node*,...

Specifies an optional comma-separated list of physical node IDs that identify cluster nodes that can host the shared address but never serve as a primary if failover occurs. These nodes are mutually exclusive with the nodes identified in *nodelist* for the resource group, if specified.

resource-group

Specifies the name of the resource group. This name can be your choice but must be unique for resource groups within the cluster.

-N *netiflist*

Specifies an optional, comma-separated list that identifies the IP Networking Multipathing groups that are on each node or zone. The format of each entry in the list is *netif@node*. The replaceable items in this format are as follows:

netif Specifies an IPMP group name, such as *sc_ipmp0*, or a public network interface card (NIC). If you specify a public NIC, Oracle Solaris Cluster attempts to create the required IPMP groups.

node Specifies the name or ID of a node. To specify the global zone, or to specify a node without non-global zones, specify only *node*.

This list is optional. If you omit this list, Oracle Solaris Cluster attempts to create the required IPMP groups.

Note – If you require a fully qualified hostname, you must specify the fully qualified name with the *-h* option and you cannot use the fully qualified form in the resource name.

Note – Oracle Solaris Cluster does not currently support using the adapter name for *netif*.

resource

Specifies the name of the resource.

6 Create an application resource in the failover resource group.

You can repeat this step to add multiple application resources (such as secure and insecure versions) to the same resource group.

```
# clresource create -g resource-group \
-t resource-type \
-p Confdir_list=config-directory \
-p Resource_dependencies=logical-hostname-list,.. \
-p Port_list=port-number/protocol resource
```

-g *resource-group*

Specifies the name of the failover resource group into which the resources are to be placed.

- t *resource-type*
Specifies the type of the resource to add.
- p *Confdir_list=config-directory*
Specifies the location of the Sun Java System configuration files. The *Confdir_list* file for failover services must have exactly one entry only. The *config-directory* must contain a directory called *config*. Oracle Solaris Cluster HA for Sun Java System Web Server requires this extension property.
- p *Resource_dependencies=logical-hostname-list,...*
Specifies a comma-separated list of network resources that identify the logical hosts that the data service uses.
- p *Port_list=port-number/protocol*
Specifies the port number and protocol to use, for example, *80/tcp*. *Port_list* for failover services must have exactly one entry only because of the one-to-one mapping rule between *Port_list* and *Confdir_list*.

resource
Specifies the name of the resource to add.

The resource is created in the enabled state.

Note – Optionally, you can set additional extension properties that belong to the Oracle Solaris Cluster HA for Sun Java System Web Server to override the default values of the properties. See [Appendix A, “HA for Sun Java System Web Server Extension Properties,”](#) for a list of these properties.

7 Bring the failover resource group online.

```
# clresourcegroup online resource-group
```

resource-group

Specifies the name of the failover resource group.

Example 1-4 Registering a Failover Oracle Solaris Cluster HA for Sun Java System Web Server on a Two-Node Cluster

Cluster Information

Node names: *phys-schost-1*, *phys-schost-2*

Logical hostname: *schost-1*

Resource group: *resource-group-1* (for all resources)

Resources: *schost-1* (logical hostname), *Sun-app-insecure-1* (insecure application resource), *Sun-app-secure-1* (secure application resource)

(Add the resource group to contain all resources.)

```
# clresourcegroup create resource-group-1
```

(Add the logical hostname resource to the resource group.)

```
# clreslogicalhostname create -g resource-group-1 -h schost-1
```

```
(Register the resource type for the Oracle Solaris Cluster HA for Sun Java System Web Server.)
# clresourcetype register SUNW.iws
```

```
(Add an insecure application resource instance.)
# clresource create -g resource-group-1 -t SUNW.iws \
-p Confdir_List=/opt/SUNWbsrv/conf -p Scalable=False \
-p Resource_dependencies=schost-1 -p Port_list=80/tcp Sun-app-insecure-1 \
```

```
(Add a secure application resource instance.)
# clresource create -g resource-group-1 -t SUNW.iws \
-p Confdir_List=/opt/SUNWbsrv/https-Sun-app-secure-1 -p Scalable=False \
-p Resource_dependencies=schost-1 -p Port_list=443/tcp Sun-app-secure-1 \
```

```
(Bring the failover resource group online.)
# clresourcegroup online resource-group-1
```

Example 1-5 Registering a Failover Oracle Solaris Cluster HA for Sun Java System Web Proxy Server on a Two-Node Cluster

Cluster Information

```
Node names: phys-schost-1, phys-schost-2
Logical hostname: schost-1
Resource group: resource-group-1 (for all resources)
Resources: schost-1 (logical hostname), Sun-app-insecure-1 (insecure
application resource), Sun-app-secure-1 (secure application resource)
```

```
(Add the resource group to contain all resources.)
# clresourcegroup create resource-group-1
```

```
(Add the logical hostname resource to the resource group.)
# clreslogicalhostname create -g resource-group-1 -h schost-1
```

```
(Register the resource type for the Oracle Solaris Cluster HA for Sun Java System Web Proxy Server.)
# clresourcetype register SUNW.iws
```

```
(Add an insecure application resource instance.)
# clresource create -g resource-group-1 -t SUNW.iws \
-p Confdir_List=/opt/SUNWbproxy/proxy-insecure-1 -p Scalable=False \
-p Resource_dependencies=schost-1 -p Port_list=80/tcp Sun-app-insecure-1 \
```

```
(Add a secure application resource instance.)
# clresource create -g resource-group-1 -t SUNW.iws \
-p Confdir_List=/opt/SUNWbproxy/proxy-secure-1 -p Scalable=False \
-p Resource_dependencies=schost-1 -p Port_list=443/tcp Sun-app-secure-1 \
```

```
(Bring the failover resource group online.)
# clresourcegroup online resource-group-1
```

In this example, it is assumed that the global file system is being used. If a failover file system is used, you must set the dependency on the HASStoragePlus resource using the `Resource_dependencies` extension property during resource creation.

▼ How to Register and Configure HA for Sun Java System Web Server in a Scalable Configuration

- 1 On a cluster member, become superuser or assume a role that provides `solaris.cluster.modify` and `solaris.cluster.admin` RBAC authorization.
- 2 Register the `SUNW.iws` resource type for Oracle Solaris Cluster HA for Sun Java System Web Server.

```
# clresourcetype register SUNW.iws
```

- 3 Create a failover resource group for the shared address resource.

You can optionally select the set of nodes or zones on which the data service can run with the `-n` option.

```
# clresourcegroup create [-n node-zone-list] resource-group
```

resource-group

Specifies the name of the failover resource group. This name can be your choice but must be unique for resource groups within the cluster.

`-n node-zone-list`

Specifies a comma-separated, ordered list of zones that can master this resource group. The format of each entry in the list is *node*. In this format, *node* specifies the node name and *zone* specifies the name of a non-global Solaris zone. To specify the global zone, or to specify a node without non-global zones, specify only *node*.

This list is optional. If you omit this list, the global zone of each cluster node can master the resource group.

- 4 Verify that all of the network addresses that you use have been added to your name service database.

You should have performed this verification during the Oracle Solaris Cluster installation. See the planning chapter in the *Solaris Cluster Software Installation Guide for Solaris OS* for details.

Note – To avoid any failures because of name service lookup, ensure that all logical hostnames and shared addresses are present in the server's and client's `/etc/inet/hosts` file. Configure name service mapping in `/etc/nsswitch.conf` on the servers to first check the local files before trying to access NIS or NIS+.

- 5 Add a shared address resource to the failover resource group.

```
# clressharedaddress create -g resource-group \  
-h shared-address, . . . \  
[-p auxnodelist=node] [-N netiflist] resource
```

`-g resource-group`

Specifies the name of the failover resource group.

- h *shared-address*,...
Specifies a comma-separated list of shared addresses that this resource is to make available.
- p *auxnodelist=node*,...
Specifies an optional comma-separated list of physical node IDs that identify cluster nodes that can host the shared address but never serve as a primary if failover occurs. These nodes are mutually exclusive with the nodes identified in *nodelist* for the resource group, if specified.
- resource-group*
Specifies the name of the resource group. This name can be your choice but must be unique for resource groups within the cluster.
- N *netiflist*
Specifies an optional, comma-separated list that identifies the IP Networking Multipathing groups that are on each node or zone. The format of each entry in the list is *netif@node*. The replaceable items in this format are as follows:
 - netif* Specifies an IPMP group name, such as *sc_ipmp0*, or a public network interface card (NIC). If you specify a public NIC, Oracle Solaris Cluster attempts to create the required IPMP groups.
 - node* Specifies the name or ID of a node. To specify the global zone, or to specify a node without non-global zones, specify only *node*.

This list is optional. If you omit this list, Oracle Solaris Cluster attempts to create the required IPMP groups.

Note – Oracle Solaris Cluster does not currently support using the adapter name for *netif*.

resource
Specifies the name of the resource.

6 Create a scalable resource group to run on all the desired cluster nodes.

Create a resource group to hold a data service application resource. You must specify the maximum and desired number of primary nodes as well as a dependency between this resource group and the failover resource group that you created in [Step 3](#). This dependency ensures that in the event of failover, the resource manager starts the network resource before starting any data services that depend on the network resource.

```
# clresourcegroup create \  
-p Maximum primaries=m -p Desired primaries=n \  
-p RG_dependencies=resource-group scalable-resource-group  
-p Maximum primaries=m
```

Specifies the maximum number of active primary nodes allowed for this resource group. If you do not assign a value to this property, the default is 1.

- p `Desired primaries=n`
Specifies the desired number of active primary nodes allowed for this resource group. If you do not assign a value to this property, the default is 1.
- p `RG_dependencies=resource-group`
Identifies the resource group that contains the shared address resource on which the resource group being created depends.
- scalable-resource-group*
Specifies the scalable resource group.

7 Create an application resource in the scalable resource group.

You can repeat this step to add multiple application resources, such as secure and insecure versions, to the same resource group.

To set load balancing for the data service, use the two standard resource properties `Load_balancing_policy` and `Load_balancing_weights`. See [Appendix A, “Standard Properties,”](#) in *Oracle Solaris Cluster Data Services Planning and Administration Guide* for a description of these properties. Additionally, see the examples that follow this section.

- ```
clresource create -g scalable-resource-group \
-t resource-type -p Confdir_list=config-directory,... \
-p Resource_dependencies=shared-address,... \
-p Port_list=port-number/protocol,... \
-p Scalable=True resource
```
- g *scalable-resource-group*  
Specifies the name of the scalable resource group into which the resources are to be placed.
  - t *resource-type*  
Specifies the type of the resource to add.
  - p `Confdir_list=config-directory,...`  
Specifies a comma-separated list of the locations of the Sun Java System configuration files. Oracle Solaris Cluster HA for Sun Java System Web Server requires this extension property.
  - p `Resource_dependencies=shared-address,...`  
Specifies a comma-separated list of network resources that identify the shared addresses that the data service uses.
  - p `Port_list=port-number/protocol,...`  
Specifies a comma-separated list of port numbers and protocol to be used, for example, `80/tcp,81/tcp`.
  - p `Scalable=True`  
Specifies a Boolean that is required for scalable services.
  - resource*  
Specifies the name of the resource to add.

The resource is created in the enabled state.

---

**Note** – A one-to-one mapping applies for `Confdir_List` and `Port_List`. Each value in one list must correspond to the value in the other list in the specified order.

---

### 8 Bring the failover resource group online.

```
clresourcegroup online resource-group
resource-group
```

Specifies the name of the failover resource group.

### 9 Bring the scalable resource group online.

```
clresourcegroup online resource-group
resource-group
```

Specifies the name of the scalable resource group.

## Example 1-6 Registering a Scalable Oracle Solaris Cluster HA for Sun Java System Web Server

### Cluster Information

```
Node names: phys-schost-1, phys-schost-2
Shared address: schost-1
Resource groups: sa-resource-group-1 (for shared addresses),
iws-resource-group-1 (for scalable application resources)
Resources: schost-1 (shared address), Sun-app-insecure-1 (insecure
application resource), Sun-app-secure-1 (secure application resource)
```

(Add a failover resource group to contain shared addresses.)

```
clresourcegroup create sa-resource-group-1
```

(Add the shared address resource to the failover resource group.)

```
clressharedaddress create -g sa-resource-group-1 -h schost-1 sa-resource
```

(Add a scalable resource group.)

```
clresourcegroup create -p Maximum primaries=2 \
-p Desired_primaries=2 \
-p RG_dependencies=sa-resource-group-1 iws-resource-group-1
```

(Register the resource type for the Oracle Solaris Cluster HA for Sun Java System Web Server.)

```
clresourcetype register SUNW.iws
```

(Add an insecure application instance with default load balancing.)

```
clresource create -g iws-resource-group-1 -t SUNW.iws \
-p Confdir_List=/opt/SUNWbsrv/https-Sun-app-insecure-1 \
-p Scalable=True -p Resource_dependencies=schost-1 \
-p Port_list=80/tcp Sun-app-insecure-1
```

(Add a secure application instance with sticky IP load balancing.)

```
clresource create -g iws-resource-group-1 -t SUNW.iws \
-p Confdir_List=/opt/SUNWbsrv/https-Sun-app-secure-1 \
-p Scalable=True -p Resource_dependencies=schost-1 \
-p Port_list=443/tcp -p Load_balancing_policy=LB_STICKY \
-p Load_balancing_weights=40@1,60@2 Sun-app-secure-1
```

```
(Bring the failover resource group online.)
clresourcegroup online sa-resource-group-1
```

```
(Bring the scalable resource group online.)
clresourcegroup online iws-resource-group-1
```

## How to Configure SUNW.HASStoragePlus Resource Type

The SUNW.HASStoragePlus resource type was introduced in Sun Cluster 3.0 5/02. This new resource type performs the same functions as SUNW.HASStorage, and synchronizes actions between HA storage and the data service.

SUNW.HASStoragePlus also has an additional feature to make a local file system highly available.

See the SUNW.HASStoragePlus(5) man page and “Relationship Between Resource Groups and Device Groups” in *Oracle Solaris Cluster Data Services Planning and Administration Guide* for background information. See “Synchronizing the Startups Between Resource Groups and Device Groups” in *Oracle Solaris Cluster Data Services Planning and Administration Guide* for the procedure. (If you are using a Sun Cluster 3.0 version prior to 5/02, you must set up SUNW.HASStorage instead of SUNW.HASStoragePlus. See “Synchronizing the Startups Between Resource Groups and Device Groups” in *Oracle Solaris Cluster Data Services Planning and Administration Guide* for New Resources for the procedure.)

## Tuning the Oracle Solaris Cluster HA for Sun Java System Web Server Fault Monitor

The Oracle Solaris Cluster HA for Sun Java System Web Server fault monitor is contained in the resource that represents Sun Java System Web Server. You create this resource when you register and configure Oracle Solaris Cluster HA for Sun Java System Web Server. For more information, see “Registering and Configuring Oracle Solaris Cluster HA for Sun Java System Web Server” on page 21.

System properties and extension properties of this resource control the behavior of the fault monitor. The default values of these properties determine the preset behavior of the fault monitor. The preset behavior should be suitable for most Oracle Solaris Cluster installations. Therefore, you should tune the Oracle Solaris Cluster HA for Sun Java System Web Server fault monitor *only* if you need to modify this preset behavior.

For more information, see the following sections.

- “Tuning Fault Monitors for Oracle Solaris Cluster Data Services” in *Oracle Solaris Cluster Data Services Planning and Administration Guide*
- “Changing Resource Type, Resource Group, and Resource Properties” in *Oracle Solaris Cluster Data Services Planning and Administration Guide*

- [Appendix A, “Standard Properties,” in \*Oracle Solaris Cluster Data Services Planning and Administration Guide\*](#)

## Operations by the Fault Monitor During a Probe

The probe for Oracle Solaris Cluster HA for Sun Java System Web Server uses a request to the server to query the health of that server. Before the probe actually queries the server, a check is made to confirm that network resources are configured for this web server resource. If no network resources are configured, an error message (No network resources found for resource) is logged, and the probe exits with failure.

---

**Note** – The probe for Oracle Solaris Cluster HA for Sun Java System Web Proxy Server also uses a similar mechanism to that of Oracle Solaris Cluster HA for Sun Java System Web Server.

---

The probe must address the following two configurations of Sun Java System Web Server.

- Secure instance
- Insecure instance

If the web server is in secure mode and if the probe cannot communicate with the secure ports, the error message `Unable to parse configuration file` is logged, and the probe exits with failure. The secure and insecure instance probes involve common steps.

The `Resource_dependencies` resource-property setting on the Sun Java System Web Server resource determines the set of IP addresses that the web server uses. The `Port_list` resource-property setting determines the list of port numbers that Sun Java System Web Server uses. The fault monitor assumes that the web server is listening on all combinations of IP and port. The fault monitor attempts to probe all such combinations and might fail if the web server is not listening on a particular IP address and port combination.

If the probe fails to connect to the web server using a specified IP address and port combination, a complete failure occurs. The probe records the failure and takes appropriate action.

If the probe successfully connects, the probe checks if the web server is run in a secure mode. If so, the probe disconnects and returns with a success status. No further checks are performed for a secure Sun Java System Web Server.

However, if the web server is running in insecure mode, the probe sends an HTTP 1.0 HEAD request to the web server and waits for the response. The request can be unsuccessful for various reasons, including heavy network traffic, heavy system load, and misconfiguration.

Misconfiguration can occur when the web server is not configured to listen on all IP address and port combinations that are being probed. The web server should service every port for every IP address specified for this resource.

Misconfigurations can also result if the `Resource_dependencies` and `Port_list` resource properties were not set correctly when you created the resource.

If the reply to the query is not received within the `Probe_timeout` resource time limit, the probe considers this probe a failure of Oracle Solaris Cluster HA for Sun Java System Web Server. The failure is recorded in the probe's history.

A probe failure can be a complete or partial failure. The following probe failures are considered complete failures.

- Failure to connect to the server. The following error message is sent, where `%s` indicates the host name and `%d` indicates the port number.

```
Failed to connect to %s port %d
```

- Timeout (exceeding the resource-property timeout `Probe_timeout`) after trying to connect to the server.
- Failure to successfully send the probe string to the server. The following error message is sent, where the first `%s` indicates the host name, `%d` indicates the port number, and the second `%s` indicates further details about the error.

```
Failed to communicate with server %s port %d: %s
```

The monitor accumulates two such partial failures within the resource-property interval `Retry_interval` and counts them as one failure.

The following probe failures are considered partial failures.

- Timeout (exceeding the resource-property timeout `Probe_timeout`) while trying to read the reply from the server to the probe's query.
- Failing to read data from the server for other reasons. The following error message is sent, where the first `%s` indicates the host name, `%d` indicates the port number, and the second `%s` indicates further details about the error.

```
Failed to communicate with server %s port %d: %s
```

The probe connects to the Sun Java System Web Server server and performs an HTTP 1.1 GET check by sending a HTTP request to each of the URIs in `Monitor Uri List`. If the HTTP server return code is 500 (Internal Server Error) or if the connect fails, the probe will take action.

The result of the HTTP requests is either failure or success. If all of the requests successfully receive a reply from the Sun Java System Web Server server, the probe returns and continues the next cycle of probing and sleeping.

Heavy network traffic, heavy system load, and misconfiguration can cause the HTTP GET probe to fail. Misconfiguration of the `Monitor Uri List` property can cause a failure if a URI in the `Monitor Uri List` includes an incorrect port or hostname. For example, if the web server instance is listening on logical host `schost - 1` and the URI was specified as `http://schost - 2/servlet/monitor`, the probe will try to contact `schost - 2` to request `/servlet/monitor`.

Based on the history of failures, a failure can cause either a local restart or a failover of the data service. This action is further described in “[Tuning Fault Monitors for Oracle Solaris Cluster Data Services](#)” in *Oracle Solaris Cluster Data Services Planning and Administration Guide*.

## Upgrading the HA for Sun Java System Web Server Resource Type

Upgrade the SUNW.iws resource type if the following conditions apply:

- You are upgrading from an earlier version of the HA for Sun Java System Web Server data service.
- You need to use the new features of this data service.

For general instructions that explain how to upgrade a resource type, see “[Upgrading a Resource Type](#)” in *Oracle Solaris Cluster Data Services Planning and Administration Guide*. The information that you require to complete the upgrade of the SUNW.iws resource type is provided in the subsections that follow.

### Information for Registering the New Resource Type Version

The relationship between a resource type version and the release of Oracle Solaris Cluster data services is shown in the following table. The release of Oracle Solaris Cluster data services indicates the release in which the version of the resource type was introduced.

| Resource Type Version | Oracle Solaris Cluster Data Services Release |
|-----------------------|----------------------------------------------|
| 1                     | 1.0                                          |
| 3.1                   | 3.1 5/03                                     |
| 4                     | 3.1 10/03                                    |
| 5                     | 3.2                                          |

To determine the version of the resource type that is registered, use the `cl resourcetype show` command.

The resource type registration (RTR) file for this resource type is `/opt/SUNWschtt/etc/SUNW.iws`.

## Information for Migrating Existing Instances of the Resource Type

The information that you require to edit each instance of the `SUNW.iws` resource type is as follows:

- You can perform the migration at any time.
- If you need to use the new features of the HA for Sun Java System Web Server data service, the required value of the `Type_version` property is 4.
- If you need to monitor deployed applications, set the `Monitor Uri List` extension property to a single URI or a list of URIs to specify the locations of the applications that are to be probed.

The following example shows a command for modifying an instance of the `SUNW.iws` resource type.

EXAMPLE 1-7 Migrating Instances of the `SUNW.iws` Resource Type

```
clresource set \
-p Monitor Uri List=http://schost-1/test.html \
-p Type_version=4 webserver-rs
```

This command modifies the `SUNW.iws` resource named `webserver-rs` as follows:

- The `Type_version` property of this resource is set to 4.
- The fault monitor probe will monitor the URI `http://schost-1/test.html`.

# HA for Sun Java System Web Server Extension Properties

---

This section describes the extension properties for the resource type `SUNW.iws`. This resource type represents the Sun Java System Web Server application in a Oracle Solaris Cluster configuration.

For details about system-defined properties, see the `r_properties(5)` man page and the `rg_properties(5)` man page.

The extension properties of the `SUNW.iws` resource type are as follows:

## `Confdir_list`

A pointer to the server root directory for a particular Sun Java System Web Server or Sun Java System Web Proxy Server instance. If the Sun Java System Web Server or Sun Java System Web Proxy Server is in secure mode, the path name must contain a file named `keypass`, which contains the secure key password needed to start this instance.

For failover, the data service enforces that the size of `Confdir_list` is one. If you want multiple configuration files (instances), make multiple failover resources, each with one `Confdir_list` entry.

|                  |                    |
|------------------|--------------------|
| <b>Data type</b> | String array       |
| <b>Default</b>   | No default defined |
| <b>Range</b>     | Not applicable     |
| <b>Tunable</b>   | At creation        |

## `Failover_enabled`

A specification of whether the fault monitor fails over the Sun Java System Web Server resource if the number of attempts to restart exceeds `Retry_count` within the time that `Retry_interval` specifies. The possible values of this extension property are as follows:

- `True` – Specifies that the fault monitor fails over the Sun Java System Web Server resource
- `False` – Specifies that the fault monitor does *not* fail over the Sun Java System Web Server resource

|                  |                           |
|------------------|---------------------------|
| <b>Data type</b> | Boolean                   |
| <b>Default</b>   | True                      |
| <b>Range</b>     | Not applicable            |
| <b>Tunable</b>   | When resource is disabled |

**Monitor\_retry\_count**

The number of times that the process monitor facility (PMF) restarts the fault monitor during the time window that the `Monitor_retry_interval` property specifies. This property refers to restarts of the fault monitor itself rather than to the resource. The system-defined properties `Retry_interval` and `Retry_count` control restarting of the resource.

|                  |                                                                         |
|------------------|-------------------------------------------------------------------------|
| <b>Data type</b> | Integer                                                                 |
| <b>Default</b>   | 4                                                                       |
| <b>Range</b>     | 0 - 2,147,483,641<br>-1 indicates an infinite number of retry attempts. |
| <b>Tunable</b>   | At any time                                                             |

**Monitor\_retry\_interval**

The time (in minutes) over which failures of the fault monitor are counted. If the number of times that the fault monitor fails exceeds the value that is specified in the extension property `Monitor_retry_count` within this period, the PMF does not restart the fault monitor.

|                  |                                                               |
|------------------|---------------------------------------------------------------|
| <b>Data type</b> | Integer                                                       |
| <b>Default</b>   | 2                                                             |
| <b>Range</b>     | 0 - 2,147,483,641<br>-1 indicates an infinite retry interval. |
| <b>Tunable</b>   | At any time                                                   |

**Monitor Uri List**

A single URI or a list of URIs that can be used by the fault monitor to probe any deployed applications on the Sun Java System Web Server or Sun Java System Web Proxy Server. Probe deployed applications by setting the property to one or more URIs that are serviced by applications deployed on the Sun Java System Web Server or Sun Java System Web Proxy Server.

Introduced in release 3.1 10/03.

|                  |                |
|------------------|----------------|
| <b>Data type</b> | String         |
| <b>Default</b>   | Null           |
| <b>Range</b>     | Not applicable |

**Tunable** At any time

Probe\_timeout

The timeout value (in seconds) that the fault monitor uses to probe a Sun Java System Web Server instance.

**Data type** Integer

**Default** 90

**Range** 0 – 2,147,483,641

**Tunable** At any time



# Index

---

## C

`clnode` command, 9  
commands, node information, 8  
configuring, Sun Java System Web Server, 16

## E

extension properties  
    `Monitor Uri List`, 13  
    `SUNW.iws` resource type, 37–39

## F

fault monitor, Oracle Solaris Cluster HA for Sun Java  
    System Web Server, 32  
files, RTR, 35

## G

global zone, 19

## H

HA for Sun Java System Web Server  
    installing, 19–20  
    resource type versions, 35  
    software packages, installing, 19–20  
help, 8–9

## I

installing  
    HA for Sun Java System Web Server, 19–20  
    Sun Java System Web Server, 15  
iPlanet Web Server, *See* Sun Java System Web Server

## L

local zones, *See* non-global zones

## M

messages file, 9  
`Monitor Uri List` extension property, 13

## N

Netscape HTTP, *See* Sun Java System Web Server  
non-global zones, 19

## O

Oracle Solaris Cluster HA for Sun Java System Web  
    Server  
        configuration  
            planning, 12  
        fault monitor, 32  
        installation  
            planning, 12

Oracle Solaris Cluster HA for Sun Java System Web Server, installation (*Continued*)

- task map, 13
- SUNW.HAStoragePlus resource type, 32
- task map, 13

## P

- packages, 19–20
- properties
  - See also* extension properties
  - Monitor Uri List, 36
  - Type\_version, 36
- prtconf -v command, 9
- prtdiag -v command, 9
- psrinfo -v command, 9

## R

- resource type registration (RTR) file, 35
- restrictions, zones, 19

## S

- show-rev subcommand, 9
- showrev -p command, 9
- software packages, 19–20
- Sun Java System Web Server
  - configuring, 16
  - installation
    - installing software, 15
- Sun ONE Web Server, *See* Sun Java System Web Server
- SUNW.HAStoragePlus resource type, Oracle Solaris Cluster HA for Sun Java System Web Server, 32
- SUNW.iws resource type, extension properties, 37–39

## T

- task map, Oracle Solaris Cluster HA for Sun Java System Web Server, 13
- technical support, 8–9

Type\_version property, 36

## V

- /var/adm/messages file, 9
- versions, resource types, 35

## Z

- zones, 19