

Schema Reference Manual

iPlanet™ Messaging and Collaboration

iPlanet Calendar Server 5.1 and iPlanet Messaging Server 5.2

January 2002

Copyright © 2002 Sun Microsystems, Inc. All rights reserved.

Sun™, Sun Microsystems™, the Sun logo™, iPlanet™, the iPlanet logo™, and JavaScript™ are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries. UNIX® is a registered trademark in the United States and other countries, exclusively licensed through X/Open Company, Ltd. Netscape™ and the Netscape N logo are registered trademarks of Netscape Communications Corporation in the U.S. and other countries. Other Netscape logos, product names, and service names are also trademarks of Netscape Communications Corporation, which may be registered in other countries.

Federal Acquisitions: Commercial Software—Government Users Subject to Standard License Terms and Conditions

The product described in this document is distributed under licenses restricting its use, copying, distribution, and decompilation. No part of the product or this document may be reproduced in any form by any means without prior written authorization of Sun Microsystems, Inc. and its licensors, if any.

THIS DOCUMENTATION IS PROVIDED “AS IS” AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright © 2002 Sun Microsystems, Inc. Tous droits réservés.

Sun™, Sun Microsystems™, the Sun logo™, iPlanet™, the iPlanet logo™, et JavaScript™ sont des marques de fabrique ou des marques déposées de Sun Microsystems, Inc. aux Etats-Unis et d'autre pays. UNIX® est une marque enregistree aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company, Ltd. Netscape™ et the Netscape N logo sont des marques déposées de Netscape Communications Corporation aux Etats-Unis et d'autre pays. Les autres logos, les noms de produit, et les noms de service de Netscape sont des marques déposées de Netscape Communications Corporation dans certains autres pays.

Le produit décrit dans ce document est distribué selon des conditions de licence qui en restreignent l'utilisation, la copie, la distribution et la décompilation. Aucune partie de ce produit ni de ce document ne peut être reproduite sous quelque forme ou par quelque moyen que ce soit sans l'autorisation écrite préalable du Sun Microsystems, Inc. et, le cas échéant, de ses bailleurs de licence.

CETTE DOCUMENTATION EST FOURNIE “EN L'ÉTAT”, ET TOUTES CONDITIONS EXPRESSES OU IMPLICITES, TOUTES REPRÉSENTATIONS ET TOUTES GARANTIES, Y COMPRIS TOUTE GARANTIE IMPLICITE D'APTITUDE À LA VENTE, OU À UN BUT PARTICULIER OU DE NON CONTREFAÇON SONT EXCLUES, EXCEPTÉ DANS LA MESURE OÙ DE TELLES EXCLUSIONS SERAIENT CONTRAIRES À LA LOI.

Contents

About This Manual	9
Who Should Use This Manual	9
What You Need to Know	10
How This Manual is Organized	10
Typographical Conventions	11
Monospaced Font	11
Bold Monospaced Font	11
Italicized Font	11
Where to Find This Book Online	11
Chapter 1 Overview	13
Chapter 2 Object Classes	15
List of Object Classes	15
Object Classes	16
domain	16
groupOfUniqueNames	17
icsCalendarResource	18
icsCalendarUser	18
inetAdmin	19
inetDomain	20
inetDomainAlias	20
inetDomainAuthInfo	21
inetDomainOrg	22
inetLocalMailRecipient	22
inetMailAdministrator	23
inetMailGroup	24

inetMailGroupManagement	25
inetMailUser	25
inetManagedGroup	26
inetResource	27
inetSubscriber	28
inetUser	28
ipUser	29
mailDomain	29
msgVanityDomainUser	30
nsManagedDept	31
nsManagedDeptAdminGroup	31
nsManagedDomain	32
nsManagedFamilyGroup	33
nsManagedISP	33
nsManagedMailList	34
nsManagedOrgUnit	34
nsManagedPerson	35
nsUniquenessDomain	36
pab	36
pabGroup	37
pabPerson	38
userPresenceProfile	38
Chapter 3 Attributes	41
List of Attributes	41
Attributes	47
adminRole	47
businessCategory	48
calCalURI	48
calFBURL	49
cn	49
co	50
commonName (see cn)	51
countryName (see co)	51
dataSource	51
dateOfBirth	51
dc	52
description	53
domainUidSeparator	53
domOrgMaxUsers	54
domOrgNumUsers	55
facsimileTelephoneNumber	55
givenName	56

icsAlias	56
icsCalendar	57
icsCapacity	57
icsContact	58
icsDefaultAccess	58
icsDefaultSet	59
icsExtended	59
icsExtendedResourcePrefs	60
icsExtendedUserPrefs	60
icsFirstDay	64
icsFreeBusy	64
icsGeo	65
icsPartition	65
icsPreferredHost	66
icsQuota	66
icsSet	67
icsStatus	68
icsSubscribed	69
icsTimezone	69
inetCanonicalDomainName	70
inetCOS	70
inetDomainBaseDN	71
inetDomainCertMap	72
inetDomainSearchFilter	72
inetDomainStatus	73
inetMailGroupStatus	74
inetResourceStatus	75
inetSubscriberAccountId	76
inetSubscriberChallenge	76
inetSubscriberResponse	77
inetUserHttpURL	77
inetUserStatus	78
mail	79
mailAccessProxyPreAuth	79
mailAccessProxyReplay	80
mailAdminRole	81
mailAllowedServiceAccess	82
mailAlternateAddress	83
mailAutoReplyMode	83
mailAutoReplySubject	84
mailAutoReplyText	84
mailAutoReplyTextInternal	85
mailAutoReplyTimeOut	85

mailClientAttachmentQuota	86
mailConversionTag	87
mailDeferProcessing	87
mailDeliveryFileURL	88
mailDeliveryOption	88
mailDomainAllowedServiceAccess	90
mailDomainCatchallAddress	90
mailDomainConversionTag	91
mailDomainMsgMaxBlocks	91
mailDomainMsgQuota	92
mailDomainReportAddress	92
mailDomainSieveRuleSource	93
mailDomainStatus	94
mailDomainWelcomeMessage	95
mailEquivalentAddress	96
mailForwardingAddress	96
mailHost	97
mailMessageStore	97
mailMsgMaxBlocks	98
mailMsgQuota	99
mailProgramDeliveryInfo	99
mailQuota	100
mailRejectText	101
mailRoutingAddress	101
mailRoutingHosts	102
mailRoutingSmartHost	102
mailSieveRuleSource	103
mailSMTPSubmitChannel	105
mailUserStatus	105
maxPabEntries	107
memberOf	107
memberOfManagedGroup	108
memberOfPAB	108
memberOfPABGroup	109
memberURL	109
mgmanAllowSubscribe	110
mgmanDenySubscribe	110
mgmanGoodbyeText	111
mgmanHidden	111
mgmanIntroText	112
mgmanJoinability	112
mgmanMemberVisibility	113
mgmanVisibility	114

mgrpAddHeader	114
mgrpAllowedBroadcaster	115
mgrpAllowedDomain	116
mgrpAuthPassword	116
mgrpBroadcasterPolicy	117
mgrpDeliverTo	118
mgrpDisallowedBroadcaster	118
mgrpDisallowedDomain	119
mgrpErrorsTo	120
mgrpModerator	121
mgrpMsgMaxSize	121
mgrpMsgPrefixText	122
mgrpMsgRejectAction	123
mgrpMsgRejectText	123
mgrpMsgSuffixText	124
mgrpNoDuplicateChecks	124
mgrpRemoveHeader	125
mgrpRequestTo	126
mgrpRFC822MailMember	126
mnggrpAdditionPolicy	127
mnggrpBillableUser	128
mnggrpCurrentUsers	128
mnggrpDeletionPolicy	129
mnggrpMailQuota	129
mnggrpMaxUsers	130
mnggrpStatus	130
mnggrpUserClassOfServices	131
msgVanityDomain	131
multiLineDescription	132
nickName	132
nsDefaultMaxDeptSize	133
nsMaxDepts	133
nsMaxDomains	134
nsMaxMailingLists	134
nsMaxUsers	135
nsNumDepts	135
nsNumDomains	136
nsNumMailLists	136
nsNumUsers	137
nsdaCapability	137
nsdaDomain	138
nsdaModifiableBy	138
nswmExtendedUserPrefs	139

o	140
objectClass	140
organizationName	141
organizationUnitName (see ou)	141
ou	141
owner	142
pabURI	142
postalAddress	143
preferredLanguage	144
preferredMailHost	144
preferredMailMessageStore	145
seeAlso	145
sn	146
telephoneNumber	146
uid	147
un	148
uniqueMember	148
userid (see uid)	149
userPassword	149
vacationEndDate	150
vacationStartDate	150
Appendix A General Information	153
LDAP Overview	153
Attribute Syntax	154
Object Identifiers	154
ISO 8601 Time Zones	155
Glossary	159
Index	171

About This Manual

This manual serves as a reference for schema information for iPlanet™ Messaging and Collaboration products using LDAP, specifically iPlanet Messaging Server 5.2 and iPlanet Calendar Server 5.1.

Topics covered in this chapter include:

- Who Should Use This Manual
- What You Need to Know
- How This Manual is Organized
- Typographical Conventions
- Where to Find This Book Online

Who Should Use This Manual

You should use this manual if you want to provision iPlanet Messaging Server, or iPlanet Calendar Server, using LDAP. The audience for this manual consists of:

- System architects who want to develop customized provisioning tools that interface between iPlanet Messaging and Collaboration product entries in the LDAP directory and their existing source of users, groups, and domains information such as a company database or billing system.
- Site Administrators who want to know how to create domain, user, group, or resource entries using LDAP.

Readers are expected to have a basic understanding of LDAP, iPlanet Directory Server, and email or calendar concepts.

What You Need to Know

This manual assumes that you have a general understanding of the following:

- The Internet and the World Wide Web
- iPlanet Administration Server
- Netscape™ Directory Server and LDAP
- Email and email concepts/Calendar and calendar concepts
- Netscape Console
- RFC 2798, and RFC 2445

The RFC's may be found at the IETF web site:

- <http://www.ietf.org/rfc/rfc2798.txt>
- <http://www.ietf.org/rfc/rfc2445.txt>
- ISO8601 DateTime Format

For a list of ISO 8601 time zones, see Appendix A, ISO 8601 Time Zones.

How This Manual is Organized

This manual contains the following chapters and appendix:

- About This Manual (this chapter)
- Chapter 1, "Overview"
- Chapter 2, "Object Classes"
- Chapter 3, "Attributes"
- Appendix A, "General Information"
- Glossary

Typographical Conventions

Monospaced Font

`Monospaced font` is used for any text that appears on the computer screen or text that you should type. It is also used for filenames, distinguished names, functions, and examples.

Bold Monospaced Font

bold monospaced font is used to represent text within a code example that you should type.

Italicized Font

Italicized font is used to represent book titles and text that you enter using information that is unique to your messaging server. It is used for server paths and names and account IDs.

For example, throughout this document you will see path references of the form:

`server-root/msg-instance/...`

In these situations, `server-root` represents the directory path in which you install the server, and `msg-instance` represents the server instance (or default host machine name) you use when you install it. For example, if you install your server in the directory `/usr/iplanet/server5` and use the server instance `tango`, the actual path is:

`/usr/iplanet/server5/msg-tango/`

Where to Find This Book Online

You can find the *iPlanet Messaging and Collaboration Schema Reference Manual* online in HTML and PDF formats.

To find this book or other iPlanet Messaging Server documentation, use the URL:

<http://docs.ipplanet.com/docs/manuals/messaging.html>

or for this book and other iPlanet Calendar Server documentation, use the URL:
<http://docs.iplanet.com/docs/manuals/calendar.html>

Overview

The basic data model of the iPlanet Messaging and Collaboration object classes is to extend LDAP entry *types* (for example, *user*, *group*, *domain*) created by *core object classes* by overlaying them with *shared classes* (object classes can be shared by more than one service) and *service-specific object classes* (classes specific to a certain type of server). Table 1-1. depicts these relationships.

Table 1-1 Entry Types and Corresponding Object Classes

Types	Core Classes	Shared Classes	Messaging Server Classes	Calendar Server Classes
DC Tree Domain	domain, inetDomain	N/A	mailDomain, nsManagedDomain	icsCalendarDomain
Org Tree Domain	organization	N/A	nsManagedDomain	icsCalendarDomain
User	person, inetUser, organizational Person, inetOrg Person	ipUser, userPresence Profile	inetMailUser, inetLocalMailRecipient, nsManagedPerson	icsCalendarUser,
Group	groupOfUnique Names	N/A	inetMailGroup, inetLocalRecipient, inetMailGroupManagement, nsManagedMailList	N/A
Family Account	inetManagedGroup	N/A	nsManagedDept	N/A
Resource	inetResource	N/A	N/A	icsCalendarResource inetResource

For more information on RFC 2798 and internet standards, use the following URL:

<http://www.imc.org/rfcs.html>

Object Classes

This chapter describes LDAP object classes for iPlanet Messaging and Collaboration products. The objects are listed alphabetically.

List of Object Classes

This chapter describes the following object classes for iPlanet Messaging and Collaboration products:

- domain
- groupOfUniqueNames
- icsCalendarResource
- icsCalendarUser
- inetDomain
- inetDomainAlias
- inetDomainAuthInfo
- inetDomainOrg
- inetLocalMailRecipient
- inetMailAdministrator
- inetMailGroup
- inetMailGroupManagement
- inetMailUser
- inetManagedGroup

- inetResource
- inetSubscriber
- inetUser
- ipUser
- mailDomain
- msgVanityDomainUser
- nsManagedDept
- nsManagedDeptAdminGroup
- nsManagedDomain
- nsManagedFamilyGroup
- nsManagedISP
- nsManagedMailList
- nsManagedOrgUnit
- nsManagedPerson
- nsUniquenessDomain
- pab
- pabGroup
- pabPerson
- userPresenceProfile

Object Classes

domain

Supported by

iPlanet Messaging Server 5.0, iPlanet Calendar Server 5.1

Definition

Object class used to define entries that represent DNS domains.

This class can only be used with an entry that does not correspond to an organization, organizational unit, or other type of object for which an object class has been defined.

This is a core class for both Messaging and Calendar products.

Superior Class

top

Object Class Type

structural

OID

0.9.2342.19200300.100.4.13

Required Attributes

dc, objectClass

Allowed Attributes

associatedName, businessCategory, description, destinationIndicator, fax (facsimileTelephoneNumber), internationalIsdnNumber, localityName, manager, o (organizationName), physicalDeliveryOfficeName, postOfficeBox, postalAddress, postalCode, preferredDeliveryMethod, registeredAddress, searchGuide, seeAlso, st, street, telephoneNumber, telexTerminalIdentifier, telexNumber, userPassword, x121Address

groupOfUniqueNames

Supported by

iPlanet Messaging Server 5.0

Definition

Defines entries for a group of unique names.

Superior Class

top

Object Class Type

OID

2.5.6.17

Required Attributes

cn, objectClass

Allowed Attributes

businessCategory, description, o, ou, owner, seeAlso, uniqueMember

icsCalendarResource

Supported by

iPlanet Calendar Server 5.1

Definition

Specifies a calendar resource. Must be used in conjunction with `inetResource`.

Superior Class

`inetResource`

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.143

Required Attributes

N/A

Allowed Attributes

cn, facsimileTelephoneNumber, icsTimezone, postalAddress, uid

icsCalendarUser

Supported by

iPlanet Calendar Server 5.1

Definition

Specifies a calendar user.

Superior Class**Object Class Type****OID**

2.16.840.1.113730.3.2.141

Required Attributes

N/A

Allowed Attributes

cn, givenName, icsDefaultSet, icsExtendedUserPrefs, icsFirstDay, icsSet, icsSubscribed, icsTimezone, mail, preferredLanguage, sn, uid, userPassword

inetAdmin

Supported by

iPlanet Messaging Server 5.0

Definition

Identifies administrator user or group.

Superior Class

top

Object Class Type

Auxiliary

OID

2.16.840.1.113730.3.2.112

Required Attributes

objectClass

Allowed Attributes

memberOf, adminRole

inetDomain

Supported by

iPlanet Messaging Server 5.0

Definition

Auxiliary class for Nortel and Sun/Netscape Alliance interoperability specification compliant services like mail, Radius, and calendar. Used to extend the base entry created by `domain`. It represents a hosted domain account and is used in conjunction with `mailDomain` and (optionally `inetDomainAuthInfo`) for creating a hosted domain node suitable for mail services for the hosted organization. This object class must be used for all hosted domain entries.

Superior Class

top

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.129

Required Attributes

N/A

Allowed Attributes

`inetDomainBaseDN`, `inetDomainStatus`

inetDomainAlias

Supported by

iPlanet Messaging Server 5.0

Definition

Structural class for creating domain alias entries in the directory. Entries may be created in the domain component tree that point at other hosted domain objects. Such domain alias entries must use this object class. Attribute `aliasedObjectName`, inherited from the parent object class `alias` (see RFC 2256), holds the DN of the LDAP entry for which the node is an alias.

Superior Class

alias

Object Class Type

structural

OID

2.16.840.1.113730.3.2.131

Required Attributes

dc

Allowed Attributes

N/A

inetDomainAuthInfo

Supported by

iPlanet Messaging Server 5.0

Definition

This object class is used to extend the `domain` entry with search filter, domain cert map, and a canonical domain name if more than one hosted domain refers to the same organization subtree.

Superior Class

top

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.133

Required Attributes

N/A

Allowed Attributes

`domainUidSeparator`, `inetDomainSearchFilter`, `inetDomainCertMap`,
`inetCanonicalDomainName`

inetDomainOrg

Supported by

iPlanet Messaging Server 5.0

Definition

Auxiliary class for supporting a managed domain organization. This object class is used in conjunction with the structural class `organization` to define a domain organization. A domain organization is usually created as a way of introducing hierarchy beneath a customer subtree and assigning administrators for that domain organization. For example, `siroe.com` could have a customer subtree with the DN `o=Siroe Inc.,o=ISP`. To create a sub-organization beneath the parent tree and designate a set of administrators for that sub-organization, you would create a Domain Organization node by using `organization` and `inetDomainOrg` object classes.

Superior Class

`top`

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.132

Required Attributes

N/A

Allowed Attributes

`domOrgMaxUsers`, `domOrgNumUsers`

inetLocalMailRecipient

Supported by

iPlanet Messaging Server 5.0

Definition

Stores information that provides a way to designate an LDAP entry as one that represents a local (intra-organizational) email recipient, to specify the recipient's email address(es), and to provide routing information pertinent to the recipient. This is intended to support SMTP message transfer agents in routing RFC 822-based email within a private enterprise only, and is not to be used in the process of routing email across the public Internet.

Superior Class

top

Object Class Type

auxiliary

OID

2.16.840.1.113.730.3.2.147

Required Attributes

N/A

Allowed Attributes

mail, mailAlternateAddress, mailHost, mailRoutingAddress

inetMailAdministrator

Supported by

iPlanet Messaging Server 5.0

Definition

LDAP group defined with `groupOfUniqueNames` can be overlaid with this object class. Members (listed in the attribute `uniqueMember`) of a group overlaid with this object class and where `mailAdminRole` is set to `storeAdmin` get IMAP proxyauth (proxy authentication) rights over all users in the same domain in which the group entry exists.

Superior Class

top

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.148

Required Attributes

N/A

Allowed Attributes

mailAdminRole

inetMailGroup

Supported by

iPlanet Messaging Server 5.0

Definition

Used to extend the base entry created by `groupOfUniqueNames` to define a group of mail recipients. `inetMailGroup` is used to store attributes of a mailing list. It is used in conjunction with `inetLocalMailRecipient` and `inetMailGroupManagement` (for mailing lists managed by the Delegated Administrator).

Superior Class

top

Object Class Type

auxiliary

OID

1.3.6.1.4.1.42.2.27.2.2.2

Required Attributes

N/A

Allowed Attributes

`dataSource`, `inetMailGroupStatus`, `mailConversionTag`,
`mailDeferProcessing`, `mailDeliveryFileURL`, `mailDeliveryOption`,
`mailEquivalentAddress`, `mailMsgMaxBlocks`, `mailProgramDeliveryInfo`,
`mgrpAddHeader`, `mgrpAllowedBroadcaster`, `mgrpAllowedDomain`,
`mgrpAuthPassword`, `mgrpBroadcasterPolicy`, `mgrpDeliverTo`,
`mgrpDisallowedBroadcaster`, `mgrpDisallowedDomain`, `mgrpErrorsTo`,

mgrpModerator, mgrpMsgMaxSize, mgrpMsgPrefixText, mgrpMsgRejectAction, mgrpMsgRejectText, mgrpMsgSuffixText, mgrpNoDuplicateChecks, mgrpRemoveHeader, mgrpRequestTo, mgrpRFC822MailMember, preferredLanguage

inetMailGroupManagement

Supported by

iPlanet Messaging Server 5.0

Definition

Used to extend the base entry created by `groupOfUniqueNames`. `inetMailGroupManagement` is used to store attributes for managing a distribution list by using Delegated Administrator for Messaging. This object class is used in conjunction with `inetMailGroup` and `inetLocalMailRecipient`. The attributes in this object class have no operational impact on the messaging server's MTA or message access/message store.

Superior Class

top

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.149

Required Attributes

N/A

Allowed Attributes

mgmanAllowSubscribe, mgmanDenySubscribe, mgmanGoodbyeText, mgmanHidden, mgmanIntroText, mgmanJoinability, mgmanMemberVisibility, mgmanVisibility, multiLineDescription

inetMailUser

Supported by

iPlanet Messaging Server 5.0

Definition

Used to extend the base entry created by `inetOrgPerson` to define a messaging service user. It represents a mail account and is used in conjunction with `inetUser` and `inetLocalMailRecipient`. Optionally, `inetSubscriber` may also be used for general account management purposes.

Superior Class

`top`

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.146

Required Attributes

N/A

Allowed Attributes

`cn`, `dataSource`, `icsQuota`, `mailAllowedServiceAccess`, `mailAutoReplyMode`, `mailAutoReplySubject`, `mailAutoReplyTimeOut`, `mailAutoReplyText`, `mailAutoReplyTextInternal`, `mailConversionTag`, `mailDeferProcessing`, `mailDeliveryOption`, `mailEquivalentAddress`, `mailForwardingAddress`, `mailMessageStore`, `mailMsgMaxBlocks`, `mailMsgQuota`, `mailProgramDeliveryInfo`, `mailQuota`, `mailSieveRuleSource`, `mailSMTPSubmitChannel`, `mailUserStatus`, `nswmExtendedUserPrefs`

inetManagedGroup

Supported by

iPlanet Messaging Server 5.0

Definition

Used to define a managed group. If a managed group is just a department or family group, then the structural class to use is `top`, but it can also be used to make a statically defined group (from `groupOfUniqueNames`) and make that a managed group.

Superior Class

`top`

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.137

Required Attributes

commonname (cn is an alias for common name)

Allowed Attributes

description, mnggrpAdditionPolicy, mnggrpBillableUser, mnggrpCurrentUsers, mnggrpDeletionPolicy, mnggrpMailQuota, mnggrpMaxUsers, mnggrpStatus, mnggrpUserClassOfServices, nsdaModifiableBy, owner

inetResource

Supported by

iPlanet Calendar Server 5.1

Definition

Specifies a resource.

Superior Class**Object Class Type****OID**

2.16.840.1.113730.3.2.142

Required Attributes

cn

Allowed Attributes

facsimileTelephoneNumber, inetCOS, inetResourceStatus, mail, postalAddress, telephoneNumber

inetSubscriber

Supported by

iPlanet Messaging Server 5.0

Definition

Used to extend the base entry created by `inetOrgPerson` to define a user. It represents a subscriber account and may be used in conjunction with `inetUser`, `inetMailUser`, and `ipUser` for creating a mail account.

Superior Class

top

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.134

Required Attributes

N/A

Allowed Attributes

`inetSubscriberAccountId`, `inetSubscriberChallenge`,
`inetSubscriberResponse`

inetUser

Supported by

iPlanet Messaging Server 5.0

Definition

Used to extend the base entry created by `inetOrgPerson`. It represents a user account and is used in conjunction with `inetMailUser` and `ipUser` for creating a mail account. This can be used with `icsUser` for creating a calendar account.

Superior Class

top

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.130

Required Attributes

N/A.

Allowed Attributes

inetUserHttpURL, inetUserStatus, memberOf, uid, userPassword

ipUser

Supported by

iPlanet Messaging Server 5.0

Definition

Object class for services like mail and calendar. Used to extend the base entry created by `inetOrgPerson` and `inetUser`. This object class holds the reference to the personal address book container and the class of service specifier.

Superior Class

top

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.135

Required Attributes

N/A

Allowed Attributes

inetCOS, memberOfManagedGroup, maxPabEntries, pabURI

mailDomain

Supported by

iPlanet Messaging Server 5.0

Definition

Auxiliary class used to extend the base entry created by `domain` and `inetDomain` for enabling messaging services for the hosted domain. It represents a hosted domain account with access to Messaging Service. This object class must be used for all hosted domain entries.

Superior Class

top

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.151

Required Attributes

N/A

Allowed Attributes

mailAccessProxyPreAuth, mailAccessProxyReplay,
mailClientAttachmentQuota, mailDomainAllowedServiceAccess,
mailDomainConversionTag, mailDomainCatchallAddress,
mailDomainMsgMaxBlocks, mailDomainMsgQuota, mailDomainReportAddress,
mailDomainSieveRuleSource, mailDomainStatus, mailDomainWelcomeMessage,
mailQuota, mailRoutingHosts, mailRoutingSmartHost, preferredLanguage,
preferredMailHost, preferredMailMessageStore

msgVanityDomainUser

Supported by

iPlanet Messaging Server 5.0

Definition

Auxiliary class for supporting the notion of a vanity domain for messaging. Used to extend the base mail user entry to assign a vanity domain to the user.

Superior Class

top

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.150

Required Attributes

N/A

Allowed Attributes

msgVanityDomain

nsManagedDept

Supported by

iPlanet Messaging Server 5.0

Definition

Stores information for a non-administrator group. Every non-administrator group must contain this object class in order to be managed by iPlanet Delegated Administrator.

Superior Class

groupOfUniqueNames

Object Class Type**OID**

2.16.840.1.113730.3.2.88

Required Attributes

objectClass

Allowed Attributes

nsMaxDepts, nsMaxUsers, nsNumDepts, nsNumUsers, nsdaModifiableBy, owner

nsManagedDeptAdminGroup

Supported by

iPlanet Messaging Server 5.0

Definition

Stores information for a group of administrators.

Superior Class

top

Object Class Type

OID

2.16.840.1.113730.3.2.111

Required Attributes

objectClass

Allowed Attributes

N/A

nsManagedDomain

Supported by

iPlanet Messaging Server 5.0

Definition

Stores information for an organization. All organizations must contain this object class in order to be managed by iPlanet Delegated Administrator.

Superior Class

top

Object Class Type

OID

2.16.840.1.113730.3.2.86

Required Attributes

objectClass

Allowed Attributes

nsDefaultMaxDeptSize, nsMaxDepts, nsMaxDomains, nsMaxMailingLists, nsMaxUsers, nsNumDepts, nsNumDomains, nsNumMailLists, nsNumUsers, nsdaModifiableBy, owner

nsManagedFamilyGroup

Supported by

iPlanet Messaging Server 5.0

Definition

Stores information for a family group managed by a delegated administrator. The family group is like a Group, with a few differences. It was added primarily to support Delegated Administrator deployments using Sun Internet Message Service (SIMS) 4.0.

Superior Class

top

OID

2.16.840.1.113730.3.2.89

Required Attribute

objectClass

Allowed Attributes

nsMaxUsers, nsNumUsers, nsdaModifiableBy, owner

nsManagedISP

Supported by

iPlanet Messaging Server 5.0

Definition

Tracks the number of sub-organizations that can be created under this object.

Superior Class

top

nsManagedMailList

OID

2.16.840.1.113730.3.2.85

Required Attribute

objectClass

Allowed Attributes

nsNumDomains

nsManagedMailList

Supported by

iPlanet Messaging Server 5.0

Definition

Stores information for a mail list created by enabled users. A mail list must contain this object class in order to be managed by Delegated Administrator.

Superior Class

top

Object Class Type

OID

2.16.840.1.113730.3.2.90

Required Attributes

objectClass

Allowed Attributes

nsMaxUsers, nsNumUsers, nsdaModifiableBy, owner

nsManagedOrgUnit

Supported by

iPlanet Messaging Server 5.0

Definition

Stores information for a managed organizational unit.

Superior Class

top

OID

2.16.840.1.113730.3.2.87

Required Attributes

objectClass

Allowed Attributes

nsdaModifiableBy, owner

nsManagedPerson

Supported by

iPlanet Messaging Server 5.0

Definition

Stores information about a user. A user entry must contain this object class in order to be managed by Delegated Administrator.

Superior Class

top

Object Class Type**OID**

2.16.840.1.113730.3.2.91

Required Attributes

objectClass

Allowed Attributes

memberOf, nsdaCapability, nsDefaultMaxDeptSize, nsdaModifiableBy, owner

nsUniquenessDomain

Supported by

iPlanet Messaging Server 5.0

Definition

This object class was used as a marker to identify the subtree where the uniqueness of uid should be enforced. The uid uniqueness plugin uses this to determine the scope or sphere of influence for enforcing uniqueness.

Superior Class

top

OID

2.16.840.1.113730.3.2.115

Required Attributes

objectClass

Allowed Attributes

N/A

pab

Supported by

iPlanet Messaging Server 5.0

Definition

The data model used is as follows:

`pabPerson` is a user entry in the personal address book.

`pabGroup` is the group entry and corresponds to a personal distribution list. For example, the `pabGroup` "pab-notes" may contain `pabPersons` micky and john.

`pab` is the address book that contains zero or more `pabPerson` and zero or more `pabGroup` entries. This is the top level logical container. `pab` may contain `pabPerson` and/or `pabGroup`. A `pabPerson` may belong in zero or more `pabGroup` and zero or more `pab`.

`pabPerson` may belong to zero or more `pabGroup` entries. This link is established by `memberOfPABGroup`, a multi-valued attribute holding the DN of the `pabGroup` in which the `pabPerson` belongs. A `pabPerson` may also belong to many personal address book's. This link is established by having the DN of the `pab` listed as a value of the attribute `memberOfPAB`.

All users and groups belong in the default personal address book called "All."

Superior Class

top

Object Class Type

structural

OID

2.16.840.1.113730.3.2.140

Required Attributes

cn

Allowed Attributes

description, un

pabGroup

Supported by

iPlanet Messaging Server 5.0

Definition

`pabPerson` is a user entry in the personal address book.

`pabGroup` is the group entry and corresponds to a personal distribution list. For example, the `pabGroup` "pab-notes" may contain `pabPersons` micky and john.

Superior Class

top

Object Class Type

structural

OID

2.16.840.1.113730.3.2.139

Required Attributes

cn

Allowed Attributes

description, memberOfPABGroup, nickName, un

pabPerson

Supported by

iPlanet Messaging Server 5.0

Definition

The basic entry in a personal address book is created using the pabPerson object class. This is a structural object class and inherits from inetOrgPerson.

Superior Class

inetOrgPerson

Object Class Type

structural

OID

2.16.840.1.113730.3.2.138

Required Attributes

N/A

Allowed Attributes

calCalURI, calFBURL, co, dateOfBirth, mailAlternateAddress, memberOfPAB, memberOfPABGroup, nickName, o, organizationName, ou, un

userPresenceProfile

Supported by

iPlanet Messaging Server 5.0

Definition

Used to store the presence information for a user. Currently only two attributes are defined: vacationStartTime and vacationEndTime.

Superior Class

top

Object Class Type

auxiliary

OID

2.16.840.1.113730.3.2.136

Required Attributes

N/A

Allowed Attributes

vacationEndDate, vacationStartDate

userPresenceProfile

Attributes

This chapter describes attributes required or allowed by LDAP object classes for iPlanet Messaging and Collaboration products. The attributes are listed alphabetically.

List of Attributes

This chapter describes the following attributes for iPlanet Messaging and Collaboration products:

- "adminRole" on page 47
- "businessCategory" on page 48
- "calCalURI" on page 48
- "calFBURL" on page 49
- "cn" on page 49
- "co" on page 50
- "commonName (see cn)" on page 51
- "countryName (see co)" on page 51
- "dataSource" on page 51
- "dateOfBirth" on page 51
- "dc" on page 52
- "description" on page 53
- "domainUidSeparator" on page 53

- "domOrgMaxUsers" on page 54
- "domOrgNumUsers" on page 55
- "facsimileTelephoneNumber" on page 55
- "givenName" on page 56
- "icsAlias" on page 56
- "icsCalendar" on page 57
- "icsCapacity" on page 57
- "icsContact" on page 58
- "icsDefaultAccess" on page 58
- "icsDefaultSet" on page 59
- "icsExtended" on page 59
- "icsExtendedResourcePrefs" on page 60
- "icsExtendedUserPrefs" on page 60
- "icsFirstDay" on page 64
- "icsFreeBusy" on page 64
- "icsGeo" on page 65
- "icsPartition" on page 65
- "icsPreferredHost" on page 66
- "icsQuota" on page 66
- "icsSet" on page 67
- "icsStatus" on page 68
- "icsSubscribed" on page 69
- "icsTimezone" on page 69
- "inetCanonicalDomainName" on page 70
- "inetCOS" on page 70
- "inetDomainBaseDN" on page 71
- "inetDomainCertMap" on page 72

- "inetDomainSearchFilter" on page 72
- "inetDomainStatus" on page 73
- "inetMailGroupStatus" on page 74
- "inetResourceStatus" on page 75
- "inetSubscriberAccountId" on page 76
- "inetSubscriberChallenge" on page 76
- "inetSubscriberResponse" on page 77
- "inetUserHttpURL" on page 77
- "inetUserStatus" on page 78
- "mail" on page 79
- "mailAccessProxyPreAuth" on page 79
- "mailAccessProxyReplay" on page 80
- "mailAdminRole" on page 81
- "mailAllowedServiceAccess" on page 82
- "mailAlternateAddress" on page 83
- "mailAutoReplyMode" on page 83
- "mailAutoReplySubject" on page 84
- "mailAutoReplyText" on page 84
- "mailAutoReplyTextInternal" on page 85
- "mailAutoReplyTimeOut" on page 85
- "mailClientAttachmentQuota" on page 86
- "mailConversionTag" on page 87
- "mailDeferProcessing" on page 87
- "mailDeliveryFileURL" on page 88
- "mailDeliveryOption" on page 88
- "mailDomainAllowedServiceAccess" on page 90
- "mailDomainCatchallAddress" on page 90

- "mailDomainConversionTag" on page 91
- "mailDomainMsgMaxBlocks" on page 91
- "mailDomainMsgQuota" on page 92
- "mailDomainReportAddress" on page 92
- "mailDomainSieveRuleSource" on page 93
- "mailDomainStatus" on page 94
- "mailDomainWelcomeMessage" on page 95
- "mailEquivalentAddress" on page 96
- "mailForwardingAddress" on page 96
- "mailHost" on page 97
- "mailMessageStore" on page 97
- "mailMsgMaxBlocks" on page 98
- "mailMsgQuota" on page 99
- "mailProgramDeliveryInfo" on page 99
- "mailQuota" on page 100
- "mailRejectText" on page 101
- "mailRoutingAddress" on page 101
- "mailRoutingHosts" on page 102
- "mailRoutingSmartHost" on page 102
- "mailSieveRuleSource" on page 103
- "mailSMTPSubmitChannel" on page 105
- "mailUserStatus" on page 105
- "maxPabEntries" on page 107
- "memberOf" on page 107
- "memberOfManagedGroup" on page 108
- "memberOfPAB" on page 108
- "memberOfPABGroup" on page 109

- "mgmanAllowSubscribe" on page 110
- "mgmanDenySubscribe" on page 110
- "mgmanGoodbyeText" on page 111
- "mgmanHidden" on page 111
- "mgmanIntroText" on page 112
- "mgmanJoinability" on page 112
- "mgmanMemberVisibility" on page 113
- "mgmanVisibility" on page 114
- "mgrpAddHeader" on page 114
- "mgrpAllowedBroadcaster" on page 115
- "mgrpAllowedDomain" on page 116
- "mgrpAuthPassword" on page 116
- "mgrpBroadcasterPolicy" on page 117
- "mgrpDeliverTo" on page 118
- "mgrpDisallowedBroadcaster" on page 118
- "mgrpDisallowedDomain" on page 119
- "mgrpErrorsTo" on page 120
- "mgrpModerator" on page 121
- "mgrpMsgMaxSize" on page 121
- "mgrpMsgPrefixText" on page 122
- "mgrpMsgRejectAction" on page 123
- "mgrpMsgRejectText" on page 123
- "mgrpMsgSuffixText" on page 124
- "mgrpNoDuplicateChecks" on page 124
- "mgrpRemoveHeader" on page 125
- "mgrpRequestTo" on page 126
- "mgrpRFC822MailMember" on page 126

- "mnggrpAdditionPolicy" on page 127
- "mnggrpBillableUser" on page 128
- "mnggrpCurrentUsers" on page 128
- "mnggrpDeletionPolicy" on page 129
- "mnggrpMailQuota" on page 129
- "mnggrpMaxUsers" on page 130
- "mnggrpStatus" on page 130
- "mnggrpUserClassOfServices" on page 131
- "msgVanityDomain" on page 131
- "multiLineDescription" on page 132
- "nickName" on page 132
- "nsDefaultMaxDeptSize" on page 133
- "nsMaxDepts" on page 133
- "nsMaxDomains" on page 134
- "nsMaxMailingLists" on page 134
- "nsMaxUsers" on page 135
- "nsNumDepts" on page 135
- "nsNumDomains" on page 136
- "nsNumMailLists" on page 136
- "nsNumUsers" on page 137
- "nsdaCapability" on page 137
- "nsDefaultMaxDeptSize" on page 133
- "nsdaModifiableBy" on page 138
- "nswmExtendedUserPrefs" on page 139
- "o" on page 140
- "objectClass" on page 140
- "organizationName" on page 141

- "organizationUnitName (see ou)" on page 141
- "ou" on page 141
- "owner" on page 142
- "pabURI" on page 142
- "postalAddress" on page 143
- "preferredLanguage" on page 144
- "preferredMailHost" on page 144
- "preferredMailMessageStore" on page 145
- "seeAlso" on page 145
- "sn" on page 146
- "telephoneNumber" on page 146
- "uid" on page 147
- "un" on page 148
- "uniqueMember" on page 148
- "userid (see uid)" on page 149
- "userPassword" on page 149
- "vacationEndDate" on page 150
- "vacationStartDate" on page 150

Attributes

adminRole

Origin

iPlanet Messaging Server 5.0

Syntax

cis

businessCategory

Object Classes

inetAdmin

Definition

Specifies the administrator role for this administrator entry.

Example

OID

2.16.840.1.113730.3.1.601

businessCategory

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

groupOfUniqueNames

Definition

Identifies the type of business in which the entry is engaged. This should be a broad generalization such as is made at the corporate division level.

Example

businessCategory = Engineering

OID

2.5.4.15

calCalURI

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

pabPerson

Definition

Contains URI to user's entire default calendar. For details see RFC 2739.

Example

Varies according to the version of iPlanet Calendar Server implemented. For details see RFC 2739.

OID

1.2.840.113556.1.4.478

calFBURL

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

pabPerson

Definition

URL to the user's default busy time data. For details see RFC 2739.

Example

Varies according to the version of iPlanet Calendar Server implemented. For details see RFC 2739.

OID

1.2.840.113556.1.4.479

cn

Origin

iPlanet Calendar Server 5.1

Syntax

cis, single-valued

Object Classes

icsCalendarResource, icsCalendarUser, inetResource

Definition

For users, full name of person. For resources, a unique identifier. In either case, it may contain spaces and special characters. Abbreviation for `commonName`.

Example

For a user: `cn = John Doe`. For a resource: `cn = Conference Room #3`

or

`commonName = John Doe; commonName = Conference Room #3`

OID

2.5.4.3

CO**Origin**

LDAP

Syntax

cis

Object Classes

pabPerson

Definition

Contains the name of a country, using a two character code. Abbreviation for `countryName`.

The attribute `friendlyCountryName` is used to spell out the actual country name.

Example

`co = IE`

or

`countryName = IE`

```
friendlyCountryName = Ireland
```

OID

2.5.4.4

commonName (see cn)

countryName (see co)

dataSource

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailUser, inetMailGroup

Definition

Text field to store a tag or identifier. Value has no operational impact.

Example

```
dataSource=1.0
```

OID

2.16.840.1.113730.3.1.779

dateOfBirth

Origin

iPlanet Messaging Server 5.0

dc

Syntax

cis, single-valued

Object Classes

pabPerson

Definition

Date of birth of the pabPerson. Format is: YYYYMMDD.

Example

dateOfBirth=19740404
(date of birth on April 6, 1974.)

OID

2.16.840.1.113730.3.1.779

dc

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetDomainAlias

Definition

The domain component of the domain alias entry.

Example

If the domain alias entry DN is `dc=sesta, dc=fr, o=internet`, then the value of `dc` is `sesta`.

OID

0.9.2342.19200300.100.1.25

description

Origin

LDAP

Syntax

cis

Object Classes

groupOfUniqueNames, inetManagedGroup, pab, pabGroup

Definition

Provides a human readable description of the object. For people and organizations, this often includes their role or work assignment.

Example

description = Quality control inspector.

OID

2.5.4.13

domainUidSeparator

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetDomainAuthInfo

Definition

This attribute is used by the messaging server to override the default mailbox (MB) home. When present, this attribute specifies that compound user identifications (UIDs) are used in this domain and this attribute specifies the separator. For instance, if + is the separator, the mailbox names in this domain are obtained by replacing the right most occurrence of + in the uid with @. To map an internal mailbox name to the UID, the right most occurrence of @ is replaced with a + in the mailbox name.

While substitution of an @ for the UID separator is sufficient to generate a mailbox name, this may not be the same as any of the user's actual email addresses.

NOTE Format of internal mailbox names is `uid@domain`, where "domain" is DNS domain mapping to the namespace. The only exception to this rule is mailbox names for users in default domain where only the `uid` is used to construct internal mailbox names. See `inetCanonicalDomainName` on how the default value of domain name used can be overridden in specific cases.

Example

`domainUIDSeparator=#`

OID

2.16.840.1.113730.3.1.702

domOrgMaxUsers

Origin

iPlanet Messaging Server 5.0

Syntax

`cis`, single-valued

Object Classes

`inetDomainOrg`

Definition

Maximum number of user entries in a domain organization.

Example

`domOrgMaxUser=500`

OID

2.16.840.1.113730.3.1.697

domOrgNumUsers

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetDomainOrg

Definition

Number of current user entries in a domain organization.

Example

domOrgNumUsers=345

OID

2.16.840.1.113730.3.1.698

facsimileTelephoneNumber

Origin

iPlanet Calendar Server 5.1

Syntax

tel, single-valued

Object Classes

icsCalendarResource, inetResource

Definition

Fax telephone number for resources.

Example

1-800-555-1212

OID

2.5.4.23

givenName

Origin

LDAP

Syntax

cis

Object Classes

icsCalendarUser

Definition

Identifies the entry's given name, usually a person's first name.

Example

givenName = John

OID

2.5.4.42

icsAlias

Origin

iPlanet Calendar Server 5.1

Syntax

cis, UTF8 encoded

Object Classes

icsCalendarResource

Definition

Alias associated with a resource. An alias can make a resource name easier for the end user to work with.

Example

The resource named "halleycomet" can be aliased as "Halley's Comet".

icsAlias = Halley's Comet

OID
2.16.840.1.113730.3.1.725

icsCalendar

Origin
iPlanet Calendar Server 5.1

Syntax
ces, single-valued

Object Classes
icsCalendarResource, icsCalendarUser

Definition
Default calendar for a user or resource.

Example
`icsCalendar = jdoe`

OID
2.16.840.1.113730.3.1.731

icsCapacity

Origin
iPlanet Calendar Server 5.1

Syntax
int, single-valued

Object Classes

Definition
Reserved, not implemented.

Example

OID
2.16.840.1.113730.3.1.800

icsContact

Origin

iPlanet Calendar Server 5.1

Syntax

cis, UTF8 encoded

Object Classes

icsCalendarResource

Definition

Reserved, not implemented.

Example

OID

2.16.840.1.113730.3.1.733

icsDefaultAccess

Origin

iPlanet Calendar Server 5.1

Syntax

cis

Object Classes

Definition

Reserved, not implemented.

Example

OID

2.16.840.1.113730.3.1.734

icsDefaultSet

Origin

iPlanet Calendar Server 5.1

Syntax

ics, single-valued

Object Classes

icsCalendarUser

Definition

User preference for what calendars to display at login. User's can specify any of their calendar sets (groups they have created) to be displayed at login instead of a single calendar.

Example

```
icsDefaultSet=MyCalendarGroup
```

OID

2.16.840.1.113730.3.1.735

icsExtended

Origin

iPlanet Calendar Server 5.0

Syntax

ics

Object Classes**Definition**

Reserved, not implemented.

Example**OID**

2.16.840.1.113730.3.1.738

icsExtendedResourcePrefs

Origin

iPlanet Calendar Server 5.1

Syntax

cis

Object Classes

Definition

Reserved, not implemented.

Example

OID

2.16.840.1.113730.3.1.741

icsExtendedUserPrefs

Origin

iPlanet Calendar Server 5.1

Syntax

cis, multi-valued

Object Classes

icsCalendarUser

Definition

Extensions for calendar user preferences. The following are the attributes and their values

Attributes	Values	Definitions
ceAllCalendarTZIDS		
ceClock	12, 24	Defines whether a 12- or 24-hour clock is used.

Attributes	Values	Definitions
ceColorSet	pref_group1 pref_group2 pref_group3 pref_group4 pref_group7	Defines which of the five UI color schemes to use.
ceDateOrder	M/D/Y D/M/Y Y/M/D	Determines what order the three elements of a date (month (M), day (D), and year (Y)) are displayed.
ceDateSeparator	Any single printable character. For example: / or -	The single character used to delimit displayed date elements (M,D,Y). For example, a date can be displayed as: 12/22/2002.
ceDayHead	0 - 23	Start time hour (expressed as one of 24 hours in a day) for displaying calendar information.
ceDayTail	0 - 23	End time hour (expressed as one of 24 hours in a day) for displaying calendar information.
cdDefaultAgenda		
cdDefaultAlarmEmail	email addresses separated by white space	Email Addresses event alarms sent to
ceDefaultAlarmStart	P[unit count][unit type]	Amount of time before the event an alarm should be sent. Where <code>unit count</code> is any numeric value, and <code>unit type</code> is either M (minutes), H (hours), or D (days). For example: P10M
ceDefaultTZID	one of ISO 8601 time zones For a list of time zones, see ISO 8601 Time Zones.	Time zone to use when a calendar does not have one assigned to it.

Attributes	Values	Definitions
ceDefaultView	dayview weekview monthview yearview groupview	View to be presented at log in. If this parameter is not present, overview is used as the default. (groupview is the Comparison view on the user interface)
ceFontFace	One of these values: 1) Times New Roman, Times, serif 2) Courier New, Courier, noon 3) PrimaSans BT, Verdana, sans-serif	Three choices of font face to be used in the user interface.
ceFontSizeDelta	pref_font_size_group_2 (normal) pref_font_size_group_1 (larger) pref_font_size_group_3 (smaller)	Defines three font sizes for the user interface. In the interface they are defined as: normal, larger, smaller.
ceInterval	PT0H15M PT0H30M PT1H0M PT2H0M PT4H0M	Defines the time interval to be used when displaying calendar information. Intervals are: 15 min., 30 min., 1hour, 2 hours, 4 hours.
ceNotifyEmail	any valid RFC 822 email address	Email address notifications are mailed to when the calendar receives an invitation to an event.
ceNotifyEnable	0, 1	Enables/disables email notifications being sent when the calendar receives an invitation to an event. 0 = do not sent notifications 1 = send notifications
ceSingleCalendarTZID	any valid ISO 8601 time zone For a list of ISO 8601 time zones, see ISO 8601 Time Zones.	Lists the time zone assigned to this calendar. If the parameter is not sent, the default time zone is used. For example: America/Los_Angeles

Attributes	Values	Definitions
ceToolImage	0, 1	Toggle for the user interface display of icon images on the toolbar. 0 = do not display icons, 1 = display icons (default)
ceToolText	0, 1	Toggle for the user interface display of icon text on the toolbar. 0 = do not display text with the icon 1 = display text with the icon (default)

NOTE Regarding `ceToolImage` and `ceToolText`: the user interface only allows three possibilities for the toolbar: icons and text (attributes values 1, 1), icons only (attributes values 1, 0), and text only (attributes values 0, 1). It does not allow the user to turn off both icons and text (attributes values 0, 0).

Example

```

icsextendeduserprefs= ceClock=12
icsextendeduserprefs= ceColorSet=pref_group_1
icsextendeduserprefs= ceDateOrder=D/M/Y
icsextendeduserprefs= cdDateSeparator=/
icsextendeduserprefs= ceDayHead=10
icsextendeduserprefs= ceDayTail=17
icsextendeduserprefs= ceDefaultAlarmEmail=jdoe@sesta.com
icsextendeduserprefs= ceDefaultAlarmStart=P30H
icsextendeduserprefs= cdDefaultTZID=America/New_York
icsextendeduserprefs= ceDefaultView=groupview
icsextendeduserprefs= ceFontFace=PrimaSans BT,Verdana,sans-serif
icsextendeduserprefs= ceFontSizeDelta=pref_font_size_group_3
icsextendeduserprefs= ceInterval=PT2H0M
icsextendeduserprefs= ceNotifyEmail=jdoe@sesta.com
icsextendeduserprefs= ceNotifyEnable=0
icsextendeduserprefs= ceSingleCalendarTZID=America/Los_Angeles

```

icsFirstDay

```
icsextendeduserprefs= ceToolText=1
```

```
icsextendeduserprefs= ceToolImage=1
```

OID

2.16.840.1.113730.3.1.742

icsFirstDay

Origin

iPlanet Calendar Server 5.1

Syntax

cis, single-valued

Object Classes

icsCalendarUser

Definition

First day of the week to be displayed on user's calendar.

Range of values: 1-7, with 1 = Sunday, 2 = Monday, 3 = Tuesday, 4 = Wednesday, 5 = Thursday, 6 = Friday, 7 = Saturday

Example

```
icsFirstDay = 1
```

OID

2.16.840.1.113730.3.1.743

icsFreeBusy

Origin

iPlanet Calendar Server 5.1

Syntax

ces, single-valued

Object Classes**Definition**

Reserved, not implemented.

Example**OID**

2.16.840.1.113730.3.1.744

icsGeo

Origin

iPlanet Calendar Server 5.1

Syntax

cis single-valued

Latitude; longitude

Object Classes**Definition**

Reserved, not implemented.

Example

This class exists only for compliance with the RFC spec and is not used.

OID

2.16.840.1.113730.3.1.745

icsPartition

Origin

iPlanet Calendar Server 5.1

Syntax

cis, single-valued

Object Classes

Definition

Reserved, not implemented.

Example

OID

icsPreferredHost

Origin

iPlanet Calendar Server 5.1

Syntax

cis, single-valued

Object Classes

Definition

Reserved, not implemented.

Example

OID

2.16.840.1.113730.3.1.749

icsQuota

Origin

iPlanet Calendar Server 5.1

Syntax

int, single-valued

Object Classes

Definition

Reserved, not implemented.

Example**OID**

2.16.840.1.113730.3.1.748

icsSet

Origin

iPlanet Calendar Server 5.1

Syntax

cis, multi-valued

Object Classes`icsAnonymousSet, icsCalendarUser, icsDefaultAnonymousSet`**Definition**

Defines one group of calendars. End users create these groups for various tasks. Each group is represented by one icsSet attribute, that is, for every group the user creates there will be one icsSet attribute. For example, if the user has three groups defined, there will be three icsSet attributes.

The value for this attribute is a six-part string, with each part separated by a dollar sign (\$).

The six parts of this attribute's value are:

name	Required	The display name of this group.
calendars	Required	A semi-colon-separated list of calendar IDs (calid) that comprise this group.
tzmode	Required	Three possible values: default, inherit, specify. The value that tells where the time zone for this group comes from. default = take user's default time zone inherit = take the time zone of the first calendar in the group specify = take the time zone from the tz value that follows.
tz	Not Required, unless tzmode = specify	An ISO 8601 Time Zone for this group. For a list of acceptable values, see ISO 8601 Time Zones. Value is optional unless tzmode = specify, then it is required.

mergeInDayView	Required	A boolean (TRUE/FALSE). The value tells whether to display this group in the Day view (TRUE) or the Comparison view (FALSE)
description	Not Required	Character string. Optional description of the calendar.

Example

The value of this attribute should all be on one line or if you wish to break a line, start the next line with a single space or tab.

```
icsSet = name = GroupName$ calendars = calid1;
calid2; calid3$tzmode = specify$tz = America/
Los_Angeles$mergeInDayView = FALSE$description
= Example group of calendars.
```

OID

2.16.840.1.113730.3.1.753

icsStatus

Origin

iPlanet Calendar Server 5.1

Syntax

cis, single-valued

Object Classes**Definition**

Reserved, not implemented.

Example**OID**

2.16.840.1.113730.3.1.755

icsSubscribed

Origin

iPlanet Calendar Server 5.1

Syntax

ics, multi-valued

Object Classes

icsCalendarUser

Definition

List of calendar IDs to which this user is subscribed.

The value of this attribute is the calendar ID and optionally, the calendar name, with a dollar sign (\$) between them, when present.

Example

```
icsSubscribed=jdoe$MyHomeCalendar  
icsSubscribed=jsmith
```

OID

2.16.840.1.113730.3.1.756

icsTimezone

Origin

iPlanet Calendar Server 5.1

Syntax

ics

Object Classes

icsCalendarResource, icsCalendarUser

Definition

The default time zone for this user, resource, or domain. Specifically an ISO 8601 time zone from the list found in "Object Identifiers," on page 154.

Example

```
icsTimezone = America/Chicago
```

inetCanonicalDomainName

OID

2.16.840.1.113730.3.1.757

inetCanonicalDomainName

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetDomainAuthInfo

Definition

This attribute is a fully qualified domain name and is used if more than one DC node refers to the same Organization subtree. If this attribute is missing then the canonical domain name is the same as represented by the DC node. For example, a missing `inetCanonicalDomainName` on the

`dc=france,dc=sesta,dc=com,o=internet` node entry implies that the canonical domain name is `france.sesta.com`. However, if there is more than one DC node pointing at the same organization node as the previous DC node (using the `inetDomainBaseDN` attribute), then `inetCanonicalDomainName` must be set and must have the same value.

Example

`inetCanonicalDomainName= france.sesta.com`

OID

2.16.840.1.113730.3.1.701

inetCOS

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes`ipUser`**Definition**

(Organization tree domain) Specifies the name of the class of service (COS) template supplying values for attributes in the user entry. The RDN of the COS template is the value of this attribute. Attribute values provided by the template and any override rules are specified in the COS definition. COS definitions are created by using the object class `cosDefinition`. The value of attribute `cosSpecifier` in COS definition entry is set to `inetCOS`. Create COS definitions and templates in the container `ou=COS` in the subtree for that domain. See the *iPlanet Messaging Server Provisioning Guide* for more information.

Example`inetCos=HallofFame`**OID**`2.16.840.1.113730.3.1.706`

inetDomainBaseDN

Origin

iPlanet Messaging Server 5.0

Syntax

dn, single-valued

Object Classes`inetDomain`**Definition**

(DC tree) DN of the customer's Organization subtree where all user/group entries are stored. This attribute must be present and point to a valid Organization subtree DN. Messaging Server components MUST resolve this DN in order to search for user and group entries that correspond to the hosted organization.

Example`inetDomainBaseDN=o=sesta.com,o=siroe-isp.com`**OID**`2.16.840.1.113730.3.1.690`

inetDomainCertMap

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

inetDomainAuthInfo

Definition

Reserved.

Example

TBD

OID

2.16.840.1.113730.3.1.700

inetDomainSearchFilter

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetDomainAuthInfo

Definition

LDAP search filter to use when searching for users in the subtree specified in `inetDomainBaseDN`. Used during authentication to map login name in that domain to an LDAP entry. The following variables can be used in constructing the filter:

- `%U` - Name part of the login name (that is, everything before the login separator stored in the servers configuration).
- `%V` - Domain part of the login string .

If this attribute is missing, it is equivalent to `uid=%U`. Namespaces where users are provisioned with compound `uids`, such as `uid=john_siroe.com`, where `john` is the `userID` and `siroe.com` is the domain, would use a search filter of `uid=%U_%V`. This maps a login string of `john@siroe.com` (where `@` is the login separator for the service) into a search request by the service for an entry's namespace of `siroe.com` where `uid=john_siroe.com`. An alternative example of using this attribute would be for sites wanting to log people in based on their employee identification. Assuming the attribute `empID` in user entries stores employee identifications, the search filter would be `empID=%U`.

This attribute must return a unique match for valid users within the `inetDomainBaseDN` subtree. If this attribute is not set, the `uid` attribute must be unique in the `inetDomainBaseDN` subtree.

Example

```
inetDomainSearchFilter=uid=%U
```

OID

```
2.16.840.1.113730.3.1.699
```

inetDomainStatus

Origin

iPlanet Messaging Server 5.0

Syntax

`cis`, single-valued

Object Classes

`inetDomain`

Definition

Specifies the global status of a domain. The intent of this attribute is to allow the administrator to temporarily suspend and then reactivate access, or to permanently remove access, by the domain and all its users to all the services enabled for that domain. This attribute takes one of three values. Supported values are:

active	Domain is active and users in the domain may use services enabled by the overlay of service-specific object classes and the service state as indicated by the particular status attribute for that service.
--------	---

inactive	Domain is inactive. The account may not use any services granted by service-specific object classes. This state overrides individual service status set using the service's status attributes.
deleted	Domain is marked as deleted. The account may remain in this state within the directory for some time (pending purging of deleted users). Service requests for all users in a domain marked as deleted will return permanent failures.

Missing value implies status is `active`. An illegal value is treated as `inactive`.

There are four status attributes that mail services look at and which are evaluated in this order: `inetDomainStatus`, `mailDomainStatus`, `inetUserStatus`, and `mailUserStatus`. The rule is: the first of these attributes that is set to something other than `active` takes precedence over all the others.

Similarly, this attribute is used for calendar services when evaluating status. The status attributes used are: `inetDomainStatus`, `icsStatus` (of `icsCalendarDomain`), either `inetResourceStatus` or `inetUserStatus`, and `icsStatus` (of either `icsCalendarResource` or `icsCalendarUser`).

Example

```
inetDomainStatus=active
```

OID

```
2.16.840.1.113730.3.1.691
```

inetMailGroupStatus

Origin

iPlanet Messaging Server 5.0

Syntax

`cis`, single-valued

Object Classes

`inetMailGroup`

Definition

Current status of the mail group: *active*, *inactive*, or *deleted*. Messages are delivered to the members of the mailing list if the status is *active*. A status of *inactive* results in a transient failure on messages sent to the mailing list. A status of *deleted* means that the mailing list can be purged from the directory. Messages sent to this group will return permanent failure messages. A missing value implies status is *active*. An illegal value is treated as *inactive*.

There are three status attributes that interact with each other: *inetDomainStatus*, *mailDomainStatus*, and *inetMailGroupStatus*. These are considered in the order just given. The first one with a status of *active* takes precedence over the setting of all the others.

Example

```
inetMailGroupStatus=active
```

OID

```
2.16.840.1.113730.3.1.786
```

inetResourceStatus

Origin

iPlanet Calendar Server 5.1

Syntax

cis, single-valued

Object Classes

inetResource

Definition

Current status of resource, with a value of either: *active*, *inactive*, or *deleted*.

There are several status attributes that are evaluated to determine status. They are evaluated in this order: *inetDomainStatus*, *icsStatus* (for *icsCalendarDomain*), *inetResourceStatus*, *icsStatus* (for *icsCalendarResource*). These are considered in the order just given. The first one with a status of *active* takes precedence over the setting of all the others.

Example

```
inetResourceStatus = active
```

inetSubscriberAccountId

OID

2.16.840.1.113730.3.1.758

inetSubscriberAccountId

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

inetSubscriber

Definition

A unique account ID used for billing purposes.

Example

inetSubscriberAccountId=A3560B0

OID

2.16.840.1.113730.3.1.694

inetSubscriberChallenge

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetSubscriber

Definition

Attribute for storing the challenge phrase used to identify the subscriber. Used in conjunction with the `inetSubscriberResponse`.

Example

inetSubscriberChallenge=Mother's Maiden Name

OID
2.16.840.1.113730.3.1.695

inetSubscriberResponse

Origin
iPlanet Messaging Server 5.0

Syntax
cis, single-valued

Object Classes
inetSubscriber

Definition
Attribute for storing the response to the challenge phrase.

Example
inetSubscriberResponse=Mamasita

OID
2.16.840.1.113730.3.1.696

inetUserHttpURL

Origin
iPlanet Messaging Server 5.0

Syntax
cis, single-valued

Object Classes
inetUser

Definition
User's primary URL for publishing Web content. This is an informational attribute and may be used in phonebook-type applications. It is not intended to have any operational impact.

Example

inetUserHttpURL=http://www.siroe.com/theotis

OID

2.16.840.1.113730.3.1.693

inetUserStatus

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetUser

Definition

Specifies the status of a user's account with regard to global server access. This attribute enables the administrator to temporarily suspend, reactivate, or permanently remove access to all services by a specified user account. This attribute takes one of three values:

active	The user account is active and the user can use all services enabled by the overlay of service-specific object classes and the service state as indicated by the particular status attribute for that service. For example, a user can use the email system if both mailUserStatus and inetDomainStatus are set to active.
inactive	The user account is active and the user can use all services enabled by the overlay of service-specific object classes and the service state as indicated by the particular status attribute for that service. For example, a user can use the email system if both mailUserStatus and inetDomainStatus are set to active.
deleted	The account is marked as deleted. The account can remain in this state within the directory for some time (pending purging of deleted users). Service requests for a user marked as deleted must return permanent failures.

Missing value implies status is active. An illegal value is treated as inactive.

There are four status attributes that mail services look at and which are evaluated in this order: `inetDomainStatus`, `mailDomainStatus`, `inetUserStatus`, and `mailUserStatus`. The rule is: the first of these attributes that is set to something other than `active` takes precedence over all the others.

For calendar services, the attributes evaluated are: `inetDomainStatus`, `icsStatus` (for `icsCalendarDomain`), `inetUserStatus`, `icsStatus` (for `icsCalendarUser`).

Example

`inetUserStatus=inactive`

OID

2.16.840.1.113730.3.1.692

mail

Origin

iPlanet Messaging Server 5.0

Syntax

`cis`, single-valued

Object Classes

`inetLocalMailRecipient`, `icsCalendarResource`, `icsCalendarUser`

Definition

Identifies a user's primary email address (the email address retrieved and displayed by white-pages lookup applications).

Example

`mail=jdoe@sesta.com`

OID

0.9.2342.19200300.100.1.3

mailAccessProxyPreAuth

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

mailDomain

Definition

Attribute tells the MMP if the users in this domain have to be preauthenticated. Permitted values are *yes* or *no*.

Example

```
mailAccessProxyPreAuth=yes
```

OID

2.16.840.1.113730.3.1.769

mailAccessProxyReplay

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

mailDomain

Definition

This attribute tells the Messaging Multiplexor how to reconstruct the login string when replaying the login sequence with the backend mail server. A missing attribute implies that the message access proxies construct the replay string based on the login name used by the client, the domain of the client, and the login separator used for this service. The `mailAccessProxyReplay` attribute overrides this default behavior when the message access proxy has a different backend server than iPlanet Messaging and Collaboration.

The syntax is that of a login string, with the following substitutions:

- `%U`: Login name. That is, the name part of the login string, if it is a {name, domain} compound.
- `%V`: Domain part of the login string.

- `%[attr]`: The value of the LDAP user attribute.

Examples

1. If the client logs in as `hugo` and the domain associated with the server IP address used is `yoyo.com`, and `mailAccessProxyReplay=%U%V`, the replayed login string is `hugo@yoyo.com`.
2. If the client logs in as `hugo`, and the domain associated with the server IP address used is `yoyo.com`, and `mailAccessProxyReplay=%[surname]@%V`, the replayed login string is the value of the surname attribute of the client.
3. If the client logs in as `hugo+yoyo.com`, and the login separator for the service used is `+`, and `mailAccessProxyReplay=%U%V`, the replayed login string is `hugo@yoyo.com`.
4. If the client logs in as `hugo`, and the domain associated with the server IP address used is `yoyo.com`, and `mailAccessProxyReplay` is not defined, and the login separator for the service used is `+`, the replayed login string is `hugo+yoyo.com`.

OID

2.16.840.1.113730.3.1.763

mailAdminRole

Origin

iPlanet Messaging Server 5.0

Syntax

`cis`, single-valued

Object Classes

`inetMailAdministrator`

Definition

Specifies the administrative role assigned to the members of the group. The only legal value for this attribute is `storeAdmin`. The object class that contains this attribute—`inetMailAdministrator`—is overlaid on a group entry to grant members of a group administrative privileges over part of the mail server. Currently the only privilege group members inherit are rights to perform proxy authentication for any user in the domain. These rights extend over users in the same domain as where the group is defined. To grant such privileges the attribute `mailAdminRole` must be set to the value `storeAdmin`.

Example

mailAdminRole=storeAdmin

OID

2.16.840.1.113730.3.1.780

mailAllowedServiceAccess

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailUser

Definition

Stores access filters. If no filters are specified, then user is allowed access to all services from all clients. Rules are separated by \$ and are evaluated in sequence, unless either an allow filter is encountered, in which case user is granted access to the requested service or a deny filter, in which case access to service is rejected. The form of the filter is:

```
"+|- " <daemon_list> ":" <client_list> .
```

daemon_list is a comma separated list of services to which access is being granted or denied.

Legal service names are: imap, imaps, pop, pops, smtp, smtps, and http.

For a detailed description of access filter syntax and example, refer to "Configuring Client Access to POP, IMAP, and HTTP Services" in the *iPlanet Messaging Server Administrator's Guide*.

<http://docs.iplanet.com/docs/manuals/messaging/ims50/ag/security.htm#13295>

Example

mailAllowedServiceAccess=+imap, pop, http:*

OID

2.16.840.1.113730.3.1.777

mailAlternateAddress

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

inetLocalMailRecipient, pabPerson

Definition

Alternate RFC 822 email address of this recipient. Local part of the address may be omitted to designate a user/group as the catchall address. A catch-all domain address is an address that will receive mail to a specified domain if the MTA does not find an exact user address match with that domain. Please see details on how a user's primary domain can be overridden by the use of `msgVanityDomainUser` to designate vanity domains (also known as "lightweight domains") for any user.

Example

```
mailAlternateAddress=thief@florizel.com
```

OID

2.16.840.1.113730.3.1.13

mailAutoReplyMode

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailUser

Definition

Specifies auto-reply mode for user mail account. Valid values are:

- `echo` - Echo the original message with the added `mailAutoReplyText` or `mailAutoReplyTextInternal` to the original sender.

mailAutoReplySubject

- `reply` - Send a fixed reply, contained in attributes `mailAutoReplyText` or `mailAutoReplyTextInternal`, to the original sender.

Example

`mailAutoReplyMode=echo`

OID

2.16.840.1.113730.3.1.14

mailAutoReplySubject

Origin

iPlanet Messaging Server 5.0

Syntax

`cis`, single-valued

Object Classes

`inetMailUser`

Definition

Subject text of auto-reply response. `$SUBJECT` can be used to insert the subject of the original message into the response.

Example

`mailAutoreplySubject=I am on vacation`

OID

2.16.840.1.113730.3.1.772

mailAutoReplyText

Origin

iPlanet Messaging Server 5.0

Syntax

`cis`, single-valued

Object Classes

`inetMailUser`

Definition

Auto-reply text sent to all senders except users in the recipient's domain. If not specified, external users receive no auto response.

Example

```
mailAutoreplyText=Please contact me later.
```

OID

```
2.16.840.1.113730.3.1.15
```

mailAutoReplyTextInternal

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailUser

Definition

Auto-reply text sent to senders from the recipients domain. If not specified, then internal uses get the mail auto-reply text message.

Example

```
mailAutoreplyTextInternal=Please contact me later.
```

OID

```
2.16.840.1.113730.3.1.773
```

mailAutoReplyTimeOut

Origin

iPlanet Messaging Server 5.0

Syntax

int, single-valued

Object Classes

inetMailUser

Definition

Duration, in hours, for successive auto-reply responses to any given mail sender. Used only when `mailAutoReplyMode=reply`. If value is 0 then a response is sent back every time a message is received. Auto-reply response are sent out only if the recipient is listed in the "to" or "cc:" of the original message.

Example

```
mailAutoreplyTimeout=48
```

OID

2.16.840.1.113730.3.1.771

mailClientAttachmentQuota

Origin

iPlanet Messaging Server 5.0

Syntax

int, single-valued

Object Classes

mailDomain

Definition

A positive integer value indicating the number of attachments the Messenger Express user can send per message in this domain. A value of -1 means no limit on attachments.

Example

```
mailClientAttachmentQuota=12
```

OID

2.16.840.1.113730.3.1.768

mailConversionTag

Origin

iPlanet Messaging Server 5.2

Syntax

cis, multi-valued (ASCII string)

Object Classes

inetMailGroup, inetMailUser

Definition

Conversion tags attached to a message to this user or group. Tag specific conversion actions are specified in the MTA configuration. This attribute only works for the direct LDAP mode, not for the `imsimta dirsync` option.

Example**OID**

mailDeferProcessing

Origin

iPlanet Messaging Server 5.2

Syntax

cis, single-valued (ASCII string)

Object Classes

inetMailGroup, inetMailUser

Definition

Controls whether or not address expansion of the current user or group entry is performed immediately (value is “No”), or deferred (value is “Yes”). Deferral takes place if the value is “Yes” and the current source channel isn’t the reprocess channel. Deferral is accomplished by directing the user or group’s address to the reprocess channel. That is, the expansion of the alias is aborted and the original address (user@domain) is queued to the reprocess channel.

The default for users is to process immediately (value is “No”). The default for groups (such as mailing lists) is controlled by the `DEFER_GROUP_PROCESSING` MTA option, which defaults to 1 (yes).

mailDeliveryFileURL

This attribute only works for the direct LDAP mode, not for the `imsimta dirsinc` option.

Example

`mailDeferProcessing=No`

OID

TBD

mailDeliveryFileURL

Origin

iPlanet Messaging Server 5.0

Syntax

ces, single-valued

Object Classes

`inetMailGroup`

Definition

Fully qualified local path of file to which all messages sent to the mailing list are appended. Used in conjunction with `mailDeliveryOption=file`.

Example

`mailDeliveryFileURL=/home/dreamteam/mail_archive`

OID

2.16.840.1.113730.3.1.787

mailDeliveryOption

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

`inetMailGroup`, `inetMailUser`

Definition

Specifies delivery options for the mail recipient. One or more values are permitted on a user/group entry, supporting multiple delivery paths for inbound messages. Values will apply differently depending on whether the attribute is used in `inetMailGroup` or `inetMailUser`. Valid values are:

`inetMailUser`:

- `autoreply` - Specifies `autoreply` is turned on for the user. Messages on which the recipient is listed in the "To:" or "Cc:" header fields of the message are sent to the autoreply channel where an autoreply message is generated and sent to the original sender.
- `forward` - Specifies that messages will be forwarded. The forwarding address is specified in the attribute `mailForwardingAddress`.
- `hold` - A recipient is temporarily halted from receiving messages.
- `mailbox` - Deliver messages to the user's IMAP/POP store.
- `native` - Deliver messages to the user's `/var/mail` store INBOX. The store is in Berkeley mailbox format.

`inetMailGroup`:

- `file` - Messages are appended to the file specified in the attribute `mailDeliveryFileURL`.
- `members` - Messages are sent to members of the mailing list. If missing, `default=members` is assumed.

Both `inetMailUser` and `inetMailGroup`:

- `program` - Messages are delivered to a program, which is on the approved list of programs (specified in MTA's configuration). The name of the program is specified in the attribute `mailProgramdeliveryInfo`.

Example

```
mailDeliveryOption=mailbox
```

OID

```
2.16.840.1.113730.3.1.16
```

mailDomainAllowedServiceAccess

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single valued

Object Classes

mailDomain

Definition

Stores access filters. If no filters are specified, then users within a domain are allowed access to all services from all clients. Rules are separated by \$ and are evaluated in sequence, unless either an allow filter is encountered, in which case users are granted access to the requested service, or a deny filter, in which case access to service is rejected. The form of the filter is:

```
"+|- " <daemon_list> ":" <client_list> .
```

daemon_list is a comma separated list of services to which access is being granted or denied. Legal service names are: imap, imaps, pop, pops, smtp, smtps, and http.

Example

```
mailDomainAllowedServiceAccess=+imap, pop, http:*
```

OID

2.16.840.1.113730.3.1.764

mailDomainCatchallAddress

Origin

iPlanet Messaging Server 5.2

Syntax

cis, single-valued (RFC 822 mailbox)

Object Classes

mailDomain

Definition

Specifies an address to be substituted for any address in the domain that doesn't match any user or group in the domain.

Example

OID
TBD

mailDomainConversionTag

Origin

iPlanet Messaging Server 5.2

Syntax

cis, multi-valued (ASCII string)

Object Classes

mailDomain

Definition

One or more conversion tags attached to messages to any user in the domain. Tag specific conversion actions are specified in the MTA configuration. This attribute only works for the direct LDAP mode, not for the `imsimta dirsyntax` option.

Example

OID
TBD

mailDomainMsgMaxBlocks

Origin

iPlanet Messaging Server 5.2

Syntax

int, single-valued

Object Classes

mailDomain

Definition

Imposes a size limit in units of MTA blocks on all messages sent to addresses in this domain. This limit doesn't apply to messages sent by users from this domain.

The value of this attribute is overridden by the value of `mailMsgMaxBlocks`, if set.

This attribute only works for the direct LDAP mode, not for the `imsimta dirsinc` option.

Example

OID

TBD

mailDomainMsgQuota

Origin

iPlanet Messaging Server 5.0

Syntax

int, single-valued

Object Classes

`mailDomain`

Definition

Quota of number of messages permitted for all users in this domain. This is used in quota reporting tools and not for enforcing domain wide quota restrictions.

Example

`mailDomainMsgQuota=2000000`

OID

2.16.840.1.113730.3.1.767

mailDomainReportAddress

Origin

iPlanet Messaging Server 5.2

Syntax

cis, single-valued (RFC 822 mailbox)

Object Classes

mailDomain

Definition

This value is used as the header From: address in DSNs reporting problems associated with recipient addresses in the domain. It is also used when reporting problems to users within the domain regarding errors associated with non-local addresses.

If this attribute is not set, the reporting address will default to "postmaster@domain."

This attribute only works for the direct LDAP mode, not for the `imsimta dirsync` option.

Example**OID**

TBD

mailDomainSieveRuleSource

Origin

iPlanet Messaging Server 5.2

Syntax

cis, single-valued (RFC 3028 sieve filter)

Object Classes

mailDomain

Definition

Sieve filter for all users in the domain.

Example**OID**

TBD

mailDomainStatus

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

mailDomain

Definition

Current status of the mail domain. Can be one of the following values: *active*, *inactive*, *deleted*, or *hold*. This attribute is the mail service domain status. Missing value implies status is *active*. An illegal value is treated as *inactive*.

active	Mail service is marked as active for all users in this domain and all users in the domain that are marked active (see <i>inetUserStatus</i> and <i>mailUserStatus</i> for more information). However, any restrictions specified in <i>mailAllowedServiceAccess</i> and <i>mailDomainAllowedServiceAccess</i> still apply.
inactive	Mail service for all users in the domain is marked inactive. All user login attempts are rejected and messages sent to them get transient failure messages.
deleted	Mail domain is marked as deleted and will be removed during cleanup by the purge utility after the grace period is over. Mailboxes and user's mail service object classes are included in cleanup.
hold	Messages sent to all users in the domain are redirected to the hold channel. This value is typically used when users in the domain are being moved from one server to another without having to bounce messages back to the sender during the move. In this state, mailboxes can be moved without fear of any lost messages as all incoming messages are sent to the hold channel. Once the move is complete and the state has been changed from hold to active the messages are drained from the hold channel and sent to the MTAs where the user mailboxes now reside.

There are four status attributes that mail services look at and which are evaluated in this order: `inetDomainStatus`, `mailDomainStatus`, `inetUserStatus`, and `mailUserStatus`. The rule is: the first of these attributes that is set to something other than `active` takes precedence over all the others.

Example

```
mailDomainStatus=active
```

OID

```
2.16.840.1.113730.3.1.770
```

mailDomainWelcomeMessage

Origin

iPlanet Messaging Server 5.0

Syntax

`cis`, single-valued

Object Classes

```
mailDomain
```

Definition

Welcome message sent to new users added to this domain. '\$' is a carriage return. BNF syntax of this attribute is:

```
value:: <subjectline>'$' [<opt_headers>] '$$' <body>
subjectline:: 'Subject:' [<TEXT>]
opt_headers:: <header_line>'$' [<opt_headers>]
header_line:: <header_name>':' <TEXT>
header_name:: <TEXT>
body:: [<lines>]
lines:: <line>'$' [<lines>]
line:: <TEXT>
```

Example

```
mailDomainWelcomeMessage=Subject: Welcome!!$X-Endorsement: We're
good. $$Welcome to the mail system.
```

OID

```
2.16.840.1.113730.3.1.765
```

mailEquivalentAddress

Origin

iPlanet Messaging Server 5.2

Syntax

cis, multi-valued (RFC 822 addr-spec)

Object Classes

`inetMailGroup`, `inetMailUser`

Definition

Equivalent to `mailAlternateAddress` in regard to mail routing, except with this attribute, the addresses don't get rewritten to the primary mail address in the header.

This attribute only works for the direct LDAP mode, not for the `imsimta dirsinc` option.

Example

OID

TBD

mailForwardingAddress

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

`inetMailUser`

Definition

This attribute stores one or more forwarding addresses for inbound messages. Addresses are specified in RFC-822 format. Messages are forwarded to the listed address when `mailDeliveryOption=forward` is set.

Example

mailForwardingAddress=kokomo@sesta.com

OID

2.16.840.1.113730.3.1.17

mailHost

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetLocalMailRecipient

Definition

Fully-qualified host name of the MTA that is the final destination of messages sent to this recipient.

Example

mailHost=mail.siroe.com

OID

2.16.840.1.113730.3.1.18

mailMessageStore

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailUser

Definition

Specifies the message store partition name for the user. The mapping between the partition name and the file system location of the store is kept in the message store configuration. If not specified, the default store partition specified in the server configuration is used.

Example

`mailMessageStore=secondary`

OID

2.16.840.1.113730.3.1.19

mailMsgMaxBlocks

Origin

iPlanet Messaging Server 5.2

Syntax

int, single-valued

Object Classes

`inetMailGroup`, `inetMailUser`

Definition

The size in units of MTA blocks of the largest message that can be sent to this user or group. The limit doesn't apply to messages sent by the user.

If this attribute is set, it overrides the value of `mailDomainMsgMaxBlocks`.

This attribute only works for the direct LDAP mode, not for the `imsimta dirsync` option.

Example

OID

TBD

mailMsgQuota

Origin

iPlanet Messaging Server 5.0

Syntax

int, single-valued

Object Classes

inetMailUser

Definition

Maximum number of messages permitted for a user is set with `mailMsgQuota`. This is a cumulative count for all folders in the store. Value of 0 (or not specified) means system default quota, -1 means no limit on number of messages. During server configuration, quota enforcement must be turned on for `mailMsgQuota` to take effect. Both soft and hard quotas can be set (See *iPlanet Message Server Administration Guide*).

Example

```
mailMsgQuota=2000
```

OID

```
2.16.840.1.113730.3.1.774
```

mailProgramDeliveryInfo

Origin

iPlanet Messaging Server 5.0

Syntax

ces, multi-valued

Object Classes

inetMailGroup, inetMailUser

Definition

Specifies one or more programs used for program delivery. These programs have to be on the approved list of programs that the messaging server is permitted to execute for a domain. The attribute value specifies a reference to a program. That reference is resolved from the approved list of programs. Resolved reference also

provides the program parameters and execution permissions. Used in conjunction with the `mailDeliveryOption=program`. Program approval process is described in:

<http://docs.iplanet.com/docs/manuals/messaging/ims50/ag/users.htm#13443>

Example

`mailProgramDeliveryInfo=procmail`

OID

2.16.840.1.113730.3.1.20

mailQuota

Origin

iPlanet Messaging Server 5.0

Syntax

int, single-valued

Object Classes

`inetMailUser`, `mailDomain`

Definition

Specifies disk space allowed for the user's mailbox in bytes. Value of 0 (or not specified) means system default quota, -1 means no limit on space usage. System default is specified in the server configuration parameter `store.defaultmailboxquota`. By setting a quota in this config parameter and setting `store.quotaenforcement` to 'on' the message store starts enforcing the quota.

Example

`mailQuota=5000000`

OID

2.16.840.1.113730.3.1.21

mailRejectText

Origin**Syntax**

ces, multi-valued

Object Classes**Definition**

The first line of text stored in the first value of this attribute is saved. This text is returned if any of the authentication attributes cause the message to be rejected. Since text can appear in SMTP responses, the value is limited to US-ASCII characters in order to comply with messaging standards.

Example**OID**

TBD

mailRoutingAddress

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single valued

Object Classes

inetLocalMailRecipient

Definition

Reserved.

Example

TBD.

OID

2.16.840.1.113730.3.1.24

mailRoutingHosts

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

mailDomain

Definition

Fully qualified host name of the MTA responsible for making routing decisions for user in this (and all contained) domain(s). Unspecified attribute implies all MTAs must route messages for the users/groups of this (and contained) domain(s).

Example

```
mailRoutingHosts=mail.siroe.com
```

OID

2.16.840.1.113730.3.1.759

mailRoutingSmartHost

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

mailDomain

Definition

Fully qualified host name of a mail server responsible for handling mail for users not found in the local directory. Messages sent to users not found in the messaging server's directory are forwarded to the mail server specified in this attribute. This is useful when making a transition from one mail system to another and all users have not yet been moved over to the messaging server directory. An empty or missing attribute implies the local MTA is responsible for routing and delivering all messages for users in that domain.

Example

```
mailRoutingSmartHost=mail.siroe.com
```

OID

```
2.16.840.1.113730.3.1.760
```

mailSieveRuleSource

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

```
inetMailUser
```

Definition

The iPlanet Delegated Administrator for Messaging provides an interface for modifying this attribute. However, if you add a SIEVE rule without using iPlanet Delegated Administrator for Messaging, subsequent use to create/modify SIEVE rules for that user may produce unstable SIEVE rules.

There are two possible forms for the value of this attribute: a single value that contains the complete sieve script (RFC 3028 compliant), and multiple values, with each value containing a piece of the sieve script (not RFC 3028 compliant). The latter form is produced by the Web filter construction interface. Special code is used to order the values and glue them together properly.

Syntax of the SIEVE scripts is specified in the internet draft *Sieve: A Mail filtering Language* at <http://docs.iplanet.com/docs/sieve>.

A script has the following form:

```
require ["fileinto", "reject"];
# $Rule Info: Order=(1-infinity, or 0 for disabled)
Template=(template-name) Name=(rule name)
if header :is "Sender" "owner-ietf-mta-filters@imc.org"
{ fileinto "filter"; # move to "filter" folder }
if header :is "Subject" "SPAM!"
{ delete }
```

Multi-valued Form

Multiple Sieve scripts per user can be stored in LDAP. To enable the user interface to handle several smaller rules scripts, rather than one script containing all the user's rules, this attribute takes multiple values (that is, multiple rules). The server looks at every rule in mailSieveRuleSource.

To provide ordering and possible user interface editing information, there is an optional Sieve comment line in each rule. This line has the following format:

```
# $Rule Info: Order=(1-infinity, or 0 for disabled)
Template=(template-name) Name=(rule name)
```

Only the `Order` field is used by the messaging server. The other fields are added as markers for fields that might be useful for the user interface. All rules that have a `Rule Info` line will be processed first by the messaging server. If `Order=0`, then this rule is not used in the Sieve evaluation. Otherwise, the rules are processed in the order provided (1 having highest priority). To accommodate Sieve rules that might not have been entered using the `Rule Info` extension, any other rules found are run by the server, in order received from LDAP after all rules with corresponding order values have been processed.

Example

```
mailSieveRuleSource:
require ["fileinto", "reject", "redirect", "discard"]
if header :contains "Subject" "New Rules Suggestion"
    {redirect "rules@sesta.com" # Forward message }
if header :contains "Sender" "porn.com"
    {discard text:
Your message has been rejected. Please remove this address from your
mailing list.      # Reject message, send reply message.}
if size :over 1M
    { reject text:
Please do not send me large attachments.
Put your file on a server and send me the URL.
Thank you. # Discard message, send reply message.}
if header :contains "Sender" "barkley@sesta.com"
    { fileinto complaints.refs # File message}
```

OID

2.16.840.1.113730.3.1.775

mailSMTPSubmitChannel

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailUser

Definition

Most commonly, this attribute is a factor involved in setting up guaranteed message delivery, or in setting up other special classes of service. When defined, this attribute tells the MTA to consider the channel named by this attribute to be the effective submission channel, if the SMTP AUTH is successful.

Example

```
mailSMTPSubmitChannel=tcp_tas
```

OID

2.16.840.1.113730.3.1.776

mailUserStatus

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailUser

Definition

Stores one of the following mail user states (missing value implies status is inactive):

active	Normal state. If <code>inetUserStatus</code> is also active, then mail is processed as per the values stored in other user attributes (such as <code>mailDeliveryOption</code> , <code>mailSieveRuleSource</code> , and so on). If not set to active, the status from <code>inetUserStatus</code> takes precedence. Other status attributes taken into consideration are <code>inetDomainStatus</code> and <code>mailDomainStatus</code> . If the combination of <code>inetDomainStatus</code> and <code>mailDomainStatus</code> permits mail delivery and access for the domain, the user state is determined from <code>inetUserStatus</code> and <code>mailUserStatus</code> .
inactive	The user's mail account is inactive. A transient failure is returned to the sending MTA.
deleted	User's mail account is marked deleted. A permanent failure is returned to the sending MTA and the user's mail account is a candidate for cleanup by the purge utility. User access to mailbox is blocked.
hold	User's mail is sent to the hold queue and access to the mailbox over IMAP, POP, and HTTP is disallowed. MTA and Message Access Servers on the store server must comply with this requirement.

Missing value implies status is active. An illegal value is treated as inactive.

There are four status attributes that mail services look at and which are evaluated in this order: `inetDomainStatus`, `mailDomainStatus`, `inetUserStatus`, and `mailUserStatus`. The rule is: the first of these attributes that is set to something other than active takes precedence over all the others.

Example

```
mailUserStatus=active
```

OID

```
2.16.840.1.113730.3.1.778
```

maxPabEntries

Origin

iPlanet Messaging Server 5.0

Syntax

int, single-valued

Object Classes

ipUser

Definition

Specifies the maximum number of personal address book entries users are permitted to have in their personal address book store. A value of -1 implies there is no limit. If this attribute is not present then the system default specified in the personal address book configuration is used.

Example

```
maxPabEntries=1000
```

OID

```
2.16.840.1.113730.3.1.705
```

memberOf

Origin

iPlanet Messaging Server 5.0

Syntax

DN, multi-valued

Object Classes

inetAdmin, inetUser

Definition

Specifies the DN of a mailing list to which a user belongs. Indicates group membership as a backpointer.

Example

```
memberOf=cn=Administrators,ou=groups o=sesta.com,o=siroe-isp.com
```

memberOfManagedGroup

OID

1.2.840.113556.1.2.102

memberOfManagedGroup

Origin

iPlanet Messaging Server 5.0

Syntax

DN, single-valued

Object Classes

ipUser

Definition

Specifies the DN of the family account of which this user is a member.

Example

memberOfManagedGroup=cn=Addams Family, ou=groups, o=sesta.com, o=isp

OID

2.16.840.1.113730.3.1.704

memberOfPAB

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

pabPerson, pabGroup

Definition

The unique name (un) of the personal address book(s) in which this entry belongs.

Example

abab=addressbook122FA7

OID

2.16.840.1.113730.3.1.718

memberOfPABGroup

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

pabPerson

Definition

Unique name of the personal group(s) in which this user belongs.

Example

memberOfPabGroup=testgroup15577F2D

OID

2.16.840.1.113730.3.1.719

memberURL

Origin

NMS

Syntax

ces, multi-valued

Object Classes**Definition**

A list of URLs, which, when expanded, provides a list of mailing list member addresses.

Example

memberURL=ldap://cn=jdoes, o=sesta.com

OID

2.16.840.1.113730.3.1.198

mgmanAllowSubscribe

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

inetMailGroupManagement

Definition

Domain name(s) or email addresses of users allowed to subscribe to this mailing list.

Example

mgmanAllowSubscribe=sestsa.com (every user at sesta.com would be able to subscribe to the list)

OID

2.16.840.1.113730.3.1.790

mgmanDenySubscribe

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

inetMailGroupManagement

Definition

Domain name(s) or email addresses of users not allowed to subscribe to this list. The mgmanDenySubscribe attribute takes precedence over mgmanAllowSubscribe.

Example

mgmanDenySubscribe=siroe.com

OID

2.16.840.1.113730.3.1.791

mgmanGoodbyeText

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single valued

Object Classes

inetMailGroupManagement

Definition

Reserved.

Example

TBD.

OID

2.16.840.1.113730.3.1.797

mgmanHidden

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailGroupManagement

Definition

A boolean flag specifying whether or not the group should appear in lists that are requested by people other than the group owners. A value of `true` corresponds with a hidden group, that is, the list is not visible. A value of `false` means that the list is visible. A missing value is the same as a value of `false`.

Example

```
mgmanHidden=true
```

OID

```
2.16.840.1.113730.3.1.792
```

mgmanIntroText

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

```
inetMailGroupManagement
```

Definition

Reserved.

Example

TBD.

OID

```
2.16.840.1.113730.3.1.796
```

mgmanJoinability

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailGroupManagement

Definition

Specifies who can subscribe to the group. The allowed values are `ANYONE`, `ALL`, and `NONE` (If this attribute is not specified, the default is `NONE`):

- `ANYONE` - Enables anyone to subscribe.
- `ALL` - Enables anyone authenticated to the directory (or iPlanet Delegated Administrator for Messaging) to subscribe.
- `NONE` - Only owner can add members to a closed distribution list.

Example

mgmanJoinability=All

OID

2.16.840.1.113730.3.1.793

mgmanMemberVisibility

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailGroupManagement

Definition

Defines who has rights to view the group membership list (expand the group). Like the attribute `mgmanJoinability`, this attribute has the keyword values: `none`, `all`, `true`, `anyone`. No matter what the setting of this attribute, group owners always retain the right to view (and modify) membership.

This attribute is checked in the case of group expansion as part of an SMTP `EXPN` command.

<code>anyone</code>	Enables anyone to expand the group (see the members in the mailing list). Also, the MTA returns the addresses of members when an <code>EXPN</code> is performed.
---------------------	--

all or true	The user has to successfully authenticate to the directory (or iPlanet Delegated Administrator for Messaging) before expansion is allowed.
none	Only group owners can expand the group.

Unrecognized values are interpreted as none.

Example

`mgmanMemberVisibility=all`

OID

2.16.840.1.113730.3.1.795

mgmanVisibility

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailGroupManagement

Definition

Example

OID

2.16.840.1.113730.3.1.794

mgrpAddHeader

Origin

NMS

Syntax

ces, multi-valued

Object Classes

inetMailGroup

Definition

Each attribute value specifies a header field that is to be added to the message header if it is present.

For MTA, the values of this attribute are headers. This values of this attribute are used to set header trimming ADD options.

Example

```
mgrpAddHeader=Reply-To: thisgroup@sesta.com
```

OID

2.16.840.1.113730.3.1.781

mgrpAllowedBroadcaster

Origin

iPlanet Messaging Server 5.0

Syntax

ces, multi-valued

Object Classes

inetMailGroup

Definition

Identifies mail users allowed to send messages to the mail group. The Messaging Server expects this attribute to contain either a distinguished name or an RFC822address using an LDAP URI or a mailto address (see example). If a distinguished name is used, it must represent a mailable entry or entries of type group or groupOfUniqueNames. If no instances of this attribute exist on the inetMailGroup entry, then there are no restrictions on who can send messages to the mail group unless the mgrpAllowedDomain and mgrpDisallowedDomain attributes are used.

If multi-valued, each URL is expanded into a list of addresses and each address is checked against the current envelope "from" address. The message is allowed if there is a match.

Example

Example 1=mgrpAllowedBroadcaster: ldap://uid=bjensen, o=siroe.com

Example 2=mgrpAllowedBroadcaster: mailto:sys50@siroe.com

OID

2.16.840.1.113730.3.1.22

mgrpAllowedDomain

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

inetMailGroup

Definition

Identifies domains (including subdomains) from which users are allowed to send messages to the mail group. If no instances of this attribute exist on the `inetMailGroup` entry, then there are no restrictions on who can send messages to the mail group unless the `mgrpAllowedBroadcaster`, `mgrpDisallowedBroadcaster`, and `mgrpDisallowedDomain` attributes are used.

Example

`mgrpAllowedDomain=siroe.com`

This matches any user sending from `*.siroe.com`.

OID

2.16.840.1.113730.3.1.23

mgrpAuthPassword

Origin

iPlanet Messaging Server 5.0

Syntax

ces, single-valued

Object Classes

inetMailGroup

Definition

Specifies a password needed to post to the list. The value of this attribute is saved if the `mgrpBroadcasterPolicy` attribute is set to require a password. It is checked against the `Approved:` field once the header is available. The `Approved:` field will be removed from the header once the check is complete.

Example**OID**

2.16.840.1.113730.3.1.783

mgrpBroadcasterPolicy

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailGroup

Definition

Policy for determining allowed broadcaster. It specifies the level of authentication requires to access the list of broadcaster addresses. The allowed values are:

- AUTH_REQ, SMTP_AUTH_REQUIRED

In order to post to the list, the sender must be authenticated using the SMTP AUTH command.

- PASSWORD_REQUIRED, PASSWD_REQUIRED, PASSWD_REQ

All values mean the password to the broadcaster list, specified by the `mgrpAuthPassword` attribute, must appear in an `Approved:` header field in the message.

- NO_REQUIREMENTS

This value means no special requirements apply.

Example

mgrpBroadcasterPolicy=AUTH_REQ

OID

2.16.840.1.113730.3.1.3

mgrpDeliverTo

Origin

iPlanet Messaging Server 5.0

Syntax

ces, multi-valued

Object Classes

inetMailGroup

Definition

Used as an alternative method of specifying mail group membership. The values of this attribute are a list of URLs, which, when expanded, provides mailing list member addresses.

Messaging Server expects this attribute to contain an LDAP URL using the format described in RFC 1959. Any entries returned by the resulting LDAP search are members of the mailing group. This is used to create a dynamic mailing list.

Example

```
mgrpDeliverTo=ldap:/// ou=Accounting,o=iPlanet,c=US??sub?(&
(objectClass=inetMailUser)(objectClass=inetOrgPerson))
```

OID

2.16.840.1.113730.3.1.25

mgrpDisallowedBroadcaster

Origin

iPlanet Messaging Server 5.0

Syntax

ces, multi-valued

Object Classes

inetMailGroup

Definition

Identifies mail users not allowed to send messages to the mail group. If no instances of this attribute exist on the `inetMailGroup` entry, then there are no restrictions on who can send messages to the mail group unless the `mgrpAllowedDomain` and `mgrpDisallowedDomain` attributes are used.

Messaging Server expects this attribute to contain either a distinguished name or an `RFC822address`. If a distinguished name is used, it must represent a mailable entry or entries of type `group` or `groupOfUniqueNames`. The distinguished name must be represented in the form of an LDAP URL as described in RFC 1959.

If multi-valued, each URL is expanded into a list of addresses and each address is checked against the current envelope "from" address. The message is disallowed if there is a match.

Example

Example 1=`mgrpDisallowedBroadcaster=ldap://uid=bjensen, o=sesta.com`

Example 2=`mgrpDisallowedBroadcaster=mailto:sys50@sesta.com`

OID

2.16.840.1.113730.3.1.785

mgrpDisallowedDomain

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

inetMailGroup

Definition

Identifies domains from which users are not allowed to send messages to the mail group. This attribute is a private extension used by Messaging Server to manage mailing lists. If this attribute exists, then messages from listed domains are rejected. If no instances of this attribute exist on the `inetMailGroup` entry, then there are no restrictions on who can send messages to the mail group unless the `mgrpAllowedBroadcaster`, `mgrpDisallowedBroadcaster`, and `mgrpAllowedDomain` attributes are used.

Example

```
mgrpDisallowedDomain=florizel.com
```

OID

```
2.16.840.1.113730.3.1.784
```

mgrpErrorsTo

Origin

iPlanet Messaging Server 5.0

Syntax

ces, single-valued

Object Classes

`inetMailGroup`

Definition

Recipient of error messages generated when messages are submitted to this list. Recipient's address can be specified using the `mailto` syntax, which includes an RFC 822 e-mail address preceded by the keyword "mailto:" or simply an RFC 822 email address. Also supports LDAP URL syntax. However, if an LDAP URL is used, it must be one that produces a single address.

The envelope originator address is set to the value of this attribute.

Examples:

```
Example 1: mgrpErrorsTo=mailto:jordan@siroe.com
```

```
Example 2:
```

```
mgrpErrorsTo=ldap:///uid=ofanning,ou=people,o=siroe.com,o=isp
```

OID

```
2.16.840.1.113730.3.1.26
```


mgrpModerator

Origin

iPlanet Messaging Server 5.0

Syntax

ces, multi-valued

Object Classes

inetMailGroup

Definition

LDAP URI or `mailto` URL identifying the moderators allowed to submit messages to this list. Only those messages that are submitted by the moderator are sent to the members of this list. Messages submitted by others are forwarded to the moderators for approval and resubmitting.

The URLs given as the value of this attribute are expanded into a series of addresses, and then compared with the envelope “from” address. If there is a match, group processing continues. If there is no match, the value of this attribute becomes the group URL, any list of RFC 822 addresses or DNs associated with the group is cleared, the delivery options for the group are set to “members,” and there is no further group processing for the failed URL.

Example

```
mgrpModerator=jordan@sesta.com
```

OID

2.16.840.1.113730.3.1.33

mgrpMsgMaxSize

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailGroup

Definition

Maximum message size in bytes that can be sent to the group. Messaging Server expects zero or one instance of this attribute to exist for every `mailGroup` entry. If no entry exists, then no size limit is imposed on mail to the group.

This attribute is obsolete, but still supported for backwards compatibility. Use `mailMsgMaxBlocks` instead.

Example

`mgrpMsgMaxSize=8000`

OID

2.16.840.1.113730.3.1.3

mgrpMsgPrefixText

Origin

Not implemented.

Syntax

UTF-8 text, single-valued

Object Classes

`inetMailGroup`

Definition

Specifies the text to be added to the beginning of the message text. You must supply the formatting. That is, you must insert CRLF where they belong in the text.

This attribute only works for the direct LDAP mode, not for the `imsmta dirsyntax` option.

Example

OID

TBD

mgrpMsgRejectAction

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailGroup

Definition

Reserved.

Example**OID**

2.16.840.1.113730.3.1.28

mgrpMsgRejectText

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailGroup

Definition

Specifies the error text to use in the event of a group access failure. Because this text may appear in SMTP responses, this restricts the text to a single line of US-ASCII. This is implemented by reading only the first line of text in this attribute and using it only if it contains no 8-bit characters. (This is a limitation of the SMTP protocol.)

Example

OID

2.16.840.1.113730.3.1.29

mgrpMsgSuffixText

Origin

Not implemented.

Syntax

UTF-8 text, single valued

Object Classes

inetMailGroup

Definition

Specifies the text to appended to the text message. You must supply the formatting. That is, you must insert any CRLFs (carriage return, line feeds) that belong in the text.

This attribute only works for the direct LDAP mode, not for the `imsimta dirsync` option.

Example

OID

TBD

mgrpNoDuplicateChecks

Origin

iPlanet Messaging Server 5.0, not implemented going forward for iPlanet Messaging Server 5.2

Syntax

cn, single-valued

Object Classes

inetMailGroup

Definition

This attribute is no longer supported. Duplicate checking is controlled by characteristics of the lists themselves. Some lists combine and some lists don't.

Old definition: Prevents Messaging Server from checking for duplicate delivery to members of the mail group. Prevents multiple deliveries if a user is on multiple lists. `No` means the system checks for duplicate delivery. `Yes` means the system does not check for duplicate delivery.

Example

```
mgrpNoDuplicateChecks=yes
```

OID

```
2.16.840.1.113730.3.1.789
```

mgrpRemoveHeader

Origin

iPlanet Messaging Server 5.0

Syntax

`cis`, multi-valued

Object Classes

`inetMailGroup`

Definition

Each attribute value specifies a header field that is to be removed from the message header if it is present.

For MTA, the values of this attribute are used to set the header trimming `MAXLINES=-1` option.

Example**OID**

```
2.16.840.1.113730.3.1.801
```

mgrpRequestTo

Origin

iPlanet Messaging Server 5.0

Syntax

ces, multi-valued

Object Classes

inetMailGroup

Definition

LDAP URL or `mailto` identifying the recipient(s) of request-to-be-added messages. A new alias is generated for distribution lists with this attribute. This alias is of the form: *distribution_list_name-request@domain* and the messages sent to this alias are forwarded to the recipients listed in `mgrpRequestsTo`.

Example

```
mgrpRequestsTo=jordan@sesta.com
```

OID

2.16.840.1.113730.3.1.782

mgrpRFC822MailMember

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

inetMailGroup

Definition

Identifies recipients of mail sent to mail group. Mail sent to both this attribute and `uniqueMember` attributes are not members of the mixed-in `groupOfUniqueNames`. This attribute represents mail recipients that cannot be expressed as distinguished names, or who are to be sent mail from this group but who do not have the full privileges of a unique group member. Messaging Server expects this attribute to contain RFC 822 mail addresses. Generally used for group members who are not in the local directory.

For backwards compatibility, `rfc822MailMember` is also supported, but only one of these attributes can be used in any given group.

Example

```
mgrpRFC822MailMember=bjensen@siroe.com
```

OID

```
2.16.840.1.113730.3.1.30
```

mnggrpAdditionPolicy

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

`inetManagedGroup`

Definition

Reserved.

Example

TBD.

OID

```
2.16.840.1.113730.3.1.710
```

mnggrpBillableUser

Origin

iPlanet Messaging Server 5.0

Syntax

DN, single-valued

Object Classes

inetManagedGroup

Definition

DN of the user who is responsible for paying the bills for this family account or group of users.

Example

```
mnggrpBillableUser:uid=John,ou=people,o=sesta.com,o=isp
```

OID

2.16.840.1.113730.3.1.711

mnggrpCurrentUsers

Origin

iPlanet Messaging Server 5.0

Syntax

int, single-valued

Object Classes

inetManagedGroup

Definition

Current number of users allowed in the managed group. Intended for reporting purposes only. No operational impact.

Example

```
mnggrpCurrentUsers=20
```

OID

2.16.840.1.113730.3.1.714

mnggrpDeletionPolicy

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single valued

Object Classes

inetManagedGroup

Definition

Reserved.

Example

TBD.

OID

2.16.840.1.113730.3.1.709

mnggrpMailQuota

Origin

iPlanet Messaging Server 5.0

Syntax

int, single-valued

Object Classes

inetManagedGroup

Definition

Cumulative disk quota allowed for all users in the managed group. A value of -1 specifies that there is no limit on space used by users in the managed group. Intended for reporting purposes only. No operational impact.

Example

mnggrpMailQuota=-1

OID

2.16.840.1.113730.3.1.715

mnggrpMaxUsers

Origin

iPlanet Messaging Server 5.0

Syntax

int, single-valued

Object Classes

inetManagedGroup

Definition

Maximum number of users allowed in the managed group.

Example

30

OID

2.16.840.1.113730.3.1.713

mnggrpStatus

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetManagedGroup

Definition

Reserved.

Example

TBD.

OID

2.16.840.1.113730.3.1.712

mnggrpUserClassOfServices

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

inetManagedGroup

Definition

Reserved.

Example

TBD.

OID

2.16.840.1.113730.3.1.716

msgVanityDomain

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

msgVanityDomainUser

Definition

Vanity domain name associated with the user. Used only for routing purposes by the MTA. Users still have a primary domain associated with their account and they use that domain to log into the message access services. However, this attribute enables them to have email addresses in the namespace represented by the vanity domain name. Refer to the section on vanity domains in the *iPlanet Messaging Server Provisioning Guide* for details on how to create vanity domains (<http://docs.ipplanet.com/docs/manuals/messaging/ims50/pg/domains.htm#28035>).

Example

If `msgVanityDomain=foo.com`, the user can have an address where the domain part is `@foo.com`.

OID

2.16.840.1.113730.3.1.799

multiLineDescription

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

inetMailGroupManagement

Definition

Detailed description of the distribution list. A dollar sign (“\$”) creates a new line.

Example

`multiLineDescription=People who like cats. $And are ambivalent about people.`

OID

1.3.6.1.4.1.250.1.2

nickName

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

pabPerson, pabGroup

Definition

Identifies the short name used to locate a `pabPerson` or a `pabGroup` entry.

Example

```
nickname=Nick
```

OID

```
2.16.840.1.113730.3.1.720
```

nsDefaultMaxDeptSize

Origin

iPlanet Messaging Server 5.0

Syntax

```
int
```

Object Classes

```
nsManagedDomain
```

Definition

Specifies the default size (in number of users) of a newly created department managed by delegated administrator.

Example

```
nsDefaultMaxDeptSize=20
```

OID

```
2.16.840.1.113730.3.1.562
```

nsMaxDepts

Origin

iPlanet Messaging Server 5.0

Syntax

```
int
```

Object Classes

nsManagedDept, nsManagedDomain

Definition

Specifies the maximum number of group entries that can be created under this object.

Example

nsMaxDepts=200

OID

2.16.840.1.113730.3.1.557

nsMaxDomains

Origin

iPlanet Messaging Server 5.0

Syntax

int

Object Classes

nsManagedDomain

Definition

Specifies the maximum number of sub-organizations allowed to be created under this object.

Example

nsMaxDomains=50

OID

2.16.840.1.113730.3.1.561

nsMaxMailingLists

Origin

iPlanet Messaging Server 5.0

Syntax

int

Object Classes

nsManagedDomain

Definition

Specifies the maximum number of mailing lists that can be created under this entry.

Example

```
nsMaxMailingLists=200
```

OID

2.16.840.1.113730.3.1.559

nsMaxUsers

Origin

iPlanet Messaging Server 5.0

Syntax

int

Object Classes

nsManagedDept

Definition

Specifies the maximum number of users that can be created under this entry.

Example

```
nsMaxUsers=750
```

OID

2.16.840.1.113730.3.1.555

nsNumDepts

Origin

iPlanet Messaging Server 5.0

nsNumDomains

Syntax

int

Object Classes

nsManagedDept, nsManagedDomain

Definition

Tracks the number of nested departments that exist under this object.

Example

nsNumDepts=35

OID

2.16.840.1.113730.3.1.556

nsNumDomains

Origin

iPlanet Messaging Server 5.0

Syntax

int

Object Classes

nsManagedDomain

Definition

Tracks the number of sub-organizations that exist under this object.

Example

nsNumDomains=5

OID

2.16.840.1.113730.3.1.560

nsNumMailLists

Origin

iPlanet Messaging Server 5.0

Syntax

int

Object Classes

nsManagedDomain

Definition

Tracks the number of mail lists that exist under this object.

Example

nsNumMailLists=200

OID

2.16.840.1.113730.3.1.558

nsNumUsers

Origin

iPlanet Messaging Server 5.0

Syntax

int

Object Classes

nsManagedDept, nsManagedDomain

Definition

Tracks the number of users that can be created under this object.

Example

nsNumUsers=2000

OID

2.16.840.1.113730.3.1.554

nsdaCapability

Origin

iPlanet Messaging Server 5.0

nsdaDomain

Syntax

cis, single-valued

Object Classes

nsManagedPerson

Definition

Specifies whether a user can create a mail list.

Example

OID

2.16.840.1.113730.3.1.563

nsdaDomain

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single

Object Classes

nsManagedPerson

Definition

Specifies the user's organization.

Example

OID

2.16.840.113730.3.1.600

nsdaModifiableBy

Origin

iPlanet Messaging Server 5.0

Syntax

DN, single-valued

Object Classes

inetManagedGroup, nsManagedDept, nsManagedDomain

Definition

Specifies who has modify access to the object in which this attribute appears. DN of the administrator's group used with ACIs to grant rights to manage other groups.

Example

nsdaModifiableBy=cn=service administrators,ou=group,o=isp

OID

2.16.840.1.113730.3.1.565

nswmExtendedUserPrefs

Origin

iPlanet Messaging Server 5.0

Syntax

cis, multi-valued

Object Classes

inetMailUser

Definition

This attribute holds the pairs that define Messenger Express preferences such as sort order, Mail From address, and so on. Each instance of this attribute is the tuple *pref_name=pref_value*. This is a proprietary syntax and the example below is for illustrative purposes only.

Example

Example 1: nswmExtendedUserPrefs=meColorSet=4

Example 2: nswmExtendedUserPrefs=meSort=r

Example 3: nswmExtendedUserPrefs=meAutoSign=True

Example 4: nswmExtendedUserPrefs=meSignature=Otis
Fanning\$ofanning@sesta.com

Example 5: nswmExtendedUserPrefs=meDraftFolder=Drafts

o

OID

2.16.840.1.113730.3.1.520

O

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single valued

Object Classes

pabPerson

Definition

Name of the user's company or organization. Abbreviation of `organizationName`.

Example

`organizationName=Company22 Incorporated`

or

`o = Company22 Incorporated`

OID

2.5.4.10

objectClass

Origin

iPlanet Messaging Server 5.0

Syntax

cis

Object Classes

inetAdmin, nsManagedDept

Definition

Specifies the objects for this object class.

Example

`objectClass = person`

OID

2.5.4.0

organizationName

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single valued

Object Classes

`pabPerson`

Definition

Name of the user's company or organization.

Example

`organizationName = Company22 Incorporated`

OID

2.5.4.10

organizationUnitName (see ou)

ou

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single valued

Object Classes

`pabPerson`

owner

Definition

Name of the organizational unit to which the user belongs. Abbreviation for `organizationalUnitName`.

Example

```
organizationUnitName=ou=docs
```

OID

```
2.16.840.1.113730.3.1.722
```

owner

Origin

iPlanet Messaging Server 5.0

Syntax

DN, single-valued

Object Classes

```
inetManagedGroup
```

Definition

Identifies the distinguished name (DN) of the person or group with administrative privileges over the entry.

Example

```
owner= cn=John Smith, o=iPlanet, c=US
```

OID

```
2.5.4.32
```

pabURI

Origin

iPlanet Messaging Server 5.0

Syntax

ci, single-valued

Object Classes

ipUser

Definition

LDAP URI specifying the container of the personal address book entries for this user. It takes the following form: `ldap://server:port/container_dn`, where:

- *server* - Host name of the personal address book LDAP server.
- *port* -Port of the personal address book LDAP server.
- *container_dn* - DN of the subtree where all PAB entries for the user are created.

Example

```
pabURI=ldap://ldap.siroe.com:389/ou=ed,ou=people,o=sesta.com,o=isp,
o=pab
```

OID

2.16.840.1.113730.3.1.703

postalAddress

Origin

LDAP

Syntax

cis

Object Classes

icsCalendarResource

Definition

Identifies the entry's mailing address. This field is intended to include multiple lines. When represented in LDIF format, each line should be separated by a dollar sign (\$).

To represent an actual dollar sign (“\$”) or back slash (“\”) within this text, use the escaped hex values, `\24` and `\5c` respectively. For example, to represent the string:

```
The dollar ($) value can be found
in the c:\cost file.
```

provide the string:

```
The dollar(\24) value can be found$in the c:\5ccost file.
```

preferredLanguage

Example

postalAddress = 123 Oak Street\$Anytown, CA\$90101

OID

2.5.4.16

preferredLanguage

Origin

iPlanet Messaging Server 5.0, iPlanet Calendar Server 5.1

Syntax

RFC 2798, cis, single-valued

Object Classes

icsCalendarUser, mailDomain, inetMailGroup

Definition

Preferred written or spoken language for a person. The value for this attribute should conform to the syntax for HTTP Accept-Language header values.

Example

preferredLanguage = fr, en-gb;q=0.8, en;q=0.7

OID

2.16.840.1.113730.3.1.39

preferredMailHost

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

mailDomain

Definition

Used by Delegated Administrator to set the `mailHost` attribute of newly created users and groups in this mail domain.

Example

```
preferredMailHost=mail.siroe.com
```

OID

```
2.16.840.1.113730.3.1.761
```

preferredMailMessageStore

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

```
mailDomain
```

Definition

Used by Delegated Administrator for Messaging to set the `mailMessageStore` attribute of newly created users. If missing, Delegate Administrator leaves the `mailMessageStore` attribute empty and the access server assumes that the user's mailbox is in the default partition of the server instance.

Example

```
primary
```

OID

```
2.16.840.1.113730.3.1.762
```

seeAlso

Origin

LDAP

sn

Syntax

dn

Object Classes

groupOfUniqueNames

Definition

Identifies another LDAP entry that may contain information related to this entry.

Example

seeAlso=cn=Quality Control Inspectors, ou=manufacturing,
o=Company22, c=US

OID

2.5.4.34

sn

Origin

LDAP

Syntax

cis

Object Classes

icsCalendarUser

Definition

Identifies the entry's surname, also referred to as last name or family name.

Example

surname: jones

OID

2.5.4.4

telephoneNumber

Origin

LDAP

Syntax

tel

Object Classes

domain

Definition

Identifies the entry's phone number.

Example

telephoneNumber = 800-555-1212

OID

2.5.4.20

uid

Origin

LDAP

Syntax

cis, single-valued

Object Classes

icsCalendarResource, icsCalendarUser

Definition

Identifies the entry's userid. Abbreviation of userid.

Example

userid = jdoe

or

uid = jdoe

OID

0.9.2342.19200300.100.1.1

un

un

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

pabPerson, pabGroup, pab

Definition

Unique name assigned to PAB entry. This is also the naming attribute for entries created by this object class and is used to form the DN of all PAB entries, irrespective of the type (pab, pabPerson, or pabGroup).

Example

un=Nick

OID

2.16.840.1.113730.3.1.717

uniqueMember

Origin

iPlanet Messaging Server 5.0

Syntax

dn

Object Classes

groupOfUniqueNames

Definition

Identifies a member of a group of names where each name was given a `uniqueIdentifier` to ensure its uniqueness. A value for the `uniqueMember` attribute is a DN followed by the `uniqueIdentifier`. (`uniqueIdentifiers` are assigned by the server when a DN has been reused and is intended to detect instances of a reference to a DN that has been deleted.)

Example

In the example below, the `uniqueIdentifier` is AAAAA.

```
uniqueMember=cn=Jane Doe, ou=Quality Control, o=Company22, AAAAA
```

OID

2.5.4.50

userid (see uid)

userPassword

Origin

LDAP

Syntax

bin, single-valued

Object Classes

domain

Definition

This attribute identifies the entry's password and encryption method in the following format:

```
{encryption method}encrypted password
```

Transfer of cleartext passwords is strongly discouraged where the underlying transport service cannot guarantee confidentiality. Transfer of cleartext may result in disclosure of the password to unauthorized parties.

Example

```
userPassword={sha}FTSLQhxXpA05
```

OID

2.5.4.35

vacationEndDate

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

userPresenceProfile

Definition

Vacation end date and time. Date is in the following format: YYYYMMDDHHMMSSZ; where YYYY is the four digit year, MM is the two digit month, DD is the two digit day, HH is the two digit hour, and SS is the two digit second. Time is normalized to GMT. Z is the character z.

Example

```
vacationEndDate=20000220000000Z
```

OID

2.16.840.1.113730.3.1.708

vacationStartDate

Origin

iPlanet Messaging Server 5.0

Syntax

cis, single-valued

Object Classes

userPresenceProfile

Definition

Vacation start date and time. Date is in the following format: YYYYMMDDHHMMSSZ; where YYYY is the four digit year, MM is the two digit month, DD is the two digit day, HH is the two digit hour, and SS is the two digit second. Time is normalized to GMT. Z is the character z.

Example

vacationStartDate=20000215000000Z

OID

2.16.840.1.113730.3.1.707

vacationStartDate

General Information

This appendix covers the following topics:

- LDAP Overview
- Attribute Syntax
- Object Identifiers
- ISO 8601 Time Zones

LDAP Overview

iPlanet Messaging and Collaboration products include object classes and attributes defined by the Lightweight Directory Access Protocol (LDAP) and extensions to the standard LDAP schema developed by iPlanet and by the Internet Engineering Task Force (IETF) that extend the basic functionality of LDAP.

Initially developed at the University of Michigan, LDAP is a lightweight version of the X.500 Directory Access Protocol. LDAP has become an Internet standard for directory services running over TCP/IP.

One or more LDAP servers contain the data that make up the LDAP directory. An LDAP directory stores information in object-oriented hierarchies of entries. Each entry is uniquely identified by a distinguished name, or DN. The DN consists of the comma-separated sequence of attributes and values that specify the unique location of an entry within the directory information tree. This provides a path of names tracing the entry back to the top of the directory hierarchy.

Attribute Syntax

Directory data is represented as attribute-value pairs. Any specific piece of information is associated with a descriptive attribute.

Each attribute has a corresponding syntax definition. The syntax definition describes the type of information provided by the attribute.

Table A-1

Syntax Method	Abbreviation	Definition
Binary	bin	Attribute values are binary
Boolean	boolean	Two values possible: Yes or No, True or False, On or Off
Case Exact String	ces	Values are case sensitive
Case Ignore String	cis	Values are not case sensitive
Telephone	tel	Telephone numbers (identical to cis, but blanks and dashes (-) are ignored)
Distinguished Name	dn	Indicates values are DNs
Integer	int	Values are numbers
Operational	operational	Not displayed in search results

Required and allowed attributes for each object class are included in the object class listing.

Unless otherwise noted, attributes are assumed to be multi-valued, that is, more than one instance of the attribute can be specified. Attributes that are single-valued, that is, only one instance of the attribute can be specified, are noted as such in the Syntax heading, found in each attribute definition.

Object Identifiers

To meet LDAP and X.500 standards, all attributes and objects should have been assigned Object identifiers (OIDs). An OID is a sequence of integers, typically written as a dot-separated string. The OID identifies who first filed the name of the object or attribute with the standards committee.

For example, all Netscape-defined attributes have the base OID of 2.16.840.1.113370.3.1, and all Netscape-defined object classes have the base OID of 2.16.840.1.113730.3.2

In some cases, objects and attributes listed in this document do not have an OID assigned to them yet.

ISO 8601 Time Zones

There are 92 time zones:

- Africa/Amman
- Africa/Cairo
- Africa/Casablanca
- Africa/Johannesburg
- Africa/Lagos
- Africa/Tripoli
- Africa/Windhoek
- America/Adak
- America/Anchorage
- America/Buenos_Aires
- America/Caracas
- America/Chicago
- America/Costa_Rica
- America/Cuiaba
- America/Denver
- America/Godthab
- America/Grand_Turk
- America/Halifax
- America/Havana
- America/Indianapolis
- America/Los_Angeles
- America/Miquelon
- America/New_York
- America/Phoenix
- America/Port-au-Prince
- America/Santiago
- America/Sao_Paulo
- America/St_Johns
- Asia/Alma-Ata
- Asia/Anandyr
- Asia/Aqtau

Asia/Aqtobe
Asia/Baku
Asia/Bangkok
Asia/Beirut
Asia/Bishkek
Asia/Calcutta
Asia/Dacca
Asia/Irkutsk
Asia/Jerusalem
Asia/Kabul
Asia/Kamchatka
Asia/Karachi
Asia/Katmandu
Asia/Krasnoyarsk
Asia/Magadan
Asia/Novosibirsk
Asia/Rangoon
Asia/Riyadh
Asia/Shanghai
Asia/Tehran
Asia/Tokyo
Asia/Ulan_Bator
Asia/Vladivostok
Asia/Yakutsk
Asia/Yekaterinburg
Asia/Yerevan
Atlantic/Azores
Atlantic/Cape_Verde
Atlantic/South_Georgia
Atlantic/Stanley
Australia/Adelaide
Australia/Brisbane
Australia/Darwin
Australia/Hobart
Australia/Lord_Howe
Australia/Sydney
Europe/Bucharest
Europe/Istanbul z
Europe/London
Europe/Minsk
Europe/Moscow
Europe/Paris
Europe/Riga

Europe/Samara
Europe/Simferopol
Europe/Warsaw
Pacific/Apia
Pacific/Auckland
Pacific/Chatham
Pacific/Easter
Pacific/Fiji
Pacific/Gambier
Pacific/Guadalcanal
Pacific/Honolulu
Pacific/Kiritimati
Pacific/Marquesas
Pacific/Norfolk
Pacific/Noumea
Pacific/Pitcairn
Pacific/Rarotonga
Pacific/Tongatapu.

Glossary

access control A method for controlling access to a server or to folders and files on a server.

access control information (ACI) A single item of information from an access control list.

access control list (ACL) A set of data associated with a directory that defines the permissions that users and/or groups have for accessing it.

access control rules Rules specifying user permissions for a given set of directory entries or attributes.

access domain Limits access to certain Messaging Server operations from within a specified domain. For example, an access domain can be used to limit where mail for an account can be collected.

account Information that defines a specific user or user group. This information includes the user or group name, valid email address or addresses, and how and where email is delivered.

administration domain A region of administrative control. See also **domain**.

administration privileges A set of privileges that define a user's administrative role.

administration server administrator User who has administrative privileges to start or stop a server even when there is no Directory Server connection. The administration server administrator has restricted server tasks (typically only Restart Server and Stop Server) for all servers in a local server group. When an administration server is installed, this administrator's entry is automatically created locally (this administrator is not a user in the user directory).

administrator A user with a defined set of administrative privileges. See also **configuration administrator**, **Directory Manager**, **administration server administrator**, **server administrator**, **message store administrator**, **top-level administrator**, **domain administrator**, **organization administrator**, **family group administrator**, **mail list owner**.

alias An alternate name of an email address.

allowed attributes The attributes that optionally can be present in entries using a particular object class, but are not required to be present. See also **attributes**, **required attributes**.

alternate address A secondary address for an account, generally a variation on the primary address. In some cases it is convenient to have more than one address for a single account.

attributes LDAP data is represented as attribute-value pairs. Any specific piece of information is associated with a descriptive attribute. See also **allowed attributes**, **required attributes**.

AUTH An SMTP command enabling an SMTP client to specify an authentication method to the server, perform an authentication protocol exchange, and, if necessary, negotiate a security layer for subsequent protocol interactions.

authentication (1) The process of proving the identity of a client user to iPlanet Messaging Server. (2) The process of proving the identity of iPlanet Messaging Server to a client or another server.

base DN A distinguished name entry in the directory from which searches will occur. Also known as a search base. For example, `ou=people,o=sirroe.com`.

bind DN A distinguished name used to authenticate to the Directory Server when performing an operation.

CNAME record A type of DNS record that maps a domain name alias to a domain name.

cn LDAP alias for common name.

CLI Command Line Interface.

command line interface Command that can be executed from the command-line. Also called utility.

configuration administrator Person who has administrative privileges to manage servers and configuration directory data in the entire iPlanet topology. The configuration administrator has unrestricted access to all resources in the iPlanet topology. This is the only administrator who can assign server access to other administrators. The configuration administrator initially manages administrative configuration until the administrators group and its members are in place.

Configuration Directory Server A Directory Server that maintains configuration information for a server or set of servers.

data store A store that contains directory information, typically for an entire directory information tree.

DC Tree Domain Component tree. A directory information tree that mirrors the DNS network syntax. An example of a distinguished name in a DC Tree would be `cn=billbob,dc=bridge,dc=net,o=internet`.

Delegated Administrator for Messaging and Collaboration. A set of interfaces (GUI and utilities) that allow domain administrators to add and modify users and groups to a hosted domain.

directory context The point in the directory tree information at which a search begins for entries used to authenticate a user and password for message store access. See also **base DN**.

directory entry A set of directory attributes and their values identified by its distinguished name. Each entry contains an object class attribute that specifies the kind of object the entry describes and defines the set of attributes it contains.

directory information tree The tree-like hierarchical structure in which directory entries are organized. Also called a DIT. DITs can be organized along the DNS (DC Trees) or Open Systems Interconnect networks (OSI trees).

directory lookup The process of searching the directory for information on a given user or resource, based on that user or resource's name or other characteristic.

Directory Manager User who has administrative privileges to the directory server database. Access control does not apply to this user (think of the directory manager as the directory's superuser).

directory schema The set of rules that defines the data that can be stored in the directory.

Directory Server The iPlanet directory service based on LDAP. See also **directory service**, **Lightweight Directory Access Protocol**, **Configuration Directory Server**, **User/Groups Directory Server**.

directory service A logically centralized repository of information about people and resources within an organization. See also **Lightweight Directory Access Protocol**.

distinguished name The comma-separated sequence of attributes and values that specify the unique location of an entry within the directory information tree. Often abbreviated as DN.

DIT See **directory information tree**.

DN See **distinguished name**.

dn LDAP alias for distinguished name. See also **distinguished name**.

DNS See **Domain Name System**.

DNS alias A host name that the DNS server recognizes as pointing to a different host—specifically a DNS CNAME record. Machines always have one real name, but they can have one or more aliases. For example, `www.siroe.domain` might be an alias that points to a real machine called `realthing.siroe.domain` where the server currently exists.

DNS database A database of domain names (host names) and their corresponding IP addresses.

DNS domain A group of computers whose host names share a common suffix, the domain name. Syntactically, an Internet domain name consists of a sequence of names (labels) separated by periods (dots), for example, `corp.mktng.siroe.com`. See also **domain**.

domain Resources under control of a single computer system. See also **administration domain**, **DNS domain**, **hosted domain**, **virtual domain**.

domain administrator User who has administrative privileges to create, modify, and delete mail users, mail lists, and family accounts in a hosted domain by using the Delegated Administrator for Messaging and Collaboration GUI or CLIs. By default, this user can act as a message store administrator for all messaging servers in the topology.

domain alias A domain entry that points to another domain. By using aliases, hosted domains can have several domain names.

domain hosting The ability to host one or more domains on a shared messaging server. For example, the domains `siroe.com` and `sesta.org` might both be hosted on the `siroe.net` mail server. Users send mail to and receive mail from the hosted domain—the name of the mail server does not appear in the email address.

domain name (1) A host name used in an email address. (2) A unique name that defines an administrative organization. Domains can contain other domains. Domain names are interpreted from right to left. For example, `siroe.com` is both the domain name of the Siroe Company and a subdomain of the top-level `com` domain. The `siroe.com` domain can be further divided into subdomains such as `corp.siroe.com`, and so on. See also **host name**, **fully-qualified domain name**.

Domain Name System (DNS) A distributed name resolution software that allows computers to locate other computers on a network or the Internet by domain name. The system associates standard IP addresses with host names (such as `www.siroe.com`). Machines normally get this information from a DNS server. DNS servers provide a distributed, replicated, data query service for translating hostnames into Internet addresses. See also **A record**, **MX record**, **CNAME record**.

domain organization A sub-domain below a hosted domain in the Organization Tree. Domain organizations are useful for companies that wish to organize their user and group entries along departmental lines.

dynamic group A mail group defined by an LDAP search URL. Users usually join the group by setting an LDAP attribute in their directory entry.

family group administrator User who has administrative privileges to add and remove family members in a family group. This user can grant family group administrative access to other members of group.

fully-qualified domain name (FQDN) The unique name that identifies a specific Internet host. See also **domain name**.

group A group of LDAP mail entries that are organized under a distinguished name. Usually used as a mail list, but may also be used to grant certain administrative privileges to members of the group. See also **dynamic group**, **static group**.

GUI Graphical User Interface

host The machine on which one or more servers reside.

hosted domain An email domain that is outsourced by an ISP. That is, the ISP provides email domain hosting for an organization by operating and maintaining the email services for that organization. A hosted domain shares the same Messaging Server host with other hosted domains. In earlier LDAP-based email systems, a domain was supported by one or more email server hosts. With Messaging Server, many domains can be hosted on a single server. For each hosted domain, there is an LDAP entry that points to the user and group container for the domain. Hosted domains are also called virtual hosted domains or virtual domains. See also **domain, virtual domain**.

host name The name of a particular machine within a domain. The host name is the IP host name, which might be either a “short-form” host name (for example, mail) or a fully qualified host name. The fully qualified host name consists of two parts: the host name and the domain name. For example, `mail.siroe.com` is the machine `mail` in the domain `siroe.com`. Host names must be unique within their domains. Your organization can have multiple machines named `mail`, as long as the machines reside in different subdomains; for example, `mail.corp.siroe.com` and `mail.field.siroe.com`. Host names always map to a specific IP address. See also **domain name, fully-qualified domain name, IP address**.

INBOX The name reserved for a user’s default mailbox for mail delivery. `INBOX` is the only folder name that is case-insensitive. For example: `INBOX`, `Inbox`, and `inbox` are all valid names for a users default mailbox.

Internet The name given to the worldwide network of networks that uses TCP/IP protocols.

Internet Protocol (IP) The basic network-layer protocol on which the Internet and intranets are based.

internet protocol address See **IP address**.

IP See **Internet Protocol**.

IP address A set of numbers, separated by dots, such as `198.93.93.10`, that specifies the actual location of a machine on an intranet or the Internet. A 32-bit address assigned to hosts using TCP/IP.

knowledge information Part of the directory service infrastructure information. The directory server uses knowledge information to pass requests for information to other servers.

LDAP See **Lightweight Directory Access Protocol**.

LDAP Data Interchange Format (LDIF) The format used to represent Directory Server entries in text form.

LDAP filter A method of specifying a set of entries, based on the presence of a particular attribute or attribute value.

LDAP referrals An LDAP entry that consists of a symbolic link (referral) to another LDAP entry. An LDAP referral consists of an LDAP host and a distinguished name. LDAP referrals are often used to reference existing LDAP data so that this data does not have to be replicated. They are also used to maintain compatibility for programs that depend on a particular entry that may have been moved.

LDAP search string A string with replaceable parameters that defines the attributes used for directory searches. For example, an LDAP search string of "uid=%s" means that searches are based on the user ID attribute.

LDAP Server A software server that maintains an LDAP directory and services queries to the directory. The iPlanet Directory Services are implementations of an LDAP Server.

LDBM LDAP Data Base Manager.

LDIF See **LDAP Data Interchange Format**.

Lightweight Directory Access Protocol (LDAP) Directory service protocol designed to run over TCP/IP and across multiple platforms. A simplification of the X.500 Directory Access Protocol (DAP) that allows a single point of management for storage, retrieval, and distribution of information, including user profiles, mail lists, and configuration data across iPlanet servers. The iPlanet Directory Server uses the LDAP protocol.

local part The part of an email address that identifies the recipient. See also **domain part**.

mailbox A place where messages are stored and viewed. See also **folder**.

mail list A list of email addresses to which a message can be sent by way of a mail list address. Sometimes called a group.

mail list owner A user who has administrative privileges to add members to and delete members from the mail list.

managed object A collection of configurable attributes, for example, a collection of attributes for the directory service.

master directory server The directory server that contains the data that will be replicated.

member A user or group who receives a copy of an email addressed to a mail list. See also mail list, expansion, moderator, and owner.

message quota A limit defining how much disk space a particular folder can consume.

Messaging Server administrator The administrator whose privileges include installation and administration of an iPlanet Messaging Server instance.

name resolution The process of mapping an IP address to the corresponding name. See also DNS.

namespace The tree structure of an LDAP directory. See also **directory information tree**.

naming attribute The final attribute in a directory information tree distinguished name. See also **relative distinguished name**.

naming context A specific suffix of a directory information tree that is identified by its DN. In iPlanet Directory Server, specific types of directory information are stored in naming contexts. For example, a naming context which stores all entries for marketing employees in the Siroe Corporation at the Boston office might be called `ou=mktg, ou=Boston, o=siroe, c=US`.

node An entry in the DIT.

object class A template specifying the kind of object the entry describes and the set of attributes it contains. For example, iPlanet Directory Server specifies an `emailPerson` object class which has attributes such as `commonname`, `mail` (email address), `mailHost`, and `mailQuota`.

object identifier (OID) An OID is a sequence of integers, typically written as a dot-separated string. An OID is assigned to each attribute and object class to conform with the LSAP and X.500 standards.

OID See *object identifier (OID)*.

organization administrator User who has administrative privileges to create, modify, and delete mail users and mail lists in an organization or suborganization by using the Delegated Administrator for Messaging and Collaboration GUI or CLIs.

OSI tree A directory information tree that mirrors the Open Systems Interconnect network syntax. An example of a distinguished name in an OSI tree would be `cn=billt,o=bridge,c=us`.

personal folder A folder that can be read only by the owner. See also **shared folder**.

port number A number that specifies an individual TCP/IP application on a host machine, providing a destination for transmitted data.

protocol A formal description of messages to be exchanged and rules to be followed for two or more systems to exchange information.

provisioning The process of adding, modifying or deleting entries in the iPlanet Directory Server. These entries include users and groups and domain information.

RDN Relative distinguished name. The name of the actual entry itself, before the entry's ancestors have been appended to the string to form the full distinguished name.

referral A process by which the directory server returns an information request to the client that submitted it, with information about the Directory Service Agent (DSA) that the client should contact with the request. See also **knowledge information**.

relative distinguished name See **RDN**.

replica directory server The directory that will receive a copy of all or part of the data.

required attributes Attributes that must be present in entries using a particular object class. See also **allowed attributes**, **attributes**.

reverse DNS lookup The process of querying the DNS to resolve a numeric IP address into the equivalent fully qualified domain name.

RFC Request For Comments. The document series, begun in 1969, describes the Internet suite of protocols and related experiments. Not all (in fact very few) RFCs describe Internet standards, but all Internet standards are published as RFCs. See <http://www.imc.org/rfc.html>.

root entry The top-level entry of the directory information tree (DIT) hierarchy.

schema Definitions—including structure and syntax—of the types of information that can be stored as entries in iPlanet Directory Server. When information that does not match the schema is stored in the directory, clients attempting to access the directory might be unable to display the proper results.

search base See **base DN**.

server administrator Person who performs server management tasks. The server administrator provides restricted access to tasks for a particular server, depending upon task ACIs. The configuration administrator must assign user access to a server. Once a user has server access permissions, that user is a server administrator who can provide server access permissions to users.

shared folder A folder that can be read by more than one person. Shared folders have an owner who can specify read access to the folder and who can delete messages from the shared folder. The shared folder can also have a moderator who can edit, block, or forward incoming messages. Only IMAP folders can be shared. See also **personal folder**.

Sieve A language for filtering mail.

SIMS Sun Internet Mail Server.

sn Aliased directory attribute for surname.

static group A mail group defined statically by enumerating each group member. See also **dynamic group**.

subdomain A portion of a domain. For example, in the domain name `corp.siroe.com`, `corp` is a subdomain of the domain `siroe.com`. See also **host name, fully-qualified domain name**.

subnet The portion of an IP address that identifies a block of host IDs.

subordinate reference The naming context that is a child of the naming context held by your directory server. See also **knowledge information**.

synchronization The update of data by a master directory server to a replica directory server.

TCP See **Transmission Control Protocol**.

TCP/IP See **Transmission Control Protocol/Internet Protocol**.

top-level administrator User who has administrative privileges to create, modify, and delete mail users, mail lists, family accounts, and domains in an entire Messaging Server namespace by using the Delegated Administrator for Messaging and Collaboration GUI or CLIs. By default, this user can act as a message store administrator for all messaging servers in the topology.

Transmission Control Protocol (TCP) The basic transport protocol in the Internet protocol suite that provides reliable, connection-oriented stream service between two hosts.

Transmission Control Protocol/Internet Protocol (TCP/IP) The name given to the collection of network protocols used by the Internet protocol suite. The name refers to the two primary network protocols of the suite: TCP (Transmission Control Protocol), the transport layer protocol, and IP (Internet Protocol), the network layer protocol.

UID (1) User identification. A unique string identifying a user to a system. Also referred to as a userID. (2) Aliased directory attribute for userID (login name).

upper reference Indicates the directory server that holds the naming context above your directory server's naming context in the directory information tree (DIT).

user account An account for accessing a server, maintained as an entry on a directory server.

User/Groups Directory Server A Directory Server that maintains information about users and groups in an organization.

user entry or user profile Fields that describe information about each user, required and optional, examples are: distinguished name, full name, title, telephone number, pager number, login name, password, home directory, and so on.

user folders A user's email mailboxes.

user quota The amount of space, configured by the system administrator, allocated to a user for email messages.

vanity domain A domain name associated with an individual user—not with a specific server or hosted domain. A vanity domain is specified by using the `MailAlternateAddress` attribute. The vanity domain does not have an LDAP entry for the domain name. Vanity domains are useful for individuals or small organizations desiring a customized domain name, without the administration overhead of supporting their own hosted domain. Also called custom domain.

virtual domain (1) An ISP hosted domain. (2) A domain name added by the Messaging Multiplexor to a client's user ID for LDAP searching and for logging into a mailbox server. See also **domain**, **hosted domain**.

Index

A

- access
 - reactivate 78
 - remove 78
 - suspend 78
- access filter
 - domain 90
 - user 82
- account ID, billing 76
- adminRole, attribute 47
- allowed broadcaster 115
 - determining policy 117
- allowed disk space 100
- attachment quota 86
- attribute syntax 154
- attributes
 - definitions 47
 - list of 41
- audience 9
- authentication 72
- automatic response 84
 - duration 85
 - internal 85
- autoreply 84, 89
 - duration 85
 - internal 85

B

- billable user 128
- billing, account ID 76
- birthday attribute 51
- businessCategory, attribute 48

C

- calCalURI, attribute 48
- calendar 49
 - busy time data 49
 - default URI 49
- calendar groups 67
- calFBURL, attribute 49
- catchall address 83
- challenge phrase 76
 - response to 77
- cn, attribute 49
- co, attribute 50
- commonName, attribute 51
- countryName, attribute 51

D

- daemon_list 82
- dataSource, attribute 51
- dateOfBirth, attribute 51
- dc (domain component), attribute 52
- dc(domain component)
 - domain component node 70
- delivery paths 89
- deny filter 82
- description, attribute 53
- distinguished name (DN) 71
 - administrator's group 139
 - billable user 128
 - family account 108
 - forming, in PAB entries 148
 - mailing list 107
- distribution list
 - describing 132
- domain
 - primary 131
 - vanity 131
- domain access
 - reactivate 73
 - remove 73
 - suspend 73
- domain alias entry 52
 - domain component 52
- domain component 52
- domain name
 - multiple DC nodes 70
- domain name (DN)
 - overriding 54
 - primary domain 131
 - vanity domain 131
- domain, object class 16
- domainUIDSeparator, attribute 53
- domOrgMaxUsers, attribute 54
- domOrgNumUsers, attribute 55
- duplicate deliveries 124
- dynamic mailing list 118

E

- echo 83
- error message 120

F

- facsimileTelephoneNumber, attribute 55
- family group
 - manager 142
- file
 - local path 88
- filter
 - access 82
 - deny 82
- forwarded to
 - moderator 121

G

- givenName, attribute 56
- group
 - within organization 141
- group membership
 - restrictions 112
 - visibility 113
- groupOfUniqueNames, object class 17
- groups, calendar 67

H

- host, defined 164

I

- icsAlias, attribute 56
- icsCalendar, attribute 57

- icsCalendarResource, object class 18
- icsCalendarUser, object class 18
- icsCapacity, attribute 57
- icsContact, attribute 58
- icsDefaultAccess, attribute 58
- icsDefaultSet, attribute 59
- icsExtended, attribute 59
- icsExtendedResourcePrefs, attribute 60
- icsExtendedUserPrefs, attribute 60
- icsFirstDay, attribute 64
- icsFreeBusy, attribute 64
- icsGeo, attribute 65
- icsPartition, attribute 65
- icsPreferredHost, attribute 66
- icsQuota, attribute 66
- icsSet, attribute 67
- icsStatus, attribute 68
- icsSubscribed, attribute 69
- icsTimezone, attribute 69
- inetAdmin, object class 19
- inetCanonicalDomainName, attribute 70
- inetCOS (class of service), attribute
 - COS definitions 70
- inetDomain, object class 20
- inetDomainAlias, object class 20
- inetDomainAuthInfo, object class 21
- inetDomainBaseDN, attribute 71
- inetDomainCertMap 72
- inetDomainCertMap, attribute 72
- inetDomainOrg, object class 22
- inetDomainSearchFilter, attribute 72
- inetDomainStatus, attribute 73
- inetLocalMailRecipient, object class 22
- inetMailAdministrator, object class 23
- inetMailGroup
 - connection with mgrpDisallowedDomain 120
- inetMailGroup, object class 24
- inetMailGroupManagement, object class 25
- inetMailGroupStatus, attribute 74
- inetMailUser, object class 25
- inetManagedGroup, object class 26
- inetResource, object class 27

- inetResourceStatus, attribute 75
- inetSubscriber, object class 28
- inetSubscriberAccountId 75
- inetSubscriberAccountId, attribute 76
- inetSubscriberChallenge, attribute 76
- inetSubscriberResponse, attribute 77
- inetUser, object class 28
- inetUserHttpURL, attribute 77
- inetUserStatus, attribute 78
- ipUser, object class 29
- ISO 8601 time zones 155

L

- language
 - preferred by user 144
- LDAP overview 153
- list of attributes 41
- list of object classes
 - object classes
 - list of 15
- local path 88
- login sequence, replaying 80
- login string, reconstructing 80

M

- mail group
 - message size received 121
- mail group membership
 - alternative specification method 118
 - restrictions 112
 - visibility 113
- mail group, allowed incoming mail
 - by domain 116
 - by user 115
- mail group, disallowed incoming mail
 - by domain 119
 - by user 118
- mail quota

- managed group 129
- user 100
- mail, attribute 79
- mailAccessProxyPreAuth, attribute 79
- mailAccessProxyReplay, attribute 80
- mailAdminRole, attribute 81
- mailAllowedServiceAccess
 - connection with mailDomainStatus 94
- mailAllowedServiceAccess, attribute 82
- mailAlternateAddress, attribute 83
- mailAutoReplyMode, attribute
 - autoreply 83
- mailAutoReplySubject, attribute 84
- mailAutoReplyText
 - connection to mailAutoReplyMode 83
- mailAutoReplyText, attribute 84
- mailAutoReplyTextInternal
 - connection to mailAutoReplyMode 83
- mailAutoReplyTextInternal, attribute 85
- mailAutoReplyTimeOut, attribute 85
- mailClientAttachmentQuota 86
- mailClientAttachmentQuota, attribute 86
- mailConversionTag, attribute 87
- mailDeferProcessing, attribute 87
- mailDeliveryFileURL, attribute 88
- mailDeliveryOption 88
 - mailDeliveryOption=forward 96
 - mailDeliveryOption=program 100
- mailDeliveryOption, attribute
 - mailDeliveryOption=file 88
- mailDomain, object class 29
- mailDomainAllowedServiceAccess
 - connection with mailDomainStatus 94
- mailDomainAllowedServiceAccess, attribute 90
- mailDomainMsgMaxBlocks, attribute 91
- mailDomainMsgQuota 92
- mailDomainMsgQuota, attribute 92
- mailDomainStatus, attribute 94
- mailDomainWelcomeMessage, attribute 95
- mailEquivalentAddress, attribute 96
- mailForwardingAddress, attribute 96
- mailHost
 - setting up 145
- mailHost, attribute 97
- mailing lists
 - allowed membership 110
 - denied membership 110
 - group appearance on 111
- mailMessageStore
 - setting up 145
- mailMessageStore, attribute 97
- mailMsgMaxBlocks, attribute 98
- mailMsgQuota, attribute 99
- mailProgramDeliveryInfo, attribute 99
- mailQuota 100
- mailQuota, attribute 100
- mailRejectText, attribute 101
- mailRoutingAddress, attribute 101
- mailRoutingHosts, attribute 102
- mailRoutingSmartHost, attribute 102
- mailSieveRuleSource, attribute 103
- mailSMTPSubmitChannel, attribute 105
- mailto syntax 120
- mailUserStatus, attribute 105
- managed group
 - billable user 128
 - cumulative disk quota 129
 - current status 130
 - maximum users 130
 - number of users 128
- maximum message size allowed
 - to a group 121
- maximum messages allowed
 - user 99
- maximum pab entries allowed
 - user 107
- maximum size message 98
- maximum users allowed
 - domain 54
 - managed group 130
- maxPabEntries, attribute 107
- memberOf, attribute 107
- memberOfManagedGroup, attribute 108
- memberOfPAB, attribute 108
- memberOfPABGroup, attribute 109
- memberURL, attribute 109

- message delivery, guaranteeing 105
- message quota 92
- message size
 - to mailGroup 121
- message store
 - partition name 98
- mgmanAllowSubscribe, attribute 110
- mgmanDenySubscribe, attribute 110
- mgmanGoodbyeText, attribute 111
- mgmanHidden, attribute 111
- mgmanIntroText, attribute 112
- mgmanJoinability, attribute 112
- mgmanMemberVisibility, attribute 113
- mgmanVisibility, attribute 114
- mgrpAddHeader, attribute 114
- mgrpAllowedBroadcaster, attribute 115
- mgrpAllowedDomain, attribute 116
- mgrpAuthPassword, attribute 116
- mgrpBroadcasterPolicy, attribute 117
- mgrpDeliverTo, attribute 118
- mgrpDisallowedBroadcaster, attribute 118
- mgrpDisallowedDomain, attribute 119
- mgrpErrorsTo, attribute 120
- mgrpModerator, attribute 121
- mgrpMsgMaxSize, attribute 121
- mgrpMsgPrefixText, attribute 122
- mgrpMsgRejectAction, attribute 123
- mgrpMsgRejectText, attribute 123
- mgrpMsgSuffixText, attribute 124
- mgrpNoDuplicateCheck, attribute 124
- mgrpRemoveHeader, attribute 125
- mgrpRequestsTo, attribute 126
- mgrpRFC822MailMember, attribute 126
- mnggrpAdditionPolicy, attribute 127
- mnggrpBillableUser, attribute 128
- mnggrpCurrentUsers, attribute 128
- mnggrpDeletionPolicy, attribute 129
- mnggrpMailQuota, attribute 129
- mnggrpMaxUsers, attribute 130
- mnggrpStatus, attribute 130
- mnggrpUserClassOfServices, attribute 131
- moderator

- messages forwarded to 121
- msgVanityDomain, attribute 131
- msgVanityDomainUser
 - connection to mailAlternateAddress 83
- msgVanityDomainUser, object class 30
- MTA
 - host name, final destination 97
 - host name, user's domain 102
- multiLineDescription, attribute 132

N

- nickName, attribute 132
- nsdaCapability, attribute 137
- nsdaDomain, attribute 138
- nsdaModifiableBy, attribute 138
- nsDefaultMaxDeptSize, attribute 133
- nsManagedDept, object class 31
- nsManagedDeptAdminGroup, object class 31
- nsManagedDomain, object class 32
- nsManagedFamilyGroup, object class 33
- nsManagedISP, object class 33
- nsManagedMailList, object class 34
- nsManagedOrgUnit, object class 34
- nsManagedPerson, object class 35
- nsMaxDepts, attribute 133
- nsMaxDomains, attribute 134
- nsMaxMailingLists, attribute 134
- nsMaxUsers, attribute 135
- nsNumDepts, attribute 135
- nsNumDomains, attribute 136
- nsNumMailLists, attribute 136
- nsNumUsers, attribute 137
- nsUniquenessDomain, object class 36
- nswmExtendedUserPrefs, attribute 139

O

- o, attribute 140

- object classes
 - definitions 16
- object identifiers 154
- objectClass, attribute 140
- OIDs 154
- organization subtree 71
- organizationName, attribute 141
- organizationUnitName 141
- organizationUnitName, attribute 141
- ou (organizationUnitName), attribute 141
- owner, attribute 142

P

- pab, object class 36
- pabGroup, object class 37
- pabPerson, object class 38
- pabURI, attribute 142
- personal address book (pab)
 - container 143
 - maximum entries 107
 - unique name (un) of pab 108
 - unique name (un) of personal group(s) 109
- postalAddress, attribute 143
- preauthentication 80
- preferredLanguage, attribute 144
- preferredMailHost, attribute 144
- preferredMailMessageStore, attribute 145
- privileges, administrative 81
- Program approval process 100
- program delivery 99
- proxy authentication 81

Q

- quota 100
 - mailClientAttachmentQuota 86
 - mailDomainMsgQuota 92
 - mailMsgQuota 99
 - mnggrpMailQuota 129

- quota reporting tools
 - mailDomainMsgQuota 92
- quotas
 - hard 99
 - soft 99

R

- references, resolved 99
- request-to-be-added messages 126
- RFC 1959 119
- RFC 2256 20
- RFC 2739 49
- RFC 2798 144
- RFC 822 23, 119, 120
 - mnggrpRFC822MailMember 126
- RFC1959 118
- RFC822 115
 - alternate email address 83
- rights
 - to manage other groups 139

S

- service- specific object classes 13
- shared classes 13
- sieve rule 103
- size limit on MTA blocks units 92
- sn, attribute 146
- sseAlso, attribute 145
- status
 - internet domain 73
 - internet mail group 74
 - internet user 78
 - mail domain 94
 - mail user 105
 - managed group 130
- status attributes
 - interaction between 78, 94, 106
- subject text 84

subscriber 76
subtree 71
syntax, attributes 154

publishing 77
white-pages lookup applications 79
who should read 9

T

tag, program 51
telephoneNumber, attribute 146
time zones, list of valid ISO 8601 155
typographical conventions 11

U

uid, attribute 147
un, attribute 148
unique name (un)
 personal address book 108
 personal group 109
uniqueMember, attribute 148
user 55
user identification, compound 53, 73
user rules 103
userid, attribute 149
userPassword, attribute 149
userPresenceProfile, object class 38

V

vacationEndDate, attribute 150
vacationStartDate, attribute 150
vanity domain
 creating 131

W

Web content