
PeopleSoft Financial Gateway 9.1 PeopleBook

January 2012

PeopleSoft Financial Gateway 9.1 PeopleBook
SKU fscm91fp2fgat-b0112

Copyright © 1992, 2012, Oracle and/or its affiliates. All rights reserved.

Trademark Notice

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

License Restrictions Warranty/Consequential Damages Disclaimer

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

Hazardous Applications Notice

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Third Party Content, Products, and Services Disclaimer

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Preface

PeopleSoft Financial Gateway PeopleBook Preface	vii
Oracle's PeopleSoft Products	vii
PeopleSoft Application Fundamentals	vii
Pages with Deferred Processing	viii
PeopleBooks and the PeopleSoft Online Library	viii
Common Elements Used in This PeopleBook	ix

Chapter 1

Getting Started with PeopleSoft Financial Gateway	1
Financial Gateway Business Processes	1
PeopleSoft Financial Gateway Integrations	1
PeopleSoft Financial Gateway Implementation	2

Chapter 2

Defining Financial Gateway Integration Options	3
Understanding the Financial Gateway Integration Process	3
Registering a Source Application with Financial Gateway	6
Understanding the Registration Process	6
Page Used to Register Source Applications with Financial Gateway	6
Registering Source Applications with Financial Gateway	6

Chapter 3

Setting Up Electronic Banking Using Financial Gateway	15
Understanding Electronic Banking	15
Setting Up Common Components for Bank Statement, Payment, and Payment Acknowledgment Processing	23
Components Common to Bank Statement, Payment, and Payment Acknowledgment Processing	24
Understanding the Layout Catalog	24
Understanding Code Mapping	29
Understanding File Encryption	31

Pages Used to Set Up Common Components for Bank Statement, Payment, and Payment Acknowledgment Processing	32
Configuring Bank Statement, Payment, and Payment Acknowledgment Layouts	33
Defining Code Mappings for Bank Statements, Payments, and Payment Acknowledgments	38
Defining Event Notifications	40
Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgments	41
Pages Used to Set Up PeopleSoft Integration Broker	45
Defining Integration Broker Settings for Payments	46
Defining Integration Broker Settings for Bank Statements and Payment Acknowledgments	48
Setting Up Bank Statement Processing	50
Components Used to Set Up Bank Statement Processing	51
Pages Used Exclusively for Setting Up Bank Statement Processing	52
Defining Balance Codes	52
Defining Transaction Codes	53
Setting Up Payment Processing	55
Pages Used Exclusively for Setting Up Payment Processing	57
Defining Payment Grouping Rules	57
Defining Bank Integration Layouts for Payments	59
Creating Payment Layouts	62
Defining External Toolkit Commands	64
Setting Up Payment Acknowledgment Processing	65
Reviewing Event Log Information	65
Page Used to Review Event Log Information	65
Reviewing Event Log Information	65
Using a Communications Partner for Electronic Banking	67
Using Remittance Advice in Financial Gateway	67
Pages Used to Send Remittance Advice	68
Creating the Remittance Advice Report Definition	69
Sending Advance Payment Notifications	69
Resending Advice Notifications	70

Chapter 4

Setting Up Payment Security	71
Understanding Payment Security	71
Activating Payment Security	72
Page Used to Activate Payment Security	72
Enabling Payment Security	73
Creating Payment Security Rules	74
Page Used to Create Payment Security Rules	74
Defining Security Rules	74
Assigning Payment Security Rules	75
Pages Used to Assign Payment Security Rules	75

Assigning Security Rules	75
Chapter 5	
Processing Bank Statements in Financial Gateway	77
Understanding Statement Updates	77
Technical Overview of Bank Statement Data Transmittal	78
Prerequisites	78
Common Elements Used in This Chapter	79
Importing Bank Statements	79
Pages Used to Import Bank Statements	80
Importing Bank Statements	80
Reviewing Bank Statement Files	83
Pages Used to Review Bank Statement Files	84
Reviewing Bank Statement Files	84
Chapter 6	
Working with Payments in Financial Gateway	87
Understanding the Payment Process in Financial Gateway	87
Importing Payments and Payment Cancellations as Flat Files from Third-Party Applications	94
Understanding Importing Payments and Payment Cancellations as Flat Files from Third-Party Applications	95
Pages Used to Import Payment and Payment Cancellation Flat Files	95
Importing Payment and Payment Cancellation Flat Files from Third-Party Applications	95
Reviewing the Results of the Payment Load Process	98
Pages Used to Review the Results of the Payment Load Process	98
Reviewing Payment Requests	99
Reviewing and Changing Payments in Financial Gateway	99
Understanding Payment Status Changes in Financial Gateway	99
Pages Used to Review Payments in Financial Gateway	100
Reviewing Payments	100
Configuring the Payments Page	104
Reviewing Payment Details	105
Changing Payment Status	108
Dispatching Payments in Financial Gateway	109
Pages Used to Dispatch Payments	110
Dispatching Payments	110
Reviewing Payment Files	114
Pages Used to Review Payment Files	114
Reviewing Payment Files	115
Changing Payment File Status	117

Importing Bank Acknowledgments	119
Understanding Acknowledgments	119
Pages Used to Import Bank Acknowledgments	119
Importing Payment Acknowledgment Files	119
Viewing Payment Acknowledgment Files	122

Chapter 7

Defining SEPA (Single Euro Payments Area) Requirements and Transactions 125

Understanding SEPA	125
SEPA Glossary	125
SEPA BIC Requirements	127
SEPA Credit Transfer and Direct Debit Initiation	128
SEPA Credit Transfer	130
SEPA Direct Debit	131
SEPA Payment Cancellations and Reversals	133
Entering and Managing Direct Debit Mandates	135
Pages Used to Enter and Manage Direct Debit Mandates	136
Printing a Direct Debit Mandate Form	137
Entering and Updating a Direct Debit Mandate for Treasury Counterparties	138
Entering and Updating a Direct Debit Mandate for Customers	142
Amending a Direct Debit Mandate	143
Approving a Direct Debit Mandate	144
Canceling an Individual Direct Debit Mandate	146
Canceling Unused Mandates	146
Integrating with PeopleSoft Global Payroll	147

Appendix A

Financial Gateway Reports 153

Financial Gateway Reports: A to Z	153
---	-----

Index 155

PeopleSoft Financial Gateway

PeopleBook Preface

This preface discusses:

- PeopleSoft products.
- PeopleSoft application fundamentals.
- Pages with deferred processing.
- Common elements in this PeopleBook.

Note. This PeopleBook documents only page elements that require additional explanation. If a page element is not documented with the process or task in which it is used, then it either requires no additional explanation or is documented with the common elements for the section, chapter, or PeopleBook.

Oracle's PeopleSoft Products

This PeopleBook refers to these products:

- PeopleSoft Cash Management.
- PeopleSoft Deal Management.
- PeopleSoft Payables.
- PeopleSoft Receivables.
- PeopleSoft General Ledger.
- PeopleSoft eSettlements.
- PeopleSoft Expenses.
- PeopleSoft Global Payroll.
- JD Edwards General Ledger.

PeopleSoft Application Fundamentals

The *PeopleSoft Financial Gateway PeopleBook* provides implementation and processing information for Financial Gateway. There is also additional, essential information describing the setup and design of your system resides in companion documentation. The companion documentation consists of important topics that apply to many or all PeopleSoft applications across the Financials, Enterprise Service Automation, and Supply Chain Management product lines. You should be familiar with the contents of these PeopleBooks.

The following companion PeopleBooks apply specifically to Financial Gateway:

- *PeopleSoft Cash Management PeopleBook*
- *PeopleSoft Applications Fundamentals PeopleBook*
- *PeopleSoft Global Options and Reports PeopleBook*
- *PeopleSoft Banks Setup and Processing PeopleBook*

Pages with Deferred Processing

Several pages in Financial Gateway operate in deferred processing mode. Most fields on these pages are not updated or validated until you save the page or refresh it by clicking a button, link, or tab. This delayed processing has various implications for the field values on the page—for example, if a field contains a default value, any value you enter before the system updates the page overrides the default. Another consequence of deferred processing is that the system updates quantity balances or totals only when you save or otherwise refresh the page.

See Also

PeopleTools PeopleBook: PeopleSoft Application Designer

PeopleBooks and the PeopleSoft Online Library

A companion PeopleBook called *PeopleBooks and the PeopleSoft Online Library* contains general information, including:

- Understanding the PeopleSoft online library and related documentation.
- How to send PeopleSoft documentation comments and suggestions to Oracle.
- How to access hosted PeopleBooks, downloadable HTML PeopleBooks, and downloadable PDF PeopleBooks as well as documentation updates.
- Understanding PeopleBook structure.
- Typographical conventions and visual cues used in PeopleBooks.
- ISO country codes and currency codes.
- PeopleBooks that are common across multiple applications.
- Common elements used in PeopleBooks.
- Navigating the PeopleBooks interface and searching the PeopleSoft online library.
- Displaying and printing screen shots and graphics in PeopleBooks.
- How to manage the locally installed PeopleSoft online library, including web site folders.

- Understanding documentation integration and how to integrate customized documentation into the library.
- Application abbreviations found in application fields.

You can find *PeopleBooks and the PeopleSoft Online Library* in the online PeopleBooks Library for your PeopleTools release.

Common Elements Used in This PeopleBook

Account	ChartField that identifies the nature of a transaction for corporate accounts.
Affiliate	ChartField used to map transactions between business units when using a single interunit account.
Alt Acct (alternate account)	ChartField that identifies the nature of a transaction for statutory accounts. This field appears only if you enabled the Alternate Account option for your organization and for the general ledger business unit.
Application Tables	The main set of database tables an application is built on. Inquiries, batch processes, and analytic functions are operations that process application table data.
Class	ChartField that identifies a particular appropriation when you combine it with a fund, department ID, program code, and budget reference.
Currency	Code that identifies the type of currency for an amount, such as USD or EUR.
Dept (department)	ChartField that indicates who is responsible for or affected by the transaction.
Description	Free-flow text up to 256 characters.
Effective Date	Date on which a table row becomes effective; the date that an action begins. For example, to close out a ledger on June 30, the effective date for the ledger closing would be July 1. This date also determines when you can view and change the information. Pages and batch processes that use the information use the current row.
Fund	ChartField that represents structural units for education and government accounting. Can also represent a divisional breakdown in your organization.
Fund Affiliate	ChartField used to correlate transactions between funds when using a single intraunit account.
Language	The language in which you want the field labels and report headings of your reports to print. The field values appear as you enter them.

Oper Unit (operating unit)	ChartField used to identify a location, such as a distribution warehouse or sales center.
Process Frequency	Select from: <i>Once</i> : Runs the request the next time the batch process runs. After the batch process runs, the process frequency is automatically set to <i>Don't Run</i> . <i>Always</i> : Runs the request every time the batch process runs. <i>Don't Run</i> : Ignores the request when the batch process runs.
Process Monitor	This link takes you to the Process List page, where you can view the status of submitted process requests.
Product	ChartField that captures additional information useful for profitability and cash flow analysis by product sold or manufactured.
Program	ChartField that identifies groups of related activities, cost centers, revenue centers, responsibility centers, and academic programs. Tracks revenue and expenditures for programs.
Project	ChartField that captures information for project or grant accounting.
Report ID	The report identifier.
Report Manager	This link takes you to the Report List page, where you can view report content, check the status of a report, and see content detail messages (which show you a description of the report and the distribution list).
Run	This button takes you to the Process Scheduler request page, where you can specify the location where a process or job runs and the process output layout.
Run Control ID	An identification code that identifies the run parameters for a report or process.
SetID	An identification code that represents a set of control table information or table sets. A TableSet is a group of tables (records) necessary to define your company's structure and processing options.
Short Description	Free-flow text up to 15 characters.
Source Application	Any application from which payment transactions originate before being sent to Financial Gateway for processing. PeopleSoft source applications include Cash Management, Deal Management, Accounts Payable, and Accounts Receivable.
Staging Tables	A set of database tables designed to temporarily hold data for a processing. Data are sent to, and stored in, staging tables before an integration process is run that loads the data into application tables.

Status Indicates whether a row in a table is *Active* or *Inactive*. You cannot display inactive rows on transaction pages or use them for running batch processes. To maintain an audit trail, inactivate rather than delete data that you no longer use.

Unit Business unit for an item.

See Also

PeopleTools PeopleBook: PeopleSoft Applications User's Guide

PeopleTools PeopleBook: PeopleSoft Process Scheduler

Chapter 1

Getting Started with PeopleSoft Financial Gateway

This chapter discusses:

- PeopleSoft Financial Gateway business processes.
- PeopleSoft Financial Gateway integrations.
- Financial Gateway implementation.

Financial Gateway Business Processes

PeopleSoft Financial Gateway provides the following business processes:

- Payment processing.
- Bank statement processing.
- Payment acknowledgment processing.

We cover these business processes in the business process chapters in this PeopleBook.

PeopleSoft Financial Gateway Integrations

PeopleSoft Financial Gateway integrates with the following PeopleSoft applications:

- Cash Management
- Deal Management
- Accounts Receivable
- Accounts Payable
- eSettlements
- Expenses
- Global Payroll

We cover integration considerations for both PeopleSoft applications and third-party applications in the implementation chapters in this PeopleBook.

Supplemental information about third-party application integrations is located on Oracle's My Oracle Support Web site.

PeopleSoft Financial Gateway Implementation

Financial Gateway is a component of PeopleSoft Cash Management. The setup tasks for Financial Gateway are included among the components that you must set up for PeopleSoft Cash Management.

In the planning phase of your implementation, take advantage of all Oracle sources of information, including the installation guides and troubleshooting information. A complete list of these resources appears in the preface in *PeopleTools PeopleBook: PeopleBooks and the PeopleSoft Online Library*, with information about where to find the current version of each.

See Also

PeopleTools PeopleBook: PeopleSoft Setup Manager

PeopleTools PeopleBook: PeopleSoft Component Interfaces

PeopleSoft Cash Management 9.1 PeopleBook, "Getting Started with PeopleSoft Cash Management"

PeopleSoft Cash Management 9.1 PeopleBook, "Defining Cash Management Processing Options"

Chapter 2

Defining Financial Gateway Integration Options

This chapter provides an overview of the Financial Gateway integration process and discusses how to register a source application with Financial Gateway.

Understanding the Financial Gateway Integration Process

Source applications can easily integrate with Financial Gateway to take advantage of its payment processing functionality. Financial Gateway is delivered with Cash Management and can integrate with:

- Treasury Management (Cash Management and Deal Management)
- Receivables
- Payables (Pay Cycle Manager)
- eSettlements
- Expenses (through Payables/Pay Cycle Manager)
- Global Payroll
- Third-party applications

For integrating with third-party applications, users can take advantage of the robust integration functionality of Financial Gateway that provides the options of using flat files, component interfaces, or PeopleSoft Integration Broker to bring payments into the system.

These are the integration methods for integrating with Financial Gateway:

- Application Class

Application classes are the most efficient method for integrating data between Financial Gateway and other PeopleSoft source applications sharing the same database. This method employs a set of objects that use message structures as parameters, and it initiates Financial Gateway processing. This method eliminates the need to set up Integration Broker to pass messages unless a Business Process Execution Language (BPEL) process server is included as part of this integration.

- Integration Broker (IB)

Integration Broker can be used for non-PeopleSoft source applications that are capable of generating XML-based messages. For non-PeopleSoft source applications, the payment message structure is the same as those that are used with application classes, but Financial Gateway processes them differently. Because third-party source applications cannot call application classes, Integration Broker is used. Third-party source systems publish messages to the Integration Broker that are then routed to subscription PeopleCode. These subscription events call the same application classes that are used in the application class method. Both an application class call from a PeopleSoft source application and the execution of subscription code by a message in the Integration Broker carry out the same logic that is used to pass the message structure to Financial Gateway and trigger processing logic.

The PAYMENT_REQUEST service operation is sent from the third-party application and calls the Payment Load Application Engine process (PMT_LOAD) that loads payments into the Financial Gateway system.

The REQUEST_PAYMENT_STATUS service operation is sent from the third-party applications to request the status of a payment from Financial Gateway.

The PAYMENT_CANCEL service operation is sent from the third-party application to cancel payments and sends a message asynchronously where supported. The CANCEL_PAYMENT service operation sends a message synchronously.

The PAYMENT_RESPONSE service operation is sent from Financial Gateway to the third-party application in response to any of the messages described previously. The PAYMENT_RESPONSE_OUT_ASYNC service operation is sent asynchronously from Financial Gateway to the third-party application in response to a payment status request.

The PAYMENT_ACKNOWLEDGE message is used to load acknowledgement files received from the non-PeopleSoft source application. The PAYMENT_ACKNOWLEDGE_FILE service operation is used to load acknowledgement files received from the non-PeopleSoft source application via Integration Broker node. The acknowledgment message is published to the Integration Broker and routed to the source application. The node name of the source application may need to be captured to specifically route messages; however, a generic publish can also be used if more than one source application exists. In such cases, all involved source applications receive every acknowledgment. Hence, the file communication method depends on the connector that is used in the Integration Broker.

Each service operation has an operation type associated to it that makes it either synchronous or asynchronous.

- Flat File

For third-party source applications that are unable to create XML messages, Financial Gateway provides the Import Flat File component, which loads flat files in either predefined, comma-separated value (CSV), or fixed length field formats.

- Component Interface

Component interfaces are another alternative method for sending payments to Financial Gateway from third-party source applications that lack the ability to create XML messages. This method enables the user to write custom programs using Java or C and send payments to Financial Gateway without using flat files. Oracle/PeopleSoft provides a component interface to populate payment request staging tables and submit a PAYMENT_REQUEST IP message that calls the PaymentHandler application class to process the request.

BPEL Integration

You can set up your system to use the Business Process Execution Language (BPEL) Process Server as the primary integration point between any source system and Financial Gateway. The BPEL Process Server executes BPEL processes and stores process information that tracks the status and progress of each process instance. The BPEL Web-service-based interface along with the flexible mapping tool provide an easy way to implement customizations. The integration between the BPEL Server and Financial Gateway enables users to modify the Web service component using the BPEL Designer, thus providing a framework to customize the integration of external source systems with Financial Gateway, as well as the ability to access other Web services and manipulate the system without having to write actual code.

Note. Using a BPEL Process Server in conjunction with PeopleSoft application classes does require the defining of an Integration Broker node.

You can use the BPEL Process in conjunction with Financial Gateway to:

- Load payments.
- Get payment status.
- Cancel payment.

To load payments, the Load Payment BPEL Process takes in a PAYMENT_REQUEST IP message and redirects it to Financial Gateway. Financial Gateway then generates the appropriate PAYMENT_RESPONSE IP message and returns it synchronously back to the BPEL Process Server. The process map then directs the response message back to the original calling application.

For obtaining a payment status from Financial Gateway, the source application initiates the Request Payment Status service by passing a GET_PAYMENT_STATUS IP message to the BPEL Process Server with either a payment ID or a key structure specified in the source registration. The process then submits the message to the Financial Gateway. Financial Gateway searches for the payment statuses for each payment that is identified in the inbound message and stores the information in the PAYMENT_RESPONSE IP message. This message is then passed back to the BPEL Process Server, which passes it back to the calling source application.

To cancel a payment, the source application sends a CANCEL_PAYMENT IP message to the BPEL Process Server and the Cancel Payment process redirects it to the Financial Gateway. The Financial Gateway processes the payment cancellation and generates a PAYMENT_RESPONSE IP message. The message is returned to the BPEL Process Server and then passed back to the calling application where the payment status is updated accordingly.

See Also*PeopleTools PeopleBook: PeopleSoft Component Interfaces**PeopleTools PeopleBook: PeopleCode API Reference, "File Class"**PeopleTools PeopleBook: PeopleSoft Integration Broker**Oracle BPEL Process Manager Quick Start Guide**Oracle Application Server Integration Installation Guide*[Chapter 6, "Working with Payments in Financial Gateway," Understanding the Payment Process in Financial Gateway, page 87](#)

Registering a Source Application with Financial Gateway

This section provides an overview of the registration process and discusses how to register source applications that are to be integrated with Financial Gateway.

Understanding the Registration Process

To establish integration, you must first register the source applications with Financial Gateway. The registration process defines the methods and data structures that are employed to send payments from source applications to Financial Gateway and payment acknowledgments from Financial Gateway back to the source applications. Registration also defines information to be included with the payment message that is used for validating the payment, creating a unique payment ID, and determining the status of the payment during the settlement process. Integration with PeopleSoft applications is accomplished using a delivered set of integration modules.

Page Used to Register Source Applications with Financial Gateway

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Source Registration	PMT_REGISTRATION	Financial Gateway, Administration, Source Registration	Register a source application by defining the high-level information that is needed to process payments using Financial Gateway.

Registering Source Applications with Financial Gateway

Access the Source Registration page (Financial Gateway, Administration, Source Registration).

Source Registration

Source System: AP

*Description: Payables

Integration Details

*Inbound Integration Type: Application Class External Source

Inbound Node: External Publish

*Outbound Integration Type: Application Class Financial Sanctions Validation

*Root Package ID: AP

*Path: Payment

*Application Class ID: EFTPaymentAck

Status Integration Details

	*Dispatch Status		
1	Error	+ -	
2	Flagged for Hold	+ -	
3	Awaiting Dispatch	+ -	
4	Paid	+ -	

Send Remittance Advise

Report Definition ID: AP_REMIT_ADV

Remittance Email ID: SMTP-User_us@oracle.com

Source Registration page with Financials source system (1 of 2)

Payment Numbering Properties

*Payment ID Prefix: Last Payment Number:

Drill Back Details

*Drill to Source Transaction: Open In New Window

Menu Name:

Component Name:

Source System Key Information

*Source Fieldname	*Destination Field	Include in URL	Field Label ID	Display in Payment Details	Seq		
<input type="text" value="BANK_SETID"/>	<input type="text" value="KEY_CHAR_40_01"/>	<input checked="" type="checkbox"/>	<input type="text" value="BANK_SETID"/>	<input checked="" type="checkbox"/>	30	+	-
<input type="text" value="BANK_CD"/>	<input type="text" value="KEY_CHAR_40_02"/>	<input checked="" type="checkbox"/>	<input type="text" value="BANK_CD"/>	<input checked="" type="checkbox"/>	40	+	-
<input type="text" value="BANK_ACCT_KEY"/>	<input type="text" value="KEY_CHAR_40_03"/>	<input checked="" type="checkbox"/>	<input type="text" value="BANK_ACCT_KEY"/>	<input checked="" type="checkbox"/>	50	+	-
<input type="text" value="PYMNT_ID_REF"/>	<input type="text" value="KEY_CHAR_40_04"/>	<input checked="" type="checkbox"/>	<input type="text" value="PYMNT_ID_REF"/>	<input checked="" type="checkbox"/>	70	+	-
<input type="text" value="PAY_CYCLE"/>	<input type="text" value="KEY_CHAR_40_05"/>	<input checked="" type="checkbox"/>	<input type="text" value="PAY_CYCLE"/>	<input checked="" type="checkbox"/>	10	+	-
<input type="text" value="STL_THROUGH"/>	<input type="text" value="KEY_CHAR_40_06"/>	<input checked="" type="checkbox"/>	<input type="text" value="STL_THROUGH"/>	<input type="checkbox"/>	80	+	-
<input type="text" value="PYMNT_ID"/>	<input type="text" value="KEY_CHAR_40_07"/>	<input type="checkbox"/>	<input type="text" value="PYMNT_ID"/>	<input type="checkbox"/>	90	+	-
<input type="text" value="PYMNT_METHOD"/>	<input type="text" value="KEY_CHAR_40_08"/>	<input checked="" type="checkbox"/>	<input type="text" value="PYMNT_METHOD"/>	<input checked="" type="checkbox"/>	60	+	-
<input type="text" value="PAY_CYCLE_SEQ_N"/>	<input type="text" value="KEY_SIGN_01"/>	<input checked="" type="checkbox"/>	<input type="text" value="PAY_CYCLE_SEQ"/>	<input checked="" type="checkbox"/>	20	+	-

Source Registration page with Financials source system (2 of 2)

Integration Details

The Integration Details field values are preconfigured for integration between Financial Gateway and other PeopleSoft applications. Changes should only be made for registering third-party applications.

Inbound Integration Type and **Outbound Integration Type** Choose from the following options:

- *Application Class*: Select to perform integrations by calling application classes. If this value is selected, then a root package, path, and class ID are required.
- *Integration Broker*: Select to use Integration Broker to pass data between the source application and Financial Gateway. If this option is selected, you must enable the service operation used to pass the data. For example, for integration with Global Payroll, you must enable the service operation PAYMENT_RESPONSE_OUT_ASYNC to pass the data.

See *PeopleTools PeopleBook: PeopleSoft Integration Broker*

Note. The asynchronous response message PMT_RESPONSE will be published only when the Outbound Integration Type is *Integration Broker*.

- *Flat File*: Select this option for making or canceling payments in predefined, comma-separated value (.csv) file format or a fixed-length field format from a third-party application. If this option is selected, a directory must be specified in the File Path field.
- *None*: Select if payment acknowledgment functionality is not enabled. This option is available only for outbound integration.
- *Component Interface*: Select this option for using a component interface to load transactions into Financial Gateway. This option is available only for inbound integration.

Inbound Node

Select the integration node to use if the External Publish check box is selected.

Root Package ID

Enter an application-class, package name. This field appears only if *Application Class* is selected as an outbound integration type. This value is delivered for integration with other PeopleSoft source applications.

Path

This field appears only if *Application Class* is selected as an outbound integration type. This value is delivered for integration with other PeopleSoft source applications.

Application Class ID

This field appears only if *Application Class* is selected as an outbound integration type. This value is delivered for integration with other PeopleSoft source applications.

Node Name

Select a node to be used for communication between the source application and Financial Gateway using the Integration Broker. This field appears only if *Integration Broker* is selected as an outbound integration type.

External Source

Select to enable the Execute Edit functionality that provides an additional level of data validation when you are importing payments from third-party applications.

External Publish

Select to send the PAYMENT_REQUEST message from the source application to Financial Gateway using an Integration Broker node. This field is available only if Application Class is selected as the inbound integration type.

You can use this functionality to route the PAYMENT_REQUEST message to a Business Process Execution Language (BPEL) Process Server before sending it on to Financial Gateway.

See *Oracle BPEL Process Manager Quick Start Guide*

See *Oracle Application Server Integration Installation Guide*

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Integration Broker Settings for Payments, page 46.](#)

See [Chapter 6, "Working with Payments in Financial Gateway," Understanding the Payment Process in Financial Gateway, page 87.](#)

Financial Sanctions Validation

Select to require financial sanctions validation of payees for payments from this source application before they can be loaded into Financial Gateway.

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up and Using the Financial Sanctions Service."

Send Load Response Errors Only

Select to receive errors only during the Payment Load process. The default is to receive all response messages. This option is available only when *Integration Broker* is selected in the Outbound Integration Type field.

Send Remittance Advice

Select to indicate that Financial Gateway will send a remittance notification based on the entered Report Definition ID and Remittance Email ID as sender's address for each source system. This functionality is currently available only for PeopleSoft Financials source applications.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," page 15.](#)

Report Definition ID (report definition identification)

Enter the remittance advice report ID.

Report Email ID (report email identification)

Enter the email address of the sender of the remittance advice report.

Status Integration Details

The Status Integration Details group box enables you to select the number and types of payment statuses for determining the progress or state of each payment that is sent to a bank from a source application through Financial Gateway. This group box does not appear if *None* is selected as the outbound integration type. Select from the following choices:

- *Canceled*: Identifies a payment that has been canceled. This status can be sent only in response to a request to cancel a payment by a source application.

- *Error*: An error message can be generated and returned during any phase of the processing. If Financial Gateway cannot resolve the error, then the error message is returned to the source system to identify that the payment will not be executed without source application rework. An error message could be returned before a loaded status. Error messages consist of an error code and a description.
- *Flagged for Hold*: The payment is being held from further processing until a manager or other approving authority gives approval to process it further.
- *Awaiting Dispatch*: The status after the payment is successfully persisted in the Financial Gateway database. A unique ID is generated in Financial Gateway and is returned to the source application with this status.

In Process: Payment is currently in the process of being sent to the bank by the Dispatch Payment Application Engine.

- *Dispatched to Bank*: Payment has been sent to bank. When a payment progresses to this status, it can no longer be canceled.
- *Received by Bank*: Payment has been received by bank and is being processed.
- *Paid*: Payment has been settled.

Payment Numbering Properties

Payment ID Prefix	Designate an alphanumeric prefix to use to identify the source application of the payment.
Last Payment Number	Represents the payment identification number of the last payment that was sent by the source application. This value is automatically updated as payments are sent to Financial Gateway.

Drill Back Details

This functionality defines how the user can drill back to the source application to view details of a payment in Financial Gateway.

Note. Drill back functionality is currently available only in PeopleSoft Financials source applications. The Drill to Source Transaction field defaults to *None* for Global Payroll.

- Drill to Source Transaction** Choose a method for drilling back to the source application to view transaction details. Select from the following values:
- *Component*: Use to drill back to a selected PeopleSoft source component using PeopleTools Transfer functionality. Using this method enables users to drill back to the source application using links on the Review Payment page and the Dispatch Payments page for users who have security access to the destination page.
 - *DoModal Component*: Also used to drill back to a selected PeopleSoft source component. When you select this option, a shared work record is populated that contains the Financial Gateway ID of the transaction. This shared work record is used with the DoModal component call.
- Using this method, users can click a return button in Financial Gateway to drill back to the page of origin in the source application, providing they have security access to the source application page.
- *External URL*: This option enables the user to specify an external URL to view detailed transaction information that is contained outside of the PeopleSoft system. This method launches a new browser and passes the Financial Gateway transaction ID and the key information that is specified in the Source Key Information grid as a parameter in the URL to the desired destination.
 - *None*: Select this option to disable the inquiry component and the drill-to-source-application functionality.

Menu Name Enter a valid PeopleTools object menu name. This field appears only if *Component* or *DoModal Component* is selected in the Drill to Source Transaction field.

Component Name Enter a valid PeopleTools object component. This field appears only if *Component* or *DoModal Component* is selected in the Drill to Source Transaction field.

Open in New Window Select to view transaction details in another Web browser when drilling back into a source application. This option is available only if *External URL* or *Component* is selected in the Drill to Source Transaction field.

Source System Key Information

Specify the metadata that are used by Financial Gateway to retrieve payment information from the source application. The retrieved payment data can be selected for display in Financial Gateway on the Review Payment Requests page and the Review Payment Details page. These field values are delivered preconfigured for PeopleSoft source applications.

Source Fieldname Select a field from the source application that contains payment data to be displayed in Financial Gateway.

Destination Field	Select the field in the Payment Gateway records that stores the corresponding information found in the source field that is listed in the Source Fieldname field.
Include in URL	Select to include the field within the URL that is generated to pass control back to the source system. This provides the source system with navigation to the appropriate page and the appropriate content.
Field Label ID	Enter a label that is used to display the destination field.
Display in Payment Details	Select to display field values on the Review Payment Requests page and Review Payment Details page.
Seq (Sequence)	Enter numbers that specify the order in which the fields are displayed on the Payment Details page.

Chapter 3

Setting Up Electronic Banking Using Financial Gateway

This chapter provides an overview of electronic banking and discusses how to:

- Set up components that are common to bank statement, bank payment, and bank payment acknowledgment processing.
- Set up bank statement processing.
- Set up payment processing.
- Set up payment acknowledgment processing.
- Review event log information.
- Use a communications partner for electronic banking.
- Set up remittance advice notifications.

Understanding Electronic Banking

Financial Gateway provides the layouts and functionality needed to process electronic payments and load electronic bank statements and payment acknowledgments. You can also edit and expand the delivered functionality to suit your organization's needs.

You will probably want to implement both the bank statement import and payment dispatch functionality; however, you can implement just one or the other. When the payment processing is implemented, users can implement payment acknowledgment functionality as well. This chapter discusses the delivered functionality and configuration instructions.

You can import a variety of bank formatted files by using:

- A File Transfer Protocol (FTP) file server.
- PeopleSoft Integration Broker.
- Hypertext Transfer Protocol (HTTP) using a Uniform Resource Locator (URL).

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up External, Internal, and Netting Accounts," Defining Payment Methods.

Transformation Architecture

Transformation programs (or Transforms) are application classes, PeopleSoft Application Engine (AE) programs, and BI Publisher templates that contain logic to convert source data into new output layouts. Transforms use Integration Point (IP) messages either as the source data or the transform output, depending on the direction. By using an AE for transformations, any PeopleTools technology, such as PeopleCode, Rowsets, File Layout Object, and XSLT, can be used to facilitate the creation of output layouts. Using these tools, you can create new layouts and maintain them in the standard PeopleSoft Application Designer environment. After you create a transformation program, you can register the program in the Layout Catalog for use in the processes.

For bank statement processing, the transformation program processes the bank statement as the data source. The formatting logic of the transformation AE or application class then converts the data into the BANK_STATEMENT_LOAD_VERSION_2 or BANK_ACCT_ANALYSIS_LOAD IP message that is then loaded into the system.

Payment Transformation programs do the opposite by processing the data that are contained in the PAYMENT_DISPATCH IP message into a new payment layout.


The Payment Acknowledgment Transformation Application Engine program processes the inbound data from the bank into the PAYMENT_ACKNOWLEDGE message.

Note. The delivered transformations, though developed to industry standards, are designed to be customized to meet the specific requirements of individual financial institutions.

See *PeopleTools PeopleBook: PeopleSoft Integration Broker*, "Applying Filtering, Transformation, and Translation," Developing Transform Programs

Bank Statement Import Infrastructure

This diagram illustrates the Bank Statement Import process in which a bank's bank statement data file is imported and transformed appropriately by a corresponding transformation program, which contains all the formatting data to stage the files for the Bank Statement Load Process. This load process picks up and transfers the data to the PeopleSoft application tables and makes it available for viewing and editing on the various bank statement pages.



Bank Statement Import process flow from bank to PeopleSoft application

The Bank Statement Import process involves the following steps:

1. A bank administrator enters information pertaining to a bank statement data file.

This initiates the File Import Application Engine process (IMPORT_FILES), which functions as an interface or shell to define the necessary commands for the system to import bank statements.

2. The File Import Application Engine reads the file's layout definition data (which is stored in the Layout Catalog) and calls the appropriate transformation process that corresponds to the file layout.

3. Each transformation Application Engine or application class handler has corresponding application classes that, combined with the balance and transaction codes (defined on the Balance Code and Transaction Code pages) and code mapping information (defined on the Code Mappings page), contain all of the required formatting logic to stage the data.

Using the appropriate IP message, the transformation Application Engine loads the data into the staging tables.

4. After the data are loaded into the staging tables, the Bank Statement Load Application Engine process (TR_BSP_LOAD) transfers the data from the staging tables to the application tables. This process also checks for duplicate entries and verifies that the data will load into the application tables properly.


When the data are in the application tables, they are available for viewing and editing on the various bank statement pages.

Using the Import Bank Statements page, you can configure the File Import Application Engine process to manage various import methods. The functionality can load data from a flat file or transmit file data from an FTP or HTTP server by using PeopleSoft Integration Broker. If you decide to import the bank statement data by using FTP or HTTP, you must also set up the standard and bank statement import-specific settings for Integration Broker. After you define the Integration Broker settings, you can select the Use Integration Broker check box under Advanced Options on the Import Bank Statements page to send the bank statement to other processes after it has been loaded.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Integration Broker Settings for Bank Statements and Payment Acknowledgments, page 48.](#)

Bank Payment Infrastructure

This diagram illustrates the Payment Dispatch process, which provides the functionality to generate payment files in a variety of layouts and securely transmit them to the financial institution or place the files in a directory for another system to transmit.



Dispatch Payment file generation and transmission process flow.

The Payment Dispatch process provides a flexible infrastructure that enables the user to define a variety of payment layouts, and encryption algorithms that are compatible with the financial institution. It also provides a structure that enables you to easily create new layouts or modify existing ones.

When you dispatch settlements for processing, you activate the Dispatch Payments Application Engine process (PMT_DISPATCH). This process uses metadata that are defined at the bank setup level, the payment dispatch IP message (PAYMENT_DISPATCH), and payment layout transformation Application Engine programs to create formatted payment files. This overall process is called the Payment Dispatch process.

The Payment Dispatch process brings together all the payment file processing features to:

1. Gather the bank setup metadata, such as bank integration information, payment method, payment layout, bank communication and encryption information, and payment grouping rules.
2. Generate the PAYMENT_DISPATCH IP message.

The outbound Payment Dispatch IP is used as a data source for the transformation process. File layouts are created from the data that are contained within this message.

3. Transform the Payment Dispatch IP to the appropriate PeopleSoft Financials, global, payment layout or Oracle Payments layout that the bank can receive in its raw form and use to settle payments. Payment layouts have an associated Application Engine program, application class, or BI Publisher template that generates a formatted file.
4. Encrypt data by using PeopleTools security encryption.
5. Transmit the final formatted file, by publishing it to PeopleSoft Integration Broker functionality, or writing to a file and calling an external command to transmit the file.

The PAYMENT_DISPATCH IP message is a structure to facilitate publishing payments. The supported payment methods are Automated Clearing House (ACH), Electronic Funds Transfer (EFT), direct debits (DD), and wire transfers (WIR). The IP message contains a superset of all information that is needed to settle multiple payment types on a global scale. This information includes representative parties, such as the payment originator, bank of origin, destination, destination bank, and the various settlement identification information that is required in different countries. The IP message can be received directly by the financial institution for processing in its raw format, with no transformation work required. Conversely, the IP message can be processed by a transformation program that transforms the IP message into an industry-standard, payment file layout.

The system uses the PAYMENT_DISPATCH IP as the data source for file transformation programs—BI Publisher templates, Application Engine, or application classes—to format payment output files. You set up the transformation program in the Layout Catalog. There you specify layout information, such as the BI Publisher template, transformation Application Engine, or application class that contains the logic to generate the layout, layout-specific parameters, and supported payment methods.

Note. You can configure transformation Application Engine programs to use a combination of PeopleCode, file layouts, application classes, and XSLT to format files.

Prenotifications

A payment prenotification (prenote) is a zero-dollar, payment file sent to a debtor's bank to test if payments can be made to a creditor through that bank account. Financial Gateway processes prenotes similar to other payment files. Although prenotes can be sent using various payment methods, they are most often used as a prelude to ACH payment processing.

ACH prenotes:


- Are zero-dollar, payment files.
- Can be sent alone or included among payments from the same debtor to different creditors.
- Have the transaction entry code of "28," signifying a prenotification of payment.

EFT layouts are also used for transmitting direct debit prenotes in Financial Gateway. You must select the Supports Prenotes check box in the Bank Integration Layout Component to enable Financial Gateway to transmit prenotes. (Banking, Administer Bank Integration, Bank Integration Layout)

See *PeopleSoft Receivables 9.1 PeopleBook*, "Defining Additional Processing Options," Direct Debits.

Bank Payment Acknowledgments Infrastructure

The infrastructure of the payment acknowledgments functionality is similar, though less complex, to the bank statement import infrastructure. This diagram illustrates the transmission of four types of payment acknowledgement data from a bank that received the payments from the PeopleSoft Dispatch Payments program to the PeopleSoft application that sent that payments.



Payment acknowledgment import process flow from receiving bank to PeopleSoft applications.

The Payment Acknowledgment Import process involves the following steps:

1. The File Import Application Engine process (IMPORT_FILES) downloads the payment acknowledgment into the system. Four types of acknowledgement are possible.
 - The first acknowledgment—file acknowledgement—is sent after the payment file has been received and has passed basic bank validation involving checking for required fields and valid bank ID numbers. After the file has passed bank validation, and before actual settlement of the payment contents, an acknowledgement is generated to confirm whether the file is valid to continue processing or is in error.
 - The second acknowledgement—payment acknowledgement—is sent after the actual payment has been processed by a clearing network or settlement process. The second acknowledgement can take the form of either a paid confirmation or an error message. Depending on the type of payment, a bank reference to the transaction, such as a federal reference number, may be included.
 - A third type of acknowledgment notifies the sender of payment errors that resulted in a failed processing attempt.
 - The fourth type of acknowledgment notifies the sender of prenotification errors. A prenotification is a file sent to the debtor's bank to test if payments may be made to a creditor through the debtor's bank account.
2. The Payment Acknowledgment Import Application Engine reads the file's layout definition data (which is stored in the Layout Catalog) and calls the transformation program—application class or the Payment Acknowledgment Transformation Application Engine (PMT_ACK_EIP)—to convert it into a PAYMENT_ACKNOWLEDGE message and load the data into the application tables.
3. Payments and payment files in the Financial Gateway system are updated in accordance with the contents of the acknowledgements. If the source systems are set up to handle payment status updates, then the payments and payment files are also updated in the source systems as well.

Tracking the status of prenotes between a debtor's bank account and a particular creditor is the responsibility of the source system. Financial Gateway does not track prenote status.

4. Users access the Review Acknowledgment Files page to view a listing of the payment acknowledgment files.

Methods of Bank Communications

You can use various methods of communications to send payments to banks and receive bank statements and payment acknowledgements. Certain setup tasks are required based on the method that you use.

You can send payments that are outbound from Financial Gateway using:

- File Server

Financial Gateway sends the payment files to a specified directory on a file server. The bank uses a third-party communications tool kit to transfer the payment files from the server to the bank.

- Integration Broker

Financial Gateway sends the payment files to an Integration Broker node, which communicates with the bank using a specified connector—FTP, AS2, or HTTP.

You can import bank statements and payment acknowledgements from a bank using:

- File Server

The bank uses third-party communications tool kit to transfer the bank statement or payment acknowledgement files to a specified directory on a file server. Financial Gateway uses the IMPORT_FILES Application Engine processes to import them into the system.

- Integration Broker

The bank sends the bank statement or payment acknowledgement files to an Integration Broker node, which communicates with the Financial Gateway using a specified connector—FTP, AS2, or HTTP.

Use this table as a guide to determine the application page that you must set up to transmit a particular file type.

<i>File Type</i>	<i>Transmission Method</i>	<i>Application Page</i>
Payment	File Server	Bank Integration Layout
Payment	Integration Broker	Bank Integration Layout
Bank Statement	File Server	Import Bank Statements (Import Type: File)
Bank Statement	Integration Broker using FTP connector	Import Bank Statements (Import Type: FTP)
Bank Statement	Integration Broker using connector other than FTP	Bank Integration Layout
Payment Acknowledgment	File Server	Import Acknowledgement Files (Import Type: File)
Payment Acknowledgment	Integration Broker using FTP connector	Import Acknowledgement Files (Import Type: FTP)
Payment Acknowledgment	Integration Broker using connector other than FTP	Bank Integration Layout

Setting Up Common Components for Bank Statement, Payment, and Payment Acknowledgment Processing

To define event code notification, use the Enter Event Code Definition component (TR_EVENT_CD_DEF_GBL).

This section discusses how to set up components that are used to:

- Import bank statements.
- Dispatch payments.

- Import payment acknowledgements.

Components Common to Bank Statement, Payment, and Payment Acknowledgment Processing

These application pages are common to setting up the three electronic banking processes:

- Layout Catalog

The Layout Catalog is a repository of information that is used for establishing how data should be formatted when processing bank statements, payments, and payment acknowledgements.

- Code Mappings

For Bank Statement Import processing, you map external bank codes to their internal PeopleSoft equivalents to ensure efficient statement processing.

For Dispatch Payment processing, the Code Mappings page is used to associate PeopleSoft input code values with external bank output code values.

- (Optional) Event Code Definition

You can setup events that can occur during Bank Statement Import and Dispatch Payment processing so that interested parties will be notified by email of those events.

- (Optional) Encryption Profile

You can use encryption algorithms to secure statement and payment files that are sent between your organization and your bank.

Understanding the Layout Catalog

The Layout Catalog is the central repository for information regarding all supported bank payment, payment acknowledgment, and bank statement layouts. After a layout is added to this component, it is available for use within the system. The component contains all the information about a layout—such as the transformation Application Engine program or application class that contains the logic to process the layout—that the system needs at setup and runtime. This component is configurable to meet each bank's specific formatting needs.

Note. PeopleSoft also provides additional miscellaneous layouts in the layout catalog that are used for importing various kinds of data.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Configuring Bank Statement, Payment, and Payment Acknowledgment Layouts, page 33.](#)

Delivered Payment Layouts

You can view these layouts by accessing the Layout Catalog page (Banking, Administer Bank Integration, Layout Catalog, Layout Catalog).

PeopleSoft delivers these bank payment layouts:

Layout ID	Layout Name	Supported Payment Method
820	EDI 820 payment layout	Wire Transfer (WIR)
820 ACH	EDI 820 payment layout for ACH	Automated Clearing House (ACH) Direct Debit (DD)
CCD	NACHA CCD payment layout	ACH DD
CCD+	NACHA CCD+ payment layout	ACH DD
CTX	NACHA CTX payment layout	ACH DD
DEU_INTL	German International EFT (Used with BI Publisher template)	Electronic Funds Transfer (EFT)
DEU_DOM	German Domestic Payments (Used with BI Publisher template)	WIR
DIRDEB	Edifact version 96A payment layout	DD
ESP_EFT	Spanish EFT payment (Used with BI Publisher template)	EFT
FRA_EFT	French EFT payment format. (Used with BI Publisher template)	EFT
FUNDTRNFR	Funds Transfer	WIR
IAT	NACHA IAT payment format	ACH DD
ISO_CT_03	ISO 20022 Credit Transfer V3, Pain.001.001.03 This layout is used for generic credit transfers.	ACH EFT WIR
ISO_DD_02	ISO Direct Debit Pain.008.001.02 This layout is used for generic direct debits.	DD
ISOV2	ISO 20022 Credit Transfer V2, Pain.001.001.02 This layout is used for generic credit transfers.	ACH EFT WIR

Layout ID	Layout Name	Supported Payment Method
ISOV2_DD	ISO 20022 Direct Debit Pain.008.001.01 This layout is used for generic direct debits.	DD
JPN_ZENGIN	Japanese Zengin Format (Used with BI Publisher template)	EFT
MT101	SWIFT MT101 payment layout	WIR EFT
MT103	SWIFT MT103 payment layout	WIR EFT
MT103 BULK	Multi 103 payment layout	WIR EFT
NLD_INTL	Netherlands International EFT (Used with BI Publisher template)	EFT
PAYMENTEIP	PeopleSoft XML layout, PAYMENT_DISPATCH IP Message	ACH DD WIR EFT
PAYMUL	Edifact Version 96A payment layout	EFT
CORECRDTRN	ISO 20022 Payment Initiation	WIR
PPD	NACHA PPD Payment Format	ACH DD
SEPA_CT	SEPA Credit Transfer, Pain.001.001.02	ACH EFT WIR
SEPA_CT_03	SEPA Credit Transfer V3, Pain.001.001.03 Adheres to Rulebook version 4.0.	ACH EFT WIR
SEPA_DD	SEPA Direct Debit, Pain.008.001.01	DD
SEPA_DD_02	SEPA Direct Debit V2, Pain.008.001.02 Adheres to Rulebook version 4.0.	DD
STPCREDTRN	ISO 20022 STP Credit Transfer	WIR

Delivered system-defined payment layout properties:

Layout ID	Layout Name	Description
ISO_CNCL	ISO Payment Cancellation Layout	This layout is defined with document type 'Payment Cancellation' and is used to send payment cancellation request to the bank. It is associated with corresponding payment layout through layout property.
ISO_RVSL	ISO Payment Reversal	This layout is defined with document type 'Payment Reversal' and is used to send payment reversal request to the bank. It is associated with corresponding payment layout through layout property.
SEPA_RVSL	Payment Reversal	This layout is defined with document type 'Payment Reversal' and is used to send payment reversal request to the bank. It is associated with corresponding payment layout through layout property.
SEPA_RVS_2	Payment Reversal - Pain 007.001.02	This layout is defined with document type 'Payment Reversal' and is used to send payment reversal request to the bank. It is associated with corresponding payment layout through layout property.

Delivered Bank Statement Layouts

You can view these layouts by accessing the Layout Catalog page (Banking, Administer Bank Integration, Layout Catalog, Layout Catalog).

PeopleSoft delivers these bank statement layouts:

Layout ID	Layout Name	Document Type
BAI2	BAI2 bank statement layout	Bank Statement
EDI822	EDI 822 account analysis	Bank Statement
FINSTA	FINSTA bank statement layout	Bank Statement
PSBD1	PeopleSoft Business Document version 1	Bank Statement
PSBD2	PeopleSoft Business Document version 2	Bank Statement (for PeopleSoft FMS 8.8 and later - see note)
MT940	SWIFT MT940 bank statement layout	Bank Statement
MT942	SWIFT MT942 bank statement layout	Bank Statement

Note. You can import bank-statement, data files using the PSBD2 layout if you have Cash Management 8.8 or a later version installed and are using a third-party communication toolkit that has the capability of processing files in XML format. Sample files that can be used as guidelines for transforming bank statement date files into the PSBD2 layout can be found on Oracle's My Oracle Support website.

Delivered Bank Payment Acknowledgment Layouts

You can view these layouts by accessing the Layout Catalog page (Banking, Administer Bank Integration, Layout Catalog, Layout Catalog).

PeopleSoft delivers these Payment Acknowledgment layouts:

Layout ID	Layout Name	Document Type
ACHNOC	ACH Notification of Change	Payment Return (notification that the payment contains errors)
ACHRETURN	NACHA acknowledgment	Payment Return (payment or prenotification error – statement of changes to be made before payments can be processed)
BANSTA	Edifact Version 96A Acknowledgment layout	Payment Acknowledgment (bank payment acknowledgment)
CONTRL	Edifact Version 96A Acknowledgment layout	Payment Acknowledgment (bank payment file acknowledgment)
EDI997/824	EDI X12 997/824	Payment Acknowledgment (payment validated and payment complete)
EDI 827	EDI Functional return layout	Functional Return (payment error – statement of changes to be made before payment is allowed)
PMTACKEIP	PeopleSoft Acknowledgment layout	Payment Acknowledgment
PMTINITACK	ISO 20022 payment status XML	Payment Acknowledgment
PMT_STATV2	ISO 20022 payment status V2, Pain.002.001.002	Payment Acknowledgment
PMT_STATV3	ISO 20022 payment status V3, Pain.002.001.003	Payment Acknowledgment
PAYREQEIP	Inbound Payment Request	PeopleSoft Inbound Payment layout in CSV or fixed-length, flat-file format.

Delivered Miscellaneous Layouts

You can view these layouts by accessing the Layout Catalog page (Banking, Administer Bank Integration, Layout Catalog, Layout Catalog).

PeopleSoft delivers these additional layouts:

Layout ID	Layout Name	Document Purpose
POOL	Pool Import	Importing investment pool data in Cash Management
STOCK	Stock Import	Importing stock quotes for Deal Management.
SEC_MARKET	Security Values	Importing security market values
OFAC	OFAC sanctions list	Importing list of Specially Designated Nationals (SDN)
EU	EU sanctions list	Importing European Union SDN list
SDN_LOAD	Enterprise sanctions list	Importing SDN list from within an enterprise
SECURITY	Security Definition Import	Importing the security definition.

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up and Using the Financial Sanctions Service."

See *PeopleSoft Cash Management 9.1 PeopleBook*, "Managing Investment Pools," Maintaining Pool Positions.

See *PeopleSoft Deal Management 9.1 PeopleBook*, "Managing Equity Deals," Maintaining Equities.

See Also

PeopleSoft Deal Management 9.1 PeopleBook, "Managing Securities," Importing Security Definitions and Market Values

Understanding Code Mapping

Code Mappings enable you to define the mappings between external system codes with their equivalent internal PeopleSoft codes. For example, PeopleSoft stores 03 account types as checking accounts, and the required code for the EDI 820 bank statement layout is DA for deposit account. Code mappings are used to map these hard-coded field values to each other so that the transformation program component can use them. This allows a single transformation program to be used across multiple banks even though the program may need different code mappings.

Code mappings are most useful for fields that may change for every bank. Bank statement processing uses mappings for three fields: bank statement codes, reconciliation or "recon" codes, and statement activity types. For example, a bank identifies certain miscellaneous fees with the numeric code 564. If you define it as a *Bank Fee*, you can assign the input value of 564 to the output value of *BKFEE*. Other banks may use a different value to identify bank fee.

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up Reconciliation," Defining Statement Activities.

There are three levels to the code mapping data-structure hierarchy:

- **Code Map Group:** The highest level, this is a container for all the fields for a given code map set. For instance, a code map group could represent all the code mappings for a particular bank.
- **Code Map Header:** The second level, this represents a particular field for which the transformation Application Engine obtains the code map.
- **Code Map Items:** The items contain all the possible input and output values for a particular field or header.

To access Code Mappings defined in the database, use an application class entitled *CodeMapper* within the transformation program.

Class CodeMapper

To access Code Mappings, which is defined in the database, use an application class entitled *CodeMapper* within the transformation program. This table provides the details of the *CodeMapper* Application Class (Package - TR_CODE_MAPPING.Utilities).

Note. The *CodeMapper* application class should only be accessed by advanced users to customize their layouts or create a new layout program.

<i>Method</i>	<i>Description</i>
public CodeMapper()	The constructor for this class.
public String getDefault(String groupID, String fieldName)	Obtains the default value for a code map field based on the group ID and field name.
public String getInput(String groupID, String fieldName, String outputVal)	Obtains an input value based on the group ID, field name, and output value that are passed into the method.
public String getOutput(String groupID, String fieldName, String inputVal)	Obtains an output value based on the group ID, field name, and input value that are passed into the method.

Method	Description
<code>initializeRowset(String groupID)</code>	Initializes the rowset that is used by the component. In essence, this method will obtain all the possible mappings for the given group ID. This minimizes the number of trips to the database and in turn decreases the amount of time to search for a value. This method must be called prior to any of the previous methods being called.

The following code sample illustrates how to use the `CodeMapper` class within `PeopleCode`:

```

/* Import the code mapping class into the people code where it is to be
called */

import TR_CODE_MAPPING:Utilities:CodeMapper;

/* Initialize the object (this initiates the constructor for the class */
&oMapper = create CodeMapper();

/* Initializes the object to contain the data for the given Group */
&oMapper.initializeRowset(&strGroupID);

/* Obtain the output value for the given Group ID, the field called
"BANK_STMT_CODE" and the value in &strInput */
&strOutput = &oMapper.getOutput(&strGroupID, "BANK_STMT_CODE", &strInput);

```

Understanding File Encryption

The files that are sent to and received from your bank during the Dispatch Payment and Bank Statement processes can be encrypted and decrypted. This functionality is provided by the PeopleSoft Encryption Technology (PET), which supports several industry standard encryption formats that are used by a large number of banks. To enable encryption and decryption, you need to create encryption profiles in `PeopleTools`. For complete instructions on setup and configuration, see *PeopleTools PeopleBook: Security Administration*.

The general steps for setting up an encryption profile are:

1. Consult your bank to determine a common algorithm to use.

Most likely, your bank will support either the PGP, SMIME, or PKCS#7 format.

2. Install the required toolkit to produce the encryption format.

PGP requires a software developer kit to be purchased from the PGP Corporation. PKCS#7 requires OpenSSL. Some OpenSSL files are delivered with `PeopleTools`. Installation instructions can be found in *PeopleTools PeopleBook: Security Administration*.

3. Load public and private keys into the `PeopleTools` PET Keyset store.

PGP, SMIME, and PKCS7 require a key pair to be generated. PGP functionality requires a secondary utility called PGP Mail to help facilitate managing and creating keys. OpenSSL provides a command line where X509 key pairs can be generated. In either case, you will need to exchange public keys with your bank and load the banks public keys into the keystore.

Note. Installing PGP Mail may cause encryption errors if you install it on the same machine as the PeopleSoft Process Scheduler and the PGP SDK.

Also, OpenSSL provides some documentation on their Web site to help with the preceding setup task. See <http://www.openssl.org/docs/HOWTO/>. The PKCS#7 keys should not be self-signed certificates. They must be signed by a real Certification Authority (CA), such as VeriSign or your bank, or signed by a CA that you created with OpenSSL.

See Also

PeopleTools PeopleBook: Security Administration

Pages Used to Set Up Common Components for Bank Statement, Payment, and Payment Acknowledgment Processing

Page Name	Definition Name	Navigation	Usage
Layout Catalog	PMT_FORMAT_CATLOG	Banking, Administer Bank Integration, Layout Catalog	Create new or modify existing bank statement, payment, and payment acknowledgment layouts by defining transformation processing details, payment methods, parameters, and properties.
Allowed format properties	PMT_FORMAT_VALUES	Banking, Administer Banking, Layout Catalog, click Allowed Values link.	Select the type of list option to apply as the allowed format property.
Code Mappings	TR_CODE_MAPPINGS	Banking, Administer Bank Integration, Code Mappings	Define input and output values for mappings of a selected code map group.
Event Code Definition	TR_EVENT_CD_DEF_PG	Set Up Financials/Supply Chain, Product Related, Treasury, Enter Event Code Definition	Enter codes for system events, and define actions for the system to perform when they occur.
Encryption Profile	ENCRYPTION_PRFL	PeopleTools, Security, Encryption, Encryption Profile	Define encryption standards to be used to protect data when communicating with banks. Determine algorithms and store public and private keys that are used in encryption. <i>See PeopleTools PeopleBook: Security Administration, "Securing Data with PeopleSoft Encryption Technology."</i>

Configuring Bank Statement, Payment, and Payment Acknowledgment Layouts

Access the Layout Catalog page (Banking, Administer Bank Integration, Layout Catalog).

Layout Catalog

Layout: 820 Document Type: Payment Copy

*Layout Name: EDI 820 Payment Format

Description: 820 Payment Order/Remittance Advice for Wires

Layout Details

*Transformation Program Type: Application Class

Root Package ID: TR_FORMAT

Qualified Package/Class Path: PaymentTransformHandler

Application Class ID: EDI820Handler

Result Message Name: PMT_FLAT_FILE

Grouping Rule: BANK

Default Max Payments per File: 10000 [View Grouping Rule](#)

Supported Payment Methods

*Payment Method		
Wire Transfer	+	-

Layout Catalog page (1 of 2)

Layout Properties									
Customize Find View All First 1-13 of 13 Last									
Layout Properties Description									
Property Code	*Type	*Property Level	Required	Read Only	Max Length	Allowed Values	Default Value	Sequence	
FILENAME	String	Bank	<input type="checkbox"/>	<input type="checkbox"/>	50			1	+ -
FILEEXT	String	Bank	<input type="checkbox"/>	<input type="checkbox"/>	8			5	+ -
FILEPATH	String	Bank	<input type="checkbox"/>	<input type="checkbox"/>	50			10	+ -
CODE_MAP_GROUP	String	Bank	<input checked="" type="checkbox"/>	<input type="checkbox"/>	10		EDI 820	15	+ -
STD_ID_NUM_QUAL	String	Bank	<input type="checkbox"/>	<input type="checkbox"/>	4			20	+ -
SENDER_ID_QUAL	String	Bank	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2			20	+ -
SENDER_ID	String	Bank	<input checked="" type="checkbox"/>	<input type="checkbox"/>	15			25	+ -
RECVER_ID_QUAL	String	Bank	<input checked="" type="checkbox"/>	<input type="checkbox"/>	2			30	+ -
RECVER_ID	String	Bank	<input checked="" type="checkbox"/>	<input type="checkbox"/>	15			35	+ -
APP_SENDER_ID	String	Bank	<input checked="" type="checkbox"/>	<input type="checkbox"/>	15			40	+ -
APP_RECVER_ID	String	Bank	<input checked="" type="checkbox"/>	<input type="checkbox"/>	15			45	+ -
COMPANYID	String	Accour	<input type="checkbox"/>	<input type="checkbox"/>	10			55	+ -
EDI_USAGE	String	Bank	<input checked="" type="checkbox"/>	<input type="checkbox"/>	1		P	70	+ -

Layout Catalog page (2 of 2)

Define the file layouts, output type, and integration options that a particular bank supports. The catalog stores information about the layout, the program name containing the logic to generate or process the layout, and additional required setup or processing parameters that the layout requires.

If the bank does not support any of the delivered layouts or has a modified version of a delivered layout, you can create a new layout or edit a delivered layout. After a new or modified layout is added to the Layout Catalog, it is available for use in the system.

If you are adding new layouts or editing existing layouts for an organization's payment processing requirements, you must first create the new layout before you can continue this setup procedure. Follow the procedures to create a new layout that are outlined in the sections Defining Payment Grouping Rules, Defining Code Mappings for Banks Statements, Payments, and Payment Acknowledgments, and Creating Payment Layouts. Then add the new layout to the Layout Catalog.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding the Layout Catalog, page 24.](#)

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Code Mappings for Bank Statements, Payments, and Payment Acknowledgments, page 38.](#)

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Creating Payment Layouts, page 62.](#)

Layout Details

Transformation Program Type	<p>Select the method used to create or process a file layout. The options are:</p> <ul style="list-style-type: none"> • <i>XML Publisher Template</i>: Select to generate payment files using an XML Publisher (also known as BI Publisher) template. This option is used to support the five international payment layouts delivered by the Oracle Payments product. <p>See Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding the Layout Catalog, page 24.</p> <ul style="list-style-type: none"> • <i>Application Class</i>: Select to perform transformations by calling application classes. If selected, then a Root Package, Path, and Class ID are required. • <i>AE Transform</i>: Select to perform transformations by calling an Application Engine. <p>For payments, this transformation program will process the PAYMENT_DISPATCH IP into a payment file layout.</p> <p>For bank statements, this transformation will process a bank-statement file layout into the BANK_STATEMENT_LOAD or BANK_ACCT_ANALYSIS_LOAD IP.</p>
Report Name	<p>Select the XML Publisher (also known as BI Publisher) report name used to generate the payment file.</p> <p>This field appears only if <i>XML Publisher Template</i> is selected in the Transformation Program Type field.</p>
Source Document Name	<p>Select the source document used to map the PAYMENT_DISPATCH IP to the XML Publisher (also known as BI Publisher) template. The source is a message object with the name IBY_PPIOUT_1_0.</p> <p>This field appears only if <i>XML Publisher Template</i> is selected in the Transformation Program Type field.</p>
Root Package ID	<p>Enter an application class package name. This field appears only if <i>Application Class</i> is selected as the transformation type. This value is delivered for integration with other PeopleSoft source applications.</p>
Qualified Package/Class Path	<p>This field appears only if <i>Application Class</i> is selected as the transformation type. This value is delivered for integration with other PeopleSoft source applications.</p>
Application Class ID	<p>This field appears only if <i>Application Class</i> is selected as an outbound integration type. This value is delivered for integration with other PeopleSoft source applications.</p>

Result Message Name	<p>This field is used during communication with the Integration Broker. It is the name of the message that publishes the file layouts to the Integration Broker. For example, many of the payment layouts are delivered with the PMT_FLAT_FILE message. This means that the file layout will be published into the Integration Broker under the message name PMT_FLAT_FILE. In the message monitor, you will see instances of the PMT_FLAT_FILE message.</p> <p>This value can be changed to any unstructured message to help distinguish different layouts in the Integration Broker and control the communication properties for a message. When communicating with a bank's FTP server, for example, you may want files to be sent to different directories. For example, if you use the EDI 820 layout for wires and the CCD+ layout for ACH payments with the same bank, you may want to create a new message called PMT_CCD_FILE and set it as the Result Message Name for the CCD+ layout. In the Integration Broker, you can then assign communication properties to the PMT_FLAT_FILE and then assign different communication properties to the PMT_CCD_FILE. If both layouts were communicated under the same message name, you could only specify one set of communication properties or one directory in this case.</p> <p>For payment acknowledgments, the required message is PAYMENT_ACKNOWLEDGE.</p> <p>For bank statements, this field displays the name of the output IP message from the transformation program. For all delivered bank statement layouts except EDI 822, the IP message is BANK_STATEMENT_LOAD_VERSION_2. Bank statement layout EDI 822 uses the IP message BANK_ACCT_ANALYSIS_LOAD.</p>
Grouping Rule	<p>This field appears only for payment layouts. Specify a payment grouping rule for the layout. Only one grouping rule can be applied to a payment layout.</p>
Default Max Payment Per File	<p>Enter the maximum number of payments allowed in a payment file of this type.</p> <p>This field appears only for payment layouts.</p>
Default Max Payment Per File	<p>Enter the maximum number of payments allowed in a payment file of this type. This field appears only for payment layouts.</p>

Supported Payment Methods

This group box appears only for payment layouts and is used for defining the specific payment methods that are supported by the payment layout.

Select a layout payment method. Values are:

- *Automated Clearing House*
- *Direct Debit*
- *Electronic Funds Transfer*

- *Wire Transfer*

See the payment layout table for a list of delivered layouts and their corresponding payment methods.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding the Layout Catalog, page 24.](#)

Layout Properties

Layout Properties are information that is needed by a transformation program to successfully create and process a layout. A layout property can be anything, but generally is either a data value that is needed by a layout that is not captured in the system or a processing flag that is needed by a transformation program. These properties are defined at design time, bound with values at setup time, and available to the transformation program at runtime. The values for these defined properties are captured at setup time for every bank.

For example, the layout property `SENDER_ID`, which is used by the EDI 820 payment layout, identifies the ID of the party that is sending the file. No field is defined in Financial Gateway to store this value, yet this layout requires the property at runtime. Adding `SENDER_ID` to the layout properties allows this value to be set up for every bank. At runtime, this value is available to the transformation program to be included in the 820 layout.

Property Code	Displays the name of the layout field.
	<hr/> Important! If you specify a default, file-extension value for the <i>FILEEXT</i> property code, you must enter a period before the file extension. For example, you enter <i>.TXT</i> , not <i>TXT</i> . <hr/>
Type	Specify the property code data type: <i>Date, Number, String, Time, or Yes/No.</i>
Property Level	This determines where the property will be set up: <i>bank, account, or system</i> level. For payment layouts, this also determines where in the <code>PAYMENT_DISPATCH</code> IP this value is available to the transform program. System and bank level properties are available in the <code>PMT_HEADER_PROP</code> record. Account level properties are available in the <code>PMT_BATCH_PROP</code> record. For payment files, the layout property values are included in the <code>PAYMENT_DISPATCH</code> IP for use in transformation programs at runtime. The records <code>PMT_HEADER_PROP</code> and <code>PMT_BATCH_PROP</code> contain these values. If you are creating a new transformation program and need to capture some setup information, such as company <code>TAXID</code> , a layout property would be added to the Layout Catalog. It would be set up at bank of account level. You can then use this information in the <code>PAYMENT_DISPATCH</code> message of the transformation program.
Required	Select to indicate that this property code is required.
Read Only	Select to make this property code a display-only value. This type is good for system settings that need to be captured, but do not vary by bank.

Max Length (maximum length)

Enter the maximum character length. At setup time, the entered value is validated to ensure that it is not longer than the maximum length and is the type specified (for example, string, number, yes/no, and so on).



Allowed Values

Click this icon this to access the Allowable Format Properties page on which you can select one of these list options:

- *All Code Map Groups*

A code map group defines the mapping between external bank codes with their equivalent internal PeopleSoft codes for both bank statement and bank payment processing.

- *List of Values*

This list limits the choice of allowable values for a property code. For example, the PAYREQEIP layout limits the FILETYPE property values to either a CSV or FIXED format.

Default Value

Enter a property-code, default value. You can override this value when defining integration layouts for a bank or account.

Sequence

Enter sequence numbers to prioritize the property codes. Properties with lower numbers will be displayed first at setup time. During the transformation process, the system processes property codes from the lowest to the highest value.

Defining Code Mappings for Bank Statements, Payments, and Payment Acknowledgments

Access the Code Mappings page (Banking, Administer Bank Integration, Code Mappings) for the bank statement or payment layout.

Code Mappings

Code Map Group: EDI ACK

Description: Copy

Mappings Find | View All | First 1 of 6 Last

*Mapping Name: + -

Default Value: Return Input if No Match

Field Values Customize | Find | View All | First 1-5 of 21 Last

Input Value	Output Value		
<input type="text" value="006"/>	<input type="text" value="DUPLICATE ISA06 AND TRN02 OR ISA06 ISA08 GS02 GS03 GS0"/>	<input type="button" value="+"/>	<input type="button" value="-"/>
<input type="text" value="009"/>	<input type="text" value="INVALID DATE"/>	<input type="button" value="+"/>	<input type="button" value="-"/>
<input type="text" value="012"/>	<input type="text" value="INVALID COMBINATION"/>	<input type="button" value="+"/>	<input type="button" value="-"/>
<input type="text" value="013"/>	<input type="text" value="REMIT NOT SENT; MISSING SUBSIDIARY ADDRESS FOR"/>	<input type="button" value="+"/>	<input type="button" value="-"/>
<input type="text" value="801"/>	<input type="text" value="INVALID TRANSACTION HANDLING CODE BPR01"/>	<input type="button" value="+"/>	<input type="button" value="-"/>

Code Mappings page

This page enables you to define the mapping between external bank codes with their equivalent internal PeopleSoft codes for both bank statement and bank payment processing.

Bank statement processing uses mappings for three fields: Bank Statement Codes, Reconciliation Codes, and Statement Activity Types.

For example, a financial organization identifies certain miscellaneous fees with the numeric code 564. If you define a statement activity type of *Bank Fee (BNKFEE)*, you can assign the input value of 564 to the output value of *BNKFEE*.

- Copy** Click to create a new mapping group based on the parameters of the current, code map group.
- Mapping Name** Enter a mapping name.
- Default Value** Enter a default value for the specific map. The system uses this defined default value if it cannot match the existing mapping input value and you do not select the Return Input if No Match check box.
- Return Input if No Match** Select to indicate that the system should use the input value as the map-to value if the system cannot match the existing mapping-input value with a defined input value.

Field Values

Enter the Input Values and the corresponding Output Values to which they are to be mapped.

For bank statement processing, the Input Values are the external bank codes, and the Output Values are the PeopleSoft codes.

For bank payments, the Input Values are the PeopleSoft codes, and the Output Values are the external bank codes.

Defining Event Notifications

Access the Event Code Definition page (Set Up Financials/Supply Chain, Product Related, Treasury, Enter Event Code Definition).

The screenshot shows the 'Event Code Definition' page with the following fields and values:

- Event Code:** BSDUPBAL
- Description:** Duplicate Balance Entry Found
- Notify Flag:**
- Recipient Type:** Person
- Notify Template:** (empty field)
- Notify To:** (empty field)

Event Code Definition page

Notify Flag

Select for the system to send an email or workflow message to the specified party if this event occurs.

Recipient Type

Select *Person* if the message recipient is a specific employee. Select *Role* if the message recipients should include all users in a specific role, such as a manager.

Notify Template

Select the message text template.

Notify To

This field is dependent on the selected Person/Role field value. If you select *Person*, enter the email address of the person to notify. If you select *Role*, enter the role name.

Note. To enable this email notification functionality, you must setup and configure the PeopleTools Simple Mail Transfer Protocol (SMTP) functionality.

See *PeopleTools PeopleBook: Workflow Technology*, "Adding Events and Routings."

Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements

PeopleSoft Integration Broker is delivered with many integration points to send and receive data with a third-party system. These integration points are implemented using service operations. PeopleSoft delivers the service operations in PeopleSoft Integration Broker with a default status of *Inactive*. You must activate each service operation before attempting to send or receive data from a third-party source.

The service operations for PeopleSoft Financial Gateway include:

<i>Service Operation</i>	<i>Description</i>	<i>Direction and Type</i>	<i>Handlers</i>
BANK STATEMENT FILE	Receives non-XML or unstructured bank statements into the Financial Gateway.	Inbound Asynchronous	ProcessFile
CANCEL PAYMENT	Sends request from the third-party source to Financial Gateway to cancel a payment. Sends message synchronously.	Inbound Synchronous	REQUESTHDLR
LOAD PAYMENT	Receives payments into the Financial Gateway.	Inbound Synchronous	REQUESTHDLR
REQUEST PAYMENT STATUS	Sends request from the third-party source for the status of a payment ID. The Financial Gateway responds with the payment status.	Inbound Synchronous	REQUESTHDLR

Service Operation	Description	Direction and Type	Handlers
PAYMENT_RESPONSE_OUT_ASYNC	Financial Gateway sends a response message asynchronously for the incoming payment request.	Outbound Asynchronous Note. The PMT_RESPONSE message is published only when the Outbound Integration Type is <i>Integration Broker</i> on the Source Registration page.	(none)
PMT_ACKNOWLEDGE	Sends a payment acknowledgement status that the payment was received.	Outbound Asynchronous	(none)
PAYMENT ACKNOWLEDGE FILE	Sends an unstructured acknowledgement from PeopleSoft that the payment was received.	Inbound Asynchronous	ProcessFile
PAYMENT CANCEL	Sends request from the third-party source to Financial Gateway to cancel a payment. Sends message asynchronously.	Inbound Asynchronous	ProcessCancel
PAYMENT_REQUEST	Sends a payment status request from the source asynchronously.	Inbound Asynchronous	ProcessPayments
PMT FLAT FILE	Sends a payment message from the Financial Gateway using a flat file structure.	Outbound Asynchronous	(none)
PMT FLAT FILE INBOUND	Sends a payment message to the Financial Gateway using a flat file structure.	Inbound Asynchronous	ProcessFile

Setting Up Service Operations

To activate a service operation, complete the following steps in PeopleSoft Integration Broker:

1. Activate the service operation.

On the General tab of the Service Operations component, select the Active check box for the applicable service operation version. If the desired version is not the default version for the service operation, the default version must also be activated.

2. For asynchronous service operations only, verify the queue is running.

On the General tab of the Service Operations component, select the View Queue link at the bottom of the page. On the Queue Definitions page, verify the Queue Status field has a value of *Run*.

3. Activate the service operation handlers.

Note. This step does not apply to all service operations.

On the Handlers tab of the Service Operations component, select the value of *Active* in the Status field for all needed handlers.

- For inbound asynchronous service operations, activate the OnNotify handler.
- For inbound synchronous service operations, activate the OnRequest handler.
- If you are using chunking on an outbound service operation, activate the OnRoute handler.

4. Activate the service operation routings.

On the Routings tab of the Service Operations component, activate a routing definition for each node that will send or receive data. To activate a routing, select the check box next to the routing definition and click the Activate Selected Routings button.

- Activate an inbound routing to receive data into PeopleSoft Financial Gateway.
- Activate an outbound routing for sending data to a third-party system or another PeopleSoft product.
- Activate a local routing for sending data using an effective-dated outbound service operation.
- Activate a local routing to receive inbound flat files.
- You must activate at least one routing if the data are being sent in an XML format.
- You can skip this step if a batch publish rule is set up to post to a flat file only.

5. Verify the routing definition parameters.

On the Routings page of the Service Operations component, select the link attached to the routing definition name. This link accesses the Routing Definitions component. Select the Parameters tab and complete the following steps:

- Confirm the external alias name in the External Alias field for the routing is correct. When sending or receiving data, the Integration Broker determines which routing to use by referring to the external alias name, not the routing name.
- Add or verify the transform programs on this routing definition. A routing definition defines the sending and receiving nodes for a transaction and specifies any inbound and outbound transformations to invoke. A transform program is a type of PeopleSoft Application Engine program that can convert data from one format to another; for example, from XML to a flat file. Use a transform program when one node sends a request or response message with a data structure different from the structure required by the other node. Many predefined routings are delivered with transform programs. You must decide, based on your unique situation, to change, remove, and add transform programs. For example, some delivered transform programs convert data to the EDI format, if you are not using EDI then you will want to use a different routing definition or remove that transform program from the routing definition.

6. Verify the node from the routing is active.

Go to the Node Definitions page and verify the Active Node check box has been selected for any sender or receiver nodes used in the routings that you activated on your Service Operations - Routings page. Financial Gateway communicates with the third-party bank using an Integration Broker node with a specified connector. The Integration Broker contains a set of communication connectors that will provide connectivity with most banks. The most common connectors used are the FTP, FTPs, AS2, HTTP, HTTPS, FILE, and JMS.

7. For an outbound service operation, verify the node or routing is connected to the correct network.

8. For inbound service operations using a flat file, define the inbound file rule and run control parameters:

- For X.12 formatted EDI files, use the Inbound File Loader Rules page and the Inbound File Processing run control under the Integration Broker menu.
- For PeopleSoft formatted files, use the File Inbound page and the Inbound File run control under the Enterprise Components menu.

Note. For complete information on the setup and use of service operations, see *PeopleTools PeopleBook: PeopleSoft Integration Broker* for your PeopleTools release.

See Also

PeopleTools PeopleBook: PeopleSoft Integration Broker

PeopleTools PeopleBook: PeopleSoft Integration Broker Administration

Pages Used to Set Up PeopleSoft Integration Broker

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Service Operations - General	IB_SERVICE	PeopleTools, Integration Broker, Integration Setup, Service Operations, General	Define and activate a service operation.
Service Operations - Handlers	IB_SERVICEHDLR	PeopleTools, Integration Broker, Integration Setup, Service Operations, Handlers	Activate one or more service operation handlers.
Service Operations - Routings	IB_SERVICERTNGS	PeopleTools, Integration Broker, Integration Setup, Service Operations, Routings	Define and activate routing definitions on the service operation.
Queue Definitions	IB_QUEUEDEFN	<ul style="list-style-type: none"> • PeopleTools, Integration Broker, Integration Setup, Service Operations, General. Select the View Queue or Add New Queue link. • PeopleTools, Integration Broker, Integration Setup, Queues, Queue Definitions 	Activate the queue used by the service operation.
Routings - Parameters	IB_ROUTINGDEFNDOC	<ul style="list-style-type: none"> • PeopleTools, Integration Broker, Integration Setup, Service Operations, Routings. Select the Details link. • PeopleTools, Integration Broker, Integration Setup, Routings, Parameters 	Verify the external service alias names used by this routing.
Node Definitions	IB_NODE	PeopleTools, Integration Broker, Integration Setup, Nodes, Node Definitions	Activate node used by the service operation.
Nodes - Connectors	IB_NODECONN	PeopleTools, Integration Broker, Integration Setup, Nodes, Connectors	For an outbound service operation, verify the node is connected to the correct network.

Page Name	Definition Name	Navigation	Usage
Full Data Publish Rules	EO_MSGPUBFULL	Enterprise Components, Integration Definitions, Full Data Publish Rules	Activate the full data publish rule for the service operations using the full data publish rules.
Batch Publish Rules	EO_MSGPUBATCH	Enterprise Components, Integration Definitions, Batch Publish Rules	Activate the batch publish rule for the service operations using the batch publish utility.
File Inbound	EO_FILE_INBOUND	Enterprise Components, Integration Definitions, Inbound File Rule	Define the parameters to receive inbound flat files from third-party systems.

Defining Integration Broker Settings for Payments

Access the Node Definitions page (PeopleTools, Integration Broker, Integration Setup, Nodes, Node Definitions).

Node Definitions		Connectors	Portal	WS Security	Routing
Node Name:	BPEL				Copy Node
*Description:	Oracle BPEL PM Node				Rename Node
*Node Type:	External	<input type="checkbox"/> Default Local Node			Delete Node
		<input type="checkbox"/> Local Node			
		<input checked="" type="checkbox"/> Active Node			
*Authentication Option:	None	<input type="checkbox"/> Non-Repudiation			
		<input type="checkbox"/> Segment Aware			
*Default User ID:	PTTOOLS				
WSIL URL:					
Hub Node:					
Master Node:					
Company ID:					
IB Throttle Threshold:					
Image Name:					
Codeset Group Name:					
External User ID:					
External Password:					
External Version:					
Save		Contact/Notes	Properties		

Node Definitions page

Payment files can be sent to the Integration Broker for communication with your bank. The Integration Broker contains a set of communication connectors that will provide connectivity with most banks. The most common connectors used are the FTP, FTPs, AS2, HTTP, HTTPS, FILE, and JMS.

The Bank Integration Layouts component enables you to specify an output type for payment files. If you select Integration Broker, then a node must be entered. At runtime, the payment will be asynchronously published to this node in the Integration Broker. Integration Broker then provides the communication functionality.

Before you begin enabling Integration Broker service operations, you must set up the basic Integration Broker settings, such as Gateway, and application server with service operations enabled, domain active, channels active, messages active, and so on.

Define the settings to process payment files through PeopleSoft Integration Broker using an output-type service operation:

1. Create a node definition that represents the bank on the Node Definitions page.

2. Activate a corresponding outbound, asynchronous service operation routing for the node definition on the Service Operations - Routings page.

PeopleSoft delivers the PMT_FLAT_FILE service operation for the delivered layouts. Both the layouts and the corresponding service operation are configured to be published to the Integration Broker. To implement payment processing functionality, select the PMT_FLAT_FILE service operation.

3. Complete the Nodes - Connectors page.

Define connector properties information at the node or node transaction level on the Connectors page.

Integration Broker comes with a variety of connectors that can be used. The primary connector for use with banks is the FTPTARGET connector. This enables you to send files using FTP and FTPs to your bank.

If you use Integration Broker with the FTP connector ID FTPTARGET and leave the FILENAME parameter blank, the PMT_DISPATCH process will override this property and generate a unique filename for each message using the Bank Integration Layout properties FILENAME and FILEEXT to generate this value.

Some banks, however, require all files to be sent under the same filename. Therefore, define the connector property FILENAME with a value to ensure that all files are delivered to the bank with the same filename.

Note. You can configure your Integration Broker node to use an AS2 connector.

See Also

PeopleTools PeopleBook: PeopleSoft Integration Broker

PeopleTools PeopleBook: PeopleSoft Integration Broker Administration, "Using Listening Connectors and Target Connectors," Working with AS2 Connectors

Defining Integration Broker Settings for Bank Statements and Payment Acknowledgments

Access the Connectors page (PeopleTools, Integration Broker, Integration Setup, Nodes, Connectors).

Node Definitions
Connectors
Portal
WS Security
Routings

Node Name
BANK STATEMENT
Ping Node

IMPORT

Details

Gateway ID:

Connector ID:

Properties
Customize | Find | | First 1-7 of 7 Last

Properties
Data Type / Description
▶▶▶

	*Property ID		*Property Name		Required	Value		
1	FTPTARGET		FTPS		<input checked="" type="checkbox"/>	N		<input type="button" value="+"/> <input type="button" value="-"/>
2	FTPTARGET		HOSTNAME		<input checked="" type="checkbox"/>			<input type="button" value="+"/> <input type="button" value="-"/>
3	FTPTARGET		METHOD		<input checked="" type="checkbox"/>	PUT		<input type="button" value="+"/> <input type="button" value="-"/>
4	FTPTARGET		PASSWORD		<input checked="" type="checkbox"/>			<input type="button" value="+"/> <input type="button" value="-"/>
5	FTPTARGET		TYPE		<input checked="" type="checkbox"/>	ASCII		<input type="button" value="+"/> <input type="button" value="-"/>
6	FTPTARGET		USERNAME		<input checked="" type="checkbox"/>			<input type="button" value="+"/> <input type="button" value="-"/>
7	HEADER		sendUncompressed		<input checked="" type="checkbox"/>	Y		<input type="button" value="+"/> <input type="button" value="-"/>

▶ Password Encryption Utility

Save

Integration Broker - Connectors page

Note. This section describes how to set up an Integration Broker node for importing bank statement files and payment acknowledgment files from an FTP server. Files can also be imported from a bank using a file server—a method that doesn't employ Integration Broker nor require setting up an Integration Broker node.

To set up an Integration Broker node for importing files from an FTP server:

1. Create a new node, name it, and enter a description for the node.
 Leave the default values for all the other fields.
2. On the Connectors page, select *FTPTARGET* in the Connector ID field.
 The appropriate properties for the FTP Target connector are displayed.

3. Enter the appropriate property values:

FTPS	A yes (Y) or no (N) value. Determines whether the target FTP server requires a secured FTP connection or not.
HOSTNAME	The host name of the FTP server. For example, for the URL ftp://www.hostname.com, the host name would be www.hostname.com.
METHOD	The FTP method that is being used. Enter either <i>PUT</i> or <i>GET</i> . The system will always use <i>GET</i> when importing a bank statement regardless of which value is entered in this field.
PASSWORD	The password that corresponds to the USERNAME value to access the FTP server. This value must be encrypted. To obtain an encrypted version of the password, use the Password Encryption Utility at the bottom of the page.
TYPE	The type of files that are to be transferred— <i>ASCII</i> or <i>BINARY</i> .
USERNAME	The user name that is used to access the FTP server.
Send Uncompressed	A yes (Y) or no (N) value. Determines whether to send files compressed or not.

Note. The system uses values that are defined on the Bank Statement Import page to automatically override two node connector properties, **DIRECTORY** and **FILENAME**.

Note. You can configure your Integration Broker node to use an AS2 connector.

See Also

PeopleTools PeopleBook: PeopleSoft Integration Broker

PeopleTools PeopleBook: PeopleSoft Integration Broker Administration, "Using Listening Connectors and Target Connectors," Working with AS2 Connectors

Setting Up Bank Statement Processing

This section describes the components that you use for setting up the Bank Statement Import process and discusses how to:

- Define balance codes.
- Define transaction codes.

Components Used to Set Up Bank Statement Processing

Use these application pages to set up the Bank Statement Import process.

- Balance Codes

Define codes that are used for bank statement balances.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Balance Codes, page 52.](#)

- Transaction Codes

Define codes that are used for bank statement transaction information.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Transaction Codes, page 53.](#)

- Code Mappings

Define the mappings between external system codes with their equivalent internal PeopleSoft codes.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Code Mappings for Bank Statements, Payments, and Payment Acknowledgments, page 38.](#)

- Layout Catalog

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Configuring Bank Statement, Payment, and Payment Acknowledgment Layouts, page 33.](#)

- (Optional) Event Code Definition

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Event Notifications, page 40.](#)

- Node Definition (required only if you are using Integration Broker)

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements, page 41.](#)

- (Optional) Encryption Profile

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding File Encryption, page 31.](#)

Note. If you create new layouts or modify existing ones for an organization's bank-statement-processing requirements, you must add them to the Layout Catalog.

Pages Used Exclusively for Setting Up Bank Statement Processing

Page Name	Definition Name	Navigation	Usage
Balance Codes	BSP_BAL_CODES	Banking, Administer Bank Statements, Bank Statement Codes	Define bank-statement-code information. Also select three favorite statement codes for display in online inquiry pages.
Transaction Codes	BSP_TXN_CODES	Banking, Administer Bank Statements, Bank Statement Codes, Transaction Codes tab	Define bank-statement, transaction-code information, such as activity type and payment method.

Defining Balance Codes

Access the Balance Codes page (Banking, Administer Bank Statements, Bank Statement Codes).

The screenshot displays the 'Balance Codes' page. At the top, there are tabs for 'Balance Codes' and 'Transaction Codes'. Below the tabs is a header area with 'Bank Statement Codes' and navigation options like 'Customize', 'Find', 'View 100', 'First', '1-10 of 231', and 'Last'. A sub-header shows 'Balance Codes' and 'Long Description'. The main table has the following columns: *Statement Code, *Type Code, *CR/DB, Display Balance, and Short Description. The table contains 10 rows of data. At the bottom, there are 'Save' and 'Notify' buttons, and a breadcrumb trail 'Balance Codes | Transaction Codes'.

*Statement Code	*Type Code	*CR/DB	Display Balance	Short Description
010	Status	N/	<input checked="" type="checkbox"/>	OPENING LEDGER
011	Status	N/	<input type="checkbox"/>	AVERAGE OPENING LEDG
012	Status	N/	<input type="checkbox"/>	AVERAGE OPENING LEDG
015	Status	N/	<input checked="" type="checkbox"/>	CLOSING LEDGER
020	Status	N/	<input type="checkbox"/>	AVERAGE CLOSING LEDG
021	Status	N/	<input type="checkbox"/>	AVERAGE CLOSING LEDG
022	Status	N/	<input type="checkbox"/>	AGGREGATE BALANCE AD
024	Status	N/	<input type="checkbox"/>	AVERAGE CLOSING LEDG
025	Status	N/	<input type="checkbox"/>	AVERAGE CLOSING LEDG
030	Status	N/	<input type="checkbox"/>	CURRENT LEDGER

Bank Statement Codes - Balance Codes page

Assign balance codes to each balance line and determine how the reconciliation process manages them. Assign a balance code to each balance entry that is received electronically or entered manually.

- Statement Code** Enter a three-digit statement code that is to be defined.
- Type Code** Indicate whether the code is a *Status* or *Summary* code.
- CR/DB (credit/debit)** Indicate whether the code is a *CR* (credit) or *DB* (debit), or select *NA* (not applicable) if this categorization does not apply.
- Display Balance** Select to indicate that the balance is a favorite balance. The system automatically displays the favorite balances on certain pages, such as the Bank Balance Inquiry page. You can select no more than three bank balances, however, you can change these selections at any time.

Defining Transaction Codes

Access the Transaction Codes page (Banking, Administer Bank Statements, Bank Statement Codes, Transaction Codes tab).

*Statement Code	Type Code	*CR / DB	Trans Code	Activity	Payment Method	Short Description		
108	Detail	CF				CREDIT (ANY TYPE)	+	-
115	Detail	CF			Check	LOCKBOX DEPOSIT	+	-
116	Detail	CF				ITEM IN LOCKBOX DEPO	+	-
118	Detail	CF				LOCKBOX ADJUSTMENT C	+	-
121	Detail	CF				EDI TRANSACTION CRED	+	-
122	Detail	CF				EDIBANX CREDIT RECEI	+	-
123	Detail	CF				EDIBANX CREDIT RETUR	+	-
135	Detail	CF				DTC CONCENTRATION CR	+	-
136	Detail	CF				ITEM IN DTC DEPOSIT	+	-
142	Detail	CF			ACH	ACH CREDIT RECEIVED	+	-

Bank Statement Codes - Transaction Codes page

The system assigns transaction codes to each bank-statement-transaction line during electronic load or manual entry. The transaction code determines how reconciliation processes the specific line item.

Trans Code (transaction code) Identifies the type of transaction in a bank statement. Select from:

- *Automated Clearing House*
- *Bank Adjustments*
- *Bill of Exchange - Disburse*
- *Bill of Order - Disburse*
- *Check*
- *Deposits*
- *Direct Debit*
- *Direct Debit - Disburse*
- *Drafts*
- *Electronic Funds Transfer*
- *Fee Expense*
- *Funding Receipt*
- *General Transaction*
- *Interest Expense*
- *Manual Check*
- *Miscellaneous Transaction*
- *Payment*
- *Stop Pay (stop payment)*
- *Trade Receipt*
- *Voided Payment*
- *Wire - Disbursement*
- *Wire - Incoming*

Activity

Select a bank-statement activity type.

Payment Method

Identifies the payment method that is specified for a transaction code.
Select from:

- *ACH*: Automatic clearing house.
- *Check*
- *Cust Draft*: Customer draft.
- *Direct Debit*
- *EFT*: Electronic funds transfer.
- *EFT Drafts*: Electronic funds transfer drafts.
- *Giro-EFT*: Giro-electronic funds transfer.
- *Giro-Manual* Giro-manual.
- *LC*: Letter of credit.
- *Manual*: Manual check.
- *Wire*: Wire transfer.
- *Vndr Draft*: Vendor draft.
- *Wire*: Wire disbursement.

See Also

PeopleSoft Banks Setup and Processing 9.1 PeopleBook, "Setting Up Reconciliation," Defining Statement Activities

Setting Up Payment Processing

To define external commands, use the External Command component (PMT_EXT_COMM_CMP_GBL).

This section lists the pages and functionality that are involved in Financial Gateway electronic banking payment processing:

- Payment Grouping Rules

Definitions of rules that determine what payments can be grouped together in the same file.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Payment Grouping Rules, page 57.](#)

- Layout Catalog

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Configuring Bank Statement, Payment, and Payment Acknowledgment Layouts, page 33.](#)

- Code Mappings

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Code Mappings for Bank Statements, Payments, and Payment Acknowledgments, page 38.](#)

- (Optional) Event Code Definition

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Event Notifications, page 40.](#)

- Node Definition (required only if you are using Integration Broker to transmit payment files)

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements, page 41.](#)

- (Optional) Encryption Profile

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding File Encryption, page 31.](#)

- (Optional) External Commands

Captures the setup information that is needed to call third-party toolkits to provide encryption and communication of payment files. External commands can be used when you are transmitting payment files using FTP.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining External Toolkit Commands, page 64.](#)

- Bank Integration Layouts

This component is the main setup component where file layouts, output type, and integration options are associated with a bank.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Bank Integration Layouts for Payments, page 59.](#)

- External Accounts - Payment Methods - Electronic Layouts

Captures how each account's payment method is settled and in what layout. Payments can be settled through the Financial Gateway Dispatch Payments or Payables' Pay Cycle Manager.

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up External, Internal, and Netting Accounts," Defining Payment Methods.

How you set up the payment processing functionality depends on the implementation. Because each organization or bank has differing payment layout requirements, delivering all possible layout variations to suit all needs would be exceedingly difficult. If you use the delivered functionality and do not need to make any modifications or changes, you have fewer setup tasks.

If you are creating new layouts or editing existing layouts for an organization's payment processing requirements, you need to first create the payment layout and all its supporting functionality. Specifically, you need to define payment grouping rules and code mappings, and you must also create the file layout objects and formatting logic for new (or modified) payment layouts.

Note. If you create new layouts or modify existing ones for an organization's payment processing requirements, you must add them to the Layout Catalog.

Pages Used Exclusively for Setting Up Payment Processing

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Payment Grouping Rules	PMT_CHUNK_DEFN	Banking, Administer Bank Integration, Payment Grouping Rules	Define fields to include for a specified payment grouping rule.
Bank Integration Layouts	BANK_INTEGRATION	Banking, Administer Bank Integration, Bank Integration Layout	Define layouts and transformation programs for a specific bank.
External Accounts - Payment Methods	PYMNT_BANK	Banking, Bank Accounts, External Accounts, Payment Methods	Define the payment methods that are supported for an account, payment processing options, and EFT file attributes. For each account, you can enter multiple payment methods. <i>See PeopleSoft Banks Setup and Processing 9.1 PeopleBook, "Setting Up External, Internal, and Netting Accounts."</i>
External Command	PMT_EXT_COMM_PG	Banking, Administer Bank Integration, External Command	Optional if output type is file. This is the external command to carry out after the file is output. Define command line information to carry out an external toolkit. This enables you to integrate with third-party toolkits (such as security and communications toolkits) and define command parameters that call executable files, batch files, and command-line functions.

Defining Payment Grouping Rules

Access the Payment Grouping Rules page (Banking, Administer Bank Integration, Payment Grouping Rules).

Payment Grouping Rules

Grouping Rule: BANK

*Description: All payments from a bank.

Payment File Grouping Rules		
*Field Name		
BANK_CD		+ -
BANK_SETID		+ -

Payment Batch Grouping Rules		
*Field Name		
AMOUNT_CURRENCY_CD		+ -
BANK_ACCT_KEY		+ -
BUSINESS_UNIT		+ -
PYMNT_DT		+ -

Payment Grouping Rules page

Each payment layout specification defines rules for grouping payments into the file. Grouping rules determine how payments are grouped together into payment files. Certain layouts require a different file for every payment, and other layouts require a separate file for each different business date in a file. For example, the SWIFT MT103 payment layout requires that only one payment exist in a file; therefore, the associated grouping rule is SINGLEPAYMENT.

Other layouts have different rules. For example, CCD+ files can contain payments from multiple accounts and multiple processing dates, so the grouping rule is BANK, and payments for this bank can be included in the same file. For layouts requiring payments to be processed on the same day, you can use the BANKDATE file grouping rule. You can change file grouping rules to accommodate a layout with a specific bank's requirement. To define a file grouping rule, enter the fields to group for a payment type.

There are essentially three layers of filtering that determines how payments are grouped together:

1. Initially the system groups all payments by bank code, setID, payment layout, and payment method.
This level of filtering is hard coded in the system and cannot be changed or overwritten.
2. Next, the payment file grouping rules, entered in the top grid, further define how the payments are grouped together, thus determining how many payment files are ultimately created during the payment load process.
3. Finally, the payment batch grouping rules define how payments within a file are grouped together.

PeopleSoft delivers the following grouping rules:

<i>Payment File Grouping Rule</i>	<i>Description</i>
BANK	All payments from a bank.
BANKACCOUNT	All payments from a specified bank account.
BANKACCOUNTDATE	All payments from a bank account and on a payment date.
BANKDATE	All payments from a bank and on a payment date.
SINGLEPAYMENT	One payment per file.

Payment Batch Grouping Rules

This set of fields adds an additional level of filtering that further defines how payment lines and payments are grouped together in a file. Because some payment layouts have additional requirements, this feature allows users to further define the logic for grouping payments. An example is the payment layout using ISO 20022 XML messages (credit transfer initiation and STP credit transfer). After the payments have been grouped together in a file based on the file grouping rules, they can be further grouped by fields such as business unit, source system, currency code, payment date, and payment ID. The maximum number of additional grouping fields is ten.

Defining Bank Integration Layouts for Payments

Access the Bank Integration Layouts page (Banking, Administer Bank Integration, Bank Integration Layouts).

Bank Integration Layouts

SetID: SHARE Bank Code: CHBK2 Credit Suisse

Supported Layouts Find | View All | First 1 of 3 Last

Document Type: Payment Layout: ISOV2 ISO 20022 Credit Transfer V2 [View Layout Details](#) + -

Maximum Payments per File:

File Output Type

Integration Broker Bank Node:

File External Command ID:

Layout Options

Encryption Profile

Supports Acknowledgements Supports Prenotes

Supported Payment Methods

Payment Method

Automated Clearing House

Electronic Funds Transfer

Wire Transfer

Layout Properties Customize Find View All First 1-15 of 15 Last							
Property Code	Required	Read Only	Type	Max Length	Value	Allowed Values	Description
FILENAME	<input type="checkbox"/>	<input type="checkbox"/>	String	50	<input type="text"/>		
FILEEXT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	String	8	xml		
FILEPATH	<input type="checkbox"/>	<input type="checkbox"/>	String	50	<input type="text"/>		
CODE_MAP_GROUP	<input type="checkbox"/>	<input type="checkbox"/>	String	10	<input type="text"/>		
STD_ID_NUM_QUAL	<input type="checkbox"/>	<input type="checkbox"/>	String	50	TIN		Enter Standard ID Qualifier of ID to use with format.
FILE_TYPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	String	5	BASE		
IBEI	<input type="checkbox"/>	<input type="checkbox"/>	String	11	<input type="text"/>		

Bank Integration Layouts page

Layout Select a layout from the Layout Catalog to enable for this bank. Values that are defined for the layout automatically populate the Layout Properties region.

View Layout Details Click to access the Layout Catalog page and view details of the payment layout.

File Output Type

Integration Broker Select to publish the layout as an IP message to the Integration Broker.

File Select to send the layout to a file. Requires that the FILENAME, FILEEXT, and FILEPATH layout properties be defined.

Bank Node The node to which the Integration Broker Node message will be published. Required if *Message* output type is selected.

External Command ID (optional) An option that is active only if the output layout type is *File*. This is the external command to carry out after the file is sent. External commands are a way to carry out a third-party communication or security toolkit. They enable the output FILEPATH and FILENAME to be passed to a third-party application to initiate additional processing.

Layout Options

Encryption Profile (optional) Select a PeopleTools Encryption Profile to apply to this payment layout's data before sending to a message or file. The profile must be one that was designed to encrypt or digitally sign files.
See *PeopleTools PeopleBook: Security Administration*, "Securing Data with PeopleSoft Encryption Technology," Defining Encryption Profiles.

Supports Acknowledgments Select to enable functionality for receiving files containing payment acknowledgment messages from the specified bank. When payments are dispatched for this bank and layout, they will be set to a status of "Dispatched to Bank." Once a payment acknowledgement is received from the bank, the status to set to "Paid."

Supports Prenotes Select to enable the functionality for creating and processing zero-dollar, prenotification payment files using this layout.
See [Chapter 6, "Working with Payments in Financial Gateway," Understanding the Payment Process in Financial Gateway, page 87.](#)

Supported Payment Methods

This group box displays payment methods that are supported by this layout.

Layout Properties

A payment layout can have a number of layout properties. Three layout properties are available, however, that all payment layouts contain. This table provides examples of how to set up each of them.

Field	Description
FILENAME	<p>Determines the filename when data are sent to a file or published into the Integration Broker. You can leave this property blank and the default will be BANKNAME + FILEID, or you can override and create your own naming convention.</p> <p>For example:</p> <p>BANKNAME_%FILEID%_ %yyyyMMdd_HH:mm:ss%</p> <p>At runtime the FILEID (%FILEID%) and Date bind variables will be bound to create a filename of:</p> <p>BANKNAME_00000017_ 20031118_104316</p> <p>The date bind value is flexible and can be altered to change the date format. Refer to the PeopleTools PeopleCode documentation on the <code>DateTimeToLocalizedString</code> function, specifically the pattern formats available.</p> <p>For another example:</p> <p>BANKNAME_%FILEID%_ %ddMMyyyy_HH:mm:ss%</p> <p>At runtime equals:</p> <p>BANKNAME _00000018_18112003_105448</p>
FILEEXT	File extension to add to the filename. Do not include a dot (.) in this field; the system will automatically add one between FILENAME and FILEEXT.
FILEPATH	The output directory to which the files are written. If this field is left blank, the system will send it to the default Process Scheduler file output location. Use this option only when layouts have an output type of File. The value must end in a back slash or forward slash (\ or /), depending on your operating system. For example, using Windows, "c:\temp" is invalid; it must be "c:\temp\".

Creating Payment Layouts

To create a new payment layout:

1. Work with the organization or financial institution and develop the requirements for the payment layout.

If a usable file layout object is delivered by PeopleSoft, analyze the gap between the delivered file layout object and the layout requirements.

2. Define a new file layout object.

You can save a delivered file layout object with another file name and then edit it, or you can create a new file layout object.

3. Implement the formatting logic.

PeopleSoft delivers the formatting logic in application classes that are included in the TR_FORMAT Payment package. Use the delivered application classes, extending the logic of an existing class (or extend from the BaseFormatter application class) so as to take advantage of the delivered logic.

For example, suppose that you want to create a new CCDFormatter file layout object that includes PeopleSoft-delivered logic and also enters a value in an optional field, Individual ID, in the entry detail record for tracing purposes. To do this, use the following code for the application class NewCCDFormatter:

```
import TR_FORMAT:Payment:CCDFormatter;
class NewCCDFormatter extends CCDFormatter
  method populateEntryDetail (&rec as Record);
end-class

/* constructor */
method NewCCDFormatter
  %Super = create CCDFormatter ();
end-method

/* override parent method here */
method populateEntryDetail
  /* &rec as Record */

  %Super.populateEntryDetail (&rec);

  Local &myIndividualIDVal;

  /* add logic to get your &myIndividualIDVal here */

  &rec.ACH_INDIVIDUAL_ID.Value = &myIndividualIDVal;

end-method;
```

4. You can either create an Application Engine to call the new formatter class or specify in the layout to use the new formatter class. If choosing the Application Engine approach, write a wrapper Application Engine to invoke the new formatter class and pass in your File Layout object name.

To do this, you can copy an application class invoker Application Engine, changing the payment formatter name (such as CCDFormatter) to the new payment layout name, and changing the file layout object name to the new file layout object name.

5. Define a new Layout Catalog entry.

In addition to any parameters that you must define for this new Layout Catalog entry, define a transformation program name to the wrapper Application Engine or the new formatter class that you created in step 4.

6. To use the new layout, set up a bank account payment method (on the Banking, Administer Bank Integration, External Accounts, Payment Method page).

See Also

PeopleSoft Banks Setup and Processing 9.1 PeopleBook, "Setting Up External, Internal, and Netting Accounts," Defining Payment Methods

Defining External Toolkit Commands

Access the External Command page (Banking, Administer Bank Integration, External Command).

External Command

External Command ID: TREAS

*Description:

*Process Type:

*Command Line:

Enter the appropriate external command to process the selected payment file, including the absolute path. Use %FILENAME% and %FILEPATH% as a placeholder; the actual filename and path is passed in when the command is invoked.
For example:
C:\FtpClient\SendFile.bat %FILEPATH% %FILENAME%

External Command page

Optional if output type is file. This is the external command to execute after the file is created. External commands are a way to execute a third-party communication or security toolkit. They allow the output Filepath and Filename to be passed to a third party to initiate additional processing.

Process Type

Select a value:

- *Asynchronous*: If selected, the calling process runs the external command, then immediately continues to the next step, without waiting for the external command to complete processing.

The benefit of this method is faster processing speed. The disadvantage is that status or error messages generally cannot be relayed to the calling program; however, many external processing programs do not have the functionality to relay error messages to a calling program.

- *Synchronous*: If selected, the calling program waits for each step of the called (external) process to finish before beginning the next step.

The benefit of this method is comprehensive processing. Status or error messages can be sent to the calling program. The disadvantage is the slower processing time.

Command Line

Enter the actual command line code for the system to perform at runtime.

External commands can contain two bind variables, %FILENAME% and %FILEPATH%. At system runtime, these bind variables are bonded with the location of the output file for the external command to process.

Setting Up Payment Acknowledgment Processing

This section lists the pages and functionality that are used to process payment acknowledgments in Financial Gateway:

- Code Mappings

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Code Mappings for Bank Statements, Payments, and Payment Acknowledgments, page 38.](#)

- Layout Catalog

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Configuring Bank Statement, Payment, and Payment Acknowledgment Layouts, page 33.](#)

- (Optional) Event Code Definition

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Event Notifications, page 40.](#)

- Node Definition (required only if you are using Integration Broker)

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements, page 41.](#)

- (Optional) Encryption Profile

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding File Encryption, page 31.](#)

Reviewing Event Log Information

This section discusses how to review event log information.

Page Used to Review Event Log Information

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Review Event Log	TR_EVENT_LOG_INQ	Set Up Financials/Supply Chain, Product Related, Treasury, Review Event Log	Search and review system event information.

Reviewing Event Log Information

Access the Review Event Log page (Set Up Financials/Supply Chain, Product Related, Treasury, Review Event Log).

The screenshot shows the 'Review Event Log' interface. At the top, there is a 'Search Criteria' section with a 'Search Name' dropdown. Below this are buttons for 'Search', 'Save Search Criteria', and 'Delete Saved Search'. The search criteria fields include: Source (Investment Pools - Participant), Event Code (begins with), Event Severity (in), Event Tracking ID (=), Event Date (= 04/15/2005), User ID (=), SetID (=), and Participant ID (=). Below the search criteria is an 'Events' table with columns: SetID, Participant ID, Event Description, Event Date Time, Event Tracking ID, User ID, and Severity. The table contains five rows of event data.

	SetID	Participant ID	Event Description	Event Date Time	Event Tracking ID	User ID	Severity
●	SHARE	PT003	Created by operator SAMPLE	04/15/2005 6:17:19PM	95	SAMPLE	Information
●	SHARE	PT003	Updated by operator SAMPLE	04/15/2005 6:17:26PM	95	SAMPLE	Information
●	SHARE	PT003	Updated by operator SAMPLE	04/15/2005 6:17:26PM	95	SAMPLE	Information
●	SHARE	PT003	Updated by operator SAMPLE	04/15/2005 6:17:26PM	95	SAMPLE	Information
●	SHARE	PT004	Created by operator SAMPLE	04/15/2005 6:18:14PM	96	SAMPLE	Information

Review Event Log page

Enter the search parameters and click Search. Results appear in the Review Event Details grid.

Search Criteria

Search Name

Select a name that will display specifically selected search criteria. You can set up the search criteria in many different ways and assign a name to create a template of search criteria that you can reuse, eliminating the need to set up the criteria again.

Search

Click to search for event logs that match your search criteria. You can click this button before or after you have saved the search criteria.

Save Search Criteria

Select the criteria to refine your search for specific event logs. You must select at least one of the search criteria fields. Once you have defined the search criteria click the Save Search Criteria link to access the Save Search As page, where you assign a name to the search criteria you are saving. Click the Save button on this page to save the search criteria under the assigned name. You can now select the assigned search criteria name in the Search Name field to re-display these search criteria.

Delete Search Criteria

Select the name of the search criteria that you want to delete in the Search Name field and click this link to delete this specific search criteria template.

Using a Communications Partner for Electronic Banking

To establish the integration between Financial Gateway banking functionality and financial institutions, refer to the installation and implementation materials that the chosen bank's communications provider provides.

PeopleSoft provides the following set of IP messages that enable data to pass between PeopleSoft applications and a communications partner:

- **BANK_STATEMENT_LOAD_VERSION_2:** Used for inbound or outbound previous and same-day bank statements.
- **BANK_ACCT_ANALYSIS_LOAD:** Used for inbound and outbound fee analysis.
- **PAYMENT_DISPATCH:** Used for outbound payment information.
- **PAYMENT_ACKNOWLEDGE:** Used for inbound bank payment acknowledgments.

Note. You and the bank's third-party communications partner are responsible for complying with the PeopleSoft inbound and outbound IP message formats, and for ensuring data encryption, security, and communication between the organization and its banks. PeopleSoft is not responsible for this aspect of the implementation. In addition, the performance time to retrieve and submit bank statement information is limited by the bank communication partner's software. PeopleSoft is responsible only for the performance time of the generation and receipt of the publish/subscribe Application Messaging.

See Also

PeopleTools PeopleBook: PeopleSoft Integration Broker

PeopleTools PeopleBook: Integration Broker Testing Utilities & Tools

Using Remittance Advice in Financial Gateway

Financial Gateway enables users to send remittance advice for direct debit and EFT requests to an assigned customer contact. Both Cash Management and Deal Management leverage Financial Gateway to settle Treasury payments and can utilize remittance advice functionality.

Remittance Advice functionality in Financial Gateway is based off of the Payment Detail Entry table (PMT_DETAIL_TBL) and additional remittance advice attributes entered on the Remittance Advice Attributes page.

The remittance notification process generates reports using BI Publisher's bursting feature to send an email message.

If a vendor or customer requires a change to the notification template, the user must add the new template in the Report Definition ID field on the Source Registration page and also add it to the Bursting page in BI Publisher.

See [Chapter 2, "Defining Financial Gateway Integration Options," Registering a Source Application with Financial Gateway, page 6.](#)

See *PeopleTools PeopleBook: BI Publisher for PeopleSoft*, "Defining Report Definitions," Setting Bursting Options.

Pages Used to Send Remittance Advice

Page Name	Definition Name	Navigation	Usage
Source Registration	PMT_REGISTRATION	Financial Gateway, Administration, Source Registration	Enable remittance advice functionality for each source application.
Remittance Advice Attributes	PMT_ADVISE_ATTR	<ul style="list-style-type: none"> Banking, Bank Accounts, Settlement Instructions, Beneficiary Bank. Click the Remittance Advice Attributes link. Cash Management, Fees and Transfers, Enter Transfer Templates, Destination. Click the Remittance Advice Attributes link. Cash Management, Fees and Transfers, EFT Request, Destination. Click the Remittance Advice Attributes link. 	Create the remittance notification report definition.
Advance Payment Notification	ADVANCE_NOTICE	Financial Gateway, Process Payments, Advance Payment Notification, Advance Payment Notification	Send remittance advice for SEPA direct debit collections.
Resend Notification	RESEND_NOTICE	Financial Gateway, Process Payments, Resend Advice Notification, Resend Notification	Resend advice notification.

Creating the Remittance Advice Report Definition

Access the Remittance Advice Attributes page (click the Remittance Advice Attributes link on the Beneficiary Bank page).

Enter the remittance destination email address, an optional second email address, the remittance report name, template ID, and language preference for the XML report.

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up External, Internal, and Netting Accounts," Defining Settlement Instructions.

See Also

PeopleSoft Cash Management 9.1 PeopleBook, "Transferring Funds," Specifying Template Destination Information

PeopleSoft Cash Management 9.1 PeopleBook, "Transferring Funds," Specifying Destination Information

Sending Advance Payment Notifications

Access the Advance Payment Notification page (Financial Gateway, Process Payments, Advance Payment Notification, Advance Payment Notification).

Advance Payment Notification

Run Control ID: ADVANCE_PMT [Report Manager](#) [Process Monitor](#)

Parameters Find | View All First 1 of 1 Last

*Request Number:

*Business Unit:

As of Date: Days in Advance:

Advance Payment Notification page

Advance payment notifications are sent for future collections to satisfy the SEPA requirement to send prior notification of intended collection instructions to the bank. You can choose to send the notification on a specific date or a specified number of days in advance of payment. Processing instructions are sent to the ADV_NOTICE Application Engine program.

Resending Advice Notifications

Access the Resend Notification page (Financial Gateway, Process Payments, Resend Advice Notification, Resend Notification).

Resend Notification

Run Control ID: ADV_RESEND [Report Manager](#) [Process Monitor](#)

Parameters Find | View All First 1 of 1 Last

*Request Number: + -

*Business Unit: B1

Payee ID:

Pay Cycle: Pay Cycle Sequence Number

Resend Notification page

Enter the parameters and click Run.

Chapter 4

Setting Up Payment Security

This chapter provides an overview of payment security and discusses how to:

- Activate payment security.
- Create payment security rules.
- Assign payment security rules.


Understanding Payment Security

Because payments contain sensitive information, access to them should be restricted so that users can access only the payments that are needed to fulfill their job function. For example, a user whose job is to process payments for Payables should have access to only those payments that are associated with the Payables application. To address this issue, the Financial Gateway system enables an administrator to specify which types of payments users can view or process.

On all payment search pages, the payment security functionality limits the list of prompt values for secured fields to only those that meet the defined security-rule criteria. The prompt values are determined based on the rule definitions that are assigned to a given user or role.

The setup involves an administrator enabling the functionality and creating security rules that define what payments can be accessed. Next, the administrator assigns rules to user IDs or roles so that when users attempt to query payments, only those payments that comply with their assigned rules appear. Payment inquiries, whether online or in a report, filter out payments that are based on the requesting user and the criteria that are specified for them based on their user ID or their role.

This diagram defines the steps and related application pages that are necessary for setting up payment security. The Security Options page, where payment security is enabled and a user ID or role is designated. You then select the Security Rules page, where you establish rules based on the previously selected security options. Once the security rules are established, you move to either the Payment Security User Assignment page, if user ID was selected on the Security Options page, where the security rules are assigned to a user ID, or to the Payment Security Role Assignment page, if role was selected on the Security Options page, where the security rules are assigned by role.



Application page flow for setting up and defining payment security rules by user ID or role.

Activating Payment Security

To define security user assignments, use the Security User Assignment component (PMT_SEC_USER_GBL).

To define payment security rules, use the Payment Security Rules component (PMT_SEC_RULE_GBL).

This section discusses how to enable payment security.

Page Used to Activate Payment Security

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Security Options	PMT_SEC_OPTIONS	Financial Gateway, Security, Security Options	Activate payment security based on user or role and enable payment fields.

Enabling Payment Security

Access the Security Options page (Financial Gateway, Security, Security, Security Options).

Security Options

Enable Payment Security

Apply Rules Based On

On

 Off

User

 Role

Field Name	Enabled
BANK_ACCT_KEY	✓
BANK_CD	✓
BANK_SETID	✓
BUSINESS_UNIT	✓
CREATED_BY_USER	✓
FROM_BNK_ACCT_NUM	✓

Save

Notify

Security Options page

Enable Payment Security

The options are:

- *On*: Select to activate payment security. When payment security is activated, payment security options can be used to more narrowly define aspects of payment security.
- *Off*: Select to disable payment security. Doing so allows users that have access to the payment review and processing pages to access all payment information in the Financial Gateway.

Apply Rules Based On

If payment security is enabled, determine whether the security rules are enforced based on the user identity or role. This is a system-wide option and is not based on business unit or setID. In addition, it is not possible to base security on a combination of role and user; you must base it on role or identity.

Secured Fields

Lists the fields on which you want to base your system's payment security. For example, by enabling the `BANK_ACCT_KEY` field, you can then define a user's access to payment information based on specific bank accounts (on the Security Rules page), limiting them to payment information for only those accounts.

Fields not enabled on this page will not be available for selection in the Field Name field of the Security Rules page. The options are:

- `BANK_ACCT_KEY`: Bank Account to which the payments are being sent.
- `BANK_CD`: Bank code
- `BUSINESS_UNIT`: Business unit.
- `CREATED_BY_USER`: User that created the payment.
- `FROM_BNK_ACCT_NUM`: The originating bank account.
- `FROM_BNK_ID_NBR`: The originating bank's ID number.
- `PMT_SOURCE`: Payment Source—application from which the payment originated.

Creating Payment Security Rules

The section discusses how to define security rules.

Page Used to Create Payment Security Rules

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Security Rules	PMT_SEC_RULE	Financial Gateway, Security, Security Rule, Security Rules	Define payment security rules that can be assigned to users or roles.

Defining Security Rules

Access the Security Rules page (Financial Gateway, Security, Security Rule, Security Rules).

Security Rules

Rule ID: PMT_RULE_01

*Rule Name: US001 AND USBNK + TRBNK

Rule Criteria							Personalize	Find	View All	First	1-3 of 3	Last
Sequence	Open	*Field Name	Operation	Value	Close	Operator						
1		BUSINESS_UNIT	Equals	US001		AND						
2	(BANK_CD	Equals	USBNK		OR						
3		BANK_CD	Equals	TRBNK)							

[Event Log](#) [Test Rule](#)

Security Rules page

Use the Sequence, Field Name, Operation, Value, Operator, and Open and Close fields to create rules that specifically define which payments are accessible to the roles or users to which the rules are assigned.

Use the open and close columns fields for parentheses around SQL statements.

Test Rule

Click to run a test on the validity of the rule's logic.

Assigning Payment Security Rules

This section discusses how to assign security rules.

Pages Used to Assign Payment Security Rules

Page Name	Definition Name	Navigation	Usage
Security Role Assignment	PMT_SEC_ROLE	Financial Gateway, Security, Security Role Assignment	Assign payment security rules to a role.
Security User Assignment	PMT_SEC_USER	Financial Gateway, Security, Security User Assignment	Assign payment security rules to a user.

Assigning Security Rules

Access the Payment Security User Assignment page (Financial Gateway, Security, Security User Assignment), or the Security Role Assignment page (Financial Gateway, Security, Security, Role Assignment).

Security User Assignment

User ID **AMA1** View All Payments

Security Rules		Customize Find View All First 1 of 1 Last	
*Rule ID	Rule Name		
<input type="text" value="PMT_RULE_01"/>	US001 AND USBNK + TRBNK	<input type="button" value="+"/>	<input type="button" value="-"/>

Security User Assignment page

Use this page to assign rules that define the payments to which the user will have access.

Chapter 5

Processing Bank Statements in Financial Gateway

This chapter provides an overview of statement updates, lists prerequisites and common elements, and discusses how to:

- Import bank statements.
- Review bank statement files.

Understanding Statement Updates

The loading of bank statement information is an integral part of the reconciliation, bank statement accounting, and cash position processes. The system processes previous-day statements that it uses for reconciliation and accounting, current-day statements for cash position worksheets, and account analysis statements for bank fee analysis. PeopleSoft enables you to enter bank statement information in one of three ways.

The first method to enter bank statement information is to import a bank statement. Using one of the many PeopleSoft-supported bank statement formats, the statement can be imported using:

- The file system in conjunction with the files name and path to it.
- A File Transfer Protocol (FTP) file server.
- A Hypertext Transfer Protocol (HTTP) using a Uniform Resource Locator (URL).

The second method, used if you receive only hardcopy statements from a bank, requires you to manually enter the statement information online using the following entry pages:

- Enter Bank Balances
- Enter Bank Statements
- Enter Internal Bank Balances
- Same Day Bank Statement

The third method of entering bank statement data is to integrate with a bank or bank communications partner by using PeopleSoft Integration Broker.

See Also

[Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Setting Up Common Components for Bank Statement, Payment, and Payment Acknowledgment Processing, page 23](#)

PeopleTools PeopleBook: PeopleSoft Integration Broker

Technical Overview of Bank Statement Data Transmittal

When you import bank statements, the data are transmitted to the PeopleSoft system, which automatically loads the data to the production tables.

To import data, you run the File Import Application Engine process (IMPORT_FILES) from the Import Bank Statements page; this automatically loads bank statements from a file. You specify information that the system needs to retrieve the files, such as file location, layout, and type, and run the process. The process obtains the file contents, converts the content to a PeopleSoft standard layout, and loads the data into staging tables. After the files are loaded into the staging tables, the Treasury Bank Statement Load Application Engine process (TR_BSP_LOAD) copies the information from the staging tables into the production tables. It also determines whether a statement is a duplicate statement. Information for duplicate statements appears on the PeopleTools Process Monitor Process List (PMN_PRCSLIST) and Message Log (PMN_BAT_MSGLOG) pages.

Note. The system considers previous day statements as duplicates if a statement already exists with the same bank ID, bank account, and as of date.

Prerequisites

Prior to importing bank statements, you must perform the following tasks, as required by the particular bank integration:

1. Define bank statement codes.
2. Define transaction codes.
3. Define code mappings.
4. Review delivered bank statement layouts.
5. (Optional) Define event notification.
6. Define bank node and encryption profile settings in PeopleSoft Integration Broker.
7. Define bank integration layouts.

Common Elements Used in This Chapter

Request Number	Displays the unique identification number for each request row. The system automatically numbers this field when you add multiple request rows to a run control ID. This number does not determine processing order.
Statement Type	<p>Select from the following options:</p> <ul style="list-style-type: none">• <i>Current Day</i>• <i>Previous Day</i>• <i>Statement Analysis</i> <p>The system places the imported file contents into specific database tables for the statement type that you select. For example, if you select <i>Current Day</i>, the system retrieves current-day statement information and stores it on the current day tables.</p> <p>If you select Statement Analysis, the system loads a list of fees that were charged. This provides the ability to compare the fees charged by the bank to what was defined in the system, as well as to compare them with the fees charged by other banks.</p>
View Layout Details	Click to access the Layout Catalog page, and view detailed processing information about the selected layout.

Importing Bank Statements

This section discusses how to import bank statements.

See Also

[Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," page 15](#)

Pages Used to Import Bank Statements

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Import Bank Statements	BSP_IMPORT	Banking, Bank Statements, Import Bank Statements	<p>Import bank statements (for example, BAI2 statements) into the Bank Statement staging tables. Define file import information and run the File Import Application Engine process (IMPORT_FILES). This process imports any file from any bank if the statement type complies with the accepted layouts</p> <p>See Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding the Layout Catalog, page 24.</p> <p>Note. You also use this page to transmit bank statement data to JD Edwards General Ledger, if that integration is enabled.</p> <p>See <i>PeopleSoft Cash Management 9.1 PeopleBook</i>, "Defining Cash Management Processing Options," Integrating PeopleSoft Treasury with JD Edwards General Accounting.</p>
Bank Node Details	BSP_IMPORT_BNKNODE	Click View Bank Node Details on the Import Bank Statements page.	Review bank node property details.
Layout Catalog	PMT_FORMAT_CATLOG	Click View Layout Details on the Import Bank Statements page.	View details of the layout that you are importing.

Importing Bank Statements

Access the Import Bank Statements page (Banking, Bank Statements, Import Bank Statement).

Import Bank Statements

Run Control ID: JKG [Report Manager](#) [Process Monitor](#)

Parameters Find | View All | First 1 of 1 Last

*Request Number:

*Import Type: Bank Node:

File Path:

File Name:

*Statement Type:

*Layout:

Advanced Options

Layout Properties Customize | Find | View All | First 1-3 of 3 Last

Property Code	Allowed Values	Value
CODE_MAP_GROUP		<input type="text" value="SWIFT"/>
SWIFT_BIC	<input type="checkbox"/>	<input type="text"/>
SWIFT_HEADER	<input checked="" type="checkbox"/>	<input type="text" value="Y"/>

[Review Bank Statement Files](#)

Import Bank Statements page

Parameters

Request Number

Enter a number for this request. This is a required field.

Import Type

Select the method to import the bank statement data. Options are:

- *FTP*: Select if you are importing the file by using file transfer protocol, and enter a bank node through which to transfer the data.
- *File*: Select if you are importing a file, and complete the File Path and File Name fields.
- *HTTP*: Select if you are importing a file using a URL that is included as part of the node configuration. No file path or file name is required.

Bank Node

Enter the bank node to use to transfer the data. This field appears only if FTP or HTTP is selected as the Import Type.

View Bank Node Details

Click to access the Bank Node Details page and review property details of the selected node. This link appears only if FTP or HTTP is selected as the Import Type.

File Path	<p>Enter the complete file path location. To select files by using the Select File button, the file path must have a trailing backslash (\).</p> <p>You can also search for files of a specific type by entering an asterisk and the extension suffix. For example, to search all files with a .BAI suffix enter:</p> <pre>* .BAI</pre>
File Selection Help	Click to view help information about specifying file paths and file names.
File Name	Select the specific file to import. If you want to import multiple files based on extension, leave this field blank.
Statement Type	<p>Select one of these values for the type of statement that you want to import:</p> <ul style="list-style-type: none"> • <i>Previous Day</i> • <i>Current Day</i> • <i>Statement Analysis</i>
Layout	Select the file layout of the bank statement file being imported.
View Layout Details	Click this link to access the details of the selected layout on the Layout Catalog page.
<i>Advanced Options</i>	
Encryption Profile	Select an encryption profile to decrypt bank statements. Encryption profiles contain both encryption and decryption information.
Use Integration Broker	<p>Select to lay out the files and publish the formatted document to PeopleSoft Integration Broker. Integration Broker then processes the formatted file accordingly.</p> <p>You select this option if you want to use the bank statement information as a trigger to Integration Broker to perform other processes, or to integrate with other systems.</p> <hr/> <p>Note. You must select this option to integrate bank statement data with JD Edwards General Ledger.</p> <hr/> <p>See <i>PeopleSoft Cash Management 9.1 PeopleBook</i>, "Defining Cash Management Processing Options," Integrating PeopleSoft Treasury with JD Edwards General Accounting.</p> <p>See <i>JD Edwards Application Integrations with PeopleSoft Applications</i></p>

- Post Process File Action** Select what action, if any, to perform on the bank statement files after the data has been processed. The options are:
- *Copy*: Copy the file to the directory that is entered in the Post Process File Directory field.
 - *Delete*: Delete the file after the data in it is processed.
 - *Move*: Move the file to the directory that is entered in the Post Process File Directory field.
 - *None*: Take no action.
- Post Process File Directory** Enter a file path to the directory to which the file will be moved or copied if either option is selected as the post process file action.

Layout Properties



Allowed Values

Click to access the Allowed Values page and select the values that you want to use for this layout. You select list values or code map values on the Layout Properties section of the Layout Catalog.

Value

Property codes and values appear by default from values that are defined on the selected layout ID.

If you configure unique code mappings for a layout (on the Code Mappings page), you need to modify the displayed CODE_MAP_GROUP value with the appropriate unique map value.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Code Mappings for Bank Statements, Payments, and Payment Acknowledgments, page 38.](#)

Note. If you are importing multiple files for a single run control ID, you must add requests (by using the Add button) for each file that is being requested. Do not enter a file name, run the import process, then edit the file name and run the import process again. Doing this can result in duplicate-statement-loading errors.

See Also

PeopleTools PeopleBook: PeopleSoft Integration Broker, "Configuring Nodes and Transactions"

Reviewing Bank Statement Files

This section discusses how to review bank statement files.

The Review Bank Statement Files page enables you to review the imported bank statement files. You can see whether the system successfully loads a file. And if a file does not load successfully, use the View Bank Statement File Log page to determine exactly where the system encounters a file loading error.

Important! Any user with access to these pages can view the file details. Restrict user access by using PeopleTools Security functionality.

See *PeopleTools PeopleBook: Security Administration*.

Pages Used to Review Bank Statement Files

Page Name	Definition Name	Navigation	Usage
Review Bank Statement Files	BSP_FILE_INQUIRY	Banking, Bank Statements, Review Bank Statement Files	Review summary and detail information about the import status of bank files.
View Bank Statement File Log	BSP_FILE_INFO	Click View Event Log on the Review Bank Statement Files page.	View summary information of system events that were logged for a specific bank statement file.
View Bank Statement File	BSP_FILEDATA_SP	Click View File on the Review Bank Statement Files page.	View the bank statement file that is transmitted from the bank.

Reviewing Bank Statement Files

Access the Review Bank Statement Files page (Banking, Bank Statements, Review Bank Statement Files).

Review Bank Statement Files

Search Bank Statement Files

Bank ID:

File Name:

From Date: To Date: File Status:

Bank Statement Files Customize | Find | View All | | First 1 of 1 Last

File Status	File Name	DateTime	File Status	View Event Log	View File

[Return to Bank Statements](#)

Review Bank Statement Files page

Enter the search parameters and click Search.

File Status

Options are:

- *Error:* Appears if the file is not successfully loaded. A red square also appears next to the file name. You must correct the error and then reimport the file.
- *Formatting:* Appears if the system is still transforming the file to a PeopleSoft-readable layout.
- *Reading:* Appears if the system is still reading the file data before loading the data to the staging tables.
- *Staged:* Appears if the system has loaded the transformed data to the staging tables. A green circle also appears next to the file name.
- *Warning:* Appears if the file is loaded with errors. A yellow, inverted triangle also appears next to the file name.

View Files

Click to review bank-statement file transmittal information.

View File Detail

Click to review event log information for a bank statement file.

Chapter 6


Working with Payments in Financial Gateway

This chapter provides an overview of the payment process in Financial Gateway and discusses how to:

- Import Payment Files from Third-Party Applications into Financial Gateway.
- Review the payment load process.
- Review payments in Financial Gateway.
- Dispatch payments in Financial Gateway.
- Review payment files.
- Import bank acknowledgments.

Understanding the Payment Process in Financial Gateway

This diagram illustrates the steps involved in payment and payment acknowledgment processing using Financial Gateway. PeopleSoft Treasury Management, PeopleSoft Receivables, PeopleSoft Payables, PeopleSoft Global Payroll, and certain third-party applications import payment requests to the Financial Gateway system, where users can review the payment requests and load any payment exceptions on the Payment Load Exceptions page. Financial Gateway users review the payments and payment details and the Financial Gateway system dispatches the payments to the bank, which in turn reviews and sends acknowledgement of the receipt and contents of the payment files to the Financial Gateway system.



Financial Gateway System process flow for transmitting system source payment data to the bank and receiving bank acknowledgements

In the diagram above, the payment path is represented by the arrows with the dash/dot lines. The payment acknowledgment file path is represented by the arrows with the continuous dotted lines.

1. Payments are loaded into Financial Gateway from:

- PeopleSoft source applications using the delivered integration, which involves the application class component. This method can be modified to include the use of a BPEL process server.

See [Chapter 2, "Defining Financial Gateway Integration Options," Understanding the Financial Gateway Integration Process, page 3.](#)

- Third-party applications using a component interface.
- Third-party applications using Integration Broker.
- Third-party applications sending payments in flat-file format using the Import Payment Flat Files page.
- SQL staging tables using the Import Staged Payments page. Users can use a variety of technologies to insert the data into the SQL staging tables.

Regardless of the method used to import payments, the Payment Load Application Engine (PMT_LOAD) process loads payments from source applications into Financial Gateway. If the payments originated from a source application for which financial sanctions validation is required, the system compares the Name and Address fields from the To Account on the payment against the Financial Sanctions list. If a potential match is found, the payment status changes to *Flagged for Hold*.

Note. The financial sanctions validation service is enabled at the source application level by selecting Require Payee Validation on the Source Registration page.

See [Chapter 2, "Defining Financial Gateway Integration Options," Registering Source Applications with Financial Gateway, page 6.](#)

2. You can view results of the payment load process on the Review Payment Request page. Details of errors that are encountered during the payment load process can be viewed on the Payment Load Exceptions page.
3. When the payments are in the Financial Gateway tables, you can review them using the Review Payment pages. Here payments can be approved for or held from further processing. Payments flagged by the financial-sanctions, data search are designated as a "Potential Sanction Violation" on the Payment Notes page. Administrators can perform a manual search of the financial sanctions data to verify the accuracy of the held payment, after which they can either cancel the payment or clear the flag on the payment thereby changing the status to "Awaiting Dispatch."

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up and Using the Financial Sanctions Service," Pages Used to Search the Financial Sanctions Data.

4. After the optional review process, payments are sent to the bank as payment files using the Dispatch Payment Application Engine. This process can be run manually from the Dispatch Payments page or set up to run automatically using the Schedule Payment Dispatch page.
5. You can obtain a variety of information using the Payment Files page.
6. Depending on the bank and whether your system is set up appropriately, you can download files acknowledging that the payment was received, processed, and completed, or that the payment file contained errors that must be corrected. Importing payment acknowledgment files can also be set up to run automatically using the Integration Broker. After the acknowledgment files have been downloaded, they can be reviewed for pertinent information.

7. If the payment files were imported using flat files, you can import a flat file for payment cancellation and cancel a payment file using the layout file, PAYCANEIP.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding Electronic Banking, page 15.](#)

See [Chapter 2, "Defining Financial Gateway Integration Options," Understanding the Financial Gateway Integration Process, page 3.](#)


Integration Points

This table lists the integration points that are used in the payment process.

Integration Point	Purpose	Method of Integration
PAYMENT_REQUEST	Sends a Payment Status request from the source asynchronously.	Used by all source applications that can integrate with Financial Gateway.
PAYMENT_STATUS_REQUEST	Used to request the status of payments.	Used by all source applications that can integrate with Financial Gateway. Message uses the payment ID as defined by the source application or Financial Gateway depending on how it is defined on the Source Registration page.
PAYMENT_RESPONSE	Used to send the status of payments one-way from Financial Gateway to the source application.	Can be used by Cash Management, Receivables, Payables, Global Payroll, and third-party source applications that use Integration Broker to integrate with Financial Gateway. Message uses the payment ID and payment sequence number as defined by the source application or Financial Gateway depending on how it is defined on the Source Registration page.
PAYMENT_CANCEL	Used by Financial Gateway to cancel payments in the source application. Also used when associated with the PAYCANEIP layout to import a flat file for payment cancellation and to perform the cancel action. payment.	Can be used by Cash Management, Receivables, Payables, Global Payroll, and third-party source applications that use Integration Broker to integrate with Financial Gateway.
PMT_ACKNOWLEDGE	Used by the bank to send payment acknowledgement status to Financial Gateway.	Used by all source applications that can integrate with Financial Gateway. Message uses the payment ID and payment sequence number as defined by the source application or Financial Gateway depending on how it is defined on the Source Registration page.

Integration with Global Payroll

This diagram illustrates the steps involved in payment and payment acknowledgment processing using Financial Gateway to process Global Payroll transactions:



Global Payroll to Financial Gateway process flow for SEPA Credit Transfer (SEPA_CT)

Financial Gateway receives a message from Global Payroll, and Financial Gateway then formats the SEPA XML file to send to the bank. The SEPA Credit Transfer (SEPA_CT layout, Pain.001.001.02) is the only payment format supported from Global Payroll through Financial Gateway. After the bank sends a payment acknowledgement status to Financial Gateway, Financial Gateway sends the payment response message to Global Payroll. If Financial Gateway returns an error status for a payment, Global Payroll can change the *Error* status to *Canceled* to indicate that no further processing will occur.


See [Chapter 7, "Defining SEPA \(Single Euro Payments Area\) Requirements and Transactions," Integrating with PeopleSoft Global Payroll, page 147.](#)

ACH Prenotes and Returns

An ACH prenote is a zero-dollar, payment sent to a debtor's bank to test if payments may be made to a creditor's bank account. If no response is sent back to the debtor, within a reasonable amount of time, it is assumed that payments can be made. If an ACH Return file is received from the creditor's bank, it will contain information that the prenote had errors that must be corrected before the creditor will accept payments from the debtor. The creditor should send a new, corrected prenote.

Financial Gateway processes prenotes similar to other ACH payments. However, tracking the status of prenotes between a debtor's bank account and a particular creditor is the responsibility of the source system.

This diagram illustrates the steps involved in the ACH prenote process in which the source system, such as PeopleSoft Payables or Receivables, sends a zero-dollar payment file (prenote) as a test to the Financial Gateway system. The Financial Gateway system dispatches the prenote file to the debtor's Financial Institution. Financial Institution sends acknowledgement that can be imported into the Financial Gateway system. The Financial Gateway system then sends this acknowledgement of payment status to the source system.



Payment status acknowledgement process flow

These steps correspond to the prenotification process illustrated in the above diagram:

1. The source system sends a prenote request to Financial Gateway.
2. Financial Gateway imports the prenote and creates a payment file.
3. The payment file is dispatched to the bank using the Dispatch Payment Application Engine.
4. Financial Institution sends an acknowledgement file.
5. Financial Gateway imports the acknowledgment files.
6. Financial Gateway transmits the payment status based on acknowledgment file back to the source system. The source system updates the status of the prenote. If the prenote was rejected, the source system can make the changes and resend another prenote.

Note. For prenotes, Financial Gateway only tracks the status of the payment transaction. Financial Gateway does not track the status of a prenote for a customer or vendor. That is the responsibility of the source system.

Payment Statuses

This table lists the various statuses that a payment can have as it moves through the Financial Gateway payment process:

Payments Status	Details
Canceled	<p>Payment was canceled in Financial Gateway. Can be resent from source application.</p> <p>Note. Global Payroll uses the <i>Canceled</i> status to indicate that no further processing will occur in Financial Gateway.</p>
Error	An error was encountered when Financial Gateway attempted to process the payment. Details of the error can be viewed on the Payment Load Exceptions page.
Flagged for Hold	Payment is being held for review and cannot be dispatched.
Awaiting Dispatch	Payment is loaded into Financial Gateway. If selected, the payment will be dispatched to the bank the next time the Dispatch Payment Application Engine is run.
In Process	The Dispatch Payment Application Engine is processing the payment.
Dispatched to Bank	The payment has been sent to the bank by the Dispatch Payment Application Engine.
Received by Bank	The bank has received the payment and has sent an acknowledgment.
Paid	The bank has received the payment, processed it, and sent a payment acknowledgment file back to Financial Gateway.
Pending Cancellation	When the Accounts Payable subsystem sends a transaction to Financial Gateway, the payment status will be <i>Awaiting Dispatch</i> . Financial Gateway will dispatch this transaction and set the payment status to <i>Paid</i> . If Account Payable wants to cancel this transaction, the Accounts Payable subsystem uses the Payables Payment Cancellation process to cancel this transaction and set the payment status to <i>Pending Cancellation</i> in Financial Gateway.
Cancelled with Message	Once the status is changed to <i>Pending Cancellation</i> in Financial Gateway, Financial Gateway will execute the Payment Cancellation process for this Accounts Payable transaction and set the payment status to <i>Cancelled with Message</i> . Financial Gateway will send cancellation message in compliance with SEPA to the bank.

Payments Status	Details
Pending Reversal	Similarly when the Accounts Receivable subsystem sends a transaction to Financial Gateway, the payment status will be <i>Awaiting Dispatch</i> . Financial Gateway will dispatch this transaction to the bank and set the payment status is set to <i>Paid</i> in Accounts Receivable. If the Accounts Receivable subsystem reverses this transaction, it sets the payment status to <i>Pending Reversal</i> in Financial Gateway.
Reversed with Message	Using the Payment Dispatch process, Financial Gateway will execute the Reversal Process for this transaction, generate a reversal message in compliance with SEPA to the bank and set the payment status to <i>Reversed with Message</i> .

Note. When a layout is not set up to support acknowledgements, the payment status is set to paid when the payment is dispatched.

See Also

Chapter 2, "Defining Financial Gateway Integration Options," Understanding the Financial Gateway Integration Process, page 3

Importing Payments and Payment Cancellations as Flat Files from Third-Party Applications

This section presents an overview and discusses how to import payment and payment cancellation flat files from third-party applications.

Note. This section provides information that is necessary for importing payments and payment cancellations into Financial Gateway from third-party applications only in flat file format.

See Also

Chapter 6, "Working with Payments in Financial Gateway," Understanding the Payment Process in Financial Gateway, page 87

Understanding Importing Payments and Payment Cancellations as Flat Files from Third-Party Applications

You can load third-party cancel payments into Financial Gateway by using the Import Payment Flat Files component functionality. When you load canceled payments from a third-party flat file into Financial Gateway, the payment status in Financial Gateway is *Pending Cancellation*. Once the cancel file is loaded, using the PMT_DISP_BT process, Financial Gateway executes the Payment Cancellations process, generates a cancellation message in compliance with SEPA, and sets the payment status to *Cancelled with Message*.

Pages Used to Import Payment and Payment Cancellation Flat Files

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Import Payment Flat Files	BSP_IMPORT	Financial Gateway, Import Payments, Import Payment Flat Files	Download payments and payment cancellations as flat files from third-party applications into Financial Gateway.

Importing Payment and Payment Cancellation Flat Files from Third-Party Applications

Access the Import Payment Flat Files page (Financial Gateway, Import Payments, Import Payment Flat Files).

Import Payment Flat Files

Run Control ID: JKG [Report Manager](#) [Process Monitor](#)

Parameters Find | View All First 1 of 1 Last

*Request Number:

*Import Type:

File Path:

File Name: [File Selection Help](#)

*Layout: [View Layout Details](#) EIP For Payment Cancel File

Advanced Options

Encryption Profile: Use Integration Broker

*Post Process File Action: Post Process File Directory:

Layout Properties Customize | Find | View All | | First 1 of 1 Last

Property Code	Allowed Values	Value
FILETYPE	<input type="checkbox"/> <input checked="" type="checkbox"/>	<input type="text" value="CSV"/>

Import Payment Layout Files

Parameters

Import Type

Select from the following options:

- *FTP*: Select if you are importing the file by using file transfer protocol, and enter a bank node through which to transfer the data.
- *File*: Select if you are importing a file, and complete the File Path and File Name fields.
- *HTTP*: Select if you are importing an XML file using a URL that is included as part of the node configuration. No file path or file name is required.

Bank Node

Enter the bank node that was used to transfer the data. This field appears only if *FTP* or *HTTP* is selected as the import type.

View Bank Node Details

Click to access the Bank Node Details page and review property details of the selected node. This link appears only if *FTP* or *HTTP* is selected as the import type.

File Path	<p>Enter the complete file path location. To select files by using the Select File button, you must include a trailing backslash (\) in the file path.</p> <p>You can also load all files in a given directory by using the *.* notation or search for files of a specific type by entering an asterisk and the extension suffix. For example, to search all files with a .txt suffix, enter:</p> <pre>*.txt</pre>
File Selection Help	Click to view help information about specifying file paths and file names.
File Name	Select the specific file to import. If you want to import multiple files based on extension, leave this field blank.
Layout	Select: <ul style="list-style-type: none">• <i>PAYREQEIP</i> As the layout that is used to request a payment file.• <i>PAYCANEIP</i> As the layout used to request a payment cancellation.
View Layout Details	<p>Click this link to access the details of the selected layout catalog on the Layout Catalog page.</p> <p>See <i>PeopleSoft Banks Setup and Processing 9.1 PeopleBook</i>, "Setting Up External, Internal, and Netting Accounts," Defining Layout Properties.</p>
<i>Advanced Options</i>	
Encryption Profile	Select an encryption profile to decrypt bank statements. Encryption profiles contain both encryption and decryption information.
Use Integration Broker	<p>Select to format the files and publish the formatted document to PeopleSoft Integration Broker. Integration Broker then processes the formatted file accordingly.</p> <p>You select this option if you want to use the bank statement information as a trigger to Integration Broker, as an indication to perform other processes, or to integrate with other systems.</p>

- Post Process File Action** Select what action, if any, to perform on bank statement files after the data has been processed. The options are:
- *Copy*: Copy the file to the directory that is entered in the Post Process File Directory field.
 - *Delete*: Delete the file after the data in it is processed.
 - *Move*: Move the file to the directory that is entered in the Post Process File Directory field.
 - *None*: Take no action.

Post Process File Directory Enter a file path to the directory to which the file will be moved or copied if either option is selected as the post process file action.

Layout Properties

- Value** Specify the type of flat file to be imported. Enter:
- *CSV*: For comma-separated values.
 - *Fixed*: For fixed-length field values.

Reviewing the Results of the Payment Load Process

The Payment Load Application Engine (PAYMENT_LOAD) process loads payments from source applications into Financial Gateway, regardless of the method that is used to import payments. This section discusses how to review payment requests.

Pages Used to Review the Results of the Payment Load Process

Page Name	Definition Name	Navigation	Usage
Review Payment Requests	PMT_REQUEST_LOG	Financial Gateway, Import Payments, Review Payment Requests	Review payment requests that were downloaded from source applications. This page is used primarily as an administration page to view payment requests residing in the staging tables.
Payment Load Exceptions	PMT_EXCEPTION_LOG	Click the View Payment Load Exceptions icon on the Review Payment Requests page. 	View details of problems that occurred during attempts to load payment requests from source applications.

Reviewing Payment Requests

Access the Review Payment Requests page (Financial Gateway, Import Payments, Review Payment Requests).

Review Payment Requests

Payment Message ID: 170	Payment Request Status: Complete
Source System: Payables	Number of Payments: 1
Request Date: 08/03/2009 9:56PM	Message Group Details
User ID: VP1	Message Number: 1 of 1
Process Instance: 10007	Group ID: REMIT-000002

Payments

Payment Information
Payment Details
[...]

Transaction ID	Dispatch Status	Pay Cycle	Pay Cycle Sequence Number	Bank SetID	Bank Code	Bank Account
AP0000000005	Paid	REMIT	2	SHARE	USBNK	CHCK

Review Payment Requests page

Use this page to view a listing and the status of payment requests that were made from source applications. The fields that appear in the Payments group section are source-specific key fields that were specified on the Source Registration page to appear here.

See Also

[Chapter 2, "Defining Financial Gateway Integration Options," Page Used to Register Source Applications with Financial Gateway, page 6](#)

Reviewing and Changing Payments in Financial Gateway

This section presents an overview and discusses how to:

- Review payments.
- Configure the payments page.
- Review payment details.
- Change payment status.

Understanding Payment Status Changes in Financial Gateway

Financial Gateway has an option to change the payment status to different values using the Override Payment Status component. This component enables you to change the payment status values for accounts payable, accounts receivable, and third-party transactions.

See [Chapter 6, "Working with Payments in Financial Gateway," Changing Payment Status, page 108.](#)

Pages Used to Review Payments in Financial Gateway

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Payments	PMT_INQUIRY	Financial Gateway, Review Payments, Payments	Inquire on payments that were received by Financial Gateway from source applications.
Payment Preferences	PMT_PREFERENCE	Click the Edit User Preferences link on the Payments page.	Define the search criteria and information to be displayed on the Payments page.
Save Search As	PMT_SEARCH	Click the Save Search link on the Payments page.	Define and save a transaction query using predefined search criteria for future use.
Delete Saved Search	PMT_SRCH_DEL	Click Delete Search on the Payments page.	Delete a defined set of transaction search criteria.
Payment Notes	PMT_NOTES	 Click the Payment Notes icon for a specific payment in the grid on Payment Information tab of the Payments page.	View events and add comments regarding a particular transaction. This is useful for such things as describing reason transactions that are in hold status. Notes that you add here appear in the Events for Current Payment grid at the bottom of the page and are also replicated in the Events grid of the Review Payment Details page.
Review Payment Details	PMT_LIFE_CYCLE_INQ	Click the Review Payment Details icon on the Payments page, the Dispatch Payments page, or the Payment File Data page. 	View a payment's details and progress through the payment life cycle, and drill down to application pages that are related to payment events.
Override Payment Status	PMT_STAT_OVR	Financial Gateway, Administration, Override Payment Status	Change the status of payments.

Reviewing Payments

Access the Payments page (Financial Gateway, Review Payments, Payments).

Payments

Search Fields
Saved Searches: ▼

Payment Analytics
*Select a Chart: ▼

Business Unit: 🔍 Dispatch Status: ▼

Transaction ID: Payment Method: ▼

Source ID: Source System: ▼

Payment Type: ▼ Currency Code: 🔍

Bank ID Number: 🔍 Bank Account #: 🔍

Bank SetID: 🔍 Bank Code: 🔍

Bank Account: 🔍 DFI ID: 🔍

Prenotification: ▼ Batch Name: 🔍

Party Type: ▼ Payee Name: 🔍

Party SetID: 🔍 Payee ID: 🔍

Pay Cycle: 🔍 Pay Cycle Number: 🔍

From Date: 📅 To Date: 📅

 [Save Search](#) [Delete Search](#)

Payments on Hold by Source for the Last 30 days

Source System	Number of Payments
DM (Cash Management)	4.0
DM (Deal Management)	3.0

Legend: ■ Cash Management, ■ Deal Management

Review Payments - Payments page (1 of 2)

Payments Customize												
Payment Information		Additional Detail	Bank Details	Payee Details	Payee Bank							
Select	Flagged Payment	Source ID	Date	Amount	Bank Code	Account	Method	Payee Name	Dispatch Status	Payment Notes	Transfer to Source	Di
<input type="checkbox"/>		TRW000000008	02/01/2005	650,000.00	USD	USBNK	EPMT	EFT	Eridi & Co Inc.	Flagged for Hold		
<input type="checkbox"/>		TRW000000009	02/01/2005	650,000.00	USD	USBNK	EPMT	WIR	Eridi & Co Inc.	Flagged for Hold		
<input type="checkbox"/>		TRW000000010	02/01/2005	650,000.00	USD	USBNK	EPMT	ACH	Eridi & Co Inc.	Flagged for Hold		
<input type="checkbox"/>		TRW000000011	02/01/2005	650,000.00	USD	USBNK	EPMT	WIR	Eridi & Co Inc.	Paid		
<input type="checkbox"/>		TRW000000013	02/01/2005	500,000.00	USD	USBNK	CHCK	ACH	Eridi & Co Inc.	Flagged for Hold		
<input type="checkbox"/>		TRW000000012	02/01/2005	1,000,000.00	USD	USBNK	EPMT	WIR	Eridi & Co Inc.	Flagged for Hold		
<input type="checkbox"/>		TRW000000016	08/03/2009	11,000.00	USD	USBNK	CHCK	WIR	TUS02 NAME 1	Paid		
<input type="checkbox"/>		TRW000000017	08/03/2009	10,000.00	EUR	FRBNK	CHQ3	EFT		Paid		

[Select All](#) [Clear All](#)
 Payments Selected

Review Payments - Payments page (2 of 2)

Edit User Preferences

Click to access the Payment Preferences page, which you use to define the search criteria and information that are displayed on the Payments page.

Note. Edit User Preferences link appears in the upper far right corner of the page.

Search Fields

Use these fields to narrow your search for specific payments, or leave them blank to view all payments that were sent to Financial Gateway.

Note. If Financial Gateway security is enabled, users will see only the payments that meet their access criteria based on the specified security rules.

See Chapter 4, "Setting Up Payment Security," page 71.

Saved Searches

Displays a list of previously saved search criteria (if any).

Save Search

Click to access the Save Search As page to save the search parameters for future inquiries.

Payment Analytics

This group box provides a graphic representation of the criteria that are listed in the Select a Chart field. Use the Payment Preferences page to enable this functionality as well as to define the default chart to be displayed. The chart can display:

- *Total Payments by Method*: A graph of the total number of payments by payment method for the current date.
- *Payments on Hold by Source*: A graph of the total number of payments that were put on hold, grouped by source applications.
- *Payment Aging*: A graph of the total number of payments within Financial Gateway that were sent within the last five days.
- *Payments by Bank*: A graph of all payments by bank for the current day.
- *Payments in Error*: A graph of all payments within Financial Gateway that contain erroneous data.
- *Payments Awaiting Response*: A graph of all payments within Financial Gateway that have been sent to the bank, but have not yet been acknowledged.

Note. The chart may not display data properly if a large amount of data is selected. Because of size constraints within the page, the labels will be truncated.

Payment Totals

This group box displays the number of payments that were sent to Financial Gateway grouped by currency type. If more than one type of currency is displayed, the total for each currency appears as a link. Clicking a link regenerates the rows in the Review Payments grid to display only transactions belonging to that specific currency type.

Payments – Payment Information

Select

Use this box to select transactions:

- With a status of *Awaiting Dispatch* to be held for approval.

After you have selected transactions, click the Flag for Hold button to assign a hold status to the selected transactions.

- With a status of *Hold* to be cleared for further processing.

After you have selected transactions, click the Clear Flag button to clear the hold status on the selected transactions, freeing them for further processing.



Flagged for Hold

Indicates that the transaction is on hold status pending further approval.

Source ID

The unique identifier that is assigned to the transaction by the source application.

Transaction ID

The unique identifier that is assigned to the transaction by Financial Gateway. Settlement ID nomenclature is defined on the Source Registration page.

**Payment Notes**

Click to access the Payment Notes page, which you use to add and view comments about the specified transaction.

**Transfer to Source**

Click to access the source application to view detailed information about the specified transaction.

**Dispatch Payment**

Click to access the Dispatch Payment run control page to manually send the payment to the bank.

**Review Payment Details**

Click to access the Review Payment Details page to view the payment progress, events, and detailed information on the transaction.

**View Payment File**

Click to access the Payment Files page to view payment file, transmittal information.

Bank Details**Cutoff Time and Cutoff Date**

Payments arriving by this time and date are processed by the bank that day. Payments arriving afterwards are processed on the next business day.

Configuring the Payments Page

Access the Payment Preferences page (click the Edit User Preferences link on the Payments page).

Payment Preferences

Preferences

Default Saved Search: ▼

Execute Search on Load

Search Fields

<input checked="" type="checkbox"/> Business Unit	<input checked="" type="checkbox"/> Currency Code	<input checked="" type="checkbox"/> Payment Type	<input checked="" type="checkbox"/> Dispatch Status
<input checked="" type="checkbox"/> Bank ID Number	<input checked="" type="checkbox"/> Bank Account #	<input checked="" type="checkbox"/> DFI ID	<input checked="" type="checkbox"/> Batch Name
<input checked="" type="checkbox"/> Bank SetID	<input checked="" type="checkbox"/> Bank Code	<input checked="" type="checkbox"/> Bank Account Key	<input checked="" type="checkbox"/> Payment Method
<input checked="" type="checkbox"/> Transaction ID	<input checked="" type="checkbox"/> Source ID	<input checked="" type="checkbox"/> Source System	<input checked="" type="checkbox"/> Prenotification
<input checked="" type="checkbox"/> Party Type	<input checked="" type="checkbox"/> Party SetID	<input checked="" type="checkbox"/> Payee ID	<input checked="" type="checkbox"/> Payee Name
<input checked="" type="checkbox"/> Pay Cycle	<input checked="" type="checkbox"/> Pay Cycle Number		

Display Options

Rows Displayed:

Display Totals

Payment Totals by Currency
 Payment Totals by Bank

Payment Analytics

Display Chart

Default Chart: ▼

Payment Preferences page

Use this page to define search criteria for the Payments page.

Default Saved Search Select a previously defined set of search criteria to be designated as the default search settings on the Payments page.

Execute Search on Load Select to automatically query the database for the data matching the default search criteria for the current day.

Display Totals Select to display the number of payments that were sent to Financial Gateway categorized by currency or by bank depending on which radio button you select.

Reviewing Payment Details

Access the Review Payment Details page (click the Review Payment Details icon on the Payments page, the Dispatch Payments page, or the Payment File Data page).

Review Payment Details

 →
  →
  →
 

Awaiting Dispatch
Dispatched to Bank
Acknowledged by Bank
Payment Completed

▼ Payment Details

Transaction ID:	CM0000000083	Source ID:	TRW000000016
Business Unit	US001	Source System:	CM Cash Management
Dispatch Status:	Paid	Payment Date:	08/03/2009
Amount:	11,000.00 USD	Layout:	820
Payment Method:	Wire Transfer	Payment File ID:	00000007 View Payment File
Type:	EFT Request	<input type="checkbox"/> Drawdown Transfer	
Repetitive Transfer Code:		<input type="checkbox"/> Prenotification	Addenda Information EFT Options

▼ Payee/Payee Bank Information

Payee Type:	Beneficiary	Payee Setid/ID:	
Payee Name:	TUS02 NAME 1	Payee Detail/Address	
Country:	USA United States		
Bank Name:	TRBNK	Payee Bank Address	
Branch Name:	TRBRANCH		
Bank ID Qualifier:	001 United States Bank	Account Type:	
Bank ID:	122237353	Branch ID:	
Bank Account Number:	0600-456501	Check Digit:	
DFI Qualifier:	01 Transit Number	DFI ID:	122237353
IBAN Digit:		IBAN:	

Review Payment Details page (1 of 2)

Bank Account							
Bank Code:	USBNK	Bank ID:	121042882				
Bank Account:	CHCK USBNK CHECKING ACCT	Account #:	0741-256458				
DFI Qualifier	Transit Number	DFI ID:	121042882				
Source Reference Information							
Source Code:	EFT Requests	Treasury Source ID:	TRW000000016				
Business Date:	08/03/2009						
Intermediary Routings							
Customize Find View All [Print] [Grid] First 1 of 1 Last							
Seq	Routing	SetID	Bank Code	Bank Account	Method	DFI ID	Intermediary Payment Message
Events							
Customize Find View All [Print] [Grid] First 1-4 of 4 Last							
	Date Time	User ID	Severity	Event Description	Change Detail		
	08/01/09 12:26:07AM	VP1	Information	Payment Awaiting Dispatch			
	08/01/09 12:26:48AM	VP1	Information	Payment Scheduled to be Dispatched.			
	08/01/09 12:27:16AM	VP1	Information	Payment Added to Payment File.			
	08/01/09 12:27:19AM	VP1	Information	Payment Delivered			
Return							

Review Payment Details page (2 of 2)

This page provides a graphical representation of the current payment's progress through the payment life cycle. The icons at the top of the page—Awaiting Dispatch, Dispatched to Bank, Acknowledged by Bank, Payment Processed, and Payment Completed—change from black and white to color as each specific event occurs, and they become enabled buttons that act as links to application pages that are related to the payment and the event. Click a button to access the associated page and view the indicated lifecycle information.

Awaiting Dispatch

The transaction is ready to be dispatched to bank. Click to access the Dispatch Payments page.

Dispatched to Bank

The transaction has been dispatched to the bank. Click to access the Dispatch page to view more details about when and how this transaction was dispatched, and the payment file that was created and dispatched.

Acknowledged by Bank

The acknowledgement of payment has been received from the bank and downloaded to your system. Click to view the downloaded acknowledgement file.

Payment Completed

The bank has paid the transaction. Click to view the paid file and acknowledgement.

Changing Payment Status

Access the Override Payment Status page (Financial Gateway, Administration, Override Payment Status).

Override Payment Status

Search Fields

Business Unit: <input type="text"/>	Dispatch Status: <input type="text"/>	Payment Method: <input type="text"/>	
Transaction ID: <input type="text"/>	Source System: <input type="text"/>	Source ID: <input type="text"/>	
Payment Type: <input type="text"/>	Batch Name: <input type="text"/>	Currency Code: <input type="text"/>	
Bank ID: <input type="text"/>	Bank Account #: <input type="text"/>	DFI ID: <input type="text"/>	
Bank SetID: <input type="text"/>	Bank Code: <input type="text"/>	Bank Account: <input type="text"/>	
Party Type: <input type="text"/>	Party SetID: <input type="text"/>	Payee ID: <input type="text"/>	
Pay Cycle: <input type="text"/>	Pay Cycle Number: <input type="text"/>	Payee Name: <input type="text"/>	
From Date: <input type="text" value="08/10/2000"/>	To Date: <input type="text" value="08/10/2009"/>	Prenotification: <input type="text"/>	

Payments Customize | Find | View

Payment Information
Bank Details
Payee Details
Payee Bank
[...]

Source ID	Transaction ID	Unit	Date	Amount	Currency	Current Status	New Status	Payment Notes	Transfer to Source
000001	AP0000000003	US001	05/16/2005	1250.00	USD	Flagged for Hold	<input type="text"/>		
000002	AP0000000004	US007	05/27/2005	100000.00	USD	Flagged for Hold	<input type="text"/>		
001003	AP0000000005	US001	08/03/2009	151357.18	USD	Paid	<input type="text"/>		
001004	AP0000000006	US001	08/04/2009	161491.85	USD	Paid	<input type="text"/>		
000001	AP0000000007	US001	08/04/2009	1000.00	EUR	Paid	<input type="text"/>		
TRW0000000008	CM0000000001	US001	02/01/2005	650000.00	USD	Flagged for Hold	<input type="text"/>		

Override Payment Status page

Note. Access to this page and the ability to change the payment status is limited to users assigned to the administrator role.

The options for changing the status of a payment are limited and depend on the current status of the payment. This table lists the options that are available for each payment status.

<i>Current Status</i>	<i>Available Status Options</i>
Canceled	Awaiting Dispatch
Error	Canceled Paid Awaiting Dispatch
Flagged for Hold	Canceled
Awaiting Dispatch	Canceled

Current Status	Available Status Options
In Process	Can be changed to Awaiting Dispatch if the payment is still in the queue, and the Dispatch Payment Application Engine process has not been run. This may occur if Process Scheduler was set to run at a later time.
Dispatched to Bank	Error Paid
Acknowledged by Bank	Error Paid
Paid	Error Awaiting Dispatch
For Accounts Payable transactions: Pending Cancellation	Error Paid
For Accounts Payable transactions: Cancellation with Message	Pending Cancellation Error
For Accounts Receivable transactions: Reversal with Message	Error Paid
For Accounts Receivable transactions: Reversed with Message	Pending Reversal Error

Note. For prenotes, Financial Gateway only tracks the status of the actual transaction. Financial Gateway does not track the status of a prenote for a customer or vendor. That is the responsibility of the source system.

Dispatching Payments in Financial Gateway

This section discusses how to dispatch payments.

You dispatch payments in Financial Gateway by running the Payment Dispatch Application Engine process (PMT_DISPATCH). You can run this process manually or schedule it to run at a specified time using PeopleSoft Process Scheduler.

See *PeopleTools PeopleBook: PeopleSoft Process Scheduler*

Pages Used to Dispatch Payments

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Schedule Payment Dispatch	PMT_BATCH_DISPATCH	Financial Gateway, Process Payments, Schedule Payment Dispatch	Use PeopleSoft Process Scheduler to automate the payment dispatch process by scheduling the Dispatch Payment process to run in batch mode as the payments arrive in Financial Gateway. Use the Parameter fields to define the payment batches.
Payment Dispatch	PMT_INQUIRY	Financial Gateway, Process Payments, Payment Dispatch	Manually send selected payments to a bank from Financial Gateway.
Payment Preferences	PMT_PREFERENCE	Click the Edit User Preferences link on the Dispatch Payments page.	Modify functionality and define how data are displayed on the Dispatch Payments page.
Addenda	PMT_ADDENDA_SP	Click the Addenda Information icon on the Payment Dispatch page.	Add instructional information that will appear in the actual payment file for a specified payment.
Payment Dispatch Results	PMT_DISP_RESULT	Financial Gateway, Process Payments, Payment Dispatch Click the Results button in the Dispatch Results grid.	View details of a particular payment dispatch.

Dispatching Payments

Access the Payment Dispatch page (Financial Gateway, Process Payments, Payment Dispatch).

Payment Dispatch

Search Fields
Saved Searches: ▼
Business Unit: 🔍 Dispatch Status: ▼
Transaction ID: Payment Method: ▼
Source ID: Source System: ▼
Payment Type: ▼ Currency Code: 🔍
Bank ID Number: 🔍 Bank Account #: 🔍
Bank SetID: 🔍 Bank Code: 🔍
Bank Account: 🔍 DFI ID: 🔍
Prenotification: ▼ Batch Name: 🔍
Party Type: ▼ Payee Name: 🔍
Party SetID: 🔍 Payee ID: 🔍
Pay Cycle: 🔍 Pay Cycle Number: 🔍
From Date: 📅 To Date: 📅
 [Save Search](#) [Delete Search](#)

Payment Analytics
*Select a Chart: ▼
Payments on Hold by Source for the Last 30 days

Source System	Number of Payments
CM	4.0
DM	3.0

Legend: ■ Cash Management, ■ Deal Management

Payment Dispatch page (1 of 2)

The screenshot shows the 'Payments' interface with a table of payment transactions. The table has columns for Select, Flagged Payment, Source ID, Date, Amount, Currency, Bank Code, Account, Method, Payee Name, Dispatch Status, Payment File ID, and Payment Notes. Below the table are control buttons for 'Select All', 'Clear All', 'Payments Selected', 'Dispatch', 'Flag for Hold', and 'Clear Flag'. At the bottom, there is a 'Dispatch Results' section with a table for 'Process Instance', 'Run Status', and 'Request Date/Time'. Navigation links for 'Review Payment Files', 'Process Monitor', and 'Return to Financial Gateway' are also visible.

Select	Flagged Payment	Source ID	Date	Amount	Currency	Bank Code	Account	Method	Payee Name	Dispatch Status	Payment File ID	Payment Notes
<input type="checkbox"/>		TRW000000008	02/01/2005	650,000.00	USD	USBNK	EPMT	EFT	Erici & Co Inc.	Awaiting Dispatch		
<input type="checkbox"/>		TRW000000009	02/01/2005	650,000.00	USD	USBNK	EPMT	WIR	Erici & Co Inc.	Awaiting Dispatch		
<input type="checkbox"/>		TRW000000010	02/01/2005	650,000.00	USD	USBNK	EPMT	ACH	Erici & Co Inc.	Awaiting Dispatch		
<input type="checkbox"/>		TRW000000013	02/01/2005	500,000.00	USD	USBNK	CHCK	ACH	Erici & Co Inc.	Awaiting Dispatch		
<input type="checkbox"/>		TRW000000012	02/01/2005	1,000,000.00	USD	USBNK	EPMT	WIR	Erici & Co Inc.	Awaiting Dispatch		

Payment Dispatch page (2 of 2)

Edit User Preferences

Click to access the Payment Preferences page, which you use to define how certain elements of the Dispatch Payments page are displayed and function.

Search Fields

Use these fields to query the tables in Financial Gateway for specific payment transactions.

Payment Totals

Displays the number of payments and the monetary total for each currency type.

Payments

Select

Select the payments to be dispatched or flagged for hold. This field is unavailable for entry for payments that have already been dispatched

Dispatch

Click to send selected payments to the banks.

Flagged for Hold

Click to hold selected payments for further review and approval.

Payments Selected

Displays the number of payment rows that have been selected for dispatching or placing on hold.

Flagged for Clear

Click to remove the hold on selected payments.

**Payment Notes**

Click to access the Payment Notes page, which you use to add and view comments about the specified transaction. Comments added here appear only online within the Financial Gateway system— including the event log—for the particular payment.

**Addenda Information**

Click to access the Addenda page, which you use to add additional instructions for the specified payment. Instructions here will appear within the actual payment file.

**Transfer to Source**

Click to access the source application to view detailed information about the specified transaction.

**Review Payment Details**

Click to access the Review Payment Details page to view the payment progress, events, and detailed information on the transaction.

See [Chapter 6, "Working with Payments in Financial Gateway," Reviewing Payment Details, page 105.](#)

Review Payment File

Click to access the Review Payment Files page to review payment file transmittal information.

See [Chapter 6, "Working with Payments in Financial Gateway," Reviewing Payment Files, page 115.](#)

Bank Details Tab**Cutoff Time and Cutoff Date**

Payments arriving by this time and date are processed by the bank that day. Payments arriving afterwards are processed on the next business day.

Dispatching a Payment

To dispatch a payment:

1. Select a payment.
2. Click the Dispatch button.
3. If prompted, confirm that you are an authorized user by typing your system sign-in password on the Verify Identity page.

The system displays a message stating that the Payment Dispatch Application Engine is scheduled to process the payment. If the process is successful, a payment file is created.

Dispatch Results

This grid provides a view of payment dispatch processes.

Refresh	Click to update the grid and view the results of more recent dispatch processes.
Results	Click to access the Payment Dispatch Results page and view details of a particular payment dispatch.

Reviewing Payment Files

The Review Bank Payment Files pages enable you to review the status of the transmitted payment files. You can see whether the system successfully transmitted a file. And if a file was not successfully transferred, use the Payment File Events page to determine exactly where the system encountered a file transmittal error.

Important! Any user with access to these pages can view the file details. Restrict user access to these pages by using PeopleTools Security functionality.

Note. The Process Monitor message log will not provide the cause of an error that occurred as the result of a payment dispatch process involving BI Publisher template layouts. In such cases, you must inspect the content of the payment file for the cause of the error by accessing the Payment File Data page.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding the Layout Catalog, page 24.](#)

See *PeopleTools PeopleBook: Security Administration*.

This section discusses how to:

- Review payment files.
- Change payment file status

Pages Used to Review Payment Files

Page Name	Definition Name	Navigation	Usage
Payment Files	PMT_FILE_DEFN	<ul style="list-style-type: none"> • Click the Review Payment Files link on the Payment Dispatch page. • Financial Gateway, Review Payments, Payment Files 	Review payment file transmittal information.
Payment File Details	PMT_FILE_DETAILS	Click the Payment File ID link for a specific payment file.	View summary information about the payments that are included in the specified payment file.

Page Name	Definition Name	Navigation	Usage
Payment File Events	PMT_FILE_EVENT	 Click the View Event Log icon on the Review Payment Files page.	View summary information of system events that occurred to the payment file during transmittal. Colored icons indicate the transmittal status of the file. A green circle indicates that the file was successfully transmitted; a red square indicates that the file was not successfully transmitted.
Payment File Data	PMT_FILEDATA_SP	 Click View File on the Review Payment Files page.	View detailed payment file data that were transmitted to the bank. This page cannot be edited.
Override Payment File Status	PMT_FILE_DEFN	Financial Gateway, Administration, Override Payment File Status	Change the status of a payment file.

Reviewing Payment Files

Access the Payment Files page (click the Review Payment Files link on the Payment Dispatch page) or (Financial Gateway, Review Payments, Payment Files).

Payment Files

Search Files

Bank SetID: Bank Code: Layout:

Transaction ID: File ID: File Status:

From Date: To Date:

Payment Files Customize | Find | View All | First 1-4 of 4 Last

Payment Information | File Output Info | Messaging Info

File ID	Bank Code	Layout	Status	Output Type	# of Payments	Created	Created By			
00000005	DEMO1	CORECRDTRN	Complete	File	1	04/11/2005 11:34AM	SAMPLE			
00000003	DEMO1	MT101	Complete	File	2	04/11/2005 11:34AM	SAMPLE			
00000002	DEMO1	820 ACH	Complete	File	2	04/11/2005 11:34AM	SAMPLE			
00000001	USBNK	820	Complete	File	1	02/01/2005 3:31PM	SAMPLE			

[Dispatch Payments](#) [Process Monitor](#)

Payment Files page

Enter the search parameters and click Search.

File Status

Options are:

- *(None)*
- *Complete*: Indicates that the payment process is complete.
- *Canceled*: Indicates that the settlement is canceled (or voided) by a user. You generally see this status displayed for files with a clerical error, such as an incorrectly entered amount. When you cancel files, the system resets the file's payments back to their original *Loaded* state on the Dispatch Payments page, where they can again be selected and dispatched.
- *Error*: Indicates that the payment dispatch process failed. A red square also appears next to the file name. You can either cancel the payment file or recreate it.
- *In Process*: Indicates that the system is still transforming the file.
- *Received*: Indicates that the payment file was received by bank.
- *Sent*: Indicates that the payment file was sent to bank.

Payment File Contents

Click this link (located in the Payment File ID column) to access the Payment File Data page, and review all payments that are included in this payment file.

**Recreate File**

This conditional field appears only if the payment has an error status. Use the functionality that is described in "Setting Up Electronic Banking in Financial Gateway" to correct the error. After making the corrections, click the Recreate File icon to recreate the selected payment file.

**Cancel File**

Click to cancel a selected payment file and reset its payments. This conditional field appears only if the payment has an error status.

**View Event Log**

Click to access the Payment File Events page and view summary event log information.

**View File**

Click to access the Payment File Data page, and view payment file data that are retransmitted to the bank. The system encrypts stored payment file data.

Dispatch Payments

Click to access the Dispatch Payments page, and select payments for electronic transmittal to a financial institution.

See [Chapter 6, "Working with Payments in Financial Gateway," Dispatching Payments, page 110.](#)

Process Monitor

Click to access the Process List page, and review processing results for the Payment Dispatch Application Engine process (PMT_DISPATCH).

Changing Payment File Status

Access the Override Payment File Status page (Financial Gateway, Administration, Override Payment File Status).

Override Payment File Status

Search Files

Bank SetID: Bank Code: Layout:

Transaction ID: File ID: File Status:

From Date: To Date:

Payment Files Customize | Find | View All | First 1-4 of 4 Last

Payment Information File Output Info Messaging Info

File ID	Bank Code	Layout	Current Status	New Status	Output Type	# of Payments	Created	Created By		
00000005	DEMO1	CORECRDTRN	Complete	<input type="text"/>	File	1	04/11/2005 11:34AM	SAMPLE		
00000003	DEMO1	MT101	Complete	<input type="text"/>	File	2	04/11/2005 11:34AM	SAMPLE		
00000002	DEMO1	820 ACH	Complete	<input type="text"/>	File	2	04/11/2005 11:34AM	SAMPLE		
00000001	USBNK	820	Complete	<input type="text"/>	File	1	02/01/2005 3:31PM	SAMPLE		

Override Payment File Status page

Note. Access to this page and the ability to change the payment file status is limited to users who are assigned to the administrator role.

The options for changing the status of a payment file are limited and depend on the current status of the payment file. This table lists the options that are available for each payment file status.

Current Status	Available Status
Canceled	No change allowed.
Complete	Error
Complete with Errors	Complete Error
Error	Complete Canceled
In Process	No change allowed.
Received by Bank	Complete Error
Sent to Bank	Complete Error

Importing Bank Acknowledgments

This section discusses how to:

- Import payment acknowledgement files.
- View payment acknowledgement files.

Understanding Acknowledgments

Acknowledgment files are imported from financial institutions into Financial Gateway. They contain data that are used to:

- Verify the receipt of a payment.
- Acknowledge that a payment was processed successfully.
- Notify the sender of problems with a payment.

PeopleSoft provides a variety of layouts designed specifically importing this type of payment data.

Pages Used to Import Bank Acknowledgments

<i>Page Name</i>	<i>Definition Name</i>	<i>Navigation</i>	<i>Usage</i>
Import Acknowledgment Files	BSP_IMPORT	Financial Gateway, Process Payments, Import Acknowledgment Files	Import bank payment acknowledgments (or payment error messages) into the application tables.
Acknowledgment Files	PMT_FILE_ACK_DEFN	Financial Gateway, Review Payments, Acknowledgment Files	View a listing of imported payment acknowledgement files.
Acknowledgment File Contents	PMT_FILE_ACK_DTL	Click the Ack File ID link for a specific file.	View the details of a specific payment acknowledgment file.

Importing Payment Acknowledgment Files

Access the Import Acknowledgment Files page (Financial Gateway, Process Payments, Import Acknowledgment Files).

Import Acknowledgement Files

Run Control ID: JKG [Report Manager](#) [Process Monitor](#)

Parameters Find | View All | First 1 of 1 Last

*Request Number:

*Import Type: Bank Node:

File Path:

File Name:

*Layout:

▶ **Advanced Options**

Layout Properties Customize | Find | View All | First 1 of 1 Last

Property Code	Value
CODE_MAP_GROUP	<input type="text" value="ACHNOC"/>

Import Acknowledgement Files page

Parameters

Import Type

Select a method for importing the acknowledgment files. The options are:

- *File*: Select if you are importing a file, and complete the File Path and File Name fields.
- *FTP*: Select if you are importing the file by using file transfer protocol, and enter a bank node through which to transfer the data.
- *HTTP*: Select if you are importing an XML file using a URL that is included as part of the node configuration. No file path or file name is required.

Bank Node

Enter the node that will be used to relay the payment acknowledgment files from the bank to your system. This field appears only if FTP or HTTP is selected as the import type.

View Bank Node Details

Click to access the Bank Node Details page and review property details of the selected node. This field appears only if FTP or HTTP is selected as the import type.

File Path	<p>Enter the complete file path location. To select files using the Select File button, the file path must have a trailing backslash (\).</p> <p>You can also search for files of a specific type by entering an asterisk and the extension suffix. For example, to search all files with an .XXX suffix, enter:</p> <pre>* .XXX</pre> <hr/> <p>Note. Be sure that the application server and the Process Scheduler have access to the directory where the file(s) are stored.</p> <hr/>
File Selection Help	Click to view help information about specifying file paths and file names.
File Name	Select the specific file to import. If you want to import multiple files based on extension, leave this field blank.
Layout ID	Select an acknowledgment file layout.
View Layout Details	Click to access the Layout Catalog page to view details of the acknowledgment file layout.
 Advanced Options	
Encryption Profile	Select an encryption profile to decrypt payment acknowledgments. Encryption profiles contain both encryption and decryption information.
Use Integration Broker	<p>Select to format the files and publish the formatted document to PeopleSoft Integration Broker. Integration Broker then processes the formatted file accordingly.</p> <p>You select this option if you want to use the payment acknowledgment information to trigger Integration Broker to perform other processes or integrate with other systems.</p>
Post Process File Action	<p>Select what action, if any, is to be performed on the payment acknowledgment files after the data has been processed. The options are:</p> <ul style="list-style-type: none"> • <i>Copy</i>: Copy the file to the directory that is entered in the Post Process File Directory field. • <i>Delete</i>: Delete the file after the data in it is processed. • <i>Move</i>: Move the file to the directory that is entered in the Post Process File Directory field. • <i>None</i>: Take no action.
Post Process File Directory	Enter a file path to the directory to which the file will be moved or copied if either option is selected as the post process file action.

Layout Properties

Value

Property codes and values appear by default from values that are defined on the selected layout ID.

If you configure unique code mappings for a layout (on the Code Mappings page) you need to modify the displayed CODE_MAP_GROUP value with the appropriate unique map value.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Code Mappings for Bank Statements, Payments, and Payment Acknowledgments, page 38.](#)

Note. If you are importing multiple files for a single run control ID, you must add requests (by using the Add button) for each file that is being requested. Do not enter a file name; run the import process, and then edit the file name and run the import process again. Doing this can result in duplicate acknowledgment loading errors.

Viewing Payment Acknowledgment Files

Access the Acknowledgment Files page (Financial Gateway, Review Payments, Acknowledgment Files).

Acknowledgement Files

Search Files

Bank SetID:

Bank Code:

Layout:

Transaction ID:

Payment File ID:

File Status:

From Date:

To Date:

Acknowledgement Files Customize | Find | View All | First 1 of 1 Last

Ack File Information

File Output Info

Messaging Info

[...]

Ack File ID	Bank Code	Layout	Load Datetime	File Status		

[Dispatch Payments](#)

[Process Monitor](#)

[Return to Review Payments](#)

Review Payments - Acknowledgement Files page

Enter the search parameters and click Search.

File ID

Click to view the contents of the payment acknowledgment file.

File Status

Options are:

- *Complete*: Indicates that the Bank Acknowledgment Import process is complete.
- *Error*: Indicates that the Bank Acknowledgment Import process failed. A red square also appears next to the file name. You can either cancel the payment file or recreate it.

**View Event Log**

Click to access the Payment File Events page, and view summary event log information.

**View File**

Click to access the Payment File Data page, and view payment file data that are transmitted from the bank. The system encrypts stored payment acknowledgment files.

Dispatch Payments

Click to access the Payment Dispatch page to search for, and dispatch, payments.

Chapter 7

Defining SEPA (Single Euro Payments Area) Requirements and Transactions

This chapter presents an overview of SEPA requirements and transactions and discusses how to:

- Set up SEPA credit transfers.
- Set up SEPA direct debits.
- Set up SEPA payments for PeopleSoft Global Payroll.

Understanding SEPA

The European Commission (EC), and the European Central Bank (ECB) working with the Eurosystem, created the Single Euro Payments Area (SEPA). The Eurosystem is supported by the European Payments Council (EPC), which is charged with bringing together the European payments industry. SEPA enables citizens, companies, and other economic actors to make and receive payments in euros (EUR) between and within national boundaries in Europe with the same basic conditions, rights, and obligations, regardless of their location.

Oracle's PeopleSoft applies SEPA rules and standards to these specific areas of functionality:

- The enforcement of SEPA rules and standards that apply to the storage and use of BIC, which is assigned by the Society for Worldwide Interbank Financial Telecommunication (SWIFT) and same as Swift Code along with International Bank Identifier Number (IBAN) in the system.
- The application of SEPA rules and standards to the initiation and processing of SEPA credit transfers used for single, bulk, and repetitive payments.
- The application of SEPA rules and standards to the initiation and processing of SEPA direct debits.

SEPA Glossary

Basic Bank Account Number (BBAN) The identifier used by financial institutions in individual countries as part of a National Account Numbering Scheme(s) which uniquely identifies an account of a customer at a financial institution. This is also known as the Domestic Bank Account Number.

Bank Identifier Code (BIC)	<p>An 8 or 11 character ISO code assigned by the Society for Worldwide Interbank Financial Telecommunication (SWIFT), which is used to identify a financial institution in financial transactions. It is based on ISO 9362.</p> <hr/> <p>Note. In Oracle's PeopleSoft applications, BIC is entered in the DFI ID qualifier field when the DFI qualifier value is set at 02.</p> <hr/>
Creditor	ISO definition: The party to which an amount of money is due. For example, the seller of goods or services or a collection agency.
Creditor Agent	ISO definition: The financial institution servicing an account for the creditor.
Debtor	<p>ISO definition: Party that owes an amount of money to the (Ultimate) Creditor.</p> <p>For example, the debtor could be the party ordering the services or goods, shared service centers, the buyer of services or goods.</p>
Debtor Agent	ISO definition: The financial institution servicing an account for the debtor.
Direct Debit	A request for payment of an amount to be collected from the debtor's bank account by an originator (the creditor).
DFI Qualifier (depository financial institution qualifier) and DFI ID (depository financial institution identification)	<p>DFI qualifier indicates the format—the number of characters and numerics—that is used in the bank's DFI ID, which identifies a bank. If you use intermediary routings, this bank represents the final bank into which funds are transferred. Each type has a specific number of digits that you can enter:</p> <ul style="list-style-type: none"> • Transit Number: Enter exactly nine numerics, plus check digit calculation. • Swift ID: Enter 8 or 11 characters; positions 5 and 6 must be a valid two-character country code. • CHIPS ID: Enter three or four numerics for a CHIPS ID (CHIPS Participant ID). • CHIPS UID (CHIPS universal identification number): Enter six numerics for a CHIPS UID. Canadian Bank Branch/Institute: No validation. Mutually Defined: No validation. • BIC: If the DFI qualifier is 02, enter the BIC code which is assigned by SWIFT.
Forwarding Agent	ISO definition: The financial institution that receives the instruction from the initiating party and forwards it to the next agent in the payment chain for execution. The forwarding agent could be the same as debtor agent or it could be different, such as the debtor's bank or the concentration bank.
Initiating Party	ISO definition: The party initiating the payment. This can either be the debtor or the party that initiates the payment on behalf of the debtor.

Intermediary Bank	ISO definition: The agent between the debtor agent and creditor agent, such a correspondent bank.
International Bank Identifier Number (IBAN)	A bank account number that is assigned according to international ISO standards, and uniquely identifies a bank account in cross-border financial transactions between European and other international countries.
International Standards Organization (ISO)	A worldwide federation of National Standards Bodies.
ISO 20022 (International Standards Organization 20022)	A Universal Financial Industry message scheme (UNIFI) that was prepared by Technical Committee ISO TC68 Financial Services and defines various financial messages that are used by the global financial services community. SEPA messages are based on this standard.
ISODateTime (International Standards Organization Date Time)	The date and time within a particular calendar year represented by YYYY-MM-DDThh :mm :ss, which is based on ISO 8601.
Mandate	An authorization and expression of consent given by the debtor to the creditor, which enables the creditor to initiate collections by debiting the specified debtor's bank account and enables the debtor's bank to comply with these instructions in accordance with the SEPA Rulebook.
Single Euro Payments Area (SEPA)	Enables citizens, companies, and other economic actors to make and receive payments in euros (EUR) between and within national boundaries in Europe with the same basic conditions, rights, and obligations, regardless of their location.
Society for Worldwide Interbank Financial Telecommunication (SWIFT)	A cooperative owned by the financial services industry, which operates a financial messaging network through which financial services companies can exchange messages.
Ultimate Creditor	ISO definition: The ultimate party to which an amount of money is due. The ultimate creditor could be the same as creditor or it could be different, such as the seller.
Ultimate Debtor	ISO definition: The ultimate party that owes an amount of money to the (ultimate) creditor, such as the buyer of services or goods.

SEPA BIC Requirements

SEPA usage rules require the use of BIC, which is assigned by SWIFT, and IBAN (International Bank Identifier Number) to identify the banks and bank accounts of the creditor and debtor in all euro cross-border payments. It is imperative that the IBAN and BIC codes are correct to avoid repair fees that the bank charges due to processing errors. In addition, the validation of the IBAN and BIC codes avoids delays in processing payments and collections due to the time-consuming correction of these errors. IBAN also makes it easier to validate foreign account numbers. The IBAN format is an internationally agreed upon standard that is defined in ISO 13616.

Depending on how the IBAN is formatted for a country, the IBAN can be manually entered or the system will display the code after a user enters the first two check digits of the code.

The BIC value is defined when you select 02 as the DFI Qualifier (Depository Financial Institution Qualifier), which is set up for SWIFT/BIC. Once you select 02 for the qualifier, you can enter the BIC code in the DFI ID field, which can be 8 or 11 characters, where positions 5 and 6 must be a valid two-character country code.

The DFI Qualifier and DFI ID fields and the IBAN fields appear on these PeopleSoft application pages:

- Cash Management, Fees and Transfers, Enter Transfer Template, Destination page.

Note. The DFI Qualifier, DFI ID, and IBAN fields only appear for EFT transfer templates.

See *PeopleSoft Cash Management 9.1 PeopleBook*, "Transferring Funds," Specifying Template Destination Information.

- Cash Management, Fees and Transfers, EFT Request, Destination page.

See *PeopleSoft Cash Management 9.1 PeopleBook*, "Transferring Funds," Specifying Template Destination Information.

- Banking, Bank Accounts, Settlement Instructions, Beneficiary Bank page

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up External, Internal, and Netting Accounts," Defining Settlement Instructions.

- Vendors, Vendor Information, Add/Update, Vendor, Location, click the Payables link to access the Payables Options page, open the Vendor Bank Account Options section.

See *PeopleSoft Source-to-Settle Common Information 9.1 PeopleBook*, "Maintaining Vendor Information," Defining Vendor Bank Accounts.

- Customers, Customer Information, MICR Information, Customer Bank page.

See *PeopleSoft Order to Cash Common Information 9.1 PeopleBook*, "Maintaining Additional Customer Information," Entering Customer-Specific Bank Information.

- Employee Self-Service, Travel and Expenses, Review/Edit Profile, Bank Accounts page, click the Bank icon, Pay to Bank Accounts page; or Travel and Expenses, Manage Employee Information, Update Profile, Bank Accounts, click the Bank icon, Pay to Bank Accounts page.

See *PeopleSoft Expenses 9.1 PeopleBook*, "Maintaining Employee Profiles," Maintaining Employee Bank Account Data.

- eSettlements, Supplier Information, Review Supplier Details, Create a New Supplier, Locations, Add a New Location or Maintain Locations, and click the Update Bank Information link in the Payment Terms and Remitting Options group box on the Maintain Locations page.

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up Banks," Understanding IBAN.

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up External, Internal, and Netting Accounts," Single Euro Payments Area (SEPA) Requires IBAN and Bank Identifier Code (BIC).

SEPA Credit Transfer and Direct Debit Initiation

To initiate a SEPA Credit Transfer or SEPA Direct Debit, PeopleSoft Financial Gateway delivers predefined payment layouts in the Layout Catalog.

- Credit transfer initiation layouts for SEPA include these:
 - SEPA_CT (SEPA Credit Transfer, Pain.001.001.02)
 - SEPA_CT_03 (SEPA Credit Transfer V3, Pain.001.001.03; adheres to Rulebook 4.0)
- Direct debit initiation layouts for SEPA include these:
 - SEPA_DD (SEPA Direct Debit, Pain.008.001.01)
 - SEPA_DD_02 (SEPA Direct Debit V2, Pain.008.001.02; adheres to Rulebook 4.0)

PeopleSoft Financial Gateway also delivers predefined ISO payment formats in the Layout Catalog. ISO 20022 layouts are generic layouts, which are used for credit transfers and direct debits that are not related to SEPA.

- Generic credit transfer initiation layouts include these:
 - ISOV2 (ISO 20022 Credit Transfer V2, Pain.001.001.02)
 - ISO_CT_03 (ISO 20022 Credit Transfer V3, Pain.001.001.03)
- Generic direct debit initiation layouts include these:
 - ISOV2_DD (ISO 20022 Direct Debit, Pain.008.001.01)
 - ISO_DD_02 (ISO 20022 Direct Debit, Pain.008.001.02)


For a complete list of delivered payment layouts, including SEPA, ISO, and miscellaneous formats:

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding the Layout Catalog, page 24.](#)

These SEPA layouts dispatch payments electronically as XML messages from PeopleSoft Financial Gateway using the Credit Transfer Initiation Message or the Customer Direct Debit Initiation Message. The PeopleSoft payment methods ACH (Automated Clearing House), WIR (Treasury Wire), and EFT (Electronic File Transfer) support the SEPA credit transfer layouts and the direct debit payment method supports the SEPA direct debit layouts.

To enable PeopleSoft Financial Gateway to perform SEPA credit transfers and direct debits, you must access the Bank Integration Layouts page and associate each layout with an existing bank. Once the layouts are set up for a selected bank, they can be used with any bank accounts associated with that bank. You must access one or more external bank accounts that you want to set up to perform SEPA credit transfers or direct debits and attach the layouts to the bank account.

For example, you might access the Collections page of a bank account associated with a French bank, select Direct Debit as the Payment Method, and select SEPA_DD as the payment layout. This is also where you indicate that you want to dispatch the direct debit transaction electronically using PeopleSoft Financial Gateway.



Layout Process Flow

SEPA Credit Transfer

SEPA schemes, rules, and standards enable the providers of payment services to offer credit transfer services throughout SEPA for single, bulk, and repetitive payments. The standards for the scheme facilitate payment initiation, processing, and reconciliation based on straight-through processing. The scheme permits the end-to-end carrying of remittance data on a structured and unstructured basis appropriate to the nature of payment.

The SEPA credit transfer scheme defines a common set of rules and processes for credit transfers denominated in the euro currency. The scheme defines a common service level and a time frame under which financial institutions participating in the scheme must, at a minimum, conduct SEPA credit transfers.


To enable a SEPA credit transfer to occur, PeopleSoft does this:

- Predefines SEPA credit transfer layouts, which adhere to ISO 20022 credit transfer standards and are in compliance with SEPA rules.
- Provides the functionality to initiate an input message with SEPA compliant information to PeopleSoft Financial Gateway.
- Provides the functionality to accept the SEPA format for rejecting and returning a message and store the format in PeopleSoft Financial Gateway.

SEPA credit transfers begin with the initiation of SEPA credit transfer payments by the payment originator. To transfer the funds, the payment originator instructs the bank in which the originator holds a bank account to move the funds to the account of the beneficiary. The originator's bank then processes the SEPA credit transfer payment instruction according to the SEPA credit transfer scheme and transfers the funds using clearing and settlement mechanisms to the beneficiary's bank. The beneficiary's bank then credits the account of the beneficiary.

The initiation process of the funds transfer typically affects PeopleSoft Payables, because payments are most often triggered by the purchase of goods and services. However, this process may also be initiated from PeopleSoft Cash Management if funds are transferred between accounts or payments that are made to a Treasury counterparty or from a third-party application.

The XML message, which is sent by the payment originator to the bank, contains all of the relevant information related to the payment instruction. Based on SEPA, the bank and customer can agree on how to transfer payment instructions and in which format. However, the banks will typically follow the EPC recommendation.




SEPA Credit Transfer Message Structure

SEPA Direct Debit

The SEPA direct debit instrument is designed to act as a local collection instrument for SEPA regions that transcend national borders. SEPA implementation guidelines for direct debits are based on the adoption of the ISO 20022 or UNIFI standard. A SEPA direct debit pulls funds from the debtors bank account into the creditors bank account. The pull is based on a direct debit mandate provided by the debtor to the creditor.

A mandate is a form given by the debtor to the creditor that authorizes the creditor to initiate collections on a debt. The mandate allows a debit from the debtor's specified account and enables the debtor's bank to comply with the instructions in accordance with the SEPA Rulebook. The collections are separate transactions from the underlying contract on which they are based. The underlying contract is agreed on between the creditor and the debtor. PeopleSoft Financial Gateway enables the creditor to print the mandate form with a reference number assigned by the system.



Mandate process flow

The debtor can be a Treasury counterparty or a customer. After the debtor completes and signs the mandate form, the debtor must return the completed mandate to the creditor. The creditor must enter the mandate information from the paper form in PeopleSoft Financial Gateway on the Direct Debit for Counterparties page if the debtor is a Treasury counterparty, or on the Direct Debit Mandate for Customers page if the debtor is a customer. The mandate must be signed by the debtor.

The debtor can amend the mandate form by informing the creditor of any necessary changes and state the reason for the amendment. The creditor selects a reason code on the amendment section of the form, which appears when the creditor makes the change and saves the change to the form in the system.


You can amend an approved mandate. Once you have amended the mandate, it must be approved again. Each mandate line must be approved. If you amend a mandate before it is approved, then two lines must be approved—the original line and the amended line.

You set up these pages to assist in performing SEPA direct debits:

- **Transfer Template page:** Identify the SEPA Direct Debit layout where the payment method is Direct Debit, select an external account that supports direct debit, and fill in the mandate information.

- EFT Transfer page: Select the SEPA Direct Debit Transfer Template, or you can identify payment method as Direct Debit and an external account that supports direct debit collection, and fill in the mandate information.
- Treasury Counterparties page: View direct debit mandates and their status.

The initiating party sends the Customer Direct Debit Initiation message to the forwarding agent or creditor agent using PeopleSoft Financial Gateway. The message requests a single or bulk collection of funds from one or more of the debtor's accounts for a creditor. A prenotification of the collection must be issued fourteen days before initiating the direct debit.



SEPA Direct Debit Message Structure

SEPA direct debits can be initiated from PeopleSoft Receivables or by creating an EFT request in PeopleSoft Cash Management, which treats direct debits as collection items. Both products must identify the SEPA direct debit layout and euro (EUR) as the currency, and capture the BIC/IBAN and mandate information.

SEPA Payment Cancellations and Reversals

PeopleSoft predefines layouts in the system to handle cancellations and reversals for SEPA credit transfers and direct debits.

- SEPA layouts:
 - SEPA_RVSL (Payment Reversal)
 - SEPA_RVS_2 (Payment Reversal, Pain 007.001.02)
- ISO 20022 layouts: (generic)
 - ISO_CNCL (ISO Payment Cancellation Layout)
 - ISO_RVSL (ISO Payment Reversal)


See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding the Layout Catalog, page 24.](#)

These layouts are used to cancel or reverse payment messages electronically as XML messages from PeopleSoft Financial Gateway.

These layout properties will be attached to the existing SEPA layouts to help identify the layouts to use for cancellation or reversal messages electronically as XML messages from PeopleSoft Financial Gateway.

In PeopleSoft Payables, you can cancel a SEPA cash transfer payment and reverse the cancellation. However, in PeopleSoft Receivables, you can reverse a SEPA direct debit, but you cannot cancel it.

Users can define their own reason codes and reasons for payment cancellation and reversals.



PeopleSoft Payables and Receivables Cancellation and Reversal Statuses

You must run the Payment Cancellation process to send the cancellation message to the bank, which will change the current status to Cancelled with Message for PeopleSoft Payables SEPA cash transfer transactions.

You must run the Payment Reversal process, which will change the current status to Reversed with Message for PeopleSoft Receivables SEPA direct debit transactions.

SEPA Payment Cancellation and SEPA Payment Reversal messages can be sent for payments received from third-party systems into Financial Gateway.

SEPA Credit Transfer Cancellation

Typically, when a SEPA cash transfer payment transaction is received by the bank and there are problems with the transactions, you use the PeopleSoft Payables cancellation process to cancel the payment. The PaymentCancellationRequest message is sent by the initiating party or any agent to the next party in the payment chain. It is used to request the cancellation of a previously sent instruction.

SEPA Direct Debit Reversal

You perform a SEPA direct debit reversal in PeopleSoft Receivables the same way you perform a non-SEPA direct debit reversal. You can cancel a direct debit with a status of Paid, which transmits a reversal to PeopleSoft Financial Gateway. This action ends the life cycle of a direct debit in PeopleSoft Receivables and you cannot change it back again. However, when a direct debit is canceled in Receivables, this reopens the item and the item can then be processed through the Direct Debit system again and generate a new direct debit, which can eventually be paid through PeopleSoft Financial Gateway.

The Direct Debit Customer Payment Reversal message is sent by the initiating party to the next party in the payment chain. It is used to reverse a payment that was previously executed. The message is exchanged between a non-financial institution customer and an agent to reverse a CustomerDirectDebitInitiation message that has been settled. The result will be a credit on the debtor's account.

Payment Status Report

PeopleSoft predefines layouts in the Layout Catalog for the document type Payment Acknowledge. This layout will be used to import the Payment Status report XML file that is sent by the bank. The file that will be imported is an acknowledgement file sent by the bank adhering to ISO 20022 XML standards.

- PMT_STATV2 (ISO 20022 payment status V2, Pain.002.001.002)
- PMT_STATV3 (ISO 20022 payment status V3, Pain.002.001.003)

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Understanding the Layout Catalog, page 24.](#)

The PaymentStatusReport message is exchanged between an agent and a non-financial institution customer to provide status information on instructions previously sent. Its usage is governed by a bilateral agreement between the agent and the non-financial institution customer.

The PaymentStatusReport message provides information about the status (rejection or acceptance) of the initiation of a SEPA credit transfer, a SEPA direct debit, or other customer instructions, such as a SEPA payment cancellation or reversal request.

The Acknowledgement Files page in PeopleSoft Financial Gateway enables the user to select the bank, bank account, the PMT_STATV2 and PMT_STATV3 layouts, specific transaction ID, Payment file ID, and a date range to view this PaymentStatusReport message.

Important! PeopleSoft Treasury has added these 9.1 SEPA features to PeopleSoft 8.9 and PeopleSoft 9.0.

Entering and Managing Direct Debit Mandates

This section discusses how to:

- Print a direct debit mandate form.
- Enter and update a direct debit mandate for Treasury counterparties.
- Enter and update a direct debit mandate for customers.
- Approve a direct debit mandate.

- Cancel an individual direct debit mandate.
- Cancel unused mandates.

Pages Used to Enter and Manage Direct Debit Mandates

Page Name	Definition Name	Navigation	Usage
Mandate Sequence Number	PMT_SEQ_NUM_SEC	Set Up Financials/Supply Chain, Business Unit Related, General Ledger, General Ledger Definition, Definition, and click the Mandate Sequence Number link.	Identify the sequence type (mandate ID and reference number), beginning sequence number, maximum length and last auto-assigned number to apply to a mandate form. <i>See PeopleSoft General Ledger 9.1 PeopleBook, "Defining Your Operational Structure," Defining a General Ledger Business Unit.</i>
Print Direct Debit Mandate Form	RUN_PRT_MANDATE	Financial Gateway, Maintain Mandate, Print Mandate Form, Print Direct Debit Mandate Form	Print the mandate paper form that must be completed by a debtor for a creditor.
Direct Debit Mandate for Counterparties	PMT_MANDATE_DTL	Financial Gateway, Maintain Mandate, Mandate for Counterparties, Direct Debit Mandate for Counterparties	Enter and update direct debit mandate information.
Direct Debit Mandate for Customers	PMT_MANDATE_DTL	Financial Gateway, Maintain Mandate, Mandate for Customers, Direct Debit Mandate for Customers	Enter and update direct debit mandate information for customers.
Mandate Attachments	PMT_MAN_ATTACH_SEC	Click the Attachments link on the Direct Debit Mandate for Counterparties or Direct Debit Mandate for Customers pages.	Add attachments to a direct debit mandate.
Approve Direct Debit Mandates	PMT_APPR_MANDATE	Financial Gateway, Maintain Mandate, Approve Mandate, Approve Direct Debit Mandates	Approve direct debit mandates.
Cancel Direct Debit Mandates	PMT_CAN_MANDATE	Financial Gateway, Maintain Mandate, Mandate for Customers, Cancel Individual Mandate, Cancel Direct Debit Mandates	Cancel individual direct debit mandates.

Page Name	Definition Name	Navigation	Usage
Cancel Unused Mandates	PMT_CANCEL_MANDATE	Financial Gateway, Maintain Mandate, Mandate for Customers, Cancel Unused Mandates, Cancel Unused Mandates	Cancel unused mandates.

Printing a Direct Debit Mandate Form

Access the Print Direct Debit Mandate Form page (Maintain Mandate, Print Mandate Form, Print Direct Debit Mandate Form).

Print Direct Debit Mandate Form

Run Control ID: SEPA [Report Manager](#) [Process Monitor](#)

Primary Language

Primary Language: 

Secondary Language: 

*Creditor Company: 

Description: US001 NEW YORK OPERATIONS

Number Of Prints:

Location: 

Contract#:

Contract Description: 

Print Direct Debit Mandate Form page

You can print a blank mandate form to send to the creditor to complete, or you can print a copy of a mandate that contains the form details that you entered for a Treasury counterparty or customer.

Creditor Company

Select the company that issues the mandate to the debtor to complete. The creditor must provide a pre-numbered SEPA direct debit mandate either in a paper form or the pre-numbered blank form can be sent electronically to the debtor to complete. The creditor prints the SEPA Direct Debit Mandates on a paper form with a pre-numbered mandate reference number. The system stores the last number used and automatically generates the next number.

Entering and Updating a Direct Debit Mandate for Treasury Counterparties

Access the Direct Debit Mandate for Counterparties page (Financial Gateway, Maintain Mandate, Mandate for Counterparties, Direct Debit Mandate for Counterparties).

Direct Debit Mandate

Direct Debit Mandate for Counterparties

Business Unit: US001 Contract: <input type="text" value="123445"/> Contract Description: <input type="text" value="Agreement to perform direct debits from account"/> *Signed At: <input type="text" value="PARIS, FR"/>	Mandate ID: 000000000000001 Mandate Status: Issued Mandate Type: Paper *Signed By: <input type="text" value="Jean Louis Bordeaux"/> *Signed On: <input type="text" value="08/11/2009"/>
---	---

Mandate Scroll Area Find | View All | First 1 of 1

Effective Date: <input type="text" value="08/11/2009"/>	Approval Status: Pending For Approval
Sequence: <input type="text" value="1"/>	*Mandate Reference #: <input type="text" value="555333222"/>

Creditor Company

Creditor's Name: US001 NEW YORK OPERATIONS	Country: <input type="text" value="USA"/> United States
Creditor's Identifier: 12345678	Address 1: <input type="text" value="322 Park Ave."/>
	Address 2: <input type="text" value="Suite 1"/>
	Address 3: <input type="text"/>
	City: <input type="text" value="New York"/>
	County: <input type="text"/>
	Postal: <input type="text" value="90000"/>
	State: <input type="text" value="NY"/> New York

Payment Type

Recurrence Payment
 One-Off Payment

Direct Debit Mandate for Counterparties page (1 of 2)

Name of Debtor	
Debtor Type:	Treasury Counterparty
Country:	FRA France
Counterparty:	FRABK
Address 1:	125 Rue de Montagne
Address 2:	Suite 1
Debtor's Identifier:	523456677
Address 3:	
*Debtor Party:	FREDERIC J. PENDES
Post Office:	Rue de Nationale
*DFI ID:	CRLYCMC1234
City:	Paris
*IBAN:	CM2110002000545970579300003
Postal:	9000,223
Department:	75

Attachments	
Attached File	Description
1	

Save Notify Add Update/Display C

Direct Debit Mandate for Counterparties page (2 of 2)

Mandate ID

When you add a mandate and select a business unit, the next mandate ID is automatically generated based on the General Ledger business unit applied to this mandate. The Mandate ID appears on the form when the form is created or printed. This ID is used to track the mandate in the system and is automatically sequenced each time the mandate is modified or changed.

See *PeopleSoft General Ledger 9.1 PeopleBook*, "Defining Your Operational Structure," Defining a General Ledger Business Unit.

Contract and Contract Description

Enter the contract number associated with this mandate.

Mandate Status

Default value when you add a new mandate to the system is *Issued*. This is a read-only field.

If you cancel this mandate, this value changes to *Cancelled*.

Mandate Type

Default read-only value is *Paper*.

Signed By

Enter the name of the debtor who signed this direct debit mandate.

This is a required field.

Signed At

Enter the city or town in which the creditor signed this direct debit mandate.

This is a required field.

Signed On

Select the date on which this direct debit mandate form was signed.

This is a required field.

Mandate Scroll Area

Effective Date	Select the date from which the information entered on this mandate is effective.
Approval Status	The default value for a new mandate is <i>Pending For Approval</i> . This is a read-only field. Once the mandate is approved, this value changes to <i>Approved</i> .
Sequence	The default value of a new mandate is <i>1</i> . Change this sequence number if you have added more than one mandate for a the same effective date.
Mandate Reference # (mandate reference number)	Enter the reference number provided on the mandate paper form signed by debtor. This is a required field.

Creditor Company

This section identifies the name and location of the creditor involved in the SEPA direct debit transaction.

Creditor's Name	This name is derived from the business unit that you selected for this mandate. It is a read-only field.
Creditor's Identifier	The default value for this field is derived from the value that you entered on the GL Business Unit ID Numbers page. This value consists of : <ul style="list-style-type: none"> • The ISO country code (2 characters). • The check digit (2 characters). • The creditor's business code (3 characters). • The national identifier (up to 28 characters). This is a read-only field.

Important! Make sure that the number that you enter for this field in the business unit is correct, because the system does not verify the accuracy of the number.

See *PeopleSoft General Ledger 9.1 PeopleBook*, "Defining Your Operational Structure," Defining and Maintaining a Mandate Sequence Number.

Payment Type

Select one of these payment types:

- Recurrence Payment

A payment that will be repeated more than once for a period of time.

- One-Off Payment

A one-time payment.

Country

Select the country code that represents the country in which this creditor is located.

Address 1, Address 2, Address 3, City, County, State, and Postal

Enter the address information for this creditor.

Name of Debtor

This section identifies the name and location of the debtor involved in the SEPA direct debt transaction. In this case the debtor is a Treasury counterparty.

Debtor Type

Default value is Treasury Counterparty, which is read-only.

You must set up a counterparty before you can enter mandate information.

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up Counterparties."

Counterparty

Select the associated counterparty.

Debtor's Identifier

Enter the identifier associated with this debtor.

For business users, enter any code in this field that you want to have quoted by your bank.

Debtor Party

Enter the name of the party that owes an amount of money to the creditor. This can be the debtor or identify a party on whose behalf the debtor proposes to make the payment.

This is a required field.

DFI ID (depository financial institution identification)

Enter the DFI ID (BIC) code for this debtor.

All of the SWIFT validations for BIC are executed upon entering this code.

This is a required field for SEPA direct debits.

IBAN (International Bank Identifier Number)

Enter the IBAN for this debtor in the IBAN field.

This is a required field for SEPA direct debits.

See [Chapter 7, "Defining SEPA \(Single Euro Payments Area\) Requirements and Transactions," SEPA Glossary, page 125.](#)

Attachments

Click the attachment link to access the Mandate Attachments page where you can click the Add Attachments button to add documents to this form. This feature is primarily used to enable the creditor to attach a scanned image of the Direct Debit Mandate paper form to the online mandate.

Save

Click to save the page.

Entering and Updating a Direct Debit Mandate for Customers

Access the Direct Debit Mandate for Customers page (Financial Gateway, Maintain Mandate, Mandate for Customers, Direct Debit Mandate for Customers).

See [Chapter 7, "Defining SEPA \(Single Euro Payments Area\) Requirements and Transactions," Entering and Updating a Direct Debit Mandate for Treasury Counterparties, page 138.](#)

Direct Debit Mandate

Direct Debit Mandate for Customers

Business Unit: US001 Contract: 4566 Contract Description: Direct Debit agreement between parties. *Signed At: BELGIUM	Mandate ID: 000000000000003 Mandate Status: Issued Mandate Type: Paper *Signed By: DVP1 *Signed On: 09/16/2009
--	--

Mandate Scroll Area
Find | View All | First | 1 of 1

Effective Date: 09/16/2009	Approval Status: Pending For Approval
Sequence: 1	*Mandate Reference #: DFJ69

Creditor Company

*Creditor's Name: US001 NEW YORK OPERATIONS	Country: USA United States
*Creditor's Identifier: 45RT457	Address 1: 144 North Street
	Address 2:
	Address 3:
	City: New York
	County: Postal:
	State: NY

Payment Type

Recurrence Payment
 One-Off Payment

Direct Debit Mandate for Customers page (1 of 2)

Name of Debtor			
Debtor Type:	Customer	Country:	BEL Belgium
Customer ID:	BLG02	Location:	<input type="text"/>
MICR ID:	BLG02	Street:	Grand Place
Debtor's Identifier:	<input type="text"/>	Number:	<input type="text"/> Addition: <input type="text"/>
*Debtor Party:	TEST	City:	Brussels
*DFI ID:	4563BE35	Province:	WB Waals Brabant
*IBAN:	BE68539007547034	Postal:	<input type="text"/>

Direct Debit Mandate for Customers page (2 of 2)

Most of the fields that appear on the Direct Debit Mandate for Customers page are identical to the fields on the Direct Debit for Mandate for Counterparties page with these exceptions:

Name of Debtor

Debtor Type

Displays *Customer* as the read-only default value.

Customer ID

Select the customer ID for this debtor.

MICR ID (magnetic ink character recognition)

Select the MICR ID for this debtor customer or search for and enter a new MICR ID for this customer. You must enter a MICR ID for this customer so that the DFI ID and IBAN values will display on the page.

Debtor Party

Enter the debtor party. This is a required field.

This is the name of the party that owes an amount of money to the creditor. This can be the debtor or identify a party on whose behalf the debtor proposes to make the payment.

DFI ID (depository financial institution identification) and **IBAN** (International Bank Identifier Number)

Displays the DFI ID and IBAN values based on the values entered for the MICR ID associated with this customer (debtor). This fields are read-only and are not available for entry for a customer.

Amending a Direct Debit Mandate

Access the Mandate Amendment Details section of the Direct Debit Mandate for Customers (or Counterparties) page (Financial Gateway, Maintain Mandate, Mandate for Customers or Mandate for Counterparties)

Mandate Amendment Details			
Reason Code:	<input type="text" value="ERROR"/>	User ID:	<input type="text" value="DVP1"/>
Signed On:	<input type="text" value="08/11/2009"/> 	Signed At:	<input type="text" value="PARIS, FR"/>
Original Creditor ID:			
Original IBAN:			
Original BIC:			
Original Mandate Ref. #:			

Mandate Amendment Details - Direct Debit Mandate page

You can amend both an approved and pending approval mandate form. To amend a mandate form, you must add a new row when you click the Add icon in the Mandate Scroll area. You can change the effective date to a future date or change the sequence number if you have more than one amendment for the same date.

- Reason Code** Enter a reason code that represents the reason for amending the mandate. Reason codes are set up in Set Up Financials/Supply Chain, Common Definitions, Codes and Auto Numbering, Reason Codes.
- User ID** The user id of the user who amends the mandate appears in this field.
- Signed On** Select the date on which this mandate amendment was created. The default date is the system date.
- Signed At** Enter the city (location) where the amendment was signed.
- Original Creditor ID (original creditor identifier)** Displays the Creditor ID of the original creditor who issued the mandate and entered the mandate information. This value only appears if it was included in the amendment.
- Original IBAN** Displays the creditor's original IBAN number. This value only appears if it was included in the amendment.
- Original BIC** Displays the creditor's original BIC/SWIFT DFI ID code. This value only appears if it was included in the amendment.
- Original Mandate Ref # (original mandate reference number)** Displays the original mandate reference number. Value only appears if mandate reference number is updated in the amendment.

Approving a Direct Debit Mandate

Access the Approve Direct Debit Mandates page (Financial Gateway, Maintain Mandate, Approve Mandate, Approve Direct Debit Mandates).

Approve Direct Debit Mandates

Search Criteria

Creditor's Company From:

Creditor's Company To:

Date From:

Date To:

Mandate ID From:

Mandate ID To:

Mandate Reference From:

Mandate Reference To:

*Approval Status: Pending For Approval

Approval Details

Approve Mandate Customize | Find | View All | First 1 of 1 Last

Select	Business Unit	Mandate Reference #	Mandate ID	Date From	Status	Approval Status
<input type="checkbox"/>	US001	555333222	0000000000000001		Issued	Pending ▼

[Select All](#)
 [Clear All](#)

Approve Direct Debits Mandate page

Creditor's Company From and Creditor's Company To

Select the creditor's company in the From field. The company you selected also appears in the To field. If the company has more than one or a series of offices or branches, select the last company that you want to include in the search.

The system will search through all creditor companies that have mandates associated with them based on the selected search criteria, if you leave these fields blank.

Date From and Date To

Select a single date or a date range that includes the mandates that you want to have approved. The system will search through all mandate dates that fall within the selected search criteria if you leave these fields blank.

Mandate ID From and Mandate ID To

Enter a single mandate ID or a range of mandate ID values. If you leave these fields blank, the system will list all mandate ID values that fall within the selected search criteria.

Mandate Reference Number From and Mandate Reference Number To

Select a single mandate reference number for which to search or select a range of reference numbers. The system searches for and lists the mandates based on your selection. You can leave this field blank and the system will search for and list all mandate reference numbers based on any other selected search criteria.

Search

Click button to search for and display mandates that match the selected search criteria in the Approval Details group box.

Approve

Select the mandates in the Approve Mandate grid that you want to approve and click this button.

The Approval Status values in for the mandates that were selected for approval changes to *Approved* after you click the Approve button.

Canceling an Individual Direct Debit Mandate

Access the Cancel Direct Debit Mandates page (Financial Gateway, Maintain Mandate, Cancel Individual Mandate, Cancel Direct Debit Mandates).

Cancel Individual Mandates

Search Criteria

Creditor's Company From: <input type="text"/>	Creditor's Company To: <input type="text"/>
Date From: <input type="text"/>	Date To: <input type="text"/>
Mandate ID From: <input type="text"/>	Mandate ID To: <input type="text"/>
Mandate Reference From: <input type="text"/>	Mandate Reference To: <input type="text"/>
Name of Debtor: <input type="text" value="FRENCH BANK"/>	

Cancellation Details

Mandate Information							Customize Find View All First 1 of 1 Last
Select	Creditor Company	Mandate Reference #	Name of Debtor	Effective Date	Status	Cancellation Remarks	
<input type="checkbox"/>	US001	555333222	FRENCH BANK	08/11/2009	Issued	<input type="text"/>	

[Select All](#)
 [Clear All](#)

Cancel Individual Mandates page

- Search** Enter one or more values in the search criteria fields and click this button to search and list the mandates based on the selected criteria.
- Cancellation Remarks** Enter the reason for the cancellation or any additional remarks.
- Cancel** Click this button to cancel the selected mandates. Canceling a mandate updates the Mandate Status field to *Cancelled* for each mandate that was canceled.

Canceling Unused Mandates

Access the Cancel Unused Mandates page (Financial Gateway, Maintain Mandate, Cancel Unused Mandate, Cancel Unused Mandates).

Cancel Unused Mandates

Run Control ID: 1 [Report Manager](#) [Process Monitor](#)

Language: ▼

*Creditor Company: 🔍

Date: 📅

Process: ▼

Process Instance: 🔍

Cancel Unused Mandates page

Based on SEPA usage rules, if the creditor does not present a collection under a given valid mandate for a period of 36 months, the creditor must cancel the mandate. The creditor is no longer allowed to initiate collections based on this canceled mandate. The PMT_CANCEL process is used to cancel all unused mandates associated with the selected creditor. You can print a list of mandates that need to be canceled. You can also undo the cancellation of mandates executed by this process.

Language	Select the language of the mandate that you want to cancel. English is the default language, which you can override.
Creditor Company	Select the creditor company associated with any unused mandates.
Date	Select the date on which you are canceling the mandates. This date is used as the basis for calculating the 36-month period, which is used to check for unused mandates eligible for cancellation.
Process	Select one of these processes: <ul style="list-style-type: none"> • <i>Cancel Unused Mandate and Print</i> • <i>Print Unused Mandate</i> • <i>Undo Cancel</i>
Process Instance	Select or enter the process instance number of an unused mandate that you have already canceled when you select <i>Undo Cancel</i> for the Process value.

Integrating with PeopleSoft Global Payroll

The PeopleSoft Global Payroll product is now integrated with PeopleSoft Cash Management to enable each country affected by SEPA regulations to comply with SEPA credit transfer requirements. While the PeopleSoft Global Payroll Core banking process prepares all the payment data, Financial Gateway provides this functionality:

- Formats the payment data based on Global Payroll Country setup.
- Produces the SEPA payment file.
- Sends the payment files to and receives responses from the banks.
- Sends acknowledgements back to Global Payroll.

The SEPA Credit Transfer layout (SEPA_CT, pain.001.001.02) is the only payment format currently supported from Global Payroll through Financial Gateway.

See [Chapter 2, "Defining Financial Gateway Integration Options," page 3.](#)

Prerequisites

To use the SEPA processing with Global Payroll payments, PeopleSoft Global Payroll 9.1 and PeopleSoft Cash Management 9.1 are required, as well as PeopleTools 8.51 or above.

Setting Up Global Payroll for SEPA Processing

The delivered SEPA framework for HCM is an addition to the existing banking features in PeopleSoft Global Payroll Core and PeopleSoft Global Payroll Country Extensions for European countries. You must set up core and country extensions to prepare all the payment data for SEPA processing through Financial Gateway. For detailed information, refer to PeopleSoft Global Payroll documentation.

See *PeopleSoft Global Payroll 9.1 PeopleBook*.

1. Set up Global Payroll banking.

Bank data from Global Payroll must match the bank information defined in Financial Gateway. Bank ID as well as IBAN and BIC have to be identical on both HCM and FMS instances for a given bank and bank account. You must also set the default currency to euro (EUR) in both systems.

2. Set up IBAN and BIC for Global Payroll banking for each country.

Populate the IBAN Country Setup page (Set Up HRMS, Common Definitions, Banking, IBAN Country Setup) for each country for which you want to process SEPA payments.

3. Enter a valid IBAN number for each employee in Global Payroll who will receive SEPA payments.

Employees can add this information on the Personal Bank Accounts - Add Account Details page.

4. Define banking at the country level in Global Payroll.

This involves these two steps:

- Define how the system populates the Global Payroll SEPA payment (GP_PAYMENT_FG) record for each country on the Banking Country Setup page (Set Up HRMS, Product Related, Global Payroll & Absence Mgmt, Banking, Banking Country Setup).
- Set up and order country-specific SQL statements to populate the GP_PAYMENT_FG record according to your specific business process on the Banking Preparation Definition page (Set Up HRMS, Product Related, Global Payroll & Absence Mgmt, Banking, Banking Preparation Definition).

Setting Up Financial Gateway for Global Payroll SEPA Payments

To support payment transfer from Global Payroll through Financial Gateway, you must set up banking in Financials, map banks and accounts to the SEPA_CT payment layout, and register Global Payroll as a third-party source. In addition, you must associate Global Payroll with Integration Broker to pass the data and subscribe to the asynchronous, outbound service operation (PAYMENT_RESPONSE_OUT_ASYNC) to handle requests sent from Global Payroll.

1. Define banks and branches for payroll payments processing in PeopleSoft Financials.

Bank data from Financial Gateway must match the bank information defined in Global Payroll. Bank ID as well as IBAN and BIC have to be identical on both HCM and Financials instances for a given bank and bank account. You must set the default currency to euro (EUR) in both systems.

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up Banks."

2. Set up external bank accounts to be used by Global Payroll.

The GP option on the External Accounts page (Banking, Bank Accounts, External Accounts, External Accounts) designates an account for use by Global Payroll for a SEPA credit transfer (SEPA_CT).

The screenshot shows the 'External Accounts' page in PeopleSoft. The 'Account Information' section is expanded, showing details for a bank account. The 'Valid Account Currencies' section shows 'EUR' as the currency code. The 'Account Use' section has the 'GP' checkbox checked. The 'Bank Account Ledger Types' table is also visible.

Acct Type	*Account	Oper Unit	Fund	Dept	Program	Class
Cash	100000					

External Accounts page designated for Global Payroll

Account data, including bank account number, from Financial Gateway must match the accounts defined in Global Payroll. IBAN and BIC have to be identical on both HCM and FMS instances for a given bank and account.

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up External, Internal, and Netting Accounts."

3. Associate the SEPA_CT layout with the banks and bank accounts.

Before the SEPA_CT layout can be associated with external bank accounts, it must be set up for a selected bank on the Bank Integration Layouts page (Banking, Administer, Bank Integration, Bank Integration Layouts).

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Defining Bank Integration Layouts for Payments, page 59.](#)

Then you access one or more external bank accounts that you want to set up to perform SEPA credit transfers and attach the layout to the bank account. You also have to set up the payment method to dispatch the credit transfer transaction electronically using PeopleSoft Financial Gateway.

See *PeopleSoft Banks Setup and Processing 9.1 PeopleBook*, "Setting Up External, Internal, and Netting Accounts."

- Define a subsystem or transaction source to identify Global Payroll as the originator of the payment.

Although the GP source system is registered as system data, you assign attributes including payment status and payment numbering properties on the Source Registration page (Financial Gateway, Administration, Source Registration). For integration with Global Payroll, Integration Broker is selected to pass data between the source application and Financial Gateway.

Source Registration

Source System: GP

*Description: Global Payroll

Integration Details

*Inbound Integration Type: Integration Broker External Source
 Inbound Node: External Publish

*Outbound Integration Type: Integration Broker Financial Sanctions Validation
 *Node Name:

Status Integration Details

*Dispatch Status		
1 Canceled	<input type="button" value="+"/>	<input type="button" value="-"/>
2 Error	<input type="button" value="+"/>	<input type="button" value="-"/>
3 Awaiting Dispatch	<input type="button" value="+"/>	<input type="button" value="-"/>
4 Paid	<input type="button" value="+"/>	<input type="button" value="-"/>
5 Dispatched to Bank	<input type="button" value="+"/>	<input type="button" value="-"/>

Send Load Response Errors Only
 Send Remittance Advise

Report Definition ID:
 Remittance Email ID:

Payment Numbering Properties

*Payment ID Prefix: GP Last Payment Number: 0000000000

Drill Back Details

*Drill to Source Transaction: None

Source System Key Information Customize | Find | View All | First | 1-10 of 15 | Last

*Source Fieldname	*Destination Field	Field Label ID	Display in Payment Details	Seq		
CAL_RUN_ID	KEY_CHAR_40_01	CAL_RUN_ID	<input checked="" type="checkbox"/>	10	<input type="button" value="+"/>	<input type="button" value="-"/>
EMPLID	KEY_CHAR_40_02	EMPLOYEE_ID	<input checked="" type="checkbox"/>	20	<input type="button" value="+"/>	<input type="button" value="-"/>
EMPL_RCD	KEY_CHAR_40_03	EMPL_RCD#	<input checked="" type="checkbox"/>	30	<input type="button" value="+"/>	<input type="button" value="-"/>
GP_PAYGROUP	KEY_CHAR_40_04	GP_PAYGROUP	<input checked="" type="checkbox"/>	40	<input type="button" value="+"/>	<input type="button" value="-"/>
RUN_TYPE	KEY_CHAR_40_05	RUN_TYPE	<input checked="" type="checkbox"/>	50	<input type="button" value="+"/>	<input type="button" value="-"/>
INSTANCE	KEY_CHAR_40_06	INSTANCE	<input checked="" type="checkbox"/>	60	<input type="button" value="+"/>	<input type="button" value="-"/>
ACCOUNT_ID	KEY_CHAR_40_07	ACCOUNT_ID	<input checked="" type="checkbox"/>	70	<input type="button" value="+"/>	<input type="button" value="-"/>
RECIPIENT_TAG	KEY_CHAR_40_08	RECIPIENT_TAG	<input checked="" type="checkbox"/>	80	<input type="button" value="+"/>	<input type="button" value="-"/>
RECIPIENT_ID	KEY_CHAR_40_09	RECIPIENT_ID	<input checked="" type="checkbox"/>	90	<input type="button" value="+"/>	<input type="button" value="-"/>
PYMT_KEY1	KEY_CHAR_40_10	PYMT_KEY1	<input checked="" type="checkbox"/>	100	<input type="button" value="+"/>	<input type="button" value="-"/>

Source Registration page for Global Payroll

Note. Financial Gateway delivers the GP source system with an additional override payment status option. On the Override Payment File Status page (Financial Gateway, Administration, Override Payment File Status), you can override erroneous payments with an *Error* status to mark them as *Canceled* so there is closure on the business process for that payment.

See [Chapter 2, "Defining Financial Gateway Integration Options," Registering a Source Application with Financial Gateway, page 6.](#)

See [Chapter 6, "Working with Payments in Financial Gateway," Changing Payment File Status, page 117.](#)

5. (Optional) Set up load error responses.

You can choose an option on the Source Registration page to receive errors only during the Payment Load process. The default is to receive all response messages.

See [Chapter 2, "Defining Financial Gateway Integration Options," Registering a Source Application with Financial Gateway, page 6.](#)

6. Enable the service operation PAYMENT_RESPONSE_OUT_ASYNC in Integration Broker to pass the data between Global Payroll and Financial Gateway.

See [Chapter 3, "Setting Up Electronic Banking Using Financial Gateway," Setting Up PeopleSoft Integration Broker for Bank Statements, Payments, and Payment Acknowledgements, page 41.](#)

See *PeopleTools 8.51 PeopleBook: PeopleSoft Integration Broker*.

Appendix A

Financial Gateway Reports

This appendix provides an overview of Financial Gateway reports and enables you to view a summary table of all reports.

Note. For samples of these reports, see the PDF files that are published with your online documentation.

See Also

PeopleTools PeopleBook: PeopleSoft Process Scheduler

Financial Gateway Reports: A to Z

This table lists all of the reports provided with Financial Gateway, sorted alphanumerically by report ID. If you need more information about a report, click the link to navigate to information about the process where the report is used.

Report ID and Report Name	Description	Navigation	Run Control Page
FG1000 Payment Activity (Crystal)	View a list of payments in the system based on user-specified criteria.	Financial Gateway, Reports, Payment Activity	RUN_FG1000
FGX1000 Payment Activity (BI Publisher)	View a list of payments in the system based on user-specified criteria.	Financial Gateway, Reports, Payment Activity	RUN_FG1000
FG1001 Payment Exceptions (Crystal)	View all payments that have been sent to the bank and are in error.	Financial Gateway, Reports, Payment Exceptions	RUN_FG1001
FGX1001 Payment Exceptions (BI Publisher)	View all payments that have been sent to the bank and are in error.	Financial Gateway, Reports, Payment Exceptions	RUN_FG1001
FG1002 Stale Payments (Crystal)	View a list of payments that have been sent to the bank but remain unpaid after a specified number of days.	Financial Gateway, Reports, Stale Payments	RUN_FG1002

Report ID and Report Name	Description	Navigation	Run Control Page
FGX1002 Stale Payments (BI Publisher)	View a list of payments that have been sent to the bank but remain unpaid after a specified number of days.	Financial Gateway, Reports, Stale Payments	RUN_FG1002
FG1003 Payment Method Summary (Crystal)	View a list of payments in the system categorized by payment method. This report also provides the total number of payments per payment method.	Financial Gateway, Reports, Payment Method Summary	RUN_FG1003
FGX1003 Payment Method Summary (BI Publisher)	View a list of payments in the system categorized by payment method. This report also provides the total number of payments per payment method.	Financial Gateway, Reports, Payment Method Summary	RUN_FG1003
FG1004 High Value Payments (Crystal)	View a list of all payments that are greater than or equal to a specified amount.	Financial Gateway, Reports, High Value Payments	RUN_FG1004
FGX1004 High Value Payments (BI Publisher)	View a list of all payments that are greater than or equal to a specified amount.	Financial Gateway, Reports, High Value Payments	RUN_FG1004

Index

Symbols

(PMT_DISPATCH)
Dispatch Payment Application Engine process

A

acknowledgment files 119
importing 119
advance payment notification 67
Approve Direct Debit Mandates
(PMT_APPR_MANDATE) page 136

B

Balance Codes page 52
bank acknowledgments 119
bank communications partner, integration with
Financial Gateway 67
bank connectivity, bank communications partner
67
bank integration layouts
layout options 61
Bank Integration Layouts page 59
bank statement files
reviewing 84
bank statement layouts
list of PeopleSoft delivered 27
bank statements
importing 79, 80
overview 77
reviewing import file status 83, 84
security considerations 84
setting up electronic data transfer 79
technical overview 78
Batch Publish Rules page 46
BI Publisher templates
for payment layouts 33
BPEL 5
Business Process Execution Language *See* BPEL

C

Cancel Direct Debit Mandates
(PMT_CAN_MANDATE) page 136
Cancel Unused Mandates
(PMT_CANCEL_MANDATE) page 137
chunking *See* payment grouping rules
code mapping
understanding 29
Code Mappings page 38
creditor company 140
credit transfer
SEPA cancellation 134
credit transfer, understanding

SEPA 130
credit transfer initiation, SEPA 128

D

direct debit
mandate 135
SEPA reversal 135
direct debit, understanding
SEPA 131
direct debit initiation, SEPA 128
Direct Debit Mandate for Counterparties
(PMT_MANDATE_DTL) page 136
Direct Debit Mandate for Customers
(PMT_MANDATE_DTL) page 136
dispatching payments
manually 110
Dispatch Payment Application Engine process
(PMT_DISPATCH) 18

E

electronic banking
overview 15
setup 15
electronic banking connectivity, setting up 67
electronic statement retrieval 79
encryption
bank payment and statement 31
Enter Event Code Definition component
(TR_EVENT_CD_DEF_GBL) 23
Event Code Definition page 40
event log 65
External Command component
(PMT_EXT_COMM_CMP_GBL) 64

F

FG1000 - Payment Activity report (Crystal) 153
FG1001 - Payment Exception report (Crystal) 153
FG1002 - Stale Payments report (Crystal) 153
FG1003 - Payment Method Summary report
(Crystal) 154
FG1004 - High Value Payments report (Crystal)
154
FGX1000 - Payment Activity report (BI
Publisher) 153
FGX1001 - Payment Exception report (BI
Publisher) 153
FGX1002 - Stale Payments report (BI Publisher)
154
FGX1003 - Payment Method Summary report (BI
Publisher) 154
FGX1004 - High Value Payments report (BI
Publisher) 154
File Import Application Engine process

(IMPORT_FILES) 78
 File Inbound page 46
 Financial Gateway
 business processes 1
 implementing application tables 2
 PeopleSoft application integration 1, 87, 147
 flat files, importing from third-parties 95
 Full Data Publish Rules page 46

G

Global Payroll 8, 87, 91, 147, 149

H

High Value Payments report (FG1004), Crystal 154
 High Value Payments report (FGX1004), BI Publisher 154

I

Import Acknowledgment Files page 119
 Import Bank Statements page 80
 imported bank statements, determining load status 83
 importing bank statements *See* bank statements
 Import Payment Flat Files page 95
 integration of Financial Gateway and banks
 communication partner 67
 Integration Point (IP) messages
 PAYMENT_DISPATCH 18
 integration points 90
 integration process 8
 description of 3, 147

L

Layout Catalog page 33
 layout options 61

M

mandate
 creditor company 140
 debtor information 141
 direct debit 135
 scroll area 140
 mandate, direct debit
 amending 143
 approving 144
 canceling individual 146
 canceling unused 146
 customers 142
 printing form 137
 treasury counterparties 138
 Mandate Attachments

(PMT_MAN_ATTACH_SEC) page 136
 Mandate Sequence Number page 136

N

Node Definitions page 45
 for bank statement 48
 for payment acknowledgments 48
 for payments 46
 Nodes - Connectors page 45

O

Override Payment File Status page 117
 Override Payment Status page 108

P

PAYMENT_CANCEL 90
 PAYMENT_DISPATCH IP message 18
 PAYMENT_REQUEST 90
 PAYMENT_RESPONSE 90
 PAYMENT_STATUS_REQUEST 90
 payment acknowledgment files
 importing 119
 reviewing 122
 Payment Activity report (FG1000), Crystal 153
 Payment Activity report (FGX1000), BI Publisher 153
 payment analytics 103
 payment cancellation
 SEPA 133
 Payment Dispatch Application Engine process (PMT_DISPATCH) 109
 Payment Dispatch page 110
 Payment Exceptions report (FG1001), Crystal 153
 Payment Exceptions report (FGX1001), BI Publisher 153
 payment files
 flat files 95
 reviewing file transmittal status 114
 reviewing import file status 115
 security considerations 114
 payment files, determining transmittal status 114
 Payment Files page 115
 payment flat files 95
 Payment Grouping Rules page 57
 payment layouts
 list of PeopleSoft delivered 24
 payment methods
 supported 61
 Payment Method Summary report (FG1003), Crystal 154
 Payment Method Summary report (FGX1003), BI Publisher 154
 Payment Preferences page 104
 payment prenotifications 20, 91
 payment requests 99
 payment reversal
 SEPA 133
 payments
 reviewing details 105

- Payment Security Rules component (PMT_SEC_RULE_GBL) 72
- Payments page 100
 - configuring 104
 - payment status 92
 - changing 99, 108
- PMT_DISPATCH 109
- PMT_EXT_COMM_CMP_GBL component 64
- PMT_SEC_RULE_GBL 72
- PMT_SEC_USER_GBL 72
- prenotes
 - See* payment prenotifications, payment prenotifications
- prenotifications
 - See* payment prenotifications, payment prenotifications
- Print Direct Debit Mandate Form (RUN_PRT_MANDATE) page 136

Q

- Queue Definitions page 45

R

- registering source applications 6
- remittance advice 67
- report
 - SEPA payment status 135
- Review Acknowledgment Files page 122
- Review Bank Statement Files page 84
- Review Event Log page 65
- reviewing payments 100
- Review Payment Details page 105
- Review Payment Requests page 99
- Routings - Parameters page 45

S

- Security Options page 73
- Security Rules page 74
- Security User Assignment component (PMT_SEC_USER_GBL) 72
- Security User Assignment page 75
- SEPA
 - BIC requirements 127
 - credit transfer and direct debit initiation 128
 - credit transfers for Global Payroll 149
 - direct debit, understanding 131
 - direct debit remittance advice 67
 - glossary 125
 - payment cancellations 133
 - payment reversals 133
 - payment status report 135
 - understanding credit transfer 130
- Service Operations - General page 45
- Service Operations - Handlers page 45
- Service Operations - Routings page 45
- Settlement Status field 10
- setup electronic banking overview 15
- Source Registration page 6
 - for Global Payroll 151

- staging status, bank statement files 83
- Stale Payments report (FG1002), Crystal 153
- Stale Payments report (FGX1002), BI Publisher 154
- status
 - changing payment files 117
 - changing payment status 108
 - payment 92

T

- TR_EVENT_CD_DEF_GBL component 23
- Transaction Codes page 53
- transmit status, payment files 114

X

- XML message generation 67
- XML messaging
 - for sending payments 90

