

**Oracle® Agile Product Lifecycle Management for
Process**

Content Synchronization and Syndication User Guide

Release 6.1.0.1

E27853-01

March 2012

Oracle Agile Product Lifecycle Management for Process Content Synchronization and Syndication User Guide, Release 6.1.0.1

E27853-01

Copyright © 1995, 2012, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Preface	v
Audience	v
Variability of Installations	v
Documentation Accessibility	v
Related Documents	vi
Conventions	vi
1 Introducing Content Synchronization and Syndication	
Overview	1-1
Publication Targets	1-1
Workflows	1-1
CSS Configuration	1-1
Touch Points with Other Applications	1-2
Global Specification Management	1-2
Workflow Administration	1-2
2 Using Content Synchronization and Syndication	
What are Publications (TIPs)?	2-1
Internal Publications	2-1
External Publications	2-1
Workflow	2-2
Extended Attributes	2-2
Validations	2-2
Message Generators	2-2
Message Transporters	2-2
Message Reconcilers	2-2
Action Items	2-2
Creating New Publications in GSM	2-3
Trade Item Page	2-5
Summary Tab	2-5
Summary Information Section	2-6
Extended Attributes Section	2-7
Attribute Overrides Section	2-7
Catalog Responses Section	2-7
Signatures/Approval Tab	2-8

Validation	2-9
Validating a Publication	2-9
Workflow	2-10
Mass Workflow Tab	2-11
Mass Publications	2-12
Mass Tip Creation	2-12
Summary Information Section	2-13
Specification(s) Section	2-13

Preface

The *Agile Product Lifecycle Management for Process Content Synchronization and Syndication User Guide* contains instructions for inspecting specifications for compliance in Agile Product Lifecycle Management (PLM) for Process.

This preface contains these topics:

- Audience
- Variability of Installations
- Documentation Accessibility
- Related Documents
- Conventions

Audience

This guide is intended for end users who are responsible for creating and managing information in Agile PLM for Process. Information about administering the system resides in the *Agile Product Lifecycle Management for Process Administrator User Guide*.

Variability of Installations

Descriptions and illustrations of the Agile PLM for Process user interface included in this manual may not match your installation. The user interface of Agile PLM for Process applications and the features included can vary greatly depending on such variables as:

- Which applications your organization has purchased and installed
- Configuration settings that may turn features off or on
- Customization specific to your organization
- Security settings as they apply to the system and your user account

Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible to all users, including users that are disabled. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading

technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at <http://www.oracle.com/accessibility/>.

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

TTY Access to Oracle Support Services

To reach AT&T Customer Assistants, dial 711 or 1.800.855.2880. An AT&T Customer Assistant will relay information between the customer and Oracle Support Services at 1.800.223.1711. Complete instructions for using the AT&T relay services are available at <http://www.consumer.att.com/relay/tty/standard2.html>. After the AT&T Customer Assistant contacts Oracle Support Services, an Oracle Support Services engineer will handle technical issues and provide customer support according to the Oracle service request process.

Related Documents

For more information, see the following documents in the Agile PLM for Process Release 6.1 documentation set:

- *Agile Product Lifecycle Management for Process Administrator User Guide*
- *Agile Product Lifecycle Management for Process Global Specification Management User Guide*
- *Agile Product Lifecycle Management for Process Content Synchronization and Syndication Configuration Guide*
- *Agile Product Lifecycle Management for Process Release Notes*. Up-to-date Release Notes and other documentation are posted on Oracle Technology Network (OTN) at this location:

<http://www.oracle.com/technetwork/documentation/agile-085940.html>

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Introducing Content Synchronization and Syndication

This chapter presents an overview of Content Synchronization and Syndication and describes a few basic features. Topics in this chapter include:

- [Overview](#)
- [Touch Points with Other Applications](#)

Overview

Content Synchronization and Syndication (CSS) publishes, or syndicates, a subset of Global Specification Management (GSM) specification data to external or downstream systems from Agile PLM for Process. CSS typically syndicates this data using an XML-based format. CSS supports several distribution methods. It allows syndication of a subset of GSM specification data to distributed enterprise systems, trading partners, and industry exchanges, such as 1Sync.

CSS syndicates GSM specification data to downstream systems based on specific configurable publication targets.

Publication Targets

CSS is integrated into the process of developing publishable specifications within GSM. As specifications are developed, they can be syndicated to configured publication target systems. These publications, or target destinations, can be internal or external systems. Additionally, CSS syndication message requests, or publications, can be tied to a workflow.

Workflows

These publication workflows can be integrated with GSM specification workflows. This integration allows a publication to move to a different state in the workflow automatically when the specification the publication is tied to reaches a customer-defined state in the specification workflow. Refer to the *Agile Product Lifecycle Management for Process Administrator User Guide* for more information on CSS workflows.

CSS Configuration

For information about configuring CSS, see the *Agile Product Lifecycle Management for Process Content Synchronization and Syndication Configuration Guide*.

For general information on using Agile PLM for Process software, see the *Agile Product Lifecycle Management for Process Getting Started Guide*.

Touch Points with Other Applications

Use Content Synchronization and Syndication (CSS) in conjunction with the Global Specification Management (GSM) application to syndicate specification data.

Global Specification Management

You can create and manage CSS publications on the following Global Specification Management (GSM) specifications:

- Trade specifications
- Formulation specifications
- Material specifications
- Packaging material specifications
- Printed packaging specifications

See "[Creating New Publications in GSM](#)" on page 2-3, or for more information, refer to the *Agile Product Lifecycle Management for Process Global Specification Management User Guide*.

Workflow Administration

CSS workflows can be created using the Workflow Administration (WFA) application. Refer to the *Agile Product Lifecycle Management for Process Administrator User Guide* for more information.

Using Content Synchronization and Syndication

This chapter describes the capabilities and applied uses of the Content Synchronization and Syndication product. It includes the following topics:

- [What are Publications \(TIPs\)?](#)
- [Creating New Publications in GSM](#)
- [Trade Item Page](#)
- [Validation](#)
- [Workflow](#)

What are Publications (TIPs)?

Publications are preconfigured objects that define the final destination of the data being syndicated. These publications are referred to as TIPs, or Trans-active Item Publications.

Use publications to send specification data to internal and external systems using a standard output structure. You can configure publications to tailor the transport mechanism, message, and TIP workflow to fit your individual needs.

Internal Publications

Internal publications refer to systems that reside at the same company, such as an ERP or other back-end system. You can create internal publications for supported specification types. You can configure publications for trade and formulation specifications so that select pieces of the trade and formulation hierarchies are syndicated. You can choose which components of the hierarchy you wish to publish and create the publications all at once, and you can select what specifications to publish down to the top level formulation specification. If a top level formulation specification is selected, the entire hierarchy below is syndicated automatically.

External Publications

External publications refer to systems outside of the company. An example of an external syndication is 1Sync, or any other Global Data Synchronization Network (GDSN) compliant data pool. External syndications only create a publication on the specification you specifically request. It is a configuration option to automatically create publications on child specifications based on workflow rules if you determine that is a requirement.

The following sections define many of the configurations that are available to tailor publications to meet your specific needs.

Workflow

Publication workflows are built to assist in the management of publications. Publication workflows give you the ability to configure actions like email notifications, permissions, transitions, and statuses for publications.

Publication workflows are associated with GSM workflows to create a more automated syndication environment. This feature enables a publication to transition in the workflow automatically when the specification it is tied to reaches a particular workflow state. Workflows can be created using Workflow Administration (WFA).

Extended Attributes

Extended attributes can be added to publications.

Validations

You can define different validation rules to run against a publication using validators. Validators are software components that are "plugged in" through a configuration file. This feature enables you to perform validation on a publication before sending the data to a target system.

Message Generators

You can configure publications to use different message formats for each publication. This feature enables different message structures to be provided based on where the data is destined.

Message Transporters

You can define different transport options for configured publication paths. This feature enables messages to be delivered based on the transport requirements of the target system.

Message Reconcilers

You can define different reconciler options for each publication path. This feature enables different message conversations to be handled and reconciled accordingly.

Action Items

The Action Items page displays a list of all publications that identify you as the current owner. To access the Action Items page, click **CSS > Action Items** from the left navigation panel. You can open a publication by clicking anywhere in the corresponding row. To re-sort the contents of the page, click on the column title you wish to sort by and the contents of the Action Items page are re-sorted.

Figure 2–1 Action Items, CSS

The screenshot shows the 'Action Items' interface with a 'Mass Workflow' tab selected. A table titled 'Trade Item Publications' is displayed with 10 items per page. The table has columns for Title, Trade/Spec Type, GTIN/UPC/EAN, Trading Partner, Status, and Last Updated. Three items are visible:

	Title	Trade/Spec Type	GTIN/UPC/EAN	Trading Partner	Status	Last Updated
1	Strawberries	Material		Prodika Syndication Webservice	Third Party Action	07/16/2007 12:53:49 PM
2	Beef w BBQ Sauce	Consumer Unit		Prodika Syndication Webservice	Syndication	05/18/2009 09:32:42 PM
3	Carton - Beef w BBQ Sauce	Packaging Material		Prodika Syndication Webservice	Syndication	02/04/2010 10:05:33 AM

For information on the Mass Workflow tab, refer to "Mass Workflow Tab" on page 2-11.

Creating New Publications in GSM

Single publications for supported specifications are not created from the CSS application. Publications (TIPs) are actually created on the CSS tab of specifications in GSM. Once created, these publications can be managed on the CSS tab of the specification or they can be managed inside the CSS application. Publications are validated in GSM. Refer to "Validation" on page 2-9 for more details. For more information on GSM, see the *Agile Product Lifecycle Management for Process Global Specification Management User Guide*.

To create a new publication:

1. Click the CSS tab on the specification to be syndicated, as shown in Figure 2–2.

Figure 2–2 CSS tab, trade specification

The screenshot shows the 'CSS' tab for a trade specification titled 'BBQ Beef and Vegetable Dinner - 11 oz (501)'. The page is titled 'Packaging Engineering Review'. A table titled 'Initial Publication' is displayed with columns for Trading Partner, Publication Type, Target Market, Initial Publication, Last Updated, Info Provider, Manufacturer, and Current Status. One publication is listed:

	Trading Partner	Publication Type	Target Market	Initial Publication	Last Updated	Info Provider	Manufacturer	Current Status
1	US » PDK » Prodika Syndication Webservice - PDK_WS	Initial Load	US	-----	3/21/2011	CPI	CPI	Draft GSI:

Buttons for 'Add New' and 'Validate For Publication' are visible at the bottom of the table.

2. Click **Add New**. The publications requirements dialog box displays, as Figure 2–3 shows:

Figure 2–3 Publications requirements

3. Specify the following required data:
 - **Manufacturer** — Defines the source of the data being syndicated. For Global Data Synchronization Network (GDSN) compliant target systems, this is the Global Locator Number (GLN) of the information provider.
 - **Publication Type** — Used for GDSN compliant target systems. Typically this is used to tell retailers if it is the first time they have received this product information or if they already have it and should update their information.
 - **Publication Path**—Defines the destination for the syndicated data. Publications are organized by target market. Target market is a GDSN term used to indicate the country where the trade item is available for sale. For example, the US and Canada are two different target markets.

Note: This information resides on the Summary tab of the saved publication. See [Figure 2–5, "Summary tab"](#), on page 2-6 for more information.

4. Click **Done**. GSM creates the publication.
5. Click **Save**. The publication is now included in the publication table on the CSS tab of GSM, as [Figure 2–4](#) shows. The default starting status for publications depends on the configuration of the publication workflow. For more information on publication workflows, see "[Workflow](#)" on page 2-10.

Figure 2-4 Initial publications

Initial Publication									
	Trading Partner	Publication Type	Target Market	Initial Publication	Last Updated	Info Provider	Manufacturer	Current Status	
1	US » UCC » SuperValu (Champaign, IL) - 0041130051616	Initial Load	US	-----	5/6/2011	CPI	CPI	Draft GS1:	✘
2	US » UCC » Albertsons - 0041163000001	Initial Load	US	-----	5/6/2011	CPI	CPI	Draft GS1:	✘
3	US » UCC » Wegmans - 0077890000007	New	US	-----	5/6/2011	CPI	CPI	Draft GS1:	✘
4	US » UCC » SuperValu (Anniston, AL) - 0041130051623	Initial Load	US	-----	5/6/2011	CPI		Draft GS1:	✘
5	US » PDK » Prodika Syndication Webservice - PDK_WS	Initial Load	US	-----	5/6/2011	CPI	CPI	Draft GS1:	✘
6	US » UCC » SuperValu (Eastern Region) - 0041130029004	Initial Load	US	-----	5/6/2011	CPI	CPI	Draft GS1:	✘

To work with the newly created publication, click the publication link in the Trading Partner column. Clicking the link opens a dialog box in the CSS application.

Note: You cannot view publications with a current status of "Draft". Statuses are controlled and updated automatically by the publication workflow.

Trade Item Page

Summary Tab

Once the initial publication is created, it expands into the Trade Item page in CSS, shown in Figure 2-5. You can also access this page by clicking a corresponding row in the CSS Action Items list.

Figure 2–5 Summary tab

The screenshot shows the 'Summary' tab of a trade item publication. The header includes a globe icon, the trade item ID '5077639-001 - BBQ Beef and Vegetable Dinner - 11 oz for...', and the text 'Trade Item Publication'. Below the header are two tabs: 'Summary' (selected) and 'Signatures / Approval'.

The 'Summary Information' section contains the following fields:

- Trade Item:** 5077639-001 - BBQ Beef and Vegetable Dinner - 11 oz for Syndication
- Status:** Catalog Admin Review
- GS1 Status:**
- Target Market:** United States (selected from a dropdown)
- Trading Partner:** US » UCC » All Retailers - 0078742000008
- Information Provider:** CPI (selected from a dropdown)
- Manufacturer:** CPI (selected from a dropdown)
- Item Type:** Consumer Unit
- Last Updated:** 5/9/2011

The 'Extended Attributes' section contains a table with one row:

Extended Attributes		Notes
Calories	500	per serving

The 'Attribute Overrides' section contains an empty table with columns 'Extended Attributes' and 'Attribute Overrides', and an 'Add New' button below it.

The 'Catalog Responses' section contains an empty table with columns 'Type', 'Created', 'Status', and 'Result Message'.

The Summary tab includes the following sections:

- Summary Information Section
- Extended Attributes Section
- Attribute Overrides Section
- Catalog Responses Section

Summary Information Section

The Summary Information section of a publication displays the key information that was entered initially as well as the following information:

Status — The status of the publication based on the CSS workflow it is tied to.

GS1 Status — Used for publications destined for 1Sync and is the status of the addition of this specification to the global registry.

Item Type — If applicable, this is pulled from the item type field on the trade specification.

Last Updated — Last date the publication was updated.

Extended Attributes Section

Use extended attributes on publications to capture publication specific data and enhance the data being sent to a particular destination. For more information on extended attributes, see the *Agile Product Lifecycle Management for Process Getting Started Guide*.

Note: The publication must be in edit mode to add extended attributes. To put the publication in edit mode, click **Edit**.

Attribute Overrides Section

Use the Attribute Overrides section to override related specification data with extended attribute data that exists on the publication.

The attributes that may be overridden are configurable by data type. The following are the trade specification attribute overrides that are preconfigured within the system:

- Available Date—Date
- Case Gross Weight—Numeric
- Net Weight—Numeric
- Case Height—Numeric
- Case Length—Numeric
- Case Width—Numeric
- Case Volume—Numeric
- Each Height—Numeric
- Each Length—Numeric
- Each Width—Numeric
- Each Volume—Numeric
- Product Name—Free Text
- Layers per pallet—Numeric
- Cases per layer—Numeric
- Pallet Gross Weight—Numeric
- Pallet Net Weight—Numeric
- Pallet Height—Numeric
- Pallet Length—Numeric
- Pallet Width—Numeric
- Pallet Volume—Numeric

Catalog Responses Section

The Catalog Responses section gives details about what type of messages were created and their individual status. It is possible to have multiple statuses inside of a given publication status.

For instance, when CSS sends trade specification data to 1Sync, a single publication typically has three unique messages generated. It generates an Add, Modify, and Publish message. Within the message conversation with 1Sync, independent

information on each of those messages is returned. The Catalog Responses section displays this information.

The Catalog Responses section includes the following columns:

- **Type** — The type of transaction within the publication corresponding to a unique message generator.
- **Created** — The date and time the message was generated.
- **Status** — The status of the unique message.
- **Result Message** — The message sent back from the target system if applicable. If a publication fails, the result message supplies supporting information on why it failed.

Signatures/Approval Tab

The Signatures/Approval tab shows the information that relates to the CSS workflow tied to this publication, as Figure 2–6 shows. This information is generated by the system and cannot be changed.

Figure 2–6 Signatures/Approval tab

5077639-001 - BBQ Beef and Vegetable Dinner - 11 oz for...
Trade Item Publication

Summary | **Signatures / Approval**

Current Status

Current Owner:
Current Status: Catalog Admin Review
Desired Action: Trade Item Publication Approval

Start Date: 7/23/2007
Amber Date: -----
Red Date: -----

Event History

Event	User	Time	Comments
Transitioned to 'Catalog Admin Review'	Sarah Adams	7/23/2007 5:56 PM	System
Created	Sarah Adams	7/23/2007 5:56 PM	

Validation

Once a publication has been created on a specification, you can run pre-configured validations against it. Doing so tells you if there are any problems with the data before sending it to the destination defined on the publication. For more information, refer to the *Agile Product Lifecycle Management for Process Content Synchronization and Syndication Configuration Guide*.

Validating a Publication

To validate a publication, click **Validate For Publication** on the CSS tab of the specification in GSM. When you validate a publication, the validation rules defined for that publication are investigated against the related specification data. If there is more than one publication on a specification, the validation rules configured for the publications are run and the error messages that exist display at the top of the CSS tab, as [Figure 2-7](#) shows. You can tell which specification is causing the error condition because the error messages contain the specification number.

Figure 2-7 Validate for Publication and sample error message

The screenshot shows the 'Validate for Publication' interface for a 'Chicken Breast with Roasted Garlic Tomato Dippi...' specification (5077663-001). The interface is in 'Draft' status and has several tabs: Summary, Packaging, Compliance, Ext Data, Related Specs, CSS (selected), Supporting Documents, References, and Approval/Audit Trail.

Error Messages:

- Initial Publication has missing or invalid Manufacturer
- 5077663-001: Invalid GTIN
- 5077663-001: No Start Availability Date specified
- 5077663-001: Invalid Taxonomy
- 5077663-001: No brand specified
- 5077663-001: No sub brand specified
- 5077663-001: Missing owner label identifier
- 5077663-001: Missing trading company
- 5077663-001: Missing shelf life
- 5077663-001: Shelf Life UOM must be expressed in Days
- 5077663-001: Missing country of origin
- 5077663-001: Pack count does not match lower level items count.
- 5077663-001: Missing lower level items for Trade spec type
- 5077663-001: Cannot syndicate Nonstandard Pallet type
- 5077663-001: Missing or invalid case contents value
- 5077663-001: Missing or invalid case length value
- 5077663-001: Missing or invalid case width value
- 5077663-001: Missing or invalid case height value
- 5077663-001: Missing or invalid case gross weight value
- 5077663-001: Missing or invalid pallet height value
- 5077663-001: Missing or invalid pallet gross weight value
- 5077663-001: Missing packaging type on Trade Unit packaging attribute

Initial Publication Table:

Initial Publication								
	Trading Partner	Publication Type	Target Market	Initial Publication	Last Updated	Info Provider	Manufacturer	Current Status
1	US » UCC » Retailers Foods - 0925795000014	New	US	-----	5/9/2011	CPI		Draft GS1:

Buttons: Add New, Validate For Publication

Once all of the errors are resolved and the validation routine passes, a message that states that the publication is valid for publication is displayed, as [Figure 2-8](#) shows.

Figure 2–8 Valid Specification

Vinegar - Distilled - White - 100 Grain (012408) Draft

Material Specification

Summary Formulation Nutrition Compliance Ext Data Related Specs **CSS** Supporting Documents References Approval/Audit Trail

Information
Specification is valid for publication

Initial Publication

	Trading Partner	Publication Type	Target Market	Initial Publication	Last Updated	Info Provider	Manufacturer	Current Status	
1	US » PDK » Prodika Syndication WebService - PDK WS	New	US	8/19/2009	3/22/2010	CPI	CPI	Active GSI:	✘

Add New Validate For Publication

Workflow

Once a publication is validated, you can advance it to a publishable state and send it to the recipient defined in the publication. To workflow an individual publication, click the Trading Partner link on the CSS tab of the GSM specification. This action opens the publication in a CSS dialog box. To advance the publication, click **Workflow** in the action menu. A workflow dialog box displays, as shown in Figure 2–9.

Figure 2–9 Workflow dialog box

Workflow Cancel

Next Action

➡

Staged for Syndication

Your Comments

Current Status

Current Owner:

Current Status: Catalog Admin Review

Desired Action: Trade Item Publication Approval

Start Date: 7/23/2007

Amber Date: -----

Red Date: -----

Select the appropriate workflow status from the drop-down list and then click the move step forward icon (➡) to push the publication forward in the workflow. If an appropriate reverse transition has been defined and you want to move the publication backwards in the workflow, select the appropriate workflow status from the drop-down list and then click the move step back icon (⬅).

Mass Workflow Tab

The Mass Workflow tab in CSS enables you to move multiple publications from one status in the workflow to another.

When you first access the Mass Workflow tab, there are compressed lists of publications that are grouped by status, as shown in [Figure 2–10](#).

Figure 2–10 Mass Workflow tab

Action Items

Action Items Mass Workflow

Active Hide

Select	Title	Trade/Spec Type	GTIN	Trading Partner	Last Updated
<input type="checkbox"/>	BBQ Beef and Vegetable Dinner - 11 oz Case for Syndication	Consumer Unit	00000050857715	River Foods	10/17/2008 11:40:15 AM

Action Selected Items

Staged for Syndication Show

Action Selected Items

Cancelled Show

Action Selected Items

Third Party Action Show

Action Selected Items

Syndication Show

Action Selected Items

Active Show

Action Selected Items

Awaiting Response Show

Action Selected Items

Staged for Syndication Show

Action Selected Items

Every unique status in the workflow that has a publication identifying you as the owner shows on this page. Initially, all of the publications within the groups are hidden. Open the list of publications that are in a particular status by clicking **Show**. This expands all of the publications you own in that status. Click **Hide** to compress the list.

Next, select the individual publications you want to move from one status to the next. To do this, select the check box next to the publication you want to move. Once you have selected all of the publications within the status you want to move, click **Action Selected Items**. A workflow dialog box displays, as [Figure 2–11](#) shows.

Figure 2–11 Workflow next action

The screenshot shows a 'Workflow' dialog box with a 'Cancel' button in the top right. It is divided into three main sections:

- Next Action:** Contains a blue arrow icon pointing right and a dropdown menu currently showing 'Active - Accepted'.
- Your Comments:** A large empty text input field.
- Current Status:** Displays the following information:
 - Current Owner:** (blank)
 - Current Status:** Active
 - Desired Action:** Trade Item Publication Approval
 - Start Date:** 12/31/9999
 - Amber Date:** -----
 - Red Date:** -----

Select the appropriate workflow status from the drop-down list, enter comments associated with this workflow transition and then click the move step forward icon (➡) to initiate the workflow process. Once you have initiated the workflow, the Mass Workflow page automatically updates.

Mass Publications

Mass publications give you the ability to syndicate multiple trade specifications to a single publication. Mass publications are created in CSS.

Mass Tip Creation

To create a mass publication, click **New** in the action menu. This feature is only available for trade specifications.

Mass publications are composed of two sections shown in [Figure 2–12: Summary Information and Specification\(s\)](#).

Figure 2–12 Mass TIP Creation

Mass TIP Creation

Summary Information

Trading Partner:

Publication Type:

Manufacturer:

Specification(s)

Select	Spec #	Specification Name	Trade/Spec Type	Status
<input type="button" value="Add New"/> <input type="button" value="Publish"/>				

Summary Information Section

Use the Summary Information section to add information that helps define the publication for the group of specifications being syndicated:

- **Trading Partner** — Defines the destination for the data being syndicated. As discussed on page 2-1, these can be internal or external. Publications are organized by target markets. Target market is a GDSN term used to define areas of the world.
- **Publication Type** — Publication type is typically used for GDSN syndications. It tells retailers if this is the first time they have received this product information or if they already have it and should update their information.
- **Manufacturer** — Defines who the data being syndicated is coming from. For GDSN syndications, this is the information provider's Global Locator Number (GLN).

Specification(s) Section

Use the Specification(s) section to add the trade specifications to syndicate.

To add trade specifications, click **Add New** and use the search page to select the trade specifications to publish, as shown in [Figure 2–13](#).

Figure 2–13 Search page

The screenshot shows a search interface with the following components:

- Search Criteria:** A dropdown menu set to "Spec Name", a search type dropdown set to "Contains", and a search input field containing "bbq". There are "Reset" and "Search" buttons.
- Search Results:** A table with columns: Spec #, Spec Name, Item Type, and Status. It lists 10 results for "BBQ Beef and Vegetable Dinner - 11 oz" with various item types and statuses.
- Selected Items:** A list box containing the spec numbers "5077539-001" and "5077539-002".
- Buttons:** "Remove", "Clear", and "Done" buttons are located at the bottom.

Spec #	Spec Name	Item Type	Status
5077539-001	BBQ Beef and Vegetable Dinner - 11 oz	Consumer Unit (co-pack)	Packaging Engineering Review
5077539-002	BBQ Beef and Vegetable Dinner - 11 oz	Consumer Unit (not for resale)	Draft
5077539-003	BBQ Beef and Vegetable Dinner - 11 oz	Consumer Unit	Data Admin Review
5077539-004	BBQ Beef and Vegetable Dinner - 11 oz	Traded Unit (co-pack)	Approved
5077539-005	BBQ Beef and Vegetable Dinner - 11 oz	Consumer Unit (not for resale)	Draft
5077539-006	BBQ Beef and Vegetable Dinner - 11 oz	Traded Unit (co-pack)	Review
5077539-007	BBQ Beef and Vegetable Dinner - 11 oz	Consumer Unit	Approved
5077539-008	BBQ Beef and Vegetable Dinner - 11 oz	Consumer Unit (co-pack)	CSS Syndication
5077539-009	BBQ Beef and Vegetable Dinner - 11 oz	Consumer Unit	Draft
5077539-010	BBQ Beef and Vegetable Dinner - 11 oz	Consumer Unit (co-pack)	Draft

Once you select all of the specifications to publish, click **Done**. The selected specifications are returned to the specifications section of the mass publication.

Once you find the specifications you are looking for, select the individual specifications to publish. To do this, select the check box next to each specification, as Figure 2–14 shows. If the check box next to the specification is grayed out, that specification has already been published to the target system you selected and is no longer available for publication.

Figure 2–14 Mass TIP Creation Publishing

The screenshot shows the "Mass TIP Creation" interface with the following components:

- Summary Information:** Fields for "Trading Partner:", "Publication Type:", and "Manufacturer:" with search icons.
- Specification(s):** A table with columns: Select, Spec #, Specification Name, Trade/Spec Type, and Status. Two specifications are listed, both with checked boxes.
- Buttons:** "Add New" and "Publish" buttons are located at the bottom.

Select	Spec #	Specification Name	Trade/Spec Type	Status
<input checked="" type="checkbox"/>	5077539-001	BBQ Beef and Vegetable Dinner - 11 oz	Consumer Unit (co-pack)	Packaging Engineering Review
<input checked="" type="checkbox"/>	5077539-002	BBQ Beef and Vegetable Dinner - 11 oz	Consumer Unit (not for resale)	Draft

Once you select all of the specifications you want to publish and complete the Summary Information section, click **Publish**. The system creates publications to the selected trading partner on all of the specifications selected. You will still need to perform workflows on the publications as usual.

