

Oracle® Argus Insight

Administrator's Guide

Release 7.0.3

E48111-01

August 2013

Oracle Argus Insight Administrator's Guide, Release 7.0.3

E48111-01

Copyright © 2011, 2013, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle America, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

| | |
|--|------|
| Preface | xi |
| Audience | xi |
| Documentation Accessibility | xi |
| Finding Information and Patches on My Oracle Support | xi |
| Finding Oracle Documentation | xiii |
| Related Documents | xiii |
| Conventions | xiv |
| | |
| 1 Introduction | |
| Overview of Generating Reports in Argus Insight | 1-1 |
| Argus Insight Components | 1-1 |
| Argus Insight Process Flow | 1-2 |
| Product Compatibility and Upgrade Options | 1-3 |
| Compatibility of Argus Insight with Argus Safety | 1-3 |
| Compatibility of Argus Insight with Reporting Tools | 1-3 |
| Upgrade Paths to Argus Insight 7.0.3 | 1-3 |
| Copy Configuration Utility | 1-3 |
| | |
| 2 Getting Started | |
| About Login Accounts and Access | 2-1 |
| System Administrator Account | 2-1 |
| Single Sign-On Accounts | 2-1 |
| Logging In to the Argus Insight Application | 2-2 |
| Setting Your Personal Options | 2-3 |
| Changing the Default Home Page | 2-4 |
| Changing Your Preferences for Overwrite Confirmation | 2-5 |
| Viewing Group Memberships | 2-5 |
| Entering Dates in Argus Insight Date Fields | 2-5 |
| Viewing the Database Name and Argus Insight Release | 2-7 |
| Viewing the Online Help | 2-7 |
| Extending Argus Insight Features | 2-7 |
| Logging Out | 2-8 |
| | |
| 3 Creating Queries by Example | |
| Overview of the Query by Example Tool | 3-1 |

| | |
|--|-------------|
| About the Tabs on the QUERY BY EXAMPLE Page | 3-2 |
| Example of a QBE..... | 3-3 |
| Using the Type-Ahead Feature in Input Fields | 3-3 |
| Starting a New QBE | 3-4 |
| Entering Your Search Criteria and Executing the QBE | 3-4 |
| Reviewing the Results of Your QBE..... | 3-5 |
| Reviewing and Modifying the Criteria for an Executed QBE | 3-6 |
| Saving the QBE..... | 3-7 |
| Reviewing the Input Fields on Each QBE Tab..... | 3-8 |
| General Tab | 3-8 |
| Selecting the Study Information | 3-10 |
| Patient Tab..... | 3-12 |
| Patient View..... | 3-12 |
| Parent View..... | 3-14 |
| Selecting a Lab Test..... | 3-15 |
| Using the MedDRA Browser..... | 3-17 |
| Products Tab | 3-19 |
| Using the Product Browser..... | 3-22 |
| Using the WHO Drug Browser | 3-24 |
| Using the Study Drug Lookup..... | 3-27 |
| Events Tab | 3-28 |
| Analysis Tab..... | 3-30 |
| Activities Tab | 3-32 |
| Additional Info Tab..... | 3-33 |
| Assigning Group-Level Permissions to a Saved QBE..... | 3-34 |
| Working with the Last Modified or Executed QBE | 3-34 |
| Working with Saved QBEs | 3-36 |
| Searching for a Saved QBE | 3-37 |
| Creating a New QBE..... | 3-38 |
| Modifying a Saved QBE | 3-38 |
| Deleting a Saved QBE..... | 3-38 |
| Associating a Report Group with a QBE | 3-38 |
| Executing a Saved QBE | 3-39 |
| Executing a Saved QBE on the Active Case Series | 3-39 |
| Using QBEs with Advanced Conditions | 3-40 |
| Converting a QBE to an Advanced Condition | 3-40 |
| Integrating a QBE with an Advanced Condition | 3-41 |

4 Using Filters to Create Queries

| | |
|--|------------|
| About Filters..... | 4-1 |
| Using Predefined Filters | 4-3 |
| Selecting a Predefined Filter | 4-3 |
| Creating a Value Set for the Predefined Filter | 4-4 |
| Executing a Value Set | 4-8 |
| Creating Custom Filters | 4-8 |
| Creating a Custom Filter | 4-8 |
| Creating a Value Set for a Custom Filter | 4-11 |

| | |
|---|------|
| Working with the Last Modified or Executed Value Set | 4-15 |
| Working with Saved Filters and Value Sets | 4-16 |
| Searching Saved Filters and Value Sets | 4-17 |
| Creating a New Filter | 4-18 |
| Creating a New Value Set | 4-18 |
| Modifying a Filter or Value Set | 4-18 |
| Deleting a Filter or Value Set | 4-18 |
| Associating a Report Group with a Value Set | 4-19 |
| Executing a Value Set | 4-19 |
| Executing a Saved Value Set on the Active Case Series | 4-20 |
| Using Filters with Advanced Conditions | 4-20 |
| Converting a Value Set to an Advanced Condition | 4-20 |
| Integrating a Value Set with an Advanced Condition | 4-21 |

5 Using Advanced Conditions to Create Queries

| | |
|---|------|
| Creating a New Advanced Condition | 5-1 |
| Returning to the Advanced Conditions Editor | 5-7 |
| Assigning a Category to an Advanced Condition | 5-7 |
| Using and Ordering Advanced Condition Operators | 5-10 |
| Advanced Condition Example | 5-10 |
| Sample SQL Generated | 5-11 |
| Working with the Last Modified or Saved Advanced Condition | 5-14 |
| Working with Saved Advanced Conditions | 5-15 |
| Searching Saved Advanced Conditions | 5-16 |
| Creating a New Advanced Condition | 5-17 |
| Modifying an Advanced Condition | 5-17 |
| Modifying the SQL of an Advanced Condition | 5-17 |
| Deleting an Advanced Condition | 5-18 |
| Associating a Report Group with an Advanced Condition | 5-19 |
| Executing an Advanced Condition | 5-19 |
| Executing a Saved Advanced Condition on the Active Case Series | 5-20 |

6 Working with Libraries

| | |
|--|-----|
| Viewing Save Queries in the Query Library | 6-1 |
| Associating a Query in the Query Library | 6-2 |
| Deleting a Query from the Query Library | 6-2 |
| Disassociating a Report in the Query Library | 6-3 |
| Viewing All Reports Associated with a Query or Case Series | 6-3 |
| Modifying a Query or Case Series in the Associated Reports Library | 6-4 |
| Disassociating a Report in the Associated Reports Library | 6-4 |

7 Working with Case Series

| | |
|--|-----|
| Working with the Active Case Series | 7-1 |
| Viewing the Active Case Series | 7-2 |
| Active Case Series and Active Query Names | 7-2 |
| Sorting, Searching, and Navigating | 7-3 |

| | |
|---|-------------|
| Saving the Active Case Series..... | 7-3 |
| Viewing the Criteria that Generated the Active Case Series | 7-4 |
| Assigning Group-Level Access Permissions..... | 7-4 |
| Adding an Annotation to a Case | 7-5 |
| About Case Annotations..... | 7-5 |
| Annotations in the Active Case Series | 7-6 |
| Annotations in Advanced Conditions | 7-7 |
| Adding a Case to a Case Series | 7-7 |
| Deleting a Case from a Case Series..... | 7-8 |
| Working with Case Series Saved in the Library..... | 7-9 |
| Opening the CASE SERIES LIBRARY Page | 7-9 |
| Searching for a Saved Case Series in the Library | 7-10 |
| Making a Case Series Active..... | 7-11 |
| Modifying a Case Series | 7-11 |
| Merging Case Series..... | 7-11 |
| Importing a Case Series from an External Source | 7-12 |
| Deleting a Case Series from the Library | 7-13 |
| Viewing the Query Criteria that Generated the Case Series..... | 7-14 |
| Associating a Report Group with a Case Series | 7-14 |
| Sharing Case Series with Argus Safety Web | 7-14 |
| Exporting a Case Series to Microsoft Excel | 7-15 |
| Freezing and Unfreezing Case Series Data | 7-16 |
| Before Freezing the Data in a Case Series..... | 7-16 |
| Access Rights | 7-16 |
| Working with Frozen Case Series..... | 7-16 |
| Reports and a Frozen Case Series..... | 7-17 |
| List Maintenance Items and Derivation Rules in a Frozen Case Series | 7-17 |
| Freezing a Case Series..... | 7-17 |
| Recognizing a Frozen Case Series | 7-18 |
| Freezing and Saving Case Series | 7-18 |
| Unfreezing Case Series Data..... | 7-19 |
| Using the Link to Argus Safety Medical Review..... | 7-19 |

8 Generating and Scheduling Standard Reports

| | |
|--|------------|
| About Standard Reports | 8-1 |
| Case Series, ETL, and Association | 8-1 |
| Browser Configuration..... | 8-2 |
| Working in the STANDARD REPORTS Page | 8-2 |
| Generating Standard Reports | 8-2 |
| Scheduling and Associating Reports Against a Query or Case Series | 8-3 |
| Working in the Scheduled Reports Group Dialog Box..... | 8-4 |
| Viewing the Reports in a Group | 8-5 |
| Viewing, Sorting, and Searching the Report Groups | 8-5 |
| Using the Command Buttons..... | 8-6 |
| Associating a Report Group | 8-6 |
| Creating and Scheduling a New Report Group | 8-7 |
| Working in the Reports Scheduling Dialog Box..... | 8-8 |

| | |
|--|-------------|
| Entering the Report Name and Description | 8-9 |
| Setting Up the Schedule | 8-9 |
| Setting Up to Run the Reports Now..... | 8-10 |
| Defining E-Mail Information..... | 8-11 |
| Browsing and Sorting the List of Available Reports | 8-12 |
| Selecting and Adding Reports to the Group..... | 8-12 |
| Selecting a Report Format..... | 8-13 |
| Saving the Schedule..... | 8-13 |
| Listing of the Standard Reports..... | 8-13 |
| General Reports | 8-13 |

9 Generating and Scheduling Standard Reports - BIP

| | |
|--|------------|
| About Standard Reports | 9-1 |
| Case Series, ETL, and Association | 9-1 |
| Browser Configuration..... | 9-1 |
| Report Cover Page | 9-2 |
| Page Header..... | 9-2 |
| Page Contents | 9-3 |
| Page Footer..... | 9-3 |
| Working in the Reports Page..... | 9-3 |
| Generating Reports | 9-4 |
| Scheduling and Associating Reports Against a Query or Case Series | 9-5 |

10 Creating Custom Reports - BIP

| | |
|---------------------------------|------|
| Creating a New Report..... | 10-1 |
| Editing Reports | 10-1 |
| Changing the Report Layout..... | 10-1 |

11 Working in a Multi-Tenant Environment

| | |
|--|-------------|
| Assumptions and Constraints..... | 11-1 |
| Data Segregation | 11-2 |
| Module-Wise Impact | 11-2 |
| Enterprise Short Name in Argus Insight | 11-3 |
| Login and Navigation..... | 11-4 |
| Single Sign-On Accounts..... | 11-4 |
| Using Separate URLs to Access the Applications | 11-4 |
| Opening Argus Insight from Other Applications | 11-5 |
| Enterprise Switching..... | 11-5 |
| Direct Access..... | 11-5 |
| Global Homepage | 11-5 |
| Application Access Portlet..... | 11-6 |
| Global Enterprise Management Portlet | 11-6 |
| Overview of the Global Enterprise Management Page Layout | 11-6 |
| Adding a New Enterprise..... | 11-7 |
| Copying an Enterprise | 11-7 |
| Global User Management Portlet | 11-9 |

| | |
|--|-------|
| Power Queries and Case Series | 11-9 |
| Importing a Case Series..... | 11-9 |
| Modifying a Case Series | 11-10 |
| Deleting a Case Series..... | 11-10 |
| Exporting a Case Series | 11-10 |
| Common Profile Switches | 11-10 |
| ETL Scheduler | 11-10 |
| Standard Reports | 11-11 |

12 Using the Administration Tools

| | |
|---|-------|
| Support for Multibyte Characters | 12-1 |
| Using Schema Creation Tool | 12-1 |
| Opening the ADMINISTRATION TOOLS Page | 12-2 |
| Configuring Personal Options | 12-3 |
| Configuring Lists Maintenance | 12-3 |
| Configuring the Argus Insight Application Profile Switches..... | 12-4 |
| Accessing and Modifying the Profile Switches | 12-4 |
| Adding a New Profile Switch | 12-5 |
| Listing of the Common Profile Switches | 12-5 |
| Configuring European Union Countries | 12-9 |
| Adding a Country to the European Union List..... | 12-10 |
| Deleting a Country from the European Union List | 12-11 |
| Mapping Case Workflow States..... | 12-11 |
| Configuring Categories | 12-12 |
| Configuring Duration Value Bands..... | 12-13 |
| Configuring Derivation Functions | 12-15 |
| Opening the Derivation Fields Dialog Box | 12-16 |
| Icons in the Derivation Fields Dialog Box | 12-16 |
| Field Mapping Derivation Rules | 12-17 |
| Fields and Check Boxes in the Derivation Fields Dialog Box..... | 12-17 |
| Configuring Case Series Modification Justification | 12-19 |
| Configuring Case Series Un-freezing Justification..... | 12-21 |
| Configuring Holiday Schedule Management | 12-22 |
| Configuring Product Designated Medical Event Configurations | 12-22 |
| Configuring Measurable Suppliers | 12-23 |
| Configuring Non-Core Sites | 12-24 |
| Configuring Acceptable Delay Justifications | 12-25 |
| Running the Extract, Transform, and Load Process | 12-26 |
| Data Integrity Checks Before ETL | 12-26 |
| Initial ETL Versus Incremental ETL | 12-27 |
| Scheduling the ETL..... | 12-27 |
| Monitoring the Progress of the ETL | 12-28 |
| Securing User Accounts, Groups, and Access Rights | 12-29 |
| Creating New User Groups | 12-30 |
| Copying Groups | 12-30 |
| Modifying Existing Groups | 12-31 |
| Deleting Existing Groups..... | 12-31 |

| | |
|------------------------------------|--------------|
| Modifying User Accounts | 12-31 |
| Viewing the Audit Log | 12-33 |

Glossary

Preface

This Oracle Argus Insight Administrator's Guide describes how to create queries, execute queries to generate a case series, and generate reports on the case series. In addition, this guide describes how to use the Argus Insight administration tools to configure, maintain, and secure the application.

This preface includes the following topics:

- [Audience](#)
- [Documentation Accessibility](#)
- [Finding Information and Patches on My Oracle Support](#)
- [Finding Oracle Documentation](#)
- [Related Documents](#)
- [Conventions](#)

Audience

This document is intended for all Argus Insight administrators.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Finding Information and Patches on My Oracle Support

Your source for the latest information about Argus Insight is Oracle Support's self-service website My Oracle Support.

Before you install and use Argus Insight, always visit the My Oracle Support website for the latest information, including alerts, White Papers, and bulletins.

Creating a My Oracle Support Account

You must register at My Oracle Support to obtain a user name and password account before you can enter the website.

To register for My Oracle Support:

1. Open a web browser to <https://support.oracle.com>.
2. Click the **Register** link to create a My Oracle Support account. The registration page opens.
3. Follow the instructions on the registration page.

Signing In to My Oracle Support

To sign in to My Oracle Support:

1. Open a web browser to <https://support.oracle.com>.
2. Click **Sign In**.
3. Enter your user name and password.
4. Click **Go** to open the My Oracle Support home page.

Finding Information on My Oracle Support

There are many ways to find information on My Oracle Support.

Searching by Article ID

The fastest way to search for information, including alerts, White Papers, and bulletins is by the article ID number, if you know it.

To search by article ID:

1. Sign in to My Oracle Support at <https://support.oracle.com>.
2. Locate the Search box in the upper right corner of the My Oracle Support page.
3. Click the sources icon to the left of the search box, and then select **Article ID** from the list.
4. Enter the article ID number in the text box.
5. Click the magnifying glass icon to the right of the search box (or press the Enter key) to execute your search.

The Knowledge page displays the results of your search. If the article is found, click the link to view the abstract, text, attachments, and related products.

Searching by Product and Topic

You can use the following My Oracle Support tools to browse and search the knowledge base:

- **Product Focus** — On the Knowledge page under Select Product, type part of the product name and the system immediately filters the product list by the letters you have typed. (You do not need to type "Oracle.") Select the product you want from the filtered list and then use other search or browse tools to find the information you need.
- **Advanced Search** — You can specify one or more search criteria, such as source, exact phrase, and related product, to find information. This option is available from the **Advanced** link on almost all pages.

Finding Patches on My Oracle Support

Be sure to check My Oracle Support for the latest patches, if any, for your product. You can search for patches by patch ID or number, or by product or family.

To locate and download a patch:

1. Sign in to My Oracle Support at <https://support.oracle.com>.
2. Click the **Patches & Updates** tab. The Patches & Updates page opens and displays the Patch Search region. You have the following options:
 - In the **Patch ID or Number** field, enter the number of the patch you want. (This number is the same as the primary bug number fixed by the patch.) This option is useful if you already know the patch number.
 - To find a patch by product name, release, and platform, click the **Product or Family** link to enter one or more search criteria.
3. Click **Search** to execute your query. The Patch Search Results page opens.
4. Click the patch ID number. The system displays details about the patch. In addition, you can view the Read Me file before downloading the patch.
5. Click **Download**. Follow the instructions on the screen to download, save, and install the patch files.

Finding Oracle Documentation

The Oracle website contains links to all Oracle user and reference documentation. You can view or download a single document or an entire product library.

Finding Oracle Health Sciences Documentation

To get user documentation for Oracle Health Sciences applications, go to the Oracle Health Sciences documentation page at:

<http://www.oracle.com/technetwork/documentation/hsgbu-154445.html>

Note: Always check the Oracle Health Sciences Documentation page to ensure you have the latest updates to the documentation.

Finding Other Oracle Documentation

To get user documentation for other Oracle products:

1. Go to the following web page:

<http://www.oracle.com/technology/documentation/index.html>

Alternatively, you can go to <http://www.oracle.com>, point to the Support tab, and then click **Documentation**.

2. Scroll to the product you need and click the link.
3. Click the link for the documentation you need.

Related Documents

This section lists the documents in the Argus Insight documentation set, followed by their part number. The most recent version of each guide is posted on the Oracle website; see [Finding Oracle Health Sciences Documentation](#).

- *Oracle Argus Insight Installation Guide*
- *Oracle Argus Insight User's Guide*
- *Oracle Argus Insight Minimum Security Configuration Guide*
- *Oracle Argus Insight Extensibility Guide*
- *Oracle Argus Insight Report Mapping Guide*

The release notes are also posted in the Oracle Health Sciences documentation library.

In addition, Argus Insight customers can request copies of the following Argus Insight technical reference manuals from Customer Support:

- *Oracle Argus Insight CMN Profile Enterprise Table Guide* (Part E48112-01)
- *Oracle Argus Insight CMN Profile Global Table Guide* (Part E48113-01)
- *Oracle Argus Insight Database Administrator's Guide* (Part E48167-01)
- *Oracle Argus Insight Entity Relationship Diagram Reference* (Part E48169-01)
- *Oracle Argus Insight Report Mapping Reference* (Part E48115-01)

Conventions

The following text conventions are used in this document:

| Convention | Meaning |
|-------------------|--|
| boldface | Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary. |
| <i>italic</i> | Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values. |
| monospace | Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter. |

Introduction

Argus Insight, formerly called Power Reports, is a highly optimized reporting module that compliments Argus Safety.

The Argus Insight Extract Transform and Load (ETL) engine extracts data from the Argus Safety database and populates a *data warehouse* in a format that allows efficient querying. The various *query*, drill-down, and output components of Argus Insight let you analyze your safety, workflow, or product data from all angles and produce reports that provide immediate business impact and maximum efficiency in decision-making.

This chapter includes the following topics:

- [Overview of Generating Reports in Argus Insight](#)
- [Argus Insight Components](#)
- [Argus Insight Process Flow](#)
- [Product Compatibility and Upgrade Options](#)

Overview of Generating Reports in Argus Insight

With Argus Insight, you can generate a *report* in any of the following ways:

- Use a *query* to retrieve a specific set of cases (*a case series*) from the data mart and then run a predefined report for those cases. Use the following Argus Insight components to retrieve the case series:
 - Query By Example (QBE)
 - Filters
 - Advanced Conditions
- Run the Built-in standard reports on the case series to create and store these in the Reports library.
- Run the Custom reports on the case series/power queries to create and store these in the Reporting Tools.

Argus Insight Components

Argus Insight includes the following components:


- **Query by Example (QBE)** — Lets you create simple queries by entering specific values in fields on a *form* that looks substantially like the Argus Safety case form.

- **Filters** — Lets you create queries by selecting a set of predefined fields and specifying multiple values in a *field*.
- **Advanced Conditions** — Lets you create complex queries by selecting any of the various different fields in the data mart, and then applying Boolean and set operations on them.
- **Case Series** — Provides a listing of all the cases that match the specified query criteria.
- **Standard Reports** — Lets you run one or more reports on the case series. The standard reports are predefined reports built in to Argus Insight. The reports are available in the General category.

Argus Insight Process Flow

The flowchart in [Figure 1-1](#) depicts the steps that you typically follow to generate a *report* in Argus Insight. Refer to your company's guidelines for the exact workflow for generating reports and analyzing data in Argus Insight.

Figure 1-1 Overview of Generating a Report in Argus Insight



[Table 1-1](#) describes the tasks shown in the flowchart.

Table 1-1 Tasks in the Process Flow

| Task | Description |
|---|---|
| Log in to Argus Insight | Log in to the Argus Insight application. |
| Create a <i>Query</i> | Depending on the complexity of the query, use these Argus Insight components to create a query: <ul style="list-style-type: none"> ■ Query by Example (QBE) — To create simple queries based on the fields in the Argus case <i>form</i> ■ Filters — To create queries based on multiple values in a set of predefined fields ■ Advanced Conditions — To create complex queries by directly selecting data mart fields and applying Boolean and set operations on them |
| Execute the Query to Generate a Case Series | Execute the query to have the system search the entire data mart and retrieve a list of cases (case series) that match the criteria you specified while creating the query. |

Table 1–1 (Cont.) Tasks in the Process Flow

| Task | Description |
|--|--|
| Generate Standard Reports on the Case Series | Select and run a built-in standard report. You can limit this report to only run on the case series. |
| Generate Custom Reports on the Case Series/Power Queries | Select and run a custom report you created and stored in the BI Tool(s) library. You can limit this report to only run on the Case Series/Power Queries from BI Tool(s). |
| Query the Data Mart | Use BI Tool(s) to directly query the mart. |

Product Compatibility and Upgrade Options

This section describes the compatibility and upgrade options for Argus Insight 7.0.3.

Compatibility of Argus Insight with Argus Safety

Argus Insight 7.0.3 is compatible with Argus Safety 7.0.3.

Compatibility of Argus Insight with Reporting Tools

Argus Insight 7.0.3 can be used together with a reporting tool, which can be BI Publisher, BusinessObjects, Cognos, or any combination of these three.

Upgrade Paths to Argus Insight 7.0.3

You can upgrade directly to Argus Insight 7.0.3 from the following versions of Argus Insight:

- Argus Insight 7.0.2 (single-tenant to single-tenant installation)
- Argus Insight 7.0.2 (multi-tenant to multi-tenant installation)

The general steps for upgrading to Argus Insight 7.0.3 are as follows:

- Upgrade your current Argus Safety application to the Argus Safety 7.0.3 environment.
- Install the Argus Insight 7.0.3 application.
- Run the Initial ETL.

For information about upgrading your database to Argus Insight 7.0.3, see the *Oracle Argus Insight Installation Guide*.

Copy Configuration Utility

Use the Copy Configuration utility to import all the configuration data from the following Argus Insight versions and then export the data to Argus Insight 7.0.3:

- Argus Insight 7.0.3 (single-tenant to single-tenant installation).
- Argus Insight 7.0.3 (multi-tenant to multi-tenant installation). In this case, the utility copies all the enterprise data from one multi-tenant enterprise to another multi-tenant enterprise in Argus Insight, including the enterprises that are marked as *Inactive*.

The Copy Configuration utility:

- Maps the source enterprises to the target enterprises based on the short name of the enterprise.

- Copies the user-specific configuration data *only* for those users in an enterprise who exist in Argus Safety as well for that enterprise.
- Includes the report packaging data for case series, but does not include the report packaging data for frozen case series.
- Does not include the configuration of those enterprises that do not exist in the target system.
- Does not overwrite the configuration of any additional enterprises that exist in target system.

Getting Started

This chapter includes the following topics:

- [About Login Accounts and Access](#)
- [Logging In to the Argus Insight Application](#)
- [Setting Your Personal Options](#)
- [Entering Dates in Argus Insight Date Fields](#)
- [Viewing the Database Name and Argus Insight Release](#)
- [Viewing the Online Help](#)
- [Extending Argus Insight Features](#)
- [Logging Out](#)

About Login Accounts and Access

All users can access Argus Insight directly by using the Argus Insight application URL. Argus Insight checks if the Enterprise ID is already present in the incoming request. If the Enterprise ID exists, the system opens Argus Insight for that enterprise.

System Administrator Account

The Argus Insight installation program automatically creates a system administrator account (Admin) that is synced from Argus Safety through Schema Creation and Initial ETL.

The administrator account cannot be deleted. This restriction ensures that the system administrator can always log in to the system. In a given session, only one system administrator can log in to the system.

You can access Argus Insight through Argus Safety. This feature enables you to use a single login user name and password for all Argus modules. The modules that are enabled when you log in to Argus Safety depend on your access right to various Argus modules.

Single Sign-On Accounts

System administrators can create a user account that allows you to log in to Argus Insight, as well as other Argus applications, using the same user name and password. This type of account is a *single sign-on account*, or SSO account.

For single sign-on accounts, note that:

- A user's login authentication is done by a centralized authentication system. Therefore, users do not need to enter their login credentials for each application they access, every single time. Cognos uses the Power Reports namespace.
- The system administrator defines access to various modules in User Maintenance. If you are assigned to more than one group, the system grants you the highest access level.
 - Based on your access rights to modules, the system enables or disables the application buttons access rights in the menus.
 - Group access permissions are assigned in web administration.
- If you have access to Argus or Insight, you can start the application modules. The system does not ask you to enter a password again for the Power Reports or Argus modules. This also applies when you start other applications.
- In User Maintenance, the system administrator can link the Argus Safety database and the Argus Insight data mart. When you log in, the system identifies the available application modules for each Argus instance.
- When you click the application module, the system opens a new window where you can work on the other application (Argus Insight or Argus Safety).
- When you start another application through Argus, or vice versa, the application module buttons **do not appear** in the new windows because you are already logged in to the earlier application.
- The initial login screen is the starting dialog box for all other modules.
- Logout is available only on the *parent* application dialog box. Logging out of the parent application dialog closes all child dialogs **without** saving information in the child applications.

Logging In to the Argus Insight Application

To start Argus Insight and log in to the application:

1. Open Microsoft Internet Explorer.
2. Type the Argus Insight Universal Resource Locator (URL) in the address bar.

If you do not know the URL, contact your system administrator who is responsible for configuring the URL.

The system uses Secure Socket Layers (SSL) to support third-party digital certificates for secure transmissions at the system level.

3. Press Enter. The system opens the Argus Insight login screen.



4. Type your user name and password in the respective fields.
5. Click **Login**. The system opens the default Argus Insight Home page, which is the FILTER LIBRARY page. See [Figure 2-1](#).

For information about making a different page your Home page, see "[Changing the Default Home Page](#)" on page 2-4.

Figure 2-1 Argus Insight Default Home Page

ORACLE ARGUS INSIGHT™ John Smith, Wednesday November 21, 2012 (AI702INT - Ent_SH_2) Home Tools Help Logout

Home Queries Case Series Reports

Queries > Filters

FILTER LIBRARY

Active Query Name: < Not Saved >
Active Case Series: < Not Saved >

| Name | Description | Last Modified | User Full Name | Category | Value Set | Associate Report |
|-------------------|--|---------------|----------------|-------------------|-----------|------------------|
| Compliance | Predefined Compliance Filter | 06-SEP-2012 | Administrator | Compliance | 0 | |
| Configuration | Preconfigured Configuration Filter | 06-SEP-2012 | Administrator | Configuration | 0 | |
| Management | Preconfigured Management Filter | 06-SEP-2012 | Administrator | Management | 0 | |
| Pharmacovigilance | Preconfigured Pharmacovigilance Filter | 06-SEP-2012 | Administrator | Pharmacovigilance | 0 | |
| Workflow | Predefined Workflow Filter | 06-SEP-2012 | Administrator | General | 0 | |


New Filter New Value Set Modify Delete Associate Disassociate Limit Query to Active Case Series Execute

Setting Your Personal Options

Using the Personal Options tab on the ADMINISTRATION TOOLS page (see [Figure 2-2](#)), you can:

- Specify the default Home page for Argus Insight
- Specify whether the system prompts you for confirmation before overwriting saved case series or queries
- View the groups for which you are a member

Figure 2–2 Personal Options Tab on the ADMINISTRATION TOOLS Page




Changing the Default Home Page

The default Argus Insight Home page is the FILTER LIBRARY page.

To change the default Home page:

1. Click **Tools** on the global toolbar. The system opens the ADMINISTRATION TOOLS page with the Personal Options tab in focus.
2. Click the **Homepage** field and select a page from the list.



3. Click **OK**. The system changes your default Home page to the selected page, and opens a dialog box confirming that your options have been updated.
4. Click **OK** to close the dialog box and return to the Personal Options tab.

The next time you click **Home** or log in to Argus Insight, the system displays your selected Home page.




Alternative Method to Selecting a Home Page

Alternatively, click **Home** on the global toolbar to make the current page your default Home page.



Note that if you cannot make the current page your Home page, the system displays an informational message when you position the cursor over Home.




Changing Your Preferences for Overwrite Confirmation

When you save your modifications to an existing case series, a QBE, a filter, or an advanced condition, Argus Insight saves your changes directly *without* prompting you to confirm whether you want to overwrite the existing one. This behavior is the default.

You can choose to have Argus Insight display a confirmation dialog box before overwriting a saved case series or query.

To change whether the system prompts for confirmation:

1. Click **Tools** on the global toolbar. The system opens the ADMINISTRATION TOOLS page with the Personal Options tab in focus.
2. Select the check boxes in the Overwrite Confirmation section to define your preferences.



3. Click **OK**. The system confirms that your options have been updated.
4. Click **OK** to close the dialog box and return to the Personal Options tab.

Viewing Group Memberships

The **Group Membership** list on the Personal Options tab displays the names of the groups to which you belong.

Group memberships are managed from the Security tab on the ADMINISTRATION TOOLS page. Only a system administrator can manage users and groups.

Entering Dates in Argus Insight Date Fields

Several fields in Argus Insight are date fields. Some date fields require a *full* date; other date fields accept a *partial* date.

Entering a Full Date

For fields that require a *full* date, you must enter the date in the following format:

dd-mmm-yyyy

where:

dd = Day of the month.

mmm = 3-letter abbreviation for the month. For example, FEB or AUG.

To enter the month, you can enter a valid month number. In this case, the system automatically converts the number to the 3-letter abbreviation for the corresponding month. For example, the system converts 12 to DEC.

yyyy = 4-digit year. For example, 1998 or 2012.

Entering Today's Date

To enter today's date in a date field, press the = (equals) key.

Entering a Partial Date

For fields that accept a *partial* date, Argus Insight displays ??-??-0000 in the field. See [Figure 2-3](#) for several examples.

Figure 2-3 Examples of Date Fields that Accept Partial Dates

The screenshot shows a software interface with a tabbed menu at the top: General, Patient, Products, Events, and Analysis. The 'General' tab is active, and a 'General Information' section is expanded. It contains several data entry fields:

- Report Type**: A text input field.
- Country**: A dropdown menu.
- Initial Receipt Date**: A date field containing the text '??-??-0000'.
- Follow-up Received**: A date field containing the text '??-??-0000'.
- Safety Received**: A date field containing the text '??-??-0000'.
- Significant**: A checkbox.

For reporting purposes, missing days of the month are approximated to the 15th of the month and missing months are approximated to the month of June.

Valid partial dates must comprise either a year, or a year and a month. If you enter the day, you also need to enter the month.

To enter a date that includes only the month and year (for example, March 2012), you can enter any one of these sequences:

- /MAR2012
- /32012
- /312
- 00MAR2012
- 0032012
- 00312
- ??MAR2012
- ??32012
- ??312

To enter a date that includes only the year (for example 2012), you can enter any one of these sequences:

- //2012
- //12
- 00002012
- 000012
- ?? ???2012

- ?? ???12
- ??2012
- ??12


Table 2–1 lists the fields in the tabs on the QUERY BY EXAMPLE page, which is similar to the Argus case form, that accept partial dates.

Table 2–1 QBE Fields that Accept a Partial Date

| QBE Tab | Section Name | Field Name |
|------------------|------------------------|---|
| General | General Information | Initial Receipt Date, Central Receipt Date, Follow-up Received, Safety Received, Aware Date |
| | Study Information | Unblinding Date |
| Patient, Patient | Patient Details | Date of Birth, Date of LMP |
| | Lab Data | Date |
| | Other Relevant History | Start, Stop Date |
| Patient, Parent | Parent Information | Date of Birth, Date of LMP |
| | Other Relevant History | Start, Stop Date |
| Products | Dosage Regimens | Start Date/Time, Stop Date/Time, Expiration Date |
| | Product Details | First Dose, Last Dose, Date, Start Date/Time, Stop Date/Time |
| Events | Event Information | Onset Date/Time, Receipt Date, Stop Date/Time |
| Activities | Contact Log | Date, Date Start |
| | Action Items | Date Open, Due, Completed |
| | Case Lock/Archive | Lock Date, Closure Date |

Viewing the Database Name and Argus Insight Release

To view the name of the database and the release of Argus Insight that you are using, position the cursor over **Help** on the global toolbar:



Viewing the Online Help

To view the online help, click **Help** on the global toolbar.

Depending on your privileges, the system opens either the user's guide or the administrator's guide in HTML format. Use the **Contents**, **Next**, and **Previous** links, as well as the links on the Contents page and throughout the document, to navigate to topics and pages in the guide.

Extending Argus Insight Features

For instructions on creating custom reports, as well as customizing code lists and the ETL, refer to the Argus Insight 7.0.3 Extensibility Guide.

Logging Out

To log out:

1. Click **Logout** on the global toolbar. The system prompts for confirmation that you want to log out of Argus Insight.
2. Click **OK**. The system logs you out of the application and displays the Argus Insight login screen.

Creating Queries by Example

In Argus Insight, you use queries to search the data mart and retrieve a *set of cases* (known as a *case series*) with similar attributes. Based on your reporting requirements, your querying criteria may be as simple as a few Argus Safety case *form* fields with specific values or as complex as a SQL query that uses Boolean and set operations between various data mart fields.

Argus Insight provides several tools that you can use to enter, modify, and save queries. This chapter, which describes how to use the *Query by Example (QBE)* tool, includes the following topics:

- [Overview of the Query by Example Tool](#)
- [Starting a New QBE](#)
- [Reviewing the Input Fields on Each QBE Tab](#)
- [Assigning Group-Level Permissions to a Saved QBE](#)
- [Working with the Last Modified or Executed QBE](#)
- [Working with Saved QBEs](#)
- [Using QBEs with Advanced Conditions](#)

In addition to the QBE tool, Argus Insight provides the following query tools:

- [Filters](#) (see [Chapter 4, "Using Filters to Create Queries"](#))
- [Advanced Conditions](#) (see [Chapter 5, "Using Advanced Conditions to Create Queries"](#))
- [Library](#) (see [Chapter 6, "Working with Libraries"](#))

Overview of the Query by Example Tool

If you are familiar with the Argus Safety case form, you may want to use *Query by Example (QBE)* to create simple queries. For a QBE, the querying criteria consists of specific values that you enter in the fields on the QUERY BY EXAMPLE page, which looks substantially like the Argus Safety case form. See [Figure 3-1](#).

Figure 3–1 QUERY BY EXAMPLE Page

About the Tabs on the QUERY BY EXAMPLE Page

The QUERY BY EXAMPLE page has a tab-based interface consisting of eight multiple section tabs.

Each tab on the QUERY BY EXAMPLE page lets you enter query criteria about a specific aspect of a case:

- **General tab** — Lets you enter querying criteria based on general, *study*, reporter, and literature information about the case.
- **Patient tab** — Lets you enter querying criteria based on information about the patient, lab data, other relevant history, and the patient's parent.
- **Products tab** — Lets you enter querying criteria based on product information and dosage regimens.
- **Events tab** — Lets you enter querying criteria based on information about the event and its seriousness criteria.
- **Analysis tab** — Lets you enter querying criteria based on information about case analysis and imputability.
- **Activities tab** — Lets you enter querying criteria based on case activity information, such as contact logs, action items, and case lock/archive dates.
- **Additional Info tab** — Lets you enter querying criteria based on additional information about the case such as reference type, ID, and notes.
- **Advanced Conditions tab** — Lets you integrate a QBE with an advanced condition stored in Argus Insight. In addition, you can convert a QBE into an advanced condition. For more information, see [Chapter 5, "Using Advanced Conditions to Create Queries."](#)

Example of a QBE

For example, your QBE may consist of values in the following fields:


| Tab Name | Field Name | Value |
|----------|-------------------------------|---------------------|
| General | Country of Incidence | United States |
| Products | Product Name | Algoheal Injection |
| Events | Event Description to be Coded | Injection site rash |
| | Seriousness Criteria | Hospitalized |

When you execute this QBE, the system retrieves only those cases in the United States where the patient was given an algoheal injection, and then broke out in a rash due to the injection and was hospitalized.

Using the Type-Ahead Feature in Input Fields

Argus Insight provides *type-ahead* functionality for some fields in the QUERY BY EXAMPLE page.

When you begin to type a value into a field that supports type-ahead functionality, Argus Insight displays a list of valid values that match your entry. You can then select one of the suggested values from the list. For example:



Alternatively, you can double-click any field that supports type-ahead functionality. In this case, Argus Insight displays a complete list of the valid values for the field. You can then select a value from the list. For example:




Table 3–1 lists the input fields in the QUERY BY EXAMPLE page that support the type-ahead feature.

Table 3–1 Fields that Support the Type-Ahead Feature

| | | |
|---------------------|---------------------------------|--------------------------------|
| Accidental Exposure | Action Taken | Action Type |
| Age Group | Age Units | Case Outcome |
| Classification | Code (Activities: Action Items) | Code (Activities: Contact Log) |
| Condition Type | Dosage Frequency | Dosage Units |

Table 3-1 (Cont.) Fields that Support the Type-Ahead Feature

| | | |
|--|---------------------------------|--------------------------------|
| Ethnicity | Event Frequency | Event Intensity |
| Event Outcome (Outcome of Event) | Formulation | Gender |
| Group (Activities: Action Items) | Group (Activities: Contact Log) | Intermediary |
| Locked or Closed By | Manufacturer | Occupation |
| Pack Units | Product Units | References Type |
| Report Media | Report Type | Reporter Type |
| Route of Administration (Patient and Parent) | User (Activities: Action Items) | User (Activities: Contact Log) |

Starting a New QBE

This section describes the tasks for creating a new QBE:

- [Entering Your Search Criteria and Executing the QBE](#)
- [Reviewing the Results of Your QBE](#)
- [Reviewing and Modifying the Criteria for an Executed QBE](#)
- [Saving the QBE](#)

Entering Your Search Criteria and Executing the QBE

To enter your criteria for a QBE and execute the QBE:

1. Navigate to **Queries, Query by Example**, and select **New**. The system displays the QUERY BY EXAMPLE page with the **General** tab in focus.

2. Specify the criteria for your query. You can enter values into any of the fields on any of the QBE tabs, as appropriate.

Note: The field labels are displayed as per the field labels configured in Argus Safety.

For a description of each field and for additional information about entering values into certain fields, see the following sections:

- [General Tab](#)
- [Patient Tab](#)
- [Products Tab](#)
- [Events Tab](#)
- [Analysis Tab](#)
- [Activities Tab](#)
- [Additional Info Tab](#)

Tip: When you are entering criteria for your query:

- If you want to clear all the values you entered on the current tab only, click **Clear Tab**.
- If you want to clear all the values you entered on all the tabs, click **Clear All**.

3. Click **Execute** to run your query.

The system searches for cases that match your query, begins to build the case series, and displays a progress message during the process.



4. Wait until the system completes the search. See "[Reviewing the Results of Your QBE](#)" for information about how to continue.

Reviewing the Results of Your QBE

When you click **Execute** to run a QBE, the system searches for all the cases that match your query criteria and builds a *case series*.

- If the system finds cases that match your query criteria, the ACTIVE CASE SERIES page displays the results. See [Figure 3-2](#) for an example.

Examine the results in the ACTIVE CASE SERIES page:

- If the case series is too large, you may want to modify your query by specifying additional field values in the QBE form to narrow down the case series. For more information, see "[Reviewing and Modifying the Criteria for an Executed QBE](#)" on page 3-6.

- If the case series is appropriate, you may want to save your QBE. For more information, see "Saving the QBE" on page 3-7.
- If the system does not find any cases that match your query criteria, the ACTIVE CASE SERIES page displays the following message:

No Cases found!

You probably want to modify your query and then execute the QBE again. For more information, see "Reviewing and Modifying the Criteria for an Executed QBE" on page 3-6.

Figure 3–2 ACTIVE CASE SERIES Page

ACTIVE CASE SERIES

Active Query Name: broad test SMQ
Active Case Series: < Not Saved >

Name: < Not Saved > Category: General Description:

| Case Number | Report Type | Primary Company Product | Primary Event | Seriousness Criteria | Outcome | Notes |
|------------------|-------------|-------------------------|---------------|----------------------|---------|-------|
| 11203 | SPT | Product Name Blinded 1 | Pyrexia | Non-Serious | | |
| 23432 | STR | B.Study2.Name | Pyrexia | F | Fatal | |
| A2_C21_NON_COMP | SPT | DLP02_NC | Cough | F,H,LT | Fatal | |
| A2_C72_COMP_PROD | SPT | Diabpen | Rash | DI,IR | | |
| AJ-CASE0012 | SPT | B.Prod.Name.3 | Pyrexia | Non-Serious | | |
| AJCASESTUDY001 | RCT | AJBS002 | Pyrexia | Non-Serious | | |
| AJSC003 | RCT | AJBS003 | Pain | Non-Serious | | |
| AJSTUDYCASE002 | RCT | AJBS003 | Pyrexia | Non-Serious | | |


Freeze and Save Save Save As View Query Criteria View Query Export to Excel Cancel

Reviewing and Modifying the Criteria for an Executed QBE

As described earlier, the ACTIVE CASE SERIES page displays the results of your QBE. When you review the results, you may want to modify your query and execute the QBE again. For example, perhaps the results are too limiting and you want to remove some of the query criteria.

From the ACTIVE CASE SERIES page, you have several options:

- To open a dialog box and review the criteria that you specified for the active case series, click **View Query Criteria**. For example:



- To return to the QBE form and modify your query, click **View Query**. The ACTIVE QUERY BY EXAMPLE page opens. Note that the page retains all the values you entered for your query.

When you execute a QBE or save modifications to a QBE, the system assigns the *active* status to the QBE. Therefore, when you click **View Query** to return to the QBE form, note that the page title changes to *ACTIVE QUERY BY EXAMPLE*. See

"Working with the Last Modified or Executed QBE" on page 3-34 for details on active QBEs.

- To cancel the current QBE and return to the QUERY BY EXAMPLE page, click **Cancel**.

You can continue to modify the QBE, execute the QBE again, and review the results.


Saving the QBE

To save a QBE:

1. View your QBE on the ACTIVE QUERY BY EXAMPLE page.

| ACTIVE QUERY BY EXAMPLE | | |
|-------------------------|---------------------|--|
| | | Active Query Name: broad test SMQ Active Case Series: < Not Saved > |
| Name : US | Category General | Description US |

2. Use the **Category** field to assign a category to the QBE you want to save. The category indicates the reporting aspect to which your QBE pertains. For example, Case Processing, Compliance, Configuration, General, Management, or Pharmacovigilance. Specifying the category helps you when searching for relevant QBEs from a list of all the QBEs saved in the system.
3. Use the **Description** field to enter summary information about the QBE. For example, you can describe the type of cases the QBE retrieves.
4. Click **Save As**. The system opens the **Save QBE As** dialog box.



5. Type the name of the QBE.

Note: Names cannot contain these characters: % " ' \$ ^ ~ , ` / ; | #

6. Click **OK** to close the Save dialog box and refresh the page. Note that:
 - The page title changes to QUERY BY EXAMPLE.
 - The Active Query Name field in the upper-right corner of the page now displays the name you specified when saving the QBE.
 - The Category and Description fields display the information you entered before you saved the QBE.

QUERY BY EXAMPLE

Active Query Name: QBE_Spon_USA
Active Case Series: < Not Saved >

Name : QBE_Spon_USA Category: Pharmacovigilance Description: Study 101, Site 9294, AE MI,Fatal

Note: The QUERY BY EXAMPLE LIBRARY page lists all the QBEs saved to the system. See "Working with Saved QBEs" on page 3-36 for more information.

Tip: If you make modifications to the field values after you saved the QBE to the system, click **Save** to save the changed field values.

Reviewing the Input Fields on Each QBE Tab

When you enter criteria for a QBE, you can enter values into any of the fields in any of the tabs on the QUERY BY EXAMPLE page.

This section summarizes the contents of each tab, describes each field, and provides additional information about entering values into certain fields.

General Tab

The **General** tab (see [Figure 3-3](#)) differs from what you see in Argus Safety in the following ways:

- You can specify only one follow-up date.
- You can specify only one case classification.
- You can specify information only about one reporter.
- You need to scroll the page to view all the fields available.

Figure 3-3 General Tab on the QUERY BY EXAMPLE Page

QUERY BY EXAMPLE

Active Query Name: < Not Saved >
Active Case Series: < Not Saved >

Name : < Not Saved > Category: General Description:

General Patient Products Events Analysis Activities Additional Info Advanced Conditions

Follow-up Received: ??-??-0000 Safety Received: ??-??-0000 Significant: Aware Date: ??-??-0000 Classification:

Study Information

Project ID: Study ID: Center ID: Other ID: Study Type: Select

Week #: Visit #: Blinding Status: Unblinding Date: ??-??-0000

Reporter Information

Sal. First Name Middle Name Last Name Suffix Health Care Professional Occupation Report Sent to Regulatory Authority by Reporter? (Yes, No, Unknown, Ignore)

Address Institution Department City State/Province Postal Code Country Primary Reporter Correspondence Contact

Phone Number Alternate Phone FAX Number Reporter ID Reporter's Reference #

Email Address Reporter Type Report Media Intermediary

Literature Information

Author Year

Save Save As Convert to Advanced Condition Clear Tab Clear All Permissions Execute

Table 3–2 describes the various fields in the **General** tab. The *field* values you specify are used as the *query* criteria to retrieve matching cases.

Table 3–2 Fields in the General Tab on the QUERY BY EXAMPLE Page

| Section | Field or Check Box | Description |
|-----------------------------|---|---|
| General Information | Report Type | Select the case source that the query looks for in cases. |
| | Country | Select the country of incidence that the query looks for in cases. |
| | Initial Receipt Date | Enter the date when your company first became aware of the case. |
| | Central Receipt Date | Enter the date on which Central Safety received the case. |
| | Case Status | Select the workflow state that the query looks for in cases. |
| | Follow-up Received | Enter the follow-up information receipt date. |
| | Safety Received | Enter the date on which follow-up information was received by Central Safety. |
| | Significant | Select this check box to retrieve cases that had a significant follow-up. |
| | Aware Date | Enter the most recent significant follow-up date or initial receipt date (if there are no follow-ups) that the query looks for in cases. |
| | Classification | Select the classification that the query looks for in cases. |
| Study Information | Project ID Study ID Center ID | Click the Select button associated with these fields to select the Project ID, the Study ID, and the Center ID. See " Selecting the Study Information " on page 3-10 for details. |
| | Other ID | Enter any other ID that can be relevant to the study. |
| | Study Type | Select the study type to include in the query. |
| | Week # | Enter the week number of the study during which the adverse event occurred. The query will only look for such cases. |
| | Visit # | Enter the visit number of the study during which the adverse event occurred. The query will only look for such cases. |
| | Blinding Status | Select the study blinding status that the query looks for in cases. |
| | Unblinding Date | Enter the date on which the study was broken. The query will only look for cases with matching study broken date. |
| | | |
| Reporter Information | Sal. | Enter the reporter's salutation that the query looks for in cases. |
| | First Name | Enter the reporter's first name to look for in cases. |
| | Middle Name | Enter the reporter's middle name to look for in cases. |
| | Last Name | Enter the reporter's last name to look for in cases. |
| | Suffix | Enter the reporter's suffix to look for in cases. |
| | Health Care Professional | Select an option from the list to include a query criterion based on whether the reporter is a health care professional. |
| | Occupation | Select the reporter's occupation that the query looks for in cases. |
| | Address | Enter the report address that the query looks for in cases. |
| | Institution | Enter the reporter's institution that the query looks for in cases. |
| | Department | Enter the reporter's department that the query looks for in cases. |
| | City | Enter the reporter's city that the query looks for in cases. |
| | State/Province | Enter the reporter's state that the query looks for in cases. |
| Postal Code | Enter the reporter's postal code that the query looks for in cases. | |

Table 3–2 (Cont.) Fields in the General Tab on the QUERY BY EXAMPLE Page


| Section | Field or Check Box | Description |
|-------------------------------|--|---|
| | Country | Enter the reporter's country ID that the query looks for in cases. |
| | Phone Number | Enter the reporter's phone number that the query looks for in cases. |
| | Alternate Phone | Enter the reporter's alternate phone number that the query looks for in cases. |
| | FAX Number | Enter the reporter's fax number that the query looks for in cases. |
| | Reporter ID | Enter the reporter's ID that the query looks for in cases. |
| | Reporter's Reference # | Enter the reporter's reference number that the query looks for in cases. |
| | Email Address | Enter the reporter's email address that the query looks for in cases. |
| | Reporter Type | Select the reporter type that the query looks for in cases. |
| | Report Media | Select the report media that the query looks for in cases. |
| | Intermediary | Select the intermediary that the query looks for in cases. |
| | Report Sent to Regulatory Authority by Reporter? | Select the Yes , No , Unknown , or Ignore option, as appropriate, to indicate whether the query looks for cases where the reporter has already informed a regulatory authority about the event. |
| | Protect Confidentiality | Select this check box to have the query retrieve only those cases where reporter information is specified as confidential. |
| | Primary Reporter | Select this check box to have the query retrieve only those cases where the reporter is marked as the primary reporter. |
| | Correspondence Contact | Select this check box to have the query retrieve only those cases where the reporter is marked as a correspondence contact. |
| Literature Information | Author | Enter the literature author name that the query looks for in cases. |
| | Title | Enter the literature title that the query looks for in cases. |
| | Journal | Enter the literature journal name that the query looks for in cases. |
| | Vol | Enter the literature volume that the query looks for in cases. |
| | Year | Enter the literature publication year that the query looks for in cases. |
| | Pgs | Enter the journal page number in which the article appeared. The query will look for this information in cases. |

Selecting the Study Information

In the Study Information section, Argus Insight automatically populates the Project ID, Study ID, and Center ID fields when you select a study from the Clinical Study Lookup dialog box.

To select a clinical study:


1. Click the **Select** button associated with the **Study ID** field. The system displays the Clinical Study Lookup dialog box.



2. Enter the first few letters of the project name, study ID, or study center name in their respective text boxes.

Tip: Alternatively, if you are not sure about the information you are looking for, click **Search** to list the project name, study, and center for all the clinical studies.

3. Click **Search**. The system searches for the specified search strings. The Clinical Study Lookup dialog box displays the search results in a grid format.



4. Select a clinical study from the list.
5. Click **Select**. The system returns to the QUERY BY EXAMPLE page and automatically inserts your selected information into the Project ID, Study ID, and Center ID fields in the Study Information section.

| Study Information | | |
|-------------------|-----------------|-----------|
| Project ID | Study ID | Center ID |
| CURE | CURE ALL PL 001 | Ireland |

Note: The Study ID and Center ID are optional fields.

Patient Tab

The **Patient** tab has two views: **Patient** and **Parent**.

Patient View

The **Patient** view (see [Figure 3-4](#)) differs from what you might see in Argus Safety in the following ways:

- You can specify information only about one lab data element
- You can specify details of only one relevant history
- You need to scroll the page to view all the fields available.

Figure 3-4 Patient View for the Patient Tab on the QUERY BY EXAMPLE Page

[Table 3-3](#) describes the various fields in the **Patient** view of the **Patient** tab. The *field* values you specify are used as the *query* criteria to retrieve matching cases.

Table 3–3 Fields in the Patient View of the Patient Tab on the QUERY BY EXAMPLE Page

| Section | Field or Check Box | Description |
|----------------------------|-------------------------|---|
| Patient Information | Sponsor Identifier | Enter the <i>study</i> sponsor's ID. The query will look for this information in cases. |
| | Pat. ID | Enter the patient number that the query looks for in cases. |
| | Randomization Number | Enter the patient randomization number that the query looks for in cases. |
| | Initials | Enter the patient's initials that the query looks for in cases. |
| | First Name | Enter the patient's first name that the query looks for in cases. |
| | MI | Enter the patient's middle initials that the query looks for in cases. |
| | Last Name | Enter the patient's last name that the query looks for in cases. |
| | Protect Confidentiality | Select this check box to retrieve those cases where patient information is marked as confidential. |
| | Address | Enter the patient's address that the query looks for in cases. |
| | City | Enter the patient's city that the query looks for in cases. |
| | Country | Enter the patient's country that the query looks for in cases. |
| | State/Province | Enter the patient's state that the query looks for in cases. |
| | Postal Code | Enter the patient's postal code that the query looks for in cases. |
| Patient Details | Date of Birth | Enter the patient's date of birth that the query looks for in cases. |
| | Age | Enter the patient's age that the query looks for in cases. |
| | Units | Select the age unit for the value you specified in the Patient Age field. |
| | Age Group | Select the patient age group that the query looks for in cases. |
| | Ethnicity | Select the patient's ethnicity that the query looks for in cases. |
| | Occupation | Select the patient occupation that the query looks for in cases. |
| | Gender | Select the patient gender that the query looks for in cases. |
| | Pregnant | Select the Yes , No , Unknown , N/A , or Ignore option, as appropriate, to indicate whether the query looks for cases where the patient's pregnancy status is specified. This field is available only if you specify the patient gender as Female. |
| | Date of LMP | Enter the date of the patient's last menstrual period (LMP) that the query looks for in cases. |
| | Patient Weight | Enter the patient weight that the query looks for in cases. Select the lbs or kg option, as appropriate. |
| | Patient Height | Enter the patient's height that the query looks for in cases. Select the in or cm option, as appropriate. |
| | Number of Patients | Enter the number of patients. |

Table 3–3 (Cont.) Fields in the Patient View of the Patient Tab on the QUERY BY EXAMPLE Page

| Section | Field or Check Box | Description |
|-------------------------------|------------------------|--|
| Lab Data | Test Name | Click the associated Select button to select the lab test that the query looks for in cases. See " Selecting a Lab Test " on page 3-15 for more information. |
| | Results | Enter the lab data results that the query looks for in cases. |
| | Norm Low | Enter the lab data normal low value that the query looks for in cases. |
| | Date | Enter the lab test date that the query looks for in cases. |
| | Units | Enter the unit for the value you specified in the Results field in the Lab Data section. |
| | Norm High | Enter the lab data normal high value that the query looks for in cases. |
| Other Relevant History | Start | Enter the relevant history start date that the query looks for in cases. |
| | Condition Type | Select the relevant history condition type that the query looks for in cases. |
| | Notes | Enter the relevant history notes that the query looks for in cases. |
| | Stop Date | Enter the relevant history stop date that the query looks for in cases. |
| | Coded PT | Click the associated Encode button to select the relevant history condition by using the MedDRA Browser. The query will look for the encoded term. See " Using the MedDRA Browser " on page 3-17 for more information. |
| | Ongoing | Select this check box to retrieve cases where the relevant history condition is continuing/ongoing. |
| | Patient Relevant Tests | Enter the relevant patient tests that the query looks for in cases. |

Parent View

This **Parent** view (see [Figure 3–5](#)) differs from what you might see in Argus Safety in the following ways:

- You can specify details of only one relevant history.
- You can specify details of only one medical history.

Figure 3–5 Parent View for the Patient Tab on the QUERY BY EXAMPLE Page

Table 3–4 describes the various fields in the **Parent** view of the **Patient** tab. The *field* values you specify are used as the *query* criteria to retrieve matching cases.


Table 3–4 Fields in the Parent View of the Patient Tab on the QUERY BY EXAMPLE Page

| Section | Field or Check Box | Description |
|-------------------------------|----------------------|--|
| Parent Information | Parent Initials | Enter the parent's initials that the query looks for in cases. |
| | Date of Birth | Enter the parent's data of birth that the query looks for in cases. |
| | Age | Enter the parent's age that the query looks for in cases. |
| | Units | Select the age unit for the value you specified in the Age field. |
| | Gender | Select the parent gender that the query looks for in cases. |
| | Date of LMP | Enter the date of the parent's last menstrual period (LMP) that the query looks for in cases. This field is available only if the parent gender is specified as Female. |
| | Parent Weight | Enter the parent's weight that the query looks for in cases. Select the lbs or kg option, as appropriate. |
| | Parent Height | Enter the parent's height that the query looks for in cases. Select the in or cm option, as appropriate. |
| Other Relevant History | Parent Breastfeeding | Select this check box to retrieve cases where parent is breast feeding. |
| | Start | Enter the relevant history start date that the query looks for in cases. |
| | Condition Type | Select the relevant history condition type that the query looks for in cases. |
| | Notes | Enter the relevant history notes that the query looks for in cases. |
| | Stop Date | Enter the relevant history stop date that the query looks for in cases. |
| | Coded PT | Click the associated Encode button to select the relevant history condition by using the MedDRA Browser. The query will look for the encoded term. See " Using the MedDRA Browser " on page 3-17 for more information. |
| | Ongoing | Select this check box to retrieve cases where the relevant history condition is continuing / ongoing. |

Selecting a Lab Test

To select a lab test:

1. Navigate to the QUERY BY EXAMPLE page.
2. Click the **Patient** tab. Make sure the Patient view is displayed.
3. Click the **Select** button associated with the **Test Name** field in the Lab Data section. The system opens the Lab Test Name dialog box.



4. Search for a lab test:
 - To find only those lab tests that match your criteria, enter one or more letters of the test name in the **Description** field and click **Search**.
 - To display all lab tests, leave the Description field blank and click **Search**.

The system displays the search results in the Lab Test Types section.



5. Select the required test name.
6. Click **Select**. The system inserts the selected test into the **Test Name** field.

Using the MedDRA Browser

To use the MedDRA Browser to search and select MedDRA terms for an event:

1. Click the **Encode** button associated with the QBE tabs to start the MedDRA Browser. The MedDRA Browser dialog box opens.

Argus Insight - MedDRA Browser -- Webpage Dialog

MedDRA Browser

Current Coding Version: 12.0 MedDRA SMQ: Full Search

NOTE: The QBE only supports single selection in the MedDRA Browser

| SOC | HLGT | HLT | PT | LLT |
|----------------------|----------------------|----------------------|----------------------|----------------------|
| <input type="text"/> |

| | | | |
|-------------------------------------|------|----------|---|
| <input type="checkbox"/> | SOC | 10029104 | Neoplasms benign, malignant and unspecified (incl cysts and polyps) |
| <input type="checkbox"/> | HLGT | 10029209 | Nervous system neoplasms benign |
| <input type="checkbox"/> | HLT | 10029312 | Neuromas |
| <input checked="" type="checkbox"/> | PT | 10017709 | Ganglioneuroma |
| <input type="checkbox"/> | LLT | | |


Note: The output returned by the MedDRA Browser for the **Patient**, **Product** and **Analysis** tabs of QBE is the **Preferred Term (PT)**. The **Events** tab of QBE provides output for multiple options. You can select and search the required term(s), based on the **Seriousness Criteria**.

2. Enter the first few letters of the SOC, HLGT, HLT, PT, or LLT term in the respective text box. If you want the system to search for the specified word in the entire event term, select the **Full Search** check box.


Note: The Special Category drop-down list displays all the SMQs that can be selected. The selected SMQ searches across PT and LLT levels of the MedDRA dictionary.

The Special Category drop-down list is hidden in MedDRA 10. The MedDRA SMQs drop-down list is hidden in versions lesser than MedDRA 9.

3. Press Tab. The system searches for the specified word in the event terms. The MedDRA Browser displays the search results in a *column* below the text box in which you entered the text string.



4. Select the required event term from the search results. The **SOC**, **HLGT**, **HLT**, **PT**, and **LLT** fields in the MedDRA Browser display the respective terms for the selected event. Note that:
 - Fields highlighted in yellow indicate the selected hierarchy is the primary SOC path.
 - Fields highlighted in gray indicate the selected hierarchy is not the primary SOC path.



5. Select the **SOC**, **HLGT**, **HLT**, **PT**, and **LLT** check boxes to populate the corresponding fields in the QBE form.
6. Click **Add & Close**.

The selected codes for the selected event are displayed in the respective fields in the QBE form.

Products Tab

The **Products** tab (see [Figure 3-6](#)) differs from what you might see in Argus Safety in the following ways:

- You can enter information only about one product.
- You can specify details of only one dosage regimen.
- You need to scroll the page to view all the fields available.

Figure 3-6 Products Tab on the QUERY BY EXAMPLE Page

The screenshot shows a web-based form with a tabbed interface. The 'Products' tab is active. The form is organized into two main sections: 'Product Information' and 'Dosage Regimens'. The 'Product Information' section contains various input fields and radio buttons for specifying product details. The 'Dosage Regimens' section includes checkboxes and input fields for defining the dosage regimen. At the bottom of the form, there are several action buttons: 'Save', 'Save As', 'Convert to Advanced Condition', 'Clear Tab', 'Clear All', 'Permissions...', and 'Execute'.

[Table 3-5](#) describes the various fields in the **Products** tab. The *field* values you specify are used as the *query* criteria to retrieve matching cases.

Table 3–5 Fields in the Products Tab on the QUERY BY EXAMPLE Page

| Section | Field or Check Box | Description |
|---------------------|--------------------------|--|
| Product Information | Product Name | Click the associated Select button to use the Product Browser to specify product information for your query criteria. Selecting the product name automatically populates the Product Name, Generic Name, Company Drug Code, Formulation, Concentration, and Units fields with the details of the product you selected. See "Using the Product Browser" on page 3-22 for details. Alternatively, click the associated Encode button to use the Drug Coding Browser to specify the WHO drug name as the query criteria. See "Using the WHO Drug Browser" on page 3-24 for details. |
| | Drug Type | Select the Suspect, Concomitant, Treatment, or Ignore option, as appropriate, to indicate whether the query looks for cases where drug type is specified. |
| | Generic Name | Click the Select button associated with the Product Name field to select a generic name that the query looks for in cases. See "Using the Product Browser" on page 3-22 for details. |
| | Product Indication PT | Click the associated Encode button to use the MedDRA Browser to specify the drug primary indication event term as the query criteria. See "Using the MedDRA Browser" on page 3-17 for details. |
| | Company Product | Click the associated Select button to select the company product that the query looks for in cases. |
| | Study Drug | Click the associated Select button to use the Study Drug Lookup dialog box to specify the study drug name as the query criteria. Use this field to retrieve clinical trial cases with the selected study drug. See "Using the Study Drug Lookup" on page 3-27 for details. |
| | Company Drug Code | Click the Select button associated with the Product Name field to select the company drug code that the query looks for in cases. See "Using the Product Browser" on page 3-22 for details. |
| | Drug Code | Enter the drug code that the query looks for in cases. |
| | Manufacturer | Enter the product manufacturer that the query looks for in cases. |
| | Formulation | Click the Select button associated with the Product Name field to select a drug formulation that the query looks for in cases. See "Using the Product Browser" on page 3-22 for details. |
| | WHO DRUG ATC CODE | Enter the Anatomical, Therapeutic, Chemical (ATC) classification code that the query looks for in cases. |
| | WHO DRUG ATC DESCRIPTION | Enter the Anatomical, Therapeutic, Chemical (ATC) classification description that the query looks for in cases. |
| | Concentration | Click the Select button associated with the Product Name field to select a drug concentration that the query looks for in cases. See "Using the Product Browser" on page 3-22 for details. |
| | Units | Click the Select button associated with the Product Name field to select the units that the query looks for in cases. See "Using the Product Browser" on page 3-22 for details. |
| | Interaction? | Select the Yes, No, Unknown, or Ignore option, as appropriate, to indicate whether the query looks for cases where drug interaction status is specified. |
| | Contraindicated? | Select the Yes, No, or Ignore option, as appropriate, to indicate whether the query looks for cases where drug contraindication status is specified. |

Table 3–5 (Cont.) Fields in the Products Tab on the QUERY BY EXAMPLE Page

| Section | Field or Check Box | Description |
|--------------------------------|--|---|
| Dosage Regimens | Ongoing | Select this check box to retrieve cases where the dosage regimen is ongoing. |
| | Outside Therapeutic Range | Select this check box to retrieve cases where the dosage regimen is outside therapeutic range. This means that the drug has not been used in accordance with the label or has been used for outside the Therapeutic Range. Consult with your administrator for further company-specific information about the use of this field. |
| | Start Date/Time | Enter the dosage regimen start date that the query looks for in cases. |
| | Stop Date/Time | Enter the dosage regimen start date that the query looks for in cases. |
| | Duration of Regimen | Enter the dosage regimen duration (specified in minutes) as the query criteria. You can click Calculate to view the Duration Calculator dialog box. You can enter the time in hours, days, weeks, months, or years, and then convert the time to minutes. Alternatively, you can select a duration band and value if available. A system administrator must define the bands. |
| | Dose Number | Enter the drug dose number as the query criteria. |
| | Dose | Enter the drug dose received by the patient as the query criteria. |
| | Units | Specify the units for the value you specified in the Dose field. |
| | Dose Description | Enter the dose description based on the values you specified in Dose , Dose Units , and Frequency fields. |
| | Daily Dosage | Enter the daily dose based on the values you specified in Dose and Frequency fields. |
| | Regimen Daily Dosage Unit | Select the same option you selected in the Dose Units field. |
| | Regimen Dosage | Daily dose, duration, and frequency. |
| | Regimen Dosage Unit | Select the total dose regimen unit based on the values you specified in Dose , Dosage Regimen Duration , and Frequency fields. |
| | Patient Route of Administration | Select the route of dosage administration as the query criteria. |
| | Frequency | Specify the dosage frequency as the query criteria. |
| | Expiration Date | Enter the product expiration date as the query criteria. |
| | Accidental Exposure | Select the area of accidental exposure as the query criteria. |
| | Package ID | Enter the package ID as the query criteria. |
| | Pack Units | Enter the package units. |
| | Batch/Lot # | Enter the batch/lot number as the query criteria. Alternatively, click the associated Select button to view the Batch/Lot #s dialog box, enter search criteria to find the batch/lot number you need, and make your selection. |
| Parent Route of Administration | Select the route of dosage administration of the parent as the query criteria. | |


Table 3–5 (Cont.) Fields in the Products Tab on the QUERY BY EXAMPLE Page

| Section | Field or Check Box | Description |
|----------------------------|---|--|
| Product Details | First Dose | Enter the earliest dosage regimen start date as the query criteria. |
| | Last Dose | Enter the latest regimen stop date as the query criteria. |
| | Duration of Administration | Enter the duration of drug administration as the query criteria. This duration is the difference between the first and last dose for all dosage regimens. You can click Calculate to view the Duration Calculator dialog box. You can enter the time in hours, days, weeks, months, or years, and then convert the time to minutes. Alternatively, you can select a duration band and value if available. A system administrator must define the bands. |
| | Date | Enter the date on which the drug dechallenge was carried out. Note that this date is the same as the Drug Dechallenge Date. |
| | Other Information | Select the Abuse, Overdose, and Tampering check boxes. |
| | Time between First Dose / Primary Event | Enter the time between the event onset and the first dose. |
| | Time between Last Dose / Primary Event | Enter the time between the event onset and the last dose. |
| | Total Dose to Primary Event | Enter the total dose for the drug. |
| | Action Taken | Select the action taken to mitigate the adverse event. |
| | Results Dechallenge | Select the Yes, No, Unknown, N/A, or Ignore option, as appropriate, to indicate whether the query looks for cases where drug dechallenge status is specified. |
| | Drug Dechallenge Date | Enter the date on which the drug dechallenge was carried out. |
| | Total Dosage | Enter the total drug usage duration as the query criteria. |
| | Units | Enter the total dosage unit as the query criteria. This is based on the daily dose, duration and frequency. |
| | Start Date/Time | Enter the rechallenge start date as the query criteria. |
| | Stop Date/Time | Enter the rechallenge stop date as the query criteria. |
| | Taken Previously | Select the Yes, No, Unknown, or Ignore option, as appropriate, to indicate whether the query looks for cases where drug was taken previously. |
| Results <i>Rechallenge</i> | Select the Yes, No, Unknown, N/A or Ignore option, as appropriate, to indicate whether the query looks for cases where drug rechallenge status is specified. | |


Using the Product Browser

To select a product by using the Product Browser:


1. Select the **Products** tab on the QUERY BY EXAMPLE page.
2. Click the **Select** button associated with the **Product Name** field. The system opens the Product Browser dialog box.



3. Enter the first few letters (text string) of the product ingredient, family name, product name, or trade name in the respective field.
 - If you want to search for the specified string in the entire product information, select the **Full Search** check box.
 - If you want to remove your search criteria and start over, click **Clear**.
4. Press Tab (or click another field in the dialog box) to begin the search. The system searches the database for the text string that you specified. The Product Browser displays the search results in the column below the field in which you entered the search string.
5. Select an item from the search results list. The details for the selected item are displayed in all the Product Browser fields.




6. Select the required product name or trade name, as appropriate.
7. Click **Select**. The system returns to the Products tab and automatically populates the Product Name, Generic Name, Company Drug Code, Formulation, Concentration, and Units fields with the details of the product you selected.



Using the WHO Drug Browser

To select a WHO drug product by using the WHO Drug Browser:

1. Select the **Products** tab on the QUERY BY EXAMPLE page.
2. Click the **Encode** button associated with the **Product Name** field. The system opens the WHO Drug Browser dialog box.




Note: The WHO Drug Browser that appears depends on the configuration settings defined for your account by the administrator.

The browser categories (B or C) are not displayed in the browser window.

The primary difference between the two browsers is the availability of the following fields in WHO Drug Browser:


- **Product Type**
- **MAH** (name of the manufacturer)
- **Medicinal Prod ID**
- **Ingredients** (product substance name)

3. Use the fields at the top of the WHO Browser dialog box to define your search criteria. You can enter values into one, several, or all fields.



- a. In the **Product Type** field, select the kind of product to include in your search. You can include all products or a single product. The default value is **All**.
- b. In the **ATC Code** field, type all or part of the Anatomical Therapeutic Chemical (ATC) classification code.

- c. Select either the **Drug Code** or the **Medicinal Prod ID** option as one of the search criterion, and then enter the appropriate search string in the text box below the options. The default option is **Drug Code**.
 - d. Select either the **Trade Name** or **Ingredient** option as one of the search criterion, and then enter the appropriate search string in the text box below the options. The default selection is **Trade Name**.
 - e. Enter the **Formulation** and **Country** details for the drug to be searched.
 - f. Select the **Full Search** check box if you want the system to search for the specified string in the entire product information.
4. Click **Search**. The system searches the database for drug products that match your specified search criteria. The WHO Drug Browser displays the search results in a grid format.
 5. Select the required WHO drug. The WHO Drug Browser highlights the drug you selected and populates the fields in the Drug Details section.



6. Click **Select**. The system returns to the **Products** tab and automatically populates the Product Name, Generic Name, Drug Code, WHO DRUG ATC CODE, and WHO DRUG ATC DESCRIPTION fields for the WHO drug you selected.

Note that the Generic Name field displays all the ingredients for the WHO drug you selected.

The screenshot shows a 'Product Information' form with the following fields and values:

- Product Name:** ACETASOL
- Generic Name:** ACETIC ACID, BENZETHONIUM CHLORIDE, PROPYLENE GLYCOL DIACETATE, SODIUM ACETATE
- Drug Type:** Suspect (selected), Concomitant
- Product Indication PT:** (empty)
- Company Product:** (empty)
- Study Drug:** (empty)
- Company Drug Code:** (empty)
- Drug Code:** 013018.01.001
- Manufacturer:** (empty)
- Formulation:** (empty)
- WHO DRUG ATC CODE:** S02AA
- WHO DRUG ATC DESCRIPTION:** ANTIINFECTIVES
- Concentration:** (empty)
- Units:** (empty)
- Interaction?:** Yes, No, Unknown, Ignore (selected)
- Contraindicated?:** Yes, No, Ignore (selected)

Using the Study Drug Lookup

To select a study drug:

1. Select the **Products** tab on the QUERY BY EXAMPLE page.
2. Click the **Select** button associated with the **Study Drug** field. The system opens the **Study Drugs Lookup** dialog box.
3. Enter the first few letters of the study drug name in the **Study Drug** field.
4. Click **Search**. The system searches the database for the specified search string and displays the search results.

The screenshot shows the 'Product Information' form with the 'Study Drug' field's 'Select' button highlighted. An arrow points from this button to the 'Argus Insight - Study Drugs Look up' dialog box. The dialog box contains:

- Study Drug:** Cure
- Search:** (button)
- Study Drugs List:**
 - Cure All [Capsule , 1000 mg]
 - Cure All [Capsule , 250 mg]** (highlighted)
 - Cure All [Capsule , 500 mg]
 - Cure All [Granule]
 - Cure All [Injection]
 - Cure All [Unknown]
- Buttons:** Add & Close, Cancel

5. Select the required study drug from the list.
6. Click **Add & Close**. The system returns to the **Products** tab and populates the **Study Drug** field with the drug you selected.

The screenshot shows the 'Products' tab of a QBE interface. It contains several input fields: 'Product Name' with 'Select' and 'Encode' buttons; 'Generic Name'; 'Product Indication PT' with an 'Encode' button; and 'Study Drug' with a 'Select' button. The 'Study Drug' field is highlighted with a red border and contains the text 'Cure All [Capsule , 250 mg]'.

Events Tab

The **Events** tab (see [Figure 3-7](#)) differs from what you might be used to seeing in Argus in that details of only one event can be specified.

Figure 3-7 Events Tab on the **QUERY BY EXAMPLE** Page

The screenshot shows the 'Events' tab of a QBE interface. It is divided into several sections:

- Event Information:** Includes radio buttons for 'Diagnosis' (Yes, No, Ignore) and 'Description as Reported' vs 'Description to be Coded'. Fields include 'Onset Date/Time', 'Duration', 'Onset From Last Dose', 'Onset Latency', 'Time to Onset from First Dose', 'Receipt Date', 'Term Highlighted by Reporter', 'Patient Has Prior History?', 'Treatment Received?', 'Time to Onset from Last Dose', 'Stop Date/Time', 'Intensity', 'Frequency', 'Lack of Efficacy', 'Nature of Event', 'Related to Study Conduct?', 'Progression of Disease', and 'Adverse Drug Withdrawal Reaction'.
- Event Coding:** Includes 'System Organ Class (SOC)', 'High Level Group Term', 'High Level Term', 'Preferred Term', and 'Lower Level Term'.
- Seriousness Criteria:** Includes checkboxes for 'Death', 'Hospitalized', 'Disability', 'Other', 'Medically Significant', 'Life-threatening', 'Intervention Required', and 'Congenital Anomaly'.

 At the bottom, there are buttons for 'Save', 'Save As', 'Convert to Advanced Condition', 'Clear Tab', 'Clear All', 'Permissions', and 'Execute'.

[Table 3-6](#) describes the various fields in the **Events** tab. The *field* values you specify are used as the *query* criteria to retrieve matching cases.

Table 3–6 Fields in the Events Tab on the QUERY BY EXAMPLE Page

| Section | Field or Check Box | Description |
|-------------------|--|---|
| Event Information | Diagnosis | Select the Yes , No , or Ignore option, as appropriate, to indicate whether the query looks for cases where event diagnosis flag is set. |
| | Description as Reported | Enter the reported event description that the query looks for in cases. |
| | Description to be Coded | Tab out of this field to use the MedDRA Browser to specify an event term as query criteria. See " Using the MedDRA Browser " on page 3-17 for more information. The MedDRA event terms for the selected term are displayed in the Seriousness Criteria section. The query is restricted to the terms displayed. |
| | Onset Date/Time | Enter the event onset date that the query looks for in cases. |
| | Duration | Enter the event duration that the query looks for in cases. |
| | Onset From Last Dose | Enter the event onset duration from last dose as the query criteria. |
| | Onset Latency | Enter the event onset latency duration that the query looks for in cases. |
| | Time to Onset from First Dose | Enter the duration from first dose to the event onset as the query criteria. Alternatively, click the associated Calculate button to view the Duration Calculator dialog box and make your selection. |
| | Receipt Date | Enter the event receipt date that the query looks for in cases. |
| | Term Highlighted by Reporter | Select the Yes , No , or Ignore option, as appropriate, to indicate whether the query looks for cases where case seriousness status is specified. |
| | Patient Has Prior History? | Select the Yes , No , Unknown , or Ignore option, as appropriate, to indicate whether the query looks for cases where event past history is specified. |
| | Treatment Received? | Select the Yes , No , Unknown , or Ignore option, as appropriate, to indicate whether the query looks for cases where patient received treatment for the event. |
| | Time to Onset from Last Dose | Enter the duration from last dose to the event onset as the query criteria. Alternatively, click the associated Calculate button to view the Duration Calculator dialog box and make your selection. |
| | Progression of Disease | Select this check box to retrieve cases where Event Progression of Disease is selected. |
| | Adverse Drug Withdrawal Reaction | Select this check box to retrieve cases where Event Withdrawal Reaction is selected. |
| | Stop Date/Time | Enter the event stop date that the query looks for in cases. |
| | Intensity | Select the event intensity option that the query looks for in cases. |
| | Frequency | Select the event frequency option that the query looks for in cases. |
| | Lack of Efficacy | Select this check box to retrieve cases where Event Lack of Efficacy is selected. |
| | Related to <i>Study</i> Conduct? (As Reported) | Select the Yes , No , Unknown , or N/A option, as appropriate, to indicate whether the query looks for cases where the event is related to a study. |
| Outcome of Event | Enter the event outcome that the query looks for in cases. | |

Table 3–6 (Cont.) Fields in the Events Tab on the QUERY BY EXAMPLE Page

| Section | Field or Check Box | Description |
|----------------------|--|---|
| | Nature of Event | Enter the nature of the event that the query looks for in cases. |
| Event Coding | System Organ Class (SOC) High Level Group Term High Level Term Preferred Term Lower Level Term | Click the associated Encode button to use the MedDRA Browser to specify event terms as query criteria. See "Using the MedDRA Browser" on page 3-17 for details. |
| Seriousness Criteria | Seriousness Criteria check boxes | Select one or more associated check boxes to specify the seriousness criteria that the query looks for in cases. |

Analysis Tab

The **Analysis** tab (see [Figure 3–8](#)) has two views: **Case Analysis** and **AFSSaPS**.

Analysis information about Regulatory Information (notification log), MedWatch Information, BfArM Information, and EU devices is not available. For more sophisticated queries, use filters or advanced conditions.

Figure 3–8 Analysis Tab on the QUERY BY EXAMPLE Page

[Table 3–7](#) describes all the fields in the **Case Analysis** view. The field values you specify are used as the *query* criteria to retrieve matching cases.

Table 3–7 *Fields in the Case Analysis View of the Analysis Tab on the QUERY BY EXAMPLE Page*

| Section | Field or Check Box | Description |
|--------------------------|---|---|
| Narrative | Narrative | Enter the case narrative that the query looks for in cases. |
| | Case Comment | Enter the case comment that the query looks for in cases. |
| | Local Evaluator Comment | Enter the local evaluator' comment that the query looks for in cases. |
| | Company Comment | Enter the company's comment that the query looks for in cases. |
| | Abbreviated Narrative | Enter the abbreviated case narrative that the query looks for in cases. |
| | Evaluation in light of similar events in the past | Enter the evaluation comment that takes in to consideration similar events that have occurred in the past. The query will look for the specified text in cases. |
| Other Information | Case Serious | Select the Yes , No , or Ignore option, as appropriate, to indicate whether the query looks for cases where case seriousness status is specified. |
| | Notes | Enter the case seriousness notes that the query looks for in cases. |
| | Company Agent Causal | Select the Yes , No , Unknown , or Ignore option, as appropriate, to indicate whether the query looks for cases where the company agent causality status is specified. |
| | Notes | Enter the company agent causality notes that the query looks for in cases. |
| | Listedness Determination | Select the case listedness status that the query looks for in cases. |
| | Notes | Enter the case assessment listedness notes that the query looks for in cases. |
| | Case Outcome | Select the case outcome that the query looks for in cases. |
| | Company Diagnosis/Syndrome | Click the associated Encode button to use the MedDRA Browser to specify the company diagnosis as query criteria. See " Using the MedDRA Browser " on page 3-17 for more information. |
| Notes | Enter the company diagnosis/syndrome notes that the query looks for in cases. | |

[Table 3–8](#) describes all the fields in the **AFSSaPS** view. The field values you specify are used as the query criteria to retrieve matching cases.

Table 3–8 Fields in the AFSSaPS View of the Analysis Tab on the QUERY BY EXAMPLE Page

| Section | Field | Description |
|---------------------------------|----------------|---|
| Case Event Imputability Details | Preferred Term | Click the associated Select button to use the MedDRA Browser to specify the Event Preferred Term as query criteria. See " Using the MedDRA Browser " on page 3-17 for more information. |
| | Agent | Click the associated Select button to choose the <i>suspect product</i> that the query looks for in cases. |
| | Chronology | Select the imputability chronology code that the query looks for in cases. |
| | Semiology | Select the imputability semiology code that the query looks for in cases. |
| | Bibliography | Select the imputability bibliography code that the query looks for in cases. |
| | Imputability | Select the imputability score that the query looks for in cases. |

Activities Tab

The **Activities** tab (see [Figure 3–9](#)) differs from what you might see in Argus Safety in the following ways:

- You can specify information only about one contact log.
- You can specify information only about one action item.
- Routing search is not applicable.

Figure 3–9 Activities Tab on the QUERY BY EXAMPLE Page

The screenshot displays the 'Activities' tab within a software interface. It features three main sections for data entry:

- Contact Log:** Includes fields for Date (??-??-0000), Code, Group, Date Sent (??-??-0000), Description, and User.
- Action Items:** Includes fields for Date Open (??-??-0000), Code, Group, Due (??-??-0000), Description, User, and Completed (??-??-0000).
- Case Lock / Archive:** Includes fields for Lock Date (??-??-0000), Locked or Closed By, and Closure Date (??-??-0000).

At the bottom of the form, there is a row of buttons: Save, Save As, Convert to Advanced Condition, Clear Tab, Clear All, Permissions, and Execute.

[Table 3–9](#) describes all the fields in the **Activities** tab. The *field* values you specify are used as the *query* criteria to retrieve matching cases.

Table 3–9 Fields in the Activities Tab on the QUERY BY EXAMPLE Page

| Section | Field | Description |
|-------------------|---------------------|--|
| Contact Log | Date | Enter the contact log date that the query looks for in cases. |
| | Code | Select the contact log code that the query looks for in cases. |
| | Group | Select the contact log group that the query looks for in cases. |
| | Date Sent | Enter the sent date for the contact. |
| | Description | Enter the contact log description that the query looks for in cases. |
| | User | Select the user responsible for the contact log. The query will look for the user name you select. |
| Action Items | Date Open | Enter the action item opening date that the query looks for in cases. |
| | Code | Select the action type that the query looks for in cases. |
| | Group | Select the responsible group that the query looks for in cases. |
| | Due | Enter the action item due date that the query looks for in cases. |
| | Description | Enter the action item description that the query looks for in cases. |
| | User | Select the user responsible for the action item. The query looks for the specified user name. |
| | Completed | Enter the action item completion date that the query looks for in cases. |
| Case Lock/Archive | Lock Date | Enter the case lock date that the query looks for in cases. |
| | Locked or Closed By | Enter the user who locked or closed the case. |
| | Closure Date | Enter the date when the case was closed. |

Additional Info Tab

The **Additional Info** tab (see [Figure 3–10](#)) differs from what you might see in Argus Safety in the following ways:

- You can specify information only about one note.
- No attachments are permitted.
- You can specify information only about one reference.

Figure 3–10 Additional Info Tab on the QUERY BY EXAMPLE Page

[Table 3–10](#) describes all the fields in the **Additional Info** tab. The *field* values you specify are used as the *query* criteria to retrieve matching cases.


Table 3–10 Fields in the Additional Information Tab on the QUERY BY EXAMPLE Page

| Section | Field | Description |
|------------|-------|---|
| References | Type | Enter the reference type that the query looks for in cases. |
| | ID | Enter the referenced case ID that the query looks for in cases. |
| | Notes | Enter the reference notes that the query looks for in cases. |

Assigning Group-Level Permissions to a Saved QBE

To assign group-level permissions to a saved QBE:

1. Click **Permissions**. The system opens the **Permissions** dialog box and displays the names of all the groups (except the **Administrator** group) that the system administrator has created.



2. Use the drop-down list next to a group name to assign permissions to the group members on the QBE you have created. You can select from these options:

| Permission | Description |
|---------------------|---|
| R/W/D/P | Group members will be able to view, modify, delete, and assign permission on the QBE. |
| R/W/D | Group members will be able to view, modify, and delete the QBE. |
| R/W | Group members will be able to view and modify the QBE. |
| R | Group members will be able to only view the QBE. |
| No Access (Default) | No group members will be able to access the QBE. |

3. Click **OK**. The system saves the permission settings.

Working with the Last Modified or Executed QBE

This section describes how to view the QBE that you last modified or executed.

The system assigns the *active* status to a QBE when you save modifications to it or execute it. Unless you save the modifications to another QBE or execute another QBE, the last QBE you modified or executed remains active. This is helpful in situations when you want to access a frequently used QBE.

To view an active QBE, navigate to **Queries, Query by Example**, and select **Active**. The ACTIVE QUERY BY EXAMPLE page displays the QBE *form* for the last QBE you executed. For example:

If the active QBE was saved to the system before executing, both the **Active Query Name** field and the **Name** field display the name of the QBE. However, if the active QBE was not saved to the system before executing, the Active Query Name field displays the following text:

<Not Saved>

You can enter the name of the QBE in the **Name** field and click **Save**.

You can also rename an already saved QBE, by entering the new name in the **Name** field and clicking **Save**.

Modifying the Description and Values for the Active QBE

To change the description of the active QBE, add or modify the text in the **Description** field.

In addition, you can modify the value of any field on any of the QBE tabs (that is, the QBE form).

When you modify the values of a QBE, you can:

- Click **Clear Tab** to clear all the values for the current tab.
- Click **Clear All** to clear all the values specified in all the tabs for this active QBE.

Saving the Active QBE

You have two options for saving the active QBE:

- Click **Save** to save any changes or updates you make to the active QBE. The Save button is enabled for a saved active QBE only.

- Click **Save As** to save the active QBE with a different name.

The QUERY BY EXAMPLE LIBRARY page lists all the QBEs saved to the system. See ["Working with Saved QBEs"](#) on page 3-36 for more information.

Converting the Active QBE to an Advanced Condition

Click **Convert to Advanced Condition** to convert the QBE to an Advanced Condition. See ["Using QBEs with Advanced Conditions"](#) on page 3-40 for more information.

Assigning Permissions

Click **Permissions** to set the group-level access permissions on the QBE. The **Permissions** button is only available for saved active QBEs. See ["Assigning Group-Level Permissions to a Saved QBE"](#) on page 3-34 for more information.

Executing the Active QBE

Click **Execute** to generate a case series by using the active QBE.

Modifying the field values in the QBE form for an active QBE or saving the active QBE with a different name changes the active QBE to reflect the most recent changes. The active QBE also changes if you modify the field values in the QBE form and execute the QBE without saving the QBE form modifications.

Working with Saved QBEs

The QUERY BY EXAMPLE LIBRARY page lists all the QBEs saved to the system.

To view the list of saved QBEs, navigate to **Queries, Query by Example**, and select **Library**. The QUERY BY EXAMPLE LIBRARY page opens. See [Figure 3-11](#).

The QUERY BY EXAMPLE LIBRARY page displays the following information about each saved QBE:

- Name of the QBE that was entered when the query was saved.
- Description of the QBE that was entered in the Description field on the QBE form.
- Date when the QBE was last modified.
- Full name of the user who created the QBE.
- Category that was selected on the QBE form and assigned to the query.
- An icon in the Associated Report column if the QBE has a report associated with it. See ["Associating a Report Group with a QBE"](#) on page 3-38 for more information.

Figure 3–11 QUERY BY EXAMPLE LIBRARY Page

ORACLE ARGUS INSIGHT™ John Smith, Wednesday November 21, 2012 (AI702INT - Ent_SH_2) Home Tools Help Logout

Home Queries Case Series Reports

Queries > Query by Example

QUERY BY EXAMPLE LIBRARY

Active Query Name: < Not Saved >
Active Case Series: < Not Saved >

Choose Query

| Name | Description | Last Modified | User Full Name | Category | Associated Report |
|-------|-------------|---------------|----------------|----------|-------------------|
| | | 00-MMM-0000 | | | |
| fjfff | | 07-NOV-12 | avanish kumar | General | |
| US | US | 08-NOV-12 | Ritu Gupta | General | |
| US | US | 08-NOV-12 | avanish kumar | General | |

New Modify Delete Associate Disassociate Limit Query to Active Case Series Execute

Searching for a Saved QBE

To search for a saved QBE:

- Specify the search criteria, as appropriate:
 - To search for a QBE by its name, type the QBE name in the **Name** text box.
 - To search for a QBE by its description, type the first few words of the description in the **Description** text box. The system searches for the specified search string in all QBE descriptions.
 - To search for a QBE by its date of modification, enter the modification date in the first **Last Modified** date *field*. You can also specify a date range by typing the start and end dates in the first and second date fields, respectively.
 - To search for a QBE by its author, select the author name from the **User Full Name** drop-down list.
 - To search for a QBE by its category, select the category from the **Category** drop-down list.

Note: If you search for a text comprising an underscore, it is treated as a wildcard and is replaced by a letter in the displayed results. For example, If you have queries with names - CURE, CORE, and CARE and you search for C_RE, all three queries are displayed in the result.

- Click **Search**. Based on your search criteria, the system displays the search results in a list.
 - To sort search results, click the sort icon next to the column headers in the list.
 - To clear the search results and display all the saved QBEs in the list, click **Clear**.

Creating a New QBE

To create a new QBE, navigate to **Queries, Query By Example**, and then select **New**. Alternatively, click **New** in the QUERY BY EXAMPLE LIBRARY page to open a new QBE form directly.

Modifying a Saved QBE

To modify a saved QBE:

1. Select a QBE from the list of QBEs in the QUERY BY EXAMPLE LIBRARY page.
2. Click **Modify**. The QUERY BY EXAMPLE page displays the QBE form for the selected QBE.
3. Modify the field values in the QBE form.
4. Save your changes. Click **Save** to save the current query; click **Save As** to save the current query by another name.

Deleting a Saved QBE

To delete a saved QBE:

1. Select a QBE from the list of QBEs in the QUERY BY EXAMPLE LIBRARY page.
2. Click **Delete**. The system prompts for confirmation that you want to delete the QBE.
3. Click **OK**. The system deletes the selected QBE and returns to the QUERY BY EXAMPLE LIBRARY page.

Associating a Report Group with a QBE

Report packaging is the concept of grouping reports together. You can define multiple reports that are always or often executed at the same time into a group. A set of reports run on a weekly or periodic basis can be scheduled and run as a package.

In Argus Insight, you can associate a report group and the report scheduling to a power query (QBE, Filter Value Set, and Advanced Conditions) or to a case series.

Argus Insight lets you *associate* the report group, schedule a time to generate the reports, and automatically send the completed reports through email to one or more users that you specify.

Associating a report group with a QBE is helpful in situations when you need to generate the latest case series and run a report on it each time the data mart is refreshed. Instead of manually executing the QBE to generate the latest case series and then running the report, you can use the report association functionality of Argus Insight to accomplish the task automatically.

For detailed procedures and more information about associating report groups, see "[Scheduling and Associating Reports Against a Query or Case Series](#)" on page 8-3.

Note: To be able to schedule reports, you must have an enterprise login configured in the Business Intelligence tool you are using with Argus Insight.

Executing a Saved QBE

To execute a saved QBE:

1. Navigate to **Queries, Query by Example**, and select **Library**. The QUERY BY EXAMPLE LIBRARY page opens.
2. Select a QBE from the list.
3. Click **Execute**. The system executes the QBE, and then displays the ACTIVE CASE SERIES page.

ACTIVE CASE SERIES

Active Query Name: Pharmacovigilance
Active Case Series: SPT Injury M

Name: SPT Injury M Category: General Description: SPT Injury M

| Case Number | Report Type | Primary Company Product | Primary Event | Seriousness Criteria | Outcome | Notes |
|-----------------------------------|-------------|-------------------------|---------------|----------------------|--------------------|-------|
| 111 | RAT | xys | Pyrexia | CA | | |
| 11203 | SPT | Product Name Blinded 1 | Pyrexia | Non-Serious | | |
| 23432 | STR | B.Study2.Name | Pyrexia | F | Fatal | |
| A2_C111_COMP_PROD | SPT | Diabpen | Rash | DI,IR | Congenital Anomaly | |
| A2_C112_COMP_PROD | SPT | Painocide 20 ml vial | Pyrexia | M,F,DI,IR | Fatal | |
| A2_C113_COMP_PROD | SPT | Flunomore | Cough | H,LT | | |
| A2_C115_COMP_PROD | SPT | Flunomore | Cough | H,LT | | |
| A2_C117_COMP_PROD | SPT | Diabpen | Rash | DI,IR | | |
| A2_C118_COMP_PROD | SPT | Painocide 20 ml vial | Rash | DI,IR | | |

Freeze and Save Save Save As Permissions View Query Criteria Export to Excel

After generating the case series, you can add cases to or delete cases from the series, freeze the case series, or export the case series results into a Microsoft Excel file. For more information, see [Chapter 7, "Working with Case Series."](#)

Executing a Saved QBE on the Active Case Series

Just as the system assigns the *active* status to a QBE when you save modifications to it or execute it, the last saved or generated case series becomes the *active* case series.

You may want to run an existing QBE on an active case series instead of creating and running a new QBE on the entire data mart and generating a new case series.

To narrow down the list of cases in the active case series:

1. Generate the case series on which you want to run another QBE as follows:
 - If the case series on which you want to run another QBE is not yet generated or active, you can either create a new QBE and execute it, or execute a saved QBE as explained in ["Executing a Saved QBE"](#) on page 3-39. This case series automatically becomes the active case series and remains so until you execute another query to generate a different case series.
 - Alternatively, if the case series on which you want to run another QBE is already saved in the system, navigate to **Case Series, Open Case Series**, and select **Library**. When the CASE SERIES LIBRARY page opens, select the case series and click **Make Active**.
2. Navigate to **Queries, Query by Example**, and select **Library**. The QUERY BY EXAMPLE LIBRARY page opens.
3. Select the query you want to run on the active case series you generated in Step 1.
4. Select the **Limit Query to Active Case Series** check box.

- Click **Execute**. The system runs the selected QBE on the active case series and displays the ACTIVE CASE SERIES page. Note that the case series you just generated becomes the active case series.

Using QBEs with Advanced Conditions

Advanced conditions let you create complex queries that involve Boolean and set operations among various fields. To create advanced conditions, you use the Advanced Conditions Editor, which uses a spreadsheet-like approach for adding *query conditions* (fields and their values) and conditional operators (Boolean or set).

In Argus Insight, QBEs are integrated with advanced conditions to let you perform the following tasks:

- Converting a QBE to an Advanced Condition
- Integrating a QBE with an Advanced Condition

Converting a QBE to an Advanced Condition

You can use an existing *QBE* to start to build an advanced condition that uses Boolean or set operations between QBE form fields that have specific values. When you convert a QBE to an advanced condition, all the QBE form fields in which you entered values are listed on the ACTIVE ADVANCED CONDITIONS EDITOR page as *advanced condition attributes*.

To convert a QBE to an advanced condition:

- Open a QBE form by either starting a new QBE, opening the active QBE, or opening a saved QBE.
- Verify the *field* values you specified in the various tab pages in the QBE form.
- Click **Convert to Advanced Condition**. The ACTIVE ADVANCED CONDITIONS EDITOR page opens.

All the fields in which you specified values in the QBE form are listed as advanced condition attributes.

ACTIVE ADVANCED CONDITIONS EDITOR

Active Query Name: < Not Saved >
Active Case Series: < Not Saved >

Name: < Not Saved > Category: Pharmacovigilance Description: _____

| Advanced Condition | | | | | |
|--------------------|------------------|-----------|---------------------------|---|----------|
| (| Attributes | Condition | Value |) | Operator |
| | Report Type | equal to | Spontaneous | | AND |
| | Country | equal to | US | | AND |
| | Hospitalized | equal to | Yes | | AND |
| | Outcome of Event | equal to | Death due to AE/infection | | AND |

Save Execute

- Build your *query* further by:
 - Adding additional attributes (fields) and specifying their values
 - Adding another advanced condition as an attribute

- Placing runtime parameters in attributes
- Placing parentheses to determine the query execution order
- Specifying conditions for attributes values
- Specifying Boolean and set operators to join the various attributes

See [Chapter 5, "Using Advanced Conditions to Create Queries"](#) for detailed information about using the Advanced Conditions Editor.

Integrating a QBE with an Advanced Condition

You can integrate a new, active, or saved QBE with an existing advanced condition through these set operators:

- INTERSECT
- MINUS
- UNION

If required, you can integrate your QBE with multiple advanced conditions that can have Boolean or set operations between them.

To integrate a QBE with existing advanced conditions:

1. Open a QBE form by either starting a new QBE, opening the active QBE, or opening a saved QBE.
2. Verify the *field* values you specified in the various tab pages in the QBE form.
3. Click the **Advanced Conditions** tab.

QUERY BY EXAMPLE

Active Query Name: < Not Saved >
Active Case Series: SPT Injury M

Name: QBE_Spon_USA Category: Pharmacovigilance Description: Study 101, Site 9294, AE ML Fatal

General Patient Products Events Analysis Activities Additional Info **Advanced Conditions**


Advanced Condition

Operator: INTERSECT


| (| Attributes | Condition | Value |) | Operator |
|---|------------|-----------|-------|---|----------|
| | | | | | |

Save Save As Convert to Advanced Condition Clear Tab Clear All Permissions Execute

4. Use the **Operator** field to select the set operator you want to use to integrate the QBE and the advanced condition. You can select **INTERSECT**, **MINUS**, or **UNION**.
5. Select the advanced condition you want to integrate with the QBE as follows:
 - a. Click the **Add Advanced Condition Above** icon on the left bar to open the Advanced Conditions menu. This menu lists all the advanced conditions that are stored in the system and accessible to you. The conditions are organized by categories.



- b. Browse to the appropriate category and select the required advanced condition. The system adds your selection as a row in the Advanced Conditions Editor.



- c. Click the **Add Advanced Condition Above** icon or the **Add Advanced Condition Below** icon to insert another advanced condition above or below the existing advanced condition.

Tip: To change the structure of the *query* by changing the order of the rows, select a row and then click the arrow icons to move the row up or down.

6. Type parentheses in the (and) columns to determine the order of execution for the selected advanced conditions.
7. Use the field in the **Operator** column to specify the set operation to perform between the selected advanced conditions.
8. Click **Save As** to save your integrated query.
 - To run the integrated QBE and generate the case series, click **Execute**. The ACTIVE CASE SERIES page opens and displays the case series. See [Chapter 7, "Working with Case Series"](#) for more information.
 - To convert the integrated QBE and advanced condition into a single advanced condition, click **Convert to Advanced Condition**. See ["Converting a QBE to an Advanced Condition"](#) on page 3-40 for more information.

For detailed information about using the Advanced Conditions Editor, see [Chapter 5, "Using Advanced Conditions to Create Queries."](#)

Using Filters to Create Queries

Filters let you create queries by specifying multiple values or a range of values (in numeric or date fields) for each field in a set of fields displayed on a single page. Therefore, you may choose filters in situations when your querying criteria is based on multiple values or a range of values in fields.

This chapter, which describes how to work with filters, includes the following topics:

- [About Filters](#)
- [Using Predefined Filters](#)
- [Creating Custom Filters](#)
- [Working with the Last Modified or Executed Value Set](#)
- [Working with Saved Filters and Value Sets](#)
- [Using Filters with Advanced Conditions](#)

In addition to filters, Argus Insight provides the following query tools:

- QBEs (see [Chapter 3, "Creating Queries by Example"](#))
- Advanced Conditions (see [Chapter 5, "Using Advanced Conditions to Create Queries"](#))
- Library (see [Chapter 6, "Working with Libraries"](#))

About Filters

Argus Insight provides five predefined filters. Each predefined *filter* comprises of a set of specific data mart fields called filter elements. [Table 4-1](#) lists the five predefined filters and the elements associated with them.

Note: The field labels for each filter are displayed as per the field labels configured in Argus Safety.

Table 4–1 Argus Insight Predefined Filters and Elements

| Predefined Filter | Associated Filter Elements (Fields) | |
|--------------------------|--|--|
| Compliance | Advanced Conditions Case Initial Receipt Date Country of Incidence Family Name Product Related to Study Conduct? (As Reported) Report Form Reporting Group | Case Followup Receipt Date Case Report Type Event Listedness/Lic Country Owned by Site Project/Study/Center Report Agency Report Submission Date |
| Configuration | Advanced Conditions Product | Country of Incidence Project/Study/Center |
| Management | Advanced Conditions Case Followup Receipt Date Case Report Type Case Status Has Followup Product Workflow Group | Case Delayed/Open Case Initial Receipt Date Case Seriousness Country of Incidence Owned by Site Reports Pending |
| Pharmacovigilance | Advanced Conditions BMI Case Comment Case Initial Receipt Date Case Outcome Company Comment Dosage Regimen Route of Administration Drug Duration of Administration Event Diagnosis Flag Event Term Onset Latency (minutes) Patient Age (In Years) Patient Ethnicity Patient Relevant Tests Product Type Rechallenge/Dechallenge Reporter Type/HCP Time to Onset from First Dose | ATC Code Case Abbreviated Narrative Case Followup Receipt Date Case Narrative Case Seriousness Country of Incidence Dose Evaluation in Light of Similar Events Event Seriousness Local Evaluator Comment Outcome of Event Patient Age Group Patient Gender/Pregnancy Product Project/Study/Center Relevant History Condition Study Blinding Status Time to Onset from Last Dose |
| Workflow | Advanced Conditions Case Followup Receipt Date Case Report Type Case Status Event Term Has Followup Product Workflow Group | Case Delayed/Open Case Initial Receipt Date Case Seriousness Event Listedness/Lic Country Family Name Owned by Site Project/Study |

Argus Insight also lets you define custom filters by letting you select a set of elements (data mart fields) and saving the selection as your own filter.

To create a filter using queries, select a predefined or custom filter and specify values (multiple or range) in the desired filter elements associated with the filter. You can then execute this query (value set) to generate a case series.

The set of values you specify in the elements associated with a filter is called a value set. For example, a particular filter may have this value set:

| Filter Element | Values Specified |
|-----------------------|---------------------------|
| Country of Incidence | United States and Germany |

| Filter Element | Values Specified |
|-------------------------|---|
| Product Name | CureAll Injection and CureAll Capsule |
| Coded Event Description | Injection site rash and aggravated nausea |
| Seriousness Criteria | Hospitalized and intervention required |
| Patient Age | 25 to 65 years |

Note that ranges can only be specified for fields that have numeric values.

Argus Insight lets you save value sets. Therefore, each filter can have multiple value sets. The advantage of saving value sets is that this enables you to execute a value set later without having to select a filter and then entering values in the associated elements.

Using Predefined Filters


This section describes the following tasks:

- [Selecting a Predefined Filter](#)
- [Creating a Value Set for the Predefined Filter](#)
- [Executing a Value Set](#)

Selecting a Predefined Filter


To select a predefined filter:

1. Navigate to **Queries, Filters**, and select **New Value Set**. The Select Filter for New Value Set dialog box opens:



Note: The **Select Filter for New Value Set** dialog box displays a list of all the predefined as well as custom filters and their associated elements. Use the scroll bar to view all the filters in the list.

2. Select one of the predefined filters (**Compliance, Configuration, Management, Pharmacovigilance, or Workflow**) depending on your reporting needs. If custom filters are saved to the system, you can select a custom filter instead.
3. Click **OK**. The **FILTER VALUE SET** page opens.



Note: In the **FILTER VALUE SET** page, all the elements associated with the filter are organized in sections. You need to scroll the page to view all the sections. All the predefined value sets contain the **Advanced Condition** section. You can use the options in this section to select an existing advanced condition and integrate your value set with it. See ["Integrating a Value Set with an Advanced Condition"](#) on page 4-21 for details. To convert the entire value set to an advanced condition, see ["Converting a Value Set to an Advanced Condition"](#) on page 4-20 for details.

Creating a Value Set for the Predefined Filter

To create a value set for the predefined filter:

1. Specify values for the filter elements in the various sections. Depending on the filter you selected, the **FILTER VALUE SET** page may contain these sections:

| Sections in the New FILTER VALUE SET Page | Associated Elements (Fields) | |
|---|--|---|
| Case Information | Case Followup Receipt Date Case Report Type Family Name Product | Case Initial Receipt Date Event Listedness/Lic Country Owned by Site Project/Study |
| Patient Information | BMI Patient Age (In Years) Patient Ethnicity | Patient Age Group Patient Gender/Pregnancy |

| Sections in the New FILTER VALUE SET Page | Associated Elements (Fields) | |
|---|---|---|
| Product Information | ATC Code Product Regimen Daily Dose Total Regimen Dosage | Drug Primary Indication Code <i>Rechallenge/Dechallenge</i> Total Drug Dosage |
| Event Information | Event Seriousness Event Listedness/Lic Country Outcome of Event | Event Term Onset Latency (minutes) Related to Study Conduct? (As Reported) |
| Workflow Information | Case Delayed/Open Has Followup | Case Status Workflow Group |
| Miscellaneous Information | Lab Results | Lab Test/Assessment |
| Report Information | Report Agency Report Submission Date Reporting Group | Report <i>Form</i> Reports Pending |

Note: To access the MedDRA Browser from the Pharmacovigilance or Workflow filters, navigate to **Queries, Filters**, and select **New Value Set**. The MedDRA Browser for the Pharmacovigilance and Workflow filters support the following options specific to filters:

- **All hierarchy** option — Use this option to enable a query search based on all/selected hierarchical terms in MedDRA. The search output captured depends on the check boxes selected in the MedDRA Browser window.
- **Term only** option — Use this option to select multiple terms within a specific AE term. Click on the term(s) you want to include in your search criteria. These terms are highlighted in yellow. The output based on the term(s) selected in the MedDRA Browser is populated in the relevant section of the filter.

2. Examine the value set results.
3. Click **Execute**. While the system searches for matching cases, the following dialog box is displayed:



Tip: To cancel the query execution at this point and return to the FILTER VALUE SET page, click **Cancel Query**.

If the system finds cases that match the query criteria, the ACTIVE CASE SERIES page displays the list of cases.

4. Examine the case series. If the case series is too large, you may want to modify the value set to narrow down the case series. Alternatively, if you find the case series to be appropriate, you can save the value set to the system.
5. Click **View Query** in the ACTIVE CASE SERIES page to return to the FILTER VALUE SET page.

FILTER VALUE SET

Active Query Name: < Not Saved >
Active Case Series: SPT Injury M

Name : < Not Saved > Description

Initial Receipt Date: -- All -- Follow-up Received: -- All --
From: 00-MMM-0000 From: 00-MMM-0000
To: 00-MMM-0000 To: 00-MMM-0000

Product Information

Company Product w/o Study: -- All -- [Select]

Event Information

As Determined Listedness: -- All -- Related to Study Conduct?(As Reported): -- All --
Authorization Country: -- All -- Yes
No
UNK

Report Information

Note: When you save the modifications to a value set or execute a value set, the system assigns the active status to the value set. Therefore, when you return to the VALUE SET page, the **Active Query Name** label displays the name of the filter.


6. If required, modify the value set and examine the results again or proceed to save the value set.
7. Save the value set to the system.
8. Type a description of the value set in the **Description** field. For example, you can describe the type of cases the value set retrieves.
9. Click **Save Values**. The Save Value Set dialog box opens.

10. Type the name of the value set in the **Name** field.
11. Click **OK** to close the dialog box and refresh the FILTER VALUE SET page. Note that:
 - The Name label displays the name of the value set you specified.
 - The **Save Values As** button and the **Permissions** button are now enabled.

Note: The FILTER LIBRARY page displays all the value sets saved to the system. See "Working with Saved Filters and Value Sets" on page 4-16 for more information.

Tip: If you make modifications to the field values after you saved the value set to the system, click **Save Values** to save the changed field values. To save the value set by another name, click **Save Values As**. To clear all the field values in the FILTER VALUE SET page, click **Clear**.

12. Click **Permissions** to assign group-level permissions on the saved value set. The system opens the **Permissions** dialog box and displays the names of all the groups (except the **Administrator** group) that the system administrator has created.



13. Use the drop-down list next to a group name to assign permissions to the group members on the value set you have created. You can select from these options:

| Permission | Description |
|---------------------|---|
| R/W/D/P | Group members will be able to view, modify, delete, and assign permission on the value set. |
| R/W/D | Group members will be able to view, modify, and delete the Value Set. |
| R/W | Group members will be able to view and modify the value set. |
| R | Group members will be able to only view the value set. |
| No Access (Default) | No group members will be able to access the value set. |

14. Click **OK**. The system saves the permission settings.

Note: The author of the value set always has the highest level of permission (R/W/D/P) on it. For example, suppose you belong to the Data Entry group and you assign the **No Access** permission level to the Data Entry group on a value set that you create. In this case, you will continue to have the highest level of permission on your value set; other members in your group cannot access your value set.

Executing a Value Set

To execute a value set, click **Execute**.

The system retrieves the cases that match the value set criteria and displays the list in the ACTIVE CASE SERIES page.

| Case Number | Report Type | Primary Company Product | Primary Event | Seriousness Criteria | Outcome | Notes |
|-------------------|-------------|-------------------------|---------------|----------------------|--------------------|-------|
| 111 | RAT | xyx | Pyrexia | CA | | |
| 11203 | SPT | Product Name Blinded 1 | Pyrexia | Non-Serious | | |
| 23432 | STR | B.Study2.Name | Pyrexia | F | Fatal | |
| A2_C111_COMP_PROD | SPT | Diabpen | Rash | DIR | Congenital Anomaly | |
| A2_C112_COMP_PROD | SPT | Painocide 20 ml vial | Pyrexia | M,F,DIR | Fatal | |
| A2_C113_COMP_PROD | SPT | Flunomore | Cough | H,LT | | |
| A2_C115_COMP_PROD | SPT | Flunomore | Cough | H,LT | | |
| A2_C117_COMP_PROD | SPT | Diabpen | Rash | DIR | | |
| A2_C118_COMP_PROD | SPT | Painocide 20 ml vial | Rash | DIR | | |
| A2_C120_COMP_PROD | SPT | Flunomore | Cough | H,LT | | |
| A2_C1_COMP_PROD | SPT | Cure All | Pyrexia | M,F,DIR | Fatal | |
| A2_C21_NON_COMP | SPT | DLR02_NC | Cough | F,H,LT | Fatal | |
| A2_C22_COMP_PROD | SPT | Cure All | Rash | M,F,DIR,LT | Fatal | |
| A2_C29_COMP_PROD | SPT | Cure All | Pyrexia | M,F,DIR | Fatal | |
| A2_C2_COMP_PROD | SPT | Diabpen | Rash | DIR | | |
| A2_C30_COMP_PROD | SPT | Painocide 20 ml vial | Rash | DIR | | |
| A2_C41_COMP_PROD | SPT | Cure All | Pyrexia | M,F,DIR | Fatal | |
| A2_C42_COMP_PROD | SPT | Painocide 20 ml vial | Rash | DIR | | |
| A2_C43_COMP_PROD | LIT | Cure All | Pyrexia | M,F,DIR | Fatal | |

After generating the case series, you can manually modify or save the series. See [Chapter 7, "Working with Case Series"](#) for more information.

Creating Custom Filters

This section includes the following topics:

- [Creating a Custom Filter](#)
- [Creating a Value Set for a Custom Filter](#)

Creating a Custom Filter

To create a custom filter:

1. Navigate to **Queries, Filters**, and select **Library**. The FILTER LIBRARY page opens. This page lists the predefined as well as custom filters and their value sets in a control tree format.

| Name | Description | Last Modified | User Full Name | Category | Value Set | Associate Report |
|-------------------|--|---------------|----------------|-------------------|-----------|------------------|
| | | 00-MMM-0000 | | | | |
| | | 00-MMM-0000 | | | | |
| Compliance | Predefined Compliance Filter | 08-SEP-2012 | Administrator | Compliance | 0 | |
| Configuration | Preconfigured Configuration Filter | 08-SEP-2012 | Administrator | Configuration | 0 | |
| Management | Preconfigured Management Filter | 08-SEP-2012 | Administrator | Management | 0 | |
| Pharmacovigilance | Preconfigured Pharmacovigilance Filter | 08-SEP-2012 | Administrator | Pharmacovigilance | 0 | |
| Workflow | Predefined Workflow Filter | 08-SEP-2012 | Administrator | General | 0 | |

- Click **New Filter**. The **FILTER ELEMENTS** page opens.

- From the **Available Elements** list, select an element you want to associate with the custom filter.
- Click the right arrow (>) button to associate the selected element with the custom filter. The selected element appears in the **Selected Elements** list.

Tip: To add all the elements in **Available Elements** list to the **Selected Elements** list, click the >> button.


To remove an element from the **Selected Elements** list, click the > button.

To remove all the elements from the **Selected Elements** list, click >> the button.

- Save the filter.
- Use the **Category** drop-down list to assign a category to the custom filter. A category indicates the reporting aspect to which your filter pertains: **Compliance**,

Configuration, General, Management, or Pharmacovigilance. Specifying the category also helps you in searching the relevant filters from a list of all the filters saved in the system.


7. Type a description of the custom filter in the **Description** field.
8. Click **Save**. The Save Filter dialog box opens.



9. Enter a name for the custom filter.
10. Click **OK** to save the custom filter and refresh the FILTER ELEMENTS page. Note that:
 - The **Name** label displays the name of the saved filter.
 - The **Active Query Name** label in the upper-right corner of the page now displays the name of the filter you specified.
 - The **Save As** button and the **Permissions** button are now enabled.

Note: If you make modifications to the filter elements after you saved the filter to the system, click **Save** to save the changes. To save the filter by another name, click **Save As**.

11. Click **Permissions** to assign group-level permissions on the filter. The system opens the **Permissions** dialog box and displays the names of all the groups (except the **Administrator** group) that the system administrator has created.



12. Use the drop-down list next to a group name to assign permissions to the group members on the filter you have created. You can select from these options:

| Permission | Description |
|---------------------|--|
| R/W/D/P | Group members will be able to view, modify, delete, and assign permission on the filter. |
| R/W/D | Group members will be able to view, modify, and delete the filter. |
| R/W | Group members will be able to view and modify the filter. |
| R | Group members will be able to only view the filter. |
| No Access (Default) | No group members will be able to access the filter. |

Note: The author of the filter always has the highest level of permission (R/W/D/P) on the filter. For example, suppose you belong to the Data Entry group and you assign the **No Access** permission level to the Data Entry group on a filter that you create. In this case, you will continue to have the highest level of permission on your filter; other members in your group cannot access the filter.

13. Click **OK**. The system saves the permission settings.


Creating a Value Set for a Custom Filter

To create a value set for a custom filter:

1. Click **Continue** in the FILTER ELEMENTS page. The FILTER VALUE SET page opens.


Note: In the FILTER VALUE SET page, all the elements associated with the filter are organized in sections. You need to scroll the page to view all the sections. If you included the advanced condition element while creating your filter in Step 2, the FILTER VALUE SET page displays an additional Advanced Conditions section. You can use the options in this section to create an advanced condition and integrate your value set with it. See ["Integrating a Value Set with an Advanced Condition"](#) on page 4-21 for details. To convert the entire value set to an advanced condition, see ["Converting a Value Set to an Advanced Condition"](#) on page 4-20 for details.

2. Specify values for the filter elements. See ["Using Predefined Filters"](#) on page 4-3 for details.
3. Examine the value set results.
4. Click **Execute**. While the system searches for matching cases, the following dialog box is displayed.



Note: To cancel the query execution at this point and return to the FILTER VALUE SET page, click **Cancel Query**.

- If the system does not find any cases that match the querying criteria, the following dialog box is displayed. Click **OK** in this dialog box to return to the Value Set *form*, modify the criteria, and execute the value set again.




- If the system finds cases that match the query criteria, a list of such cases is displayed in the ACTIVE CASE SERIES page.



7. Examine the case series. If the case series is too large, you may want to add additional elements to the filter or modify the value set. Alternatively, if you find the case series to be appropriate, you can save the value set to the system.
8. Click **View Query** in the ACTIVE CASE SERIES page to return to the FILTER VALUE SET page.


9. Modify the value set, if required, and examine the results again or proceed to save the value set.
10. Save the value set to the system.
11. Type a description of the value set in the **Description** field. For example, you can describe the type of cases the value set retrieves.
12. Click **Save Values**. The Save Value Set dialog box opens.



13. Enter a name for the value set.

Note: The name cannot contain following characters: % " ' ^ ~ ; | #


14. Click **OK**. The FILTER VALUE SET page refreshes.
Note that the **Save Values As** button and the **Permissions** button are now enabled.



Note: The FILTER LIBRARY page displays the custom as well as predefined filters and their value sets in a control tree format. From this page, you can select a value set and directly execute it. See ["Working with Saved Filters and Value Sets"](#) on page 4-16 for more information. The saved filters also appear in the **Select Filter for New Value Set** dialog box from where you can select the desired filter, enter values in the NEW VALUE SET page and execute. See ["Using Predefined Filters"](#) on page 4-3 for more information.

Tip: If you make modifications to the field values after you saved the value set to the system, click **Save Values** to save the changed field values. To save the value set by another name, click **Save Values As**. To clear all the field values in the FILTER VALUE SET page, click **Clear**.

15. Click **Permissions** to assign group-level permissions on the saved value set. The system opens the **Permissions** dialog box and displays the names of all the groups (except the **Administrator** group) that the system administrator has created.



16. Use the drop-down list next to a group name to assign permissions to the group members on the value set you have created. You can select from these options:

| Permission | Description |
|---------------------|---|
| R/W/D/P | Group members will be able to view, modify, delete, and assign permission on the value set. |
| R/W/D | Group members will be able to view, modify, and delete the Value Set. |
| R/W | Group members will be able to view and modify the value set. |
| R | Group members will be able to only view the value set. |
| No Access (Default) | No group members will be able to access the value set. |

Note: The author of the value set always has the highest level of permission (R/W/D/P) on it. For example, suppose you belong to the Data Entry group and you assign the **No Access** permission level to the Data Entry group on a value set that you create. In this case, you will continue to have the highest level of permission on your value set; other members in your group cannot access your value set.

- Click **OK**. The system saves the permission settings.
- Click **Execute**. The system retrieves the cases that match the value set criteria and displays the list in the ACTIVE CASE SERIES page. After generating the case series, you can manually modify or save the series. See [Chapter 7, "Working with Case Series"](#) for more information.

Working with the Last Modified or Executed Value Set

The system assigns the *active* status to a value set when you save modifications to it or execute it. Unless you save the modifications to another value set or execute it, the last value set you modified or executed remains active. This is helpful in situations when you want to access a frequently used value set.

To view an active value set:

- Navigate to **Queries, Filters**, and select **Active**. The FILTER VALUE SET page displays the value set you executed or modified last.

The screenshot shows the 'FILTER VALUE SET' interface. At the top, the 'Active Query Name' is 'Study Drug exists' and the 'Active Case Series' is '< Not Saved >'. Below this, there are fields for 'Name' (tdvtdv) and 'Description'. The 'Case Information' section includes dropdowns for 'Project ID', 'Country' (set to 'IS IR'), 'Study ID', 'Company Product w/o Study', and 'Center ID'. The 'Advanced Conditions' section shows a table with two conditions: 'AC1' and 'Study Drug exists', both marked as '(Advanced Condition)'. The table has columns for 'Operator' (INTERSECT), 'Attributes', 'Condition', and 'Value'. At the bottom right, there are buttons for 'Save Values', 'Convert to Advanced Condition', 'Clear', and 'Execute'.

2. If the value set was saved to the system before executing, the name of the value set appears in the **Name** field. In addition, the name of the filter appears next to the **Active Query Name** label.

You can rename an already saved value set, by entering the new name in the **Name** field and clicking **Save Values**.

3. However, if the value set was not saved to the system before executing, the text <Not Saved> is displayed in the **Name** field.

You can enter the name of the value set in the **Name** field and click **Save**.

4. From the ACTIVE FILTER VALUE SET page, you can perform the following tasks:

| Task | Description |
|--|--|
| Modify the Active Value Set | If required, you can modify the value set by changing the <i>field</i> values. While entering field values, if you want to remove all the values you entered, click Clear . Click Save Values to save the changed field values. This button is only available for a saved value set. |
| Save the Active Value Set by another name | Click Save Values As to save the active value set by a different name. The FILTER LIBRARY page displays all the value sets you saved to the system. See " Working with Saved Filters and Value Sets " on page 4-16 for more information. |
| Convert Active Value Set to Advanced Condition | Click Convert to Advanced Condition to convert the active value set to an advanced condition. See " Converting a Value Set to an Advanced Condition " on page 4-20 for more information. |
| Assign Permissions on the Active Value Set | Click Permissions to set the group-level access permissions. The Permissions button is only available for saved value sets. |
| Change the Description of the Active Value Set | You can change the description of the active value set by modifying the text displayed in the Description field. Click Save Values to store the changed description. |
| Execute the Active Value Set | Click Execute to generate a case series by using the active value set. |

Note: When the field values for an active value set are modified or the active value set is saved by a different name, the changes in the active value set reflect the most recent changes. The active value set also changes in case you modify the field values and execute the value set without saving the modifications.

Working with Saved Filters and Value Sets

The FILTER LIBRARY page lists all the predefined as well as saved custom filters and their value sets in a control tree format.

To access this page, navigate to **Queries, Filters**, and select **Library**.

The screenshot shows the Oracle Argus Insight FILTER LIBRARY page. At the top, there are navigation tabs for Home, Queries, Case Series, and Reports. Below the tabs, there is a search bar and a 'Clear' button. The main area contains a table with the following columns: Name, Description, Last Modified, User Full Name, Category, Value Set, and Associate Report. The table lists several filters, including Compliance, Configuration, Management, Pharmacovigilance, and Workflow. At the bottom of the table, there are buttons for 'New Filter', 'New Value Set', 'Modify', 'Delete', 'Associate', 'Disassociate', 'Limit Query to Active Case Series', and 'Execute'.

To view the value sets associated with a filter, expand the control tree for a filter. The saved value sets are displayed below each filter.

The descriptions of the columns in the FILTER LIBRARY page follow.

| Column | Description |
|----------------|---|
| Name | Displays the name of the filters and value sets. |
| Description | Displays the description of the filters and value sets. |
| Last Modified | Displays the date when the filters/value set was last modified. |
| User Full Name | Displays the name of the user who created the filter/value set. |
| Category | Displays the filter category. |
| Value Set | Displays the number of value sets created for a filter. |
| Report | The report icon indicates that a report is associated with a value set. See " Associating a Report Group with a Value Set " on page 4-19 for more information. |

Searching Saved Filters and Value Sets

To search for a saved filter or value set:

- Specify the search criteria, as appropriate:
 - To search for a filter/value set by its name, type the filter/value set name in the **Name** text box.
 - To search for a filter/value set by its description, type the first few words of the description in the **Description** text box. The system searches for the specified search string in all filter/value set descriptions.
 - To search for a filter/value set by its date of modification, enter the modification date in the first **Last Modified** date *field*. You can specify a date range by typing the start and end dates in the first and second date fields, respectively.
 - To search a filter/value set by its author, select the author name from the **User Full Name** drop-down list.
 - To search for a filter by its category, select the category from the **Category** drop-down list.

Note: If you search for a text comprising an underscore, it is treated as a wildcard and is replaced by a letter in the displayed results. For example, If you have queries with names - CURE, CORE, and CARE and you search for C_RE, all three queries are displayed in the result.

2. Click **Search**. Based on your search criteria, the system displays the search results in a list.
3. To sort the search results list, click the sort icon next to the column headers in the list.

Creating a New Filter

Click **New Filter** in the FILTER LIBRARY page. See ["Creating a Custom Filter"](#) on page 4-8 for details.

Creating a New Value Set

To create a new value set, navigate to **Queries, Filters**, and select **New Value Set**.

Alternatively, click **New Value Set** on the FILTER LIBRARY page to create a new value set. You can create value sets for predefined as well as custom filters by using this method. See ["Using Predefined Filters"](#) on page 4-3 for details.

Modifying a Filter or Value Set

To modify a filter or value set:

1. Select the value set or the filter from the list in the FILTER LIBRARY page.
2. Click **Modify**.
 - If you selected a filter, the FILTER ELEMENTS page opens.
 - If you selected a value set, the FILTER VALUE SET page opens.
3. Make your modifications to the filter or value set, as appropriate.
4. Click **Save** to save the modifications you made in the FILTER ELEMENTS page. If you modified a value set, click **Save Values** in the FILTER VALUE SET page to save the changes.

Deleting a Filter or Value Set

You can delete the value sets for predefined as well as custom filters. You can also delete custom filters. However, you cannot delete the predefined filters. When you delete a filter, all its associated value sets are also deleted.

To delete a value set or a custom filter:

1. Navigate to the FILTER LIBRARY page.
2. Select the value set or custom filter that you want to delete.
3. Click **Delete**. The system prompts for confirmation that you want to delete the filter or value set.
4. Click **OK**. The system deletes the selected filter/value set, and returns to the FILTER LIBRARY page.

Associating a Report Group with a Value Set

Report packaging is the concept of grouping reports together. You can define multiple reports that are always or often executed at the same time into a group. A set of reports run on a weekly or periodic basis can be scheduled and run as a package.

In Argus Insight, you can associate a report group and the report scheduling to a power query (QBE, Filter Value Set, and Advanced Conditions) or to a case series.

Argus Insight lets you *associate* the report group, schedule a time to generate the reports, and automatically send the completed reports through email to one or more users that you specify.

Associating a report group with a value set is helpful in situations when you need to generate the latest case series and run a report on it each time the data mart is refreshed. Instead of manually executing the value set to generate the latest case series and then running the report, you can use the report association functionality of Argus Insight to accomplish the task automatically.

For detailed procedures and more information about associating report groups, see "[Scheduling and Associating Reports Against a Query or Case Series](#)" on page 8-3.

Note: To be able to schedule reports, you must have an enterprise login configured in the Business Intelligence tool you are using with Argus Insight.

Executing a Value Set

To execute a value set:

1. Navigate to the FILTER LIBRARY page.
2. Select a value set from the list.
3. Click **Execute**. The system executes the value set, and then opens the ACTIVE CASE SERIES page.

ACTIVE CASE SERIES

Active Query Name: Study Drug exists
Active Case Series: < Not Saved >

| Name : | Category | Description |
|---------------|----------|-------------|
| < Not Saved > | General | |

| Case Number | Report Type | Primary Company Product | Primary Event | Seriousness Criteria | Outcome | Notes |
|-------------------|-------------|-------------------------|---------------|----------------------|--------------------|-------|
| 111 | RAT | xys | Pyrexia | CA | | |
| 11203 | SPT | Product Name Blinded 1 | Pyrexia | Non-Serious | | |
| 23432 | STR | B Study2.Name | Pyrexia | F | Fatal | |
| A2_C111_COMP_PROD | SPT | Diabpen | Rash | D,I,R | Congenital Anomaly | |
| A2_C112_COMP_PROD | SPT | Painocide 20 ml vial | Pyrexia | M,F,D,I,R | Fatal | |
| A2_C113_COMP_PROD | SPT | Flunomore | Cough | H,LT | | |
| A2_C115_COMP_PROD | SPT | Flunomore | Cough | H,LT | | |
| A2_C117_COMP_PROD | SPT | Diabpen | Rash | D,I,R | | |
| A2_C118_COMP_PROD | SPT | Painocide 20 ml vial | Rash | D,I,R | | |
| A2_C120_COMP_PROD | SPT | Flunomore | Cough | H,LT | | |
| A2_C1_COMP_PROD | SPT | Cure All | Pyrexia | M,F,D,I,R | Fatal | |
| A2_C21_NON_COMP | SPT | DLP02_IC | Cough | F,H,LT | Fatal | |
| A2_C22_COMP_PROD | SPT | Cure All | Rash | M,F,D,I,R,LT | Fatal | |

Freeze and Save Save Save As View Query Criteria View Query Export to Excel Cancel

4. If a report is associated with the saved QBE, click **Execute**. The ACTIVE CASE SERIES page and PRE FILTER page of the associated report is displayed.
5. Enter the prompts value in the PRE FILTER page.
6. Click **Execute** to generate the report.

After generating the case series, you can manually modify it or save it. See [Chapter 7, "Working with Case Series"](#) for more information.

Executing a Saved Value Set on the Active Case Series

Just as the system assigns the active status to a value set when you save modifications to it or execute it, the last saved or generated case series becomes the active case series.

You may want to run a value set on an active case series.

To narrow down the list of cases in the active case series:

1. Generate the case series on which you want to run another value set:
 - You can generate the case series by using predefined filters or creating custom filters and executing a value set. This case series automatically becomes the active case series and remains so until you execute another query to generate a different case series.
 - Alternatively, if the case series on which you want to run another value set is already saved in the system, navigate to **Case Series, Open Case Series**, and select **Library**. When the CASE SERIES LIBRARY page opens, select the case series and click **Make Active**.
2. Navigate to **Queries, Filters**, and select **Library**. The FILTER LIBRARY page opens.
3. Select the value set you want to run on the active case series you generated in Step 1.
4. Select the **Limit Query to Active Case Series** check box.
5. Click **Execute**. The system runs the selected value set on the active case series and displays the ACTIVE CASE SERIES page. Note that the case series you just generated becomes the active case series.

Using Filters with Advanced Conditions

Advanced conditions let you create complex queries that involve Boolean and set operations among various fields. To create advanced conditions, you use the Advanced Conditions Editor, which uses a spreadsheet-like approach for adding *query conditions* (fields and their values) and conditional operators (Boolean or set).

In Argus Insight, filters are integrated with advanced conditions to let you perform the following tasks:

- [Converting a Value Set to an Advanced Condition](#)
- [Integrating a Value Set with an Advanced Condition](#)

Converting a Value Set to an Advanced Condition

You can use an existing *filter value set* to start to build an advanced condition that uses Boolean or set operations between elements that have multiple values. When you convert a value set to an advanced condition, all the fields in which you entered values are listed on the ACTIVE ADVANCED CONDITIONS EDITOR page as *advanced condition attributes*.

To convert a value set to an advanced condition:

1. Create a new value set by either using predefined filters or creating custom filters. Alternatively, open a saved value set from the FILTER LIBRARY page (see ["Working with Saved Filters and Value Sets"](#) on page 4-16).
2. Verify the *field* values you specified in the various fields in the value set.

3. Click **Convert to Advanced Condition**. The ACTIVE ADVANCED CONDITIONS EDITOR page opens.

All the fields in which you specified values are listed as advanced condition attributes. The fields in which you selected multiple values are repeated.

ACTIVE ADVANCED CONDITIONS EDITOR

Active Query Name: < Not Saved >
Active Case Series: SPT Injury M

Name : < Not Saved > Category: Pharmacovigilance Description:

| (| Attributes | Condition | Value |) | Operator |
|---|------------------|-----------|---------------------------|---|----------|
| (| Report Type | equal to | Spontaneous |) | AND |
| (| Country | equal to | US |) | AND |
| (| Hospitalized | equal to | Yes |) | |
| (| Outcome of Event | equal to | Death due to AE/infection |) | AND |

Save Execute

4. Build your *query* further by:
 - Adding additional attributes (fields) and specifying their values
 - Adding another advanced condition as an attribute
 - Placing runtime parameters in attributes
 - Placing parentheses to determine the query execution order
 - Specifying conditions for attributes values
 - Specifying Boolean and set operators to join the various attributes

See [Chapter 5, "Using Advanced Conditions to Create Queries"](#) for detailed information about using the Advanced Conditions Editor.

Integrating a Value Set with an Advanced Condition

You can integrate a value set with an existing advanced condition through these set operators:


- INTERSECT
- MINUS
- UNION

If required, you can integrate your value set with multiple advanced conditions that can have Boolean or set operations between them.


Note: Only those value sets that have the **Advanced Condition** element can be integrated with advanced conditions. All value sets that you create for predefined filters contain the **Advanced Condition** element. If you want to convert a *custom filter value set* to an advanced condition, make sure you select the **Advanced Condition** element when creating the custom filter.

To integrate a value set with existing advanced conditions:


1. Create a new value set by either using predefined filters or creating custom filters. Alternatively, open a saved value set from the FILTER LIBRARY page (see ["Working with Saved Filters and Value Sets"](#) on page 4-16). If you create a custom value set, make sure you include the Advanced Condition element.
2. Verify the *field* values you specified for the value set.
3. Scroll to the **Advanced Condition** section on the FILTER VALUE SET page.



4. Use the **Operator** field to enter the operator you want to use to integrate the value set and the advanced condition. You can select **INTERSECT**, **MINUS**, or **UNION**.
5. Select the advanced condition you want to integrate with the value set as follows:
 - a. Click the **Add Advanced Condition Above** icon on the left bar. The Advanced Conditions menu lists the advanced conditions that are stored in the system and available to you. The conditions are organized by categories.



- b. Browse to the appropriate category and select the required advanced condition. The system adds your selection as a row in the Advanced Conditions Editor.



- c. Click the **Add Advanced Condition Above** icon or the **Add Advanced Condition Below** icon to insert another advanced condition above or below the existing advanced condition.

Tip: To change the structure of the *query* by reordering of the rows, select a row and click the arrow icons to move the row up or down.

6. Type parentheses in the (and) columns to determine the order of execution for the selected advanced conditions.
7. Use the field in the **Operator** column to specify the set operation to perform between the selected advanced conditions.
8. Click **Save As** to save your integrated value set.
 - To run the integrated value set and generate the case series, click **Execute**. The ACTIVE CASE SERIES page opens and displays the case series. See [Chapter 7, "Working with Case Series"](#) for more information.
 - To convert the integrated value set and advanced condition into a single advanced condition, click **Convert to Advanced Condition**. See ["Converting a Value Set to an Advanced Condition"](#) on page 4-20 for more information.

For detailed information about using the Advanced Conditions Editor, see [Chapter 5, "Using Advanced Conditions to Create Queries."](#)

Using Advanced Conditions to Create Queries

The *advanced conditions* querying tool is designed to allow the greatest flexibility in designing the most advanced queries. You can use advanced conditions to create complex queries that involve Boolean and set operations and use Structured Query Language (SQL).

You create advanced conditions in the Advanced Conditions Editor, which employs a spreadsheet-like approach for adding query conditions (fields and their values) and conditional operators (Boolean or set).

Note: The labels for the advanced conditions field are displayed as per the field labels configured in Argus Safety.

This chapter includes the following topics:

- [Creating a New Advanced Condition](#)
- [Working with the Last Modified or Saved Advanced Condition](#)
- [Working with Saved Advanced Conditions](#)


In addition to advanced conditions, Argus Insight provides the following query tools:

- QBEs (see [Chapter 3, "Creating Queries by Example"](#))
- Filters (see [Chapter 4, "Using Filters to Create Queries"](#))
- Library (see [Chapter 6, "Working with Libraries"](#))

Creating a New Advanced Condition

To start a new advanced condition:

1. Navigate to **Queries, Advanced Conditions**, and select **New**. The ADVANCED CONDITIONS EDITOR page opens.



Note: You can also start an advanced condition by converting a QBE or a filter value set to an advanced condition. See "[Converting a QBE to an Advanced Condition](#)" on page 3-40 and "[Converting a Value Set to an Advanced Condition](#)" on page 4-20 for details.


2. Enter the attributes (fields and values) for the advanced condition.
3. Click the context menu icon. In the context menu, the first seven categories (**Activities**, **Additional Info**, **Analysis**, **Events**, **General**, **Patients**, and **Products**) represent the Argus case form tabs. In these categories, the various data mart fields that pertain to case information are organized in this hierarchy:
 - Argus case form tab
 - Sections within the tab
 - Fields within the section

You can browse through the appropriate hierarchy and select the required *field* as an advanced condition attribute.

The eighth category **Reports** contains attributes that pertain to the reporting information of a case. You can browse through the **Reports** category and select the required advanced condition attribute.


The ninth category **AC Library** lists all the advanced conditions stored in the system. You can browse through the **AC Library** category and select a stored advanced condition as an attribute for the new advanced condition.

ACTIVE ADVANCED CONDITIONS EDITOR



4. Browse through the appropriate category hierarchy and select the required attribute. The selected attribute appears as a row in the editor.

ACTIVE ADVANCED CONDITIONS EDITOR



Note: The user defined fields in Argus which have been converted as a look up are also available as attributes for the advanced condition search.

5. In the **Value** field, enter the value for the selected attribute. Depending on the type of attribute you selected, the system lets you populate the **Value** field by using a:
 - Drop-down list to select from a set of predefined values
 - Text box to enter text strings or numerals
 - Date field to enter dates
 - Browser to select MedDRA dictionary terms, company products, WHO drugs, clinical *study* IDs, Drugs in Study (incl. Comparators) and Investigational Drugs.

To use a browser to populate the **Value** field, click the ellipsis button next to the **Value** field. From the context menu, select the option corresponding to the browser you want to start. For example, you can start the MedDRA Browser and enter criteria to search for a preferred term based on a specific code or description. You can automatically add a selected term to the **Value** field.

6. Click the **Conditions** field and select a condition for the attribute value. See [Table 5-1](#) for a description of each condition. The conditions available to you depends on the attribute you selected.

Table 5-1 Conditions for Defining an Advanced Condition

| Condition | Select this option if you want to... |
|--------------------------|--|
| equal to | Retrieve cases where the selected attribute's value is equal to what the Value field specifies |
| not equal to | Retrieve cases where the selected attribute's value is not equal to what the Value field specifies |
| greater than | Retrieve cases where the selected attribute's value is greater than what the Value field specifies |
| greater than or equal to | Retrieve cases where the selected attribute's value is greater than or equal to what the Value field specifies |
| less than | Retrieve cases where the selected attribute's value is less than what the Value field specifies |
| less than or equal to | Retrieve cases where the selected attribute's value is less than or equal to the Value that the field specifies |
| missing | Retrieve cases where the selected attribute's value has not been specified |
| exists | Retrieve cases where the selected attribute has any value |
| begins with | Retrieve cases where the selected attribute's value begins with what the Value field specifies |
| contains | Retrieve cases where the selected attribute's value contains what the Value field specifies |
| does not contain | Retrieve cases where the selected attribute's value does not contain what the Value field specifies |
| in | Retrieve cases where the selected attribute's value exists in what the Value field specifies |
| not in | Retrieve cases where the selected attribute's value does not exist in what the Value field specifies |

Tip: To change the structure of the *query* by changing the order of the attribute rows, select a row and then click the arrow icons to move the row up or down. To delete a row from the editor, select the row and click the Delete icon.

7. Specify the operator. Use the **Operator** drop-down list to specify the Boolean or set operator through which you want to join the attribute with another attribute.
8. Add more attributes to your advanced condition. Click the icons on the left bar to insert another attribute above or below the existing attribute.
9. Specify runtime parameters, as appropriate.


Note: Argus Insight lets you create advanced conditions which when executed, ask for user-specified values for certain attributes to generate the case series. For example, you may create an advanced condition in which the Case Number or the Product name may be specified only at the time of execution. In this case, the advanced condition would only retrieve those cases where the Case Number/Product Name is as specified at the time of execution.

Creating an advanced condition using same field name multiple times requires to change the Parameter name so that while executing the advanced condition different parameters values can be entered.

10. Identify the attribute row where you want to specify runtime parameters.
11. Click the ellipsis button next to the **Value** field, and then select **Parameters** from the menu.



12. Click **Parameter**. The Parameter dialog box opens.



13. Select the **Multi Select** check box if you want to pass multiple runtime values for a single attribute. For example, you might want to pass more than one case number or product name as runtime parameters.
14. Click **OK**. If you configured the field to accept single runtime parameter, the field you configured as a runtime parameter is displayed in the **Value** text box enclosed within % symbol. For example, %Product Type%.

If you configured the field to accept multiple runtime parameters, the field name appears in the **Value** text box enclosed within %% symbol. For example, %%Product Type%%.

15. Type parentheses in the (and) columns to determine the order of execution for the selected advanced conditions, as appropriate.
16. Examine the advanced condition results.
17. Click **Execute**. While the system searches for matching cases, the following dialog box is displayed.



Tip: To cancel the query execution at this point and return to the Advanced Conditions Editor, click **Cancel Query**.

- If you configured any runtime parameters, the **Parameters** dialog box opens. Specify the parameter values by using the options in the dialog box. Next, click **Execute**; the system retrieves the matching cases from the data mart and displays them in the ACTIVE CASE SERIES page.

Tip: If you select one runtime parameter and execute the search, you must enter a field.

If you select multiple runtime parameters and execute the search, you have the option to ignore the runtime parameters.

- If the system does not find any cases that match the querying criteria, the following screen is displayed. Click **View Query** in this screen to return to the Advanced Conditions Editor, modify the criteria and execute again.



- If the system finds cases that match the query criteria, the ACTIVE CASE SERIES page displays the list of such cases.
18. Examine the case series. If the case series is too large, you may want to modify the advanced condition by specifying additional attributes or changing values. Alternatively, if you find the case series to be appropriate, you can save the advanced condition to the system.

The system retrieves the matching cases from the data mart and displays them in the ACTIVE CASE SERIES page.

Returning to the Advanced Conditions Editor

To return to the Advanced Conditions Editor:

1. Click **View Query** in the ACTIVE CASE SERIES page. The ACTIVE ADVANCED CONDITIONS EDITOR page opens.


Note: When you save the modifications to an advanced condition or execute it, the system assigns the active status to the advanced condition. Therefore, when you return to the editor after executing the advanced condition, the page title changes to ACTIVE ADVANCED CONDITIONS EDITOR. The field values you specified in the editor before executing are retained. See "[Working with the Last Modified or Saved Advanced Condition](#)" on page 5-14 for details.

2. If required, modify the advanced condition and examine the results again or proceed to save the advanced condition.
3. Save the advanced condition.

Assigning a Category to an Advanced Condition

Use the **Category** drop-down list to assign a category to the advanced condition. A category indicates the reporting aspect to which your advanced condition pertains: **Case Processing, Compliance, Configuration, General, Management, or Pharmacovigilance**. Specifying the category also helps you in searching the relevant advanced conditions from a list of all the advanced conditions saved in the system.

1. Type a description of the advanced condition in the **Description** field. For example, you can describe the type of cases the advanced condition retrieves.
2. Click **Save** on the ACTIVE ADVANCED CONDITIONS EDITOR page. The Advanced Condition - Save dialog box opens.




3. Type the name of the advanced condition in the **Name** field.
4. Click **OK** to save the advanced condition and refresh the ACTIVE ADVANCED CONDITIONS EDITOR page. Note that:

- The **Active Query Name** field in the upper-right corner of the page now displays the name of the advanced condition you specified while saving the advanced condition.
- The **Save As**, **View SQL**, and **Permissions** buttons are now enabled.

Note: The ADVANCED CONDITION LIBRARY page lists all the advanced conditions saved to the system. See "[Working with Saved Advanced Conditions](#)" on page 5-15 for more information.

Tip: If you modify the field values after saving the advanced condition to the system, click **Save** to save the changed field values.

5. Click **View SQL** to view the underlying SQL query for the advanced condition.




- a. Modify the SQL, if necessary.
- b. Click **Save SQL** after editing the query.

Note: When using the Save SQL functionality, the advanced condition can be executed only from the ADVANCED CONDITIONS LIBRARY page and the QUERY LIBRARY page.

Tip: **Revert to Original** lets you to revert back to the original advanced condition.

- c. Click **Close**.
6. Click **Permissions** to assign group-level permissions on the saved advanced condition. The system opens the **Permissions** dialog box and displays the names of all the groups (except the **Administrator** group) that the system administrator has created.



7. Use the drop-down list next to a group name to assign permissions to the group members on the advanced condition you have created. You can select from these options:

| Permission | Description |
|---------------------|--|
| R/W/D/P | Group members will be able to view, modify, delete, and assign permission on the advanced condition. |
| R/W/D | Group members will be able to view, modify, and delete the advanced condition. |
| R/W | Group members will be able to view and modify the advanced condition. |
| R | Group members will be able to only view the advanced condition. |
| No Access (Default) | No group members will be able to access the advanced condition. |

Note: The author of the advanced condition always has the highest level of permission (R/W/D/P) on it. For example, suppose you belong to the Data Entry group and you assign the **No Access** permission level to the Data Entry group on an advanced condition that you create. In this case, you will continue to have the highest level of permission on your advanced condition; other members in your group cannot access your advanced condition.

8. Click **OK**. The system saves the permission settings.
9. Click **Execute** to generate the case series.
- The system retrieves the matching cases from the data mart and displays them on the ACTIVE CASE SERIES page.
 - If you configured any runtime parameters, the Parameters dialog box opens. Specify the parameter values by using the options in the dialog box. Next, click **Execute**; the system retrieves the matching cases from the data mart and displays them on the ACTIVE CASE SERIES page. See [Chapter 7, "Working with Case Series"](#) for more information.

Using and Ordering Advanced Condition Operators

Use the following order of precedence for the various operators you can select when creating an advanced condition.

| Order | Operator | Use |
|-------|-----------|---|
| 1 | AND | Use with all fields available in an advanced condition. |
| 2 | OR | Use with all fields available in an advanced condition. |
| 3 | INTERSECT | Use between various queries (AC Library Attributes) |
| 4 | MINUS | Use between various queries (AC Library Attributes) |
| 5 | UNION | Use between various queries (AC Library Attributes) |

Using an **INTERSECT**, **MINUS**, or **UNION** operator results in the creation of two separate select clauses. Therefore, use these operators between different queries.

Be sure to use correct PL/SQL syntax:

SELECT

table1.common_column

FROM

Table1, table2, table3

WHERE

Table1.column2 = table2.column2

AND

Table2.column3 = table3.column3

INTERSECT

SELECT

Table4.common_column

FROM

Table4, table5, table6

WHERE

Table4.column2 = table5.column2

AND

Table5.column3 = table6.column3

Advanced Condition Example

Suppose you want to create an advanced condition as follows:

WHERE Country = "Australia" AND Co-Drug Code w Study = "LAS + TAB" OR
Co-Drug Code w Study = "LAS+" AND Overdose = "Yes" AND Interaction? = "Yes"

AND

You want to **INTERSECT** the results of this advanced condition with the existing advanced condition:


WHERE Country = "United States" OR Country = "Australia"

Table 5–2 lists the values that you enter to create the advanced condition specified in the previous example. Figure 5–1 shows the same example advanced condition in Argus Insight.

Table 5–2 Values Entered for the Advanced Condition Example

| (| Attributes | Condition | Value |) | Operator |
|---|----------------------|-----------|----------------------|---|-----------|
| (| Country | equal to | AUSTRALIA | | AND |
| (| Co-Drug Code w Study | equal to | LAS + TAB | | OR |
| | Co-Drug Code w Study | equal to | LAS+ |) | AND |
| | Overdose | equal to | Yes | | AND |
| | Interaction? | equal to | Yes |) | INTERSECT |
| | COI USA OR AUSTRALIA | | (Advanced Condition) | | |

Figure 5–1 Advanced Condition Example in Argus Insight



You do not need to include the parentheses if the PL/SQL syntax and the order and precedence of operators are correct.

Sample SQL Generated

The following SQL is generated for the previous example:

```

SELECT DISTINCT v_rpt_case.case_id
FROM v_rpt_case, rpt_product
WHERE v_rpt_case.case_id = rpt_product.case_id
AND ( (v_rpt_case.country_id = 13)
AND ( UPPER (rpt_product.co_drug_code) = 'LAS+TAB'
OR (pat_exposure IN (
SELECT product_id
FROM lm_product
WHERE UPPER (lm_product.drug_code) ='LAS+TAB'))
OR (UPPER (rpt_product.co_drug_code) = 'LAS+'
OR (pat_exposure IN (SELECT product_id FROM lm_product
WHERE UPPER (lm_product.drug_code) ='LAS+'))))
AND (rpt_product.is_overdose = 1)
AND (rpt_product.interaction = 1))
INTERSECT
SELECT DISTINCTv_rpt_case.case_id
FROM v_rpt_case
WHERE v_rpt_case.case_id IN (


```

```
SELECT DISTINCT v_rpt_case.case_id
FROM v_rpt_case
WHERE (v_rpt_case.country_id = 13)
OR (v_rpt_case.country_id = 223))
```

NOTE:

While creating a new **Advanced Condition** using the saved **Advanced Condition**, always enclose the saved Advanced Condition within the parenthesis as using **Union**, **Minus**, or **Intersect** will create different select statements and if you use parenthesis with the saved **Advanced Condition** with new fields, wrong SQL will be generated.

This is the desired and correct SQL.



The following SQL gets generated in this case.

```
(SELECT DISTINCT v_rpt_case.case_id
FROM v_rpt_case
WHERE v_rpt_case.case_id IN (
SELECT DISTINCT v_rpt_case.case_id
FROM v_rpt_case
WHERE (v_rpt_case.case_num IS NOT NULL)))
```

UNION

```
(SELECT DISTINCT v_rpt_case.case_id
FROM v_rpt_case, rpt_event, rpt_product
WHERE v_rpt_case.case_id = rpt_event.case_id
AND v_rpt_case.case_id = rpt_product.case_id
AND ((rpt_event.agent_seq_num = 1)))
```

Below Query will execute fine but parenthesis will not be at right place. Following is the SQL generated.

```

SELECT DISTINCT v_rpt_case.case_id
      FROM v_rpt_case, rpt_product
      WHERE v_rpt_case.case_id = rpt_product.case_id
            AND ( (UPPER (rpt_product.co_drug_code) = 'RELVAC1'
                  OR (pat_exposure IN (
                        SELECT product_id
                        FROM lm_product
                        WHERE UPPER (lm_product.drug_code) =
                              'RELVAC1')
                  )
            )
            OR (UPPER (rpt_product.co_drug_code) = 'C_TEST DRUG 1'
            OR (pat_exposure IN (
                  SELECT product_id
                  FROM lm_product
                  WHERE UPPER (lm_product.drug_code) =
                        'C_TEST DRUG 1')
            )
            )
      )
      INTERSECT
      (SELECT DISTINCT v_rpt_case.case_id
        FROM v_rpt_case
        WHERE (v_rpt_case.country_id = 81)
      )
      UNION

```

```

SELECT DISTINCT v_rpt_case.case_id
      FROM v_rpt_case, rpt_followup
      WHERE v_rpt_case.case_id = rpt_followup.case_id
            AND (( (TRUNC (rpt_followupreceipt_date) =
TO_DATE ('17-MAR-2009', 'DD-MON-YYYY')
)
            AND rpt_followup.seq_num > 0
)
)
)
UNION
SELECT DISTINCT v_rpt_case.case_id
      FROM v_rpt_case, rpt_reporters
      WHERE v_rpt_case.case_id = rpt_reporters.case_id
            AND ((v_rpt_case.state_id = 3))
            OR (rpt_reporters.primary_contact = 1))
    
```


Note: Parenthesis shown in red are not at correct place as compared to AC created. Last parenthesis will come only after complete query creation.

Working with the Last Modified or Saved Advanced Condition

The system assigns an active status to a advanced condition when you modify and save it or when you execute it. Unless you save the modifications to another advanced condition or execute another advanced condition, the last advanced condition you modified or executed remains active. This is helpful in situations when you want to access a frequently used advanced condition.

To view an active advanced condition:

1. Navigate to **Queries, Advanced Condition**, and select **Active**. The ACTIVE ADVANCED CONDITIONS EDITOR page displays the advanced condition you executed or modified last.



2. If the active advanced condition was saved to the system before executing, the name of the advanced condition appears next to the **Active Query Name** and in the **Name** field. However, if the active advanced condition was not saved to the system before executing, the text <Not Saved> is displayed next to the **Active Query Name** label.

You can enter the name of the advanced condition in the **Name** field and click **Save**.

You can also rename an already saved advanced condition, by entering the new name in the **Name** field and clicking **Save**.

From the ACTIVE ADVANCED CONDITION page, you can perform the following tasks:

| Task | Description |
|---|---|
| Modify the attributes in the Advanced Conditions Editor | <p>If required, you can modify the attributes (fields and values) in the Advanced Conditions Editor. See "Creating a New Advanced Condition" on page 5-1 for more information.</p> <p>Click Save to save the changed <i>field</i> values. This button is only available for a saved active advanced condition.</p> |
| Save Active Advanced Condition with another name | <p>Click Save As to save the active advanced condition by a different name.</p> <p>The ADVANCED CONDITIONS LIBRARY page lists all the advanced conditions saved to the system. See "Working with Saved Advanced Conditions" on page 5-15 for more information.</p> |
| View the Advanced Condition in SQL | <p>Click View SQL to view the underlying SQL query for the advanced condition.</p> <p>In this SQL, manually replace the V_RPT_CASE with RPT_CASE. This is required to execute the query in the Oracle database.</p> |
| Assign Permissions | <p>Click Permissions to set the group-level access permissions on the advanced condition. See "Creating a New Advanced Condition" on page 5-1 for more information.</p> <p>The Permissions button is only available for saved active advanced conditions.</p> |
| Change the Description of the Active Advanced Condition | <p>You can change the description of the active advanced condition by modifying the text displayed in the Description field.</p> <p>Click Save to store the changed description.</p> |
| Execute the Active Advanced Condition | <p>Click Execute to generate a case series by using the active advanced condition.</p> |

Note that modifying the field values in the Advanced Conditions Editor for an active advanced condition or saving the active advanced condition by a different name changes the active advanced condition to reflect the most recent changes. The active advanced condition also changes in case you modify the field values in the Advanced Conditions Editor and execute the advanced condition without saving the modifications.

Working with Saved Advanced Conditions

The ADVANCED CONDITIONS LIBRARY page lists all the advanced conditions saved to the system.

To access this page, navigate to **Queries, Advanced Conditions**, and select **Library**. The ADVANCED CONDITIONS LIBRARY page opens. See [Figure 5–2](#).

The ADVANCED CONDITIONS LIBRARY page displays the following information about each saved advanced condition:

- Name of the advanced condition.
- Description of the advanced condition.
- Date when the advanced condition was last modified.
- Full name of the user who created the advanced condition.
- Category assigned to the advanced condition.
- Name of the fields for which runtime parameters need to be specified while executing the advanced condition.
- An icon in the Associated Report column if the advanced condition has a report associated with it. See "[Associating a Report Group with an Advanced Condition](#)" on page 5-19 for more information.

Figure 5–2 ADVANCED CONDITIONS LIBRARY Page

The screenshot displays the Oracle Argus Insight interface for the ADVANCED CONDITIONS LIBRARY. At the top, there is a navigation bar with tabs for Home, Queries, Case Series, and Reports. Below the navigation bar, the page title is "ADVANCED CONDITIONS LIBRARY". There are two input fields for "Active Query Name" and "Active Case Series", both currently set to "< Not Saved >".

The main content area is a table titled "Choose Advanced Condition". The table has the following columns: Name, Description, Last Modified, User Full Name, Category, and Associated Report. The table contains the following data:

| Name | Description | Last Modified | User Full Name | Category | Associated Report |
|-------------------|-------------|---------------|----------------|----------|-------------------|
| 321 | | 18-NOV-2012 | NAVUSEr1 | General | |
| AC1 | | 19-NOV-2012 | Ritu Gupta | General | |
| ada | | 18-NOV-2012 | NAVUSEr1 | General | |
| Batch Lot | | 15-NOV-2012 | Ritu Gupta | General | |
| BUG 15884822 | | 18-NOV-2012 | NAVUSEr1 | General | |
| Case Annotation | | 15-NOV-2012 | Ritu Gupta | General | |
| Case Annotation 1 | | 15-NOV-2012 | Ritu Gupta | General | |
| COI - ABC | | 08-NOV-2012 | Ritu Gupta | General | |
| COI - xyz | | 08-NOV-2012 | Ritu Gupta | General | |
| Date | | 15-NOV-2012 | Ritu Gupta | General | |
| ddd | | 05-NOV-2012 | NAVUSEr1 | General | |
| sd | | 04-NOV-2012 | Ritu Gupta | General | |
| sdf | | 04-NOV-2012 | Ritu Gupta | General | |
| test- multi-nest | | 07-NOV-2012 | NAVUSEr1 | General | |
| test- multi-nest | | 07-NOV-2012 | Ritu Gupta | General | |

At the bottom of the page, there are several buttons: New, Modify, Delete, Associate, Disassociate, Limit Query to Active Case Series, and Execute.

Searching Saved Advanced Conditions

To search for a saved advanced condition:

1. Specify the search criteria, as appropriate:
 - To search for an advanced condition by its name, type the advanced condition name in the **Name** text box.
 - To search for an advanced condition by its description, type the first few words of the description in the **Description** text box. The system searches for the specified search string in all advanced condition descriptions.

- To search for an advanced condition by its date of modification, enter the modification date in the first **Last Modified** date *field*. You can specify a date range by typing the start and end dates in the first and second date fields, respectively.
- To search for an advanced condition by its author, select the author name from the **User Full Name** drop-down list.
- To search for an advanced condition by its category, select the category from the **Category** drop-down list.

Note: If you search for a text comprising an underscore, it is treated as a wildcard and is replaced by a letter in the displayed results. For example, If you have queries with names - CURE, CORE, and CARE and you search for C_RE, all three queries are displayed in the result.

2. Click **Search**. Based on your search criteria, the system displays the search results in a list.
 - To sort the search results, click the sort icon next to the column headers in the list.
 - To clear the search results and display all the advanced conditions in the list, click **Clear**.

Creating a New Advanced Condition

To create a new advanced condition, click **New** in the ADVANCED CONDITIONS LIBRARY page.

See "[Creating a New Advanced Condition](#)" on page 5-1 for details.

Modifying an Advanced Condition

To modify an advanced condition:


1. Navigate to the ADVANCED CONDITIONS LIBRARY page.
2. Select the advanced condition you want to modify.
3. Click **Modify**.
4. Make your modifications to the advanced condition, as appropriate.
5. Click **Save** to save your changes.

Alternatively, click **Save As** to save the modified advanced condition by another name.


Modifying the SQL of an Advanced Condition

To modify the SQL of an advanced condition:

1. Navigate to the ADVANCED CONDITIONS LIBRARY page.
2. Select the advanced condition you want to modify.
3. Click **Modify**. The ACTIVE ADVANCED CONDITIONS EDITOR page opens.



4. Click **View SQL**. The Advanced Conditions SQL dialog opens.



5. Modify the SQL as per your requirement.
6. Click **Save SQL** to save your changes.
7. Click **Close** to return to the ADVANCED CONDITIONS LIBRARY page.
8. Select the modified advanced condition.
9. Click **Execute**. The system displays the results based on your modified SQL.

Note: You cannot modify an advanced condition once you have added user defined SQL in that, you can modify SQL but cannot add new items in advanced condition.

If you want to add new items, you have to revert the SQL to original by clicking **Revert to Original**.

Deleting an Advanced Condition

To delete an advanced condition:

1. Navigate to the ADVANCED CONDITIONS LIBRARY page.

2. Select the advanced condition you want to delete.
3. Click **Delete**. The system prompts for confirmation.
4. Click **OK** to delete selected advanced condition.

Associating a Report Group with an Advanced Condition

Report packaging is the concept of grouping reports together. You can define multiple reports that are always or often executed at the same time into a group. A set of reports run on a weekly or periodic basis can be scheduled and run as a package.

In Argus Insight, you can associate a report group and the report scheduling to a power query (QBE, Filter Value Set, and Advanced Conditions) or to a case series.

Argus Insight lets you *associate* the report group, schedule a time to generate the reports, and automatically send the completed reports through email to one or more users that you specify.

Associating a report group with an advanced condition is helpful in situations when you need to generate the latest case series and run a report on it each time the data mart is refreshed. Instead of manually executing the advanced condition to generate the latest case series and then running the report, you can use the report association functionality of Argus Insight to accomplish the task automatically.

For detailed procedures and more information about associating report groups, see "[Scheduling and Associating Reports Against a Query or Case Series](#)" on page 8-3.

Note: To be able to schedule reports, you must have an enterprise login configured in the Business Intelligence tool you are using with Argus Insight.

Executing an Advanced Condition

To execute an advanced condition:

1. Navigate to the ADVANCED CONDITIONS LIBRARY page.
2. Select an advanced condition.
3. Click **Execute**. The system executes the advanced condition; the ACTIVE CASE SERIES page opens.

ACTIVE CASE SERIES

Active Query Name: Pharmacovigilance
Active Case Series: SPT Injury M

Name : SPT Injury M Category: General Description: SPT Injury M

| Case Number | Report Type | Primary Company Product | Primary Event | Seriousness Criteria | Outcome | Notes |
|-----------------------------------|-------------|-------------------------|---------------|----------------------|--------------------|-------|
| 111 | RAT | xys | Pyrexia | CA | | |
| 11203 | SPT | Product Name Blinded 1 | Pyrexia | Non-Serious | | |
| 23432 | STR | B.Study2.Name | Pyrexia | F | Fatal | |
| A2_C111_COMP_PROD | SPT | Diabpen | Rash | DIR | Congenital Anomaly | |
| A2_C112_COMP_PROD | SPT | Painocide 20 ml vial | Pyrexia | M,F,DIR | Fatal | |
| A2_C113_COMP_PROD | SPT | Flunomore | Cough | H,LT | | |
| A2_C115_COMP_PROD | SPT | Flunomore | Cough | H,LT | | |
| A2_C117_COMP_PROD | SPT | Diabpen | Rash | DIR | | |
| A2_C118_COMP_PROD | SPT | Painocide 20 ml vial | Rash | DIR | | |

Freeze and Save Save Save As Permissions View Query Criteria Export to Excel

4. If a **report** is associated with the saved advanced condition, click **Execute**. The ACTIVE CASE SERIES page and PRE FILTER page of the associated report is displayed.

5. Enter the prompts value in the PRE FILTER page.
6. Click **Execute** to generate the report.

After generating the case series, you can manually modify it or save it. See [Chapter 7, "Working with Case Series"](#) for more information.

Executing a Saved Advanced Condition on the Active Case Series

Just as the system assigns the *active* status to an advanced condition when you save modifications to it or execute it, the last saved or generated case series becomes the *active* case series.

You may want to run an advanced condition on an active case series.

To narrow down the list of cases in the active case series:

1. Generate the case series on which you want to run another Value Set:
 - You can generate the case series by either using QBE, filters, or advanced conditions. This case series automatically becomes the active case series and remains so until you execute another query to generate a different case series.
 - Alternatively, if the case series on which you want to run another Value Set is already saved in the system, navigate to **Case Series, Open Case Series**, and select **Library**. When the CASE SERIES LIBRARY page opens, select the case series and click **Make Active**.
2. Navigate to **Queries, Advanced Conditions**, and select **Library**. The ADVANCED CONDITIONS LIBRARY page opens.
3. Select the advanced condition you want to run on the active case series you generated in Step 1.
4. Select the **Limit Query to Active Case Series** check box.
5. Click **Execute**. The system runs the selected advanced condition on the active case series and displays the ACTIVE CASE SERIES page. Note that the case series you just generated becomes the active case series.

Working with Libraries

Argus Insight provides a library that serves as a repository for all queries. This library, called the *Query library*, contains all the saved queries performed using QBEs, filters, and advanced conditions.

In addition, from the *Associated Reports* library, you can search for queries or case series that have a report associated with them.

This chapter includes the following topics:

- [Viewing Save Queries in the Query Library](#)
- [Viewing All Reports Associated with a Query or Case Series](#)


Viewing Save Queries in the Query Library

To view a list of all the saved queries, navigate to **Queries, Library**, and select **Query Library**. The QUERY LIBRARY page opens. See [Figure 6-1](#)

The QUERY LIBRARY page displays the following information about each query:

- Name of the query.
- Brief description of the query.
- Date when the query was last modified.
- Type of query (Advanced Condition, Filter Value Set, or Query By Example)
- Full name of the user who created the query.
- Category where the query is saved. The default categories are Case Processing, Compliance, Configuration, General, Management, and Pharmacovigilance.
- Number of reports, if any, associated with the query.


Figure 6–1 QUERY LIBRARY Page



Associating a Query in the Query Library

To associate a report to a query in the query library:

1. Navigate to the QUERY LIBRARY page.
2. Select a query from the list.
3. Click **Associate** to open the Scheduled Reports Group dialog box.



4. Select a report group and click **Modify**.
5. Make the necessary modifications and click **OK**.
6. Click **Execute** to execute a report.

Note that the Execute button is available only if the group has just one report in it.

Deleting a Query from the Query Library

To delete a query from the query library:

1. Navigate to the QUERY LIBRARY page.
2. Select a query from the list.
3. Click **Delete**. The system prompts for confirmation that you want to delete the query.
4. Click **OK**.

Disassociating a Report in the Query Library

To disassociate a report from the query library:

1. Navigate to the QUERY LIBRARY page.
2. Select a query from the list.
3. Click **Disassociate**. The system prompts for confirmation that you want to remove the report association.
4. Click **OK**.

Viewing All Reports Associated with a Query or Case Series


To view a list of all the reports associated with a query or a case series, navigate to **Reports** and select **Associated Reports Library**. The ASSOCIATED REPORTS LIBRARY page opens. See [Figure 6-2](#).

The ASSOCIATED REPORTS LIBRARY page displays the following information:

- Name of either the query or the case series associated with the report.
- Brief description of the query or case series associated with the report.
- Name of the report associated with the query or case series.
- Type of query (Advanced Condition, Filter Value Set, or Query By Example) if the report is associated with a query or the words **Case Series** if the report is associated with a case series.
- Full name of the user who created the query or case series.
- Status.

The **Limit Query to Active Case Series** check box is enabled *only if* the report is associated against a query. The check box is disabled for all reports associated against a case series.

Figure 6–2 ASSOCIATED REPORTS LIBRARY Page



Modifying a Query or Case Series in the Associated Reports Library

To modify a query or case series in the associated library:

1. Navigate to the ASSOCIATED REPORTS LIBRARY page.
2. Select the query or case series that you want to modify.
3. Click **Modify**. The Scheduled Reports Group dialog box opens.

| Associate | Name Description | Last Run Time Next Run Time | Created By Created Date | Modified By Modified Date | Number of Reports |
|--------------------------|---------------------------------------|--------------------------------|----------------------------|------------------------------|-------------------|
| <input type="checkbox"/> | Test Group Test Group Desc | N/A 30-JAN-2012 | Robert 30-JAN-2012 | Robert 30-JAN-2012 | 2 |
| <input type="checkbox"/> | Test Group_RunNow Test Group Desc | N/A 30-JAN-2012 | Robert 30-JAN-2012 | Robert 30-JAN-2012 | 2 |
| <input type="checkbox"/> | Test Schedule Test Schedule | N/A 24-JAN-2012 | NAVUSER1 24-JAN-2012 | NAVUSER1 24-JAN-2012 | 2 |
| <input type="checkbox"/> | Test Schedule_RunNow Test Schedule | N/A 24-JAN-2012 | NAVUSER1 24-JAN-2012 | NAVUSER1 24-JAN-2012 | 2 |
| <input type="checkbox"/> | tc21ovm tc21ovm | 11-JAN-2012 N/A | NAVUSER1 11-JAN-2012 | NAVUSER1 11-JAN-2012 | 5 |

4. Select any report group and click **Modify**.
5. Make the necessary modifications and click **OK**.
6. Click **Execute** to execute a report. The **Execute** button is available only if a group has just one report in it.

Disassociating a Report in the Associated Reports Library

To disassociate a report from the associated report library:

1. Navigate to the ASSOCIATED REPORTS LIBRARY page.
2. Select a report from the list.
3. Click **Disassociate**.
4. Click **OK**.

Working with Case Series

When you execute a QBE, a filter, or an advanced condition, Argus Insight generates a list of cases that match the querying criteria. This list of cases is called a *case series*. Argus Insight displays the case series in a listing format on the ACTIVE CASE SERIES page.

The case series is the communication foundation between all modules of Argus Insight. All the predefined reports you generate in Argus Insight are run on the case series. This means that the *report* output contains information from only those cases that are part of the case series.

This chapter includes the following topics:

- [Working with the Active Case Series](#)
- [Working with Case Series Saved in the Library](#)
- [Sharing Case Series with Argus Safety Web](#)
- [Exporting a Case Series to Microsoft Excel](#)
- [Freezing and Unfreezing Case Series Data](#)
- [Using the Link to Argus Safety Medical Review](#)

Note: The case series might become obsolete each time the data mart is refreshed by running an ETL because new cases with similar attributes might get added to the data mart.

Working with the Active Case Series

This section provides information about working with the active case series and includes the following topics:

- [Viewing the Active Case Series](#)
- [Saving the Active Case Series](#)
- [Viewing the Criteria that Generated the Active Case Series](#)
- [Assigning Group-Level Access Permissions](#)
- [Adding an Annotation to a Case](#)
- [Adding a Case to a Case Series](#)
- [Deleting a Case from a Case Series](#)


Viewing the Active Case Series

The system assigns the *active* status to the case series that you last generated by executing a *query*. Only one case series can be active at a time. The last case series you generated remains active until you:

- Generate another case series.
- Save modifications to an existing case series.
- Manually assign the active status to a case series that has been saved to the case series library. See "Making a Case Series Active" on page 7-11 for details.

To view the active case series, navigate to **Case Series, Open Case Series**, and select **Active**. The ACTIVE CASE SERIES page opens and displays the last case series that you executed, modified, or manually made active. See Figure 7-1.

Figure 7-1 Viewing the Active Cases Series



Active Case Series and Active Query Names

On the ACTIVE CASE SERIES page, note that:

- The **Active Query Name** label displays the name of the saved query (QBE, filter, or advanced condition) that generated the case series. If the query was not saved, the label displays the text <Not Saved>.
- The **Active Case Series** label displays the text <Not Saved> until you save the case series by a name. Similarly, the **Name** field displays the text <Not Saved> until you save the case series by a name.

You can enter the name of the case series in the **Name** field and click **Save**.

You can also rename an already saved case series, by entering the new name in the **Name** field and clicking **Save**.

Sorting, Searching, and Navigating

On the ACTIVE CASE SERIES page, use the tools in the table header (see [Figure 7-2](#)) to sort, search, and navigate through the list of cases.


- To sort the list by a specific column, click the arrow icon next to a column heading.
- To filter the list, enter search criteria into one or more of the fields below the column headings, and then click **Search**.

Note: If you search for a text comprising an underscore, it is treated as a wildcard and is replaced by a letter in the displayed results. For example, If you have queries with names - CURE, CORE, and CARE and you search for C_RE, all three queries are displayed in the result.

- To move forward and backward through the pages of case series, click the Page Navigation icons. A page displays 50 cases.

When you export the data to a Microsoft Excel file, the system retains any changes you made to the sorting and filtering order. See "[Exporting a Case Series to Microsoft Excel](#)" on page 7-15 for more information.

Figure 7-2 *Sorting, Searching, and Navigating the List of Cases*



Saving the Active Case Series

Before you can save a case series, you must enter a description for the case series in the **Description** field.

If you have not saved the active case series to the system yet, click either **Save** or **Save As** to assign a name to the case series and save it to the Case Series library.

If you are modifying a case series that is already saved, click **Save** to save your modifications or click **Save As** to save the case series by another name.


Viewing the Criteria that Generated the Active Case Series

Use one of the following options to view the query criteria that generated the active case series:

- To return to the appropriate *Queries* page (QUERY BY EXAMPLE page, FILTER VALUE SET page, or ADVANCED CONDITIONS EDITOR page) and view the query criteria that generated the case series, click **View Query**.

The **View Query** button is enabled *only if* the active case series is not yet saved to the system.

- To view the query criteria in a statement format, click **View Query Criteria**. The Query Criteria dialog box opens and displays the query. For example:



Assigning Group-Level Access Permissions


You can assign group-level access permissions for the case series. These permissions determine which user groups will be able to view, modify, or delete a case series.

Note: You can set permissions only on case series you saved to the system.

To set case series permissions:

1. Navigate to **Case Series, Open Case Series**, and select **Active**. The ACTIVE CASE SERIES page opens.
2. Click **Permissions** to assign group-level permissions on the saved case series.

The **Permissions** dialog box opens and lists the names of all the groups (except the **Administrator** group) that the system administrator has created.



- Use the drop-down list next to a group name to assign permissions to the group members on the case series you have created. You can select from these options:

| Permission | Description |
|---------------------|---|
| R/W/D/P | Group members will be able to view, modify, delete, and assign permission on the case series. |
| R/W/D | Group members will be able to view, modify, and delete the case series. |
| R/W | Group members will be able to view and modify the case series. |
| R | Group members will be able to only view the case series. |
| No Access (Default) | No group members will be able to access the case series. |

Note: The author of the case series always has the highest level of permission (R/W/D/P) on the case series. For example, suppose you belong to the Data Entry group and you assign the **No Access** permission level to the Data Entry group on a case series that you generate. In this case, you will continue to have the highest level of permission on your case series; other members in your group cannot access your case series.

- Click **OK** to save the permission settings.

Adding an Annotation to a Case

A *case annotation* is the addition of notes to a case. For example, you may want to add explanatory notes, critical comments about the case, or updates for the reporter. Adding relevant and important information about a case makes for better understanding of that case.

About Case Annotations

A case annotation:

- Supports a maximum of 200 characters.

- Is saved with the case series. Once entered, an annotation is saved for the case series. You do not need to explicitly save a case series to save the annotations.
- Is applicable for the case in only the same case series where it was saved. It is not applicable even for the same case if the case is in a different case series.
- Is frozen along with a frozen case series. Therefore, you cannot edit, add, or delete an annotation in a frozen case series.
- Is copied to a new case series if the case series where it was created is also copied.
- Is exported to Microsoft Excel when you use the Export to Excel feature.
- Is kept with a case if the case series is subsetted.
- Is retained when the case series merges with another case series. As shown in the following graphic, the Case Series #1 section title on the CASE SERIES MERGE page includes a statement that the notes from this series will be preserved in the merged case series:




If you can access a case series, you can access its corresponding case annotations.

Annotations in the Active Case Series

For any case in the active case series, you can include an annotation with the case.

To add an annotation to a specific case:

1. Navigate to the ACTIVE CASE SERIES page.
2. Select the case that you want to annotate.
3. Click the **Annotate** icon in the Notes column.
4. Select **Annotate** from the menu to open the Case Annotation dialog box.




5. Type your notes, comments, or remarks about the case.

6. Click **Save & Close**.

The system updates the selected case with your annotation. In addition, the Notes column displays the beginning text of the annotation.

To view the complete annotation, position the cursor over the Annotate icon.



To modify or delete an existing annotation, open the Case Annotation dialog box, edit the text, and save your changes.

Annotations in Advanced Conditions

To use annotations when you create an advanced condition, navigate to **Case Series, Cases**, and select **Case Annotations**. This field is a freehand text field and supports single select only.

This note is not available in Argus Safety and does not impact the case series in Argus Safety.


Adding a Case to a Case Series

If required, you can modify the case series by adding cases manually.



To add a case to the case series:

1. Navigate to the ACTIVE CASE SERIES page.
2. Click the **Add Case** icon on the left bar. The Add Case to Case Series dialog box opens.




3. Enter the case number that you want to add to the case series manually.
4. Click the **Justification** field to select the reason you are modifying the case series.

Alternatively, you can type your own justification text to explain why you are modifying the case series.

In addition, you can define the choices that Argus Insight lists for the Justification field by using the Case Series Modification Justification option in the List Maintenance tab on the ADMINISTRATION TOOLS page.

5. Click **OK**.
 - If the case number you specified exists in the data mart, the system adds the case to the case series and saves the changes. A message dialog box reports that the case number was successfully inserted.
 - If the case number you specified does not exist in the data mart, the system displays an error message. For example:




6. Click **OK** to close the message dialog box.

Deleting a Case from a Case Series



To delete a case from the case series:

1. Navigate to the ACTIVE CASE SERIES page.
2. Select the case you want to delete.
3. Click the Delete Case icon on the left bar. The Delete Case Number dialog box opens.



4. Click the **Justification** field to select the reason you are deleting the case.

Alternatively, you can type your own justification text to explain why you are deleting the case.

In addition, you can define the justification choices that Argus Insight lists for the Justification field by using the Case Series Modification Justification option in the List Maintenance tab on the ADMINISTRATION TOOLS page.

5. Click **OK** to delete the case from the case series and saves the changes.

Working with Case Series Saved in the Library

When you execute a QBE, a filter, or an advanced condition, Argus Insight generates a list of cases that match your query criteria. This list of cases is called a *case series*.

You can choose to save a case series for future reference. You provide a brief description and a unique name for the case series; the system stores all saved case series in the Case Series library.

This section provides information about working with saved case series and includes the following topics

- [Opening the CASE SERIES LIBRARY Page](#)
- [Searching for a Saved Case Series in the Library](#)
- [Making a Case Series Active](#)
- [Modifying a Case Series](#)
- [Merging Case Series](#)
- [Importing a Case Series from an External Source](#)
- [Deleting a Case Series from the Library](#)
- [Viewing the Query Criteria that Generated the Case Series](#)
- [Associating a Report Group with a Case Series](#)

Opening the CASE SERIES LIBRARY Page

The CASE SERIES LIBRARY page, shown in [Figure 7-3](#), lists all the case series saved to the system.

To open the CASE SERIES LIBRARY page, navigate to **Case Series, Open Case Series**, and select **Library**.

The CASE SERIES LIBRARY page displays the following information for each case series:

- Name of the case series.
- Brief description of the case series.
- Date when the case series was last modified.
- Name of the user who generated the case series.
- Category assigned to the case series. For example, Compliance, General, Management, or Pharmacovigilance.
- Source of the case series.
 - **Argus Insight** indicates the case series was generated using Argus Insight querying tools.
 - **External** indicates the case series was imported into Argus Insight from another source, such as a TXT or CSV file. See "[Importing a Case Series from an External Source](#)" on page 7-12 for more information.
- Number of cases in the case series. In addition, the Cases column displays a snowflake icon if the case series is frozen. Positioning the cursor over the icon displays the date and time the case series was frozen.
- Report icon if reports are associated with the case series. Positioning the cursor over the icon displays the number of reports associated with the case series.

Figure 7-3 CASE SERIES LIBRARY Page

Searching for a Saved Case Series in the Library

You can search a saved case series by its name, description, modified date, author, category, and source. You can enter a value for one, several, or all search fields to find a saved case series.

To search for a saved case series:

1. Navigate to the CASE SERIES LIBRARY page.
2. Enter search criteria into one or more of the fields below the column headings.

To search for a case series:

- By its name, type the name of the case series in the **Name** field.
- By its description, type part of the description in the **Description** field. The system searches for the specified text string in all case series descriptions.
- By its date of modification, enter the modification date in the first **Last Modified** date field. To specify a date range, type the start and end dates in the first and second date fields, respectively.
- By its author, select the author name from the **User Full Name** field.
- By its category, select the category from the **Category** field.
- By its source, select the source from the **Source** field.

Note: If you search for a text comprising an underscore, it is treated as a wildcard and is replaced by a letter in the displayed results. For example, If you have queries with names - CURE, CORE, and CARE and you search for C_RE, all three queries are displayed in the result.

3. Click **Search**. Based on your specified criteria, the system refreshes the page and displays the search results.
 - To sort the search results, click the sort icon next to a column header.
 - To clear the search results and list all the saved case series, click **Clear**.

Making a Case Series Active

To make a case series active:

1. Navigate to the CASE SERIES LIBRARY page.
2. Select the case series you want to make active.
3. Click **Make Active**.

The **Active Case Series** label in the upper-right corner of the CASE SERIES LIBRARY page displays the name of the case series you made active.

Modifying a Case Series

You may want to modify an existing case series by adding cases to it or deleting existing cases. You can also change the group-level access permissions on the case series.

To modify a case series:

1. Navigate to the CASE SERIES LIBRARY page.
2. Select the case series you want to modify.
3. Click **Modify** to display the selected case series. See "[Working with the Active Case Series](#)" on page 7-1 for detailed information about making modifications to the case series and setting permissions.

Merging Case Series

Argus Insight lets you create a new case series by merging two case series through a *set operator*. The set operator you select works on the case numbers. The case numbers included in the merged case series depend on the type of set operator you use:

- **Union** — Creates a new case series that contains all the cases in both case series; common case numbers are included, and are listed only once.
- **Intersect** — Creates a new case series that contains only those case numbers that exist in both case series.
- **Minus** — Creates a new case series that contains only those case numbers that are present in the first case series, but are not present in the second case series.

To generate a merged case series:

1. Navigate to the CASE SERIES LIBRARY page.
2. Click **Merge**. The CASE SERIES MERGE page opens.

3. Select the two case series you want to merge:
 - a. Select the first case series from the **Case Series # 1** list.
 - b. Select the second case series from the **Case Series # 2** list.

Note that the system automatically populates the Description and Author fields for each case you selected. You can modify the information if necessary.

4. Select the **Action** (set operator) that you want to use to merge the two case series you selected. As described previously, you can select one of the following actions:
 - **Union** — Creates a new case series that contains all the cases in both case series; common case numbers are included, and are listed only once.
 - **Intersect** — Creates a new case series that contains only those case numbers that exist in both case series.
 - **Minus** — Creates a new case series that contains only those case numbers present in the first case series, but not present in the second case series.
5. Click **Merge** to merge the two selected case series and display the resultant case series on the ACTIVE CASE SERIES page.


Importing a Case Series from an External Source

You can import a case series from an external source into Argus Insight. The requirements are as follows:

- The external source file can be a text (TXT) file or a comma-separated values (CSV) file.
- Each case number in the file must be on a new line.
- Each case number must be separated by a line return (Enter) or a semicolon (;).

To import a case series from an external source into Argus Insight:

1. Navigate to the CASE SERIES LIBRARY page.
2. Click **Import** to open the **Select File For Import** dialog box.



3. Click **Browse** to locate and select the external case series source file. Alternatively, type the file name with its complete system path in the **File** field.
4. Verify if the first row in your TXT or CSV file has the column headings. If so, be sure to select the **First row contains column header(s)** check box.
5. Click **OK**. The Import Case Series dialog box displays the status of the import operation.


Note: To view the import operation log, click **View Log**.

6. Click **OK** to display the imported case series on the ACTIVE CASE SERIES page.

Deleting a Case Series from the Library

To delete an existing case series:

1. Navigate to the CASE SERIES LIBRARY page.
2. Select the case series you want to delete.
3. Click **Delete**. The system prompts for confirmation that you want to delete the case series.




4. Click **OK** to delete the selected case series and return to the CASE SERIES LIBRARY page.

Viewing the Query Criteria that Generated the Case Series

To view the details of the query that generated a case series:

1. Navigate to the CASE SERIES LIBRARY page.
2. Select a case series.
3. Click **Query Criteria** to open the Query Criteria dialog box and display the query in an SQL-statement format. For example:



Note: For a *saved* case series, you can view the query details only in a SQL-statement format in the Query Criteria dialog box.

However, for an active case series that *is not yet saved* to the system, you can view the query details within the query tool interface as well as in the SQL-statement format. See "[Viewing the Criteria that Generated the Active Case Series](#)" on page 7-4 for more information.

Associating a Report Group with a Case Series

Report packaging is the concept of grouping reports together. You can define multiple reports that are always or often executed at the same time into a group. A set of reports run on a weekly or periodic basis can be scheduled and run as a package.

In Argus Insight, you can associate a report group and the report scheduling to a case series or to a power query (QBE, Filter Value Set, and Advanced Conditions).

Argus Insight lets you *associate* the report group, schedule a time to generate the reports, and automatically send the completed reports through email to one or more users that you specify.

For detailed procedures and more information about associating report groups, see "[Scheduling and Associating Reports Against a Query or Case Series](#)" on page 8-3.

Note: To be able to schedule reports, you must have an enterprise login configured in the Business Intelligence tool you are using with Argus Insight.

Sharing Case Series with Argus Safety Web

You can share cases between Argus Safety Web and Argus Insight.

To enable case sharing between these two applications, you need a common user name (ID) and password for Argus Safety Web and Argus Insight. If you do not have a valid user ID in Argus Safety Web, the system displays the following error message:

Your user ID is not present in Argus.

To share cases between Argus Insight and Argus Safety Web:

1. Log in to Argus Insight with your user name and password.
2. Navigate to **Case Series, Open Case Series**, and select **Import from Argus Safety**.

The system displays the active case series from Argus Safety Web. The active case series present in Argus are now the active case series in Argus Insight.


Note: The system displays an error message if there are no cases present in the active series of Argus.

3. Click **Save** or **Save As** to save the case series.

Exporting a Case Series to Microsoft Excel

To export a case series to a Microsoft Excel file:

1. Create a new query using a QBE, a filter, or an advanced condition, or open a saved query from the Query library.
2. Click **Execute** to open the ACTIVE CASE SERIES page with the list of cases.
3. Make adjustments to the listing, if necessary. You can sort the list or enter search criteria to filter the list. The system retains the sorting and filtering order when you export the data to a Microsoft Excel file.
4. Click **Export to Excel**. The File Download dialog box opens and prompts you to open or save the Microsoft Excel file.



- To open the Excel file and view the case series results, click **Open**.
- To save the Excel file to your system, click **Save**. The system prompts for the location to save the file. Once the file is saved, you can open the file and view the case series results.

The Excel spreadsheet has two tabs:

- The **Case Series** tab provides information about each case in the case series, including the case number, report type, primary company product, primary event, seriousness criteria, and outcome. See in [Figure 7–4](#).
- The **Case Series Details** tab provides information about the entire case series, including the name specified when the case series was saved, the total number of cases in the series, the description specified when the case series was saved, and the query criteria (in SQL-statement format) used to generate the case series.

Figure 7–4 Sample Case Series Exported to an Excel Spreadsheet

| | A | B | C | D | E | F | G |
|----|-------------------|-------------|-------------------------|----------------------|----------------------|--------------------------|-------|
| 1 | Case Number | Report Type | Primary Company Product | Primary Event | Seriousness Criteria | Outcome | Notes |
| 2 | ENTO_1998DE000008 | RAT | Wonder Drug | Arthralgia | IR | Unknown | |
| 3 | ENTO_2001US000000 | RAT | Algoheal | Dyspnoea NOS | Non-Serious | Congenital Anomaly | |
| 4 | ENTO_2001US000004 | RAT | Flunomore | Paraesthesia | Non-Serious | Unknown | |
| 5 | ENTO_2001US000008 | RAT | Cure All | Pyrexia | Non-Serious | Recovered | |
| 6 | ENTO_2001US000009 | RAT | Painocide Unknown | Renal failure acute | H | Recovered | |
| 7 | ENTO_2001US000011 | RAT | Wonder Drug | Hepatic failure | H | Recovered | |
| 8 | ENTO_2002US000002 | RAT | Cure All | Alanine increased | LT | Recovered with Treatment | |
| 9 | ENTO_2002US000008 | RAT | Wonder Drug | Headache | Non-Serious | Improved | |
| 10 | ENTO_2002US000011 | RAT | Algoheal | Abdominal pain upper | Non-Serious | Recovering/Resolving | |
| 11 | ENTO_2002US000013 | RAT | Algoheal | Dyspnoea NOS | Non-Serious | Congenital Anomaly | |
| 12 | ENTO_2002US000021 | RAT | Flunomore | Paraesthesia | Non-Serious | Unknown | |
| 13 | ENTO_2002US000024 | RAT | Cure All | Hepatic failure | H | Recovered | |
| 14 | ENTO_2002US000026 | RAT | Painocide Unknown | Renal failure acute | H | Recovered | |
| 15 | ENTO_2002US000029 | RAT | Wonder Drug | Headache | Non-Serious | Resolved | |
| 16 | ENTO_2003US000000 | RAT | Cure All | Alanine increased | LT | Recovered with Treatment | |

Freezing and Unfreezing Case Series Data

This section includes the following topics:

- [Before Freezing the Data in a Case Series](#)
- [Freezing a Case Series](#)
- [Unfreezing Case Series Data](#)

Before Freezing the Data in a Case Series

Before you freeze the data in a case series, review the information in this section to understand the restrictions and usage for frozen case series.

Access Rights

System administrators define the freeze and unfreeze access rights when creating user groups.

You can freeze and unfreeze case series *only if* you have the proper access rights (privileges).

Working with Frozen Case Series

When you work with frozen case series, note that:

- You cannot insert cases into a frozen case series.
- You cannot share a frozen case series with Argus Safety.
- You can delete cases from a frozen case series.
- When you run a query or an advanced condition against a frozen case series, Argus Insight uses the frozen data.

- The link to the Medical Review dialog box accesses the latest data for the case.
- The following Argus Insight features **do not** require all case data to be frozen:
 - Copy Configuration utility
 - Report scheduling
 - Derivation rules

Reports and a Frozen Case Series

- The frozen case series data is available after reinitializing the ETL.
- Reports run on frozen case series data show the following text next to the Case Series name:

The data in this report was frozen as of *date_and_time*.

The time is the database system time with the Greenwich Mean Time (GMT) offset.
- Reports run on normal case series data show the following text next to the Case Series name:

The case series was last modified on *date_and_time*.

List Maintenance Items and Derivation Rules in a Frozen Case Series


- List Maintenance items are not frozen. Therefore, some reports will have a mismatch of List Maintenance items and the frozen case series data.
- The derivation rules operate against current case data if the List Maintenance rules are modified. The frozen case series are shown if there is a change in the case data resulting from the derivation rules.
- If suppress condition is checked in the derivation rule, then List Maintenance records related to the derivation rule will not be deleted in cases used in the frozen case data table.

Freezing a Case Series

You can freeze a custom case series when editing the case series from the CASE SERIES LIBRARY page.

To freeze the existing cases in a case series:

1. Navigate to the CASE SERIES LIBRARY page.
2. Select a case series.
3. Click **Freeze Case Series**. The Freeze Case Series dialog box opens and prompts you to provide a new name for the frozen case series.




4. Enter a name for this frozen case series.
5. Click **OK**.

The system freezes and saves the case series with the name you specified.

Recognizing a Frozen Case Series

To indicate that a case series is frozen, the Cases column on the CASE SERIES LIBRARY page displays a snowflake icon. Positioning the cursor over the snowflake icon displays the date and time the selected case series was frozen.



Freezing and Saving Case Series

You can freeze any system-generated case series (active or inactive) (for example, using Argus Insight queries, filters, and advanced conditions) by clicking **Freeze and Save**.

The system freezes the case series and then displays the standard Case Series Save dialog box. You must enter a name for the saved case series.

If you have not yet saved the case series from the ACTIVE CASE SERIES page, and you click **Freeze and Save**, the system saves only one copy of the frozen case in the library. The frozen case series is now the active case series.

On the CASE SERIES LIBRARY page, you can position the cursor over the snowflake icon in the Cases column to view the date and time the selected case series was frozen.

Unfreezing Case Series Data

On the CASE SERIES LIBRARY page, you have the option to unfreeze a currently frozen case series. Unfreezing a case series forces Argus Insight to retrieve the latest information for all the cases in the series.

When you unfreeze a case series, you must provide a justification, or reason, for this action. You can either type a new justification or select a preconfigured justification.


If you have access rights to the List Maintenance tab on the ADMINISTRATION TOOLS page, use the **Case Series Un-Freezing Justification** option to configure one or more justifications that can be selected when you unfreeze a case series. You can add new justifications, modify existing justifications, or delete an existing justification.

To unfreeze a case series that is currently frozen:

1. Navigate to the CASE SERIES LIBRARY page.
2. Select the frozen case series that you want to unfreeze.

If a case series is frozen, the Cases column displays a snowflake icon for that series. The **Un-freeze Case Series** button is enabled *only if* you select a case series that is frozen.

3. Click **Un-freeze Case Series**. The Un-freeze Case Series dialog box opens and prompts for confirmation and justification.



4. Click the **Justification** field to select the reason you are unfreezing the Case Series.

Alternatively, you can type your own justification text to explain why you are unfreezing the case series.

In addition, you can define the choices that Argus Insight lists for the Justification field if you have access rights to the Case Series Un-freezing Justification option in the List Maintenance tab on the ADMINISTRATION TOOLS page.

5. Click **OK**.

The system retrieves the latest information for all the cases in the series, refreshes the CASE SERIES LIBRARY page, and displays the updated case series in the list.

In addition, system removes the snowflake icon from the Cases column because the case series is no longer frozen.

Using the Link to Argus Safety Medical Review

On the ACTIVE CASE SERIES page, you can click a link in the Case Number column to access Argus Safety and open the Medical Review dialog box in read-only mode.

All reports that can be executed from the Medical Review dialog box are available to you.

| ACTIVE CASE SERIES | |
|-----------------------------------|----------------------|
| Name : Study_429F | |
| Choose Elements | |
| Case Number | Report Type |
| <input type="text"/> | <input type="text"/> |
| ENTO_1998DE000020 | RAT |
| ENTO_1998DE000037 | STR |
| ENTO_2002DE000005 | SPT |
| ENTO_2003DE000003 | SPT |

You may not be able to link successfully to the Medical Review dialog box for the following reasons:

- If you do not have access to the case from an Argus Safety perspective, the system displays the following message:
`user_name` does not have access to the case in Argus Safety.
- If you try to access a case that has been deleted since the last ETL, the system displays the following message:
This case has been deleted in Argus Safety since the last ETL.
- If Oracle Access Manager (OAM) is not enabled in Argus Safety and Argus Insight, *and* you log in to Argus Insight without logging through Argus Safety, the system displays the following message:
`user_name` is not logged into Argus Safety.

Generating and Scheduling Standard Reports

Argus Insight provides built-in *standard reports* that you can run on active case series to analyze your company's safety, workflow, and product data.

This chapter includes the following topics:

- [About Standard Reports](#)
- [Working in the STANDARD REPORTS Page](#)
- [Generating Standard Reports](#)
- [Scheduling and Associating Reports Against a Query or Case Series](#)
- [Creating and Scheduling a New Report Group](#)
- [Listing of the Standard Reports](#)

About Standard Reports

Although standard reports are predefined reports, you can define pre-filters before generating a standard report to have the report output display information only about specific types of cases. Pre-filters let you narrow down the case series further so that the system runs the report only on those cases that conform to the pre-filter criteria.

For example, suppose your case series consists of cases that were reported in *all countries* for a particular product. However, you only want information about cases reported in the *United States*. In this case, you can specify a pre-filter such that the report output includes only those cases that were reported in the United States.

Case Series, ETL, and Association

Because a case series might become obsolete each time the data mart is refreshed by running an ETL, you may need to generate the case series again before generating a standard report.

Alternatively, you can directly associate a *query* (QBE, filter, or advanced condition) to a standard report to avoid manual generation of the case series. For more information, see these topics:

- ["Associating a Report Group with a QBE"](#) on page 3-38
- ["Associating a Report Group with a Value Set"](#) on page 4-19
- ["Associating a Report Group with an Advanced Condition"](#) on page 5-19

Browser Configuration

Before using Argus Insight to generate standard reports, configure the browser as defined in the *Oracle Argus Insight Installation Guide*.

Working in the STANDARD REPORTS Page

The STANDARD REPORTS page, shown in [Figure 8–1](#), lists all the standard reports built in to Argus Insight.

To display the STANDARD REPORTS page, navigate to **Reports, Standard Reports**, and select an option.

The STANDARD REPORTS page displays the following information for each report:

- Name of the report.
- Brief description of the report.
- Date when the report was last modified.
- Author of the report. For standard reports, the author is Oracle Corporation.

In addition, the STANDARD REPORTS page provides several standard tools to help you find a specific report or group of reports. You can:

- Scroll up and down to browse through the list.
- Click a column heading to sort the list.
- Enter keywords in one or more column fields and then click **Search** to find reports that satisfy your specified criteria


Figure 8–1 Sample Listing on the STANDARD REPORTS Page

| Name | Description | Last Modified | Author |
|-----------------------|--|---------------|--------------------|
| C10MS II Line Listing | Prints the standard C10MS II Listing report for all cases of the case series. | 17-JUN-2013 | Oracle Corporation |
| C10MS Report | Prints the standard C10MS I report for all cases of the case series. | 17-JUN-2013 | Oracle Corporation |
| US FDA MedWatch 3500A | Prints the standard US FDA MedWatch 3500A report for all cases of the case series. | 17-JUN-2013 | Oracle Corporation |

Generating Standard Reports


To generate a standard report:

1. Navigate to **Reports** and select **Standard Reports**.



2. Select the report category, such as General, to view a list of standard reports for that category.

The STANDARD REPORTS page opens and lists the standard reports for the category you selected.



3. Select the report that you want to generate.

You can scroll through the list to find a report, click a column heading to sort the list, or search for report based on the criteria you specify in the column fields.

Note: The **Limit Report to Active Case Series** check box is checked and disabled. This prevents the report from querying the entire data mart and slowing down the report output generation.

To view the currently active case series, navigate to **Case Series, Open Case Series**, and select **Active**. To make a different case series active, navigate to **Case Series, Open Case Series**, and select **Library**. When the CASE SERIES LIBRARY page opens, select the case series you want to make active and click **Make Active**.

4. Click **Execute**. The system generates the report and displays the output in the selected format. You can print this report or save it to the system drive, if required.
5. Close the new browser window to return to the STANDARD REPORTS page.

Scheduling and Associating Reports Against a Query or Case Series

Report packaging is the concept of grouping reports together. You can define multiple reports that are always or often executed at the same time into a group. A set of reports run on a weekly or periodic basis can be scheduled and run as a package.

In Argus Insight, you can associate a report group and the report scheduling to a power query (QBE, Filter Value Set, and Advanced Conditions) or to a case series.

Argus Insight lets you *associate* the report group, schedule a time to generate the reports, and automatically send the completed reports through email to one or more users that you specify.

Note: To be able to schedule reports, you must have an enterprise login configured in the Business Intelligence tool you are using with Argus Insight.

To associate reports with a query or case series:

- You can select any query from any library (Query By Example library, Filter library, Advanced Conditions library, or Query library) and click **Associate**.
- You can select any case series from the CASE SERIES LIBRARY page and click **Associate**.
- You can use the Query library and the Associated Reports library to schedule an association.

Because you can associate multiple reports with a single query, clicking **Execute** does not generate the report after generating the case series.


Working in the Scheduled Reports Group Dialog Box

When you select either a query or a case series and then click **Associate**, the system opens the Scheduled Reports Group dialog box. See [Figure 8-2](#).

The Scheduled Reports Group dialog box displays information about all the report groups created by all the users in the same user group. In a CRO setup or hosting installation, the system displays the report groups specific to the enterprise.

Each group can contain one or more reports. A *report group* means that all the reports are scheduled for the same time for a power query or a case series.

Figure 8–2 Scheduled Reports Group Dialog Box



Viewing the Reports in a Group

To view a list of the reports in a group, position the cursor over the group name in the Scheduled Reports Group dialog box. For example:



Viewing, Sorting, and Searching the Report Groups

The Scheduled Reports Group dialog box provides the several tools for viewing, sorting, and searching the report groups. You can:

- Use the scroll bar and pagination icons to browse through the list of report groups.
- Click a column heading to sort the report groups according to the selected column.
- Use the **Filter** icon to enter search criteria into fields and click **Search** to find the report groups that match your search criteria. You can click **Clear** to remove all search criteria. You can click the **Close** icon to hide the search fields. The search fields are hidden when you open the dialog box.

Note: If you search for a text comprising an underscore, it is treated as a wildcard and is replaced by a letter in the displayed results. For example, If you have queries with names - CURE, CORE, and CARE and you search for C_RE, all three queries are displayed in the result.


The screenshot shows a web browser window titled "Argus Insight -- Webpage Dialog" with a sub-header "Scheduled Reports Group". The interface includes a table with columns: Associate, Name, Description, Last Run Time, Next Run Time, Created By, Created Date, Modified By, Modified Date, and Number of Reports. The table contains two rows of data with placeholder values like "??-??-0000". Navigation controls for rows and page size are visible at the top of the table area.

| Associate | Name | Description | Last Run Time | Next Run Time | Created By | Created Date | Modified By | Modified Date | Number of Reports |
|-----------|------|-------------|---------------|---------------|------------|--------------|-------------|---------------|-------------------|
| | | | ??-??-0000 | | | | | | |
| | | | ??-??-0000 | | ??-??-0000 | | ??-??-0000 | | |

Using the Command Buttons

The Scheduled Reports Group dialog box has the following commands buttons:

- Click **New** to create a new report group. You can select **Association only** or **Scheduling** from the context menu. Once you make your selection, the system opens the Reports Scheduling dialog box.



- Click **Modify** to change the settings for an existing scheduled report group.
- Click **Delete** to remove the selected report group. You can delete a report group *only if* the report group is not associated with a query or case series.
- Click **Execute** to close the Scheduled Reports Group dialog box, and then execute the query/case series in the parent window. The **Execute** button is enabled *only if* the scheduled report group has a single report.
- Click **Save** to save your changes after you associate (or disassociate) a report group by selecting (or clearing) a check box in the Associate column.
- Click **Close** to close the Scheduled Reports Group dialog box.

Associating a Report Group

To associate an existing report group to a selected query or case series:

- Navigate to the QUERY LIBRARY page or the CASE SERIES LIBRARY page.
- Select the query or case series for which you want to associate a report group.
- Click **Associate**. The Scheduled Reports Group dialog box opens.
- Select the check box in the Associate column for the report group that you want to schedule for your selected query or case series. You can associate one or more report groups for your selected query or case series.

| Scheduled Reports Group | |
|-------------------------------------|--|
| Total Number Of Rows (25) | |
| Associate | Name ▲ Description |
| <input checked="" type="checkbox"/> | Monthly Event Reports January-December 2012 |
| <input type="checkbox"/> | PGM AE and Narrative |
| <input checked="" type="checkbox"/> | QBE 1 Daily Schedule QBE 1 Daily Schedule |

5. Click **Save**. The report groups are now scheduled for the selected query or case series.

To remove the scheduling of a report group for a selected query or case series, clear the check box in the Associate column and click **Save**.


Creating and Scheduling a New Report Group

To create and schedule a new report group for a query or a case series:

1. Navigate to the QUERY LIBRARY page or the CASE SERIES LIBRARY page.
2. Select the query or case series for which you want to create, schedule, and associate a report group.
3. Click **Associate**. The Scheduled Report Groups dialog box opens.

| Associate | Name ▲ Description | Last Run Time Next Run Time | Created By Created Date | Modified By Modified Date | Number of Reports |
|--------------------------|--|--------------------------------|------------------------------|------------------------------|----------------------|
| <input type="checkbox"/> | FCS FCS | 09-DEC-2011 N/A | Administrator 08-DEC-2011 | Administrator 08-DEC-2011 | 1 |
| <input type="checkbox"/> | PGM AE and Narrative | N/A N/A | Rita Gittep 06-FEB-2012 | Rita Gittep 06-FEB-2012 | 3 |
| <input type="checkbox"/> | QBE 1 Daily Schedule QBE 1 Daily Schedule | 07-DEC-2011 N/A | Administrator 15-JAN-2012 | Administrator 15-JAN-2012 | 1 |
| <input type="checkbox"/> | RG RG | N/A N/A | Dee Inak 05-DEC-2011 | Dee Inak 05-DEC-2011 | 1 |

4. Click **New**. The system opens a menu with options for associating a report only or for scheduling and associating a report.



5. Click **Scheduling** to open the Reports Scheduling dialog box. See [Figure 8-3](#).
6. See the following sections for information about completing the Reports Scheduling dialog box, including:
 - [Working in the Scheduled Reports Group Dialog Box](#)
 - [Entering the Report Name and Description](#)
 - [Setting Up the Schedule](#)

- [Setting Up to Run the Reports Now](#)
- [Defining E-Mail Information](#)
- [Browsing and Sorting the List of Available Reports](#)
- [Selecting and Adding Reports to the Group](#)
- [Selecting a Report Format](#)
- [Saving the Schedule](#)

Working in the Reports Scheduling Dialog Box

The Reports Scheduling dialog box is the main scheduling page in Argus Insight. See [Figure 8–3](#). From this dialog box, you can select any number of reports for scheduling.

The Reports Scheduling dialog box has the following sections:

- Group Information
- Scheduling Information
- E-Mail Information
- Available Reports
- Selected Reports

Figure 8–3 Reports Scheduling Dialog Box

Argus Insight -- Webpage Dialog

Reports Scheduling

| Group Information | Scheduling Information | E-Mail Information |
|---|---------------------------------|-------------------------------------|
| Name: <input type="text"/> | Frequency: <input type="text"/> | Email Address: <input type="text"/> |
| Description: <input type="text"/> | | Subject: <input type="text"/> |
| | | Body: <input type="text"/> |
| <input type="checkbox"/> Send separate mail for each report | | |

Available Reports

| Report Name | Description | Category | Last Modified | Author |
|-----------------------|--|----------|---------------|--------------------|
| CIOMS II Line Listing | Prints the standard CIOMS II Listing report for all cases of the case series. | General | 06-SEP-2012 | Oracle Corporation |
| CIOMS Report | Prints the standard CIOMS I report for all cases of the case series. | General | 06-SEP-2012 | Oracle Corporation |
| US FDA MedWatch 3500A | Prints the standard US FDA MedWatch 3500A report for all cases of the case series. | General | 06-SEP-2012 | Oracle Corporation |

Selected Reports

| Report Name | Report Category | Report Format | Pre-Filters Configured? | Delete |
|-----------------------|-----------------|---------------|-------------------------|--------|
| No records to display | | | | |

OK Cancel Clear


Entering the Report Name and Description

In the Group Information section, use the **Name** and **Description** fields to enter a title for the report and a brief summary of the report.

Setting Up the Schedule

In the Scheduling Information section, click the **Frequency** field to specify how often you want the system to run the selected QBE and generate the selected reports. The options available are **Once**, **Daily**, **Weekly**, **Monthly**, **Quarterly**, and **Yearly**.

Based on the frequency option you select, the Scheduling Information section displays additional parameters that you must specify. For example, if you choose to run the report weekly, the system prompts you to enter the day, the time, the start date, and the end date.




Based on the frequency option you select, enter the additional scheduling information:

- **Once** — Enter the date and time when the system will generate the report.
- **Daily** — Enter the time when the system will generate the report. The system generates the report every day at the specified time. In addition, enter the start date and the end date for this schedule.
- **Weekly** — Select the day of the week when the system will generate the report. In addition, enter the time, the start date, and the end date for this schedule.
- **Monthly** — Select the day (1-31) of the month when the system will generate the report. In addition, enter the time, the start date, and the end date for this schedule.
- **Quarterly** — For reports generated quarterly, the system automatically generates the report on the first day of the quarter. You enter the time of day when the system generates the report, as well as the starting and ending dates.
- **Yearly** — Enter the date and time when the system will generate the yearly report. In addition, enter the start date and the end date for this schedule.

Note: In the **Time** field, you must enter the time value in the HH:MM AM/PM format. Hours must be between 1 and 12.

Setting Up to Run the Reports Now

If you are scheduling a report group for a case series, you have the option to run the reports immediately. For case series, the Scheduling Information section includes a **Run Now** check box.




When you select the **Run Now** check box and save the scheduling information, Argus Insight saves the schedule to execute immediately.

Note that:

- The Run Now option is available only when you schedule a report group for a case series.
- When you select the Run Now option, all other settings in the Scheduling Information section are disabled. In addition, changes you make in the E-Mail Information section or the Selected Reports section when using the Run Now option do not affect the existing report group information.
- The ASSOCIATED REPORTS LIBRARY page does not list the report groups scheduled using the Run Now option.
- The Associated Reports Count tooltip on the CASE SERIES LIBRARY page does not include Run Now schedules in its count.

The Scheduled Reports Group dialog box displays a new row for each report group schedule that you create using the Run Now option. For example:



Note that the system:

- Appends the **_RunNow** text to the report group name to indicate that it was scheduled using the Run Now option.
- Displays the row in read-only mode (grayed out). You cannot select this row; you cannot perform any operation available in the dialog box on this row.
- Displays the row only until all the related scheduling activities are completed.
- Makes the row visible only to the user who created the Run Now schedule.

Defining E-Mail Information

In the E-Mail Information section, enter the email address of each report recipient. If there are multiple recipients, use a semicolon (;) to separate each address.

E-Mail Information

Email Address:

Subject:

Body:

Send separate mail for each report

Enter the subject and body text for your email. For example, you may want to include general information about the reports generated, the scope of the report, the time frame of the report, and who to contact for additional information.

You can schedule multiple reports for a single QBE. Be sure to select the **Send separate mail for each report** check box if you want the system to send an email notification for each report generated.

Browsing and Sorting the List of Available Reports

The Available Reports section lists all the reports that you can include in the schedule and associate with the QBE.

To help you locate specific reports, you can:

- Click a column heading to sort the list of reports by the selected column.
- Click the **Filter** icon to display search fields below the column headings, enter one or more values, and then click **Search** to find the reports that match your criteria.
- Scroll up and down to browse through the list.

Click a column heading to sort the reports by that column.

Click the **Filter** icon to display the search fields, enter values, and then click **Search** to find specific reports.

| Available Reports | | | | |
|-----------------------|--|----------|---------------|--------------------|
| Report Name ▲ | Description | Category | Last Modified | Author |
| CIOMS II Line Listing | Prints the standard CIOMS II Listing report for all cases of the case series. | General | 06-SEP-2012 | Oracle Corporation |
| CIOMS Report | Prints the standard CIOMS I report for all cases of the case series. | General | 06-SEP-2012 | Oracle Corporation |
| US FDA MedWatch 3500A | Prints the standard US FDA MedWatch 3500A report for all cases of the case series. | General | 06-SEP-2012 | Oracle Corporation |

Selecting and Adding Reports to the Group

In the Available Reports section, select a report that you want to include in this scheduling and then click **Add**. The system displays the report in the Selected Reports section. Continue to select and add each report that you want to include in this scheduling.

If you want to remove a report from this scheduling, click the **Delete** icon. The system prompts for confirmation before deleting the report.

Selecting a Report Format

For each report that you select to include in this scheduling, the system displays the report name and category in the Selected Reports section.

In the Report Format column, select the output format for each report. You can select either **PDF** or **Excel**.


If you want to remove a report from this scheduling, click the **Delete** icon. The system prompts for confirmation before deleting the report.

Saving the Schedule

Click **OK** in the Reports Scheduling dialog box to save your report scheduling.

The system associates the report group with the selected query or case series, saves the scheduling information, and returns to the Scheduled Reports Groups dialog box.

Note that the system automatically selects the Associate check box in the Scheduled Reports Groups dialog box to indicate that reports are associated with the query or case series. Position the cursor over the report name to list the associated reports.



Close the Scheduled Reports Groups dialog box to return to the starting library page. Note that the Associated Report column now displays an icon to indicate that reports are associated with this query or case series. Position the cursor over the icon to display the number of reports associated.



Listing of the Standard Reports

This section lists the Argus Insight standard reports. The reports are grouped by category; a title and brief description are listed for each report.

General Reports

Table 8–1 describes the standard General reports.

Table 8-1 Standard General Reports

| Report Title | Description |
|-----------------------|---|
| CIOMS II Line Listing | Standard CIOMS II listing report for all cases of the case series. |
| CIOMS Report | Standard CIOMS I report for all cases of the case series. |
| US FDA MedWatch 3500A | Standard US FDA MedWatch 3500A report for all cases of the case series. |

Generating and Scheduling Standard Reports - BIP

Argus Insight provides built-in Reports that you can run on active case series to analyze your company's safety, workflow, and product data.

This chapter includes the following topics:

- [About Standard Reports](#)
- [Working in the Reports Page](#)
- [Generating Reports](#)
- [Scheduling and Associating Reports Against a Query or Case Series](#)

In addition to the preformatted and predefined standard reports, you can create custom reports using the BI Publisher tool. For more information, see [Chapter 10, "Creating Custom Reports - BIP."](#)

About Standard Reports

Although standard reports are predefined reports, you can define pre-filters before generating a standard report to have the report output display information only about specific types of cases. Pre-filters let you narrow down the case series further so that the system runs the report only on those cases that conform to the pre-filter criteria.

For example, suppose your case series consists of cases that were reported in *all countries* for a particular product. However, you only want information about cases reported in the *United States*. In this case, you can specify a pre-filter such that the report output includes only those cases that were reported in the United States.

Case Series, ETL, and Association

Because a case series might become obsolete each time the data mart is refreshed by running an ETL, you may need to generate the case series again before generating a standard report.

Alternatively, you can directly associate a *query* (QBE, filter, or advanced condition) to a standard report to avoid manual generation of the case series.

Browser Configuration

Before using Argus Insight to generate reports, configure the browser as defined in the *Oracle Argus Insight Installation Guide*.


Report Cover Page

Figure 9–1 shows a sample cover page of the report when it is generated in PDF format. The report cover page has three main sections:

- Page header
- Page contents
- Page footer

You can customize some of the information on the report cover page. The sections that follow provide more information about each component of the cover page.

Figure 9–1 Sample Report Cover Page



Page Header

The page header of the report cover page includes the following information:

- Company logo. The upper-left box is a placeholder for a logo. You can configure your company logo to print in this space.
- Name of the category to which the selected report belongs. For example, Compliance, Management, or Pharmacovigilance.
- Date and time (Greenwich Mean Time [GMT]) that the report was run.

Page Contents

The page contents of the report cover page includes the following information:

- Title of the selected report.
- Report subtitle. You configure the subtitle when you run the report. Subtitles are useful in further defining the contents of the report. For example, 01-JAN-2000 to 31-DEC-2012.
- Filters defined for the selected report.
- Start date and time (GMT) of the last successful ETL run.
- Count of the total number of unique cases in the case series.
- Name of the saved case series on which the report has been executed.
 - Reports that are run on frozen case series data include the following text next to the case series name on the report:

The data in this report was frozen as of *date_and_time*.

Time is the database system time with the GMT offset.
 - Reports that are run on normal case series data include the following text next to the case series name on the report:

The case series was last modified on *date_and_time*.
- Query criteria to get case series on which the report has been executed.

Page Footer

The page footer of the report cover page includes the following information:

- Name of the user who executed the report.
- Confidential text. You can configure the text that prints in the center of the page footer.
- Page number (Page *x* of *y*).


In addition, some reports include a placeholder in the footer for another logo. You can configure the image for the logo.

Working in the Reports Page

The Reports page, lists all the BI Publisher reports built in to Argus Insight.

To display the Reports page, execute the following steps:


1. Select **Reports, BI Publisher**, as depicted in the following figure:



This displays the BIP login page.

2. Log on to the BI Publisher tool. This displays the BIP Home page.

3. Click **Catalog** on the BIP Home page.
4. In the **Folders** section, navigate to **Shared Folders, Argus Insight, General,** and select **Reports**. This displays the **Generic Line Listing Report** in **LE** and **RTF** formats in the right pane, as depicted in the following figure:




Generating Reports

To generate a report using the BI Publisher tool, execute the following steps:

1. Click the **Report** link or **Open** on the **Reports** page. This displays the following screen:



2. Enter the values for all the fields according to the requirements and select the **Output Type**, as depicted in the following figure:



3. Click **Apply**. The values entered by you are displayed in the generated report, as depicted in the following figure:



For more information on Viewing Reports using the BI Publisher tool, You can refer to the **Viewing a Report** section in the Oracle Fusion Middleware User's Guide for Oracle Business Intelligence Publisher.

Scheduling and Associating Reports Against a Query or Case Series

You can refer to the **Creating Report Jobs** and **Viewing and Managing Report Jobs** sections in the Oracle Fusion Middleware User's Guide for Oracle Business Intelligence Publisher for information on Scheduling and Associating Reports against a query or a case series.

Creating Custom Reports - BIP

In addition to the preformatted standard reports, the BI Publisher tool also enables you to create custom reports.

This chapter, which explains how to use the custom report tools, includes the following topics:

- [Creating a New Report](#)
- [Editing Reports](#)
- [Changing the Report Layout](#)

Creating a New Report

Creating a new report using the BI Publisher tool comprises two parts: Creating Reports and Creating Data Models.

For information on creating reports using the BI Publisher tool, refer to the **Creating Reports and Layouts** section of the Oracle Fusion Middleware Report Designer's Guide for Oracle Business Intelligence Publisher.

For information on creating Data Models, refer to the Oracle Fusion Middleware Data Modeling Guide for Oracle Business Intelligence Publisher.

Editing Reports

For information on editing reports, refer to the **Creating and Editing Reports** section of the Oracle Fusion Middleware Report Designer's Guide for Oracle Business Intelligence Publisher.

Changing the Report Layout

For information on changing the Report Layout, refer to the **Creating BI Publisher Layout Templates**, **Creating RTF Templates**, and **Creating RTF Templates Using the Template Builder for Word** sections of the Oracle Fusion Middleware Report Designer's Guide for Oracle Business Intelligence Publisher.

In addition, you can also refer to the following sections of the Oracle Argus Insight Extensibility Guide:

- **Extend Current Data Model** - This section explains the steps to extend the existing report.
- **Add New Data Set** - This section explains the steps to add new data set in BIP data model.

- BIP Report Templates - This section explains the steps to add or modify existing layout or report templates.

Working in a Multi-Tenant Environment

This chapter describes the unique features and key differences for running Argus Insight in a multi-tenant environment versus a single-tenant environment.

This chapter includes the following topics:

- [Assumptions and Constraints](#)
- [Data Segregation](#)
- [Login and Navigation](#)
- [Global Homepage](#)
- [Power Queries and Case Series](#)
- [Common Profile Switches](#)
- [ETL Scheduler](#)
- [Standard Reports](#)

Assumptions and Constraints

This section lists the assumptions and constraints with which the Argus Insight application works in a multi-tenant environment:

- **Single Sign-On Account (SSO)** — If you want to have the capability to switch client context and to open Argus Insight from the Application Access Portlet, you must have a SSO account enabled.

When Argus Insight is configured for SSO, Cognos still uses the PowerReports namespace.

- **Accessing Argus Insight directly by using URL** — It is expected that customers will pass the internal enterprise ID as a URL parameter for the Argus Insight application to open with the appropriate enterprise context. If the enterprise ID is not passed, the system validates the user against the default enterprise.
- **Global User Management** — To apply updates to the *Synchronizable* fields for all the enterprises in the system, you must maintain some administrative users in Argus Insight. Use the User and Group Administration options in the Security tab on the ADMINISTRATION TOOLS page to modify user accounts and enable access for all enterprises in the system.
- **User-Enterprise Association** — To copy a user account from one enterprise to another, you must have already set up the appropriate user groups in the target enterprise. Otherwise, the user association will fail with an appropriate error message.

- **New User Creation/Association** — Argus Insight lets you use the same user ID to create different users across multiple enterprises. However, use this feature *only if* you do not expect to share the users across enterprises.

If you expect to share users across multiple enterprises, do not use the same user ID to create different users across different enterprises. Instead, create the user in one enterprise, and then use Global User Management to associate the user to other enterprises.

- **New Enterprise Setup** — It is expected that you will create and choose appropriate enterprises with generic configuration data that can be used as a source for copying the configuration data to create new enterprises.

The following items are recommended to ensure that the values being copied from the source enterprise are appropriate for the newly created enterprise:

- Power Queries used within any configuration item
- Reports scheduling data

The following items are common for all enterprises:

- MedDRA and WHO dictionaries
- Default enterprise

- **Post-Database Upgrade Considerations** — There are no post-database upgrade considerations for existing users.

Data Segregation

Having a system that can partition client data within a single, access-driven database significantly reduces operational and ownership costs for the client. Argus Insight achieves this objective through database segregation.

The entire Argus Insight application, including all its components and data, have been partitioned by an enterprise ID. This ID is a unique, customer-specified identifier.

Module-Wise Impact

[Table 11-1](#) describes the modules in Argus Insight as per their data segregation status in Clinical Research Organization mode (CRO mode) and hosting installations.

Table 11-1 Data Segregation Status for Argus Insight Modules

| Module | Data Segregation | Notes |
|----------------------------|-------------------------|--|
| Power Query | Yes | Displays QBEs, filters, and advanced conditions only for one enterprise at a time, to the logged-in user. The type of display is based on the selected enterprise. |
| Case Series | Yes | Retrieves cases only from the logged-in enterprise. The Case Series library displays the case series belonging to the logged-in enterprise only. |
| Standard Reports | Yes | Makes all standard reports available to all enterprises. An enterprise can grant access to reports by navigating to Tools, Security , and selecting the Access Rights tab in Groups Administration. An executed report retrieves cases from the logged-in enterprise only. |
| MedDRA Dictionary and SMQs | No | Each enterprise can configure a specific version of the MedDRA dictionary. A single copy of each version is to be shared by the enterprises. |
| WHO Dictionary | No | Each enterprise can configure a specific version of WHO Drug dictionaries (B2 as well as C formats). A single copy of each version is to be shared by the enterprises. |
| ETL | No | The ETL schedule is universal across all enterprises. Any user with administrator privileges who has access to this portlet can view and modify the ETL schedule. When an enterprise is added to an existing CRO setup, the Initial ETL can also run for individual new enterprises. The Initial/Reinitial/Incremental ETL cannot be run in parallel at any point of time in the application. |
| BI Tool | No | A single BI Tool supports all the enterprises. When you log in to BI Tool directly, you can see all the common objects as well as the enterprise-specific objects that are accessible to you. When you run a report, you can access the cases for a specific enterprise only. For reports that you can access, you can run the report against any enterprise data for which you have access. |


Enterprise Short Name in Argus Insight

The *Enterprise Short Name* is an abbreviated, unique name of a client. You can configure Argus Insight to display the Enterprise Short Name in the title bar for the Argus Insight application.

The **Display Enterprise Short Name in Application Header** check box in Global Enterprise Management controls the display of the Enterprise Short Name.

If this check box is selected, the Enterprise Short Name is displayed in the Argus Safety header along with database name (*DB_Name – Enterprise_Short_Name*) where *Enterprise_Short_Name* is the unique short name of the enterprise.

In addition, the Argus Insight application displays the Enterprise Short Name in the title bar. For example, the following illustration shows **ABC Pharma**, which is a sample Enterprise Short Name, in the title bar:



If the **Display Enterprise Short Name in Application Header** check box is not selected, Argus Insight does not display the Enterprise Short Name in the title bar.

Login and Navigation

Clinical Research Organization (CRO) users can operate on only specific enterprises. Users have access to only certain Argus Insight modules.

Note: The default enterprise in Argus Insight is the same as the default enterprise configured in Argus Safety.

Single Sign-On Accounts

Having a single sign-on account (SSO account) for the various modules that you have access to and providing navigation to these modules simplifies your login and authentication process.

With a SSO account, your login authentication is done using a centralized authentication system. Therefore, you do not need to enter your login credentials for each application you access, every single time.

In multi-tenant installations, Global Homepage and Argus Insight are two different applications that are available to you, other users, and CRO/Hosting administrators.

Using Separate URLs to Access the Applications

The Global Homepage and Argus Insight web applications have separate URLs, which can be accessed independent of each other.

When you enter the URL of either the Global Homepage or Argus Insight application, the SSO module automatically authenticates your credentials and allows access to these applications without asking for any user credentials.

- For Global Homepage, if the SSO authentication fails for your account, the system displays an appropriate error message.
- For Argus Insight, if the SSO authentication fails for your account, the system displays an appropriate error message in the Argus Insight login screen.

In this scenario, Argus Insight does not display Argus Safety buttons on the top navigation bar because the system expected you to access these applications from the

Application Access Portlet on the Global Homepage. These applications are available to be opened in separate windows.

Opening Argus Insight from Other Applications

To access Argus Insight from other applications, you can either:

- Open Global Homepage and select the Application Access Portlet
- Open Argus Safety and click the Argus Insight link

In this scenario, Argus Insight opens in a separate browser window for either the enterprise you selected in the Application Access Portlet or the enterprise you selected in the Argus Safety.

- When you log out of Argus Insight, the system closes Argus Insight and its child windows after prompting you to save any unsaved changes. The Global Homepage window is not affected when you log out of Argus Insight.
- When you click **Close** in the Global Homepage application, only the Global Homepage closes. The Argus Insight window is not affected when you close Global Homepage.

If Argus Insight is defined as the default application in Argus Console for your account and you try to log in to Argus Safety by using the direct Safety link, the Argus Insight application opens. Argus Insight displays the Argus Safety button in the top navigation bar, based on whether you logged in using a SSO account and have access to Argus Safety.

Enterprise Switching

The capability to switch enterprises within the same session gives you significant usability benefits.

You must have a SSO account enabled if you want to switch enterprise context and open Argus Insight from within the Argus Safety application or the Application Access Portlet on the Global Homepage.

The system lets you open Argus Insight in a separate window with the context set to a specific active enterprise from Argus Safety and Application Access Portlet on the Global Homepage.

You can switch the context to a different enterprise from Global Homepage without logging out.

If Argus Insight is already opened for an enterprise and you switch to a different enterprise from the Application Access Portlet, the system displays a message before switching.

Direct Access

You can access Argus Insight directly by using the Argus Insight application URL. The system checks if the enterprise ID is already present in the URL request. If the enterprise ID exists, the system opens Argus Insight for that enterprise.

Global Homepage

Argus Insight provides a Global Homepage that can host multiple portlets. With this feature, CRO users can now access different views of their work items for Argus Safety.

A CRO can access the following modules from the Global Homepage:

- [Application Access Portlet](#) (which allows access to Argus Insight for different enterprises)
- [Global Enterprise Management Portlet](#)
- [Global User Management Portlet](#)

Application Access Portlet

You can use the Applications Access portlet within the Global Homepage to start Argus applications for any enterprise to which you have access privileges.

If you have access to both Argus Safety and Argus Insight, this portlet lets you select between Argus Safety and Argus Insight. Use the **Enterprise** and **Application** fields to make your selections, and then click **Open** to access the selected application.

Global Enterprise Management Portlet

The Global Enterprise Management portlet lets you define and manage enterprises easily, as per the configuration of the already existing enterprises. You can access this portlet from the Global Homepage provided you have the proper privileges.

From the Global Enterprise Management portlet, you can:

- Copy the enterprise created in Argus Safety to Argus Insight
- Copy the configuration data from an existing enterprise in Argus Insight

Note: The Argus Insight module is available in the Global Enterprise Management portlet *only if* the **Safety to Insight** database link is set up in the database.

If this link is not created, the **Copy Enterprise to Insight** button does not appear on the Global Enterprise Management screen.

Oracle recommends that when you click **Copy Enterprise to Insight**, you select the same enterprise as the source enterprise with which the Argus Safety enterprise has been created.

Overview of the Global Enterprise Management Page Layout

The Global Enterprise Management portlet, see [Figure 11-1](#), has two panes:

- The left pane lists all the enterprises of the portal user, in a tree-view structure.
- The right pane, by default, loads as blank, in disabled mode.

When you select an enterprise from the left pane, the right pane refreshes and displays the details for the selected enterprise.

Figure 11–1 Global Enterprise Management Portlet

The screenshot displays the Global Enterprise Management Portlet interface. On the left, a 'Browser' pane shows a tree view of 'Enterprises' with 'Pfizer' selected. The main area is titled 'PF1' and contains the following sections:

- Enterprise Name:** 'Pfizer' (text input), Active (checkbox).
- Enterprise Short Name:** 'PF1' (text input).
- Contact Information:**
 - Title:** 'Dr' (text input)
 - First Name:** 'B' (text input)
 - Middle Name:** (text input)
 - Last Name:** 'Williams' (text input)
 - Address:** (text area)
 - City:** (text input)
 - State/Province:** (text input)
 - Postal Code:** (text input)
 - Country:** (text input)
 - Department:** '228-987-0213' (text input)
 - Phone:** (text input)
 - FAX:** (text input)
 - Email Address:** (text input)
 - Notes:** (text area)
- Associate Users:**
 - Select Users From:** 'Baseline' (dropdown)
 - Available Users to Copy:** List containing 'atsushi', 'baraj', 'barajv', 'bikannusa', 'charlie', 'charlej'.
 - Users associated to this Enterprise:** List containing 'de reporting 1', 'de reporting 2', 'fuji', 'fukao', 'hiroki'.
 - Buttons: 'Add >', '< Remove', 'Add All >>', '<< Remove All'.

At the bottom, there are buttons for 'Add New Enterprise', 'Copy Enterprise to Insight', 'Save', and 'Print'.

Adding a New Enterprise

To create a new enterprise in Argus Insight, click **Add New Enterprise**.

Note: You can create a new enterprise in Argus Insight only after the enterprise and its details are entered and saved in Argus Safety.


Copying an Enterprise

To copy an enterprise to Argus Insight:

1. Open the Global Enterprise Management portlet.
2. Click **Copy Enterprise to Insight**.


Note: The **Copy Enterprise to Insight** button is disabled for the default enterprise.

The system updates the right pane and displays information about the enterprise you want to copy. The details in the Enterprise Name and Enterprise Short Name fields are read-only.



3. Use the **Copy Enterprise Configuration From** field to select the enterprise that you want to copy.
4. Click **Setup**. (The **Setup** button is enabled only after you specify all mandatory enterprise information.)

The system copies all the configuration data from the enterprise that you selected and reports status information throughout the process.



When enterprise creation is completed for an enterprise, the **Copy Enterprise to Insight** button is disabled for that enterprise because enterprise creation in Argus Insight is a one-time operation.

Note: The **Copy Enterprise to Insight** button can be created in Argus Insight only after the enterprise and its details have been entered and saved in Argus Safety.

Once all the configuration data has been successfully copied, the user who is setting up the new enterprise is associated as a new user in Enterprise Manager, to the newly created enterprise partition.

The user attributes of the user get copied from the source enterprise.

See the *Argus Safety Administrator's Guide* for additional details about the Global Enterprise Management portlet.

Global User Management Portlet

The Global User Management portlet within the Global Homepage lets you associate yourself to multiple enterprises, and keep your user attributes consistent across all the enterprises.

All the Argus Insight users are created from Argus Safety Console only. See the *Argus Safety Administrator's Guide* for additional details.

Power Queries and Case Series

Power queries include QBEs, filter value sets, and advanced conditions.

In a multi-tenant environment, power queries and case series work as follows:

- A new power query/case series created and saved stores the value of the enterprise along with the other details.
 - The value for the enterprise is derived from the logged-in enterprise.
 - The Query and Case Series libraries display only the power query/case series specific to the logged-in enterprise.
 - The Active function retrieves the active power query/case series for the user within the enterprise.
- You can grant permissions on a power query/case series to the groups that belong to the currently logged-in enterprise. The Permissions dialog box displays the User Groups that are associated with the logged-in enterprise.
- The power query/case series created by users that are currently disabled or has been disassociated from the enterprise through which the power query/case series was created, are displayed in the respective library for users who have access to the respective power query/case series.

The power query/case series created by the users are deleted when the user account is deleted.

- When you execute a power query, the results display the cases from the currently logged-in enterprise only.
- All Query and Case Series libraries display the data pertaining to the logged-in enterprise only.
- SSO must be enabled to have the capability to switch client context and to open Argus Insight from the Application Access Portlet.
- There are no post-database upgrade considerations for existing users.

Importing a Case Series

When you import a case series, the system validates whether each case being imported belongs to the logged-in enterprise.

- If the case belongs to the current enterprise, the system imports the case successfully.

- If the case does not belong to the current enterprise, the system rejects the import. The log file displays the following message against the specific case number:

Case Rejected

Modifying a Case Series

When you add a new case number to an existing case series, the system validates whether the case being added belongs to the logged-in enterprise.

- If the case belongs to the current enterprise, the system adds the specified case into the case series.
- If the case does not belong to the current enterprise, the system does not add the case and displays the following error message:

Case Number does not exist.

Deleting a Case Series

Deleting a case from a case series functions the same way in multi-tenant and single-tenant installations.

Exporting a Case Series

When you export a case series to a Microsoft Excel document, the system can include the enterprise as part of the export details.

If you select the **Display Enterprise Short Name in Application Header** check box in Global Enterprise Management, the Case Series Details tab in the Excel document displays the Enterprise Short Name. The system derives the value from the currently logged-in enterprise.

The Enterprise Short Name is displayed in CRO, hosting, and single-tenant mode of an installation.

Common Profile Switches

All the global-level switches are displayed, updated, and audit logged in the default enterprise.

To view or edit Profile Switches:

1. Click **Tools** on the Argus Insight global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **Profile Switches** from the List Maintenance Items section. The system updates the Attributes section with the profile switches that you can configure.

ETL Scheduler

Beginning with Argus Insight 7.0, administrators must assign the ETL Scheduler role to any user who needs to configure the schedule and run an ETL process. The ETL Scheduler role is available across all enterprises at a global level.

Argus Insight administrators can configure the ETL Scheduler role by modifying the user account listed in the Security tab on the ADMINISTRATION TOOLS page.

The ETL Scheduler screen can be displayed, updated, and audit logged from the default enterprise in a multi-tenant installation. However, only those users who have been assigned the ETL Scheduler role can view the ETL Scheduler screen.

Standard Reports

The Standard Reports library displays all the reports configured in Argus Insight.

Argus Insight administrators can assign enterprise-specific access rights to standard reports. To enable or disable report access, administrators use the options on the Access Rights tab when creating or modifying user groups.

Using the Administration Tools

This chapter provides information about using the Argus Insight administration tools. You use the various tabs on the ADMINISTRATION TOOLS page to configure, maintain, and secure Argus Insight.

This chapter includes the following topics:

- [Support for Multibyte Characters](#)
- [Using Schema Creation Tool](#)
- [Opening the ADMINISTRATION TOOLS Page](#)
- [Configuring Personal Options](#)
- [Configuring Lists Maintenance](#)
- [Running the Extract, Transform, and Load Process](#)
- [Securing User Accounts, Groups, and Access Rights](#)
- [Viewing the Audit Log](#)

Support for Multibyte Characters

Beginning with Argus 5.1, the database was converted to accommodate multibyte characters. The Argus J structure was merged into Argus Safety 5.1, which included Argus field conversion from VARCHAR to CLOB data type.

To ensure compatibility Argus Safety, Argus Insight 5.1 and later supports the following field changes:


- Schema creation and validation — Data type changed from VARCHAR to CLOB
- Initial ETL and Incremental ETL — Transformation logic changed
- Database upgrade — Data type changed from VARCHAR to CLOB
- Reports — Reports validated and modified
- Power Queries — QBEs, filters, and advanced conditions validated and modified

Using Schema Creation Tool

Using the Schema Creation Tool (see [Figure 12-1](#)), you create the Argus Insight data mart structure. You create a link between your source Argus database and your new Argus Insight data mart. The Extract Transform and Load (ETL) process uses this link to transfer data from your Argus database to the Argus Insight data mart for reporting purposes.

During the schema creation process, you create four database users: one user for logging in to the Argus Insight application, two other users who are schema owners, and one user for supporting private database links (DB Links).

Figure 12–1 Schema Creation Tool Main Menu



The Schema Creation Tool provides the following options:


- **Create Schema** — Creates a new database schema for Argus Insight.
- **Schema Validation** — Validates a newly-created database schema.
- **Factory Data** — Loads the factory data into the database.
- **Initial ETL** — Runs the initial process of extracting, transforming, and loading data.
- **DB Upgrade** — Upgrades an existing Argus Insight 7.0.3 database to an Argus Insight 7.0.3 database.
- **Export Data** — Exports data.
- **Import Data** — Imports data.
- **Argus DBLink** — Creates a link between Argus Insight and Argus Safety.
- **Argus User Creation** — Lets you create Argus Insight users and roles.
- **Exit** — Exits from the Schema Creation Tool.

For detailed information about using the Schema Creation Tool to create the Argus Insight data mart structure, including the database link, users, and roles, see the *Oracle Argus Insight Installation Guide*.

Opening the ADMINISTRATION TOOLS Page

To access the Argus Insight administration tools, click **Tools** on the global toolbar in the upper-right corner of the page. The ADMINISTRATION TOOLS page opens. The Personal Options tab is in focus. See [Figure 12–2](#).

Figure 12–2 ADMINISTRATION TOOLS Page with Personal Options Tab in Focus



Configuring Personal Options

Using the Personal Options tab on the ADMINISTRATION TOOLS page, you can:

- Specify the default Home page for Argus Insight
- Specify whether the system prompts you for confirmation before overwriting saved case series or queries
- View the groups for which you are a member

By default, the Personal Options tab is in focus when you open the ADMINISTRATION TOOLS page. The Personal Options tab is available to all users. For more information about using the Personal Options tab, see "[Setting Your Personal Options](#)" on page 2-3.

Configuring Lists Maintenance

This section describes the following tasks that you can perform using the List Maintenance tab on the ADMINISTRATION TOOLS page:

- [Configuring the Argus Insight Application Profile Switches](#)
- [Configuring European Union Countries](#)
- [Mapping Case Workflow States](#)
- [Configuring Categories](#)
- [Configuring Duration Value Bands](#)
- [Configuring Derivation Functions](#)
- [Configuring Case Series Modification Justification](#)
- [Configuring Case Series Un-freezing Justification](#)
- * [Configuring Holiday Schedule Management](#)
- * [Configuring Product Designated Medical Event Configurations](#)
- * [Configuring Measurable Suppliers](#)
- * [Configuring Non-Core Sites](#)
- * [Configuring Acceptable Delay Justifications](#)


Note: * This List Maintenance item is available for configuration, if profile switch BO WEB URL is configured, and profile switch LEGACY REPORTS CONFIGURATION is set to 1.

Configuring the Argus Insight Application Profile Switches

Profile switches are a collection of settings that let you configure the default behavior of Argus Insight. The default value of a profile switch can be predefined or based on user input. All profile switch values are case sensitive.

In general, you use the List Maintenance tab on the ADMINISTRATION TOOLS page (see Figure 12-3) to configure existing profile switches and to add new profile switches. However, certain profile switches can only be configured through direct SQL statements.

Figure 12-3 List Maintenance Tab with the Profile Switches



Consult your company's policies and the terminology used before configuring profile switches.

For detailed information about all the profile switches, see the following documents:

- *Oracle Argus Insight CMN Profile Enterprise Table Guide (CMN_PROFILE_ENTERPRISE.pdf)*
- *Oracle Argus Insight CMN Profile Global Table Guide (CMN_PROFILE_GLOBAL.pdf)*


In addition, the documents have a sample SQL for inserting profile switches and updating their values in the database.

Accessing and Modifying the Profile Switches

To access and modify the Argus Insight profile switches:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **Profile Switches** from the List Maintenance Items section. The system updates the Attributes section with the profile switches that you can configure.
4. Select the profile switch that you want to modify.

- Click **Modify**. The system opens the Modify Attribute dialog box. For example:




- Modify the values, as appropriate.
- Click **OK**. The profile switch is updated.

Adding a New Profile Switch

To add a new profile switch:

- Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
- Click the **List Maintenance** tab.
- Select **Profile Switches** from the List Maintenance Items section. The system updates the Attributes section with the current profile switches.
- Click **Add**. The system displays the Add New Attribute dialog box.



- Enter the profile switch name, key, and description, as appropriate.
- Click **OK**.

Listing of the Common Profile Switches

Table 12-1 lists the profile switches that you can configure using the options in the List Maintenance tab. For each profile switch, the table specifies the name of the switch, indicates whether the switch is a global-level or an enterprise-level switch, and provides a brief description.

All the global-level switches are displayed, updated, and audit logged in the default enterprise.

For more information about viewing and editing profile switches, see "[Configuring the Argus Insight Application Profile Switches](#)" on page 12-4.

Note: *This profile switch is available for configuration only when profile switch LEGACY REPORTS CONFIGURATION is set to 1.

Table 12–1 Common Profile Switches

| Profile Switch | Switch Level | Description |
|----------------------------------|--------------|---|
| ARGUS INSIGHT REPORTS URL | Global | Specifies the URL for the Argus Insight application for accessing scheduled reports that cannot be sent to the configured email ID due to the mail size limit. |
| BIP WEB URL | Enterprise | Specifies the URL for accessing the BI Publisher Home page. This URL can be for standalone BI Publisher server, or Load Balancer URL configured for multiple BI Publisher servers. If BI Publisher is configured for SSL, you must use https with the URL. |
| BO WEB URL | Enterprise | Specifies the complete BusinessObjects Web URL for opening the BusinessObjects Home page. This URL can be for standalone BusinessObjects server, or Load Balancer URL configured for multiple BusinessObjects servers. If BusinessObjects is configured for SSL, you must use https with the URL. |
| *CASE REFERENCE TYPE ID | Enterprise | Used to populate the RPT_CASE.FIRST_REF_NO column. |
| *CAUSALITY ASSESSMENT. C | Enterprise | Used in standard reports for Company Defined Causality. |
| *CAUSALITY ASSESSMENT. R | Enterprise | Used in standard reports for Reporter Defined Causality. |
| *CAUSALITY ASSESSMENT. R+C | Enterprise | Used in standard reports for Reporter Defined Causality and Company Defined Causality. |
| *CAUSALITY ASSESSMENT. UD FIELD | Enterprise | Used in standard reports for user-defined field to determine causality. |
| CIOMS MANUFACTURER | Enterprise | Defines the manufacturer information that prints on the CIOMS report. |
| COGNOS AUTHENTICATION ENTERPRISE | Global | Defines the short name of the enterprise from which all users are authenticated for Cognos login. All Argus Insight users must be a member of this template enterprise. On the Cognos Server, Cognos security is enabled only after this switch is configured. |
| COGNOS SINGLE SIGN ON ENABLED | Global | Determines whether Cognos is Single Sign On (SSO) enabled or not. This profile switch has one of the following values: <ul style="list-style-type: none"> ■ 1 – Cognos SSO is enabled ■ 0 – Cognos SSO is disabled (Default) |
| COGNOS WEB URL | Enterprise | Defines the complete Cognos Web URL for opening the Cognos Home Page. This URL can be Cognos URL for Standalone Cognos Server, or Load Balancer URL configured for multiple Cognos Servers. If Cognos is configured for SSL, you must use https with the URL. Example: http://<server name>/Cognos102 Default Value - Blank |
| *COMPANY LOGO PATH | Enterprise | Defines the location of the company logo on the local server. This logo prints in the report header. |

Table 12–1 (Cont.) Common Profile Switches

| Profile Switch | Switch Level | Description |
|---------------------------------------|--------------|--|
| *CONFIDENTIALITY TEXT | Enterprise | Defines the confidential text that prints in the running footer on each page in the report. |
| CUSTOM HELP URL | Enterprise | Defines the URL for your customized online help. If the URL is not valid, users receive the following error message: Error 404 - Page Not Found. |
| CUSTOM ROUTINE AFTER INCREMENTAL ETL | Global | Defines the full path of the custom routine (Oracle stored procedure) to be executed <i>after</i> Incremental ETL. If the routine fails or is not found, the administrator receives an email notification. |
| CUSTOM ROUTINE BEFORE INCREMENTAL ETL | Global | Defines the full path of the custom routine (Oracle stored procedure) to be executed <i>before</i> Incremental ETL. If this routine fails or is not found, then the ETL does not run and the administrator receives an email notification. |
| *DATASHEET BPI | Enterprise | Configures the user-defined fields for assessment of BPI Datasheet in the Product tab. |
| *DATASHEET EMEA | Enterprise | Configures the user-defined fields for assessment of EMEA Datasheet in the Product tab. |
| *DATASHEET FLAG | Enterprise | Sets the flag used during Incremental ETL to determine whether to populate the data in the four <i>DATASHEET</i> fields (DATASHEET BPI, DATASHEET EMEA, DATASHEET IB, DATASHEET PI) for all the cases or for only the modified cases. |
| *DATASHEET IB | Enterprise | Configures the user-defined fields for assessment of IB Datasheet in the Product tab. |
| *DATASHEET PI | Enterprise | Configures the user-defined fields for assessment of PI Datasheet in the Product tab. |
| *DAYS TO LOCK | Enterprise | Configures the number of days to lock for a case. |
| *DELAY IDENTIFIER | Enterprise | Defines the delay text that ETL uses to populate the RPT_FOLLOWUP.CORE_DELAY_ROUTING_COMMENT field in the Supplier Performance Report and the Process Performance Report - Workflow. |
| EMAIL SENDER ADDRESS | Enterprise | Defines the email address of the person on whose behalf Argus Insight sends all email messages. If you leave the value blank, then Argus Insight sends no email messages. |
| *ENABLE COMPANY HOLIDAY | Enterprise | Defines company holiday calendar in due date calculation of Data Entry Performance Over Time Report (0 = Disable and 1 = Enable). This profile switch contains one of the following values: <ul style="list-style-type: none"> ■ 1 - Includes COMPANY holidays in the calculations ■ 0 - Does not include COMPANY holidays in calculations |
| ETL DATA EXCLUSION | Global | Specifies whether to continue or cancel the ETL process if cases with erroneous data are found. |
| ETL EMAIL RECEIVER ADDRESS | Global | Defines the email address of each administrator who will receive email status messages of the ETL process. Use a semi-colon to separate each entry. If you leave the value blank, then Argus Insight sends no email messages. |
| ETL EMAIL SETUP | Global | Defines whether to send an email only after ETL failure, only after ETL success, or in either case. |

Table 12–1 (Cont.) Common Profile Switches

| Profile Switch | Switch Level | Description |
|--|---------------------|---|
| *EVENT CAUSALITY FIELD | Enterprise | Determines which user defined field of the Event tab is to be displayed in the Case Reporter Type Listing. |
| FAILED RECIPIENTS STATUS EMAIL ADDRESS | Enterprise | Defines the email address of the user who will receive information regarding undeliverable email messages due to an invalid email ID or other error. |
| *FOLLOW-UP ACTION CODE | Enterprise | Configures the code that indicates a follow-up action is required. |
| FORCE SECURE COOKIES | Global | Defines whether the user must enter a SSL-enabled URL (HTTPS) to open the Argus Insight application. |
| KEEP REPORT DATA | Enterprise | Represents a flag to determine if the Report Log Tables need to be populated or not. Y - Populate the Report Log Tables N - Do not populate the Report Log Tables Default Value - N |
| LEGACY REPORTS CONFIGURATION | Global | Determines if Legacy Report Configuration profile items are visible/invisible. Possible Values are: 1 - Configuration Items are visible 0 - Configuration items are not visible Default Value - 0 |
| *LICENSE PARTY STARTING CODE | Enterprise | Configures starting code for a licensing party. Currently, this key is used for Process Performance Report - Notification. |
| LOGO IMAGE | Enterprise | Defines the complete path to the GIF image on the Argus Insight web server that you want to use as the logo for the Argus Reports (CIOMS, CIOMS II Line Listing, and US FDA MedWatch 3500A). |
| LOG REPORT SQL | Global | Identifies if report SQL is to be logged. 0 - No 1 - Yes Default Value - 0 |
| MAX EMAIL SIZE | Enterprise | Defines the maximum size limit (in KB) for mail attachments on the email server. |
| MAXIMUM EMAIL ATTEMPTS | Global | Defines the maximum number of times the system attempts to send an email. |
| MEDWATCH MANUFACTURER | Enterprise | Configures the manufacturer information to print on the US FDA MedWatch 3500A report. |
| POPULATE AFFILIATE DATA | Enterprise | Defines whether to bring affiliate data into the data mart. |
| POPULATE BLOB DATA | Global | Defines whether to bring BLOB data into the data mart. |
| *POPULATE DLL SLL REPORTS TABLE DATA | Enterprise | Defines whether to populate the RPT_CASE_EVENT_PRODUCT table required for DLL and SLL. |
| POPULATE INTERCHANGE CLOB DATA | Global | Defines whether to bring Interchange CLOB data into the data mart. |
| POPULATE INTERCHANGE DATA | Enterprise | Defines whether to bring Interchange data into the data mart. |

Table 12–1 (Cont.) Common Profile Switches

| Profile Switch | Switch Level | Description |
|--|--------------|--|
| *POPULATE NARRATIVE LANGUAGES TABLES | Enterprise | This profile switch contains one of the following values: <ul style="list-style-type: none"> 0 - Table RPT_CNL_ENGLISH is NOT be populated 1 - Table RPT_CNL_ENGLISH is populated For more information on Report List, refer to CMN_PROFILE_ENTERPRISE document. |
| *POPULATE RPT_REG_REPORTS COLUMNS | Enterprise | Defines whether to populate the extra columns of the RPT_REG_REPORTS table. |
| *POPULATE STUDY RECONCILIATION REPORT TABLE DATA | Enterprise | Defines whether to populate the FACT_PROD_LICENSE table required for the Study Reconciliation Report. |
| *PRODUCT LOGO PATH | Enterprise | Defines the full URL path to the image file of the product logo that prints in the header of certain reports. |
| *REPORT FOOTER LOGO PATH | Enterprise | Defines the full URL path to the image file of the product logo that prints in the footer of certain reports. |
| *ROUTING JUSTIFICATION ID | Enterprise | Contains LM_JUSTIFICATIONS.FIELD_ID value. This field fetches the List Maintenance values for Acceptable Routing Justification from the table LM_JUSTIFICATIONS. |
| *SUBMISSION JUSTIFICATION ID | Enterprise | Contains LM_JUSTIFICATIONS.FIELD_ID value. This field fetches the List Maintenance values for Acceptable Submission Justification from the table LM_JUSTIFICATIONS. |
| *SUPPLIER FIELD ID | Enterprise | Contains LM_JUSTIFICATIONS.FIELD_ID value. This field fetches the List Maintenance Values for Measurable Suppliers configuration from the table LM_JUSTIFICATIONS. |
| *UDN COLUMN FOR SUPPLIER NAME | Enterprise | Defines the user-defined name (UDN) of the column in the Argus Safety CASE_MASTER table that contains the SUPPLIER NAME value. |

Configuring European Union Countries

From the List Maintenance tab, you can configure the list of European Union countries for reporting purposes. You can add and remove countries as required.

Note: Countries configured as EU Countries are used in the 'Reporting Compliance Listing - Detail' report. EU countries are configured to identify cases for which Country of Incidence is from the list of configured EU countries. All the cases for which Country of Incidence is equal to EU countries appear with a '*' in the report output.

Table 12–2 lists the countries included in the default European Union list.

Table 12–2 Countries Included in the Default European Union List

| | | | |
|----------|---------|---------------|----------------------------|
| Austria | Finland | Latvia | Portugal |
| Belgium | France | Liechtenstein | Romania |
| Bulgaria | Germany | Lithuania | Slovakia (Slovak Republic) |


Table 12–2 (Cont.) Countries Included in the Default European Union List

| | | | |
|----------------|---------|-------------|----------------|
| Cyprus | Greece | Luxembourg | Slovenia |
| Czech Republic | Hungary | Malta | Spain |
| Denmark | Iceland | Netherlands | Sweden |
| Estonia | Ireland | Norway | Switzerland |
| — | Italy | Poland | United Kingdom |


Adding a Country to the European Union List

To add a country to the list of countries in the European Union:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **EU Countries** from the List Maintenance Items section. The system refreshes the screen. The Attributes section displays the countries currently defined in the European Union list.



4. Click **Add**. The system displays the Add EU Countries dialog box.



5. Select one or more countries that you want to add.
 - To select more than one country, press and hold the CTRL key when you click each country.
 - To select a range of countries, press and hold the SHIFT key when you click the start and end country in the range.
6. Click **OK**. The system adds the specified countries to the list of countries in the European Union.

Deleting a Country from the European Union List

To delete a country from the European Union list:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **EU Countries** from the List Maintenance Items section. The system refreshes the screen. The Attributes section displays the countries currently defined in the European Union list.
4. Select the country you want to delete from the list of European Union countries. You can delete only one country at a time.
5. Click **Delete**. The system prompts for confirmation that you want to delete the selected country.
6. Click **OK**.

Mapping Case Workflow States

Workflow is company-specific and your company may not use all the Workflow states.

You can map all the site-specific workflow states to the following default groups for the purpose of grouping outputs of certain reports:


- **Archiving States** — All workflow states that are considered as archived/closed in Argus.

- **Data Entry Complete** — All workflow states that indicate completion of data entry in Argus.
- **Assessment Complete** — All workflow states that indicate completion of event assessment in Argus.
- **Approval Complete** — All workflow states that indicate that the case is ready for reporting after being locked in Argus.

Although the workflow mappings are preconfigured during the installation of Argus Insight, you can modify them by adding or removing workflow states from a group as required. However, you cannot add more groups or delete existing ones.

To configure workflow management for the Argus Insight application:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **Workflow Management** from the List Maintenance Items section. The Attributes section displays the existing workflow groups.
4. Select the workflow group that you want to change, and click **Modify**. The system opens the appropriate dialog box for the selected workflow group. For example:



5. Modify the mappings, as appropriate.
 - To add a new workflow state to the group, select a state from the list on the left and click the right arrow (>).
 - To remove a workflow state from the group, select a state from the list on the right and click the left arrow (<).
6. Click **OK** to save your changes.

Configuring Categories

Various Argus Insight objects, such as queries, case series, and standard reports, can be grouped into one of the following default categories:


- Case Processing
- Compliance

- Configuration
- General
- Management
- Pharmacovigilance

You cannot modify or delete the default categories. You can, however, add one or more custom categories. Once added, you can modify or delete a custom category.

To add, modify, or delete custom categories:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **Categories** from the List Maintenance Items list. The Attributes list displays the existing categories.
4. Click **Add**. The Add New Category dialog box opens.



5. Enter the category name.
6. Click **OK** to add the new category to Argus Insight.

To change the name of an existing custom category, select the category from the Attributes section and click **Modify**. Change the category name and click **OK**.

To delete an existing custom category, select the category from the Attributes section and click **Delete**. When the system prompts for confirmation, click **OK**.

Configuring Duration Value Bands

In Argus Insight, you can map the following time values (entered in Argus Safety) to specific ranges called Duration Value Bands:

- Time to Onset from First Dose
- Time to Onset from Last Dose

You set the value of these fields in Argus Safety by navigating to Product Tab, Drug Duration of Administration, and Events Tab.

By mapping the time values to Duration Value Bands in Argus Insight, you can specify query criteria for the **Time to Onset from First Dose** field and the **Time to Onset from Last Dose** field based on ranges instead of specific values.

Using the Duration Value Bands item on the List Maintenance tab, you can configure duration value bands in hours, days, weeks, months, and years. For each band, you can specify multiple ranges by entering minimum and maximum values for each range item. Any value that falls within a configured range will map to that range.

Note: Duration Value Band configuration must be done before running the Initial ETL.

If Duration Value Bands are modified after Initial ETL, you must rerun the Initial ETL.

To modify a duration value band:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **Duration Value Bands** from the List Maintenance Items section. The Attributes section displays the valid bands (Hours, Days, Weeks, Months, and Years). You can modify the values of these bands. You cannot, however, add more bands or delete an existing band.



4. Select the duration value band (Hours, Days, Weeks, Months, Years) you want to change, and click **Modify**. The system opens the Duration Value Bands Configuration dialog box and displays the factory-configured ranges.

Note that:

- The Label column represents the name of the range.
- The Lower Range (\geq) and Higher Range ($<$) columns contain the minimum and maximum values, respectively.
- The highest value band includes all values that are greater than the highest range value specified.

| Band | Label | Lower Range (>=) | Higher Range (<) |
|-------|-----------|------------------|------------------|
| Hours | <1 | 0 | 1 |
| | 1 to <2 | 1 | 2 |
| | 2 to <4 | 2 | 4 |
| | 4 to <6 | 4 | 6 |
| | 6 to <8 | 6 | 8 |
| | 8 to <10 | 8 | 10 |
| | 10 to <12 | 10 | 12 |
| | 12 to <24 | 12 | 24 |
| | >=24 | 24 | |

5. Modify the values, as appropriate:

- To modify an existing range, edit the values in the **Lower Range (>=)** and **Higher Range (<)** fields.
- To add a range, scroll to the current highest range and click in the blank **Higher Range (<)** field. Enter a value greater than the current highest range and press **Tab** to add a new row.
- To delete an existing range, click the **Delete** icon next to the row. Note that you cannot delete the lowest band.

If you delete an intermediate range, the system automatically converts the highest value of the deleted range to the lowest value in the next range. However, the system does not change the range labels.

6. Click **OK** to save your changes.

Configuring Derivation Functions

Argus Insight lets you create a new List Maintenance item and derive specific cases to this item based on case attributes. These attributes are supplied to the system as SQL.

For example, you can create a new List Maintenance item called **Report Type 1** and derive to this item all the cases that have the **Report Type** attribute defined as **Spontaneous**, **Literature**, or **Compassionate Use**. As a result, Report Type 1 appears as an option in the query tool interface corresponding to the Report Type attribute. When you select Report Type 1 from the Report Type list and execute your query, the system returns only those cases that have the Report Type attribute specified as Spontaneous, Literature, or Compassionate Use.


You can specify more than one attribute. For example, you can create a further specialized List Maintenance item called **Report Type 1 US** and derive to this item all the cases that have the **Report Type** attribute defined as **Spontaneous**, **Literature**, or **Compassionate Use**, *and* the **Country of Incidence** attribute defined as **United States**.

Note: There can be situations where two different List Maintenance items you create contain similar attributes in the SQL criteria. In this case, you can assign a priority level to individual List Maintenance items. The priority level determines which List Maintenance item SQL executes first.

Opening the Derivation Fields Dialog Box

To open the Derivation Fields dialog box and configure derivation functions:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **Derivation Functions** from the List Maintenance Items section.
4. Select **All Derivations** from the Attributes section, and click **Modify**. The system opens the Derivation Fields dialog box.



Icons in the Derivation Fields Dialog Box

Table 12-3 describes the icons in the Derivation Fields dialog box that you can use to add, delete, and reorder derivation field elements (rows).

Table 12-3 *Icons in the Derivation Fields Dialog Box*

| Click... | To... |
|---|---|
|  | Add a derivation field element (row) above the currently selected row |
|  | Add a derivation field element (row) below the currently selected row |
|  | Delete the currently selected derivation field element (row) |
|  | Move the selected row up |
|  | Move the selected row down |

Field Mapping Derivation Rules

Table 12–4 lists the available field mapping derivation rules for Argus Insight.

Table 12–4 Field Mapping Derivation Rules

| Function Category | Function Sub-category | Argus Insight Field |
|-------------------|-----------------------|---|
| ANALYSIS | BfArM Information | Causality |
| ANALYSIS | Case Assessment | Case Outcome Case Serious Listedness Determination |
| EVENTS | Event Information | Lack of Efficacy |
| GENERAL | General Information | Derived Pregnancy Report Type |
| PATIENT | Patient Information | Age Group Gender Patient weight BMI desc |
| PRODUCTS | Product Drug | Derived Drug Abuse Derived Drug Interaction Derived Overdose Last Daily Dose |

Note: Causality, Report Type, Age Group, and Last Daily Dose are comma-separated derivation rules. See

Fields and Check Boxes in the Derivation Fields Dialog Box

This section describes the fields and check boxes in the Derivation Fields dialog box.

LM Table The LM Table field is the table name of the selected Argus field (that is, automatically populated).

Suppress The Suppress check box is available for fields associated with the list maintenance data. When suppress is enabled for a field, the corresponding list maintenance values that are not present in any case are deleted and thus not available for querying.

Note: The Suppress check box is applicable *only if* the condition specified in the SQL text box covers all the cases having the selected List Maintenance field.

Value The Value field captures the value for the new derivation field.

For the following four rules, you must enter the new value for the rule as a comma-separated value:

- Causality
- Report Type
- Age Group
- Last Daily Dose

Note: Make sure that you enter the values for these rules as defined in the following sections. Unexpected results and/or ETL errors may result if the values are not entered as specified.

Causality Rule

Parameters: VALUE, REPORTABILITY

where:

VALUE = New value for the rule

REPORTABILITY = Lower value of the group

Example: NewCausality,1

Report Type Rule

Parameters: VALUE, INC_LIT, INC_TRIAL, ABRV

where:

VALUE = New value for the rule

INC_LIT = 1 if Literature Report Type else 0

INC_TRIAL = 1 if Clinical Trial Report Type else 0

ABRV = A 3-letter abbreviation for the Report Type

Example: NewReportType,0,1,NRT

Age Group Rule

Parameters: VALUE, GROUP_LOW, GROUP_HIGH

where:

VALUE = New value for the rule

GROUP_LOW = Lowest value of the age group

GROUP_HIGH = Highest value of the age group

Example: NewAgeGroup,25,50

If you do not want to specify the High Value, then the comma is mandatory in the end.

Example: Unknown,70,

Last Daily Dose Rule

Parameters: VALUE, DAILY_DOSE_SORTING_ORDER

where:

VALUE = New value for the rule

DAILY_DOSE_SORTING_ORDER = 1 or 2 or 3 and so on to define the sorting order if there is more than 1 rule for the Last Daily Dose field

Examples: 1 -> 0to1,1; 2 -> 2to3,2 3 -> 5to8,3

Priority The Priority field captures the priority for a list of derivation rules applied to a single List Maintenance field. Valid values: 1–255.

Note: The priority for derivation rules applicable to a single List Maintenance field must be unique.

SQL

The SQL field specifies the SQL statement to capture the cases for which the derivation rule is applicable.

Note: The SQL statement must follow the correct syntax.

The system does not validate the length of the new values against the database. Make sure that new values being inserted into the data mart do not exceed the limit defined in the database.

Guidelines for correct SQL statement syntax:

- The SQL query configured against a rule cannot contain the table name. It must contain only the primary key column name(s) of the field in the SELECT clause. For example:

Correct: SELECT CASE_ID FROM RPT_CASE WHERE...

Incorrect: SELECT RPT_CASE.CASE_ID FROM RPT_CASE WHERE...

- Make sure that there is only one space after the SELECT clause in the SQL query. For example:

Correct: SELECT CASE_ID, SEQ_NUM FROM RPT_PRODUCT WHERE...

Incorrect: SELECT CASE_ID, SEQ_NUM FROM RPT_PRODUCT WHERE...

- Make sure that no Oracle keyword (such as DISTINCT) is used after the SELECT clause in the SQL query. For example:

Correct: SELECT CASE_ID, SEQ_NUM FROM RPT_PRODUCT...

Incorrect: SELECT DISTINCT CASE_ID, SEQ_NUM FROM RPT_PRODUCT...


Configuring Case Series Modification Justification

When you modify a case series either by adding a case to the series or by removing a case from the series, Argus Insight prompts for a justification, or reason, for the action. See [Figure 12-4](#). In the **Justification** field, you either type your own reason or select a reason from the list.

Argus Insight does not provide a default list of justifications. However, you can create a set of standard and relevant reasons for Argus Insight to display in the Justification field. Once you create the list of reasons, users can select one of your defined justifications whenever they modify a case series. In addition, users always have the option to type their own justification.


Justifications are important for maintaining the history of a case series.

Figure 12-4 Specifying a Justification when Modifying a Case Series



To create the list of justifications for modifying a case series:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **Case Series Modification Justification** from the List Maintenance Items section. The Attributes list displays the existing configured justifications, if any.
4. Click **Add**.



5. Enter the justification text.
6. Click **OK** to save the justification.

To edit an existing justification, select the justification from the Attributes list and click **Modify**.

To delete an existing justification, select the justification from the Attributes list and click **Delete**.

Configuring Case Series Un-freezing Justification

When you unfreeze a case series, Argus Insight prompts for a justification, or reason, for this action. In the **Justification** field, you can either type your own reason or select a reason from the list. For example:




Argus Insight does not provide a default list of justifications. However, you can create a set of standard and relevant reasons for Argus Insight to display in the Justification field. Once you create the list of reasons, users can select one of your defined justifications whenever they unfreeze a case series. In addition, users always have the option to type their own justification.

Justifications are important for maintaining the history of a case series.

To create the list of justifications for unfreezing a case series:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **Case Series Un-freezing Justification** in the List Maintenance Items section. The Attributes list displays the existing configured justification text, if any.
4. Click **Add**.



5. Enter the justification text.
6. Click **OK** to save the justification.


To edit an existing justification, select the justification from the Attributes list and click **Modify**.

To delete an existing justification, select the justification from the Attributes list and click **Delete**.

Configuring Holiday Schedule Management

To configure or manage the schedule of a company's holidays or the US federal holidays:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **Holiday Schedule Management** in the List Maintenance Items section.
4. Select **COMPANY** or **US FEDERAL** from the Attributes list.
5. Click **Modify**.




6. Make the required holiday selections, additions, and deletions.
7. Click **OK** to save the holiday schedule.

Configuring Product Designated Medical Event Configurations

To configure or manage Product Designated Medical Event Configurations (PDMEC):

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **Product Designated Medical Event Configuration** in the List Maintenance Items section.
4. Select **All Configurations** from the **Attributes** list.

5. Click **Modify**.

6. Select the product to map between one or more events, and then add the mapping to the list.


In addition, you can modify an existing mapping in the list, remove a mapping from the list, and print the mapping list.

7. Click **OK** to save your configuration.

Configuring Measurable Suppliers

To configure or manage measurable suppliers:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **List Maintenance** tab.
3. Select **Measurable Suppliers** in the List Maintenance Items section.
4. Select **All Configurations** from the Attributes list.
5. Click **Modify**.




6. Configure the mapping between suppliers and available user sites, and then add the mapping to the list.
 In addition, you can modify an existing mapping in the list, remove a mapping from the list, and print the mapping list.
7. Click **OK** to save your changes.

Configuring Non-Core Sites

To configure the sites in your installation that are considered non-core sites:

1. Click **Tools** on the global toolbar. The **ADMINISTRATION TOOLS** page opens.
2. Click the **List Maintenance** tab.
3. Select **Site Configuration** in the List Maintenance Items section.
4. Select **Non-Core Site Configuration** from the Attributes list.
5. Click **Modify**.




6. Select sites and use the arrow buttons to move sites between the list of available sites and the list of those sites considered to be non-core sites.
7. Click **OK** to save your changes.

Configuring Acceptable Delay Justifications

To configure the justifications for acceptable delays in submission or routing:

1. Click **Tools** on the global toolbar. The **ADMINISTRATION TOOLS** page opens.
2. Click the **List Maintenance** tab.
3. Select **Acceptable Delay Justification Configuration** in the List Maintenance Items section.
4. Select one of the following options from the Attributes list:
 - To define the justifications for a routing delay, select **Acceptable Routing Delay Justification**.
 - To define the justifications for a submission delay, select **Acceptable Submission Delay Justification**.
5. Click **Modify**.



6. Configure the mapping between available reporting agencies with the available justifications, and then add the mapping to the list.
 In addition, you can modify an existing mapping in the list, remove a mapping from the list, and print the mapping list.
7. Click **OK** to save your changes.

Running the Extract, Transform, and Load Process

The Extract, Transform, and Load (ETL) process enables you to move data from your drug safety database, reformat the data, and then load the data into another database (data mart) for querying, drill-down analysis, and report generation.

Beginning with Argus Insight 7.0, ETL Scheduler is a user role defined in the Security tab on the ADMINISTRATION TOOLS page. This role is available across all enterprises at a global level.

The ETL Scheduler screen can be displayed, updated, and audit logged from the default enterprise in a multi-tenant installation. Only those users who have been assigned the ETL Scheduler role can view this screen.

Data Integrity Checks Before ETL

Argus must complete the following data integrity checks before performing the ETL:

- Every case must have at least one suspect product.

- Every case must have at least one event where the DESC_REPTD column is not null.
- Every case must have one and only one primary event.
- Every case must have a State record (CASE_MASTER.STATE_ID).
- Every case must have a Report Type record (CASE_MASTER.RPT_TYPE_ID).
- Every case must have a Country of Incidence record (CASE_MASTER.COUNTRY_ID).
- Every case must have a Study record (CASE_STUDY).
- Every case must have an Assessment record (CASE_ASSESS).
- Every product in CASE_PRODUCT must have a record in CASE_PROD_DRUGS.
- If there are reporters on the case, there must be only one primary reporter

Initial ETL Versus Incremental ETL

When Argus Insight is installed, the Initial ETL process is run to populate the data mart for the first time. Subsequently, you need to run Incremental ETL processes at specific intervals to update the data mart with the latest data from your drug safety database.

You cannot execute an Initial ETL and an Incremental ETL simultaneously.

Note: Do not run an Incremental ETL for more than 30000 cases. If the number of cases exceeds 30000, run the Initial ETL again. See the *Oracle Argus Insight Installation Guide* for information about running the Initial ETL.


Scheduling the ETL

The **ETL Scheduler** tab lets you schedule the Incremental ETL process to run automatically and update the data mart.

Note: Updating reports table must always be followed by an update to the CASE_MASTER.LAST_UPDATE_TIME. (Updating the CASE_MASTER will result in moving the case along with all the reports to the mart schema.)

To schedule the ETL:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **ETL Scheduler** tab.




3. Define how often you want to run the ETL by selecting one of the following options:
 - Hourly every so many hours, starting at a specific time
 - Daily at a specific time
 - Weekly at a specific time on a set day of the week
 - Monthly on a set day of the month at a specific time
4. Specify the other parameters, such as the hour of the day when the ETL will run. Use the 24-hour format (HH:MM:SS) when specifying a time value.
5. Click **Save Schedule** to save your settings.

To run the ETL immediately, click **Run ETL Now**. Running the ETL immediately does not affect the scheduled ETL.

Monitoring the Progress of the ETL

While running the ETL, Argus Insight displays a status bar that shows the progress of Incremental ETL. For example:



The ETL Scheduler screen is only displayed, updated, and audit logged from the default enterprise to the user who is assigned with the ETL Scheduler role.

Beginning with Argus Insight 7.0, the Incremental ETL Progress status screen also displays the ETL Completed/Total Enterprises field. This field displays the number of enterprises for which the ETL has been completed, out of the total number of active enterprises in the system. For example:

Incremental ETL Progress

Start Time of Last ETL Run: 11/22/2010 3:06:59 PM

Start Time: 12/29/2010 6:15:47 PM

| | |
|---|------|
| ETL Completed/Total Enterprises: | 8/10 |
|---|------|

Progress:

Current Process: Error during Incremental ETL execution

ETL Error:

| Log Id | Process Name | Process Description |
|--------|--------------|---------------------|
|--------|--------------|---------------------|

If an error occurs during the ETL execution, the ETL stops and the system displays the error message.

- To resume the ETL from the point where the ETL failure occurred, click **Resume ETL**. Note that Argus Insight enables the **Resume ETL** button *only* when the first commit point is reached, after staging has completed. Any ETL failure that occurs before the first commit point will start from scratch.
- To start the Incremental ETL from the beginning again, click **Run ETL Now**.

After the ETL execution is completed, the system generates ETL reports. Navigate to **Reports, Standard Reports**, and select **Configuration** to view the following ETL reports:

- ETL Log Argus to Staging Incremental (execution log for the last Incremental ETL)
- ETL Log Staging to Mart Incremental (execution log for the last Incremental ETL, with the List Maintenance tables and Configuration tables, and case by case log)
- ETL Log Summary (earlier history of all ETL executions)

To check the Initial ETL execution, review the balancing log in the database installation folder.

Securing User Accounts, Groups, and Access Rights

The default user name for the Argus Insight application comes from Argus Safety (admin). Its password is the same as the password of that user in Argus Safety.

Beginning with Argus Insight 7.0, you cannot create a user from Argus Insight. Instead, you create, copy, and delete Argus Insight users from the Argus Safety Console application.

In Argus Insight, however, you can create one or more user groups, and then assign access rights to the group. You can modify an existing user account, assign roles to the user, and add the user as a member of one or more groups.


In addition, all the existing Argus Safety user names and their passwords are replicated in Argus Insight.

Note: Any user with access to the custom SQL interface for creating advanced conditions may be able to see any data present in the database. Therefore, restrict the access to this interface to those users who have back-end access or are allowed to see any data from the database.

Creating New User Groups

To create a new user group:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **Security** tab.
3. Click **Add** in the **Groups** section. The Group Administration dialog box opens.



4. Click the **Group Name** field and enter a name for this user group.
5. Define the users who are members of this group.
 - To add one or more users to the group, select the user name from the Available Users list and click **Add**. To add all available users to the group, click **Add All**.
 - To delete one or more users from the group, select the user name from the Group Members list and click **Remove**. To remove all users from the group, click **Remove All**.
6. Define the access rights for all the members of this group.
 - a. Click the **Access Rights** tab.
 - b. Click **OK** to confirm that you want to create the group.
 - c. Select the appropriate check boxes depending on the access rights you want to assign to this group of users.
7. Click **OK**. The list in the **Groups** section in the Security tab displays the name of your newly created group along with the names of the users who are members of the group.

Copying Groups

Once you have created a user group, you can use the Copy functionality to save the existing user group or account by another name while retaining all the access rights,

group associations, and user associations. This is useful when you are creating multiple groups or user accounts with similar access rights and associations.

To create a new group or account by copying information from an existing group or account:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **Security** tab.
3. Select a user name or a group name you want to copy.
4. Click **Copy** in the **Groups** section. The Group Administration dialog box opens.
5. Enter a group name in the **Group Name** field.
6. Click **OK**. Settings from the copied group are carried over to the new group.

Modifying Existing Groups

To modify the details and members of a group:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **Security** tab.
3. Select a group name you want to modify.
4. Click **Modify** in the **Groups** section. The Group Administration dialog box opens.
5. Modify the settings, as appropriate.
6. Click **OK** to save the modifications to the selected group.

Deleting Existing Groups

To delete an existing group:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **Security** tab.
3. Select the group that you want to delete.
4. Click **Delete**. The system prompts for confirmation that you want to delete the group.


Note: When you delete a user, all the queries and case series that the user saved in Argus Insight are also deleted.

5. Click **Yes** to delete the selected group.

Modifying User Accounts

To modify an existing user account:

1. Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
2. Click the **Security** tab.
3. Select the user account that you want to modify.
4. Click **Modify**. The User Administration dialog box opens.



The **User Full Name** field, the **User Name** field, the **Use LDAP Authentication** check box, and the **Protect from unblinded information** check box are read-only in Argus Insight, and are synchronized with their values configured in Argus Console.

5. Define the roles for this user.
 - To assign a role to this user, select the role from the Available Roles list and click **Add**.
 - To remove an existing role for this user, select the role from the Selected Roles list and click **Remove**.

Note: The Copy Configuration role appears under Selected Roles in read-only mode for the users having this role. Those Argus Insight users who have access to the Copy Configuration role in Argus Safety can copy all the configuration data from the enterprise where they have this role to any new enterprise that they create through the Global Enterprise Management portlet.

Beginning with Argus Insight 7.0, ETL Scheduler is a user role. This role is only displayed, updated, and audit logged in the default enterprise.

6. Assign the user to be a member of one or more groups.
 - To make this user a member of a group, select the group name from the Available Groups list and click **Add**. To make this user a member of all groups, click **Add All**.
 - To revoke this user's membership in a group, select the group name from the Member Groups list and click **Remove**. To revoke this user's membership in all groups, click **Remove All**.

- Click **OK** to save the modifications to the selected user account.

Users who selected the Argus Insight check box (from Argus Console, User Management, Application Access) for an enterprise can access the application for that enterprise.

Viewing the Audit Log

From the **Audit Log** tab, you can view the activities performed by an Argus Insight user or by all users during a particular period.

To view the audit log:

- Click **Tools** on the global toolbar. The ADMINISTRATION TOOLS page opens.
- Click the **Audit Log** tab.

- Enter the criteria for the audit logs you want to view.
 - In the **Category** field, select the activity category or select **All**.
 - In the **User Full Name** field, select a user name or select **All**.
 - In the **Date Range From** and **To** fields, enter the date range.
- Click **Search**. The Audit Log tab displays the list of activities according to the criteria you specified.

| Activity | Category | User Full Name | Date/Time (GMT) |
|----------|-------------------------------------|----------------|--------------------|
| Added | Initial ETL | Windows User | 07-FEB-12 15:18:51 |
| Added | Successful Login Record | Administrator | 09-FEB-12 07:27:05 |
| Updated | List Maintenance - Profile Switches | Administrator | 09-FEB-12 07:32:55 |
| Updated | List Maintenance - Profile Switches | Administrator | 09-FEB-12 07:33:49 |
| Updated | List Maintenance - Profile Switches | Administrator | 09-FEB-12 07:36:45 |
| Updated | List Maintenance - Profile Switches | Administrator | 09-FEB-12 07:40:02 |
| Updated | List Maintenance - Profile Switches | Administrator | 09-FEB-12 07:40:33 |
| Updated | List Maintenance - Profile Switches | Administrator | 09-FEB-12 07:40:54 |
| Updated | List Maintenance - Profile Switches | Administrator | 09-FEB-12 07:41:14 |
| Updated | List Maintenance - Profile Switches | Administrator | 09-FEB-12 07:41:35 |

- To sort the list of activities, click a column heading.
- To print the list of activities, click **Print**.
- To view more details about an activity, click the Audit Log Details icon in the Activity column. The Audit Log Details dialog box opens and displays additional information about the activity. To print the activity details, click **Print**.

Argus Insight - Audit Log Details -- Webpage Dialog

Audit Log Details

| Table Name | Field Name | Old Value | New Value | User Full Name | Date / Time (GMT) |
|-----------------------|------------|-----------|-----------------|----------------|--------------------|
| RPT_ETL_SCHEDULE_INFO | ETL_RUN | <Added> | ETL Run From UI | Administrator | 09-FEB-12 07:47:37 |

Close Print

Glossary

adverse experience

Any adverse event associated with the use of a drug or biological product in humans, whether or not considered product-related, including:

- An adverse event occurring in the course of the use of a drug product in professional practice
- An adverse event occurring from drug overdose whether accidental or intentional
- An adverse event occurring from drug abuse
- An adverse event occurring from drug withdrawal
- Any failure of expected pharmacological action

Reporting an adverse experience does not necessarily reflect a conclusion by the applicant or the FDA that the product caused or contributed to the adverse experience.

Adverse experience is synonymous with adverse drug experience, adverse biological experience, adverse product experience, and adverse event.

affiliate

Any individual or entity related by employment or organizational structure to the applicant, including all subsidiaries, whether domestic or foreign.

applicant

An individual or entity who holds the new drug application (NDA), the abbreviated new drug application (ANDA), or the biologics license application (BLA). For purposes of this glossary, this term includes any person whose name appears on the label of a marketed drug or licensed biological product as its manufacturer, packer, distributor, shared manufacturer, joint manufacturer, or any participant involved in divided manufacturing.

causality assessment

Determination of whether there is a reasonable possibility that the product is etiologically related to the adverse experience. For example, causality assessment includes assessment of temporal relationships, dechallenge/rechallenge information, association with (or lack of association with) underlying disease, presence (or absence) of a more likely cause, and physiologic plausibility.

challenge

Administration of a suspect product by any route.

chart

A picture defined in graphics primitives and graphics attributes.

column

A character position within a print line or on display. The positions are numbered consecutively from 1, starting at the leftmost character position and extending to the rightmost position. In relational database, a field defined for a given record.

comma-separated values (.CSV) file

See .CSV file.

command

A statement used to initiate an action or start a service. Administrators use commands to start database administration functions that access and maintain the database. Commands consists of the command name abbreviation, and its parameters and flags if applicable.

.CSV file

Comma-separated values file. In computers, a CSV file contains the values in a table as a series of ASCII text lines organized so that each column value is separated by a comma from the next column's value and each row starts a new line.

data mart

A subset of a data warehouse that contains data that is tailored and optimized for the specific reporting needs of a department or team. A data mart can be a subset of a warehouse for an entire organization, such as data that is contained in online analytical processing (OLAP) tools.

data mining

The process of collecting critical business information from a data warehouse, correlating the information, and uncovering associations, patterns, and trends.

data warehouse

A central repository for all or significant parts of the data that an organization's business systems collect. A subject-oriented nonvolatile collection of data used to support strategic decision making. The warehouse is the central point of data integration for business intelligence. It is the source of data for data marts within an enterprise and delivers a common view of enterprise data.

dechallenge

Withdrawal of a suspect product from the patients therapeutic regimen.

disability

A substantial disruption in one's ability to conduct normal life functions.

electronic document

A document that is stored on the computer, instead of printed on paper.

encode

To convert data by the use of a code in such a manner that reconversion to the original form is possible.

ETL

Extract, transform, and load (ETL) process. The ETL process extracts a subset of data from the central data warehouse, transforms it, and loads it into one or more star schemas. These schemas can be included in data marts to answer specific business questions.

event log

A log that contains information about events for a particular system or group, for a particular metric, or for all the events that are associated with a specific monitor.

expected adverse experience

Adverse experience listed in the current FDA-approved labeling for the drug or licensed biological product. This would include any section of the labeling that refers to adverse experience information.

extract, transform, and load (ETL)

See ETL.

field

In a record, a specified area used for a particular category of data. For example, a record about an employee might be subdivided into fields containing the employee's name, address, and salary.

field description

Information that describes the characteristics of data in a field.

field format

A format in which the output consists of structured field introducers and variable data rather than output in line format.

filter

A device or program that separates data, signals, or material in accordance with specified criteria.

form

In query management, an object that describes how to format the data for printing or displaying a report. A display screen, printed document, or file with defined spaces for information to be inserted.

home page

The top-level web page of a portal. Sometimes used as a synonym for default portal page.

initial reporter

The original source of information concerning an adverse experience (for example, consumer or healthcare professional).

life-threatening adverse experience

An adverse experience that in the view of the initial reporter places the patient at immediate risk of death from the adverse experience as it occurred. It does not include an adverse experience that, had it occurred in a more severe form, might have caused death.

negative dechallenge

Continued presence of an adverse experience after withdrawal of the suspect product.

negative rechallenge

Failure of the product, when reintroduced, to produce signs or symptoms similar to those observed when the suspect product was previously introduced.

positive dechallenge

Partial or complete disappearance of an adverse experience after withdrawal of the suspect product.

positive rechallenge

Reoccurrence of similar signs and symptoms upon reintroduction of the suspect product.

query

A request for information from the database based on specific conditions.

rechallenge

Reintroduction of a suspect product suspected of having caused an adverse experience following a positive dechallenge.

report

In query management, the formatted data that results from running a query and applying a form to it. Data that has been selected and extracted according to the reporting tool, type of report desired, and formatting criteria.

report type

A data source and how it is mapped.

role

A job function that identifies the tasks a user can perform, defines the access level the user has, and specifies the resources the user can access and modify at those levels. Users are limited in how they can access information if they do not have the proper role. A user can be assigned one or more roles.

serious adverse experience

An adverse experience occurring from any dose that results in any of the following outcomes: death, life-threatening adverse experience, initial inpatient hospitalization, prolongation of hospitalization, significant or persistent disability/incapacity, or congenital anomaly/birth defect (including that occurring in a fetus). Important medical events, based upon appropriate medical judgment, that may jeopardize the patient or subject and may require medical or surgical intervention to prevent one of the outcomes listed above.

spontaneous report

A communication from an individual (for example, consumer or healthcare professional) to a company or regulatory authority that describes a suspected adverse experience. It does not include cases identified from information solicited by the applicant such as individual cases or findings derived from a study.

study

Any organized data collection system (for example, adverse experience information derived from a clinical trial or patient registry including pregnancy registries). Reports from company sponsored patient support programs and disease management programs should be handled as if they were study reports and not spontaneous reports.

suspect product

Drug or biological product associated with an adverse experience as determined by the initial reporter, regardless of the opinion of the applicant.

type-ahead feature

Functionality where you begin to type a value in a field and the system automatically displays the like values in a drop-down list. You can then select a value from the list.

unexpected adverse experience

Adverse experience not included in any section of the current FDA-approved labeling for the drug or licensed biological product. Includes an adverse experience that may differ from a labeled adverse experience because of greater severity or specificity (for example, abnormal liver function versus hepatic necrosis).

In addition, adverse experiences listed as occurring with a class of drugs or biological products but not specifically mentioned with a particular drug or biological product are considered unexpected (for example, a rash with antibiotic X would be considered unexpected if the labeling states *rash may be associated with antibiotics* because the labeling does not specifically state *rash is associated with antibiotic X*). Reports of death from an adverse experience are considered unexpected unless the possibility of a fatal outcome from that adverse experience is stated in the labeling.

web-based application

An application that is downloaded from the web each time it is run. The advantage is the application can be run from any computer, and the software is routinely upgraded and maintained by the hosting organization rather than by each individual user.

web browser

A client program that initiates requests to a web server and displays the information that the server returns.

web page

Any document that can be accessed by a URL on the World Wide Web.

web server

A software program that is capable of servicing Hypertext Transfer Protocol (HTTP) requests.

website

A related collection of files available on the web that is managed by a single entity (an organization or an individual) and contains information for its users. A website often includes links to other websites.