

4

3

2


1

NOTES: UNLESS OTHERWISE SPECIFIED

REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED
A	RELEASE PER ECN #9766	5/12/00	J. HICKAM

- 1) ASSEMBLY – CRIMP TERMINAL LUGS PER MANUFACTURER’S INSTRUCTIONS, USING DOUBLE CRIMPS.
- 2) MARK – PERMANENTLY MARK CABLE LABEL(S) WITH TEKELEC PART NUMBER INCLUDING REVISION LEVEL, VENDOR NAME AND DATE OF MANUFACTURE. LOCATE APPROXIMATELY AS SHOWN.
- 3) NO ADDITIONS, DELETIONS, MODIFICATIONS OR SUBSTITUTIONS WITHOUT PRIOR WRITTEN TEKELEC APPROVAL.

- 4) THIS PART HAS BEEN DESIGNED IN ACCORDANCE WITH TEKELEC SPECIFICATION 906-0015-01 "SPECIFICATION, DESIGN, CABLE ASSEMBLIES, NSD".
- 5) THIS PART SHALL BE FABRICATED IN ACCORDANCE WITH TEKELEC SPECIFICATION 906-0016-01 "SPECIFICATION, FABRICATION, CABLE ASSEMBLIES, NSD".



UNINCORPORATED ECN'S  
10346 Rev A3

DOCUMENT CONTROL  
PRODUCTION RELEASED

SEE SEPARATE PARTS LIST

DWG NO  
830-0830-01  
SH  
1  
REV  
A

THIS DOCUMENT AND THE DATA DISCLOSED HEREIN OR HEREWITH IS PROPRIETARY AND IS NOT TO BE REPRODUCED, USED OR DISCLOSED IN WHOLE OR PART TO ANYONE WITHOUT THE WRITTEN PERMISSION OF TEKELEC. COPYRIGHT, TEKELEC 1996.

UNLESS OTHERWISE SPECIFIED. DO NOT SCALE DRAWING. DIMENSIONS ARE IN INCHES. INTERPRET DIMENSIONS IN ACCORDANCE WITH ANSI Y14.5M-82. DEBURR AND BREAK SHARP EDGES .005-.015. MACHINED SURFACE FINISH 125/ TOLERANCES: .XX = ± .01 .XXX = ±005		CONTRACT NO.		TEKELEC 26580 W. Agoura Road, Calabasas, California 91302	
STANDARD HOLE TOLERANCES:		APPROVALS		DATE	
HOLE DIA	TOLERANCES	DRAWN	S. LYTLE	5/12/00	
.013 THRU .125	+ .004 - .001	CHECKED	C. LAMBIOTTE	5/22/00	
.126 THRU .250	+ .005 - .001	APPROVED	J. HICKAM	5/22/00	
.251 THRU .500	+ .006 - .001	APPLICATION		SIZE	CAGE CODE
.501 THRU .750	+ .008 - .001	NEXT ASSY USED ON		DRAWING NO.	
.751 THRU 1.000	+ .010 - .001	FINISH		830-0830-01	
1.001 THRU 2.000	+ .012 - .001	MATERIAL		REV.	A
		SEE SEPARATE PARTS LIST		SCALE: NONE	FILE NAME: 830-0830-01_REV_A.DWG
				SHEET	1 OF 1

4

3

2

1

D  
C  
B  
A

D  
C  
B  
A