


NOTES: UNLESS OTHERWISE SPECIFIED


- 1) NO ADDITIONS, DELETIONS, MODIFICATIONS OR SUBSTITUTIONS WITHOUT PRIOR WRITTEN TEKELEC APPROVAL.
- 2) THIS PART HAS BEEN DESIGNED IN ACCORDANCE WITH TEKELEC SPECIFICATION 906-0015-01 "SPECIFICATION, DESIGN, CABLE ASSEMBLIES, NSD".
- 3) THIS PART SHALL BE FABRICATED IN ACCORDANCE WITH TEKELEC SPECIFICATION 906-0016-01 "SPECIFICATION, FABRICATION CABLE, NSD".
- 4) TABULATION - REFER TO THE TABULATION BLOCK FOR DETAILS PERTAINING TO EACH INDIVIDUAL DASH NUMBER.
- 5) ASSEMBLY - PER CONNECTOR MANUFACTURER'S SPECIFICATION (AMP IS-6609, IS-9193, 114-6053 OR EQUIVALENT)
- 6) DO NOT SOLDER SHIELDED CABLE DRAIN (GROUNDING) WIRE TO CABLE BACKSHELL(S). BACKSHELL(S) SHALL BE GROUNDED BY TERMINATION OF THE DRAIN (GROUNDING) WIRE IN ACCORDANCE WITH MANUFACTURER'S ASSEMBLY SPECIFICATIONS.
- 7) MARK - PERMANENTLY MARK CABLE LABEL(S) ITEM 9 WITH TEKELEC PART NUMBER INCLUDING APPLICABLE DASH NUMBER AND REVISION LEVEL, P1 OR P2 ETC., VENDOR NAME AND DATE OF MANUFACTURE. LOCATE APPROXIMATELY AS SHOWN.
- 8) MARK - PERMANENTLY MARK WITH P1 AS SHOWN WITH BLACK CHARACTERS. SIZE AND LOCATION APPROXIMATELY AS SHOWN.
- 9) INSTALL FERRITE AND PROTECTIVE SHRINK WRAP AS SHOWN.
- 10) STRIP JACKET BACK AND CUT UNUSED WIRES BACK TO THE JACKET.
- 11) STRIP JACKET BACK AND CUT UNUSED WIRES AND DRAIN BACK TO THE JACKET.

REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED
A	REVISE PER ECN #12934	6/25/03	M. BRYAN
B	REVISE PER ECO# 13019	9/8/03	D.GRIFFITH

DOCUMENT CONTROL
PRODUCTION RELEASED



TABULATION BLOCK		
DASH NUMBER	LENGTH 'L' (FT)	Rev.
-01	15	B
-02	25	B
-03	35	B
-04	50	B
-05	75	B
-06	100	B
-07	150	B
-08	200	B
-09	250	B
-10	328	B



SEE SEPARATE PARTS LIST

ASSEMBLY DIAGRAM

UNLESS OTHERWISE SPECIFIED, DO NOT SCALE DRAWING. DIMENSIONS ARE IN INCHES. INTERPRET DIMENSIONS IN ACCORDANCE WITH ANSI Y14.5M-82. DEBURR AND BREAK SHARP EDGES .005-.010. MACHINED SURFACE FINISH TOLERANCES: .200+ .02 .300+ .010 .

HOLE DIA	TOLERANCES
.013 THRU .125	+0.004 -0.011
.126 THRU .250	+0.005 -0.011
.251 THRU .500	+0.006 -0.011
.501 THRU .750	+0.008 -0.011
.751 THRU 1.000	+0.010 -0.011
1.001 THRU 2.000	+0.012 -0.011

CONTRACT NO.	
APPROVALS	DATE
DRAWN B. ALLEN	6/6/03
CHECKED M. BRYAN	6/25/03
APPROVED M. BRYAN	6/25/03
APPROVED D. JOHNSON	XX/XX/03
MATERIAL	
NEXT ASSY	USED ON
APPLICATION	
FINISH	

TEKELEC		26580 W. AGOURA ROAD, CALABASAS, CALIFORNIA 91302	
DWG_GEN_CABLE ASSY_DCM_100 BASE TX INTERFACE_DB26 TO NON-SHEILDED RJ45_CROSSOVER_XX FT			
SIZE	CAGE CODE	DRAWING NO.	REV.
D		830-0979-XX	B
SCALE: 1/1 FILE NAME: 830-0979-XX_REV_B.DWG SHEET 1 OF 1			

THIS DOCUMENT AND THE DATA DISCLOSED HEREIN OR HEREWITH IS PROPRIETARY AND IS NOT TO BE REPRODUCED, USED OR DISCLOSED IN WHOLE OR PART TO ANYONE WITHOUT THE WRITTEN PERMISSION OF TEKELEC. COPYRIGHT, TEKELEC 1996.