

Gateway Documentation - Standing Instruction
Oracle FLEXCUBE Investor Servicing
Release FCIS_12.0.3.0.0
[April] [2014]



Table Of Contents

1. BACKGROUND	1
2. FCISStandingInstruction	2
2.1. AuthorizeStandingInstruction	2
2.1.1. <i>UT-AuthorizeStandingInstruction-Req-Full-MSG.xsd</i>	2
2.1.2. <i>UT-AuthorizeStandingInstruction-Req-IO-MSG.xsd</i>	44
2.1.3. <i>UT-AuthorizeStandingInstruction-Res-Full-MSG.xsd</i>	51
2.1.4. <i>UT-AuthorizeStandingInstruction-Res-PK-MSG.xsd</i>	95
2.2. CreateStandingInstruction	104
2.2.1. <i>UT-CreateStandingInstruction-Req-Full-MSG.xsd</i>	104
2.2.2. <i>UT-CreateStandingInstruction-Req-IO-MSG.xsd</i>	146
2.2.3. <i>UT-CreateStandingInstruction-Res-Full-MSG.xsd</i>	182
2.2.4. <i>UT-CreateStandingInstruction-Res-PK-MSG.xsd</i>	226
2.3. DeleteStandingInstruction	264
2.3.1. <i>UT-DeleteStandingInstruction-Req-Full-MSG.xsd</i>	264
2.3.2. <i>UT-DeleteStandingInstruction-Req-IO-MSG.xsd</i>	306
2.3.3. <i>UT-DeleteStandingInstruction-Res-Full-MSG.xsd</i>	312
2.3.4. <i>UT-DeleteStandingInstruction-Res-PK-MSG.xsd</i>	356
2.4. ModifyStandingInstruction	364
2.4.1. <i>UT-ModifyStandingInstruction-Req-Full-MSG.xsd</i>	364
2.4.2. <i>UT-ModifyStandingInstruction-Req-IO-MSG.xsd</i>	406
2.4.3. <i>UT-ModifyStandingInstruction-Res-Full-MSG.xsd</i>	431
2.4.4. <i>UT-ModifyStandingInstruction-Res-PK-MSG.xsd</i>	475
2.5. QueryStandingInstruction	502
2.5.1. <i>UT-QueryStandingInstruction-Req-IO-MSG.xsd</i>	502
2.5.2. <i>UT-QueryStandingInstruction-Res-Full-MSG.xsd</i>	508

1.BACKGROUND

Integration of different applications and solutions is a key area in today's systems. A variety of specialized applications deployed on disparate platforms and using different infrastructure need to be able to communicate and integrate seamlessly with FLEXCUBE UBS in order to exchange data. The FLEXCUBE UBS Integration Gateway (referred to as Gateway) will cater to these integration needs.

The integration needs supported by the Gateway can be broadly categorized from the perspective of the Gateway as follows:

1. Inbound application integration – used when any external system needs to add, modify or query information within FLEXCUBE UBS

2. Outbound application integration– used when any external system needs to be notified of the various events that occur within FLEXCUBE UBS

The following sections provide detailed XSD documentation of all operations available in FCISStandingInstruction of UT-Module

2.FCISStandingInstruction

Standing InstructionStanding Instruction

2.1.AuthorizeStandingInstruction

Authorize StandingInstruction

2.1.1.UT-AuthorizeStandingInstruction-Req-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-Full

NOOFSITRANSACTIONS

SILEVEL

PLANCODE

FIRSTPAYMENTDATE

SIID

DESC

UNITHOLDERID

TRANSACTIONTYPE

EFFECTIVESTARTDATE

EFFECTIVEENDDATE

SFREQUENCY

AMOUNT

UNITS

HOLDINGSPERCENTAGE
TRANSACTIONCURRENCY
TOUNITHOLDERID
TOFUNDID
PAYMENTBRANCH
TRANSFERACCOUNTTYPE
TRANSFERACCOUNTNUMBER
REMINDERBEFOREACTION
REMINDERMINPERIOD
SISTATUS
LASTPROCESSEDDATE
GENERATEAUTHTXN
SIESCALATIONFREQUENCY
NEXTESCALATIONDATE
ESCALATIONTYPE
GROSSORNET
MODEPAY
ESCALATIONSTARTDATE
ESCALATIONENDDATE
PAYMENTBANKCODE
TRANSFERACCOUNTHOLDERNAME
PAYMENTTYPE
THRDPARTYPAYMENTREF
THRDPARTYADDRLINE1
THRDPARTYADDRLINE2
THRDPARTYADDRLINE3
THRDPARTYADDRLINE4
THIRDPARTYZIPCODE
THIRDPARTYUSSTATE
CIFNUMBER
TOCIFNUMBER
DELIVERYOPTION
BICCODE
COUNTRYNAME
PHASEIN
PHASE_INTYPE
UHNAME
FUNDNAME
PLANDESC
BANKNAME
BRANCH_NAME
TXNCURRENCYDESCRIPTION
SIPAYMNTREJCOUNTER
CAMPAIGNCODE

SIAUTOTERMINATIONCOUNTER
CONSSIPAYMNTREJCENTER
CONSSIAUTCOUNTER
NOOFSITXNSGENERATED
ESCALATIONVALUE
IBAN
FUNDID
SINGLECERTIFICATE
FROMISSUEDBAL
CERTREQUIRED
TOUNITHOLDERNAME
PHASEIN OCC
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Siheader

Delivery-Details

DELIVERYTYPE
CLEARINGAGENTNAME
ACCOUNTNUMBER
ACCOUNTNAME
ADDRESSTYPE
ADDRESSLINE1
ADDRESSLINE2
ADDRESS3
CTRY
ZIPCODE
COUNTRY
BICCODE
CERTLOTSIZE
IBAN
DESCRIPTION
Funddeliveryinstruction
CERTDENOM
CERTIFICATEDESC

Intermediary-Details

BROKERINTERMEDIARY
ENTITYTYPE
SPLITPERCENTAGE
FROMORTOLEG

ENTITYNAME
Sipaymenttbl
CHECKNUMBER
PAYMENTDATE
SIPROCESSED
Si-fund
FUNDID
ISSUED
CERTREQUIRED
SINGLECERT
MINHOLDCHKREQ
FROMFUNDPRICEBASIS
CONTRIBUTIONPERCENTAGE
CONTRIBUTIONAMOUNT
FUNDNAME
Routing-Det
SWIFTFORMAT
BANKCHARGED
BENEFICIARY
BENEFICIARYADD1
BENEFICIARYADD2
BENEFICIARYADD3
BENEFICIARBICCODE
BENEFICIARYACCTNO
BENEFICIARYCODE
BENEFICIARYINFO
INTERMEDIARY
INTERMEDIARYADD1
INTERMEDIARYADD2
INTERMEDIARYADD3
INTERMEDIARYBICCODE
INTERMEDIARYACCTNO
REFERENCE1
REFERENCE2
BENEFICIARYIBAN
INTERMEDIARYIBAN
INTERMEDIARYCODE
INTERMEDIARYINFO
FURTHERCREDITNAME
FURTHERCREDITACCTNO
Si-check-temp-details
STARTINGCHECKNO
NOOFCHECKLEAVES
CHECKSTARTDATE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description
-----------	-------------

Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**PARAM**

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**NAME**

Attribute	Description	
Name	NAME	
Datatype	String	
Description		

[TOP](#)**VALUE**

Attribute	Description	
Name	VALUE	
Datatype	String	
Description		

[TOP](#)**FCUBS_BODY**

Attribute	Description	
Name	FCUBS_BODY	
Datatype		
Description		

[TOP](#)**Simastertbl-Full**

Attribute	Description	
Name	Simastertbl-Full	
Datatype		
Description		

[TOP](#)**NOOFSITRANSACTIONS**

Attribute	Description	
Name	NOOFSITRANSACTIONS	
Datatype	Number	
Description	Indicates Number of Standing Instructions	
Attributes	Attribute	Description
	minOccurs	0

SILEVEL

Attribute	Description	
Name	SILEVEL	
Datatype	String	
Description	Indicates Standing Instruction Level, F for fund, P for plan	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,P

PLANCODE

Attribute	Description	
Name	PLANCODE	
Datatype	String	
Description	Indicates Plan Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

FIRSTPAYMENTDATE

Attribute	Description	
Name	FIRSTPAYMENTDATE	
Datatype	Date	
Description	Indicates First Payment Date	
Attributes	Attribute	Description
	minOccurs	0

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

DESC

Attribute	Description
Name	DESC

Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

UNITHOLDERID

Attribute	Description	
Name	UNITHOLDERID	
Datatype	String	
Description	Indicates Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSACTIONTYPE

Attribute	Description	
Name	TRANSACTIONTYPE	
Datatype	String	
Description	Indicates Transaction Type, 02 for Subscription, 03 for Redemption, 04 for Switch, 05 for Transfer, 01 for IPO Subscription	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	02,03,04,05,01

[TOP](#)

EFFECTIVESTARTDATE

Attribute	Description	
Name	EFFECTIVESTARTDATE	
Datatype	Date	
Description	Indicates Effective Start Date	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

EFFECTIVEENDDATE

Attribute	Description	
Name	EFFECTIVEENDDATE	
Datatype	Date	
Description	Indicates Effective End Date	
Attributes	Attribute	Description
	minOccurs	0

SFREQUENCY

Attribute	Description	
Name	SFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

UNITS

Attribute	Description	
Name	UNITS	
Datatype	Number	
Description	Indicates Units	
Attributes	Attribute	Description
	minOccurs	0

HOLDINGSPERCENTAGE

Attribute	Description	
Name	HOLDINGSPERCENTAGE	
Datatype	Number	
Description	Indicates Holdings Percentage	
Attributes	Attribute	Description
	minOccurs	0

TRANSACTIONCURRENCY

Attribute	Description	
Name	TRANSACTIONCURRENCY	
Datatype	String	
Description	Indicates Transaction Currency	
Attributes	Attribute	Description
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

TOUNITHOLDERID

Attribute	Description	
Name	TOUNITHOLDERID	
Datatype	String	
Description	Indicates To Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOFUNDID

Attribute	Description	
Name	TOFUNDID	
Datatype	String	
Description	Indicates To Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTTYPE

Attribute	Description	
Name	TRANSFERACCOUNTTYPE	
Datatype	String	
Description	Indicates Transfer Account Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

REMINDERBEFOREACTION

Attribute	Description	
Name	REMINDERBEFOREACTION	
Datatype	Number	
Description	Indicates Reminder Before Action	
Attributes	Attribute	Description
	minOccurs	1

REMINDERMINPERIOD

Attribute	Description	
Name	REMINDERMINPERIOD	
Datatype	Number	
Description	Indicates Reminder Minimum Period	
Attributes	Attribute	Description
	minOccurs	0

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

LASTPROCESSEDDATE

Attribute	Description	
Name	LASTPROCESSEDDATE	
Datatype	Date	
Description	Indicates Last Processed Date	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

[TOP](#)

GROSSORNET

Attribute	Description	
Name	GROSSORNET	
Datatype	String	
Description	Indicates Gross or Net, G for Gross, N for Net	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	G,N

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	
Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	T,Q,R,D,F,I,AT,BQ,CQ,DR,DT,FQ,GQ,IQ,LQ,OQ,PD,PQ,RQ,TT,WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description
-----------	-------------

Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCTHOLDERNAME	
Datatype	String	
Description	Indicates Transfer Account Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

THRDPARTYPAYMENTREF

Attribute	Description	
Name	THRDPARTYPAYMENTREF	
Datatype	String	
Description	Indicates Third Party Payment Reference	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

THRDPARTYADDRLINE1

Attribute	Description	
Name	THRDPARTYADDRLINE1	
Datatype	String	
Description	Indicates Third Party Address Line 1	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE2

Attribute	Description	
Name	THRDPARTYADDRLINE2	
Datatype	String	
Description	Indicates Third Party Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE3

Attribute	Description	
Name	THRDPARTYADDRLINE3	
Datatype	String	
Description	Indicates Third Party Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE4

Attribute	Description	
Name	THRDPARTYADDRLINE4	
Datatype	String	
Description	Indicates Third Party Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THIRDPARTYZIPCODE

Attribute	Description	
Name	THIRDPARTYZIPCODE	
Datatype	String	
Description	Indicates Third Party Zip Code	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

THIRDPARTYUSSTATE

Attribute	Description	
Name	THIRDPARTYUSSTATE	
Datatype	Number	
Description	Indicates Third Party US State	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CIFNUMBER

Attribute	Description	
Name	CIFNUMBER	
Datatype	String	
Description	Indicates CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOCIFNUMBER

Attribute	Description	
Name	TOCIFNUMBER	
Datatype	String	
Description	Indicates To CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DELIVERYOPTION

Attribute	Description	
Name	DELIVERYOPTION	
Datatype	String	
Description	Indicates Delivery Option	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

COUNTRYNAME

Attribute	Description	
Name	COUNTRYNAME	
Datatype	String	
Description	Indicates Country Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHASEIN

Attribute	Description	
Name	PHASEIN	
Datatype	Number	
Description	Indicates Phase In	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASE_INTYPE

Attribute	Description	
Name	PHASE_INTYPE	
Datatype	String	
Description	Indicates Phase In Type, H for holdings	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	H

[TOP](#)

UHNAME

Attribute	Description	
Name	UHNAME	
Datatype	String	
Description	Indicates Unit Holder Name	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PLANDESC

Attribute	Description	
Name	PLANDESC	
Datatype	String	
Description	Indicates Plan Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

BANKNAME

Attribute	Description	
Name	BANKNAME	
Datatype	String	
Description	Indicates Bank Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

BRANCH_NAME

Attribute	Description	
Name	BRANCH_NAME	
Datatype	String	
Description	Indicates Branch Name	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

TXNCURRENCYDESCRIPTION

Attribute	Description	
Name	TXNCURRENCYDESCRIPTION	
Datatype	String	
Description	Indicates Transaction Currency Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SIPAYMNTREJCOUNTER

Attribute	Description	
Name	SIPAYMNTREJCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

CONSSIPAYMNTREJCENTER

Attribute	Description	
Name	CONSSIPAYMNTREJCENTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0

CONSSIAUTOCOUNTER

Attribute	Description	
Name	CONSSIAUTOCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

NOOFSITXNSGENERATED

Attribute	Description	
Name	NOOFSITXNSGENERATED	
Datatype	Number	
Description	Indicates Number of Standing Instruction Transactions Generated	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

SINGLECERTIFICATE

Attribute	Description	
Name	SINGLECERTIFICATE	
Datatype	String	
Description	Indicates Single Certificate	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

FROMISSUEDBAL

Attribute	Description	
Name	FROMISSUEDBAL	
Datatype	String	
Description	Indicates From Issued Balance	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	26

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

TOUNITHOLDERNAME

Attribute	Description	
Name	TOUNITHOLDERNAME	
Datatype	String	
Description	Indicates To Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description	Indicates Transaction Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description	Indicates Authorization Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

Siheader

Attribute	Description	
Name	Siheader	
Datatype		
Description	Indicates Standing Instruction Header	
Attributes	Attribute	Description
	minOccurs	0

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description	Indicates Delivery Details	
Attributes	Attribute	Description
	minOccurs	0

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

[TOP](#)

ADDRESSLINE1

Attribute	Description	
Name	ADDRESSLINE1	
Datatype	String	
Description	Indicates Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESSLINE2

Attribute	Description	
Name	ADDRESSLINE2	
Datatype	String	
Description	Indicates Address Line 2	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

Fundeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

[TOP](#)

SPLITPERCENTAGE

Attribute	Description	
Name	SPLITPERCENTAGE	
Datatype	Number	
Description	Indicates Split Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FROMORTOLEG

Attribute	Description	
Name	FROMORTOLEG	
Datatype	String	
Description	Indicates From or To Leg, F for from, T for to	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,T

[TOP](#)

ENTITYNAME

Attribute	Description	
Name	ENTITYNAME	
Datatype	String	
Description	Indicates Entity Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

ISSUED

Attribute	Description	
Name	ISSUED	
Datatype	String	
Description	Indicates Issued, 1 for Yes, 0 for No, 2 for Both	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0,2

[TOP](#)

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

SINGLECERT

Attribute	Description	
Name	SINGLECERT	
Datatype	String	
Description	Indicates Single Certification, 1 for Yes, 0 for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

MINHOLDCHKREQ

Attribute	Description	
Name	MINHOLDCHKREQ	
Datatype	Number	
Description	Indicates Minimum Hold Check Required	
Attributes	Attribute	Description
	minOccurs	0

FROMFUNDPRICEBASIS

Attribute	Description	
Name	FROMFUNDPRICEBASIS	
Datatype	String	
Description	Indicates From Fund Price Basis	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

CONTRIBUTIONPERCENTAGE

Attribute	Description	
Name	CONTRIBUTIONPERCENTAGE	
Datatype	Number	
Description	Indicates Contribution Percentage	
Attributes	Attribute	Description
	minOccurs	0

CONTRIBUTIONAMOUNT

Attribute	Description	
Name	CONTRIBUTIONAMOUNT	
Datatype	Number	
Description	Indicates Contribution Amount	
Attributes	Attribute	Description
	minOccurs	0

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

Routing-Det

Attribute	Description	
Name	Routing-Det	
Datatype		
Description	Indicates Routing Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SWIFTFORMAT

Attribute	Description	
Name	SWIFTFORMAT	
Datatype	String	
Description	Indicates Swift Format, MT103 and MT202	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	MT103,MT202

[TOP](#)

BANKCHARGED

Attribute	Description	
Name	BANKCHARGED	
Datatype	String	
Description	Indicates Bank Charged - Shared and Remit	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Shared,Remit

[TOP](#)

BENEFICIARY

Attribute	Description	
Name	BENEFICIARY	
Datatype	String	
Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description	
Name	BENEFICIARYADD2	
Datatype	String	
Description	Indicates Beneficiary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description
Name	BENEFICIARYACCTNO

Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYIBAN

Attribute	Description	
Name	INTERMEDIARYIBAN	
Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

Si-check-temp-details

Attribute	Description	
Name	Si-check-temp-details	
Datatype		
Description	Indicates Standing Instruction Check Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

STARTINGCHECKNO

Attribute	Description	
Name	STARTINGCHECKNO	
Datatype	Number	
Description	Indicates Starting check number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFCHECKLEAVES

Attribute	Description	
Name	NOOFCHECKLEAVES	
Datatype	Number	
Description	Indicates Number of check leaves	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHECKSTARTDATE

Attribute	Description	
Name	CHECKSTARTDATE	
Datatype	Date	
Description	Indicates Check start date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Simastertblbutton

Attribute	Description	
Name	Simastertblbutton	
Datatype		
Description	Indicates Standing Instruction Master table button	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

2.1.2.UT-AuthorizeStandingInstruction-Req-IO-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTIRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-IO

SIID

CHECKER

CHECKERSTAMP

MODNO

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description	
Name	NAME	
Datatype	String	
Description		

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

Simastertbl-IO

Attribute	Description
Name	Simastertbl-IO
Datatype	
Description	

[TOP](#)

SIID

Attribute	Description				
Name	SIID				
Datatype	String				
Description	Indicates Standing Instruction Id				
Attributes	<table border="1"> <thead> <tr> <th>Attribute</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>minOccurs</td> <td>0</td> </tr> </tbody> </table>	Attribute	Description	minOccurs	0
Attribute	Description				
minOccurs	0				
Restrictions	<table border="1"> <thead> <tr> <th>Restrictions</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>maxLength</td> <td>16</td> </tr> </tbody> </table>	Restrictions	Description	maxLength	16
Restrictions	Description				
maxLength	16				

[TOP](#)

CHECKER

Attribute	Description				
Name	CHECKER				
Datatype	String				
Description	Indicates Checker Id				
Attributes	<table border="1"> <thead> <tr> <th>Attribute</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>minOccurs</td> <td>0</td> </tr> </tbody> </table>	Attribute	Description	minOccurs	0
Attribute	Description				
minOccurs	0				
Restrictions	<table border="1"> <thead> <tr> <th>Restrictions</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>maxLength</td> <td>12</td> </tr> </tbody> </table>	Restrictions	Description	maxLength	12
Restrictions	Description				
maxLength	12				

[TOP](#)

CHECKERSTAMP

Attribute	Description
-----------	-------------

Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Id Date Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

2.1.3.UT-AuthorizeStandingInstruction-Res-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-Full

NOOFSITRANSACTIONS

SILEVEL

PLANCODE

FIRSTPAYMENTDATE

SIID

DESC

UNITHOLDERID

TRANSACTIONTYPE

EFFECTIVESTARTDATE

EFFECTIVEENDDATE

SFREQUENCY

AMOUNT

UNITS

HOLDINGSPERCENTAGE

TRANSACTIONCURRENCY

TOUNITHOLDERID

TOFUNDID

PAYMENTBRANCH

TRANSFERACCOUNTTYPE

TRANSFERACCOUNTNUMBER
REMINDERBEFOREACTION
REMINDERMINPERIOD
SISTATUS
LASTPROCESSEDDATE
GENERATEAUTHXN
SIESCALATIONFREQUENCY
NEXTESCALATIONDATE
ESCALATIONTYPE
GROSSORNET
MODEPAY
ESCALATIONSTARTDATE
ESCALATIONENDDATE
PAYMENTBANKCODE
TRANSFERACCOUNTHOLDERNAME
PAYMENTTYPE
THRDPARTYPAYMENTREF
THRDPARTYADDRLINE1
THRDPARTYADDRLINE2
THRDPARTYADDRLINE3
THRDPARTYADDRLINE4
THIRDPARTYZIPCODE
THIRDPARTYUSSTATE
CIFNUMBER
TOCIFNUMBER
DELIVERYOPTION
BICCODE
COUNTRYNAME
PHASEIN
PHASE_INTYPE
UHNAME
FUNDNAME
PLANDESC
BANKNAME
BRANCH_NAME
TXNCURRENCYDESCRIPTION
SIPAYMNTREJCOUNTER
CAMPAIGNCODE
SIAUTOTERMINATIONCOUNTER
CONSSIPAYMNTREJCENTER
CONSSIAUTOCOUNTER
NOOFSITXNSGENERATED
ESCALATIONVALUE
IBAN

FUNDID
SINGLECERTIFICATE
FROMISSUEDBAL
CERTREQUIRED
TOUNITHOLDERNAME
PHASEIN OCC
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Siheader

Delivery-Details

DELIVERYTYPE
CLEARINGAGENTNAME
ACCOUNTNUMBER
ACCOUNTNAME
ADDRESSTYPE
ADDRESSLINE1
ADDRESSLINE2
ADDRESS3
CTRY
ZIPCODE
COUNTRY
BICCODE
CERTLOTSIZE
IBAN
DESCRIPTION
Funddeliveryinstruction
CERTDENOM
CERTIFICATEDESC

Intermediary-Details

BROKERINTERMEDIARY
ENTITYTYPE
SPLITPERCENTAGE
FROMORTOLEG
ENTITYNAME

Sipaymenttbl

CHECKNUMBER
PAYMENTDATE
SIPROCESSED

Si-fund

FUNDID
ISSUED
CERTREQUIRED
SINGLECERT
MINHOLDCHKREQ
FROMFUNDPRICEBASIS
CONTRIBUTIONPERCENTAGE
CONTRIBUTIONAMOUNT
FUNDNAME

Routing-Det

SWIFTFORMAT
BANKCHARGED
BENEFICIARY
BENEFICIARYADD1
BENEFICIARYADD2
BENEFICIARYADD3
BENEFICIARBICCODE
BENEFICIARYACCTNO
BENEFICIARYCODE
BENEFICIARYINFO
INTERMEDIARY
INTERMEDIARYADD1
INTERMEDIARYADD2
INTERMEDIARYADD3
INTERMEDIARYBICCODE
INTERMEDIARYACCTNO
REFERENCE1
REFERENCE2
BENEFICIARYIBAN
INTERMEDIARYIBAN
INTERMEDIARYCODE
INTERMEDIARYINFO
FURTHERCREDITNAME
FURTHERCREDITACCTNO

Si-check-temp-details

STARTINGCHECKNO
NOOFCHECKLEAVES
CHECKSTARTDATE

Simastertblbutton

FCUBS_ERROR_RESP

ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING
 WCODE
 WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description

Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

Simastertbl-Full

Attribute	Description
Name	Simastertbl-Full
Datatype	
Description	

[TOP](#)

NOOFSITRANSACTIONS

Attribute	Description
Name	NOOFSITRANSACTIONS

Datatype	Number	
Description	Indicates Number of Standing Instructions	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SILEVEL

Attribute	Description	
Name	SILEVEL	
Datatype	String	
Description	Indicates Standing Instruction Level, F for fund, P for plan	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,P

[TOP](#)

PLANCODE

Attribute	Description	
Name	PLANCODE	
Datatype	String	
Description	Indicates Plan Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

FIRSTPAYMENTDATE

Attribute	Description	
Name	FIRSTPAYMENTDATE	
Datatype	Date	
Description	Indicates First Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

DESC

Attribute		Description
Name	DESC	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

UNITHOLDERID

Attribute		Description
Name	UNITHOLDERID	
Datatype	String	
Description	Indicates Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

TRANSACTIONTYPE

Attribute		Description
Name	TRANSACTIONTYPE	
Datatype	String	
Description	Indicates Transaction Type, 02 for Subscription, 03 for Redemption, 04 for Switch, 05 for Transfer, 01 for IPO Subscription	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	02,03,04,05,01

EFFECTIVESTARTDATE

Attribute		Description
Name	EFFECTIVESTARTDATE	
Datatype	Date	
Description	Indicates Effective Start Date	
Attributes	Attribute	Description
	minOccurs	1

EFFECTIVEENDDATE

Attribute	Description
-----------	-------------

Name	EFFECTIVEENDDATE	
Datatype	Date	
Description	Indicates Effective End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SFREQUENCY

Attribute	Description	
Name	SFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

UNITS

Attribute	Description	
Name	UNITS	
Datatype	Number	
Description	Indicates Units	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

HOLDINGSPERCENTAGE

Attribute	Description	
Name	HOLDINGSPERCENTAGE	
Datatype	Number	
Description	Indicates Holdings Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TRANSACTIONCURRENCY

Attribute	Description	
Name	TRANSACTIONCURRENCY	
Datatype	String	
Description	Indicates Transaction Currency	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

TOUNITHOLDERID

Attribute	Description	
Name	TOUNITHOLDERID	
Datatype	String	
Description	Indicates To Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOFUNDID

Attribute	Description	
Name	TOFUNDID	
Datatype	String	
Description	Indicates To Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTTYPE

Attribute	Description
Name	TRANSFERACCOUNTTYPE

Datatype	String	
Description	Indicates Transfer Account Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

REMINDERBEFOREACTION

Attribute	Description	
Name	REMINDERBEFOREACTION	
Datatype	Number	
Description	Indicates Reminder Before Action	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

REMINDERMINPERIOD

Attribute	Description	
Name	REMINDERMINPERIOD	
Datatype	Number	
Description	Indicates Reminder Minimum Period	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

LASTPROCESSEDDATE

Attribute	Description	
Name	LASTPROCESSEDDATE	
Datatype	Date	
Description	Indicates Last Processed Date	
Attributes	Attribute	Description
	minOccurs	0

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	1

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

[TOP](#)

GROSSORNET

Attribute	Description	
Name	GROSSORNET	
Datatype	String	
Description	Indicates Gross or Net, G for Gross, N for Net	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	G,N

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	
Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	T,Q,R,D,F,I,AT,BQ,CQ,DR,DT,FQ,GQ,IQ,LQ,OQ,PD,PQ,RQ,TT,WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description	
Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCOUNTHOLDERNAME	
Datatype	String	
Description	Indicates Transfer Account Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

THRDPARTYPAYMENTREF

Attribute	Description	
Name	THRDPARTYPAYMENTREF	
Datatype	String	
Description	Indicates Third Party Payment Reference	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

THRDPARTYADDRLINE1

Attribute	Description	
Name	THRDPARTYADDRLINE1	
Datatype	String	
Description	Indicates Third Party Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE2

Attribute	Description	
Name	THRDPARTYADDRLINE2	
Datatype	String	
Description	Indicates Third Party Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE3

Attribute	Description	
Name	THRDPARTYADDRLINE3	
Datatype	String	
Description	Indicates Third Party Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE4

Attribute	Description	
Name	THRDPARTYADDRLINE4	
Datatype	String	
Description	Indicates Third Party Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THIRDPARTYZIPCODE

Attribute	Description	
Name	THIRDPARTYZIPCODE	
Datatype	String	
Description	Indicates Third Party Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

THIRDPARTYUSSTATE

Attribute	Description	
Name	THIRDPARTYUSSTATE	
Datatype	Number	
Description	Indicates Third Party US State	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CIFNUMBER

Attribute	Description	
Name	CIFNUMBER	
Datatype	String	
Description	Indicates CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOCIFNUMBER

Attribute	Description	
Name	TOCIFNUMBER	
Datatype	String	
Description	Indicates To CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DELIVERYOPTION

Attribute	Description	
Name	DELIVERYOPTION	
Datatype	String	
Description	Indicates Delivery Option	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

COUNTRYNAME

Attribute	Description	
Name	COUNTRYNAME	
Datatype	String	
Description	Indicates Country Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHASEIN

Attribute	Description	
Name	PHASEIN	
Datatype	Number	
Description	Indicates Phase In	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASE_INTYPE

Attribute	Description	
Name	PHASE_INTYPE	
Datatype	String	
Description	Indicates Phase In Type, H for holdings	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	H

UHNAME

Attribute	Description	
Name	UHNAME	
Datatype	String	
Description	Indicates Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

PLANDESC

Attribute	Description	
Name	PLANDESC	
Datatype	String	
Description	Indicates Plan Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

BANKNAME

Attribute	Description	
Name	BANKNAME	
Datatype	String	
Description	Indicates Bank Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

BRANCH_NAME

Attribute	Description	
Name	BRANCH_NAME	
Datatype	String	
Description	Indicates Branch Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

TXNCURRENCYDESCRIPTION

Attribute	Description	
Name	TXNCURRENCYDESCRIPTION	
Datatype	String	
Description	Indicates Transaction Currency Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SIPAYMNTREJCOUNTER

Attribute	Description	
Name	SIPAYMNTREJCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	

Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CONSSIPAYMNTREJCENTER

Attribute	Description	
Name	CONSSIPAYMNTREJCENTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONSSIAUTCOUNTER

Attribute	Description	
Name	CONSSIAUTCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFSITXNSGENERATED

Attribute	Description	
Name	NOOFSITXNSGENERATED	
Datatype	Number	
Description	Indicates Number of Standing Instruction Transactions Generated	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	

Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SINGLECERTIFICATE

Attribute	Description	
Name	SINGLECERTIFICATE	
Datatype	String	
Description	Indicates Single Certificate	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

FROMISSUEDBAL

Attribute	Description	
Name	FROMISSUEDBAL	
Datatype	String	
Description	Indicates From Issued Balance	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	26

[TOP](#)

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

TOUNITHOLDERNAME

Attribute	Description	
Name	TOUNITHOLDERNAME	
Datatype	String	
Description	Indicates To Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description	Indicates Transaction Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String	
Description	Indicates Authorization Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Siheader

Attribute	Description	
Name	Siheader	
Datatype		
Description	Indicates Standing Instruction Header	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description	Indicates Delivery Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

ADDRESSLINE1

Attribute	Description	
Name	ADDRESSLINE1	
Datatype	String	
Description	Indicates Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

ADDRESSLINE2

Attribute	Description	
Name	ADDRESSLINE2	
Datatype	String	
Description	Indicates Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description
Name	COUNTRY

Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description	Indicates Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

Funddeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

SPLITPERCENTAGE

Attribute	Description	
Name	SPLITPERCENTAGE	
Datatype	Number	
Description	Indicates Split Percentage	
Attributes	Attribute	Description
	minOccurs	0

FROMORTOLEG

Attribute	Description	
Name	FROMORTOLEG	
Datatype	String	
Description	Indicates From or To Leg, F for from, T for to	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,T

ENTITYNAME

Attribute	Description
-----------	-------------

Name	ENTITYNAME	
Datatype	String	
Description	Indicates Entity Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

ISSUED

Attribute	Description	
Name	ISSUED	
Datatype	String	
Description	Indicates Issued, 1 for Yes, 0 for No, 2 for Both	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0,2

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

SINGLECERT

Attribute	Description
-----------	-------------

Name	SINGLECERT	
Datatype	String	
Description	Indicates Single Certification, 1 for Yes, 0 for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

MINHOLDCHKREQ

Attribute	Description	
Name	MINHOLDCHKREQ	
Datatype	Number	
Description	Indicates Minimum Hold Check Required	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FROMFUNDPRICEBASIS

Attribute	Description	
Name	FROMFUNDPRICEBASIS	
Datatype	String	
Description	Indicates From Fund Price Basis	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CONTRIBUTIONPERCENTAGE

Attribute	Description	
Name	CONTRIBUTIONPERCENTAGE	
Datatype	Number	
Description	Indicates Contribution Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTRIBUTIONAMOUNT

Attribute	Description	
Name	CONTRIBUTIONAMOUNT	
Datatype	Number	
Description	Indicates Contribution Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FUNDNAME

Attribute	Description				
Name	FUNDNAME				
Datatype	String				
Description	Indicates Fund Name				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>60</td></tr></tbody></table>	Restrictions	Description	maxLength	60
	Restrictions	Description			
maxLength	60				

[TOP](#)

Routing-Det

Attribute	Description				
Name	Routing-Det				
Datatype					
Description	Indicates Routing Details				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				

[TOP](#)

SWIFTFORMAT

Attribute	Description				
Name	SWIFTFORMAT				
Datatype	String				
Description	Indicates Swift Format, MT103 and MT202				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>MT103,MT202</td></tr></tbody></table>	Restrictions	Description	enumeration	MT103,MT202
	Restrictions	Description			
enumeration	MT103,MT202				

[TOP](#)

BANKCHARGED

Attribute	Description				
Name	BANKCHARGED				
Datatype	String				
Description	Indicates Bank Charged - Shared and Remit				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>Shared,Remit</td></tr></tbody></table>	Restrictions	Description	enumeration	Shared,Remit
	Restrictions	Description			
enumeration	Shared,Remit				

[TOP](#)

BENEFICIARY

Attribute	Description
Name	BENEFICIARY
Datatype	String

Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description	
Name	BENEFICIARYADD2	
Datatype	String	
Description	Indicates Beneficiary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description	
Name	BENEFICIARYACCTNO	
Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYIBAN

Attribute	Description
Name	INTERMEDIARYIBAN

Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Si-check-temp-details

Attribute	Description	
Name	Si-check-temp-details	
Datatype		
Description	Indicates Standing Instruction Check Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

STARTINGCHECKNO

Attribute	Description	
Name	STARTINGCHECKNO	
Datatype	Number	
Description	Indicates Starting check number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFCHECKLEAVES

Attribute	Description	
Name	NOOFCHECKLEAVES	
Datatype	Number	
Description	Indicates Number of check leaves	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHECKSTARTDATE

Attribute	Description	
Name	CHECKSTARTDATE	
Datatype	Date	
Description	Indicates Check start date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Simastertblbutton

Attribute	Description	
Name	Simastertblbutton	
Datatype		
Description	Indicates Standing Instruction Master table button	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

[TOP](#)

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description				
Name	WARNING				
Datatype					
Description					
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>maxOccurs</td><td>unbounded</td></tr></tbody></table>	Attribute	Description	maxOccurs	unbounded
	Attribute	Description			
maxOccurs	unbounded				

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)

2.1.4.UT-AuthorizeStandingInstruction-Res-PK-MSG.xsd

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
CHOICE
Simastertbl-PK
SIID
Simastertbl-IO
SIID
CHECKER
CHECKERSTAMP
MODNO
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	

Description	
-------------	--

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description

Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		

Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

[TOP](#)

Simastertbl-PK

Attribute	Description
Name	Simastertbl-PK
Datatype	
Description	

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

Simastertbl-IO

Attribute	Description
Name	Simastertbl-IO
Datatype	
Description	

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Id Date Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description
Name	MODNO

Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description	
Name	ECODE	
Datatype	String	
Description		

[TOP](#)

EDESC

Attribute	Description	
Name	EDESC	
Datatype	String	
Description		

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)

2.2.CreateStandingInstruction

Create StandingInstruction

2.2.1.UT-CreateStandingInstruction-Req-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-Full

NOOFSITRANSACTIONS

SILEVEL

PLANCODE

FIRSTPAYMENTDATE

SIID

DESC

UNITHOLDERID

TRANSACTIONTYPE

EFFECTIVESTARTDATE

EFFECTIVEENDDATE

SFREQUENCY

AMOUNT

UNITS

HOLDINGSPERCENTAGE

TRANSACTIONCURRENCY

TOUNITHOLDERID

TOFUNDID
PAYMENTBRANCH
TRANSFERACCOUNTTYPE
TRANSFERACCOUNTNUMBER
REMINDERBEFOREACTION
REMINDERMINPERIOD
SISTATUS
LASTPROCESSEDDATE
GENERATEAUTHTXN
SIESCALATIONFREQUENCY
NEXTESCALATIONDATE
ESCALATIONTYPE
GROSSORNET
MODEPAY
ESCALATIONSTARTDATE
ESCALATIONENDDATE
PAYMENTBANKCODE
TRANSFERACCOUNTHOLDERNAME
PAYMENTTYPE
THRDPARTYPAYMENTREF
THRDPARTYADDRLINE1
THRDPARTYADDRLINE2
THRDPARTYADDRLINE3
THRDPARTYADDRLINE4
THIRDPARTYZIPCODE
THIRDPARTYUSSTATE
CIFNUMBER
TOCIFNUMBER
DELIVERYOPTION
BICCODE
COUNTRYNAME
PHASEIN
PHASE_INTYPE
UHNAME
FUNDNAME
PLANDESC
BANKNAME
BRANCH_NAME
TXNCURRENCYDESCRIPTION
SIPAYMNTREJCOUNTER
CAMPAIGNCODE
SIAUTOTERMINATIONCOUNTER
CONSSIPAYMNTREJCENTER
CONSSIAUTOCOUNTER

NOOFSITXNSGENERATED
ESCALATIONVALUE
IBAN
FUNDID
SINGLECERTIFICATE
FROMISSUEDBAL
CERTREQUIRED
TOUNITHOLDERNAME
PHASEIN OCC
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Siheader
Delivery-Details
 DELIVERYTYPE
 CLEARINGAGENTNAME
 ACCOUNTNUMBER
 ACCOUNTNAME
 ADDRESSTYPE
 ADDRESSLINE1
 ADDRESSLINE2
 ADDRESS3
 CTRY
 ZIPCODE
 COUNTRY
 BICCODE
 CERTLOTSIZE
 IBAN
 DESCRIPTION
Funddeliveryinstruction
 CERTDENOM
 CERTIFICATEDESC
Intermediary-Details
 BROKERINTERMEDIARY
 ENTITYTYPE
 SPLITPERCENTAGE
 FROMORTOLEG
 ENTITYNAME
Sipaymenttbl
 CHECKNUMBER

PAYMENTDATE

SIPROCESSED

Si-fund

FUNDID

ISSUED

CERTREQUIRED

SINGLECERT

MINHOLDCHKREQ

FROMFUNDPRICEBASIS

CONTRIBUTIONPERCENTAGE

CONTRIBUTIONAMOUNT

FUNDNAME

Routing-Det

SWIFTFORMAT

BANKCHARGED

BENEFICIARY

BENEFICIARYADD1

BENEFICIARYADD2

BENEFICIARYADD3

BENEFICIARBICCODE

BENEFICIARYACCTNO

BENEFICIARYCODE

BENEFICIARYINFO

INTERMEDIARY

INTERMEDIARYADD1

INTERMEDIARYADD2

INTERMEDIARYADD3

INTERMEDIARYBICCODE

INTERMEDIARYACCTNO

REFERENCE1

REFERENCE2

BENEFICIARYIBAN

INTERMEDIARYIBAN

INTERMEDIARYCODE

INTERMEDIARYINFO

FURTHERCREDITNAME

FURTHERCREDITACCTNO

Si-check-temp-details

STARTINGCHECKNO

NOOFCHECKLEAVES

CHECKSTARTDATE

Simastertblbutton

FCUBS_HEADER

Attribute	Description
Name	FCUBS HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description						
Name	PARAM						
Datatype							
Description							
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	maxOccurs	unbounded	minOccurs	0
	Attribute	Description					
	maxOccurs	unbounded					
minOccurs	0						

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

Simastertbl-Full

Attribute	Description
Name	Simastertbl-Full
Datatype	
Description	

[TOP](#)

NOOFSITRANSACTIONS

Attribute	Description				
Name	NOOFSITRANSACTIONS				
Datatype	Number				
Description	Indicates Number of Standing Instructions				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				

SILEVEL

Attribute	Description	
Name	SILEVEL	
Datatype	String	
Description	Indicates Standing Instruction Level, F for fund, P for plan	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,P

PLANCODE

Attribute	Description	
Name	PLANCODE	
Datatype	String	
Description	Indicates Plan Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

FIRSTPAYMENTDATE

Attribute	Description	
Name	FIRSTPAYMENTDATE	
Datatype	Date	
Description	Indicates First Payment Date	
Attributes	Attribute	Description
	minOccurs	0

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

DESC

Attribute	Description
Name	DESC

Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

UNITHOLDERID

Attribute	Description	
Name	UNITHOLDERID	
Datatype	String	
Description	Indicates Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSACTIONTYPE

Attribute	Description	
Name	TRANSACTIONTYPE	
Datatype	String	
Description	Indicates Transaction Type, 02 for Subscription, 03 for Redemption, 04 for Switch, 05 for Transfer, 01 for IPO Subscription	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	02,03,04,05,01

[TOP](#)

EFFECTIVESTARTDATE

Attribute	Description	
Name	EFFECTIVESTARTDATE	
Datatype	Date	
Description	Indicates Effective Start Date	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

EFFECTIVEENDDATE

Attribute	Description	
Name	EFFECTIVEENDDATE	
Datatype	Date	
Description	Indicates Effective End Date	
Attributes	Attribute	Description
	minOccurs	0

SFREQUENCY

Attribute	Description	
Name	SFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

UNITS

Attribute	Description	
Name	UNITS	
Datatype	Number	
Description	Indicates Units	
Attributes	Attribute	Description
	minOccurs	0

HOLDINGSPERCENTAGE

Attribute	Description	
Name	HOLDINGSPERCENTAGE	
Datatype	Number	
Description	Indicates Holdings Percentage	
Attributes	Attribute	Description
	minOccurs	0

TRANSACTIONCURRENCY

Attribute	Description	
Name	TRANSACTIONCURRENCY	
Datatype	String	
Description	Indicates Transaction Currency	
Attributes	Attribute	Description
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

TOUNITHOLDERID

Attribute	Description	
Name	TOUNITHOLDERID	
Datatype	String	
Description	Indicates To Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOFUNDID

Attribute	Description	
Name	TOFUNDID	
Datatype	String	
Description	Indicates To Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTTYPE

Attribute	Description	
Name	TRANSFERACCOUNTTYPE	
Datatype	String	
Description	Indicates Transfer Account Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

REMINDERBEFOREACTION

Attribute	Description	
Name	REMINDERBEFOREACTION	
Datatype	Number	
Description	Indicates Reminder Before Action	
Attributes	Attribute	Description
	minOccurs	1

REMINDERMINPERIOD

Attribute	Description	
Name	REMINDERMINPERIOD	
Datatype	Number	
Description	Indicates Reminder Minimum Period	
Attributes	Attribute	Description
	minOccurs	0

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

LASTPROCESSEDDATE

Attribute	Description	
Name	LASTPROCESSEDDATE	
Datatype	Date	
Description	Indicates Last Processed Date	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

[TOP](#)

GROSSORNET

Attribute	Description	
Name	GROSSORNET	
Datatype	String	
Description	Indicates Gross or Net, G for Gross, N for Net	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	G,N

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	
Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	T,Q,R,D,F,I,AT,BQ,CQ,DR,DT,FQ,GQ,IQ,LQ,OQ,PD,PQ,RQ,TT,WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description
-----------	-------------

Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCOUNTHOLDERNAME	
Datatype	String	
Description	Indicates Transfer Account Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

THRDPARTYPAYMENTREF

Attribute	Description	
Name	THRDPARTYPAYMENTREF	
Datatype	String	
Description	Indicates Third Party Payment Reference	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

THRDPARTYADDRLINE1

Attribute	Description	
Name	THRDPARTYADDRLINE1	
Datatype	String	
Description	Indicates Third Party Address Line 1	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE2

Attribute	Description	
Name	THRDPARTYADDRLINE2	
Datatype	String	
Description	Indicates Third Party Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE3

Attribute	Description	
Name	THRDPARTYADDRLINE3	
Datatype	String	
Description	Indicates Third Party Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE4

Attribute	Description	
Name	THRDPARTYADDRLINE4	
Datatype	String	
Description	Indicates Third Party Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THIRDPARTYZIPCODE

Attribute	Description	
Name	THIRDPARTYZIPCODE	
Datatype	String	
Description	Indicates Third Party Zip Code	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

THIRDPARTYUSSTATE

Attribute	Description	
Name	THIRDPARTYUSSTATE	
Datatype	Number	
Description	Indicates Third Party US State	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CIFNUMBER

Attribute	Description	
Name	CIFNUMBER	
Datatype	String	
Description	Indicates CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOCIFNUMBER

Attribute	Description	
Name	TOCIFNUMBER	
Datatype	String	
Description	Indicates To CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DELIVERYOPTION

Attribute	Description	
Name	DELIVERYOPTION	
Datatype	String	
Description	Indicates Delivery Option	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

COUNTRYNAME

Attribute	Description	
Name	COUNTRYNAME	
Datatype	String	
Description	Indicates Country Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHASEIN

Attribute	Description	
Name	PHASEIN	
Datatype	Number	
Description	Indicates Phase In	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASE_INTYPE

Attribute	Description	
Name	PHASE_INTYPE	
Datatype	String	
Description	Indicates Phase In Type, H for holdings	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	H

[TOP](#)

UHNAME

Attribute	Description	
Name	UHNAME	
Datatype	String	
Description	Indicates Unit Holder Name	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PLANDESC

Attribute	Description	
Name	PLANDESC	
Datatype	String	
Description	Indicates Plan Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

BANKNAME

Attribute	Description	
Name	BANKNAME	
Datatype	String	
Description	Indicates Bank Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

BRANCH_NAME

Attribute	Description	
Name	BRANCH_NAME	
Datatype	String	
Description	Indicates Branch Name	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

TXNCURRENCYDESCRIPTION

Attribute	Description	
Name	TXNCURRENCYDESCRIPTION	
Datatype	String	
Description	Indicates Transaction Currency Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SIPAYMNTREJCOUNTER

Attribute	Description	
Name	SIPAYMNTREJCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

CONSSIPAYMNTREJCENTER

Attribute	Description	
Name	CONSSIPAYMNTREJCENTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0

CONSSIAUTCOUNTER

Attribute	Description	
Name	CONSSIAUTCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

NOOFSITXNSGENERATED

Attribute	Description	
Name	NOOFSITXNSGENERATED	
Datatype	Number	
Description	Indicates Number of Standing Instruction Transactions Generated	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

SINGLECERTIFICATE

Attribute	Description	
Name	SINGLECERTIFICATE	
Datatype	String	
Description	Indicates Single Certificate	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

FROMISSUEDBAL

Attribute	Description	
Name	FROMISSUEDBAL	
Datatype	String	
Description	Indicates From Issued Balance	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	26

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

TOUNITHOLDERNAME

Attribute	Description	
Name	TOUNITHOLDERNAME	
Datatype	String	
Description	Indicates To Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description	Indicates Transaction Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description	Indicates Authorization Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

Siheader

Attribute	Description	
Name	Siheader	
Datatype		
Description	Indicates Standing Instruction Header	
Attributes	Attribute	Description
	minOccurs	0

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description	Indicates Delivery Details	
Attributes	Attribute	Description
	minOccurs	0

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

[TOP](#)

ADDRESSLINE1

Attribute	Description	
Name	ADDRESSLINE1	
Datatype	String	
Description	Indicates Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESSLINE2

Attribute	Description	
Name	ADDRESSLINE2	
Datatype	String	
Description	Indicates Address Line 2	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

Fundeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

[TOP](#)

SPLITPERCENTAGE

Attribute	Description	
Name	SPLITPERCENTAGE	
Datatype	Number	
Description	Indicates Split Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FROMORTOLEG

Attribute	Description	
Name	FROMORTOLEG	
Datatype	String	
Description	Indicates From or To Leg, F for from, T for to	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,T

[TOP](#)

ENTITYNAME

Attribute	Description	
Name	ENTITYNAME	
Datatype	String	
Description	Indicates Entity Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

ISSUED

Attribute	Description	
Name	ISSUED	
Datatype	String	
Description	Indicates Issued, 1 for Yes, 0 for No, 2 for Both	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0,2

[TOP](#)

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

SINGLECERT

Attribute	Description	
Name	SINGLECERT	
Datatype	String	
Description	Indicates Single Certification, 1 for Yes, 0 for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

MINHOLDCHKREQ

Attribute	Description	
Name	MINHOLDCHKREQ	
Datatype	Number	
Description	Indicates Minimum Hold Check Required	
Attributes	Attribute	Description
	minOccurs	0

FROMFUNDPRICEBASIS

Attribute	Description	
Name	FROMFUNDPRICEBASIS	
Datatype	String	
Description	Indicates From Fund Price Basis	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

CONTRIBUTIONPERCENTAGE

Attribute	Description	
Name	CONTRIBUTIONPERCENTAGE	
Datatype	Number	
Description	Indicates Contribution Percentage	
Attributes	Attribute	Description
	minOccurs	0

CONTRIBUTIONAMOUNT

Attribute	Description	
Name	CONTRIBUTIONAMOUNT	
Datatype	Number	
Description	Indicates Contribution Amount	
Attributes	Attribute	Description
	minOccurs	0

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

Routing-Det

Attribute	Description	
Name	Routing-Det	
Datatype		
Description	Indicates Routing Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SWIFTFORMAT

Attribute	Description	
Name	SWIFTFORMAT	
Datatype	String	
Description	Indicates Swift Format, MT103 and MT202	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	MT103,MT202

[TOP](#)

BANKCHARGED

Attribute	Description	
Name	BANKCHARGED	
Datatype	String	
Description	Indicates Bank Charged - Shared and Remit	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Shared,Remit

[TOP](#)

BENEFICIARY

Attribute	Description	
Name	BENEFICIARY	
Datatype	String	
Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description	
Name	BENEFICIARYADD2	
Datatype	String	
Description	Indicates Beneficiary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description
Name	BENEFICIARYACCTNO

Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYIBAN

Attribute	Description	
Name	INTERMEDIARYIBAN	
Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

Si-check-temp-details

Attribute	Description	
Name	Si-check-temp-details	
Datatype		
Description	Indicates Standing Instruction Check Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

STARTINGCHECKNO

Attribute	Description	
Name	STARTINGCHECKNO	
Datatype	Number	
Description	Indicates Starting check number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFCHECKLEAVES

Attribute	Description	
Name	NOOFCHECKLEAVES	
Datatype	Number	
Description	Indicates Number of check leaves	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHECKSTARTDATE

Attribute	Description	
Name	CHECKSTARTDATE	
Datatype	Date	
Description	Indicates Check start date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Simastertblbutton

Attribute	Description	
Name	Simastertblbutton	
Datatype		
Description	Indicates Standing Instruction Master table button	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

2.2.2.UT-CreateStandingInstruction-Req-IO-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-IO

NOOFSITRANSACTIONS

SILEVEL

PLANCODE

FIRSTPAYMENTDATE

SIID

DESC

UNITHOLDERID

TRANSACTIONTYPE

EFFECTIVESTARTDATE

EFFECTIVEENDDATE

SFREQUENCY

AMOUNT

UNITS

HOLDINGSPERCENTAGE

TRANSACTIONCURRENCY

TOFUNDID

PAYMENTBRANCH

TRANSFERACCOUNTTYPE

TRANSFERACCOUNTNUMBER

REMINDERBEFOREACTION
REMINDERMINPERIOD
SISTATUS
GENERATEAUTHXN
SIESCALATIONFREQUENCY
NEXTESCALATIONDATE
ESCALATIONTYPE
GROSSORNET
MODEPAY
ESCALATIONSTARTDATE
ESCALATIONENDDATE
PAYMENTBANKCODE
TRANSFERACCOUNTHOLDERNAME
PAYMENTTYPE
THRDPARTYPAYMENTREF
THRDPARTYADDRLINE1
THRDPARTYADDRLINE2
THRDPARTYADDRLINE3
THRDPARTYADDRLINE4
THIRDPARTYZIPCODE
THIRDPARTYUSSTATE
DELIVERYOPTION
BICCODE
COUNTRYNAME
PHASEIN
PHASE_INTYPE
CAMPAIGNCODE
SIAUTOTERMINATIONCOUNTER
CONSSIAUTOCOUNTER
ESCALATIONVALUE
IBAN
FUNDID
SINGLECERTIFICATE
FROMISSUEDBAL
CERTREQUIRED
PHASEINOC
Delivery-Details
DELIVERYTYPE
CLEARINGAGENTNAME
ACCOUNTNUMBER
ACCOUNTNAME
ADDRESSTYPE
ADDRESSLINE1
ADDRESSLINE2

ADDRESS3
CTRY
ZIPCODE
COUNTRY
BICCODE
CERTLOTSIZE
IBAN
Funddeliveryinstruction
CERTDENOM
CERTIFICATEDESC
Intermediary-Details
BROKERINTERMEDIARY
ENTITYTYPE
SPLITPERCENTAGE
FROMORTOLEG
Sipaymenttbl
CHECKNUMBER
PAYMENTDATE
SIPROCESSED
Si-fund
FUNDID
ISSUED
CERTREQUIRED
SINGLECERT
MINHOLDCHKREQ
FROMFUNDPRICEBASIS
CONTRIBUTIONPERCENTAGE
CONTRIBUTIONAMOUNT
Routing-Det
SWIFTFORMAT
BANKCHARGED
BENEFICIARY
BENEFICIARYADD1
BENEFICIARYADD2
BENEFICIARYADD3
BENEFICIARBICCODE
BENEFICIARYACCTNO
BENEFICIARYCODE
BENEFICIARYINFO
INTERMEDIARY
INTERMEDIARYADD1
INTERMEDIARYADD2
INTERMEDIARYADD3
INTERMEDIARYBICCODE

[INTERMEDIARYACCTNO](#)
[REFERENCE1](#)
[REFERENCE2](#)
[BENEFICIARYIBAN](#)
[INTERMEDIARYIBAN](#)
[INTERMEDIARYCODE](#)
[INTERMEDIARYINFO](#)
[FURTHERCREDITNAME](#)
[FURTHERCREDITACCTNO](#)
[Si-check-temp-details](#)
[STARTINGCHECKNO](#)
[NOOFCHECKLEAVES](#)
[CHECKSTARTDATE](#)

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description				
Name	SOURCE				
Datatype	String				
Description					
Restrictions	<table border="1"> <thead> <tr> <th>Restrictions</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[a-zA-Z_0-9]*</td> </tr> </tbody> </table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
	Restrictions	Description			
pattern	[a-zA-Z_0-9]*				

[TOP](#)

UBSCOMP

Attribute	Description				
Name	UBSCOMP				
Datatype	String				
Description					
Restrictions	<table border="1"> <thead> <tr> <th>Restrictions</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>FCUBS,FCIS</td> </tr> </tbody> </table>	Restrictions	Description	enumeration	FCUBS,FCIS
	Restrictions	Description			
enumeration	FCUBS,FCIS				

[TOP](#)

MSGID

Attribute	Description						
Name	MSGID						
Datatype	String						
Description							
Attributes	<table border="1"> <thead> <tr> <th>Attribute</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>minOccurs</td> <td>0</td> </tr> <tr> <td>nillable</td> <td>true</td> </tr> </tbody> </table>	Attribute	Description	minOccurs	0	nillable	true
	Attribute	Description					
	minOccurs	0					
nillable	true						

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

DESTINATION

Attribute	Description
Name	DESTINATION

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTIRIPID

Attribute	Description	
Name	MULTIRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description	
Name	NAME	
Datatype	String	
Description		

[TOP](#)

VALUE

Attribute	Description	
Name	VALUE	
Datatype	String	
Description		

[TOP](#)

FCUBS_BODY

Attribute	Description	
Name	FCUBS_BODY	
Datatype		
Description		

[TOP](#)

Simastertbl-IO

Attribute	Description
Name	Simastertbl-IO
Datatype	
Description	

[TOP](#)

NOOFSITRANSACTIONS

Attribute	Description	
Name	NOOFSITRANSACTIONS	
Datatype	Number	
Description	Indicates Number of Standing Instructions	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SILEVEL

Attribute	Description	
Name	SILEVEL	
Datatype	String	
Description	Indicates Standing Instruction Level, F for fund, P for plan	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,P

[TOP](#)

PLANCODE

Attribute	Description	
Name	PLANCODE	
Datatype	String	
Description	Indicates Plan Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

FIRSTPAYMENTDATE

Attribute	Description	
Name	FIRSTPAYMENTDATE	
Datatype	Date	
Description	Indicates First Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIID

Attribute	Description				
Name	SIID				
Datatype	String				
Description	Indicates Standing Instruction Id				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>16</td></tr></tbody></table>	Restrictions	Description	maxLength	16
	Restrictions	Description			
maxLength	16				

[TOP](#)

DESC

Attribute	Description				
Name	DESC				
Datatype	String				
Description	Indicates Description				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>50</td></tr></tbody></table>	Restrictions	Description	maxLength	50
	Restrictions	Description			
maxLength	50				

[TOP](#)

UNITHOLDERID

Attribute	Description				
Name	UNITHOLDERID				
Datatype	String				
Description	Indicates Unit Holder Id				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>1</td></tr></tbody></table>	Attribute	Description	minOccurs	1
	Attribute	Description			
minOccurs	1				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>12</td></tr></tbody></table>	Restrictions	Description	maxLength	12
	Restrictions	Description			
maxLength	12				

[TOP](#)

TRANSACTIONTYPE

Attribute	Description				
Name	TRANSACTIONTYPE				
Datatype	String				
Description	Indicates Transaction Type, 02 for Subscription, 03 for Redemption, 04 for Switch, 05 for Transfer, 01 for IPO Subscription				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>1</td></tr></tbody></table>	Attribute	Description	minOccurs	1
	Attribute	Description			
minOccurs	1				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>02,03,04,05,01</td></tr></tbody></table>	Restrictions	Description	enumeration	02,03,04,05,01
	Restrictions	Description			
enumeration	02,03,04,05,01				

[TOP](#)

EFFECTIVESTARTDATE

Attribute	Description	
Name	EFFECTIVESTARTDATE	
Datatype	Date	
Description	Indicates Effective Start Date	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

EFFECTIVEENDDATE

Attribute	Description	
Name	EFFECTIVEENDDATE	
Datatype	Date	
Description	Indicates Effective End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SFREQUENCY

Attribute	Description	
Name	SFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

UNITS

Attribute	Description	
Name	UNITS	
Datatype	Number	
Description	Indicates Units	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

HOLDINGSPERCENTAGE

Attribute	Description	
Name	HOLDINGSPERCENTAGE	
Datatype	Number	
Description	Indicates Holdings Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TRANSACTIONCURRENCY

Attribute	Description	
Name	TRANSACTIONCURRENCY	
Datatype	String	
Description	Indicates Transaction Currency	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

TOFUNDID

Attribute	Description	
Name	TOFUNDID	
Datatype	String	
Description	Indicates To Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTTYPE

Attribute	Description
Name	TRANSFERACCOUNTTYPE
Datatype	String

Description	Indicates Transfer Account Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

REMINDERBEFOREACTION

Attribute	Description	
Name	REMINDERBEFOREACTION	
Datatype	Number	
Description	Indicates Reminder Before Action	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

REMINDERMINPERIOD

Attribute	Description	
Name	REMINDERMINPERIOD	
Datatype	Number	
Description	Indicates Reminder Minimum Period	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	1

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

GROSSORNET

Attribute	Description	
Name	GROSSORNET	
Datatype	String	

Description	Indicates Gross or Net, G for Gross, N for Net	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	G,N

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	
Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	T,Q,R,D,F,I,AT,BQ,CQ,DR,DT,FQ,GQ,IQ,LQ,OQ,PD,PQ,RQ,TT,WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description	
Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCTHOLDERNAME	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

THRDPARTYPAYMENTREF

Attribute	Description	
Name	THRDPARTYPAYMENTREF	
Datatype	String	
Description	Indicates Third Party Payment Reference	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

THRDPARTYADDRLINE1

Attribute	Description	
Name	THRDPARTYADDRLINE1	
Datatype	String	
Description	Indicates Third Party Address Line 1	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE2

Attribute	Description	
Name	THRDPARTYADDRLINE2	
Datatype	String	
Description	Indicates Third Party Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE3

Attribute	Description	
Name	THRDPARTYADDRLINE3	
Datatype	String	
Description	Indicates Third Party Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE4

Attribute	Description	
Name	THRDPARTYADDRLINE4	
Datatype	String	
Description	Indicates Third Party Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THIRDPARTYZIPCODE

Attribute	Description	
Name	THIRDPARTYZIPCODE	
Datatype	String	
Description	Indicates Third Party Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

THIRDPARTYUSSTATE

Attribute	Description	
Name	THIRDPARTYUSSTATE	
Datatype	Number	
Description	Indicates Third Party US State	
Attributes	Attribute	Description
	minOccurs	0

DELIVERYOPTION

Attribute	Description	
Name	DELIVERYOPTION	
Datatype	String	
Description	Indicates Delivery Option	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

COUNTRYNAME

Attribute	Description	
Name	COUNTRYNAME	
Datatype	String	
Description	Indicates Country Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

PHASEIN

Attribute	Description
Name	PHASEIN

Datatype	Number	
Description	Indicates Phase In	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASE_INTYPE

Attribute	Description	
Name	PHASE_INTYPE	
Datatype	String	
Description	Indicates Phase In Type, H for holdings	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	H

[TOP](#)

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CONSSIAUTCOUNTER

Attribute	Description	
Name	CONSSIAUTCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

SINGLECERTIFICATE

Attribute	Description	
Name	SINGLECERTIFICATE	
Datatype	String	
Description	Indicates Single Certificate	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

FROMISSUEDBAL

Attribute	Description
Name	FROMISSUEDBAL

Datatype	String	
Description	Indicates From Issued Balance	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	26

[TOP](#)

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description	Indicates Delivery Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

ADDRESSLINE1

Attribute	Description	
Name	ADDRESSLINE1	
Datatype	String	
Description	Indicates Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESSLINE2

Attribute	Description	
Name	ADDRESSLINE2	
Datatype	String	
Description	Indicates Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description
Name	ZIPCODE

Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

Funddeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

SPLITPERCENTAGE

Attribute	Description	
Name	SPLITPERCENTAGE	
Datatype	Number	
Description	Indicates Split Percentage	
Attributes	Attribute	Description
	minOccurs	0

FROMORTOLEG

Attribute	Description	
Name	FROMORTOLEG	
Datatype	String	
Description	Indicates From or To Leg, F for from, T for to	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,T

Sipaymenttbl

Attribute	Description
-----------	-------------

Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

FUNDID

Attribute	Description				
Name	FUNDID				
Datatype	String				
Description	Indicates Fund Id				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>6</td></tr></tbody></table>	Restrictions	Description	maxLength	6
	Restrictions	Description			
maxLength	6				

[TOP](#)

ISSUED

Attribute	Description				
Name	ISSUED				
Datatype	String				
Description	Indicates Issued, 1 for Yes, 0 for No, 2 for Both				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>1,0,2</td></tr></tbody></table>	Restrictions	Description	enumeration	1,0,2
	Restrictions	Description			
enumeration	1,0,2				

[TOP](#)

CERTREQUIRED

Attribute	Description				
Name	CERTREQUIRED				
Datatype	String				
Description	Indicates Certificate Required				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>1,0</td></tr></tbody></table>	Restrictions	Description	enumeration	1,0
	Restrictions	Description			
enumeration	1,0				

[TOP](#)

SINGLECERT

Attribute	Description				
Name	SINGLECERT				
Datatype	String				
Description	Indicates Single Certification, 1 for Yes, 0 for No				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>1,0</td></tr></tbody></table>	Restrictions	Description	enumeration	1,0
	Restrictions	Description			
enumeration	1,0				

[TOP](#)

MINHOLDCHKREQ

Attribute	Description
-----------	-------------

Name	MINHOLDCHKREQ	
Datatype	Number	
Description	Indicates Minimum Hold Check Required	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FROMFUNDPRICEBASIS

Attribute	Description	
Name	FROMFUNDPRICEBASIS	
Datatype	String	
Description	Indicates From Fund Price Basis	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CONTRIBUTIONPERCENTAGE

Attribute	Description	
Name	CONTRIBUTIONPERCENTAGE	
Datatype	Number	
Description	Indicates Contribution Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTRIBUTIONAMOUNT

Attribute	Description	
Name	CONTRIBUTIONAMOUNT	
Datatype	Number	
Description	Indicates Contribution Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Routing-Det

Attribute	Description	
Name	Routing-Det	
Datatype		
Description	Indicates Routing Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SWIFFORMAT

Attribute	Description
------------------	--------------------

Name	SWIFTFORMAT	
Datatype	String	
Description	Indicates Swift Format, MT103 and MT202	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	MT103,MT202

[TOP](#)

BANKCHARGED

Attribute	Description	
Name	BANKCHARGED	
Datatype	String	
Description	Indicates Bank Charged - Shared and Remit	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Shared,Remit

[TOP](#)

BENEFICIARY

Attribute	Description	
Name	BENEFICIARY	
Datatype	String	
Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description	
Name	BENEFICIARYADD2	
Datatype	String	
Description	Indicates Beneficiary Address 2	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description	
Name	BENEFICIARYACCTNO	
Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYIBAN

Attribute	Description	
Name	INTERMEDIARYIBAN	
Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYINFO

Attribute	Description
Name	INTERMEDIARYINFO

Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Si-check-temp-details

Attribute	Description	
Name	Si-check-temp-details	
Datatype		
Description	Indicates Standing Instruction Check Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

STARTINGCHECKNO

Attribute	Description	
Name	STARTINGCHECKNO	
Datatype	Number	
Description	Indicates Starting check number	
Attributes	Attribute	Description
	minOccurs	0

NOOFCHECKLEAVES

Attribute	Description	
Name	NOOFCHECKLEAVES	
Datatype	Number	
Description	Indicates Number of check leaves	
Attributes	Attribute	Description
	minOccurs	0

CHECKSTARTDATE

Attribute	Description	
Name	CHECKSTARTDATE	
Datatype	Date	
Description	Indicates Check start date	
Attributes	Attribute	Description
	minOccurs	0

2.2.3.UT-CreateStandingInstruction-Res-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-Full

NOOFSITRANSACTIONS

SILEVEL

PLANCODE

FIRSTPAYMENTDATE

SIID

DESC

UNITHOLDERID

TRANSACTIONTYPE

EFFECTIVESTARTDATE

EFFECTIVEENDDATE

SFREQUENCY

AMOUNT

UNITS

HOLDINGSPERCENTAGE

TRANSACTIONCURRENCY

TOUNITHOLDERID

TOFUNDID

PAYMENTBRANCH

TRANSFERACCOUNTTYPE

TRANSFERACCOUNTNUMBER
REMINDERBEFOREACTION
REMINDERMINPERIOD
SISTATUS
LASTPROCESSEDDATE
GENERATEAUTHXN
SIESCALATIONFREQUENCY
NEXTESCALATIONDATE
ESCALATIONTYPE
GROSSORNET
MODEPAY
ESCALATIONSTARTDATE
ESCALATIONENDDATE
PAYMENTBANKCODE
TRANSFERACCOUNTHOLDERNAME
PAYMENTTYPE
THRDPARTYPAYMENTREF
THRDPARTYADDRLINE1
THRDPARTYADDRLINE2
THRDPARTYADDRLINE3
THRDPARTYADDRLINE4
THIRDPARTYZIPCODE
THIRDPARTYUSSTATE
CIFNUMBER
TOCIFNUMBER
DELIVERYOPTION
BICCODE
COUNTRYNAME
PHASEIN
PHASE_INTYPE
UHNAME
FUNDNAME
PLANDESC
BANKNAME
BRANCH_NAME
TXNCURRENCYDESCRIPTION
SIPAYMNTREJCOUNTER
CAMPAIGNCODE
SIAUTOTERMINATIONCOUNTER
CONSSIPAYMNTREJCENTER
CONSSIAUTOCOUNTER
NOOFSITXNSGENERATED
ESCALATIONVALUE
IBAN

FUNDID
SINGLECERTIFICATE
FROMISSUEDBAL
CERTREQUIRED
TOUNITHOLDERNAME
PHASEIN OCC
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Siheader

Delivery-Details

DELIVERYTYPE
CLEARINGAGENTNAME
ACCOUNTNUMBER
ACCOUNTNAME
ADDRESSTYPE
ADDRESSLINE1
ADDRESSLINE2
ADDRESS3
CTRY
ZIPCODE
COUNTRY
BICCODE
CERTLOTSIZE
IBAN
DESCRIPTION
Funddeliveryinstruction
CERTDENOM
CERTIFICATEDESC

Intermediary-Details

BROKERINTERMEDIARY
ENTITYTYPE
SPLITPERCENTAGE
FROMORTOLEG
ENTITYNAME

Sipaymenttbl

CHECKNUMBER
PAYMENTDATE
SIPROCESSED

Si-fund

FUNDID
ISSUED
CERTREQUIRED
SINGLECERT
MINHOLDCHKREQ
FROMFUNDPRICEBASIS
CONTRIBUTIONPERCENTAGE
CONTRIBUTIONAMOUNT
FUNDNAME

Routing-Det

SWIFTFORMAT
BANKCHARGED
BENEFICIARY
BENEFICIARYADD1
BENEFICIARYADD2
BENEFICIARYADD3
BENEFICIARBICCODE
BENEFICIARYACCTNO
BENEFICIARYCODE
BENEFICIARYINFO
INTERMEDIARY
INTERMEDIARYADD1
INTERMEDIARYADD2
INTERMEDIARYADD3
INTERMEDIARYBICCODE
INTERMEDIARYACCTNO
REFERENCE1
REFERENCE2
BENEFICIARYIBAN
INTERMEDIARYIBAN
INTERMEDIARYCODE
INTERMEDIARYINFO
FURTHERCREDITNAME
FURTHERCREDITACCTNO

Si-check-temp-details

STARTINGCHECKNO
NOOFCHECKLEAVES
CHECKSTARTDATE

Simastertblbutton

FCUBS_ERROR_RESP

ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description				
Name	SOURCE				
Datatype	String				
Description					
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
	Restrictions	Description			
pattern	[a-zA-Z_0-9]*				

[TOP](#)

UBSCOMP

Attribute	Description				
Name	UBSCOMP				
Datatype	String				
Description					
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></tbody></table>	Restrictions	Description	enumeration	FCUBS,FCIS
	Restrictions	Description			
enumeration	FCUBS,FCIS				

[TOP](#)

MSGID

Attribute	Description						
Name	MSGID						
Datatype	String						
Description							
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr><tr><td>nillable</td><td>true</td></tr></tbody></table>	Attribute	Description	minOccurs	0	nillable	true
	Attribute	Description					
	minOccurs	0					
nillable	true						
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*		
	Restrictions	Description					
pattern	[a-zA-Z_0-9]*						

[TOP](#)

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description

Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

Simastertbl-Full

Attribute	Description
Name	Simastertbl-Full
Datatype	
Description	

[TOP](#)

NOOFSITRANSACTIONS

Attribute	Description
Name	NOOFSITRANSACTIONS

Datatype	Number	
Description	Indicates Number of Standing Instructions	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SILEVEL

Attribute	Description	
Name	SILEVEL	
Datatype	String	
Description	Indicates Standing Instruction Level, F for fund, P for plan	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,P

[TOP](#)

PLANCODE

Attribute	Description	
Name	PLANCODE	
Datatype	String	
Description	Indicates Plan Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

FIRSTPAYMENTDATE

Attribute	Description	
Name	FIRSTPAYMENTDATE	
Datatype	Date	
Description	Indicates First Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

DESC

Attribute		Description
Name	DESC	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

UNITHOLDERID

Attribute		Description
Name	UNITHOLDERID	
Datatype	String	
Description	Indicates Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

TRANSACTIONTYPE

Attribute		Description
Name	TRANSACTIONTYPE	
Datatype	String	
Description	Indicates Transaction Type, 02 for Subscription, 03 for Redemption, 04 for Switch, 05 for Transfer, 01 for IPO Subscription	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	02,03,04,05,01

EFFECTIVESTARTDATE

Attribute		Description
Name	EFFECTIVESTARTDATE	
Datatype	Date	
Description	Indicates Effective Start Date	
Attributes	Attribute	Description
	minOccurs	1

EFFECTIVEENDDATE

Attribute	Description
-----------	-------------

Name	EFFECTIVEENDDATE	
Datatype	Date	
Description	Indicates Effective End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SFREQUENCY

Attribute	Description	
Name	SFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

UNITS

Attribute	Description	
Name	UNITS	
Datatype	Number	
Description	Indicates Units	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

HOLDINGSPERCENTAGE

Attribute	Description	
Name	HOLDINGSPERCENTAGE	
Datatype	Number	
Description	Indicates Holdings Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TRANSACTIONCURRENCY

Attribute	Description	
Name	TRANSACTIONCURRENCY	
Datatype	String	
Description	Indicates Transaction Currency	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

TOUNITHOLDERID

Attribute	Description	
Name	TOUNITHOLDERID	
Datatype	String	
Description	Indicates To Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOFUNDID

Attribute	Description	
Name	TOFUNDID	
Datatype	String	
Description	Indicates To Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTTYPE

Attribute	Description
Name	TRANSFERACCOUNTTYPE

Datatype	String	
Description	Indicates Transfer Account Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

REMINDERBEFOREACTION

Attribute	Description	
Name	REMINDERBEFOREACTION	
Datatype	Number	
Description	Indicates Reminder Before Action	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

REMINDERMINPERIOD

Attribute	Description	
Name	REMINDERMINPERIOD	
Datatype	Number	
Description	Indicates Reminder Minimum Period	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

LASTPROCESSEDDATE

Attribute	Description	
Name	LASTPROCESSEDDATE	
Datatype	Date	
Description	Indicates Last Processed Date	
Attributes	Attribute	Description
	minOccurs	0

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	1

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

[TOP](#)

GROSSORNET

Attribute	Description	
Name	GROSSORNET	
Datatype	String	
Description	Indicates Gross or Net, G for Gross, N for Net	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	G,N

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	
Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	T,Q,R,D,F,I,AT,BQ,CQ,DR,DT,FQ,GQ,IQ,LQ,OQ,PD,PQ,RQ,TT,WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description	
Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCTHOLDERNAME	
Datatype	String	
Description	Indicates Transfer Account Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

THRDPARTYPAYMENTREF

Attribute	Description	
Name	THRDPARTYPAYMENTREF	
Datatype	String	
Description	Indicates Third Party Payment Reference	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

THRDPARTYADDRLINE1

Attribute	Description	
Name	THRDPARTYADDRLINE1	
Datatype	String	
Description	Indicates Third Party Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE2

Attribute	Description	
Name	THRDPARTYADDRLINE2	
Datatype	String	
Description	Indicates Third Party Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE3

Attribute	Description	
Name	THRDPARTYADDRLINE3	
Datatype	String	
Description	Indicates Third Party Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE4

Attribute	Description	
Name	THRDPARTYADDRLINE4	
Datatype	String	
Description	Indicates Third Party Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THIRDPARTYZIPCODE

Attribute	Description	
Name	THIRDPARTYZIPCODE	
Datatype	String	
Description	Indicates Third Party Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

THIRDPARTYUSSTATE

Attribute	Description	
Name	THIRDPARTYUSSTATE	
Datatype	Number	
Description	Indicates Third Party US State	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CIFNUMBER

Attribute	Description	
Name	CIFNUMBER	
Datatype	String	
Description	Indicates CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOCIFNUMBER

Attribute	Description	
Name	TOCIFNUMBER	
Datatype	String	
Description	Indicates To CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DELIVERYOPTION

Attribute	Description	
Name	DELIVERYOPTION	
Datatype	String	
Description	Indicates Delivery Option	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

COUNTRYNAME

Attribute	Description	
Name	COUNTRYNAME	
Datatype	String	
Description	Indicates Country Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHASEIN

Attribute	Description	
Name	PHASEIN	
Datatype	Number	
Description	Indicates Phase In	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASE_INTYPE

Attribute	Description	
Name	PHASE_INTYPE	
Datatype	String	
Description	Indicates Phase In Type, H for holdings	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	H

[TOP](#)**UHNAME**

Attribute	Description	
Name	UHNAME	
Datatype	String	
Description	Indicates Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)**FUNDNAME**

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)**PLANDESC**

Attribute	Description	
Name	PLANDESC	
Datatype	String	
Description	Indicates Plan Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)**BANKNAME**

Attribute	Description	
Name	BANKNAME	
Datatype	String	
Description	Indicates Bank Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)**BRANCH_NAME**

Attribute	Description	
Name	BRANCH_NAME	
Datatype	String	
Description	Indicates Branch Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

TXNCURRENCYDESCRIPTION

Attribute	Description	
Name	TXNCURRENCYDESCRIPTION	
Datatype	String	
Description	Indicates Transaction Currency Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SIPAYMNTREJCOUNTER

Attribute	Description	
Name	SIPAYMNTREJCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	

Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CONSSIPAYMNTREJCENTER

Attribute	Description	
Name	CONSSIPAYMNTREJCENTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONSSIAUTCOUNTER

Attribute	Description	
Name	CONSSIAUTCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFSITXNSGENERATED

Attribute	Description	
Name	NOOFSITXNSGENERATED	
Datatype	Number	
Description	Indicates Number of Standing Instruction Transactions Generated	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	

Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SINGLECERTIFICATE

Attribute	Description	
Name	SINGLECERTIFICATE	
Datatype	String	
Description	Indicates Single Certificate	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

FROMISSUEDBAL

Attribute	Description	
Name	FROMISSUEDBAL	
Datatype	String	
Description	Indicates From Issued Balance	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	26

[TOP](#)

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

TOUNITHOLDERNAME

Attribute	Description	
Name	TOUNITHOLDERNAME	
Datatype	String	
Description	Indicates To Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description	Indicates Transaction Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String	
Description	Indicates Authorization Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Siheader

Attribute	Description	
Name	Siheader	
Datatype		
Description	Indicates Standing Instruction Header	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description	Indicates Delivery Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

ADDRESSLINE1

Attribute	Description	
Name	ADDRESSLINE1	
Datatype	String	
Description	Indicates Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

ADDRESSLINE2

Attribute	Description	
Name	ADDRESSLINE2	
Datatype	String	
Description	Indicates Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description
Name	COUNTRY

Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description	Indicates Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

Funddeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

SPLITPERCENTAGE

Attribute	Description	
Name	SPLITPERCENTAGE	
Datatype	Number	
Description	Indicates Split Percentage	
Attributes	Attribute	Description
	minOccurs	0

FROMORTOLEG

Attribute	Description	
Name	FROMORTOLEG	
Datatype	String	
Description	Indicates From or To Leg, F for from, T for to	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,T

ENTITYNAME

Attribute	Description
-----------	-------------

Name	ENTITYNAME	
Datatype	String	
Description	Indicates Entity Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

ISSUED

Attribute	Description	
Name	ISSUED	
Datatype	String	
Description	Indicates Issued, 1 for Yes, 0 for No, 2 for Both	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0,2

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

SINGLECERT

Attribute	Description
-----------	-------------

Name	SINGLECERT	
Datatype	String	
Description	Indicates Single Certification, 1 for Yes, 0 for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

MINHOLDCHKREQ

Attribute	Description	
Name	MINHOLDCHKREQ	
Datatype	Number	
Description	Indicates Minimum Hold Check Required	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FROMFUNDPRICEBASIS

Attribute	Description	
Name	FROMFUNDPRICEBASIS	
Datatype	String	
Description	Indicates From Fund Price Basis	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CONTRIBUTIONPERCENTAGE

Attribute	Description	
Name	CONTRIBUTIONPERCENTAGE	
Datatype	Number	
Description	Indicates Contribution Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTRIBUTIONAMOUNT

Attribute	Description	
Name	CONTRIBUTIONAMOUNT	
Datatype	Number	
Description	Indicates Contribution Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FUNDNAME

Attribute	Description				
Name	FUNDNAME				
Datatype	String				
Description	Indicates Fund Name				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>60</td></tr></tbody></table>	Restrictions	Description	maxLength	60
	Restrictions	Description			
maxLength	60				

[TOP](#)

Routing-Det

Attribute	Description				
Name	Routing-Det				
Datatype					
Description	Indicates Routing Details				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				

[TOP](#)

SWIFTFORMAT

Attribute	Description				
Name	SWIFTFORMAT				
Datatype	String				
Description	Indicates Swift Format, MT103 and MT202				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>MT103,MT202</td></tr></tbody></table>	Restrictions	Description	enumeration	MT103,MT202
	Restrictions	Description			
enumeration	MT103,MT202				

[TOP](#)

BANKCHARGED

Attribute	Description				
Name	BANKCHARGED				
Datatype	String				
Description	Indicates Bank Charged - Shared and Remit				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>Shared,Remit</td></tr></tbody></table>	Restrictions	Description	enumeration	Shared,Remit
	Restrictions	Description			
enumeration	Shared,Remit				

[TOP](#)

BENEFICIARY

Attribute	Description
Name	BENEFICIARY
Datatype	String

Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description	
Name	BENEFICIARYADD2	
Datatype	String	
Description	Indicates Beneficiary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description	
Name	BENEFICIARYACCTNO	
Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYIBAN

Attribute	Description
Name	INTERMEDIARYIBAN

Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Si-check-temp-details

Attribute	Description	
Name	Si-check-temp-details	
Datatype		
Description	Indicates Standing Instruction Check Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

STARTINGCHECKNO

Attribute	Description	
Name	STARTINGCHECKNO	
Datatype	Number	
Description	Indicates Starting check number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFCHECKLEAVES

Attribute	Description	
Name	NOOFCHECKLEAVES	
Datatype	Number	
Description	Indicates Number of check leaves	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHECKSTARTDATE

Attribute	Description	
Name	CHECKSTARTDATE	
Datatype	Date	
Description	Indicates Check start date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Simastertblbutton

Attribute	Description	
Name	Simastertblbutton	
Datatype		
Description	Indicates Standing Instruction Master table button	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

[TOP](#)

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description				
Name	WARNING				
Datatype					
Description					
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>maxOccurs</td><td>unbounded</td></tr></tbody></table>	Attribute	Description	maxOccurs	unbounded
	Attribute	Description			
maxOccurs	unbounded				

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)

2.2.4.UT-CreateStandingInstruction-Res-PK-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

CHOICE

Simastertbl-PK

SIID

Simastertbl-IO

NOOFSITRANSACTIONS

SILEVEL

PLANCODE

FIRSTPAYMENTDATE

SIID

DESC

UNITHOLDERID

TRANSACTIONTYPE

EFFECTIVESTARTDATE

EFFECTIVEENDDATE

SFREQUENCY

AMOUNT

UNITS

HOLDINGSPERCENTAGE

TRANSACTIONCURRENCY

TOFUNDID

PAYMENTBRANCH
TRANSFERACCOUNTTYPE
TRANSFERACCOUNTNUMBER
REMINDERBEFOREACTION
REMINDERMINPERIOD
SISTATUS
GENERATEAUTHXN
SIESCALATIONFREQUENCY
NEXTESCALATIONDATE
ESCALATIONTYPE
GROSSORNET
MODEPAY
ESCALATIONSTARTDATE
ESCALATIONENDDATE
PAYMENTBANKCODE
TRANSFERACCOUNTHOLDERNAME
PAYMENTTYPE
THRDPARTYPAYMENTREF
THRDPARTYADDRLINE1
THRDPARTYADDRLINE2
THRDPARTYADDRLINE3
THRDPARTYADDRLINE4
THIRDPARTYZIPCODE
THIRDPARTYUSSTATE
DELIVERYOPTION
BICCODE
COUNTRYNAME
PHASEIN
PHASE_INTYPE
CAMPAIGNCODE
SIAUTOTERMINATIONCOUNTER
CONSSIAUTOCOUNTER
ESCALATIONVALUE
IBAN
FUNDID
SINGLECERTIFICATE
FROMISSUEDBAL
CERTREQUIRED
PHASEIN OCC
Delivery-Details
DELIVERYTYPE
CLEARINGAGENTNAME
ACCOUNTNUMBER
ACCOUNTNAME

ADDRESSTYPE
ADDRESSLINE1
ADDRESSLINE2
ADDRESS3
CTRY
ZIPCODE
COUNTRY
BICCODE
CERTLOTSIZE
IBAN
Funddeliveryinstruction
CERTDENOM
CERTIFICATEDESC
Intermediary-Details
BROKERINTERMEDIARY
ENTITYTYPE
SPLITPERCENTAGE
FROMORTOLEG
Sipaymenttbl
CHECKNUMBER
PAYMENTDATE
SIPROCESSED
Si-fund
FUNDID
ISSUED
CERTREQUIRED
SINGLECERT
MINHOLDCHKREQ
FROMFUNDPRICEBASIS
CONTRIBUTIONPERCENTAGE
CONTRIBUTIONAMOUNT
Routing-Det
SWIFTFORMAT
BANKCHARGED
BENEFICIARY
BENEFICIARYADD1
BENEFICIARYADD2
BENEFICIARYADD3
BENEFICIARBICCODE
BENEFICIARYACCTNO
BENEFICIARYCODE
BENEFICIARYINFO
INTERMEDIARY
INTERMEDIARYADD1

INTERMEDIARYADD2
 INTERMEDIARYADD3
 INTERMEDIARYBICCODE
 INTERMEDIARYACCTNO
 REFERENCE1
 REFERENCE2
 BENEFICIARYIBAN
 INTERMEDIARYIBAN
 INTERMEDIARYCODE
 INTERMEDIARYINFO
 FURTHERCREDITNAME
 FURTHERCREDITACCTNO

Si-check-temp-details
 STARTINGCHECKNO
 NOOFCHECKLEAVES
 CHECKSTARTDATE

FCUBS_ERROR_RESP

ERROR
 ECODE
 EDESC

FCUBS_WARNING_RESP

WARNING
 WCODE
 WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description				
Name	SOURCE				
Datatype	String				
Description					
Restrictions	<table border="1"> <thead> <tr> <th>Restrictions</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[a-zA-Z_0-9]*</td> </tr> </tbody> </table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
Restrictions	Description				
pattern	[a-zA-Z_0-9]*				

[TOP](#)

UBSCOMP

Attribute	Description
Name	UBSCOMP
Datatype	String
Description	

Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description
Name	ACTION

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description	
Name	NAME	
Datatype	String	
Description		

[TOP](#)

VALUE

Attribute	Description	
------------------	--------------------	--

Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

[TOP](#)

Simastertbl-PK

Attribute	Description
Name	Simastertbl-PK
Datatype	
Description	

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

Simastertbl-IO

Attribute	Description
Name	Simastertbl-IO
Datatype	
Description	

[TOP](#)

NOOFSITRANSACTIONS

Attribute	Description
Name	NOOFSITRANSACTIONS
Datatype	Number

Description	Indicates Number of Standing Instructions	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SILEVEL

Attribute	Description	
Name	SILEVEL	
Datatype	String	
Description	Indicates Standing Instruction Level, F for fund, P for plan	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,P

[TOP](#)

PLANCODE

Attribute	Description	
Name	PLANCODE	
Datatype	String	
Description	Indicates Plan Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

FIRSTPAYMENTDATE

Attribute	Description	
Name	FIRSTPAYMENTDATE	
Datatype	Date	
Description	Indicates First Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

DESC

Attribute	Description				
Name	DESC				
Datatype	String				
Description	Indicates Description				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>50</td></tr></tbody></table>	Restrictions	Description	maxLength	50
	Restrictions	Description			
maxLength	50				

[TOP](#)

UNITHOLDERID

Attribute	Description				
Name	UNITHOLDERID				
Datatype	String				
Description	Indicates Unit Holder Id				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>1</td></tr></tbody></table>	Attribute	Description	minOccurs	1
	Attribute	Description			
minOccurs	1				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>12</td></tr></tbody></table>	Restrictions	Description	maxLength	12
	Restrictions	Description			
maxLength	12				

[TOP](#)

TRANSACTIONTYPE

Attribute	Description				
Name	TRANSACTIONTYPE				
Datatype	String				
Description	Indicates Transaction Type, 02 for Subscription, 03 for Redemption, 04 for Switch, 05 for Transfer, 01 for IPO Subscription				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>1</td></tr></tbody></table>	Attribute	Description	minOccurs	1
	Attribute	Description			
minOccurs	1				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>02,03,04,05,01</td></tr></tbody></table>	Restrictions	Description	enumeration	02,03,04,05,01
	Restrictions	Description			
enumeration	02,03,04,05,01				

[TOP](#)

EFFECTIVESTARTDATE

Attribute	Description				
Name	EFFECTIVESTARTDATE				
Datatype	Date				
Description	Indicates Effective Start Date				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>1</td></tr></tbody></table>	Attribute	Description	minOccurs	1
	Attribute	Description			
minOccurs	1				

[TOP](#)

EFFECTIVEENDDATE

Attribute	Description
Name	EFFECTIVEENDDATE
Datatype	Date

Description	Indicates Effective End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SFREQUENCY

Attribute	Description	
Name	SFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

UNITS

Attribute	Description	
Name	UNITS	
Datatype	Number	
Description	Indicates Units	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

HOLDINGSPERCENTAGE

Attribute	Description	
Name	HOLDINGSPERCENTAGE	
Datatype	Number	
Description	Indicates Holdings Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TRANSACTIONCURRENCY

Attribute	Description	
Name	TRANSACTIONCURRENCY	
Datatype	String	

Description	Indicates Transaction Currency	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

TOFUNDID

Attribute	Description	
Name	TOFUNDID	
Datatype	String	
Description	Indicates To Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTTYPE

Attribute	Description	
Name	TRANSFERACCOUNTTYPE	
Datatype	String	
Description	Indicates Transfer Account Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

REMINDERBEFOREACTION

Attribute	Description	
Name	REMINDERBEFOREACTION	
Datatype	Number	
Description	Indicates Reminder Before Action	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

REMINDERMINPERIOD

Attribute	Description	
Name	REMINDERMINPERIOD	
Datatype	Number	
Description	Indicates Reminder Minimum Period	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

[TOP](#)

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	

Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

[TOP](#)

GROSSORNET

Attribute	Description	
Name	GROSSORNET	
Datatype	String	
Description	Indicates Gross or Net, G for Gross, N for Net	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	G,N

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	

Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	T, Q, R, D, F, I, AT, BQ, CQ, DR, DT, FQ, GQ, IQ, LQ, OQ, PD, PQ, RQ, TT, WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description	
Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCONTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCONTHOLDERNAME	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

THRDPARTYPAYMENTREF

Attribute	Description	
Name	THRDPARTYPAYMENTREF	
Datatype	String	
Description	Indicates Third Party Payment Reference	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

THRDPARTYADDRLINE1

Attribute	Description	
Name	THRDPARTYADDRLINE1	
Datatype	String	
Description	Indicates Third Party Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE2

Attribute	Description	
Name	THRDPARTYADDRLINE2	
Datatype	String	
Description	Indicates Third Party Address Line 2	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE3

Attribute	Description	
Name	THRDPARTYADDRLINE3	
Datatype	String	
Description	Indicates Third Party Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE4

Attribute	Description	
Name	THRDPARTYADDRLINE4	
Datatype	String	
Description	Indicates Third Party Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THIRDPARTYZIPCODE

Attribute	Description	
Name	THIRDPARTYZIPCODE	
Datatype	String	
Description	Indicates Third Party Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

THIRDPARTYUSSTATE

Attribute	Description	
Name	THIRDPARTYUSSTATE	
Datatype	Number	
Description	Indicates Third Party US State	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DELIVERYOPTION

Attribute	Description	
Name	DELIVERYOPTION	
Datatype	String	
Description	Indicates Delivery Option	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

COUNTRYNAME

Attribute	Description	
Name	COUNTRYNAME	
Datatype	String	
Description	Indicates Country Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHASEIN

Attribute	Description	
Name	PHASEIN	
Datatype	Number	
Description	Indicates Phase In	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASE_INTYPE

Attribute	Description	
Name	PHASE_INTYPE	
Datatype	String	
Description	Indicates Phase In Type, H for holdings	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	H

[TOP](#)

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CONSSIAUTCOUNTER

Attribute	Description	
Name	CONSSIAUTCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SINGLECERTIFICATE

Attribute	Description	
Name	SINGLECERTIFICATE	
Datatype	String	
Description	Indicates Single Certificate	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

FROMISSUEDBAL

Attribute	Description	
Name	FROMISSUEDBAL	
Datatype	String	
Description	Indicates From Issued Balance	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	26

[TOP](#)

CERTREQUIRED

Attribute	Description
Name	CERTREQUIRED

Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description	Indicates Delivery Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

ADDRESSLINE1

Attribute	Description	
Name	ADDRESSLINE1	
Datatype	String	
Description	Indicates Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

ADDRESSLINE2

Attribute	Description	
Name	ADDRESSLINE2	
Datatype	String	
Description	Indicates Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description
Name	COUNTRY

Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

Funddeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

SPLITPERCENTAGE

Attribute	Description	
Name	SPLITPERCENTAGE	
Datatype	Number	
Description	Indicates Split Percentage	
Attributes	Attribute	Description
	minOccurs	0

FROMORTOLEG

Attribute	Description	
Name	FROMORTOLEG	
Datatype	String	
Description	Indicates From or To Leg, F for from, T for to	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,T

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	

Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

ISSUED

Attribute	Description	
Name	ISSUED	
Datatype	String	
Description	Indicates Issued, 1 for Yes, 0 for No, 2 for Both	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0,2

[TOP](#)

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

SINGLECERT

Attribute	Description	
Name	SINGLECERT	
Datatype	String	
Description	Indicates Single Certification, 1 for Yes, 0 for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

MINHOLDCHKREQ

Attribute	Description	
Name	MINHOLDCHKREQ	
Datatype	Number	
Description	Indicates Minimum Hold Check Required	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FROMFUNDPRICEBASIS

Attribute	Description	
Name	FROMFUNDPRICEBASIS	
Datatype	String	
Description	Indicates From Fund Price Basis	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CONTRIBUTIONPERCENTAGE

Attribute	Description	
Name	CONTRIBUTIONPERCENTAGE	
Datatype	Number	
Description	Indicates Contribution Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTRIBUTIONAMOUNT

Attribute	Description	
Name	CONTRIBUTIONAMOUNT	
Datatype	Number	
Description	Indicates Contribution Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Routing-Det

Attribute	Description	
Name	Routing-Det	
Datatype		
Description	Indicates Routing Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SWIFFORMAT

Attribute	Description	
Name	SWIFFORMAT	
Datatype	String	
Description	Indicates Swift Format, MT103 and MT202	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	MT103,MT202

[TOP](#)

BANKCHARGED

Attribute	Description
Name	BANKCHARGED

Datatype	String	
Description	Indicates Bank Charged - Shared and Remit	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Shared,Remit

[TOP](#)

BENEFICIARY

Attribute	Description	
Name	BENEFICIARY	
Datatype	String	
Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description	
Name	BENEFICIARYADD2	
Datatype	String	
Description	Indicates Beneficiary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description	
Name	BENEFICIARYACCTNO	
Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYIBAN

Attribute	Description	
Name	INTERMEDIARYIBAN	
Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

FURTHERCREDITNAME

Attribute	Description
Name	FURTHERCREDITNAME

Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Si-check-temp-details

Attribute	Description	
Name	Si-check-temp-details	
Datatype		
Description	Indicates Standing Instruction Check Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

STARTINGCHECKNO

Attribute	Description	
Name	STARTINGCHECKNO	
Datatype	Number	
Description	Indicates Starting check number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFCKECKLEAVES

Attribute	Description	
Name	NOOFCKECKLEAVES	
Datatype	Number	
Description	Indicates Number of check leaves	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHECKSTARTDATE

Attribute	Description	
Name	CHECKSTARTDATE	
Datatype	Date	
Description	Indicates Check start date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description	
Name	ECODE	
Datatype	String	
Description		

[TOP](#)

EDESC

Attribute	Description	
Name	EDESC	
Datatype	String	
Description		

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)

2.3.DeleteStandingInstruction

Delete StandingInstruction

2.3.1.UT-DeleteStandingInstruction-Req-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-Full

NOOFSITRANSACTIONS

SILEVEL

PLANCODE

FIRSTPAYMENTDATE

SIID

DESC

UNITHOLDERID

TRANSACTIONTYPE

EFFECTIVESTARTDATE

EFFECTIVEENDDATE

SFREQUENCY

AMOUNT

UNITS

HOLDINGSPERCENTAGE

TRANSACTIONCURRENCY

TOUNITHOLDERID

TOFUNDID
PAYMENTBRANCH
TRANSFERACCOUNTTYPE
TRANSFERACCOUNTNUMBER
REMINDERBEFOREACTION
REMINDERMINPERIOD
SISTATUS
LASTPROCESSEDDATE
GENERATEAUTHXN
SIESCALATIONFREQUENCY
NEXTESCALATIONDATE
ESCALATIONTYPE
GROSSORNET
MODEPAY
ESCALATIONSTARTDATE
ESCALATIONENDDATE
PAYMENTBANKCODE
TRANSFERACCOUNTHOLDERNAME
PAYMENTTYPE
THRDPARTYPAYMENTREF
THRDPARTYADDRLINE1
THRDPARTYADDRLINE2
THRDPARTYADDRLINE3
THRDPARTYADDRLINE4
THIRDPARTYZIPCODE
THIRDPARTYUSSTATE
CIFNUMBER
TOCIFNUMBER
DELIVERYOPTION
BICCODE
COUNTRYNAME
PHASEIN
PHASE_INTYPE
UHNAME
FUNDNAME
PLANDESC
BANKNAME
BRANCH_NAME
TXNCURRENCYDESCRIPTION
SIPAYMNTREJCOUNTER
CAMPAIGNCODE
SIAUTOTERMINATIONCOUNTER
CONSSIPAYMNTREJCENTER
CONSSIAUTOCOUNTER

NOOFSITXNSGENERATED
ESCALATIONVALUE
IBAN
FUNDID
SINGLECERTIFICATE
FROMISSUEDBAL
CERTREQUIRED
TOUNITHOLDERNAME
PHASEIN OCC
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Siheader
Delivery-Details
 DELIVERYTYPE
 CLEARINGAGENTNAME
 ACCOUNTNUMBER
 ACCOUNTNAME
 ADDRESSTYPE
 ADDRESSLINE1
 ADDRESSLINE2
 ADDRESS3
 CTRY
 ZIPCODE
 COUNTRY
 BICCODE
 CERTLOTSIZE
 IBAN
 DESCRIPTION
Funddeliveryinstruction
 CERTDENOM
 CERTIFICATEDESC
Intermediary-Details
 BROKERINTERMEDIARY
 ENTITYTYPE
 SPLITPERCENTAGE
 FROMORTOLEG
 ENTITYNAME
Sipaymenttbl
 CHECKNUMBER

PAYMENTDATE

SIPROCESSED

Si-fund

FUNDID

ISSUED

CERTREQUIRED

SINGLECERT

MINHOLDCHKREQ

FROMFUNDPRICEBASIS

CONTRIBUTIONPERCENTAGE

CONTRIBUTIONAMOUNT

FUNDNAME

Routing-Det

SWIFTFORMAT

BANKCHARGED

BENEFICIARY

BENEFICIARYADD1

BENEFICIARYADD2

BENEFICIARYADD3

BENEFICIARBICCODE

BENEFICIARYACCTNO

BENEFICIARYCODE

BENEFICIARYINFO

INTERMEDIARY

INTERMEDIARYADD1

INTERMEDIARYADD2

INTERMEDIARYADD3

INTERMEDIARYBICCODE

INTERMEDIARYACCTNO

REFERENCE1

REFERENCE2

BENEFICIARYIBAN

INTERMEDIARYIBAN

INTERMEDIARYCODE

INTERMEDIARYINFO

FURTHERCREDITNAME

FURTHERCREDITACCTNO

Si-check-temp-details

STARTINGCHECKNO

NOOFCHECKLEAVES

CHECKSTARTDATE

Simastertblbutton

FCUBS_HEADER

Attribute	Description
Name	FCUBS HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description						
Name	PARAM						
Datatype							
Description							
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	maxOccurs	unbounded	minOccurs	0
	Attribute	Description					
	maxOccurs	unbounded					
minOccurs	0						

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

Simastertbl-Full

Attribute	Description
Name	Simastertbl-Full
Datatype	
Description	

[TOP](#)

NOOFSITRANSACTIONS

Attribute	Description				
Name	NOOFSITRANSACTIONS				
Datatype	Number				
Description	Indicates Number of Standing Instructions				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				

SILEVEL

Attribute	Description	
Name	SILEVEL	
Datatype	String	
Description	Indicates Standing Instruction Level, F for fund, P for plan	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,P

PLANCODE

Attribute	Description	
Name	PLANCODE	
Datatype	String	
Description	Indicates Plan Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

FIRSTPAYMENTDATE

Attribute	Description	
Name	FIRSTPAYMENTDATE	
Datatype	Date	
Description	Indicates First Payment Date	
Attributes	Attribute	Description
	minOccurs	0

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

DESC

Attribute	Description
Name	DESC

Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

UNITHOLDERID

Attribute	Description	
Name	UNITHOLDERID	
Datatype	String	
Description	Indicates Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSACTIONTYPE

Attribute	Description	
Name	TRANSACTIONTYPE	
Datatype	String	
Description	Indicates Transaction Type, 02 for Subscription, 03 for Redemption, 04 for Switch, 05 for Transfer, 01 for IPO Subscription	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	02,03,04,05,01

[TOP](#)

EFFECTIVESTARTDATE

Attribute	Description	
Name	EFFECTIVESTARTDATE	
Datatype	Date	
Description	Indicates Effective Start Date	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

EFFECTIVEENDDATE

Attribute	Description	
Name	EFFECTIVEENDDATE	
Datatype	Date	
Description	Indicates Effective End Date	
Attributes	Attribute	Description
	minOccurs	0

SFREQUENCY

Attribute	Description	
Name	SFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

UNITS

Attribute	Description	
Name	UNITS	
Datatype	Number	
Description	Indicates Units	
Attributes	Attribute	Description
	minOccurs	0

HOLDINGSPERCENTAGE

Attribute	Description	
Name	HOLDINGSPERCENTAGE	
Datatype	Number	
Description	Indicates Holdings Percentage	
Attributes	Attribute	Description
	minOccurs	0

TRANSACTIONCURRENCY

Attribute	Description	
Name	TRANSACTIONCURRENCY	
Datatype	String	
Description	Indicates Transaction Currency	
Attributes	Attribute	Description
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

TOUNITHOLDERID

Attribute	Description	
Name	TOUNITHOLDERID	
Datatype	String	
Description	Indicates To Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOFUNDID

Attribute	Description	
Name	TOFUNDID	
Datatype	String	
Description	Indicates To Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTTYPE

Attribute	Description	
Name	TRANSFERACCOUNTTYPE	
Datatype	String	
Description	Indicates Transfer Account Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

REMINDERBEFOREACTION

Attribute	Description	
Name	REMINDERBEFOREACTION	
Datatype	Number	
Description	Indicates Reminder Before Action	
Attributes	Attribute	Description
	minOccurs	1

REMINDERMINPERIOD

Attribute	Description	
Name	REMINDERMINPERIOD	
Datatype	Number	
Description	Indicates Reminder Minimum Period	
Attributes	Attribute	Description
	minOccurs	0

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

LASTPROCESSEDDATE

Attribute	Description	
Name	LASTPROCESSEDDATE	
Datatype	Date	
Description	Indicates Last Processed Date	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

[TOP](#)

GROSSORNET

Attribute	Description	
Name	GROSSORNET	
Datatype	String	
Description	Indicates Gross or Net, G for Gross, N for Net	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	G,N

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	
Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	T,Q,R,D,F,I,AT,BQ,CQ,DR,DT,FQ,GQ,IQ,LQ,OQ,PD,PQ,RQ,TT,WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description
-----------	-------------

Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCOUNTHOLDERNAME	
Datatype	String	
Description	Indicates Transfer Account Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

THRDPARTYPAYMENTREF

Attribute	Description	
Name	THRDPARTYPAYMENTREF	
Datatype	String	
Description	Indicates Third Party Payment Reference	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

THRDPARTYADDRLINE1

Attribute	Description	
Name	THRDPARTYADDRLINE1	
Datatype	String	
Description	Indicates Third Party Address Line 1	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE2

Attribute	Description	
Name	THRDPARTYADDRLINE2	
Datatype	String	
Description	Indicates Third Party Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE3

Attribute	Description	
Name	THRDPARTYADDRLINE3	
Datatype	String	
Description	Indicates Third Party Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE4

Attribute	Description	
Name	THRDPARTYADDRLINE4	
Datatype	String	
Description	Indicates Third Party Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THIRDPARTYZIPCODE

Attribute	Description	
Name	THIRDPARTYZIPCODE	
Datatype	String	
Description	Indicates Third Party Zip Code	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

THIRDPARTYUSSTATE

Attribute	Description	
Name	THIRDPARTYUSSTATE	
Datatype	Number	
Description	Indicates Third Party US State	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CIFNUMBER

Attribute	Description	
Name	CIFNUMBER	
Datatype	String	
Description	Indicates CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOCIFNUMBER

Attribute	Description	
Name	TOCIFNUMBER	
Datatype	String	
Description	Indicates To CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DELIVERYOPTION

Attribute	Description	
Name	DELIVERYOPTION	
Datatype	String	
Description	Indicates Delivery Option	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

COUNTRYNAME

Attribute	Description	
Name	COUNTRYNAME	
Datatype	String	
Description	Indicates Country Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHASEIN

Attribute	Description	
Name	PHASEIN	
Datatype	Number	
Description	Indicates Phase In	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASE_INTYPE

Attribute	Description	
Name	PHASE_INTYPE	
Datatype	String	
Description	Indicates Phase In Type, H for holdings	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	H

[TOP](#)

UHNAME

Attribute	Description	
Name	UHNAME	
Datatype	String	
Description	Indicates Unit Holder Name	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PLANDESC

Attribute	Description	
Name	PLANDESC	
Datatype	String	
Description	Indicates Plan Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

BANKNAME

Attribute	Description	
Name	BANKNAME	
Datatype	String	
Description	Indicates Bank Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

BRANCH_NAME

Attribute	Description	
Name	BRANCH_NAME	
Datatype	String	
Description	Indicates Branch Name	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

TXNCURRENCYDESCRIPTION

Attribute	Description	
Name	TXNCURRENCYDESCRIPTION	
Datatype	String	
Description	Indicates Transaction Currency Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SIPAYMNTREJCOUNTER

Attribute	Description	
Name	SIPAYMNTREJCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

CONSSIPAYMNTREJCENTER

Attribute	Description	
Name	CONSSIPAYMNTREJCENTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0

CONSSIAUTOCOUNTER

Attribute	Description	
Name	CONSSIAUTOCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

NOOFSITXNSGENERATED

Attribute	Description	
Name	NOOFSITXNSGENERATED	
Datatype	Number	
Description	Indicates Number of Standing Instruction Transactions Generated	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

SINGLECERTIFICATE

Attribute	Description	
Name	SINGLECERTIFICATE	
Datatype	String	
Description	Indicates Single Certificate	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

FROMISSUEDBAL

Attribute	Description	
Name	FROMISSUEDBAL	
Datatype	String	
Description	Indicates From Issued Balance	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	26

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

TOUNITHOLDERNAME

Attribute	Description	
Name	TOUNITHOLDERNAME	
Datatype	String	
Description	Indicates To Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description	Indicates Transaction Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description	Indicates Authorization Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

Siheader

Attribute	Description	
Name	Siheader	
Datatype		
Description	Indicates Standing Instruction Header	
Attributes	Attribute	Description
	minOccurs	0

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description	Indicates Delivery Details	
Attributes	Attribute	Description
	minOccurs	0

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

[TOP](#)

ADDRESSLINE1

Attribute	Description	
Name	ADDRESSLINE1	
Datatype	String	
Description	Indicates Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESSLINE2

Attribute	Description	
Name	ADDRESSLINE2	
Datatype	String	
Description	Indicates Address Line 2	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

Fundeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

[TOP](#)

SPLITPERCENTAGE

Attribute	Description	
Name	SPLITPERCENTAGE	
Datatype	Number	
Description	Indicates Split Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FROMORTOLEG

Attribute	Description	
Name	FROMORTOLEG	
Datatype	String	
Description	Indicates From or To Leg, F for from, T for to	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,T

[TOP](#)

ENTITYNAME

Attribute	Description	
Name	ENTITYNAME	
Datatype	String	
Description	Indicates Entity Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

ISSUED

Attribute	Description	
Name	ISSUED	
Datatype	String	
Description	Indicates Issued, 1 for Yes, 0 for No, 2 for Both	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0,2

[TOP](#)

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

SINGLECERT

Attribute	Description	
Name	SINGLECERT	
Datatype	String	
Description	Indicates Single Certification, 1 for Yes, 0 for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

MINHOLDCHKREQ

Attribute	Description	
Name	MINHOLDCHKREQ	
Datatype	Number	
Description	Indicates Minimum Hold Check Required	
Attributes	Attribute	Description
	minOccurs	0

FROMFUNDPRICEBASIS

Attribute	Description	
Name	FROMFUNDPRICEBASIS	
Datatype	String	
Description	Indicates From Fund Price Basis	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

CONTRIBUTIONPERCENTAGE

Attribute	Description	
Name	CONTRIBUTIONPERCENTAGE	
Datatype	Number	
Description	Indicates Contribution Percentage	
Attributes	Attribute	Description
	minOccurs	0

CONTRIBUTIONAMOUNT

Attribute	Description	
Name	CONTRIBUTIONAMOUNT	
Datatype	Number	
Description	Indicates Contribution Amount	
Attributes	Attribute	Description
	minOccurs	0

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

Routing-Det

Attribute	Description	
Name	Routing-Det	
Datatype		
Description	Indicates Routing Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SWIFTFORMAT

Attribute	Description	
Name	SWIFTFORMAT	
Datatype	String	
Description	Indicates Swift Format, MT103 and MT202	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	MT103,MT202

[TOP](#)

BANKCHARGED

Attribute	Description	
Name	BANKCHARGED	
Datatype	String	
Description	Indicates Bank Charged - Shared and Remit	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Shared,Remit

[TOP](#)

BENEFICIARY

Attribute	Description	
Name	BENEFICIARY	
Datatype	String	
Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description	
Name	BENEFICIARYADD2	
Datatype	String	
Description	Indicates Beneficiary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description
Name	BENEFICIARYACCTNO

Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYIBAN

Attribute	Description	
Name	INTERMEDIARYIBAN	
Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

Si-check-temp-details

Attribute	Description	
Name	Si-check-temp-details	
Datatype		
Description	Indicates Standing Instruction Check Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

STARTINGCHECKNO

Attribute	Description	
Name	STARTINGCHECKNO	
Datatype	Number	
Description	Indicates Starting check number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFCHECKLEAVES

Attribute	Description	
Name	NOOFCHECKLEAVES	
Datatype	Number	
Description	Indicates Number of check leaves	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHECKSTARTDATE

Attribute	Description	
Name	CHECKSTARTDATE	
Datatype	Date	
Description	Indicates Check start date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Simastertblbutton

Attribute	Description	
Name	Simastertblbutton	
Datatype		
Description	Indicates Standing Instruction Master table button	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

2.3.2.UT-DeleteStandingInstruction-Req-IO-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-IO

SIID

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description
Name	UBSCOMP

Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description
Name	ACTION

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description	
Name	NAME	
Datatype	String	
Description		

[TOP](#)

VALUE

Attribute	Description	
------------------	--------------------	--

Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

Simastertbl-IO

Attribute	Description
Name	Simastertbl-IO
Datatype	
Description	

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

2.3.3.UT-DeleteStandingInstruction-Res-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-Full

NOOFSITRANSACTIONS

SILEVEL

PLANCODE

FIRSTPAYMENTDATE

SIID

DESC

UNITHOLDERID

TRANSACTIONTYPE

EFFECTIVESTARTDATE

EFFECTIVEENDDATE

SFREQUENCY

AMOUNT

UNITS

HOLDINGSPERCENTAGE

TRANSACTIONCURRENCY

TOUNITHOLDERID

TOFUNDID

PAYMENTBRANCH

TRANSFERACCOUNTTYPE

TRANSFERACCOUNTNUMBER
REMINDERBEFOREACTION
REMINDERMINPERIOD
SISTATUS
LASTPROCESSEDDATE
GENERATEAUTHXN
SIESCALATIONFREQUENCY
NEXTESCALATIONDATE
ESCALATIONTYPE
GROSSORNET
MODEPAY
ESCALATIONSTARTDATE
ESCALATIONENDDATE
PAYMENTBANKCODE
TRANSFERACCOUNTHOLDERNAME
PAYMENTTYPE
THRDPARTYPAYMENTREF
THRDPARTYADDRLINE1
THRDPARTYADDRLINE2
THRDPARTYADDRLINE3
THRDPARTYADDRLINE4
THIRDPARTYZIPCODE
THIRDPARTYUSSTATE
CIFNUMBER
TOCIFNUMBER
DELIVERYOPTION
BICCODE
COUNTRYNAME
PHASEIN
PHASE_INTYPE
UHNAME
FUNDNAME
PLANDESC
BANKNAME
BRANCH_NAME
TXNCURRENCYDESCRIPTION
SIPAYMNTREJCOUNTER
CAMPAIGNCODE
SIAUTOTERMINATIONCOUNTER
CONSSIPAYMNTREJCENTER
CONSSIAUTOCOUNTER
NOOFSITXNSGENERATED
ESCALATIONVALUE
IBAN

FUNDID
SINGLECERTIFICATE
FROMISSUEDBAL
CERTREQUIRED
TOUNITHOLDERNAME
PHASEIN OCC
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Siheader

Delivery-Details

DELIVERYTYPE
CLEARINGAGENTNAME
ACCOUNTNUMBER
ACCOUNTNAME
ADDRESSTYPE
ADDRESSLINE1
ADDRESSLINE2
ADDRESS3
CTRY
ZIPCODE
COUNTRY
BICCODE
CERTLOTSIZE
IBAN
DESCRIPTION
Funddeliveryinstruction
CERTDENOM
CERTIFICATEDESC

Intermediary-Details

BROKERINTERMEDIARY
ENTITYTYPE
SPLITPERCENTAGE
FROMORTOLEG
ENTITYNAME

Sipaymenttbl

CHECKNUMBER
PAYMENTDATE
SIPROCESSED

Si-fund

FUNDID
ISSUED
CERTREQUIRED
SINGLECERT
MINHOLDCHKREQ
FROMFUNDPRICEBASIS
CONTRIBUTIONPERCENTAGE
CONTRIBUTIONAMOUNT
FUNDNAME

Routing-Det

SWIFTFORMAT
BANKCHARGED
BENEFICIARY
BENEFICIARYADD1
BENEFICIARYADD2
BENEFICIARYADD3
BENEFICIARBICCODE
BENEFICIARYACCTNO
BENEFICIARYCODE
BENEFICIARYINFO
INTERMEDIARY
INTERMEDIARYADD1
INTERMEDIARYADD2
INTERMEDIARYADD3
INTERMEDIARYBICCODE
INTERMEDIARYACCTNO
REFERENCE1
REFERENCE2
BENEFICIARYIBAN
INTERMEDIARYIBAN
INTERMEDIARYCODE
INTERMEDIARYINFO
FURTHERCREDITNAME
FURTHERCREDITACCTNO

Si-check-temp-details

STARTINGCHECKNO
NOOFCHECKLEAVES
CHECKSTARTDATE

Simastertblbutton

FCUBS_ERROR_RESP

ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description
-----------	-------------

Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

Simastertbl-Full

Attribute	Description
Name	Simastertbl-Full
Datatype	
Description	

[TOP](#)

NOOFSITRANSACTIONS

Attribute	Description
Name	NOOFSITRANSACTIONS

Datatype	Number	
Description	Indicates Number of Standing Instructions	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SILEVEL

Attribute	Description	
Name	SILEVEL	
Datatype	String	
Description	Indicates Standing Instruction Level, F for fund, P for plan	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,P

[TOP](#)

PLANCODE

Attribute	Description	
Name	PLANCODE	
Datatype	String	
Description	Indicates Plan Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

FIRSTPAYMENTDATE

Attribute	Description	
Name	FIRSTPAYMENTDATE	
Datatype	Date	
Description	Indicates First Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

DESC

Attribute		Description
Name	DESC	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

UNITHOLDERID

Attribute		Description
Name	UNITHOLDERID	
Datatype	String	
Description	Indicates Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

TRANSACTIONTYPE

Attribute		Description
Name	TRANSACTIONTYPE	
Datatype	String	
Description	Indicates Transaction Type, 02 for Subscription, 03 for Redemption, 04 for Switch, 05 for Transfer, 01 for IPO Subscription	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	02,03,04,05,01

EFFECTIVESTARTDATE

Attribute		Description
Name	EFFECTIVESTARTDATE	
Datatype	Date	
Description	Indicates Effective Start Date	
Attributes	Attribute	Description
	minOccurs	1

EFFECTIVEENDDATE

Attribute	Description
-----------	-------------

Name	EFFECTIVEENDDATE	
Datatype	Date	
Description	Indicates Effective End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SFREQUENCY

Attribute	Description	
Name	SFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

UNITS

Attribute	Description	
Name	UNITS	
Datatype	Number	
Description	Indicates Units	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

HOLDINGSPERCENTAGE

Attribute	Description	
Name	HOLDINGSPERCENTAGE	
Datatype	Number	
Description	Indicates Holdings Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TRANSACTIONCURRENCY

Attribute	Description	
Name	TRANSACTIONCURRENCY	
Datatype	String	
Description	Indicates Transaction Currency	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

TOUNITHOLDERID

Attribute	Description	
Name	TOUNITHOLDERID	
Datatype	String	
Description	Indicates To Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOFUNDID

Attribute	Description	
Name	TOFUNDID	
Datatype	String	
Description	Indicates To Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTTYPE

Attribute	Description
Name	TRANSFERACCOUNTTYPE

Datatype	String	
Description	Indicates Transfer Account Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

REMINDERBEFOREACTION

Attribute	Description	
Name	REMINDERBEFOREACTION	
Datatype	Number	
Description	Indicates Reminder Before Action	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

REMINDERMINPERIOD

Attribute	Description	
Name	REMINDERMINPERIOD	
Datatype	Number	
Description	Indicates Reminder Minimum Period	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

[TOP](#)

LASTPROCESSEDDATE

Attribute	Description	
Name	LASTPROCESSEDDATE	
Datatype	Date	
Description	Indicates Last Processed Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

[TOP](#)

GROSSORNET

Attribute	Description	
Name	GROSSORNET	
Datatype	String	
Description	Indicates Gross or Net, G for Gross, N for Net	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	G,N

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	
Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	T,Q,R,D,F,I,AT,BQ,CQ,DR,DT,FQ,GQ,IQ,LQ,OQ,PD,PQ,RQ,TT,WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description	
Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCOUNTHOLDERNAME	
Datatype	String	
Description	Indicates Transfer Account Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

THRDPARTYPAYMENTREF

Attribute	Description	
Name	THRDPARTYPAYMENTREF	
Datatype	String	
Description	Indicates Third Party Payment Reference	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

THRDPARTYADDRLINE1

Attribute	Description	
Name	THRDPARTYADDRLINE1	
Datatype	String	
Description	Indicates Third Party Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE2

Attribute	Description	
Name	THRDPARTYADDRLINE2	
Datatype	String	
Description	Indicates Third Party Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE3

Attribute	Description	
Name	THRDPARTYADDRLINE3	
Datatype	String	
Description	Indicates Third Party Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE4

Attribute	Description	
Name	THRDPARTYADDRLINE4	
Datatype	String	
Description	Indicates Third Party Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THIRDPARTYZIPCODE

Attribute	Description	
Name	THIRDPARTYZIPCODE	
Datatype	String	
Description	Indicates Third Party Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

THIRDPARTYUSSTATE

Attribute	Description	
Name	THIRDPARTYUSSTATE	
Datatype	Number	
Description	Indicates Third Party US State	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CIFNUMBER

Attribute	Description	
Name	CIFNUMBER	
Datatype	String	
Description	Indicates CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOCIFNUMBER

Attribute	Description	
Name	TOCIFNUMBER	
Datatype	String	
Description	Indicates To CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DELIVERYOPTION

Attribute	Description	
Name	DELIVERYOPTION	
Datatype	String	
Description	Indicates Delivery Option	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

COUNTRYNAME

Attribute	Description	
Name	COUNTRYNAME	
Datatype	String	
Description	Indicates Country Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHASEIN

Attribute	Description	
Name	PHASEIN	
Datatype	Number	
Description	Indicates Phase In	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASE_INTYPE

Attribute	Description	
Name	PHASE_INTYPE	
Datatype	String	
Description	Indicates Phase In Type, H for holdings	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	H

[TOP](#)**UHNAME**

Attribute	Description	
Name	UHNAME	
Datatype	String	
Description	Indicates Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)**FUNDNAME**

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)**PLANDESC**

Attribute	Description	
Name	PLANDESC	
Datatype	String	
Description	Indicates Plan Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)**BANKNAME**

Attribute	Description	
Name	BANKNAME	
Datatype	String	
Description	Indicates Bank Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)**BRANCH_NAME**

Attribute	Description	
Name	BRANCH_NAME	
Datatype	String	
Description	Indicates Branch Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

TXNCURRENCYDESCRIPTION

Attribute	Description	
Name	TXNCURRENCYDESCRIPTION	
Datatype	String	
Description	Indicates Transaction Currency Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SIPAYMNTREJCOUNTER

Attribute	Description	
Name	SIPAYMNTREJCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	

Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CONSSIPAYMNTREJCENTER

Attribute	Description	
Name	CONSSIPAYMNTREJCENTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONSSIAUTCOUNTER

Attribute	Description	
Name	CONSSIAUTCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFSITXNSGENERATED

Attribute	Description	
Name	NOOFSITXNSGENERATED	
Datatype	Number	
Description	Indicates Number of Standing Instruction Transactions Generated	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	

Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SINGLECERTIFICATE

Attribute	Description	
Name	SINGLECERTIFICATE	
Datatype	String	
Description	Indicates Single Certificate	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

FROMISSUEDBAL

Attribute	Description	
Name	FROMISSUEDBAL	
Datatype	String	
Description	Indicates From Issued Balance	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	26

[TOP](#)

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

TOUNITHOLDERNAME

Attribute	Description	
Name	TOUNITHOLDERNAME	
Datatype	String	
Description	Indicates To Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description	Indicates Transaction Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String	
Description	Indicates Authorization Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Siheader

Attribute	Description	
Name	Siheader	
Datatype		
Description	Indicates Standing Instruction Header	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description	Indicates Delivery Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

ADDRESSLINE1

Attribute	Description	
Name	ADDRESSLINE1	
Datatype	String	
Description	Indicates Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

ADDRESSLINE2

Attribute	Description	
Name	ADDRESSLINE2	
Datatype	String	
Description	Indicates Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description
Name	COUNTRY

Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description	Indicates Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

Funddeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

SPLITPERCENTAGE

Attribute	Description	
Name	SPLITPERCENTAGE	
Datatype	Number	
Description	Indicates Split Percentage	
Attributes	Attribute	Description
	minOccurs	0

FROMORTOLEG

Attribute	Description	
Name	FROMORTOLEG	
Datatype	String	
Description	Indicates From or To Leg, F for from, T for to	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,T

ENTITYNAME

Attribute	Description
-----------	-------------

Name	ENTITYNAME	
Datatype	String	
Description	Indicates Entity Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

ISSUED

Attribute	Description	
Name	ISSUED	
Datatype	String	
Description	Indicates Issued, 1 for Yes, 0 for No, 2 for Both	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0,2

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

SINGLECERT

Attribute	Description
-----------	-------------

Name	SINGLECERT	
Datatype	String	
Description	Indicates Single Certification, 1 for Yes, 0 for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

MINHOLDCHKREQ

Attribute	Description	
Name	MINHOLDCHKREQ	
Datatype	Number	
Description	Indicates Minimum Hold Check Required	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FROMFUNDPRICEBASIS

Attribute	Description	
Name	FROMFUNDPRICEBASIS	
Datatype	String	
Description	Indicates From Fund Price Basis	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CONTRIBUTIONPERCENTAGE

Attribute	Description	
Name	CONTRIBUTIONPERCENTAGE	
Datatype	Number	
Description	Indicates Contribution Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTRIBUTIONAMOUNT

Attribute	Description	
Name	CONTRIBUTIONAMOUNT	
Datatype	Number	
Description	Indicates Contribution Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FUNDNAME

Attribute	Description				
Name	FUNDNAME				
Datatype	String				
Description	Indicates Fund Name				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>60</td></tr></tbody></table>	Restrictions	Description	maxLength	60
	Restrictions	Description			
maxLength	60				

[TOP](#)

Routing-Det

Attribute	Description				
Name	Routing-Det				
Datatype					
Description	Indicates Routing Details				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				

[TOP](#)

SWIFTFORMAT

Attribute	Description				
Name	SWIFTFORMAT				
Datatype	String				
Description	Indicates Swift Format, MT103 and MT202				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>MT103,MT202</td></tr></tbody></table>	Restrictions	Description	enumeration	MT103,MT202
	Restrictions	Description			
enumeration	MT103,MT202				

[TOP](#)

BANKCHARGED

Attribute	Description				
Name	BANKCHARGED				
Datatype	String				
Description	Indicates Bank Charged - Shared and Remit				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>Shared,Remit</td></tr></tbody></table>	Restrictions	Description	enumeration	Shared,Remit
	Restrictions	Description			
enumeration	Shared,Remit				

[TOP](#)

BENEFICIARY

Attribute	Description
Name	BENEFICIARY
Datatype	String

Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description	
Name	BENEFICIARYADD2	
Datatype	String	
Description	Indicates Beneficiary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description	
Name	BENEFICIARYACCTNO	
Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYIBAN

Attribute	Description
Name	INTERMEDIARYIBAN

Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Si-check-temp-details

Attribute	Description	
Name	Si-check-temp-details	
Datatype		
Description	Indicates Standing Instruction Check Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

STARTINGCHECKNO

Attribute	Description	
Name	STARTINGCHECKNO	
Datatype	Number	
Description	Indicates Starting check number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFCHECKLEAVES

Attribute	Description	
Name	NOOFCHECKLEAVES	
Datatype	Number	
Description	Indicates Number of check leaves	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHECKSTARTDATE

Attribute	Description	
Name	CHECKSTARTDATE	
Datatype	Date	
Description	Indicates Check start date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Simastertblbutton

Attribute	Description	
Name	Simastertblbutton	
Datatype		
Description	Indicates Standing Instruction Master table button	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

[TOP](#)

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description				
Name	WARNING				
Datatype					
Description					
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>maxOccurs</td><td>unbounded</td></tr></tbody></table>	Attribute	Description	maxOccurs	unbounded
	Attribute	Description			
maxOccurs	unbounded				

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)

2.3.4.UT-DeleteStandingInstruction-Res-PK-MSG.xsd

FCUBS_HEADER
SOURCE
UBSCOMP
MSGID
CORRELID
USERID
BRANCH
MODULEID
SERVICE
OPERATION
SOURCE_OPERATION
SOURCE_USERID
DESTINATION
MULTITRIPID
FUNCTIONID
ACTION
MSGSTAT
ADDL
PARAM
NAME
VALUE
FCUBS_BODY
CHOICE
Simastertbl-PK
SIID
Simastertbl-IO
SIID
FCUBS_ERROR_RESP
ERROR
ECODE
EDESC
FCUBS_WARNING_RESP
WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description
Name	USERID
Datatype	String
Description	

Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description						
Name	SOURCE_OPERATION						
Datatype	String						
Description							
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr><tr><td>nullable</td><td>true</td></tr></tbody></table>	Attribute	Description	minOccurs	0	nullable	true
	Attribute	Description					
	minOccurs	0					
nullable	true						
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*		
	Restrictions	Description					
pattern	[a-zA-Z_0-9]*						

[TOP](#)

SOURCE_USERID

Attribute	Description						
Name	SOURCE_USERID						
Datatype	String						
Description							
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr><tr><td>nullable</td><td>true</td></tr></tbody></table>	Attribute	Description	minOccurs	0	nullable	true
	Attribute	Description					
	minOccurs	0					
nullable	true						
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*		
	Restrictions	Description					
pattern	[a-zA-Z_0-9]*						

[TOP](#)

DESTINATION

Attribute	Description				
Name	DESTINATION				
Datatype	String				
Description					
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
	minOccurs	0			
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
	Restrictions	Description			
pattern	[a-zA-Z_0-9]*				

[TOP](#)

MULTITRIPID

Attribute	Description				
Name	MULTITRIPID				
Datatype	String				
Description					
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
	minOccurs	0			
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
	Restrictions	Description			
pattern	[a-zA-Z_0-9]*				

[TOP](#)

FUNCTIONID

Attribute	Description
-----------	-------------

Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

[TOP](#)

Simastertbl-PK

Attribute	Description
Name	Simastertbl-PK
Datatype	
Description	

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

Simastertbl-IO

Attribute	Description
Name	Simastertbl-IO
Datatype	
Description	

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

[TOP](#)**EDESC**

Attribute	Description
Name	EDESC
Datatype	String
Description	

[TOP](#)**FCUBS_WARNING_RESP**

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**WARNING**

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)**WCODE**

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)**WDESC**

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)

2.4.ModifyStandingInstruction

Modify StandingInstruction

2.4.1.UT-ModifyStandingInstruction-Req-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-Full

NOOFSITRANSACTIONS

SILEVEL

PLANCODE

FIRSTPAYMENTDATE

SIID

DESC

UNITHOLDERID

TRANSACTIONTYPE

EFFECTIVESTARTDATE

EFFECTIVEENDDATE

SFREQUENCY

AMOUNT

UNITS

HOLDINGSPERCENTAGE

TRANSACTIONCURRENCY

TOUNITHOLDERID

TOFUNDID
PAYMENTBRANCH
TRANSFERACCOUNTTYPE
TRANSFERACCOUNTNUMBER
REMINDERBEFOREACTION
REMINDERMINPERIOD
SISTATUS
LASTPROCESSEDDATE
GENERATEAUTHXN
SIESCALATIONFREQUENCY
NEXTESCALATIONDATE
ESCALATIONTYPE
GROSSORNET
MODEPAY
ESCALATIONSTARTDATE
ESCALATIONENDDATE
PAYMENTBANKCODE
TRANSFERACCOUNTHOLDERNAME
PAYMENTTYPE
THRDPARTYPAYMENTREF
THRDPARTYADDRLINE1
THRDPARTYADDRLINE2
THRDPARTYADDRLINE3
THRDPARTYADDRLINE4
THIRDPARTYZIPCODE
THIRDPARTYUSSTATE
CIFNUMBER
TOCIFNUMBER
DELIVERYOPTION
BICCODE
COUNTRYNAME
PHASEIN
PHASE_INTYPE
UHNAME
FUNDNAME
PLANDESC
BANKNAME
BRANCH_NAME
TXNCURRENCYDESCRIPTION
SIPAYMNTREJCOUNTER
CAMPAIGNCODE
SIAUTOTERMINATIONCOUNTER
CONSSIPAYMNTREJCENTER
CONSSIAUTCOUNTER

NOOFSITXNSGENERATED
ESCALATIONVALUE
IBAN
FUNDID
SINGLECERTIFICATE
FROMISSUEDBAL
CERTREQUIRED
TOUNITHOLDERNAME
PHASEIN OCC
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Siheader
Delivery-Details
 DELIVERYTYPE
 CLEARINGAGENTNAME
 ACCOUNTNUMBER
 ACCOUNTNAME
 ADDRESSTYPE
 ADDRESSLINE1
 ADDRESSLINE2
 ADDRESS3
 CTRY
 ZIPCODE
 COUNTRY
 BICCODE
 CERTLOTSIZE
 IBAN
 DESCRIPTION
 Funddeliveryinstruction
 CERTDENOM
 CERTIFICATEDESC
Intermediary-Details
 BROKERINTERMEDIARY
 ENTITYTYPE
 SPLITPERCENTAGE
 FROMORTOLEG
 ENTITYNAME
Sipaymenttbl
 CHECKNUMBER

PAYMENTDATE

SIPROCESSED

Si-fund

FUNDID

ISSUED

CERTREQUIRED

SINGLECERT

MINHOLDCHKREQ

FROMFUNDPRICEBASIS

CONTRIBUTIONPERCENTAGE

CONTRIBUTIONAMOUNT

FUNDNAME

Routing-Det

SWIFTFORMAT

BANKCHARGED

BENEFICIARY

BENEFICIARYADD1

BENEFICIARYADD2

BENEFICIARYADD3

BENEFICIARBICCODE

BENEFICIARYACCTNO

BENEFICIARYCODE

BENEFICIARYINFO

INTERMEDIARY

INTERMEDIARYADD1

INTERMEDIARYADD2

INTERMEDIARYADD3

INTERMEDIARYBICCODE

INTERMEDIARYACCTNO

REFERENCE1

REFERENCE2

BENEFICIARYIBAN

INTERMEDIARYIBAN

INTERMEDIARYCODE

INTERMEDIARYINFO

FURTHERCREDITNAME

FURTHERCREDITACCTNO

Si-check-temp-details

STARTINGCHECKNO

NOOFCHECKLEAVES

CHECKSTARTDATE

Simastertblbutton

FCUBS_HEADER

Attribute	Description
Name	FCUBS HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description
Name	OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description						
Name	PARAM						
Datatype							
Description							
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>maxOccurs</td><td>unbounded</td></tr><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	maxOccurs	unbounded	minOccurs	0
	Attribute	Description					
	maxOccurs	unbounded					
minOccurs	0						

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

Simastertbl-Full

Attribute	Description
Name	Simastertbl-Full
Datatype	
Description	

[TOP](#)

NOOFSITRANSACTIONS

Attribute	Description				
Name	NOOFSITRANSACTIONS				
Datatype	Number				
Description	Indicates Number of Standing Instructions				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				

SILEVEL

Attribute	Description	
Name	SILEVEL	
Datatype	String	
Description	Indicates Standing Instruction Level, F for fund, P for plan	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,P

PLANCODE

Attribute	Description	
Name	PLANCODE	
Datatype	String	
Description	Indicates Plan Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

FIRSTPAYMENTDATE

Attribute	Description	
Name	FIRSTPAYMENTDATE	
Datatype	Date	
Description	Indicates First Payment Date	
Attributes	Attribute	Description
	minOccurs	0

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

DESC

Attribute	Description
Name	DESC

Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

UNITHOLDERID

Attribute	Description	
Name	UNITHOLDERID	
Datatype	String	
Description	Indicates Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSACTIONTYPE

Attribute	Description	
Name	TRANSACTIONTYPE	
Datatype	String	
Description	Indicates Transaction Type, 02 for Subscription, 03 for Redemption, 04 for Switch, 05 for Transfer, 01 for IPO Subscription	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	02,03,04,05,01

[TOP](#)

EFFECTIVESTARTDATE

Attribute	Description	
Name	EFFECTIVESTARTDATE	
Datatype	Date	
Description	Indicates Effective Start Date	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

EFFECTIVEENDDATE

Attribute	Description	
Name	EFFECTIVEENDDATE	
Datatype	Date	
Description	Indicates Effective End Date	
Attributes	Attribute	Description
	minOccurs	0

SFREQUENCY

Attribute	Description	
Name	SFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

UNITS

Attribute	Description	
Name	UNITS	
Datatype	Number	
Description	Indicates Units	
Attributes	Attribute	Description
	minOccurs	0

HOLDINGSPERCENTAGE

Attribute	Description	
Name	HOLDINGSPERCENTAGE	
Datatype	Number	
Description	Indicates Holdings Percentage	
Attributes	Attribute	Description
	minOccurs	0

TRANSACTIONCURRENCY

Attribute	Description	
Name	TRANSACTIONCURRENCY	
Datatype	String	
Description	Indicates Transaction Currency	
Attributes	Attribute	Description
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

TOUNITHOLDERID

Attribute	Description	
Name	TOUNITHOLDERID	
Datatype	String	
Description	Indicates To Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOFUNDID

Attribute	Description	
Name	TOFUNDID	
Datatype	String	
Description	Indicates To Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTTYPE

Attribute	Description	
Name	TRANSFERACCOUNTTYPE	
Datatype	String	
Description	Indicates Transfer Account Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

REMINDERBEFOREACTION

Attribute	Description	
Name	REMINDERBEFOREACTION	
Datatype	Number	
Description	Indicates Reminder Before Action	
Attributes	Attribute	Description
	minOccurs	1

REMINDERMINPERIOD

Attribute	Description	
Name	REMINDERMINPERIOD	
Datatype	Number	
Description	Indicates Reminder Minimum Period	
Attributes	Attribute	Description
	minOccurs	0

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

LASTPROCESSEDDATE

Attribute	Description	
Name	LASTPROCESSEDDATE	
Datatype	Date	
Description	Indicates Last Processed Date	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

[TOP](#)

GROSSORNET

Attribute	Description	
Name	GROSSORNET	
Datatype	String	
Description	Indicates Gross or Net, G for Gross, N for Net	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	G,N

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	
Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	T,Q,R,D,F,I,AT,BQ,CQ,DR,DT,FQ,GQ,IQ,LQ,OQ,PD,PQ,RQ,TT,WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description
-----------	-------------

Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCOUNTHOLDERNAME	
Datatype	String	
Description	Indicates Transfer Account Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

THRDPARTYPAYMENTREF

Attribute	Description	
Name	THRDPARTYPAYMENTREF	
Datatype	String	
Description	Indicates Third Party Payment Reference	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

THRDPARTYADDRLINE1

Attribute	Description	
Name	THRDPARTYADDRLINE1	
Datatype	String	
Description	Indicates Third Party Address Line 1	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE2

Attribute	Description	
Name	THRDPARTYADDRLINE2	
Datatype	String	
Description	Indicates Third Party Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE3

Attribute	Description	
Name	THRDPARTYADDRLINE3	
Datatype	String	
Description	Indicates Third Party Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE4

Attribute	Description	
Name	THRDPARTYADDRLINE4	
Datatype	String	
Description	Indicates Third Party Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THIRDPARTYZIPCODE

Attribute	Description	
Name	THIRDPARTYZIPCODE	
Datatype	String	
Description	Indicates Third Party Zip Code	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

THIRDPARTYUSSTATE

Attribute	Description	
Name	THIRDPARTYUSSTATE	
Datatype	Number	
Description	Indicates Third Party US State	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CIFNUMBER

Attribute	Description	
Name	CIFNUMBER	
Datatype	String	
Description	Indicates CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOCIFNUMBER

Attribute	Description	
Name	TOCIFNUMBER	
Datatype	String	
Description	Indicates To CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DELIVERYOPTION

Attribute	Description	
Name	DELIVERYOPTION	
Datatype	String	
Description	Indicates Delivery Option	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

COUNTRYNAME

Attribute	Description	
Name	COUNTRYNAME	
Datatype	String	
Description	Indicates Country Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHASEIN

Attribute	Description	
Name	PHASEIN	
Datatype	Number	
Description	Indicates Phase In	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASE_INTYPE

Attribute	Description	
Name	PHASE_INTYPE	
Datatype	String	
Description	Indicates Phase In Type, H for holdings	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	H

[TOP](#)

UHNAME

Attribute	Description	
Name	UHNAME	
Datatype	String	
Description	Indicates Unit Holder Name	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PLANDESC

Attribute	Description	
Name	PLANDESC	
Datatype	String	
Description	Indicates Plan Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

BANKNAME

Attribute	Description	
Name	BANKNAME	
Datatype	String	
Description	Indicates Bank Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

BRANCH_NAME

Attribute	Description	
Name	BRANCH_NAME	
Datatype	String	
Description	Indicates Branch Name	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

TXNCURRENCYDESCRIPTION

Attribute	Description	
Name	TXNCURRENCYDESCRIPTION	
Datatype	String	
Description	Indicates Transaction Currency Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SIPAYMNTREJCOUNTER

Attribute	Description	
Name	SIPAYMNTREJCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

CONSSIPAYMNTREJCENTER

Attribute	Description	
Name	CONSSIPAYMNTREJCENTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0

CONSSIAUTOCOUNTER

Attribute	Description	
Name	CONSSIAUTOCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

NOOFSITXNSGENERATED

Attribute	Description	
Name	NOOFSITXNSGENERATED	
Datatype	Number	
Description	Indicates Number of Standing Instruction Transactions Generated	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

SINGLECERTIFICATE

Attribute	Description	
Name	SINGLECERTIFICATE	
Datatype	String	
Description	Indicates Single Certificate	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

FROMISSUEDBAL

Attribute	Description	
Name	FROMISSUEDBAL	
Datatype	String	
Description	Indicates From Issued Balance	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	26

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

TOUNITHOLDERNAME

Attribute	Description	
Name	TOUNITHOLDERNAME	
Datatype	String	
Description	Indicates To Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description	Indicates Transaction Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description	Indicates Authorization Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

Siheader

Attribute	Description	
Name	Siheader	
Datatype		
Description	Indicates Standing Instruction Header	
Attributes	Attribute	Description
	minOccurs	0

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description	Indicates Delivery Details	
Attributes	Attribute	Description
	minOccurs	0

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

[TOP](#)

ADDRESSLINE1

Attribute	Description	
Name	ADDRESSLINE1	
Datatype	String	
Description	Indicates Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESSLINE2

Attribute	Description	
Name	ADDRESSLINE2	
Datatype	String	
Description	Indicates Address Line 2	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

Fundeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	

Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

[TOP](#)

SPLITPERCENTAGE

Attribute	Description	
Name	SPLITPERCENTAGE	
Datatype	Number	
Description	Indicates Split Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FROMORTOLEG

Attribute	Description	
Name	FROMORTOLEG	
Datatype	String	
Description	Indicates From or To Leg, F for from, T for to	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,T

[TOP](#)

ENTITYNAME

Attribute	Description	
Name	ENTITYNAME	
Datatype	String	
Description	Indicates Entity Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

ISSUED

Attribute	Description	
Name	ISSUED	
Datatype	String	
Description	Indicates Issued, 1 for Yes, 0 for No, 2 for Both	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0,2

[TOP](#)

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

SINGLECERT

Attribute	Description	
Name	SINGLECERT	
Datatype	String	
Description	Indicates Single Certification, 1 for Yes, 0 for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

MINHOLDCHKREQ

Attribute	Description	
Name	MINHOLDCHKREQ	
Datatype	Number	
Description	Indicates Minimum Hold Check Required	
Attributes	Attribute	Description
	minOccurs	0

FROMFUNDPRICEBASIS

Attribute	Description	
Name	FROMFUNDPRICEBASIS	
Datatype	String	
Description	Indicates From Fund Price Basis	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

CONTRIBUTIONPERCENTAGE

Attribute	Description	
Name	CONTRIBUTIONPERCENTAGE	
Datatype	Number	
Description	Indicates Contribution Percentage	
Attributes	Attribute	Description
	minOccurs	0

CONTRIBUTIONAMOUNT

Attribute	Description	
Name	CONTRIBUTIONAMOUNT	
Datatype	Number	
Description	Indicates Contribution Amount	
Attributes	Attribute	Description
	minOccurs	0

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

Routing-Det

Attribute	Description	
Name	Routing-Det	
Datatype		
Description	Indicates Routing Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SWIFTFORMAT

Attribute	Description	
Name	SWIFTFORMAT	
Datatype	String	
Description	Indicates Swift Format, MT103 and MT202	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	MT103,MT202

[TOP](#)

BANKCHARGED

Attribute	Description	
Name	BANKCHARGED	
Datatype	String	
Description	Indicates Bank Charged - Shared and Remit	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Shared,Remit

[TOP](#)

BENEFICIARY

Attribute	Description	
Name	BENEFICIARY	
Datatype	String	
Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description	
Name	BENEFICIARYADD2	
Datatype	String	
Description	Indicates Beneficiary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description
Name	BENEFICIARYACCTNO

Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYIBAN

Attribute	Description	
Name	INTERMEDIARYIBAN	
Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

Si-check-temp-details

Attribute	Description	
Name	Si-check-temp-details	
Datatype		
Description	Indicates Standing Instruction Check Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

STARTINGCHECKNO

Attribute	Description	
Name	STARTINGCHECKNO	
Datatype	Number	
Description	Indicates Starting check number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFCHECKLEAVES

Attribute	Description	
Name	NOOFCHECKLEAVES	
Datatype	Number	
Description	Indicates Number of check leaves	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHECKSTARTDATE

Attribute	Description	
Name	CHECKSTARTDATE	
Datatype	Date	
Description	Indicates Check start date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Simastertblbutton

Attribute	Description	
Name	Simastertblbutton	
Datatype		
Description	Indicates Standing Instruction Master table button	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

2.4.2.UT-ModifyStandingInstruction-Req-IO-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-IO

SIID

DESC

MODEOFPAYMENT

PAYMENTBRANCH

TRANSFERACCOUNTTYPE

TRANSFERACCOUNTNUMBER

SISTATUS

GENERATEAUTHTXN

SIESCALATIONFREQUENCY

NEXTESCALATIONDATE

ESCALATIONTYPE

MODEPAY

ESCALATIONSTARTDATE

ESCALATIONENDDATE

PAYMENTBANKCODE

TRANSFERACCOUNTHOLDERNAME

PAYMENTTYPE

CAMPAIGNCODE

SIAUTOTERMINATIONCOUNTER

CONSSIAUTOCOUNTER

ESCALATIONVALUE

PHASEIN OCC

MAKER

MAKERSTAMP

Delivery-Details

DELIVERYTYPE

CLEARINGAGENTNAME

ACCOUNTNUMBER

ACCOUNTNAME

ADDRESSTYPE

ADDRESS3

CTRY

ZIPCODE

COUNTRY

BICCODE

CERTLOTSIZE

IBAN

Funddeliveryinstruction

CERTDENOM

CERTIFICATEDESC

Intermediary-Details

BROKERINTERMEDIARY

ENTITYTYPE

Sipaymenttbl

PAYMENTMODE

CHECKNUMBER

PAYMENTDATE

SIPROCESSED

Si-fund

Routing-Det

SWIFTFORMAT

BANKCHARGED

BENEFICIARY

BENEFICIARYADD1

BENEFICIARYADD2

BENEFICIARYADD3

BENEFICIARBICCODE

BENEFICIARYACCTNO

BENEFICIARYCODE

BENEFICIARYINFO

INTERMEDIARY

INTERMEDIARYADD1

INTERMEDIARYADD2

[INTERMEDIARYADD3](#)
[INTERMEDIARYBICCODE](#)
[INTERMEDIARYACCTNO](#)
[REFERENCE1](#)
[REFERENCE2](#)
[BENEFICIARYIBAN](#)
[INTERMEDIARYIBAN](#)
[INTERMEDIARYCODE](#)
[INTERMEDIARYINFO](#)
[FURTHERCREDITNAME](#)
[FURTHERCREDITACCTNO](#)

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

SERVICE

Attribute	Description
Name	SERVICE
Datatype	String

Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTIRIPID

Attribute	Description	
Name	MULTIRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)**ADDL**

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**PARAM**

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**NAME**

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)**VALUE**

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)**FCUBS_BODY**

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)**Simastertbl-IO**

Attribute	Description
Name	Simastertbl-IO
Datatype	
Description	

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

MODEOFPAYMENT

Attribute	Description	
Name	MODEOFPAYMENT	
Datatype	String	
Description	Indicates Mode Of Payment	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

TRANSFERACCOUNTTYPE

Attribute	Description	
Name	TRANSFERACCOUNTTYPE	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

SISTATUSS

Attribute	Description	
Name	SISTATUSS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

[TOP](#)

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	

Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	
Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	T,Q,R,D,F,I,AT,BQ,CQ,DR,DT,FQ,GQ,IQ,LQ,OQ,PD,PQ,RQ,TT,WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	

Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description	
Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCONTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCONTHOLDERNAME	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

CONSSIAUTCOUNTER

Attribute	Description	
Name	CONSSIAUTCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker ID	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker ID Date Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

[TOP](#)

ADDRESS3

Attribute	Description
Name	ADDRESS3

Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC code	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

Funddeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

PAYMENTMODE

Attribute	Description	
Name	PAYMENTMODE	
Datatype	String	
Description	Indicates Payment Mode	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

Routing-Det

Attribute	Description	
Name	Routing-Det	
Datatype		
Description	Indicates Routing Details	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

SWIFTFORMAT

Attribute	Description	
Name	SWIFTFORMAT	
Datatype	String	
Description	Indicates Swift Format, MT103 and MT202	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	MT103,MT202

[TOP](#)

BANKCHARGED

Attribute	Description	
Name	BANKCHARGED	
Datatype	String	
Description	Indicates Bank Charged - Shared and Remit	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Shared,Remit

[TOP](#)

BENEFICIARY

Attribute	Description
------------------	--------------------

Name	BENEFICIARY	
Datatype	String	
Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description	
Name	BENEFICIARYADD2	
Datatype	String	
Description	Indicates Beneficiary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description	
Name	BENEFICIARYACCTNO	
Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

INTERMEDIARYIBAN

Attribute	Description	
Name	INTERMEDIARYIBAN	
Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FURTHERCREDITACCTNO

Attribute	Description
Name	FURTHERCREDITACCTNO

Datatype	String	
Description	Indicates Further Credit Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

2.4.3.UT-ModifyStandingInstruction-Res-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-Full

NOOFSITRANSACTIONS

SILEVEL

PLANCODE

FIRSTPAYMENTDATE

SIID

DESC

UNITHOLDERID

TRANSACTIONTYPE

EFFECTIVESTARTDATE

EFFECTIVEENDDATE

SFREQUENCY

AMOUNT

UNITS

HOLDINGSPERCENTAGE

TRANSACTIONCURRENCY

TOUNITHOLDERID

TOFUNDID

PAYMENTBRANCH

TRANSFERACCOUNTTYPE

TRANSFERACCOUNTNUMBER
REMINDERBEFOREACTION
REMINDERMINPERIOD
SISTATUS
LASTPROCESSEDDATE
GENERATEAUTHXN
SIESCALATIONFREQUENCY
NEXTESCALATIONDATE
ESCALATIONTYPE
GROSSORNET
MODEPAY
ESCALATIONSTARTDATE
ESCALATIONENDDATE
PAYMENTBANKCODE
TRANSFERACCOUNTHOLDERNAME
PAYMENTTYPE
THRDPARTYPAYMENTREF
THRDPARTYADDRLINE1
THRDPARTYADDRLINE2
THRDPARTYADDRLINE3
THRDPARTYADDRLINE4
THIRDPARTYZIPCODE
THIRDPARTYUSSTATE
CIFNUMBER
TOCIFNUMBER
DELIVERYOPTION
BICCODE
COUNTRYNAME
PHASEIN
PHASE_INTYPE
UHNAME
FUNDNAME
PLANDESC
BANKNAME
BRANCH_NAME
TXNCURRENCYDESCRIPTION
SIPAYMNTREJCOUNTER
CAMPAIGNCODE
SIAUTOTERMINATIONCOUNTER
CONSSIPAYMNTREJCENTER
CONSSIAUTOCOUNTER
NOOFSITXNSGENERATED
ESCALATIONVALUE
IBAN

FUNDID
SINGLECERTIFICATE
FROMISSUEDBAL
CERTREQUIRED
TOUNITHOLDERNAME
PHASEIN OCC
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Siheader

Delivery-Details

DELIVERYTYPE
CLEARINGAGENTNAME
ACCOUNTNUMBER
ACCOUNTNAME
ADDRESSTYPE
ADDRESSLINE1
ADDRESSLINE2
ADDRESS3
CTRY
ZIPCODE
COUNTRY
BICCODE
CERTLOTSIZE
IBAN
DESCRIPTION
Funddeliveryinstruction
CERTDENOM
CERTIFICATEDESC

Intermediary-Details

BROKERINTERMEDIARY
ENTITYTYPE
SPLITPERCENTAGE
FROMORTOLEG
ENTITYNAME

Sipaymenttbl

CHECKNUMBER
PAYMENTDATE
SIPROCESSED

Si-fund

FUNDID
ISSUED
CERTREQUIRED
SINGLECERT
MINHOLDCHKREQ
FROMFUNDPRICEBASIS
CONTRIBUTIONPERCENTAGE
CONTRIBUTIONAMOUNT
FUNDNAME

Routing-Det

SWIFTFORMAT
BANKCHARGED
BENEFICIARY
BENEFICIARYADD1
BENEFICIARYADD2
BENEFICIARYADD3
BENEFICIARBICCODE
BENEFICIARYACCTNO
BENEFICIARYCODE
BENEFICIARYINFO
INTERMEDIARY
INTERMEDIARYADD1
INTERMEDIARYADD2
INTERMEDIARYADD3
INTERMEDIARYBICCODE
INTERMEDIARYACCTNO
REFERENCE1
REFERENCE2
BENEFICIARYIBAN
INTERMEDIARYIBAN
INTERMEDIARYCODE
INTERMEDIARYINFO
FURTHERCREDITNAME
FURTHERCREDITACCTNO

Si-check-temp-details

STARTINGCHECKNO
NOOFCHECKLEAVES
CHECKSTARTDATE

Simastertblbutton

FCUBS_ERROR_RESP

ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING
 WCODE
 WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description				
Name	SOURCE				
Datatype	String				
Description					
Restrictions	<table border="1"> <thead> <tr> <th>Restrictions</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[a-zA-Z_0-9]*</td> </tr> </tbody> </table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
	Restrictions	Description			
pattern	[a-zA-Z_0-9]*				

[TOP](#)

UBSCOMP

Attribute	Description				
Name	UBSCOMP				
Datatype	String				
Description					
Restrictions	<table border="1"> <thead> <tr> <th>Restrictions</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>FCUBS,FCIS</td> </tr> </tbody> </table>	Restrictions	Description	enumeration	FCUBS,FCIS
	Restrictions	Description			
enumeration	FCUBS,FCIS				

[TOP](#)

MSGID

Attribute	Description						
Name	MSGID						
Datatype	String						
Description							
Attributes	<table border="1"> <thead> <tr> <th>Attribute</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>minOccurs</td> <td>0</td> </tr> <tr> <td>nillable</td> <td>true</td> </tr> </tbody> </table>	Attribute	Description	minOccurs	0	nillable	true
	Attribute	Description					
	minOccurs	0					
nillable	true						
Restrictions	<table border="1"> <thead> <tr> <th>Restrictions</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>pattern</td> <td>[a-zA-Z_0-9]*</td> </tr> </tbody> </table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*		
	Restrictions	Description					
pattern	[a-zA-Z_0-9]*						

[TOP](#)

CORRELID

Attribute	Description
Name	CORRELID
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

MULTIRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description
-----------	-------------

Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

Simastertbl-Full

Attribute	Description
Name	Simastertbl-Full
Datatype	
Description	

[TOP](#)

NOOFSITRANSACTIONS

Attribute	Description
Name	NOOFSITRANSACTIONS

Datatype	Number	
Description	Indicates Number of Standing Instructions	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SILEVEL

Attribute	Description	
Name	SILEVEL	
Datatype	String	
Description	Indicates Standing Instruction Level, F for fund, P for plan	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,P

[TOP](#)

PLANCODE

Attribute	Description	
Name	PLANCODE	
Datatype	String	
Description	Indicates Plan Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

FIRSTPAYMENTDATE

Attribute	Description	
Name	FIRSTPAYMENTDATE	
Datatype	Date	
Description	Indicates First Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

DESC

Attribute		Description
Name	DESC	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

UNITHOLDERID

Attribute		Description
Name	UNITHOLDERID	
Datatype	String	
Description	Indicates Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

TRANSACTIONTYPE

Attribute		Description
Name	TRANSACTIONTYPE	
Datatype	String	
Description	Indicates Transaction Type, 02 for Subscription, 03 for Redemption, 04 for Switch, 05 for Transfer, 01 for IPO Subscription	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	02,03,04,05,01

EFFECTIVESTARTDATE

Attribute		Description
Name	EFFECTIVESTARTDATE	
Datatype	Date	
Description	Indicates Effective Start Date	
Attributes	Attribute	Description
	minOccurs	1

EFFECTIVEENDDATE

Attribute	Description
-----------	-------------

Name	EFFECTIVEENDDATE	
Datatype	Date	
Description	Indicates Effective End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SFREQUENCY

Attribute	Description	
Name	SFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	
Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

UNITS

Attribute	Description	
Name	UNITS	
Datatype	Number	
Description	Indicates Units	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

HOLDINGSPERCENTAGE

Attribute	Description	
Name	HOLDINGSPERCENTAGE	
Datatype	Number	
Description	Indicates Holdings Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TRANSACTIONCURRENCY

Attribute	Description	
Name	TRANSACTIONCURRENCY	
Datatype	String	
Description	Indicates Transaction Currency	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

TOUNITHOLDERID

Attribute	Description	
Name	TOUNITHOLDERID	
Datatype	String	
Description	Indicates To Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOFUNDID

Attribute	Description	
Name	TOFUNDID	
Datatype	String	
Description	Indicates To Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTTYPE

Attribute	Description
Name	TRANSFERACCOUNTTYPE

Datatype	String	
Description	Indicates Transfer Account Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

REMINDERBEFOREACTION

Attribute	Description	
Name	REMINDERBEFOREACTION	
Datatype	Number	
Description	Indicates Reminder Before Action	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

REMINDERMINPERIOD

Attribute	Description	
Name	REMINDERMINPERIOD	
Datatype	Number	
Description	Indicates Reminder Minimum Period	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

LASTPROCESSEDDATE

Attribute	Description	
Name	LASTPROCESSEDDATE	
Datatype	Date	
Description	Indicates Last Processed Date	
Attributes	Attribute	Description
	minOccurs	0

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	1

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

[TOP](#)

GROSSORNET

Attribute	Description	
Name	GROSSORNET	
Datatype	String	
Description	Indicates Gross or Net, G for Gross, N for Net	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	G,N

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	
Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	T,Q,R,D,F,I,AT,BQ,CQ,DR,DT,FQ,GQ,IQ,LQ,OQ,PD,PQ,RQ,TT,WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description	
Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCOUNTHOLDERNAME	
Datatype	String	
Description	Indicates Transfer Account Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

THRDPARTYPAYMENTREF

Attribute	Description	
Name	THRDPARTYPAYMENTREF	
Datatype	String	
Description	Indicates Third Party Payment Reference	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

THRDPARTYADDRLINE1

Attribute	Description	
Name	THRDPARTYADDRLINE1	
Datatype	String	
Description	Indicates Third Party Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE2

Attribute	Description	
Name	THRDPARTYADDRLINE2	
Datatype	String	
Description	Indicates Third Party Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE3

Attribute	Description	
Name	THRDPARTYADDRLINE3	
Datatype	String	
Description	Indicates Third Party Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THRDPARTYADDRLINE4

Attribute	Description	
Name	THRDPARTYADDRLINE4	
Datatype	String	
Description	Indicates Third Party Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

THIRDPARTYZIPCODE

Attribute	Description	
Name	THIRDPARTYZIPCODE	
Datatype	String	
Description	Indicates Third Party Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

THIRDPARTYUSSTATE

Attribute	Description	
Name	THIRDPARTYUSSTATE	
Datatype	Number	
Description	Indicates Third Party US State	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CIFNUMBER

Attribute	Description	
Name	CIFNUMBER	
Datatype	String	
Description	Indicates CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOCIFNUMBER

Attribute	Description	
Name	TOCIFNUMBER	
Datatype	String	
Description	Indicates To CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DELIVERYOPTION

Attribute	Description	
Name	DELIVERYOPTION	
Datatype	String	
Description	Indicates Delivery Option	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

COUNTRYNAME

Attribute	Description	
Name	COUNTRYNAME	
Datatype	String	
Description	Indicates Country Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHASEIN

Attribute	Description	
Name	PHASEIN	
Datatype	Number	
Description	Indicates Phase In	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASE_INTYPE

Attribute	Description	
Name	PHASE_INTYPE	
Datatype	String	
Description	Indicates Phase In Type, H for holdings	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	H

UHNAME

Attribute	Description	
Name	UHNAME	
Datatype	String	
Description	Indicates Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

PLANDESC

Attribute	Description	
Name	PLANDESC	
Datatype	String	
Description	Indicates Plan Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

BANKNAME

Attribute	Description	
Name	BANKNAME	
Datatype	String	
Description	Indicates Bank Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

BRANCH_NAME

Attribute	Description	
Name	BRANCH_NAME	
Datatype	String	
Description	Indicates Branch Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

TXNCURRENCYDESCRIPTION

Attribute	Description	
Name	TXNCURRENCYDESCRIPTION	
Datatype	String	
Description	Indicates Transaction Currency Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

SIPAYMNTREJCOUNTER

Attribute	Description	
Name	SIPAYMNTREJCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	

Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CONSSIPAYMNTREJCENTER

Attribute	Description	
Name	CONSSIPAYMNTREJCENTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONSSIAUTCOUNTER

Attribute	Description	
Name	CONSSIAUTCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFSITXNSGENERATED

Attribute	Description	
Name	NOOFSITXNSGENERATED	
Datatype	Number	
Description	Indicates Number of Standing Instruction Transactions Generated	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	

Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SINGLECERTIFICATE

Attribute	Description	
Name	SINGLECERTIFICATE	
Datatype	String	
Description	Indicates Single Certificate	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

FROMISSUEDBAL

Attribute	Description	
Name	FROMISSUEDBAL	
Datatype	String	
Description	Indicates From Issued Balance	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	26

[TOP](#)

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

TOUNITHOLDERNAME

Attribute	Description	
Name	TOUNITHOLDERNAME	
Datatype	String	
Description	Indicates To Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description	Indicates Transaction Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String	
Description	Indicates Authorization Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Siheader

Attribute	Description	
Name	Siheader	
Datatype		
Description	Indicates Standing Instruction Header	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description	Indicates Delivery Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

ADDRESSLINE1

Attribute	Description	
Name	ADDRESSLINE1	
Datatype	String	
Description	Indicates Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

ADDRESSLINE2

Attribute	Description	
Name	ADDRESSLINE2	
Datatype	String	
Description	Indicates Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description
Name	COUNTRY

Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description	Indicates Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

Funddeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

SPLITPERCENTAGE

Attribute	Description	
Name	SPLITPERCENTAGE	
Datatype	Number	
Description	Indicates Split Percentage	
Attributes	Attribute	Description
	minOccurs	0

FROMORTOLEG

Attribute	Description	
Name	FROMORTOLEG	
Datatype	String	
Description	Indicates From or To Leg, F for from, T for to	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,T

ENTITYNAME

Attribute	Description
-----------	-------------

Name	ENTITYNAME	
Datatype	String	
Description	Indicates Entity Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**Si-fund**

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**FUNDID**

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)**ISSUED**

Attribute	Description	
Name	ISSUED	
Datatype	String	
Description	Indicates Issued, 1 for Yes, 0 for No, 2 for Both	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0,2

[TOP](#)**CERTREQUIRED**

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)**SINGLECERT**

Attribute	Description
-----------	-------------

Name	SINGLECERT	
Datatype	String	
Description	Indicates Single Certification, 1 for Yes, 0 for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

MINHOLDCHKREQ

Attribute	Description	
Name	MINHOLDCHKREQ	
Datatype	Number	
Description	Indicates Minimum Hold Check Required	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FROMFUNDPRICEBASIS

Attribute	Description	
Name	FROMFUNDPRICEBASIS	
Datatype	String	
Description	Indicates From Fund Price Basis	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CONTRIBUTIONPERCENTAGE

Attribute	Description	
Name	CONTRIBUTIONPERCENTAGE	
Datatype	Number	
Description	Indicates Contribution Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTRIBUTIONAMOUNT

Attribute	Description	
Name	CONTRIBUTIONAMOUNT	
Datatype	Number	
Description	Indicates Contribution Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FUNDNAME

Attribute	Description				
Name	FUNDNAME				
Datatype	String				
Description	Indicates Fund Name				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>60</td></tr></tbody></table>	Restrictions	Description	maxLength	60
	Restrictions	Description			
maxLength	60				

[TOP](#)

Routing-Det

Attribute	Description				
Name	Routing-Det				
Datatype					
Description	Indicates Routing Details				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				

[TOP](#)

SWIFTFORMAT

Attribute	Description				
Name	SWIFTFORMAT				
Datatype	String				
Description	Indicates Swift Format, MT103 and MT202				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>MT103,MT202</td></tr></tbody></table>	Restrictions	Description	enumeration	MT103,MT202
	Restrictions	Description			
enumeration	MT103,MT202				

[TOP](#)

BANKCHARGED

Attribute	Description				
Name	BANKCHARGED				
Datatype	String				
Description	Indicates Bank Charged - Shared and Remit				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>Shared,Remit</td></tr></tbody></table>	Restrictions	Description	enumeration	Shared,Remit
	Restrictions	Description			
enumeration	Shared,Remit				

[TOP](#)

BENEFICIARY

Attribute	Description
Name	BENEFICIARY
Datatype	String

Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description	
Name	BENEFICIARYADD2	
Datatype	String	
Description	Indicates Beneficiary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description	
Name	BENEFICIARYACCTNO	
Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYIBAN

Attribute	Description
Name	INTERMEDIARYIBAN

Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Si-check-temp-details

Attribute	Description	
Name	Si-check-temp-details	
Datatype		
Description	Indicates Standing Instruction Check Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

STARTINGCHECKNO

Attribute	Description	
Name	STARTINGCHECKNO	
Datatype	Number	
Description	Indicates Starting check number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFCHECKLEAVES

Attribute	Description	
Name	NOOFCHECKLEAVES	
Datatype	Number	
Description	Indicates Number of check leaves	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHECKSTARTDATE

Attribute	Description	
Name	CHECKSTARTDATE	
Datatype	Date	
Description	Indicates Check start date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Simastertblbutton

Attribute	Description	
Name	Simastertblbutton	
Datatype		
Description	Indicates Standing Instruction Master table button	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

[TOP](#)

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description				
Name	WARNING				
Datatype					
Description					
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>maxOccurs</td><td>unbounded</td></tr></tbody></table>	Attribute	Description	maxOccurs	unbounded
	Attribute	Description			
maxOccurs	unbounded				

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)

2.4.4.UT-ModifyStandingInstruction-Res-PK-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

CHOICE

Simastertbl-PK

SIID

Simastertbl-IO

SIID

DESC

MODEOFPAYMENT

PAYMENTBRANCH

TRANSFERACCOUNTTYPE

TRANSFERACCOUNTNUMBER

SISTATUS

GENERATEAUTHXN

SIESCALATIONFREQUENCY

NEXTESCALATIONDATE

ESCALATIONTYPE

MODEPAY

ESCALATIONSTARTDATE

ESCALATIONENDDATE

PAYMENTBANKCODE

TRANSFERACCOUNTHOLDERNAME

PAYMENTTYPE
CAMPAIGNCODE
SIAUTOTERMINATIONCOUNTER
CONSSIAUTOCOUNTER
ESCALATIONVALUE
PHASEIN OCC
MAKER
MAKERSTAMP

Delivery-Details

DELIVERYTYPE
CLEARINGAGENTNAME
ACCOUNTNUMBER
ACCOUNTNAME
ADDRESSTYPE
ADDRESS3
CTRY
ZIPCODE
COUNTRY
BICCODE
CERTLOTSIZE
IBAN

Funddeliveryinstruction

CERTDENOM
CERTIFICATEDESC

Intermediary-Details

BROKERINTERMEDIARY
ENTITYTYPE

Sipaymenttbl

PAYMENTMODE
CHECKNUMBER
PAYMENTDATE
SIPROCESSED

Si-fund

Routing-Det

SWIFTFORMAT
BANKCHARGED
BENEFICIARY
BENEFICIARYADD1
BENEFICIARYADD2
BENEFICIARYADD3
BENEFICIARBICCODE
BENEFICIARYACCTNO
BENEFICIARYCODE
BENEFICIARYINFO

INTERMEDIARY
 INTERMEDIARYADD1
 INTERMEDIARYADD2
 INTERMEDIARYADD3
 INTERMEDIARYBICCODE
 INTERMEDIARYACCTNO
 REFERENCE1
 REFERENCE2
 BENEFICIARYIBAN
 INTERMEDIARYIBAN
 INTERMEDIARYCODE
 INTERMEDIARYINFO
 FURTHERCREDITNAME
 FURTHERCREDITACCTNO
 FCUBS_ERROR_RESP
 ERROR
 ECODE
 EDESC
 FCUBS_WARNING_RESP
 WARNING
 WCODE
 WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description
Name	SOURCE_USERID

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description	
Name	NAME	
Datatype	String	
Description		

[TOP](#)

VALUE

Attribute	Description	
Name	VALUE	
Datatype	String	
Description		

[TOP](#)**FCUBS_BODY**

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)**CHOICE**

Attribute	Description
Name	CHOICE
Datatype	
Description	

[TOP](#)**Simastertbl-PK**

Attribute	Description
Name	Simastertbl-PK
Datatype	
Description	

[TOP](#)**SIID**

Attribute	Description				
Name	SIID				
Datatype	String				
Description	Indicates Standing Instruction Id				
Attributes	<table border="1"> <thead> <tr> <th>Attribute</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>minOccurs</td> <td>0</td> </tr> </tbody> </table>	Attribute	Description	minOccurs	0
Attribute	Description				
minOccurs	0				
Restrictions	<table border="1"> <thead> <tr> <th>Restrictions</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>maxLength</td> <td>16</td> </tr> </tbody> </table>	Restrictions	Description	maxLength	16
Restrictions	Description				
maxLength	16				

[TOP](#)**Simastertbl-IO**

Attribute	Description
Name	Simastertbl-IO
Datatype	
Description	

[TOP](#)**SIID**

Attribute	Description
Name	SIID
Datatype	String
Description	Indicates Standing Instruction Id

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

MODEOFPAYMENT

Attribute	Description	
Name	MODEOFPAYMENT	
Datatype	String	
Description	Indicates Mode Of Payment	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCOUNTTYPE

Attribute	Description	
Name	TRANSFERACCOUNTTYPE	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

TRANSFERACCOUNTNUMBER

Attribute	Description	
Name	TRANSFERACCOUNTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

[TOP](#)

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	
Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	T,Q,R,D,F,I,AT,BQ,CQ,DR,DT,FQ,GQ,IQ,LQ,OQ,PD,PQ,RQ,TT,WT

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

ESCALATIONENDDATE

Attribute	Description				
Name	ESCALATIONENDDATE				
Datatype	Date				
Description	Indicates Escalation End Date				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				

[TOP](#)

PAYMENTBANKCODE

Attribute	Description				
Name	PAYMENTBANKCODE				
Datatype	String				
Description	Indicates Payment Bank Code				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>12</td></tr></tbody></table>	Restrictions	Description	maxLength	12
	Restrictions	Description			
maxLength	12				

[TOP](#)

TRANSFERACCONTHOLDERNAME

Attribute	Description				
Name	TRANSFERACCONTHOLDERNAME				
Datatype	String				
Description	Indicates Payment Type, S for self, T for third party				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>60</td></tr></tbody></table>	Restrictions	Description	maxLength	60
	Restrictions	Description			
maxLength	60				

[TOP](#)

PAYMENTTYPE

Attribute	Description				
Name	PAYMENTTYPE				
Datatype	String				
Description	Indicates Payment Type, S for self, T for third party				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>S,T</td></tr></tbody></table>	Restrictions	Description	enumeration	S,T
	Restrictions	Description			
enumeration	S,T				

[TOP](#)

CAMPAIGNCODE

Attribute	Description
Name	CAMPAIGNCODE
Datatype	String

Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CONSSIAUTCOUNTER

Attribute	Description	
Name	CONSSIAUTCOUNTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASEIN OCC

Attribute	Description	
Name	PHASEIN OCC	
Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description
------------------	--------------------

Name	MAKER	
Datatype	String	
Description	Indicates Maker ID	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker ID Date Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Delivery-Details

Attribute	Description	
Name	Delivery-Details	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

Funddeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

CERTDENOM

Attribute	Description	
Name	CERTDENOM	
Datatype	String	
Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description
Name	CERTIFICATEDESC
Datatype	String

Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

[TOP](#)

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

PAYMENTMODE

Attribute	Description	
Name	PAYMENTMODE	
Datatype	String	
Description	Indicates Payment Mode	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

CHECKNUMBER

Attribute	Description	
Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	1

[TOP](#)

Routing-Det

Attribute	Description	
Name	Routing-Det	
Datatype		
Description	Indicates Routing Details	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

SWIFTFORMAT

Attribute	Description	
Name	SWIFTFORMAT	
Datatype	String	
Description	Indicates Swift Format, MT103 and MT202	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	MT103,MT202

[TOP](#)

BANKCHARGED

Attribute	Description	
Name	BANKCHARGED	
Datatype	String	
Description	Indicates Bank Charged - Shared and Remit	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Shared,Remit

[TOP](#)

BENEFICIARY

Attribute	Description	
Name	BENEFICIARY	
Datatype	String	
Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description				
Name	BENEFICIARYADD1				
Datatype	String				
Description	Indicates Beneficiary Address 1				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>35</td></tr></tbody></table>	Restrictions	Description	maxLength	35
	Restrictions	Description			
maxLength	35				

[TOP](#)

BENEFICIARYADD2

Attribute	Description				
Name	BENEFICIARYADD2				
Datatype	String				
Description	Indicates Beneficiary Address 2				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>35</td></tr></tbody></table>	Restrictions	Description	maxLength	35
	Restrictions	Description			
maxLength	35				

[TOP](#)

BENEFICIARYADD3

Attribute	Description				
Name	BENEFICIARYADD3				
Datatype	String				
Description	Indicates Beneficiary Address 3				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>35</td></tr></tbody></table>	Restrictions	Description	maxLength	35
	Restrictions	Description			
maxLength	35				

[TOP](#)

BENEFICIARBICCODE

Attribute	Description				
Name	BENEFICIARBICCODE				
Datatype	String				
Description	Indicates Beneficiary BIC code				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>24</td></tr></tbody></table>	Restrictions	Description	maxLength	24
	Restrictions	Description			
maxLength	24				

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description
-----------	-------------

Name	BENEFICIARYACCTNO	
Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

INTERMEDIARYIBAN

Attribute	Description	
Name	INTERMEDIARYIBAN	
Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description	
Name	ECODE	
Datatype	String	
Description		

[TOP](#)

EDESC

Attribute	Description	
Name	EDESC	
Datatype	String	
Description		

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		

Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)

2.5.QueryStandingInstruction

Query StandingInstruction

2.5.1.UT-QueryStandingInstruction-Req-IO-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Simastertbl-IO

SIID

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description				
Name	SOURCE				
Datatype	String				
Description					
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
	Restrictions	Description			
pattern	[a-zA-Z_0-9]*				

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description
Name	BRANCH
Datatype	String

Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_USERID

Attribute		Description
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

DESTINATION

Attribute		Description
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

MULTIRIPID

Attribute		Description
Name	MULTIRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

FUNCTIONID

Attribute		Description
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description	
Name	NAME	
Datatype	String	
Description		

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

Simastertbl-IO

Attribute	Description
Name	Simastertbl-IO
Datatype	
Description	

[TOP](#)

SIID

Attribute	Description				
Name	SIID				
Datatype	String				
Description	Indicates Standing Instruction Id				
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr></tbody></table>	Attribute	Description	minOccurs	0
	Attribute	Description			
minOccurs	0				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>maxLength</td><td>16</td></tr></tbody></table>	Restrictions	Description	maxLength	16
	Restrictions	Description			
maxLength	16				

[TOP](#)

2.5.2.UT-QueryStandingInstruction-Res-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

CHOICE

Simastertbl-IO

SIID

Simastertbl-Full

NOOFSITRANSACTIONS

SILEVEL

PLANCODE

FIRSTPAYMENTDATE

SIID

DESC

UNITHOLDERID

TRANSACTIONTYPE

EFFECTIVESTARTDATE

EFFECTIVEENDDATE

SFREQUENCY

AMOUNT

UNITS

HOLDINGSPERCENTAGE

TRANSACTIONCURRENCY

TOUNITHOLDERID

TOFUNDID
PAYMENTBRANCH
TRANSFERACCOUNTTYPE
TRANSFERACCOUNTNUMBER
REMINDERBEFOREACTION
REMINDERMINPERIOD
SISTATUS
LASTPROCESSEDDATE
GENERATEAUTHXN
SIESCALATIONFREQUENCY
NEXTESCALATIONDATE
ESCALATIONTYPE
GROSSORNET
MODEPAY
ESCALATIONSTARTDATE
ESCALATIONENDDATE
PAYMENTBANKCODE
TRANSFERACCOUNTHOLDERNAME
PAYMENTTYPE
THRDPARTYPAYMENTREF
THRDPARTYADDRLINE1
THRDPARTYADDRLINE2
THRDPARTYADDRLINE3
THRDPARTYADDRLINE4
THIRDPARTYZIPCODE
THIRDPARTYUSSTATE
CIFNUMBER
TOCIFNUMBER
DELIVERYOPTION
BICCODE
COUNTRYNAME
PHASEIN
PHASE_INTYPE
UHNAME
FUNDNAME
PLANDESC
BANKNAME
BRANCH_NAME
TXNCURRENCYDESCRIPTION
SIPAYMNTREJCOUNTER
CAMPAIGNCODE
SIAUTOTERMINATIONCOUNTER
CONSSIPAYMNTREJCENTER
CONSSIAUTOCOUNTER

NOOFSITXNSGENERATED
ESCALATIONVALUE
IBAN
FUNDID
SINGLECERTIFICATE
FROMISSUEDBAL
CERTREQUIRED
TOUNITHOLDERNAME
PHASEIN OCC
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Siheader
Delivery-Details
 DELIVERYTYPE
 CLEARINGAGENTNAME
 ACCOUNTNUMBER
 ACCOUNTNAME
 ADDRESSTYPE
 ADDRESSLINE1
 ADDRESSLINE2
 ADDRESS3
 CTRY
 ZIPCODE
 COUNTRY
 BICCODE
 CERTLOTSIZE
 IBAN
 DESCRIPTION
 Funddeliveryinstruction
 CERTDENOM
 CERTIFICATEDESC
Intermediary-Details
 BROKERINTERMEDIARY
 ENTITYTYPE
 SPLITPERCENTAGE
 FROMORTOLEG
 ENTITYNAME
Sipaymenttbl
 CHECKNUMBER

PAYMENTDATE

SIPROCESSED

Si-fund

FUNDID

ISSUED

CERTREQUIRED

SINGLECERT

MINHOLDCHKREQ

FROMFUNDPRICEBASIS

CONTRIBUTIONPERCENTAGE

CONTRIBUTIONAMOUNT

FUNDNAME

Routing-Det

SWIFTFORMAT

BANKCHARGED

BENEFICIARY

BENEFICIARYADD1

BENEFICIARYADD2

BENEFICIARYADD3

BENEFICIARBICCODE

BENEFICIARYACCTNO

BENEFICIARYCODE

BENEFICIARYINFO

INTERMEDIARY

INTERMEDIARYADD1

INTERMEDIARYADD2

INTERMEDIARYADD3

INTERMEDIARYBICCODE

INTERMEDIARYACCTNO

REFERENCE1

REFERENCE2

BENEFICIARYIBAN

INTERMEDIARYIBAN

INTERMEDIARYCODE

INTERMEDIARYINFO

FURTHERCREDITNAME

FURTHERCREDITACCTNO

Si-check-temp-details

STARTINGCHECKNO

NOOFCHECKLEAVES

CHECKSTARTDATE

Simastertblbutton

FCUBS_ERROR_RESP

ERROR

[ECODE](#)
[EDESC](#)
[FCUBS_WARNING_RESP](#)
[WARNING](#)
[WCODE](#)
[WDESC](#)

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description	
Name	SOURCE	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description
Name	CORRELID

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description

Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

[TOP](#)

Simastertbl-IO

Attribute	Description
Name	Simastertbl-IO

Datatype	
Description	

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

Simastertbl-Full

Attribute	Description
Name	Simastertbl-Full
Datatype	
Description	

[TOP](#)

NOOFSITRANSACTIONS

Attribute	Description	
Name	NOOFSITRANSACTIONS	
Datatype	Number	
Description	Indicates Number of Standing Instructions	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SILEVEL

Attribute	Description	
Name	SILEVEL	
Datatype	String	
Description	Indicates Standing Instruction Level, F for fund, P for plan	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,P

[TOP](#)

PLANCODE

Attribute	Description
Name	PLANCODE
Datatype	String
Description	Indicates Plan Code

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

FIRSTPAYMENTDATE

Attribute	Description	
Name	FIRSTPAYMENTDATE	
Datatype	Date	
Description	Indicates First Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIID

Attribute	Description	
Name	SIID	
Datatype	String	
Description	Indicates Standing Instruction Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

UNITHOLDERID

Attribute	Description	
Name	UNITHOLDERID	
Datatype	String	
Description	Indicates Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

TRANSACTIONTYPE

Attribute	Description	
Name	TRANSACTIONTYPE	
Datatype	String	
Description	Indicates Transaction Type, 02 for Subscription, 03 for Redemption, 04 for Switch, 05 for Transfer, 01 for IPO Subscription	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	02,03,04,05,01

EFFECTIVESTARTDATE

Attribute	Description	
Name	EFFECTIVESTARTDATE	
Datatype	Date	
Description	Indicates Effective Start Date	
Attributes	Attribute	Description
	minOccurs	1

EFFECTIVEENDDATE

Attribute	Description	
Name	EFFECTIVEENDDATE	
Datatype	Date	
Description	Indicates Effective End Date	
Attributes	Attribute	Description
	minOccurs	0

SFREQUENCY

Attribute	Description	
Name	SFREQUENCY	
Datatype	String	
Description	Indicates Standing Instruction Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

AMOUNT

Attribute	Description	
Name	AMOUNT	
Datatype	Number	

Description	Indicates Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

UNITS

Attribute	Description	
Name	UNITS	
Datatype	Number	
Description	Indicates Units	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

HOLDINGSPERCENTAGE

Attribute	Description	
Name	HOLDINGSPERCENTAGE	
Datatype	Number	
Description	Indicates Holdings Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TRANSACTIONCURRENCY

Attribute	Description	
Name	TRANSACTIONCURRENCY	
Datatype	String	
Description	Indicates Transaction Currency	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

TOUNITHOLDERID

Attribute	Description	
Name	TOUNITHOLDERID	
Datatype	String	
Description	Indicates To Unit Holder Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOFUNDID

Attribute	Description
------------------	--------------------

Name	TOFUNDID	
Datatype	String	
Description	Indicates To Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

PAYMENTBRANCH

Attribute	Description	
Name	PAYMENTBRANCH	
Datatype	String	
Description	Indicates Payment Branch	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCTYPE

Attribute	Description	
Name	TRANSFERACCTYPE	
Datatype	String	
Description	Indicates Transfer Account Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

TRANSFERACCTNUMBER

Attribute	Description	
Name	TRANSFERACCTNUMBER	
Datatype	String	
Description	Indicates Transfer Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

REMINDERBEFOREACTION

Attribute	Description	
Name	REMINDERBEFOREACTION	
Datatype	Number	
Description	Indicates Reminder Before Action	

Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

REMINDERMINPERIOD

Attribute	Description	
Name	REMINDERMINPERIOD	
Datatype	Number	
Description	Indicates Reminder Minimum Period	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SISTATUS

Attribute	Description	
Name	SISTATUS	
Datatype	String	
Description	Indicates Standing Instruction Status, A for active, P for paused, C for cancelled	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P,C

[TOP](#)

LASTPROCESSEDDATE

Attribute	Description	
Name	LASTPROCESSEDDATE	
Datatype	Date	
Description	Indicates Last Processed Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

GENERATEAUTHTXN

Attribute	Description	
Name	GENERATEAUTHTXN	
Datatype	Number	
Description	Indicates Generate Authorized Transaction	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

SIESCALATIONFREQUENCY

Attribute	Description	
Name	SIESCALATIONFREQUENCY	
Datatype	String	

Description	Indicates Standing Instruction Escalation Frequency, M for monthly, Q for quarterly, H for half yearly, Y for yearly, W for weekly, F for biweekly, D for daily	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y,W,F,D

[TOP](#)

NEXTESCALATIONDATE

Attribute	Description	
Name	NEXTESCALATIONDATE	
Datatype	Date	
Description	Indicates Next Escalation Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONTYPE

Attribute	Description	
Name	ESCALATIONTYPE	
Datatype	String	
Description	Indicates Escalation Type, A for Amounts/Units, P for percentage	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

[TOP](#)

GROSSORNET

Attribute	Description	
Name	GROSSORNET	
Datatype	String	
Description	Indicates Gross or Net, G for Gross, N for Net	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	G,N

[TOP](#)

MODEPAY

Attribute	Description	
Name	MODEPAY	
Datatype	String	

Description	Indicates Mode of Subpayment, T for Money transfer, Q for cheque, R for Credit card, D for Demand draft, F for Against Payment, I for In Kind Payment, AT for Advice, BQ for Broker Cheque, C for Cashier Cheque, DR for Debit Card, DT for Direct debit, FQ for Foreign Cheque, GQ for Government Cheque, IQ for Other Institution Cheque, LQ for Local Cheque, OQ for Out Of Town Cheque,PD for Pay Order, PQ for Pay Roll Deduction, RQ for Reserve Bank Cheque, TT for Telegraphic Transfer, WT for Wire Transfer	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	T, Q, R, D, F, I, AT, BQ, CQ, DR, DT, FQ, GQ, IQ, LQ, OQ, PD, PQ, RQ, TT, WT

[TOP](#)

ESCALATIONSTARTDATE

Attribute	Description	
Name	ESCALATIONSTARTDATE	
Datatype	Date	
Description	Indicates Escalation Start Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONENDDATE

Attribute	Description	
Name	ESCALATIONENDDATE	
Datatype	Date	
Description	Indicates Escalation End Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PAYMENTBANKCODE

Attribute	Description	
Name	PAYMENTBANKCODE	
Datatype	String	
Description	Indicates Payment Bank Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TRANSFERACCONTHOLDERNAME

Attribute	Description	
Name	TRANSFERACCONTHOLDERNAME	
Datatype	String	
Description	Indicates Transfer Account Holder Name	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PAYMENTTYPE

Attribute	Description	
Name	PAYMENTTYPE	
Datatype	String	
Description	Indicates Payment Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

THRDPARTYPAYMENTREF

Attribute	Description	
Name	THRDPARTYPAYMENTREF	
Datatype	String	
Description	Indicates Third Party Payment Reference	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

THRDPARTYADDRLINE1

Attribute	Description	
Name	THRDPARTYADDRLINE1	
Datatype	String	
Description	Indicates Third Party Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE2

Attribute	Description	
Name	THRDPARTYADDRLINE2	
Datatype	String	
Description	Indicates Third Party Address Line 2	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE3

Attribute	Description	
Name	THRDPARTYADDRLINE3	
Datatype	String	
Description	Indicates Third Party Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THRDPARTYADDRLINE4

Attribute	Description	
Name	THRDPARTYADDRLINE4	
Datatype	String	
Description	Indicates Third Party Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

THIRDPARTYZIPCODE

Attribute	Description	
Name	THIRDPARTYZIPCODE	
Datatype	String	
Description	Indicates Third Party Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

THIRDPARTYUSSTATE

Attribute	Description	
Name	THIRDPARTYUSSTATE	
Datatype	Number	
Description	Indicates Third Party US State	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CIFNUMBER

Attribute	Description	
Name	CIFNUMBER	
Datatype	String	
Description	Indicates CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

TOCIFNUMBER

Attribute	Description	
Name	TOCIFNUMBER	
Datatype	String	
Description	Indicates To CIF Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

DELIVERYOPTION

Attribute	Description	
Name	DELIVERYOPTION	
Datatype	String	
Description	Indicates Delivery Option	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

COUNTRYNAME

Attribute	Description
Name	COUNTRYNAME

Datatype	String	
Description	Indicates Country Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

PHASEIN

Attribute	Description	
Name	PHASEIN	
Datatype	Number	
Description	Indicates Phase In	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PHASE_INTYPE

Attribute	Description	
Name	PHASE_INTYPE	
Datatype	String	
Description	Indicates Phase In Type, H for holdings	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	H

[TOP](#)

UHNAME

Attribute	Description	
Name	UHNAME	
Datatype	String	
Description	Indicates Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

PLANDESC

Attribute	Description	
Name	PLANDESC	
Datatype	String	
Description	Indicates Plan Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

BANKNAME

Attribute	Description	
Name	BANKNAME	
Datatype	String	
Description	Indicates Bank Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

BRANCH_NAME

Attribute	Description	
Name	BRANCH_NAME	
Datatype	String	
Description	Indicates Branch Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

TXNCURRENCYDESCRIPTION

Attribute	Description	
Name	TXNCURRENCYDESCRIPTION	
Datatype	String	
Description	Indicates Transaction Currency Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

SIPAYMNTREJCOUNTER

Attribute	Description	
Name	SIPAYMNTREJCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

CAMPAIGNCODE

Attribute	Description	
Name	CAMPAIGNCODE	
Datatype	String	
Description	Indicates Campaign Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

SIAUTOTERMINATIONCOUNTER

Attribute	Description	
Name	SIAUTOTERMINATIONCOUNTER	
Datatype	String	
Description	Indicates Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

CONSSIPAYMNTREJCENTER

Attribute	Description	
Name	CONSSIPAYMNTREJCENTER	
Datatype	Number	
Description	Indicates Consolidated Standing Instruction Payment Rejection Counter	
Attributes	Attribute	Description
	minOccurs	0

CONSSIAUTCOUNTER

Attribute	Description
Name	CONSSIAUTCOUNTER

Datatype	Number	
Description	Indicates Consolidated Standing Instruction Auto Termination Counter	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFSITXNSGENERATED

Attribute	Description	
Name	NOOFSITXNSGENERATED	
Datatype	Number	
Description	Indicates Number of Standing Instruction Transactions Generated	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ESCALATIONVALUE

Attribute	Description	
Name	ESCALATIONVALUE	
Datatype	Number	
Description	Indicates Escalation Value	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SINGLECERTIFICATE

Attribute	Description	
Name	SINGLECERTIFICATE	
Datatype	String	
Description	Indicates Single Certificate	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

FROMISSUEDBAL

Attribute	Description	
Name	FROMISSUEDBAL	
Datatype	String	
Description	Indicates From Issued Balance	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	26

[TOP](#)

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

[TOP](#)

TOUNITHOLDERNAME

Attribute	Description	
Name	TOUNITHOLDERNAME	
Datatype	String	
Description	Indicates To Unit Holder Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	182

[TOP](#)

PHASEIN OCC

Attribute	Description
Name	PHASEIN OCC

Datatype	Number	
Description	Indicates No Of Phase In Occurrence	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Date-Time Stamp	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description	Indicates Transaction Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description	Indicates Authorization Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Siheader

Attribute	Description	
Name	Siheader	
Datatype		
Description	Indicates Standing Instruction Header	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Delivery-Details

Attribute	Description
Name	Delivery-Details

Datatype		
Description	Indicates Delivery Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

DELIVERYTYPE

Attribute	Description	
Name	DELIVERYTYPE	
Datatype	String	
Description	Indicates Delivery Type, S for self, T for third party	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	S,T

[TOP](#)

CLEARINGAGENTNAME

Attribute	Description	
Name	CLEARINGAGENTNAME	
Datatype	String	
Description	Indicates Clearing Agent Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

ACCOUNTNUMBER

Attribute	Description	
Name	ACCOUNTNUMBER	
Datatype	String	
Description	Indicates Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

ACCOUNTNAME

Attribute	Description	
Name	ACCOUNTNAME	
Datatype	String	
Description	Indicates Account Name	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

ADDRESSTYPE

Attribute	Description	
Name	ADDRESSTYPE	
Datatype	String	
Description	Indicates Address Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

[TOP](#)

ADDRESSLINE1

Attribute	Description	
Name	ADDRESSLINE1	
Datatype	String	
Description	Indicates Address Line 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESSLINE2

Attribute	Description	
Name	ADDRESSLINE2	
Datatype	String	
Description	Indicates Address Line 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

[TOP](#)

ADDRESS3

Attribute	Description	
Name	ADDRESS3	
Datatype	String	
Description	Indicates Address Line 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

CTRY

Attribute	Description	
Name	CTRY	
Datatype	String	
Description	Indicates Address Line 4	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	80

ZIPCODE

Attribute	Description	
Name	ZIPCODE	
Datatype	String	
Description	Indicates Zip Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

COUNTRY

Attribute	Description	
Name	COUNTRY	
Datatype	String	
Description	Indicates Country	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

BICCODE

Attribute	Description	
Name	BICCODE	
Datatype	String	
Description	Indicates BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

CERTLOTSIZE

Attribute	Description	
Name	CERTLOTSIZE	
Datatype	String	
Description	Indicates Certification Lot Size	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2000

[TOP](#)

IBAN

Attribute	Description	
Name	IBAN	
Datatype	String	
Description	Indicates IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

[TOP](#)

DESCRIPTION

Attribute	Description	
Name	DESCRIPTION	
Datatype	String	
Description	Indicates Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

Funddeliveryinstruction

Attribute	Description	
Name	Funddeliveryinstruction	
Datatype		
Description	Indicates Fund Delivery Instruction	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CERTDENOM

Attribute	Description
Name	CERTDENOM
Datatype	String

Description	Indicates Certificate Denomination	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	200

[TOP](#)

CERTIFICATEDESC

Attribute	Description	
Name	CERTIFICATEDESC	
Datatype	String	
Description	Indicates Certificate Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	34

[TOP](#)

Intermediary-Details

Attribute	Description	
Name	Intermediary-Details	
Datatype		
Description	Indicates Intermediary Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

BROKERINTERMEDIARY

Attribute	Description	
Name	BROKERINTERMEDIARY	
Datatype	String	
Description	Indicates Broker Intermediary	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

ENTITYTYPE

Attribute	Description	
Name	ENTITYTYPE	
Datatype	String	
Description	Indicates Entity type, B for broker, A for Agent, I for IFA, O for Account Officer, N for Agency Branch	
Attributes	Attribute	Description
	minOccurs	1

Restrictions	Restrictions	Description
	enumeration	B,A,I,O,N

[TOP](#)

SPLITPERCENTAGE

Attribute	Description	
Name	SPLITPERCENTAGE	
Datatype	Number	
Description	Indicates Split Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FROMORTOLEG

Attribute	Description	
Name	FROMORTOLEG	
Datatype	String	
Description	Indicates From or To Leg, F for from, T for to	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	F,T

[TOP](#)

ENTITYNAME

Attribute	Description	
Name	ENTITYNAME	
Datatype	String	
Description	Indicates Entity Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Sipaymenttbl

Attribute	Description	
Name	Sipaymenttbl	
Datatype		
Description	Indicates Standing Instruction Payment Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CHECKNUMBER

Attribute	Description
------------------	--------------------

Name	CHECKNUMBER	
Datatype	String	
Description	Indicates Check Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	16

[TOP](#)

PAYMENTDATE

Attribute	Description	
Name	PAYMENTDATE	
Datatype	Date	
Description	Indicates Payment Date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SIPROCESSED

Attribute	Description	
Name	SIPROCESSED	
Datatype	Number	
Description	Indicates Standing Instruction Processed	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Si-fund

Attribute	Description	
Name	Si-fund	
Datatype		
Description	Indicates Standing Instruction Fund Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates Fund Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

ISSUED

Attribute	Description	
Name	ISSUED	
Datatype	String	
Description	Indicates Issued, 1 for Yes, 0 for No, 2 for Both	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0,2

CERTREQUIRED

Attribute	Description	
Name	CERTREQUIRED	
Datatype	String	
Description	Indicates Certificate Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

SINGLECERT

Attribute	Description	
Name	SINGLECERT	
Datatype	String	
Description	Indicates Single Certification, 1 for Yes, 0 for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,0

MINHOLDCHKREQ

Attribute	Description	
Name	MINHOLDCHKREQ	
Datatype	Number	
Description	Indicates Minimum Hold Check Required	
Attributes	Attribute	Description
	minOccurs	0

FROMFUNDPRICEBASIS

Attribute	Description
Name	FROMFUNDPRICEBASIS

Datatype	String	
Description	Indicates From Fund Price Basis	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CONTRIBUTIONPERCENTAGE

Attribute	Description	
Name	CONTRIBUTIONPERCENTAGE	
Datatype	Number	
Description	Indicates Contribution Percentage	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CONTRIBUTIONAMOUNT

Attribute	Description	
Name	CONTRIBUTIONAMOUNT	
Datatype	Number	
Description	Indicates Contribution Amount	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FUNDNAME

Attribute	Description	
Name	FUNDNAME	
Datatype	String	
Description	Indicates Fund Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	60

[TOP](#)

Routing-Det

Attribute	Description	
Name	Routing-Det	
Datatype		
Description	Indicates Routing Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SWIFFORMAT

Attribute	Description	
Name	SWIFTFORMAT	
Datatype	String	
Description	Indicates Swift Format, MT103 and MT202	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	MT103,MT202

[TOP](#)

BANKCHARGED

Attribute	Description	
Name	BANKCHARGED	
Datatype	String	
Description	Indicates Bank Charged - Shared and Remit	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Shared,Remit

[TOP](#)

BENEFICIARY

Attribute	Description	
Name	BENEFICIARY	
Datatype	String	
Description	Indicates Beneficiary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD1

Attribute	Description	
Name	BENEFICIARYADD1	
Datatype	String	
Description	Indicates Beneficiary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD2

Attribute	Description
Name	BENEFICIARYADD2

Datatype	String	
Description	Indicates Beneficiary Address 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARYADD3

Attribute	Description	
Name	BENEFICIARYADD3	
Datatype	String	
Description	Indicates Beneficiary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

BENEFICIARBICCODE

Attribute	Description	
Name	BENEFICIARBICCODE	
Datatype	String	
Description	Indicates Beneficiary BIC code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYACCTNO

Attribute	Description	
Name	BENEFICIARYACCTNO	
Datatype	String	
Description	Indicates Beneficiary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYCODE

Attribute	Description	
Name	BENEFICIARYCODE	
Datatype	String	
Description	Indicates Beneficiary Code	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

BENEFICIARYINFO

Attribute	Description	
Name	BENEFICIARYINFO	
Datatype	String	
Description	Indicates Beneficiary Information	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

INTERMEDIARY

Attribute	Description	
Name	INTERMEDIARY	
Datatype	String	
Description	Indicates Intermediary	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD1

Attribute	Description	
Name	INTERMEDIARYADD1	
Datatype	String	
Description	Indicates Intermediary Address 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD2

Attribute	Description	
Name	INTERMEDIARYADD2	
Datatype	String	
Description	Indicates Intermediary Address 2	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYADD3

Attribute	Description	
Name	INTERMEDIARYADD3	
Datatype	String	
Description	Indicates Intermediary Address 3	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

INTERMEDIARYBICCODE

Attribute	Description	
Name	INTERMEDIARYBICCODE	
Datatype	String	
Description	Indicates Intermediary BIC Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

INTERMEDIARYACCTNO

Attribute	Description	
Name	INTERMEDIARYACCTNO	
Datatype	String	
Description	Indicates Intermediary Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

[TOP](#)

REFERENCE1

Attribute	Description	
Name	REFERENCE1	
Datatype	String	
Description	Indicates Reference 1	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

REFERENCE2

Attribute	Description	
Name	REFERENCE2	
Datatype	String	
Description	Indicates Reference 2	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

BENEFICIARYIBAN

Attribute	Description	
Name	BENEFICIARYIBAN	
Datatype	String	
Description	Indicates Beneficiary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

INTERMEDIARYIBAN

Attribute	Description	
Name	INTERMEDIARYIBAN	
Datatype	String	
Description	Indicates Intermediary IBAN	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	40

INTERMEDIARYCODE

Attribute	Description	
Name	INTERMEDIARYCODE	
Datatype	String	
Description	Indicates Intermediary Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	24

INTERMEDIARYINFO

Attribute	Description	
Name	INTERMEDIARYINFO	
Datatype	String	
Description	Indicates Intermediary Info	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

FURTHERCREDITNAME

Attribute	Description	
Name	FURTHERCREDITNAME	
Datatype	String	
Description	Indicates Further Credit Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

FURTHERCREDITACCTNO

Attribute	Description	
Name	FURTHERCREDITACCTNO	
Datatype	String	
Description	Indicates Further Credit Account Number	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

Si-check-temp-details

Attribute	Description	
Name	Si-check-temp-details	
Datatype		
Description	Indicates Standing Instruction Check Details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

STARTINGCHECKNO

Attribute	Description	
Name	STARTINGCHECKNO	
Datatype	Number	
Description	Indicates Starting check number	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NOOFCHECKLEAVES

Attribute	Description	
Name	NOOFCHECKLEAVES	
Datatype	Number	
Description	Indicates Number of check leaves	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHECKSTARTDATE

Attribute	Description	
Name	CHECKSTARTDATE	
Datatype	Date	
Description	Indicates Check start date	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Simastertblbutton

Attribute	Description	
Name	Simastertblbutton	
Datatype		
Description	Indicates Standing Instruction Master table button	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		

Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

[TOP](#)

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC

Datatype	String
Description	

[TOP](#)



Unit Holder
[April] [2014]

Oracle Financial Services software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2007], [2013], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any

kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.