Oracle® Revenue Management and Billing

Version 2.3.0.1.0

Banking User Guide

Revision 3.1

E55308-01

August, 2014

ORACLE®

Notices

Oracle Revenue Management and Billing Version 2.3.0.1.0 Banking User Guide

E55308-01

Copyright Notice

Copyright © 2014, Oracle and/or its affiliates. All rights reserved.

Trademark Notice

Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

License Restrictions Warranty/Consequential Damages Disclaimer

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure, and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or de-compilation of this software, unless required by law for interoperability, is prohibited.

Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Oracle programs, including any operating system, integrated software, any programs installed on the hardware and/or documentation delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware and/or documentation shall be subject to license terms and restrictions applicable to the programs. No other rights are granted to the U.S. Government.

Hazardous Applications Notice

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Third Party Content, Products, and Services Disclaimer

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third party content, products, or services.

Copyright © 2014, Oracle. All rights reserved.

Contents

Preface: About this Document.....xv
Intended Audience.....xv
Organization of the Document.....xv
Conventions.....xvii
Related Documents.....xvii

Chapter 1: Banking Control Central.....19
Banking Control Central.....20
Searching for an Account.....22
Viewing Contracts Assigned to an Account.....24
Viewing Payment History of an Account.....25
Searching for a Customer.....25
Using Advanced Search for an Account.....27
View Account Contracts Information.....30
Searching for Contracts Assigned to an Account.....31
View Account Financial Transaction History.....32
Searching for Financial Transactions of an Account.....34
View Account Payment History.....34
Searching for Payment Transactions of an Account.....36
View Accounts of Customer.....36
Searching for Accounts of a Customer.....38
Control Central.....39
Searching for Child Persons' Accounts.....41

Chapter 2: Invoicing Group.....43
Manage Invoicing Groups.....45
Searching for a Master Account.....45
Searching for a Member Account.....46
Viewing the Master Account Details.....48
Viewing the Member Account Details.....49
Invoicing Group Maintenance — Add/Edit.....49
Adding a Member to the Master Account.....53
Editing the Member Account Assignment Details.....54
Removing a Member from the Master Account.....55
Invoicing Group Information.....56
Editing the Member Account Assignment Details.....58
Removing a Member from the Master Account.....59

Chapter 3: Pricing Management.....61
Types of Pricing.....63
Multi Parameter Based Pricing.....63
Price List Assignment (Account).....66
Viewing Price Lists Assigned to an Account.....71
Editing the Price List Assignment Details.....71
Assigning a Price List to an Account.....73
Price List Assignment (Customer).....75

Copyright © 2014, Oracle. All rights reserved.

Viewing Price Lists Assigned to a Customer....79
Editing the Price List Assignment Details....80
Assigning a Price List to a Customer....81
Pricing (Account)....83
Viewing Effective Pricing of an Account....88
Exporting Effective Pricing in CSV Format....89
Assigning a Product to an Account....91
Pricing (Customer)....92
Viewing Effective Pricing of a Customer....97
Exporting Effective Pricing in CSV Format....97
Assigning a Product to a Customer....100
Manage Exchange Rates....101
Searching for an Exchange Rate....104
Editing an Exchange Rate....105
Deleting an Exchange Rate....106
Defining an Exchange Rate....106
Manage Products....107
Searching for a Product....114
Viewing the Product Details....115
Creating a Product....115
Defining Characteristics for a Product....117
Associating a Parameter with a Product....118
Associating a Product with a Division....120
Defining Division-Specific Characteristics for a Product....121
Editing a Product....123
Manage Price Lists....124
Searching for a Price List....126
Viewing the Price List Details....127
Creating a Price List....127
Defining the Price List Hierarchy....129
Defining Characteristics for a Price List....130
Associating a Price List with a Division....131
Editing a Price List....132
Manage Product Assignments to Price Lists....133
Viewing Products Assigned to a Price List....136
Removing a Product from a Price List....136
Assigning a Product to a Price List....137
Copy Price List....138
Copying a Price List....141
Product Relationship Maintenance....141
Viewing Products Added in a Bundle....143
Filtering Products of a Bundle....144
Adding a Product to a Bundle....145
Removing a Product from a Bundle....147
Copy Bundle....148
Copying a Bundle....151
Manage Rate Definitions....151
Defining Tiering Setup of a Rate Component....154
Editing Tiering Setup of a Rate Component....155
Deleting Tiering Setup of a Rate Component....156
Manage Tiering Criteria....156
Creating a Tiering Criterion....158
Editing a Tiering Criterion....159
Add Product Pricing....159
Defining Product Pricing....165
Edit Assigned Pricing....167

Copyright © 2014, Oracle. All rights reserved.

Editing Assigned Pricing....171
Override Product Pricing....172
Overriding Product Pricing....177
Price Assignment Characteristics....178
Defining Characteristics for the Price Assignment....179
Editing the Price Assignment Characteristics....180
Variance Parameter....181
Filtering the Variance Parameters....181
Defining a Variance Parameter....182
Editing a Variance Parameter....182
Deleting a Variance Parameter....183
Parameter....183
Searching for a Parameter....185
Defining a Parameter....185
Editing a Parameter....187
Deleting a Parameter....189
Copying a Parameter....189
Viewing the Parameter Details....191
Product Parameters....192
Setting Product Parameters....193

Chapter 4: Division....195
Division Search....196
Searching for a Division....196
Division....197
Defining a Division....199
Associating Access Groups with a Division....202
Associating Products with a Division....203
Associating Price Lists with a Division....204
Associating Languages with a Division....204
Associating Invoice Currencies with a Division....205
Associating Customer Identifier Types with a Division....206
Associating Algorithms with a Division....206
Defining Characteristics for a Division....208
Associating Bill Messages with a Division....209
Associating Party Char Types with a Division....210
Associating Bill Cycles with a Division....211
Associating Account Identifier Types with a Division....211
Defining Division-Specific Characteristics for a Product....212

Chapter 5: Approval Workflow....215
Most Commonly Used Terms....216
Approval Workflow Process....216
Prerequisites....218
Approve....220
Approving a Request....222
Rejecting a Request....223
Cancelling a Request....224
Resolve....226
Resolving a Request....228
Withdrawing a Request....229
Modify....230
Modifying a Request....232
Withdrawing a Request....233

Copyright © 2014, Oracle. All rights reserved.

Logs....234
Viewing Log of an Approval Workflow Request....236
Approve Price Assignment....237
Approving Price Assignment Request of an Account....240
Approving Price Assignment Request of a Customer....242
Approving Price Assignment Request of a Price List....243
Rejecting Price Assignment Request of an Account....244
Rejecting Price Assignment Request of a Customer....245
Rejecting Price Assignment Request of a Price List....246
Cancelling Price Assignment Request of an Account....248
Cancelling Price Assignment Request of a Customer....249
Cancelling Price Assignment Request of a Price List....250
Modify Price Assignment....251
Modifying Price Assignment Request of an Account....255
Modifying Price Assignment Request of a Customer....256
Modifying Price Assignment Request of a Price List....256
Withdrawing Price Assignment Request of an Account....257
Withdrawing Price Assignment Request of a Customer....258
Withdrawing Price Assignment Request of a Price List....259
Resolve Price Assignment....260
Resolving Price Assignment Request of an Account....264
Resolving Price Assignment Request of a Customer....265
Resolving Price Assignment Request of a Price List....266
Withdrawing Price Assignment Request of an Account....267
Withdrawing Price Assignment Request of a Customer....268
Withdrawing Price Assignment Request of a Price List....269
Approval Workflow Group....270
Defining an Approval Workflow Group....273
Editing an Approval Workflow Group....276
Deleting an Approval Workflow Group....280
Adding a Business Object....281
Editing a Business Object....282
Deleting a Business Object....284
Defining a Group BO Relation....284
Editing a Group BO Relation....285
Deleting a Group BO Relation....286
Approval Workflow Chain....287
Defining an Approval Workflow Chain....289
Editing an Approval Workflow Chain....290
Deleting an Approval Workflow Chain....291
Defining an Approval Level....291
Editing an Approval Level....292
Deleting an Approval Level....293
Approval Workflow Criteria Type....294
Defining an Approval Workflow Criteria Type....295
Editing an Approval Workflow Criteria Type....296
Deleting an Approval Workflow Criteria Type....297
Approval Workflow Group Chain Linkage....297
Creating an Approval Workflow Group Chain Link....299
Editing an Approval Workflow Group Chain Link....300
Deleting an Approval Workflow Group Chain Link....301
Defining an Approval Workflow Criterion....301
Editing an Approval Workflow Criterion....302
Deleting an Approval Workflow Criterion....303
Approval Workflow Settings....304
Defining Approval Workflow Settings....305

Copyright © 2014, Oracle. All rights reserved.

Editing Approval Workflow Settings....307
Deleting Approval Workflow Settings....309
Approval Workflow Reason....309
Defining a Reason Code....310
Editing a Reason Code....310
Deleting a Reason Code....311

Chapter 6: Multi-Currency Accounts....313
Creating Adjustments....315
Generating Bills....315
Applying Payments....315
Monitoring Overdue Debt....315
Generating History....315

Chapter 7: Rules Engine....317
Rule Type....318
Searching for a Rule Type....319
Creating a Rule Type....319
Editing a Rule Type....320
Deleting a Rule Type....321
Copying a Rule Type....322
View Rule Type....322
Viewing the Rule Type Details....323
Rule....323
Searching for a Rule....325
Defining a Rule....325
Editing a Rule....329
Deleting a Rule....333
Copying a Rule....334
View Rule....335
Viewing the Rule Details....337
Rule Check....337
Validating Effective Rules....338

Chapter 8: Alternate Sequential Invoice Numbers....341
Setting Alternate Sequential Invoice Numbers....342

Chapter 9: Transaction Feed Management....345
Transaction Feed Management Process....347
Header Validation....348
Transaction Validation and Initial Product Determination....350
Product Pricing Verification....358
Aggregation....361
Clean Up....364
Disaggregation....366
Cancellation....371
Rollback....373
Feed Status Transition....374
Transaction Status Transition....375
Transaction Leg Status Transition....377
CSV File Format....385
Error List....388

Copyright © 2014, Oracle. All rights reserved.

Feed Management Dashboard....409
Searching for a Transaction Feed....413
Viewing Division Level Details of a Transaction Feed....413
Viewing Transaction Details of a Division in a Feed....414
View Billed Transactions....414
Searching for a Bill....418
Viewing the Bill Segments of a Bill....419
Viewing Transactions for which the Bill Segment is Generated....419
Viewing SQIs Calculated on the Billable Charge....420
Transaction Details....420
Searching for an UPLD Transaction....421
Searching for an INPD Transaction....423
Searching for an COMP Transaction....426
Searching for an CNCL Transaction....428
Searching for an EROR Transaction....430
Searching for an IGNR Transaction....433
Searching for an INVL Transaction....435
Viewing the Transaction Legs....437
Viewing the Transaction Details....438
Adding a Transaction....440
Copying a Transaction....443
Transaction Source....445
Searching for a Transaction Source....446
Defining a Transaction Source....447
Editing a Transaction Source....447
Deleting a Transaction Source....448
Copying a Transaction Source....448
Transaction Record Type....449
Searching for a Transaction Record Type....450
Defining a Transaction Record Type....451
Editing a Transaction Record Type....453
Deleting a Transaction Record Type....454
Copying a Transaction Record Type....455
Transaction Aggregation Rule....457
Defining Transaction Aggregation Rule for an SQI....457
Editing Transaction Aggregation Rule of an SQI....458
Deleting Transaction Aggregation Rule of an SQI....459
Product SQIs....460
Viewing SQIs Associated with a Product — Division Combination....461
Associating an SQI with a Product — Division Combination....461
Editing SQIs Associated with the Product — Division Combination....462
Removing a Link Between SQIs and the Product — Division Combination....463
Copying Product SQIs....464
Schedule....465
Searching for a Schedule....466
Viewing the Schedule Details....466
Defining a Schedule....467
Editing a Schedule....468
Deleting a Schedule....469
Disaggregation Request....469
Searching for a Disaggregation Request....470
Creating a Disaggregation Request....473

Chapter 10: On Demand Billing....477
Prerequisites....479

Copyright © 2014, Oracle. All rights reserved.

CSV File Format..... 481
Usage Record Status Transition..... 483
File Type..... 483
Defining a File Type..... 484
Editing a File Type..... 488
Deleting a File Type..... 491
On Demand Billing..... 491
Searching for a Usage Data File..... 495
Uploading a Usage Data File..... 495
Viewing All Records of a Usage Data File..... 498
Viewing Valid Records of a Usage Data File..... 501
Viewing Invalid Records of a Usage Data File..... 503
Viewing Submitted Records of a Usage Data File..... 506
Viewing Processed Records of a Usage Data File..... 509
Viewing Cancelled Records of a Usage Data File..... 512
Viewing Rejected Records of a Usage Data File..... 515
Viewing Billed Records of a Usage Data File..... 518
Viewing Unbilled Records of a Usage Data File..... 521
Viewing All Bills Generated for a Usage Data File..... 524
Submitting a Valid Record..... 526
Approving a Valid Record..... 527
Generating Adhoc Bills..... 530
Freezing All Bills of a Usage Data File..... 531
Freezing Selected Bills of a Usage Data File..... 531
Rejecting a Valid Record..... 532
Cancelling a Record in a Usage Data File..... 534
Cancelling a Usage Data File..... 534
Revalidating a Usage Data File..... 535
Editing a Valid, Invalid, or Rejected Usage Record..... 536
Filtering Usage Records..... 537

Chapter 11: Reporting..... 539
Report Search..... 540
Report Submission..... 540
Generating the CI_CSEOPN Report..... 541
Generating the CI_CSESGS Report..... 543
Generating the CI_CSESTS Report..... 544
Generating the CI_CUSTCN Report..... 545
Generating the CI_GLACSM Report..... 546
Generating the CI_LTRGN_ENG Report..... 547
Generating the CI_PMTBAL Report..... 548
Generating the CI_RCVAGA Report..... 549
Generating the CI_TDENTR Report..... 550
Generating the CI_TXPYBL Report..... 551

Appendix A: Most Commonly Used Tasks..... 553
Changing the Layout..... 554
Adding a Column to the Zone..... 554
Rearranging Columns in the Zone..... 554
Removing a Column from the Zone..... 554
Searching for an Access Group..... 555
Searching for an Algorithm..... 555
Searching for an Approval Workflow Chain..... 556
Searching for an Approval Workflow Criteria Type..... 557

Copyright © 2014, Oracle. All rights reserved.

Searching for an Approval Workflow Group....558
Searching for a Bill Message....559
Searching for a Business Object....560
Searching for a Dependent Rule....561
Searching for a Field....562
Searching for a Parameter....563
Searching for a Predefined Characteristic Value....564
Searching for a Predefined Parameter Value....565
Searching for a Price List....565
Searching for a Product....566
Searching for a Rate Schedule....567
Searching for a To Do Role....568
Searching for a To Do Type....569
Searching for a UI Map....570

Appendix B: Administration....571

Changing the Highlighting Colors....573
Creating Display UI Map for an Approval Workflow Group....574
Creating Input UI Map for an Approval Workflow Group....575
Setting the Multi-Currency Accounts (C1_MLTCURACC) Feature Configuration....576
Setting the On Demand Billing (C1-ODBFC) Feature Configuration....578
Setting the Multi Parameter Based Pricing (C1_PPARM_FLG) Feature Configuration....579
Setting the Reference Entity (C1_PPARM_REF) Feature Configuration....580
Setting the Rule Engine (C1_RLENG) Feature Configuration....581
Setting the Dummy Header (C1-TXNDMYID) Feature Configuration....582
Setting the C1_PR_REC Feature Configuration....583
Setting the C1_PRASNORDR Feature Configuration....583
Setting the C1_DIVFUNCT Feature Configuration....584
Setting the C1_PERACCT Feature Configuration....585
Setting the C1_FINTRANOP Feature Configuration....586
Setting the C1_EXP_OVRD Feature Configuration....587
Setting the C1_EXCHRATE Feature Configuration....588
Setting the C1_EX_ROUND Feature Configuration....589
Setting the C1_AXENTITY Feature Configuration....590
Setting the C1_FM Feature Configuration....592
Setting the C1_ACCTINFO Feature Configuration....593

Appendix C: Control Data....595

Accounting Environment....597
Automatic Payment (EFT) Environment....599
Bill Cycle Environment....600
Contract Configuration....601
Credit and Collections Environment....602
Customer Class Environment....604
Customer Environment....605
Division Environment....608
Financial Transaction Environment....609
Global Context....614
Late Payment Environment....614
Notification and Workflow....614
Pricing Management....615
Rate Environment....617
Security Environment....618
Services and Characteristics....619

Copyright © 2014, Oracle. All rights reserved.

Statements..... 619
Wrap Up..... 620

Copyright © 2014, Oracle. All rights reserved.

Copyright © 2014, Oracle. All rights reserved.

Preface

About this Document

This document lists and describes various banking features in Oracle Revenue Management and Billing. It describes all screens related to the following features and explains how to perform various tasks in the application:

- Banking Control Central
- Invoicing Group
- Pricing Management
- Division
- Approval Workflow
- Multi-Currency Accounts
- Rules Engine
- Alternate Sequential Invoice Numbers
- Transaction Feed Management
- On Demand Billing
- Reporting

In addition, this document provides information about the control data that needs to be setup in order to use the application.

Intended Audience

This document is intended for the following audience:

- End-users
- System Administrators
- Consulting Team
- Implementation Team
- Development Team

Organization of the Document

Each banking feature is described in a separate chapter in this document. All screens related to the feature and tasks related to the screen are explained in each chapter. This document contains the following chapters:

Chapter Number	Chapter Name	Chapter Description
Chapter 1	Banking Control Central	Explains how to search customer and/or account related information. It also explains how to view the following: • Contracts assigned to an account • Financial and payment history of an account • Effective product pricing of an account or a customer • Price lists assigned to an account or a customer • Customer hierarchy • Accounts of the customer and customer's child persons
Chapter 2	Invoicing Group	Explains invoicing group and how to create a master account. It also explains how to add or remove a member from a master account.
Chapter 3	Pricing Management	Explains how to define products, price lists, exchange rates, and pricing for a product. It also explains how to assign a product and price list to an account or a customer.
Chapter 4	Division	Explains the type of divisions and how to define a division.
Chapter 5	Approval Workflow	Explains the approval workflow process and how to perform various tasks involved in the process. It explains how to implement the approval workflow process. It also lists and describes the prerequisites that needs to be setup before implementing the approval workflow process.
Chapter 6	Multi-Currency Accounts	Lists and describes the business processes that are enhanced to implement the multi-currency accounts feature.
Chapter 7	Rules Engine	Explains how to define, execute, and maintain business rules separately from the application code.
Chapter 8	Alternate Sequential Invoice Numbers	Explains how to generate alternate sequential bill or invoice numbers which are either unique across the globe or within the division.
Chapter 9	Transaction Feed Management	Explains the transaction feed management process and how a transaction moves from one status to another during this process. It also explains how to search for transactions with different statuses.
Chapter 10	On Demand Billing	Explains the on demand billing process and how a usage record moves from one status to another during this process. It also explains how to view usage records with different statuses.
Chapter 11	Reporting	Lists and describes how to execute ten sample reports provided with the Oracle Revenue Management and Billing application.
Appendix A	Most Commonly Used Tasks	Lists and describes some of the common tasks that are performed while using various functionalities in the application.
Appendix B	Administration	Lists some of the administrative tasks.
Appendix C	Control Data	Lists the control data that needs to be setup in the Oracle Revenue Management and Billing application.

Copyright © 2014, Oracle. All rights reserved.

Conventions

The following conventions are used across this document:

Convention	Meaning
boldface	Boldface indicates graphical user interface elements associated with an action, or terms defined in the text.
italic	Italic indicates a document or book title.
`Monospace`	Monospace indicates information that an end-user needs to enter in the application.

Related Documents

You can refer to the following documents:

Document Name	Description
Oracle Revenue Management and Billing Release Notes Version 2.3.0.1.0	Provides a brief description about the new features and enhancements in this release. It also highlights the bug fixes and known issues in this release.
Oracle Revenue Management and Billing Insurance User Guide	Lists and describes various insurance features in Oracle Revenue Management and Billing. It also describes all screens related to these features and explains how to perform various tasks in the application.
ORMB - Transaction Feed Management - Batch Execution Guide	Describes the sequence in which the batches must be executed while performing various tasks in the Transaction Feed Management module.
ORMB Billing - Batch Execution Guide	Describes the batches that you can use for generating bills in Oracle Revenue Management and Billing.
ORMB-Documaker Integration Guide for Banking	Provides detailed information on how to integrate Oracle Documaker with Oracle Revenue Management and Billing so that you can use Oracle Documaker for the Banking module.
ORMB-Documaker Integration Guide for Insurance	Provides detailed information on how to integrate Oracle Documaker with Oracle Revenue Management and Billing so that you can use Oracle Documaker for the Insurance module.
Oracle Revenue Management and Billing Installation Guide	Lists the pre-requisites, supported platforms, and hardware and software requirements for installing the Oracle Revenue Management and Billing application. It also explains how to install the Oracle Revenue Management and Billing application.
Oracle Revenue Management and Billing Quick Installation Guide	Provides high-level information on how to install the Oracle Revenue Management and Billing application.
Oracle Revenue Management and Billing Database Administrator's Guide	Provides detailed information on how to install the database for the Oracle Revenue Management and Billing application.
Oracle Revenue Management and Billing Server Administration Guide	Describes the Oracle Revenue Management and Billing architecture. It also explains how to configure, deploy, and monitor web and business application servers.

Copyright © 2014, Oracle. All rights reserved.

Document Name	Description
Oracle Revenue Management and Billing Batch Server Administration Guide	Provides detailed information on how to configure and work with the batch component in Oracle Revenue Management and Billing.
Oracle Revenue Management and Billing Security Guide	Describes how to configure security for the Oracle Revenue Management and Billing application using the default security features.
Oracle Revenue Management and Billing Self Service Guide	Explains the sample pages available in the Self Service application and how to customize these pages as per the customer's requirements.
Oracle Revenue Management and Billing Self Service Installation and Configuration Guide	Explains how to install and configure the Self Service application.
Oracle Revenue Management and Billing Reports Installation Guide	Explains how to install reports in Oracle BI Publisher and ORMB. It also explains how to create new reports from scratch or using the sample report as a starting point.
Oracle Revenue Management and Billing ODI Artifacts Installation Guide for TFM	Explains how to install the ODI artifacts for TFM. It also explains how to upload and import the transaction data from a flat file to various tables in the target database.

Copyright © 2014, Oracle. All rights reserved.

Chapter 1

Banking Control Central

Topics:

- *Banking Control Central*
- *View Account Contracts Information*
- *View Account Financial Transaction History*
- *View Account Payment History*
- *View Accounts of Customer*
- *Control Central*

Banking Control Central allows you to quickly search for and find the customer and/or account information even if you have a small piece of data, such as a phone number, partial name or address, to begin your search. Based on the search criteria, the system returns a list of account or customer records that meet the search criteria. Besides viewing the account details, you can view all contracts assigned to the account, financial and payment history of the account, effective product pricing of the account, and the price lists assigned to the account. Moreover, you can also view the customer hierarchy, accounts of the customer and customer's child persons, effective product pricing of the customer, and the price lists assigned to the customer.

In other words, this feature allows you to drill down to see or act on all current and historical revenue management and billing details. This allows you to professionally and efficiently handle customer inquiries and complaints at the first point of contact, raising your customer service to previously unattainable levels and reducing the associated time and cost.

Banking Control Central

The **Banking Control Central** screen allows you to search for accounts or customers using various search criteria. By default, whenever you login to the application, the **Banking Control Central** screen appears. This screen consists of the following zones:

- *Search* on page 20
- *Contract Information* on page 21
- *Payment History* on page 21

Through the **Banking Control Central** screen, you can navigate to the following screens:

- *View Account Contracts Information* on page 30
- *View Account Financial Transaction History* on page 32
- *View Account Payment History* on page 34
- *Pricing (Account)* on page 83
- *Price List Assignment (Account)* on page 66
- *View Accounts of Customer* on page 36
- *Control Central* on page 39
- *Pricing (Customer)* on page 92
- *Price List Assignment (Customer)* on page 75

Search

The **Search** zone allows you to search for accounts or customers using various search criteria. This zone contains the following two sections:

- **Search Criteria** — The criteria are grouped as indicated by line separators between the criteria. Each group is independent from the other, and only one group is used at a time for searching. If you enter criteria in more than one group, the criteria from the first group is used for searching. For example, if you enter Account Identifier and Customer Name (which are in different criteria groups), the system searches using Account Identifier, which appears before Customer Name.

  The fields in the **Search Criteria** section change depending on the query option selected. You can select either of the following query options:

  - **Account** — Used to indicate that you want to search for an account.
  - **Customer** — Used to indicate that you want to search for a customer.
  - **Additional Account Details** — Used to indicate that you want to use advanced search for accounts.
- **Search Results** — The **Search Results** section either displays account or customer records depending on the search criteria. The account or customer records are further filtered based on the account's or customer's access group, respectively, to ensure that the user belonging to the respective access group can only view those records.

Related Topics

For more information on...	See...
How to search for an account	*Searching for an Account* on page 22
How to search for a customer	*Searching for a Customer* on page 25

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to use advanced search for an account	*Using Advanced Search for an Account* on page 27

Contract Information

The **Contract Information** zone lists contracts assigned to the account. The list includes only those contracts whose status is **Pending Start**, **Active**, **Pending Stop**, or **Stopped**. It does not include contracts whose status is either **Closed** or **Cancelled**. This zone contains the following columns:

Column Name	Column Description
Contract ID	Displays the contract ID. **Note:** It has a link. On clicking the link, the **Contract** screen appears with the details of the respective contract.
Division	Displays the division which governs the contract.
Contract Type	Displays the contract type to which the contract belongs.
Contract Type Description	Displays the description of the contract type.
Contract Status	Displays the status of the contract.
Effective Start Date	Displays the start date of the contract.
Effective End Date	Displays the end date of the contract.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

By default, the **Contract Information** zone does not appear in the **Banking Control Central** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the account in the **Search Results** section.

Related Topics

For more information on...	See...
How to view contracts assigned to an account	*Viewing Contracts Assigned to an Account* on page 24

Payment History

The **Payment History** zone lists payments made by the account. This zone contains the following columns:

Column Name	Column Description
Payment Date	Displays the date when the payment was made.
Payment Amount	Displays the amount of the payment.
Payment Currency	Display the currency in which the payment was made.
Payment Status	Displays the status of the payment.
Tender Amount	Displays the tender amount. **Note:** The tender amount is usually equal to the payment amount unless cash is returned to the customer.
Tender Currency	Displays the currency in which the tender amount is maintained.

Copyright © 2014, Oracle. All rights reserved.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

By default, the **Payment History** zone does not appear in the **Banking Control Central** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the account in the **Search Results** section.

Related Topics

For more information on...	See...
How to view the payment history of an account	*Viewing Payment History of an Account* on page 25

Searching for an Account

Prerequisites

To search for an account, you should have:

- Divisions and customer identifier types defined in the application
- Accounts created in the application

Procedure

To search for an account:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, click **Banking Control Central**.

   The **Banking Control Central** screen appears.
4. Select the **Account** option from the **Query Option** list to indicate that you want to search for an account.

   The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to specify the division to which the account belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Primary Account Identifier	Used to specify the value of the primary account identifier.	No
Account ID	Used to specify the account ID.	No
Customer Type	Used to indicate whether you want to search for accounts of all customers or only those customers who have a parent customer.	No
Customer Name	Used to specify the customer whose accounts you want to search.	No
Address	Used to specify the address of the customer whose accounts you want to search.	No
City	Used to specify the city of the customer whose accounts you want to search.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Phone Number	Used to specify the phone number of the customer whose accounts you want to search. **Note:** You must enter the phone number in the defined format.	No
Customer Identifier Type	Used to select the identifier type based on which you want to search for accounts of a customer.	Yes (Conditional) **Note:** If you enter the customer identifier as a search criteria, you have to select the customer identifier type.
Customer Identifier	Used to specify the ID linked to the customer whose accounts you want to search.	Yes (Conditional) **Note:** If you specify the customer identifier type as a search criteria, you have to enter the customer identifier.

Note:

The fields in the **Search Criteria** section change depending on the query option selected.

You must specify at least one search criterion while searching for an account.

5. Select the division from the list, if required.

   Note: When you specify division as the search criteria, you have to at least specify one more criteria, such as primary account identifier, account ID, customer name, customer identifier, customer address, etc. for searching an account.

6. Enter the search criteria in any of the criteria groups.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

7. Click **Refresh**.

   A list of accounts that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Account Information	Displays information about the account. In addition, this column has a context menu which helps in navigating to other screens in the application. **Note:** It has a link. On clicking the link, the **Account** screen appears with the details of the respective account.
Account Identifier Type	Displays the primary account identifier type of the account.
Account Identifier	Displays the value of the primary account identifier type.
Customer Name	Displays the name of the customer linked to the account.
Division	Displays the division to which the account belongs.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Account Relationship Type	Displays the relationship type of the customer linked to the account.
Phone Number	Displays the phone number of the customer. **Note:** This column appears in the **Search Results** section only when you search for accounts using the **Phone Number** field.
Account Type	Indicates the type of account.
Account Currency	Displays the currency in which the account is billed.
Parent Customer Name	Displays the name of the parent customer (if any) of the customer linked to the account. **Note:** It has a link. On clicking the link, the **Person** screen appears with the details of the respective parent customer.
Address	Displays the address of the customer.
City	Displays the city where the customer is located.
Customer Identifier Type	Displays the identifier type of the customer linked to the account. **Note:** This column appears in the **Search Results** section only when you search for an account using the **Customer Identifier Type** and **Customer Identifier** fields.
Customer Identifier	Displays the ID of the customer linked to the account. **Note:** This column appears in the **Search Results** section only when you search for an account using the **Customer Identifier Type** and **Customer Identifier** fields.

Related Topics

For more information on...	See...
Banking Control Central screen	*Banking Control Central* on page 20

Viewing Contracts Assigned to an Account

Procedure

To view contracts assigned to an account:

1. Search for the account in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Broadcast** ( ) icon corresponding to the account whose contract *d*etails you want to view.

   The **Contract Information** zone appears.
3. View the contracts assigned to the account in the **Contract Information** zone.

   Note: If an account does not have any contracts, you will not find any records in the **Contract Information** zone.

Related Topics

For more information on...	See...
How to search for an account	*Searching for an Account* on page 22

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Contract Information zone	*Contract Information* on page 21

Viewing Payment History of an Account

Procedure

To view payment history of an account:

1. Search for the account in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Broadcast** ( ) icon corresponding to the account whose payment history you want to view.

   The **Payment History** zone appears.
3. View the payments made by the account in the **Payment History** zone.

   Note: If any payment is not made for the account, you will not find any records in the **Payment History** zone.

Related Topics

For more information on...	See...
How to search for an account	*Searching for an Account* on page 22
Payment History zone	*Payment History* on page 21

Searching for a Customer

Prerequisites

To search for a customer, you should have:

- Divisions and customer identifier types defined in the application
- Customers created in the application

Procedure

To search for a customer:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, click **Banking Control Central**.

   The **Banking Control Central** screen appears.
4. Select the **Customer** option from the **Query Option** list to indicate that you want to search for a customer.

   The **Search Criteria** section contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to specify the division to which the customer belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Customer Type	Used to indicate whether you want to search for all customers or only those customers who have a parent customer.	No
Customer Name	Used to specify the name of the customer.	No
Address	Used to specify the address of the customer.	No
City	Used to specify the city in which the customer is located.	No
Phone Number	Used to specify the phone number of the customer. **Note:** You must enter the phone number in the defined format.	No
Customer Identifier Type	Used to select the identifier type based on which you want to search a customer.	Yes (Conditional) **Note:** If you enter the customer identifier as a search criteria, you have to select the customer identifier type.
Customer Identifier	Used to specify the ID linked to the customer.	Yes (Conditional) **Note:** If you specify the customer identifier type as a search criteria, you have to enter the customer identifier.

Note:

The fields in the **Search Criteria** section change depending on the query option selected.

You must specify at least one search criterion while searching for a customer.

5. Select the division from the list, if required.

   Note: When you specify division as the search criteria, you have to at least specify one more criteria, such as customer name, customer type, customer identifier, customer address, etc. for searching a customer.

6. Enter the search criteria in any of the criteria groups.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

7. Click **Refresh**.

   A list of customers that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Customer Name	Displays the name of the customer. **Note:** It has a link. On clicking the link, the **Person** screen appears with the details of the respective customer.
Customer Address	Displays the address of the customer.
City	Displays the city where the customer is located.
Phone Number	Displays the phone number of the customer. **Note:** This column appears in the **Search Results** section only when you search for customers using the **Phone Number** field.
Division	Displays the division to which the customer belongs. **Note:** It has a link. On clicking the link, the **Division** screen appears with the details of the respective division.
Parent Customer Name	Displays the name of the parent customer (if any) of the customer. **Note:** It has a link. On clicking the link, the **Person** screen appears with the details of the respective parent customer.
Customer Identifier Type	Displays the customer identifier type. **Note:** This column appears in the **Search Results** section only when you search for a customer using the **Customer Identifier Type** and **Customer Identifier** fields.
Customer Identifier	Displays the value of the customer identifier type. **Note:** This column appears in the **Search Results** section only when you search for a customer using the **Customer Identifier Type** and **Customer Identifier** fields.

Related Topics

For more information on...	See...
Banking Control Central screen	*Banking Control Central* on page 20

Using Advanced Search for an Account

Oracle Revenue Management and Billing provides you with the facility to limit the search results based on the division and/or account relationship type along with other search criteria. You can also search for an account using various account identifiers defined for an account.

Prerequisites

To use advanced search for an account, you should have:

- Divisions, account relationship types, account identifier types, and customer identifier types defined in the application
- Value defined for the **Account Type** option type in the **C1_ACCTINFO** feature configuration

  Note: If you want to use account types other than those available in the product, you need to create a new predefined characteristic type and add the required account types as its characteristic values. Then, specify the newly created characteristic type as the value for the **Account Type** option type in the **C1_ACCTINFO** feature configuration.

Copyright © 2014, Oracle. All rights reserved.

Procedure

To use advanced search for an account:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, click **Banking Control Central**.

   The **Banking Control Central** screen appears.

4. Select the **Additional Account Details** option from the **Query Option** list to indicate that you want to use *a*dvanced search for accounts.

   The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to specify the division to which the account belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Account Relationship Type	Used to specify the relationship type of the customer linked to the account.	No
Account Type	Used to specify the type of account.	No
Account Identifier Type	Used to specify the account identifier type.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.
Account Identifier	Used to specify the value of the account identifier type.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Customer Name	Used to specify the customer whose accounts you want to search.	No
Customer Identifier Type	Used to select the identifier type based on which you want to search for accounts of a customer.	Yes (Conditional) **Note:** If you enter the customer identifier as a search criteria, you have to select the customer identifier type.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Customer Identifier	Used to specify the ID linked to the customer.	Yes (Conditional) **Note:** If you specify the customer identifier type as a search criteria, you have to enter the customer identifier.

Note:

The fields in the **Search Criteria** section change depending on the query option selected.

You must specify at least one search criterion while searching for an account.

5. Select the division and/or account relationship type, if required.

   Note: When you specify division and/or account relationship type as the search criteria, you have to at least specify one more criteria, such as account type, account identifier, customer name, or customer identifier, for searching an account.

6. Enter the search criteria in any of the criteria groups.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

7. Click **Refresh**.

   A list of accounts that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Account Information	Displays information about the account. In addition, this column has a context menu which helps in navigating to other screens in the application. **Note:** It has a link. On clicking the link, the **Account** screen appears with the details of the respective account.
Account Identifier Type	Displays the account identifier type.
Account Identifier	Displays the value of the account identifier type.
Customer Name	Displays the name of the customer linked to the account.
Account Relationship Type	Displays the relationship type of the customer linked to the account.
Account Type	Indicates the type of account.
Account Currency	Displays the currency in which the account is billed.
Division	Displays the division to which the account belongs.
Customer Identifier Type	Displays the identifier type of the customer linked to the account. **Note:** This column appears in the **Search Results** section only when you search for an account using the **Customer Identifier Type** and **Customer Identifier** fields.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Customer Identifier	Displays the ID of the customer linked to the account. **Note:** This column appears in the **Search Results** section only when you search for an account using the **Customer Identifier Type** and **Customer Identifier** fields.

Related Topics

For more information on...	See...
Banking Control Central screen	*Banking Control Central* on page 20
How to setup the C1_ACCTINFO feature configuration	*Setting the C1_ACCTINFO Feature Configuration* on page 593

View Account Contracts Information

The **View Account Contracts Information** screen allows you to view the details of the contracts assigned to the account. This screen consists of the following zones:

- *Account Information* on page 30
- *Search: Contracts* on page 30

Account Information

The **Account Information** zone displays the details of the account. This zone contains the following fields:

Field Name	Field Description
Primary Account Identifier	Displays the primary account identifier type of the account along with its value.
Account Type	Indicates the type of account.
Account Currency	Displays the invoice currency of the account.
Billing Cycle	Displays the billing cycle during which the account is billed.
Customer Name	Displays the name of the main customer. **Note:** It has a link. On clicking the link, the **Person** screen appears with the details of the respective customer.
Division	Displays the division to which the account belongs.
Account Info	Displays information about the account. **Note:** It has a link. On clicking the link, the **Account** screen appears with the details of the respective account.

Note: All fields in the **Account Information** zone are read-only.

Search: Contracts

The **Search: Contracts** zone allows you to search for contracts assigned to the account. This zone contains the following two sections:

Copyright © 2014, Oracle. All rights reserved.

- **Search Criteria** — The criteria are grouped as indicated by line separators between the criteria. Each group is independent from the other, and only one group is used at a time for searching. If you enter criteria in more than one group, the criteria from the first group is used for searching. For example, if you enter Contract ID and Contract Type (which are in different criteria groups), the system searches using Contract ID, which appears before Contract Type. The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Contract ID	Used to specify the contract ID.	No
Division	Used to specify the division which governs the contract. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Contract Type	Used to specify the contract type to which the contract belongs.	No
Contract Status	Used to specify the status of the contract.	No
Effective Start Date	Used to specify the start date of the contract.	No
Effective End Date	Used to specify the end date of the contract.	No

Note: You must specify at least one search criterion while searching for a contract.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Contract ID	Displays the contract ID. **Note:** It has a link. On clicking the link, the **Contract** screen appears with the details of the respective contract.
Division	Displays the division which governs the contract.
Contract Type	Displays the contract type to which the contract belongs.
Contract Type Description	Displays the description of the contract type.
Contract Status	Displays the status of the contract.
Effective Start Date	Displays the start date of the contract.
Effective End Date	Displays the end date of the contract.

Related Topics

For more information on...	See...
How to search for contracts assigned to an account	*Searching for Contracts Assigned to an Account* on page 31

Searching for Contracts Assigned to an Account

Prerequisites

To search for contracts assigned to an account, you should have:

- Divisions defined in the application

Procedure

Copyright © 2014, Oracle. All rights reserved.

To search for contracts assigned to an account:

1. Search for the account in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the account whose *d*etails you want to view.

   A menu appears.
3. Click the **Go To Contracts** menu option.

   The **View Account Contracts Information** screen appears.
4. In the **Search: Contracts** zone, enter the search criteria in any of the criteria groups.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of contracts that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
How to search for an account	*Searching for an Account* on page 22
View Account Contracts Information screen	*View Account Contracts Information* on page 30
Search: Contracts zone	*Search: Contracts* on page 30

View Account Financial Transaction History

The **View Account Financial Transaction History** screen allows you to view the financial transaction history of the account. This screen consists of the following zones:

- *Account Information* on page 30
- *Search: Financial Transaction History* on page 33

Account Information

The **Account Information** zone displays the details of the account. This zone contains the following fields:

Field Name	Field Description
Primary Account Identifier	Displays the primary account identifier type of the account along with its value.
Account Type	Indicates the type of account.
Account Currency	Displays the invoice currency of the account.
Billing Cycle	Displays the billing cycle during which the account is billed.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description
Customer Name	Displays the name of the main customer. **Note:** It has a link. On clicking the link, the **Person** screen appears with the details of the respective customer.
Division	Displays the division to which the account belongs.
Account Info	Displays information about the account. **Note:** It has a link. On clicking the link, the **Account** screen appears with the details of the respective account.

Note: All fields in the **Account Information** zone are read-only.

Search: Financial Transaction History

The **Search: Financial Transaction History** zone allows you to search for financial transactions created for the account. This zone contains the following two sections:

- **Search Criteria** — The criteria are grouped as indicated by line separators between the criteria. Each group is independent from the other, and only one group is used at a time for searching. If you enter criteria in more than one group, the criteria from the first group is used for searching. For example, if you enter Financial Transaction Type and Arrears Date (which are in different criteria groups), the system searches using Financial Transaction Type, which appears before Arrears Date. The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Financial Transaction Type	Used to indicate the type of financial transactions you want to search. You can search for the following types of financial transactions: • Adjustment • Adjustment Cancellation • Bill Segment • Bill Cancellation • Pay Segment • Pay Cancellation	No
Current Amount	Used to specify the current amount of the financial transaction.	No
Arrears Date	Used to specify the arrears date of the financial transaction.	No

Note: You must specify at least one search criterion while searching for financial transactions of an account.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Arrears Date	Displays the date from when the amount is outstanding on the bill.
Financial Transaction Type	Indicates the type of financial transaction.
Current Amount	Displays the amount billed to the customer or received from the customer.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Payoff Amount	Displays the amount that the customer really owes. Usually, the payoff amount is equal to the current amount.

Related Topics

For more information on...	See...
How to search for financial transactions of an account	*Searching for Financial Transactions of an Account* on page 34

Searching for Financial Transactions of an Account

Procedure

To search for financial transactions of an account:

1. Search for the account in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the account whose *d*etails you want to view.

   A menu appears.
3. Click the **Go To Financial History** menu option.

   The **View Account Financial Transaction History** screen appears.
4. In the **Search: Financial Transaction History** zone, enter the search criteria in any of the criteria groups.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of financial transactions that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
How to search for an account	*Searching for an Account* on page 22
View Account Financial Transaction History screen	*View Account Financial Transaction History* on page 32
Search: Financial Transaction History zone	*Search: Financial Transaction History* on page 33

View Account Payment History

The **View Account Payment History** screen allows you to view the payment transactions of the account. This screen consists of the following zones:

- *Account Information* on page 30

Copyright © 2014, Oracle. All rights reserved.

- *Search: Account Payment History* on page 35

Account Information

The **Account Information** zone displays the details of the account. This zone contains the following fields:

Field Name	Field Description
Primary Account Identifier	Displays the primary account identifier type of the account along with its value.
Account Type	Indicates the type of account.
Account Currency	Displays the invoice currency of the account.
Billing Cycle	Displays the billing cycle during which the account is billed.
Customer Name	Displays the name of the main customer. **Note:** It has a link. On clicking the link, the **Person** screen appears with the details of the respective customer.
Division	Displays the division to which the account belongs.
Account Info	Displays information about the account. **Note:** It has a link. On clicking the link, the **Account** screen appears with the details of the respective account.

Note: All fields in the **Account Information** zone are read-only.

Search: Account Payment History

The **Search: Account Payment History** zone allows you to search for payment transactions of the account. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Payment Amount	Used to specify the amount of the payment.	No
Payment Status	Used to specify the status of the payment.	No
Payment Date	Used to specify the date when the payment was made.	No

Note: You must specify at least one search criterion while searching for payment transactions of an account.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Payment Amount	Displays the amount of the payment.
Payment Currency	Display the currency in which the payment was made.
Payment Status	Displays the status of the payment.
Payment Date	Displays the date when the payment was made.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to search for payment transactions of an account	*Searching for Payment Transactions of an Account* on page 36

Searching for Payment Transactions of an Account

Procedure

To search for payment transactions of an account:

1. Search for the account in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the account whose details you want to view.

   A menu appears.
3. Click the **Go To Payment History** menu option.

   The **View Account Payment History** screen appears.
4. In the **Search: Account Payment History** zone, enter the search criteria.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   The search results appear.

Related Topics

For more information on...	See...
How to search for an account	*Searching for an Account* on page 22
View Account Payment History screen	*View Account Payment History* on page 34
Search: Account Payment History zone	*Search: Account Payment History* on page 35

View Accounts of Customer

The **View Accounts of Customer** screen allows you to view the details of the customer's accounts. This screen consists of the following zones:

- *Customer Information* on page 36
- *Search: Accounts* on page 37

Customer Information

The **Customer Information** zone displays the details of the customer. This zone contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description
Customer Name	Displays the name of the customer.
Customer Address	Displays the address of the customer.
Customer Contact	Displays the primary and alternate phone numbers of the customer.
Division	Displays the division to which the customer belongs.

Note: All fields in the **Customer Information** zone are read-only.

Search: Accounts

The **Search: Accounts** zone allows you to search for accounts of the customer. This zone contains the following two sections:

- **Search Criteria** — The criteria are grouped as indicated by line separators between the criteria. Each group is independent from the other, and only one group is used at a time for searching. If you enter criteria in more than one group, the criteria from the first group is used for searching. For example, if you enter Account Identifier and Account Type (which are in different criteria groups), the system searches using Account Identifier, which appears before Account Type. The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier Type	Used to specify the account identifier type.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.
Account Identifier	Used to specify the value of the account identifier type.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Account ID	Used to specify the account ID.	No
Account Type	Used to specify the type of account.	No
Billing Cycle	Used to specify the billing cycle during which the account is billed.	No
Account Currency	Used to specify the invoice currency of the account.	No
Division	Used to specify the division whose accounts you want to search. **Note:** You can only view those divisions to which you have access in the **Division** list.	No

Note: You must specify at least one search criterion while searching for accounts of a customer.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Account Identifier Type	Displays the account identifier type.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Account Identifier	Displays the value of the account identifier type.
Account ID	Displays the account ID. **Note:** It has a link. On clicking the link, the **Account** screen appears with the details of the respective account.
Account Type	Indicates the type of account.
Billing Cycle	Displays the billing cycle during which the account is billed.
Account Currency	Displays the invoice currency of the account.
Division	Displays the division to which the account belongs.
Current Balance	Displays the amount of money in the account.

Related Topics

For more information on...	See...
How to search for accounts of a customer	*Searching for Accounts of a Customer* on page 38

Searching for Accounts of a Customer

Prerequisites

To search for accounts of a customer, you should have:

- Divisions, account types, billing cycles, and invoice currencies defined in the application

Procedure

To search for accounts of a customer:

1. Search for the customer in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the customer whose *d*etails you want to view.

   A menu appears.
3. Click the **Go To Accounts** menu option.

   The **View Accounts of Customer** screen appears.
4. In the **Search: Accounts** zone, enter the search criteria in any of the criteria groups.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of accounts that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
How to search for a customer	*Searching for a Customer* on page 25

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
View Accounts of Customer screen	*View Accounts of Customer* on page 36
Search: Accounts zone	*Search: Accounts* on page 37

Control Central

The **Control Central** screen allows you to view the customer hierarchy. It also allows you to search for accounts of the customer's child persons. This screen consists of the following zones:

- *Customer Information* on page 39
- *Search* on page 39
- *Child Hierarchy* on page 41

Customer Information

The **Customer Information** zone displays the details of the customer. This zone contains the following fields:

Field Name	Field Description
Parent Customer Name	Displays the name of the parent customer.
Customer Address	Displays the address of the customer.
Customer Contact	Displays the primary and alternate phone numbers of the customer.
Division	Displays the division to which the customer belongs.

Note: All the fields in the **Customer Information** zone are read-only.

Search

The **Search** zone allows you to search for accounts of the customer's child persons. This zone contains the following two sections:

- **Search Criteria** — The criteria are grouped as indicated by line separators between the criteria. Each group is independent from the other, and only one group is used at a time for searching. If you enter criteria in more than one group, the criteria from the first group is used for searching. For example, if you enter Account Identifier and Account Currency (which are in different criteria groups), the system searches using Account Identifier, which appears before Account Currency. The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Customer Name	Used to specify the customer whose accounts you want to search.	No
Account Identifier Type	Used to specify the account identifier type.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier	Used to specify the value of the account identifier type.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Contract ID	Used to specify the contract ID linked to the account.	No
Account Currency	Used to specify the invoice currency of the account.	No
Division	Used to specify the division whose accounts you want to search. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Account Type	Used to specify the type of account.	No
Billing Cycle	Used to specify the billing cycle during which the account is billed.	No

Note: You must specify at least one search criterion while searching for accounts of the customer's child persons.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Customer Name	Displays the name of the customer's child person. **Note:** It has a link. On clicking the link, the **Person** screen appears with the details of the respective child person.
Account ID	Displays the account ID. **Note:** It has a link. On clicking the link, the **Account** screen appears with the details of the respective account.
Account Identifier Type	Displays the account identifier type.
Account Identifier	Displays the value of the account identifier type.
Contract ID	Displays the contract ID linked to the account.
Account Currency	Displays the invoice currency of the account.
Division	Displays the division to which the account belongs.
Account Type	Indicates the type of account.
Billing Cycle	Displays the billing cycle during which the account is billed.

Related Topics

For more information on...	See...
How to search for child persons' accounts	*Searching for Child Persons' Accounts* on page 41

Copyright © 2014, Oracle. All rights reserved.

Child Hierarchy

The **Child Hierarchy** zone displays the following in a tree view:

- Accounts owned by the customer
- Contracts linked to each of these accounts
- Parent and children linked to the customer

Each node in the tree has a link. On clicking the link, you can navigate to the respective screen.

Searching for Child Persons' Accounts

Prerequisites

To search for child persons' accounts, you should have:

- Divisions, account types, billing cycles, and invoice currencies defined in the application
- Accounts created in the application

Procedure

To search for child persons' accounts:

1. Search for the customer in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the customer whose *d*etails you want to view.

   A menu appears.
3. Click the **Go To Customer Hierarchy** menu option.

   The **Control Central** screen appears.
4. In the **Search** zone, enter the search criteria in any of the criteria groups.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of accounts that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	**See...**
How to search for a customer	*Searching for a Customer* on page 25
Control Central screen	*Control Central* on page 39
Search zone	*Search* on page 39

Copyright © 2014, Oracle. All rights reserved.

Copyright © 2014, Oracle. All rights reserved.

Chapter 2

Invoicing Group

Topics:

- *Manage Invoicing Groups*
- *Invoicing Group Maintenance — Add/Edit*
- *Invoicing Group Information*

Invoicing group allows you to combine the charges for multiple accounts onto one bill for each billing period. It consists of the following:

- **Master Account** - The group level account that controls the billing.
- **Member Accounts** - The accounts whose bills are aggregated at the group level.

The following figure is a graphical representation of an invoicing group.



You can create an invoicing group by adding member accounts to the master account. An account can be the master account in the invoicing group only when its **Invoice Group Account** characteristic type is set to **Y**. On the other hand, an account can be added as a member to the master account only when its **Invoice Group Account** characteristic type is set to **N**.

Note: You can define the Invoice Group Account characteristic for the account only when the **Invoice Group Account** option type in the **C1_ACCTINFO** feature configuration is set. If the **Invoice Group Account** option type in the **C1_ACCTINFO** feature configuration is not set, you will not be able to indicate whether the account is a master or member account. For more information, refer to *Setting the C1_ACCTINFO Feature Configuration* on page 593.

There is no restriction on the number of accounts that can be added to the master account. The accounts in the invoicing group can belong to different customers and may have different currencies, but they should be from the same banking division and customer hierarchy. If the member accounts have a different invoice currency from the master account, the member account's charges will be converted to the master account's currency during billing.

Balances are maintained at the master account level. Bills are added to the master account's balance, and payments are subtracted from that balance. However, the charges can be traced back to the originating member accounts. The master account cannot have charges of its own; all charges come from the member accounts. However, when an account does not belong to any master account, it is billed individually with its charges appearing on the bill.

The contracts linked at the member level are duplicated at the master level when member accounts are added to the master account. However, note that only contracts which are eligible for billing are duplicated at the master level. Once a contract is duplicated at the master level, you need to activate the contract at the master level. Otherwise, the charges will be billed to the member account instead of the master account.

Copyright © 2014, Oracle. All rights reserved.

Manage Invoicing Groups

The **Manage Invoicing Groups** screen allows you to search for the master and member accounts using various search criteria. Through this screen, you can navigate to the **Invoicing Group Maintenance – Add/Edit** and **Invoicing Group Information** screens.

This screen contains the following two sections:

- Search Criteria
- Search Results

Searching for a Master Account

Prerequisites

To search for a master account, you should have:

- Divisions, billing cycles, and customer classes defined in the application
- Master accounts created in the application

Procedure

To search for a master account:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, click **Manage Invoicing Groups**.

   The **Manage Invoicing Groups** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Invoicing Group Assignment Type	Used to indicate whether you want to search for a master or member account.	Yes
Account ID	Used to specify the account ID.	No
Division	Used to specify the division whose accounts you want to search.	No
Account Identifier Type	Used to specify the account identifier type.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.
Account Identifier	Used to specify the value of the account identifier type.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Customer Name	Used to specify the customer whose accounts you want to search.	Yes (Conditional) **Note:** If you specify the billing cycle or customer class as a search criteria, you have to specify the customer name.
Billing Cycle	Used to specify the billing cycle during which the account is billed.	No
Customer Class	Used to specify the customer class of the account.	No

The criteria are grouped as indicated by line separators between the criteria. Each group is independent from the other, and only one group is used at a time for searching. If you enter criteria in more than one group, the criteria from the first group is used for searching. For example, if you enter Account ID and Customer Name (which are in different criteria groups), the system searches using Account ID, which appears before Customer Name.

Note: You must specify at least one search criterion while searching for a master account.

4. Select **Master** from the **Invoicing Group Assignment Type** list.
5. Specify the search criteria in any of the criteria groups.
6. Click **Refresh**.

The master accounts that meet the search criteria and to which you have access based on the account's access group appear in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Account ID	Displays the master account ID. **Note:** It has a link. On clicking the link, the **Invoicing Group Maintenance – Add/ Edit** screen appears with the details of the respective master account.
Account Identifier Type	Displays the account identifier type of the master account.
Account Identifier	Displays the value of the account identifier type.
Account Currency	Displays the invoice currency of the master account.
Division	Displays the division to which the master account belongs.
Customer Name	Displays the name of the main customer.
Customer Class	Displays the customer class of the master account.
Billing Cycle	Displays the billing cycle during which the master account is billed.

Related Topics

For more information on...	See...
Manage Invoicing Groups screen	*Manage Invoicing Groups* on page 45

Searching for a Member Account

Prerequisites

Copyright © 2014, Oracle. All rights reserved.

To search for a member account, you should have:

- Divisions, billing cycles, and customer classes defined in the application
- Accounts added as a member to the master accounts

Procedure

To search for a member account:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, click **Manage Invoicing Groups**.

   The **Manage Invoicing Groups** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Invoicing Group Assignment Type	Used to indicate whether you want to search for a master or member account.	Yes
Account ID	Used to specify the account ID.	No
Division	Used to specify the division whose accounts you want to search.	No
Account Identifier Type	Used to specify the account identifier type.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.
Account Identifier	Used to specify the value of the account identifier type.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Customer Name	Used to specify the customer whose accounts you want to search.	Yes (Conditional) **Note:** If you specify the billing cycle or customer class as a search criteria, you have to specify the customer name.
Billing Cycle	Used to specify the billing cycle during which the account is billed.	No
Customer Class	Used to specify the customer class of the account.	No

   The criteria are grouped as indicated by line separators between the criteria. Each group is independent from the other, and only one group is used at a time for searching. If you enter criteria in more than one group, the criteria from the first group is used for searching. For example, if you enter Account ID and Customer Name (which are in different criteria groups), the system searches using Account ID, which appears before Customer Name.

   Note: You must specify at least one search criterion while searching for a member account.

4. Select **Member** from the **Invoicing Group Assignment Type** list.
5. Specify the search criteria in any of the criteria groups.

Copyright © 2014, Oracle. All rights reserved.

6. Click **Refresh**.

   The member accounts that meet the search criteria and to which you have access based on the account's access group appear in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Account ID	Displays the member account ID. **Note:** It has a link. On clicking the link, the **Invoicing Group Information** screen appears with the details of the respective member account.
Account Identifier Type	Displays the account identifier type of the member account.
Account Identifier	Displays the value of the account identifier type.
Account Currency	Displays the invoice currency of the member account. **Note:** If the member account has a different invoice currency from the master account, the member account's charges will be converted to the master account's currency during billing.
Division	Displays the division to which the member account belongs.
Customer Name	Displays the main customer of the member account.
Customer Class	Displays the customer class of the member account.
Master Account Identifier Type	Displays the primary account identifier type of the master account.
Master Account Identifier	Displays the value of the primary account identifier type.
Master Customer Name	Displays the main customer of the master account.
Billing Cycle	Displays the billing cycle during which the member account is billed.

Related Topics

For more information on...	See...
Manage Invoicing Groups screen	*Manage Invoicing Groups* on page 45

Viewing the Master Account Details

Procedure

To view the master account details:

1. Search for the master account in the **Manage Invoicing Groups** screen.
2. In the **Search Results** section, click the link in the **Account ID** column corresponding to the master account whose details you want to view.

   The **Invoicing Group Maintenance – Add/Edit** screen appears.
3. View the accounts that are already added to the master account in the **Member Accounts** zone.

Related Topics

For more information on...	See...
How to search for a master account	*Searching for a Master Account*
Invoicing Group Maintenance – Add/Edit screen	*Invoicing Group Maintenance — Add/Edit*

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Member Accounts zone	*Member Accounts*

Viewing the Member Account Details

Procedure

To view the member account details:

1. Search for the member account in the **Manage Invoicing Groups** screen.
2. In the **Search Results** section, click the link in the **Account ID** column corresponding to the member account whose details you want to view.

   The **Invoicing Group Information** screen appears.
3. View the member account details in the **Selected Member Account** zone, and its master account details in the **Invoicing Group Information** zone.

Related Topics

For more information on...	See...
How to search for a member account	*Searching for a Member Account*
Invoicing Group Information screen	*Invoicing Group Information*
Invoicing Group Information zone	*Invoicing Group Information*
Selected Member Account zone	*Selected Member Account* on page 56

Invoicing Group Maintenance — Add/Edit

The **Invoicing Group Maintenance – Add/Edit** screen allows you to view the details of the master account. It also allows you to add, edit, and remove member accounts from the master account. This screen consists of the following zones:

- *Account Information* on page 49
- *Member Accounts* on page 50
- *Edit Member Account Assignment* on page 50
- *Search Accounts to Add* on page 51
- *Add Member* on page 52

Account Information

The **Account Information** zone displays the details of the master account. This zone contains the following fields:

Field Name	Field Description
Invoicing Group Assignment Type	Indicates that the selected account is a master account.
Customer Name	Displays the name of the main customer.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description
Primary Account Identifier	Displays the primary account identifier type of the master account along with its value.
Customer Class	Displays the customer class of the master account.
Account Currency	Displays the invoice currency of the master account.
Billing Cycle	Displays the billing cycle during which the master account is billed.
Division	Displays the division to which the master account belongs.

Note: All fields in the **Account Information** zone are read-only.

Member Accounts

The **Member Accounts** zone lists the member accounts of the master account. This zone contains the following columns:

Column Name	Column Description
Account Identifier Type	Displays the primary account identifier type of the member account.
Account Identifier	Displays the value of the primary account identifier type.
Account Currency	Displays the invoice currency of the member account. **Note:** During billing, the charges for the member account are calculated in this currency and then converted to the master account's currency.
Effective Start Date	Displays the date from when the charges for the member account appears on the bill of the master account.
Effective End Date	Displays the date till when the charges for the member account appears on the bill of the master account.
Customer Name	Displays the name of the main customer.
Customer Class	Displays the customer class of the member account.
Billing Cycle	Displays the billing cycle during which the member account is billed. **Note:** If the account is removed from the master account, it will be billed during this billing cycle.

On clicking the **Broadcast** ( ) icon corresponding to the member account, the **Edit Member Account Assignment** zone appears with the details of the respective member account.

Edit Member Account Assignment

The **Edit Member Account Assignment** zone allows you to edit the assignment details of the member account. This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Effective Start Date	Used to modify the date from when you want the charges for the member account to appear on the bill of the master account. **Note:** You can modify the date only when it is a future date.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Invoicing Group Assignment Type	Indicates that the account is a member account.	Not applicable
Effective End Date	Used to modify the date till when you want the charges for the member account to appear on the bill of the master account. **Note:** You can modify the date only when it is not a past date.	No
Primary Account Identifier	Displays the primary account identifier type of the member account along with its value.	Not applicable

Note: If a bill is already generated for the master account, you cannot modify the effective start and end dates.

This zone contains the following two buttons:

Button Name	Button Description
Save	Used to save the changes made in this zone.
Remove Member	Used to remove the member from the master account.

By default, the **Edit Member Account Assignment** zone does not appear in the **Invoicing Group Maintenance – Add/Edit** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the member account in the **Member Accounts** zone.

Related Topics

For more information on...	See...
How to edit the member account assignment details	*Editing the Member Account Assignment Details* on page 54
How to remove a member from the master account	*Removing a Member from the Master Account* on page 55

Search Accounts to Add

The **Search Accounts to Add** zone lists accounts defined within the division and customer hierarchy to which the master account belongs. The list also includes those accounts that are already added to the master account. You can filter the accounts using various search criteria. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Account ID	Used to specify the account ID.	No
Account Identifier Type	Used to specify the account identifier type.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier	Used to specify the value of the account identifier type.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Customer Name	Used to specify the customer whose accounts you want to search.	No
Billing Cycle	Used to specify the billing cycle of the account.	No
Customer Class	Used to specify the customer class of the account.	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Account ID	Displays the account ID.
Customer Name	Displays the name of the main customer.
Account Identifier Type	Displays the account identifier type.
Account Identifier	Displays the value of the account identifier type.
Account Currency	Displays the invoice currency of the account.
Division	Displays the division to which the account belongs.
Customer Class	Displays the customer class of the account.
Billing Cycle	Displays the billing cycle during which the account is billed.

On clicking the **Broadcast** ( ) icon corresponding to the account, the **Add Member** zone appears with the details of the respective account.

Related Topics

For more information on...	See...
How to add a member to the master account	*Adding a Member to the Master Account* on page 53

Add Member

The **Add Member** zone allows you to add a member to the master account. This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Customer Name	Displays the name of the main customer.	Not applicable
Primary Account Identifier	Displays the primary account identifier type of the account along with its value.	Not applicable
Account Currency	Displays the invoice currency of the account.	Not applicable
Customer Class	Displays the customer class of the account.	Not applicable

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Effective Start Date	Used to specify the date from when you want the charges for the member account to appear on the bill of the master account. **Note:** The effective start date should be earlier than or equal to the member account's contract end date.	Yes
Billing Cycle	Displays the billing cycle during which the account is billed.	Not applicable

This zone contains the following two buttons:

Button Name	Button Description
Save	Used to add a member to the master account.

By default, the **Add Member** zone does not appear in the **Invoicing Group Maintenance – Add/Edit** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the account in the **Search Accounts to Add** zone.

Related Topics

For more information on...	See...
How to add a member to the master account	*Adding a Member to the Master Account* on page 53

Adding a Member to the Master Account

Prerequisites

To add a member to the master account, you should have:

- Accounts within the same banking division and customer hierarchy where the value of the **Invoice Group Account** characteristic type is set to **N**
- Accounts with active contracts

Note: You cannot add an account as a member to a master account if that account is already a member of another master during that overlapping period.

Procedure

To add a member to the master account:

1. Access the **Invoicing Group Maintenance – Add/Edit** screen.
2. In the **Search Accounts to Add** zone, click the **Broadcast** ( ) icon corresponding to the account that you want to add to the master account.

   The **Add Member** zone appears.
3. Enter the date from when you want the charges for the member account to appear on the bill of the master account in the **Effective Start Date** field.

   Note: The effective start date should be earlier than or equal to the member account's contract end date.
4. Click **Save**.

   The account is added to the master account. The contracts at the member level are duplicated at the master level.

   Note: Once a contract is duplicated at the master level, you need to activate the contract at the master level. Otherwise, the charges will be billed to the member account instead of the master account.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to access the **Invoicing Group Maintenance – Add/Edit** screen	*Viewing the Master Account Details* on page 48
Search Accounts to Add zone	*Search Accounts to Add* on page 51
Add Member zone	*Add Member* on page 52

Editing the Member Account Assignment Details

Procedure

You can edit the member account assignment details from both the **Invoicing Group Maintenance – Add/Edit** and **Invoicing Group Information** screens. To edit the member account assignment details:

1. Do either of the following:

If you want to	Then
Edit the member account assignment details from the **Invoicing Group Maintenance – Add/Edit** screen	1. Access the **Invoicing Group Maintenance – Add/Edit** screen. 2. In the **Member Accounts** zone, click the **Broadcast** ( ) icon corresponding to the member account whose assignment details you want to edit.
Edit the member account assignment details from the **Invoicing Group Information** screen	1. Access the **Invoicing Group Information** screen. 2. In the **Selected Member Account** zone, click the **Broadcast** ( ) icon corresponding to the member account whose assignment details you want to edit.

   The **Edit Member Account Assignment** zone appears.

2. Modify the effective start and end dates, if required.

   Note:

   The effective start date should be earlier than or equal to the member account's contract end date. And, the effective end date cannot be earlier than the effective start date.

   If a bill is already generated for the master account, you cannot modify the effective start and end dates.

3. Click **Save**.

   The changes are saved.

Related Topics

For more information on...	See...
How to access the **Invoicing Group Maintenance – Add/Edit** screen	*Viewing the Master Account Details* on page 48

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to access the **Invoicing Group Information** screen	*Viewing the Member Account Details* on page 49
Edit Member Account Assignment zone	*Edit Member Account Assignment* on page 50

Removing a Member from the Master Account

Procedure

You can remove a member from the master account through both the **Invoicing Group Maintenance – Add/Edit** and **Invoicing Group Information** screens. To remove a member from the master account:

1. Do either of the following:

If you want to	Then
Remove a member from the master account through the **Invoicing Group Maintenance – Add/Edit** screen	1. Access the **Invoicing Group Maintenance – Add/Edit** screen. 2. In the **Member Accounts** zone, click the **Broadcast** ( ) icon corresponding to the member account that you want to remove from the master account.
Remove a member from the master account through the **Invoicing Group Information** screen	1. Access the **Invoicing Group Information** screen. 2. In the **Selected Member Account** zone, click the **Broadcast** ( ) icon corresponding to the member account that you want to remove from the master account.

   The **Edit Member Account Assignment** zone appears.

2. Click **Remove Member**.

   The member is removed from the master account.

Related Topics

For more information on...	See...
How to access the **Invoicing Group Maintenance – Add/Edit** screen	*Viewing the Master Account Details* on page 48
How to access the **Invoicing Group Information** screen	*Viewing the Member Account Details* on page 49
Edit Member Account Assignment zone	*Edit Member Account Assignment* on page 50

Copyright © 2014, Oracle. All rights reserved.

Invoicing Group Information

The **Invoicing Group Information** screen allows you to view the details of the member account. It also allows you to edit and remove the member account from the master account. This screen consists of the following zones:

- *Invoicing Group Information* on page 56
- *Selected Member Account* on page 56
- *Edit Member Account Assignment* on page 57

Invoicing Group Information

The **Invoicing Group Information** zone displays the master account details of the member account. This zone contains the following fields:

Field Name	Field Description
Invoicing Group Assignment Type	Indicates that this zone displays information about the member's master account.
Customer Name	Displays the name of the main customer.
Primary Account Identifier	Displays the primary account identifier type of the master account along with its value.
Customer Class	Displays the customer class of the master account.
Account Currency	Displays the invoice currency of the master account.
Billing Cycle	Displays the billing cycle during which the master account is billed.
Division	Displays the division to which the master account belongs.

Note: All fields in the **Invoicing Group Information** zone are read-only.

Selected Member Account

The **Selected Member Account** zone displays the details of the member account. This zone contains the following columns:

Column Name	Column Description
Account Identifier Type	Displays the primary account identifier type of the member account.
Account Identifier	Displays the value of the primary account identifier type.
Account Currency	Displays the invoice currency of the member account. **Note:** During billing, the charges for the member account are calculated in this currency and then converted to the master account's currency.
Effective Start Date	Displays the date from when the charges for the member account appears on the bill of the master account.
Effective End Date	Displays the date till when the charges for the member account appears on the bill of the master account.
Customer Name	Displays the name of the main customer.
Customer Class	Displays the customer class of the member account.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Billing Cycle	Displays the billing cycle during which the member account is billed. **Note:** If the member account is removed from the master account, it will be billed during this billing cycle.

On clicking the **Broadcast** ( ) icon corresponding to the member account, the **Edit Member Account Assignment** zone appears with the details of the respective member account.

Edit Member Account Assignment

The **Edit Member Account Assignment** zone allows you to edit the assignment details of the member account. This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Effective Start Date	Used to modify the date from when you want the charges for the member account to appear on the bill of the master account. **Note:** You can modify the date only when it is a future date. The effective start date should be earlier than or equal to the member account's contract end date.	Yes
Invoicing Group Assignment Type	Indicates that the account is a member account.	Not applicable
Effective End Date	Used to modify the date till when you want the charges for the member account to appear on the bill of the master account. **Note:** You can modify the date only when it is not a past date. The effective end date cannot be earlier than the effective start date.	No
Primary Account Identifier	Displays the primary account identifier type of the member account along with its value.	Not applicable

Note: If a bill is already generated for the master account, you cannot modify the effective start and end dates.

This zone contains the following two buttons:

Button Name	Button Description
Save	Used to save the changes made in this zone.
Remove Member	Used to remove the member from the master account.

By default, the **Edit Member Account Assignment** zone does not appear in the **Invoicing Group Information** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the member account in the **Selected Member Account** zone.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to edit the member account assignment details	*Editing the Member Account Assignment Details* on page 54
How to remove a member from the master account	*Removing a Member from the Master Account* on page 55

Editing the Member Account Assignment Details

Procedure

You can edit the member account assignment details from both the **Invoicing Group Maintenance – Add/Edit** and **Invoicing Group Information** screens. To edit the member account assignment details:

1. Do either of the following:

If you want to	Then
Edit the member account assignment details from the **Invoicing Group Maintenance – Add/Edit** screen	1. Access the **Invoicing Group Maintenance – Add/Edit** screen. 2. In the **Member Accounts** zone, click the **Broadcast** ( ) icon corresponding to the member account whose assignment details you want to edit.
Edit the member account assignment details from the **Invoicing Group Information** screen	1. Access the **Invoicing Group Information** screen. 2. In the **Selected Member Account** zone, click the **Broadcast** ( ) icon corresponding to the member account whose assignment details you want to edit.

   The **Edit Member Account Assignment** zone appears.

2. Modify the effective start and end dates, if required.

   Note:

   The effective start date should be earlier than or equal to the member account's contract end date. And, the effective end date cannot be earlier than the effective start date.

   If a bill is already generated for the master account, you cannot modify the effective start and end dates.

3. Click **Save**.

   The changes are saved.

Related Topics

For more information on...	See...
How to access the **Invoicing Group Maintenance – Add/Edit** screen	*Viewing the Master Account Details* on page 48
How to access the **Invoicing Group Information** screen	*Viewing the Member Account Details* on page 49

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Edit Member Account Assignment zone	*Edit Member Account Assignment* on page 50

Removing a Member from the Master Account

Procedure

You can remove a member from the master account through both the **Invoicing Group Maintenance – Add/Edit** and **Invoicing Group Information** screens. To remove a member from the master account:

1. Do either of the following:

If you want to	Then
Remove a member from the master account through the **Invoicing Group Maintenance – Add/Edit** screen	1. Access the **Invoicing Group Maintenance – Add/Edit** screen. 2. In the **Member Accounts** zone, click the **Broadcast** ( ) icon corresponding to the member account that you want to remove from the master account.
Remove a member from the master account through the **Invoicing Group Information** screen	1. Access the **Invoicing Group Information** screen. 2. In the **Selected Member Account** zone, click the **Broadcast** ( ) icon corresponding to the member account that you want to remove from the master account.

   The **Edit Member Account Assignment** zone appears.

2. Click **Remove Member**.

   The member is removed from the master account.

Related Topics

For more information on...	See...
How to access the **Invoicing Group Maintenance – Add/Edit** screen	*Viewing the Master Account Details* on page 48
How to access the **Invoicing Group Information** screen	*Viewing the Member Account Details* on page 49
Edit Member Account Assignment zone	*Edit Member Account Assignment* on page 50

Copyright © 2014, Oracle. All rights reserved.

Copyright © 2014, Oracle. All rights reserved.

Chapter 3

Pricing Management

Topics:

- *Types of Pricing*
- *Multi Parameter Based Pricing*
- *Price List Assignment (Account)*
- *Price List Assignment (Customer)*
- *Pricing (Account)*
- *Pricing (Customer)*
- *Manage Exchange Rates*
- *Manage Products*
- *Manage Price Lists*
- *Manage Product Assignments to Price Lists*
- *Copy Price List*
- *Product Relationship Maintenance*
- *Copy Bundle*
- *Manage Rate Definitions*
- *Manage Tiering Criteria*
- *Add Product Pricing*
- *Edit Assigned Pricing*
- *Override Product Pricing*
- *Price Assignment Characteristics*
- *Variance Parameter*
- *Parameter*
- *Product Parameters*

Pricing Management allows you to define the prices that customers pay for products and services offered to them. These prices are either the standard prices defined in the price lists or the override prices that are specific to a customer or an account. The prices can be defined at various levels in a customer hierarchy (for example, at the account level, main customer level, or at the parent customer level). As prices can be defined at multiple places (for example, in the account's price list, main customer's price list, parent customer's price list), the order in which the system searches for prices will affect the price charged to the customer. This search order is configurable, and can vary with each division. The search order is specified when you define a division. You can change the search order at any time.

However, since a global customer is not associated to any division, the system cannot determine the price assignment search order for a global customer. Hence, the default search order is defined for global customers through the **C1_PRASNORDR** feature configuration. You can change this default search order, if required.

The prices that are specific to a customer or an account are referred to as customer agreed or account agreed prices, respectively. You can override these agreed prices. Customer agreed or account agreed prices are effective for a particular duration and do not expire until you manually specify the end date. However, if you set the **Expire Override Switch** option type of the **C1_EXP_OVRD** feature configuration to **Y**, the system will automatically expire an agreed pricing when the agreed pricing of a customer or an account without end date is overridden. In case you do not want an agreed pricing to automatically expire when it is overridden, you must set the **Expire Override Switch** option type of the **C1_EXP_OVRD** feature configuration to **N**.

The system allows you to define the following types of pricing:

- Flat Pricing
- Tiered Pricing

For more information about the types of pricing, see *Types of Pricing* on page 63.

The price for a product or service may differ depending upon various transaction, customer or account attributes. Oracle Revenue Management and Billing provides a facility to define pricing for a product based on multiple parameters. This multi parameter based pricing feature enables the price analyst to define product and its parameters which influence pricing. You can then define pricing for the product based on these parameters. Bundles are offered to customers to provide discounted rates. You can also define pricing for bundles based on multiple parameters. To enable the multi parameter based pricing feature, you must set the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration to **True**.

For more information about the multi parameter based pricing feature, see *Multi Parameter Based Pricing* on page 63.

Copyright © 2014, Oracle. All rights reserved.

Types of Pricing

The system allows you to define the following types of pricing:

- **Flat Pricing** — Used when you want to charge a fixed price per unit to the customer.
- **Tiered Pricing** — Used when standard flat pricing is not sufficient to meet the business needs. Through tiered pricing, you can offer more favorable pricing to the customers based on service quantity utilization. For example, CG Limited uses wire transfer services provided by a large bank. If CG Limited initiates up to 1,000 wire transfers, the fee charged by the bank will be $5 per transfer. If CG Limited initiates more than 1,000 wire transfers, the fee will be $3 per transfer. To introduce this flexibility in the pricing model, the following tiered pricing is defined:

Quantity Range	Rate ($) per transfer
0 – 1000	5
1000+	3

You can define two types of tiered pricing:

- **Step Tiered Pricing** — The rate of the first tiering range is used to calculate the charge for the maximum quantity in the range, and for incremental service quantity utilization, the rate of the progressive tiering range is used. This happens till the utilized quantity is exhausted. For example, when you define the following step tiered pricing for Product A and the user consumes 60,000 units of the same, the system will charge the first 45,000 units at $2 per unit and the remaining 15,000 units at $1 per unit:

Quantity Range	Rate ($) per unit
0 – 45000	2
45000+	1

- **Threshold Tiered Pricing** — The rate of the tiering range within which the service quantity utilization falls is used to calculate the charge for the entire volume. For example, when you define the following threshold tiered pricing for Product A and the user consumes 75,000 units of the same, the system will charge 75,000 units at $1 per unit as the service quantity utilization falls within 45000+ tiering range:

Quantity Range	Rate ($) per unit
0 – 45000	2
45000+	1

Multi Parameter Based Pricing

Oracle Revenue Management and Billing provides a facility to define pricing for a product based on multiple parameters. You can also define pricing for bundles based on multiple parameters. You can enable or disable the multi parameter based pricing feature by setting the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration. For more information, see *Setting the Multi Parameter Based Pricing (C1_PPARM_FLG) Feature Configuration* on page 579.

If the multi parameter based pricing feature is disabled, you can define pricing for a product based on the variance parameter. If the multi parameter based pricing feature is enabled, you can define pricing for a product based on multiple parameters. For example:

Copyright © 2014, Oracle. All rights reserved.

Product A	Country	Currency
Pricing 1	US	USD
Pricing 2	Germany	USD

Pricing 1 and Pricing 2 are defined for Product A based on two parameters — Country and Currency. Before you define pricing based on country and currency, you need to define these parameters in the system. Once you define these parameters, you need to associate them to the product (i.e. Product A).

Then, when you define Pricing 1 for Product A, you need to set the following product parameters:

- Country — US
- Currency — USD

Similarly, you need to define Pricing 2 with Country set to Germany and Currency set to USD.

The following table lists the tiering ranges defined in Pricing 1 where product parameters are set to US, USD:

Tier Sequence	Rate	Tiering Criteria	Product	Product Parameters	From	To
10	2	Number of Transactions	Product A	US, USD	0	5000
20	1	Number of Transactions	Product A	US, USD	5000	

The following table lists the tiering ranges defined in Pricing 2 where product parameters are set to Germany, USD:

Tier Sequence	Rate	Tiering Criteria	Product	Product Parameters	From	To
10	4	Number of Transactions	Product A	Germany, USD	0	1000
20	3	Number of Transactions	Product A	Germany, USD	1000	

Now, when the user performs 1500 transactions (in USD) of Product A in Germany, 12000 transactions (in USD) of Product A in US, the system creates two billable charges. In one billable charge (with Product A, US and USD combination), the system uses $1 as the rate for calculating charges, and in another billable charge (with Product A, Germany and USD combination), the system uses $3 as the rate for calculating charges.

Note that in this case the parameters based on which you have defined pricing and tiering ranges are same. You can use different parameters while defining pricing and tiering ranges, if required. You can also use another product or bundle and its parameters while defining tiering ranges. For example:

The following table lists the tiering ranges of Pricing 1 defined for Product A where product parameters are set to US, USD:

Tier Sequence	Rate	Tiering Criteria	Product	Product Parameters	From	To
10	2	Number of Transactions	Product B	Germany, USD	0	100
20	1	Number of Transactions	Product B	Germany, USD	100	200
30	0.5	Number of Transactions	Product B	Germany, USD	200	

Now, when the user performs 1500 transactions (in USD) of Product A in US, 200 transactions (in USD) of Product B in Germany, the system creates one billable charge. The system adds the transactions with the following combinations and then determines the range of Product A within which the total units (i.e. 200) fall:

- Product B, Germany, USD

In this case, the total units fall in the 100 – 200 range of Product A, and therefore the system uses $1 as the rate for calculating charges (i.e. 1500*1=1500).

Some parameters might be mandatory and some might be optional while defining product pricing. You can define product pricing based on these parameters at various levels, such as:

Copyright © 2014, Oracle. All rights reserved.

- Account Agreed
- Account Price List
- Account Inherited Price List
- Customer Agreed
- Customer Price List
- Customer Inherited Price List
- Parent Customer Agreed
- Parent Customer Price List
- Parent Customer Inherited Price List
- Default Price List
- Global Price List

As prices can be defined at multiple levels, the system first searches for exact match at all levels (using the search order). If the system finds the exact match at multiple levels, the price assignment at the higher precedence level is considered. Let us understand this with the help of an example.

Pricing 1 is defined for Product A with the following parameters at the Account Agreed level:

Parameter	**Mandatory (Yes or No)**	**Priority**	**Value**
Type	Yes	—	BT
Country	No	1	US
Currency	No	2	USD

Pricing 2 is defined for Product A with the following parameters at the Parent Customer Agreed level:

Parameter	**Mandatory (Yes or No)**	**Priority**	**Value**
Type	Yes	—	BT
Country	No	1	US
Currency	No	2	USD

Pricing 3 is defined for Product A with the following parameters at the Account Price List level:

Parameter	**Mandatory (Yes or No)**	**Priority**	**Value**
Type	Yes	—	BT
Country	No	1	US
Currency	No	2	—

Now, when the user performs transactions (with the type set to BT in US) of Product A in USD, the system searches for price with exact match (Type — BT, Country — US, and Currency — USD). The exact match is available at two levels — Account Agreed and Parent Customer Agreed. The system considers the price at the Account Agreed level because this level has higher precedence.

Depending on the search order defined for the division (to which the account belongs), the level with higher precedence changes. Accordingly, the price assignment at the higher precedence level is considered for calculating the charges.

If the system does not finds the exact match at any level, it searches for the best fit match at all levels. Let us understand how the best fit match is determined with the help of an example.

Pricing 1 is defined for Product A with the following parameters:

Copyright © 2014, Oracle. All rights reserved.

Parameter	Mandatory (Yes or No)	Priority	Value
Type	Yes	—	BT
Country	No	1	US
Currency	No	2	-

Pricing 2 is defined for Product A with the following parameters:

Parameter	Mandatory (Yes or No)	Priority	Value
Type	Yes	—	BT
Country	No	1	-
Currency	No	2	USD

Pricing 3 is defined for Product A with the following parameters:

Parameter	Mandatory (Yes or No)	Priority	Value
Type	Yes	—	BT
Country	No	1	-
Currency	No	2	-

Pricing 4 is defined for Product A with the following parameters:

Parameter	Mandatory (Yes or No)	Priority	Value
Type	Yes	—	BT
Country	No	1	US
Currency	No	2	GBP

The system has Pricing 1, Pricing 2, Pricing 3, and Pricing 4 defined for Product A. Now, when the user performs transactions (with the type set to BT in US) of Product A in USD, the system does not find price with exact match (Type — BT, Country — US, and Currency — USD). Therefore, it searches for the best fit match.

While searching for the best fit match, the system rules out the optional parameter with lowest priority (i.e. Currency) and checks whether the price (with Type — BT and Country — US) is available. If the price is available, the system considers the price as the best fit match. Therefore, in this case, Pricing 1 is considered as the best fit match.

Suppose, if the price (with Type — BT and Country — US) is not available, then the system rules out the optional parameter with next lowest priority (i.e. Country) and checks whether the price (with Type — BT and Currency — USD) is available. If the price is available, the system considers the price as the best fit match. In this case, Pricing 2 would be considered as the best fit match. If the system finds the best fit match with same weight at multiple levels, the price assignment at the higher precedence level is considered.

Price List Assignment (Account)

Once a price list is defined, you can assign it to accounts to indicate the prices to be charged for the products or services offered to the customers. You can assign multiple price lists to an account along with the priority or order in which the pricing should be considered. You can also define whether the account can avail the product pricing listed on the parent or grandparent price list if it is not available on the assigned price list. In other words, you can define whether the account can inherit product pricing from the price list hierarchy.

Copyright © 2014, Oracle. All rights reserved.

For example, suppose you have PL1 (with priority 10) and PL2 (with priority 20) assigned to an account. While determining pricing for a product, the system will search for the product pricing in PL1. If the system does not find the product pricing in PL1, it will search for the product pricing in PL2. The system will behave in this manner only when the price list inheritance for PL1 is set to **No** during price list assignment.

If the price list inheritance for both PL1 and PL2 is set to **Yes**, the system will search for the product pricing in PL1. If the system does not find the product pricing in PL1, it will search for the product pricing from the price list hierarchy defined for PL1. However, if the system does not find the product pricing from the price list hierarchy, it will then search for the product pricing in PL2 (assigned to the account with priority 20). If the system still does not find the product pricing in PL2, it will search for the product pricing from the price list hierarchy defined for PL2.

The **Price List Assignment (Account)** screen allows you to search and assign a price list to the account. It also allows you to view the price lists that are already assigned to the account. This screen consists of the following zones:

- *Party* on page 67
- *Assigned Price Lists* on page 67
- *Historical Assigned Price Lists* on page 68
- *Search Price List to Assign* on page 69

Party

The **Party** zone displays details of the account whose price list assignment details you want to view. This zone contains the following fields:

Field Name	Field Description
Customer Name	Displays the name of the main customer.
Account ID	Displays the account ID.
Primary Account Identifier	Displays the primary account identifier type of the account along with its value.
Division	Displays the division to which the account belongs.

Note: All fields in the **Party** zone are read-only.

Assigned Price Lists

The **Assigned Price Lists** zone lists price lists that are already assigned to the account. You will not find any records in this zone if the account does not have any price lists assigned to it. This zone contains the following columns:

Column Name	Column Description
Priority	Indicates the order in which the assigned price list should be considered while determining the product pricing for the account.
Effective Start Date	Displays the date from when the system will start using prices on the price list to bill products for the account.
Price List	Displays the price list ID. **Note:** The price list ID is generated automatically when the price list is created.
Price List Description	Displays the description of the price list.
Effective End Date	Displays the date till when the system will use prices on the price list to bill products for the account.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Price List Inheritance	Indicates whether the account can avail the product pricing listed on the parent or grandparent price list if it is not available on the assigned price list. In other words, it indicates whether the account can inherit product pricing from the price list hierarchy.
Assignment Status	Indicates whether the assigned price list is used for quote billing.
Edit	On clicking the **Edit** ( ) icon, the **Edit Price List Assignment** screen appears where you can edit the details of the price list assignment.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

For more information on...	See...
How to view the price lists that are already assigned to an account	*Viewing Price Lists Assigned to an Account* on page 71
How to edit the price list assignment details of an account	*Editing the Price List Assignment Details* on page 71

Historical Assigned Price Lists

The **Historical Assigned Price Lists** zone lists price lists that were assigned to the account in past, but are no longer used to bill products for the account. In other words, it lists the price list assignments which have expired. This zone contains the following columns:

Column Name	Column Description
Priority	Indicates the order in which the assigned price list was considered while determining the product pricing for the account.
Effective Start Date	Displays the date from when the system started using prices on the price list to bill products for the account.
Price List	Displays the price list ID. **Note:** The price list ID is generated automatically when the price list is created.
Price List Description	Displays the description of the price list.
Effective End Date	Displays the date till when the system used prices on the price list to bill products for the account.
Price List Inheritance	Indicates whether the account availed the product pricing listed on the parent or grandparent price list if it was not available on the assigned price list. In other words, it indicates whether the account inherited product pricing from the price list hierarchy.
Assignment Status	Indicates whether the assigned price list was used for quote billing.
Edit	On clicking the **Edit** ( ) icon, the **Edit Price List Assignment** screen appears where you can edit the details of the price list assignment.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to edit the historical price list assignment details of an account	*Editing the Price List Assignment Details* on page 71

Search Price List to Assign

The **Search Price List to Assign** zone allows you to search for a price list that you want to assign to the account. This zone contains the following two sections:

- **Search Criteria** — The criteria are grouped as indicated by line separators between the criteria. Each group is independent from the other, and only one group is used at a time for searching. If you enter criteria in more than one group, the criteria from the first group is used for searching. For example, if you enter Price List Description and Effective Start Date (which are in different criteria groups), the system searches using Price List Description, which appears before Effective Start Date.

  The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Query Option	Used to specify whether you want to search against all price lists or against those price lists that are already assigned either to a customer or to an account. **Note:** By default, the **Search Price List** option is selected.	Yes
Price List	Used to specify the price list ID.	No
Price List Description	Used to specify the description of the price list.	No
Customer Name	Used to specify the name of the customer whom the price list is assigned. **Note:** This field appears only when you select the **Search Assigned Price List** option from the **Query Option** list.	No
Account Identifier Type	Used to specify the account identifier type of the account to which the price list is assigned. **Note:** This field appears only when you select the **Search Assigned Price List** option from the **Query Option** list.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.
Account Identifier	Used to specify the value of the account identifier type. **Note:** This field appears only when you select the **Search Assigned Price List** option from the **Query Option** list.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Effective Start Date	The date that you enter in this field depends on the query option selected. If you have selected the **Search Price List** option, enter the date from when the price list is effective. If you have selected the **Search Assigned Price List** option, enter the date from when the system will start using prices on the price list to bill products for the customer or account.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Effective End Date	The date that you enter in this field depends on the query option selected. If you have selected the **Search Price List** option, enter the date till when the price list is effective. If you have selected the **Search Assigned Price List** option, enter the date till when the system will use prices on the price list to bill products for the customer or account.	No

Note: You must specify at least one search criterion while searching for a price list.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The search results include only those price lists that are valid for the division to which the account belongs. It may also include price lists that are already assigned to the account in case those price lists match the search criteria.

  The **Search Results** section contains the following columns:

Column Name	Column Description
Price List ID	Displays the price list ID. **Note:** It has a link. On clicking the link, the **Manage Product Assignments to Price Lists** screen appears with the details of the respective price list.
Account Information	Displays the account ID. **Note:** This column appears only when you select the **Search Assigned Price List** option from the **Query Option** list.
Account Identifier Type	Displays the account identifier type. **Note:** This column appears only when you select the **Search Assigned Price List** option from the **Query Option** list.
Account Identifier	Displays the value of the account identifier type. **Note:** This column appears only when you select the **Search Assigned Price List** option from the **Query Option** list.
Customer Name	Displays the name of the main customer. **Note:** This column appears only when you select the **Search Assigned Price List** option from the **Query Option** list.
Price List Description	Displays the description of the price list.
Effective Start Date	The date that appears in this column depends on the query option selected. If you have selected the **Search Price List** option, the date from when the price list is effective appears. If you have selected the **Search Assigned Price List** option, the date from when the system will start using prices on the price list to bill products for the customer or account appears.
Effective End Date	The date that appears in this column depends on the query option selected. If you have selected the **Search Price List** option, the date till when the price list is effective appears. If you have selected the **Search Assigned Price List** option, the date till when the system will use prices on the price list to bill products for the customer or account appears.
Assign	On clicking the **Assign** ( ) icon, the **Assign Price List** screen appears where you can assign the price list to the account.

Copyright © 2014, Oracle. All rights reserved.

Related Topics

For more information on...	See...
How to assign a price list to an account	*Assigning a Price List to an Account* on page 73

Viewing Price Lists Assigned to an Account

Procedure

To view price lists assigned to an account:

1. Search for the account in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the account whose *d*etails you want to view.

   A menu appears.
3. Click the **Go To Price List Assignments** menu option.

   The **Price List Assignment (Account)** screen appears.
4. View the price lists that are already assigned to the account in the **Assigned Price Lists** zone.

Related Topics

For more information on...	See...
How to search an account	*Searching for an Account* on page 22
Price List Assignment (Account) screen	*Price List Assignment (Account)* on page 66
Assigned Price Lists zone	*Assigned Price Lists* on page 67

Editing the Price List Assignment Details

Procedure

To edit the price list assignment details of an account:

1. Search for the account in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the account whose *d*etails you want to edit.

   A menu appears.
3. Click the **Go To Price List Assignments** menu option.

   The **Price List Assignment (Account)** screen appears.
4. Do either of the following:

If you want to	Then
Edit the price list assignment which is currently effective	In the **Assigned Price Lists** zone, click the **Edit** ( ) icon in the **Edit** column corresponding to the price list whose assignment details *y*ou want to edit.

Copyright © 2014, Oracle. All rights reserved.

If you want to	Then
Edit the price list assignment which has expired	In the **Historical Assigned Price Lists** zone, click the **Edit** ( ) icon in the **Edit** column corresponding to the price list whose assignment details you want to edit.

The **Price List Assignment (Account)** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Customer Name	Displays the name of the main customer.	Not applicable
Account ID	Displays the account ID.	Not applicable
Primary Account Identifier	Displays the primary account identifier type of the account along with its value.	Not applicable
Division	Displays the division to which the account belongs.	Not applicable
Price List	Displays the price list ID. **Note:** The price list ID is generated automatically when the price list is created.	Not applicable
Price List Description	Displays the description of the price list.	Not applicable
Effective Start Date	Used to modify the date from when the system will start using prices on the price list to bill products for the account. **Note:** The price list assignment start date cannot be earlier than the price list effective start date or later than the price list effective end date.	Yes
Effective End Date	Used to modify the date till when the system will use prices on the price list to bill products for the account. **Note:** The effective end date cannot be earlier than the effective start date. The price list assignment end date cannot be later than the price list effective end date.	No
Priority	Used to modify the order in which the assigned price list should be considered while determining the product pricing for the account.	Yes
Price List Inheritance	Used to indicate whether the account can avail the product pricing listed on the parent or grandparent price list if it is not available on the assigned price list. The valid values are: • **Yes** — Indicates that the account can inherit product pricing from the price list hierarchy. • **No** — Indicates that the account cannot inherit product pricing from the price list hierarchy.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Assignment Status	Used to indicate whether the assigned price list will be used for normal or quote billing. The valid values are: • **Active** — Indicates that you want to use the assigned price list for normal billing. • **Rejected** — Indicates that you do not want to use the assigned price list for normal and quote billing. **Note:** This field is disabled when the assigned price list's assignment status is either **Active** or **Rejected**.	Yes

5. Modify the required details.
6. Click **Save**.

   The changes made to price list assignment are saved.

Related Topics

For more information on...	See...
How to search for an account	*Searching for an Account* on page 22
Assigned Price Lists zone	*Assigned Price Lists* on page 67
Historical Assigned Price Lists zone	*Historical Assigned Price Lists* on page 68

Assigning a Price List to an Account

Prerequisites

To assign a price list to an account, you should have:

- Price list defined in the application
- Pricing for all products assigned to the price list defined in the application
- Price list associated with the division to which the account belongs

Procedure

To assign a price list to an account:

1. Search for the account in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the account whose details you want to edit.

   A menu appears.
3. Click the **Go To Price List Assignments** menu option.

   The **Price List Assignment (Account)** screen appears.
4. Search for the price list in the **Search Price List to Assign** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

Copyright © 2014, Oracle. All rights reserved.

5. In the **Search Results** section, click the **Assign** ( ) icon corresponding to the price list that you want to assign *t*o the account.

   The **Price List Assignment (Account)** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Customer Name	Displays the name of the main customer.	Not applicable
Account ID	Displays the account ID.	Not applicable
Primary Account Identifier	Displays the primary account identifier type of the account along with its value.	Not applicable
Division	Displays the division to which the account belongs.	Not applicable
Price List	Displays the price list ID. **Note:** The price list ID is generated automatically when the price list is created.	Not applicable
Price List Description	Displays the description of the price list.	Not applicable
Effective Start Date	Used to specify the date from when the system will start using prices on the price list to bill products for the account. **Note:** The price list assignment start date cannot be earlier than the price list effective start date or later than the price list effective end date.	Yes
Effective End Date	Used to specify the date till when the system will use prices on the price list to bill products for the account. **Note:** The effective end date cannot be earlier than the effective start date. The price list assignment end date cannot be later than the price list effective end date.	No
Priority	Used to specify the order in which the assigned price list should be considered while determining the product pricing for the account.	Yes
Price List Inheritance	Used to indicate whether the account can avail the product pricing listed on the parent or grandparent price list if it is not available on the assigned price list. The valid values are: • **Yes** — Indicates that the account can inherit product pricing from the price list hierarchy. • **No** — Indicates that the account cannot inherit product pricing from the price list hierarchy.	Yes
Assignment Status	Used to indicate whether the assigned price list will be used for quote billing. The valid values are: • **Active** — Indicates that the assigned price list will be used for normal billing. • **Proposed** — Indicates that the assigned price list will be used for quote billing.	Yes

Copyright © 2014, Oracle. All rights reserved.

6. Enter the required details.
7. Click **Save**.

   The price list is assigned to the account.

Related Topics

For more information on...	See...
How to search for an account	*Searching for an Account* on page 22
Search Price List to Assign zone	*Search Price List to Assign* on page 69

Price List Assignment (Customer)

Once a price list is defined, you can assign it to customers to indicate the prices to be charged for the products or services offered to them. You can assign multiple price lists to a customer along with the priority or order in which the pricing should be considered. You can also define whether the customer can avail the product pricing listed on the parent or grandparent price list if it is not available on the assigned price list. In other words, you can define whether the customer can inherit product pricing from the price list hierarchy.

For example, suppose you have PL1 (with priority 10) and PL2 (with priority 20) assigned to a customer. While determining pricing for a product, the system will search for the product pricing in PL1. If the system does not find the product pricing in PL1, it will search for the product pricing in PL2. The system will behave in this manner only when the price list inheritance for PL1 is set to **No** during price list assignment.

If the price list inheritance for both PL1 and PL2 is set to **Yes**, the system will search for the product pricing in PL1. If the system does not find the product pricing in PL1, it will search for the product pricing from the price list hierarchy defined for PL1. However, if the system does not find the product pricing from the price list hierarchy, it will then search for the product pricing in PL2 (assigned to the customer with priority 20). If the system still does not find the product pricing in PL2, it will search for the product pricing from the price list hierarchy defined for PL2.

The **Price List Assignment (Customer)** screen allows you to search and assign a price list to the customer. It also allows you to view the price lists that are already assigned to the customer. This screen consists of the following zones:

- *Party* on page 75
- *Assigned Price Lists* on page 76
- *Historical Assigned Price Lists* on page 76
- *Search Price List to Assign* on page 77

Party

The **Party** zone displays details of the customer whose price list assignment details you want to view. This zone contains the following fields:

Field Name	Field Description
Customer Name	Displays the name of the customer.
Person ID	Displays the person ID of the customer.
Division	Displays the division to which the customer belongs.

Note: All fields in the **Party** zone are read-only.

Copyright © 2014, Oracle. All rights reserved.

Assigned Price Lists

The **Assigned Price Lists** zone lists price lists that are already assigned to the customer. You will not find any records in this zone if there are no price lists assigned to the customer. This zone contains the following columns:

Column Name	Column Description
Effective Start Date	Displays the date from when the system will start using prices on the price list to bill products for the customer.
Priority	Indicates the order in which the assigned price list should be considered while determining the product pricing for the customer.
Price List	Displays the price list ID. **Note:** The price list ID is generated automatically when the price list is created.
Price List Description	Displays the description of the price list.
Effective End Date	Displays the date till when the system will use prices on the price list to bill products for the customer.
Price List Inheritance	Indicates whether the customer can avail the product pricing listed on the parent or grandparent price list if it is not available on the assigned price list. In other words, it indicates whether the customer can inherit product pricing from the price list hierarchy.
Assignment Status	Indicates whether the assigned price list is used for quote billing.
Edit	On clicking the **Edit** () icon, the **Edit Price List Assignment** screen appears where you can edit the details of the price list assignment.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

For more information on...	See...
How to view the price lists that are assigned to a customer	*Viewing Price Lists Assigned to a Customer* on page 79
How to edit the price list assignment details of a customer	*Editing the Price List Assignment Details* on page 80

Historical Assigned Price Lists

The **Historical Assigned Price Lists** zone lists price lists that were assigned to the customer in past, but are no longer used to bill products for the customer. In other words, it lists the price list assignments which have expired. This zone contains the following columns:

Column Name	Column Description
Priority	Indicates the order in which the assigned price list was considered while determining the product pricing for the customer.
Effective Start Date	Displays the date from when the system started using prices on the price list to bill products for the customer.
Price List	Displays the price list ID. **Note:** The price list ID is generated automatically when the price list is created.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Price List Description	Displays the description of the price list.
Effective End Date	Displays the date till when the system used prices on the price list to bill products for the customer.
Price List Inheritance	Indicates whether the customer availed the product pricing listed on the parent or grandparent price list if it was not available on the assigned price list. In other words, it indicates whether the customer inherited product pricing from the price list hierarchy.
Assignment Status	Indicates whether the assigned price list was used for quote billing.
Edit	On clicking the **Edit** ( ) icon, the **Edit Price List Assignment** screen appears where you can edit the details of the price list assignment.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

For more information on...	See...
How to edit the historical price list assignment details of a customer	*Editing the Price List Assignment Details* on page 80

Search Price List to Assign

The **Search Price List to Assign** zone allows you to search for a price list that you want to assign to the customer. This zone contains the following two sections:

- **Search Criteria** — The criteria are grouped as indicated by line separators between the criteria. Each group is independent from the other, and only one group is used at a time for searching. If you enter criteria in more than one group, the criteria from the first group is used for searching. For example, if you enter Price List Description and Effective Start Date (which are in different criteria groups), the system searches using Price List Description, which appears before Effective Start Date.

  The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Query Option	Used to specify whether you want to search against all price lists or against those price lists that are already assigned either to a customer or to an account. **Note:** By default, the **Search Price List** option is selected.	Yes
Price List	Used to specify the price list ID.	No
Price List Description	Used to specify the description of the price list.	No
Customer Name	Used to specify the name of the customer whom the price list is assigned. **Note:** This field appears only when you select the **Search Assigned Price List** option from the **Query Option** list.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier Type	Used to specify the account identifier type of the account to which the price list is assigned. **Note:** This field appears only when you select the **Search Assigned Price List** option from the **Query Option** list.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.
Account Identifier	Used to specify the value of the account identifier type. **Note:** This field appears only when you select the **Search Assigned Price List** option from the **Query Option** list.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Effective Start Date	The date that you enter in this field depends on the query option selected. If you have selected the **Search Price List** option, enter the date from when the price list is effective. If you have selected the **Search Assigned Price List** option, enter the date from when the system will start using prices on the price list to bill products for the customer or account.	No
Effective End Date	The date that you enter in this field depends on the query option selected. If you have selected the **Search Price List** option, enter the date till when the price list is effective. If you have selected the **Search Assigned Price List** option, enter the date till when the system will use prices on the price list to bill products for the customer or account.	No

Note: You must specify at least one search criterion while searching for a price list.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The search results include only those price lists that are valid for the division to which the customer belongs. It may also include price lists that are already assigned to the customer in case those price lists match the search criteria.

  The **Search Results** section contains the following columns:

Column Name	Column Description
Price List ID	Displays the price list ID. **Note:** It has a link. On clicking the link, the **Manage Product Assignments to Price Lists** screen appears with the details of the respective price list.
Account Information	Displays the account ID. **Note:** This column appears only when you select the **Search Assigned Price List** option from the **Query Option** list.
Account Identifier Type	Displays the account identifier type. **Note:** This column appears only when you select the **Search Assigned Price List** option from the **Query Option** list.
Account Identifier	Displays the value of the account identifier type. **Note:** This column appears only when you select the **Search Assigned Price List** option from the **Query Option** list.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Customer Name	Displays the name of the customer. **Note:** This column appears only when you select the **Search Assigned Price List** option from the **Query Option** list.
Price List Description	Displays the description of the price list.
Effective Start Date	The date that appears in this column depends on the query option selected. If you have selected the **Search Price List** option, the date from when the price list is effective appears. If you have selected the **Search Assigned Price List** option, the date from when the system will start using prices on the price list to bill products for the customer or account appears.
Effective End Date	The date that appears in this column depends on the query option selected. If you have selected the **Search Price List** option, the date till when the price list is effective appears. If you have selected the **Search Assigned Price List** option, the date till when the system will use prices on the price list to bill products for the customer or account appears.
Assign	On clicking the **Assign** ( ) icon, the **Assign Price List** screen appears where you can assign the price list to the customer.

Related Topics

For more information on...	See...
How to assign a price list to a customer	*Assigning a Price List to a Customer* on page 81

Viewing Price Lists Assigned to a Customer

Procedure

To view the price lists assigned to a customer:

1. Search for the customer in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the customer whose *d*etails you want to view.

   A menu appears.
3. Click the **Go To Price List Assignments** menu option.

   The **Price List Assignment (Customer)** screen appears.
4. View the price lists that are already assigned to the customer in the **Assigned Price Lists** zone.

Related Topics

For more information on...	See...
How to search a customer	*Searching for a Customer* on page 25
Price List Assignment (Customer) screen	*Price List Assignment (Customer)* on page 75
Assigned Price Lists zone	*Assigned Price Lists* on page 76

Copyright © 2014, Oracle. All rights reserved.

Editing the Price List Assignment Details

Procedure

To edit the price list assignment details of a customer:

1. Search for the customer in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the customer whose details you want to edit.

   A menu appears.
3. Click the **Go To Price List Assignments** menu option.

   The **Price List Assignment (Customer)** screen appears.
4. Do either of the following:

If you want to	Then
Edit the price list assignment which is currently effective	In the **Assigned Price Lists** zone, click the **Edit** ( ) icon in the **Edit** column corresponding to the price list whose assignment details you want to edit.
Edit the price list assignment which has expired	In the **Historical Assigned Price Lists** zone, click the **Edit** ( ) icon in the **Edit** column corresponding to the price list whose assignment details you want to edit.

The **Price List Assignment (Customer)** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Customer Name	Displays the name of the customer.	Not applicable
Person ID	Displays the person ID of the customer.	Not applicable
Division	Displays the division to which the customer belongs.	Not applicable
Price List	Displays the price list ID. **Note:** The price list ID is generated automatically when the price list is created.	Not applicable
Price List Description	Displays the description of the price list.	Not applicable
Effective Start Date	Used to modify the date from when the system will start using prices on the price list to bill products for the customer. **Note:** The price list assignment start date cannot be earlier than the price list effective start date or later than the price list effective end date.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Effective End Date	Used to modify the date till when the system will use prices on the price list to bill products for the customer. **Note:** The effective end date cannot be earlier than the effective start date. The price list assignment end date cannot be later than the price list effective end date.	No
Priority	Used to modify the order in which the assigned price list should be considered while determining the product pricing for the customer.	Yes
Price List Inheritance	Used to indicate whether the customer can avail the product pricing listed on the parent or grandparent price list if it is not available on the assigned price list. The valid values are: • **Yes** — Indicates that the customer can inherit product pricing from the price list hierarchy. • **No** — Indicates that the customer cannot inherit product pricing from the price list hierarchy.	Yes
Assignment Status	Used to indicate whether the assigned price list will be used for normal or quote billing. The valid values are: • **Active** — Indicates that you want to use the assigned price list for normal billing. • **Rejected** — Indicates that you do not want to use the assigned price list for normal and quote billing. **Note:** This field is disabled when the assigned price list's assignment status is either **Active** or **Rejected**.	Yes

5. Modify the required details.
6. Click **Save**.

   The changes made to price list assignment are saved.

Related Topics

For more information on...	See...
How to search for a customer	*Searching for a Customer* on page 25
Assigned Price Lists zone	*Assigned Price Lists* on page 76
Historical Assigned Price Lists zone	*Historical Assigned Price Lists* on page 76

Assigning a Price List to a Customer

Prerequisites

To assign a price list to a customer, you should have:

- Price list defined in the application

Copyright © 2014, Oracle. All rights reserved.

- Pricing for all products assigned to the price list defined in the application
- Price list associated with the division to which the customer belongs

Procedure

To assign a price list to a customer:

1. Search for the customer in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the customer whose details you want to view.

   A menu appears.
3. Click the **Go To Price List Assignments** menu option.

   The **Price List Assignment (Customer)** screen appears.
4. Search for the price list in the **Search Price List to Assign** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. In the **Search Results** section, click the **Assign** ( ) icon corresponding to the price list that you want to assign to the customer.

   The **Price List Assignment (Customer)** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Customer Name	Displays the name of the customer.	Not applicable
Person ID	Displays the person ID of the customer.	Not applicable
Division	Displays the division to which the customer belongs.	Not applicable
Price List	Displays the price list ID. **Note:** The price list ID is generated automatically when the price list is created.	Not applicable
Price List Description	Displays the description of the price list.	Not applicable
Effective Start Date	Used to specify the date from when the system will start using prices on the price list to bill products for the customer. **Note:** The price list assignment start date cannot be earlier than the price list effective start date or later than the price list effective end date.	Yes
Effective End Date	Used to specify the date till when the system will use prices on the price list to bill products for the customer. **Note:** The effective end date cannot be earlier than the effective start date. The price list assignment end date cannot be later than the price list effective end date.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Priority	Used to specify the order in which the assigned price list should be considered while determining the product pricing for the customer.	Yes
Price List Inheritance	Used to indicate whether the customer can avail the product pricing listed on the parent or grandparent price list if it is not available on the assigned price list. The valid values are: • **Yes** — Indicates that the customer can inherit product pricing from the price list hierarchy. • **No** — Indicates that the customer cannot inherit product pricing from the price list hierarchy.	Yes
Assignment Status	Used to indicate whether the assigned price list will be used for quote billing. The valid values are: • **Active** — Indicates that the assigned price list will be used for normal billing. • **Proposed** — Indicates that the assigned price list will be used for quote billing.	Yes

6. Enter the required details.
7. Click **Save**.

   The price list is assigned to the customer.

Related Topics

For more information on...	See...
How to search for a customer	*Searching for a Customer* on page 25
Search Price List to Assign zone	*Search Price List to Assign* on page 77

Pricing (Account)

The **Pricing (Account)** screen allows you to:

- View effective pricing for products assigned to the account either directly or through the customer hierarchy
- Filter products that are already assigned to the account
- Search and assign products to the account
- Edit or override a product pricing

This screen consists of the following zones:

- *Party Information* on page 84
- *Effective Price Assignment* on page 84
- *Search Products to Assign* on page 87

Through the **Pricing (Account)** screen, you can navigate to the following screens:

- *Manage Products* on page 107

Copyright © 2014, Oracle. All rights reserved.

- *Add Product Pricing* on page 159
- *Override Product Pricing* on page 172
- *Edit Assigned Pricing* on page 167

Party Information

The **Party Information** zone displays basic information about the account. This zone contains the following fields:

Field Name	Field Description
Customer Name	Displays the name of the main customer.
Account ID	Displays the account ID.
Primary Account Identifier	Displays the primary account identifier type of the account along with its value.
Division	Displays the division to which the account belongs.

Note: All the fields in the **Party Information** zone are read-only.

Effective Price Assignment

The **Effective Price Assignment** zone allows you to filter product pricing based on the various search criteria. The default order in which the product pricing is listed in this zone is controlled by the Price Assignment Search algorithm defined for the division to which the account belongs.

In case of bundles, the order in which the product pricing is listed in this zone is based on the following condition:

- If the system finds pricing for products that belong to a bundle before finding pricing for the bundle, then the system lists the pricing for products that belong to the bundle, and not the pricing for the bundle. For example, let say, B0001 is a bundle, and contains C0001 and C0002 products. If the system finds pricing for B0001, it validates whether the pricing for C0001 and C0002 has already been found. If yes, then the system lists the pricing for C0001 and C0002. If the system does not find pricing for C0001 and C0002 before finding pricing for B0001, it lists the pricing for B0001.

This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Account ID	Displays the account ID.	Not applicable
Effective Pricing Date	Used to specify the date from when the pricing assignment is effective.	No
Product	Used to specify the product code.	No
Product Description	Used to specify the description of the product.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Assignment Level	Used to specify the pricing assignment type. You can specify either of the following assignment types: • **Account Agreed** – Means product pricing is agreed for the specific account within the hierarchy. • **Account Price List** – Means product pricing is defined within the price list that is assigned to the account. • **Account Inherited Price List** — Means product pricing is inherited from the hierarchy defined for the price list that is assigned to the account. • **Customer Agreed** – Means product pricing is agreed for the specific customer within the hierarchy. • **Customer Price List** – Means product pricing is defined within the price list that is assigned to the customer. • **Customer Inherited Price List** — Means product pricing is inherited from the hierarchy defined for the price list that is assigned to the customer. • **Parent Customer Agreed** – Means product pricing is agreed for the parent customer in the hierarchy. • **Parent Customer Price List** – Means product pricing is defined within the price list that is assigned to the parent customer. • **Parent Customer Inherited Price List** — Means product pricing is inherited from the hierarchy defined for the price list that is assigned to the parent customer.	No
Parent Customer	Used to specify the name of the parent customer from whom the pricing is inherited.	No
Pricing Status	Used to indicate whether the product pricing is used for billing or quotations. You can also search for product pricing which are no longer active. The valid values are: • Active • Proposed • Reject	No

- **Search Results** — On clicking the **Search** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Product	Displays the product code. **Note:** It has a link. On clicking the link, the **Manage Products** screen appears with the details of the respective product.
Product Description	Displays the description of the product.
Variance	Indicates the variance used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameters	Indicates the parameters which are used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. A tool tip appears when you hover over this column corresponding to the product. It indicates the product parameters and their values.
Assignment Type	Indicates the price assignment type. The valid values are: • Regular • Post Processing
Assignment Level	Displays the pricing assignment type.
Price List Description	Displays the description of the price list. **Note:** The description appears only when the pricing assignment type is Account Price List, Account Inherited Price List, Customer Price List, Customer Inherited Price List, Parent Customer Price List, or Parent Customer Inherited Price List.
Rate	Displays the price of the product. It also indicates whether the price is a Flat, Threshold, or Step price. The price can be agreed pricing, price list pricing, or pricing inherited from the price list hierarchy. If the price is applicable only to new customers, an asterisk (*) symbol appears corresponding to the price.
Rate Description	Displays the description of the tiering setup of the rate component.
Edit	On clicking the **Edit** () icon, the **Edit Assigned Pricing** screen appears where you can edit the rates, criteria, associated product, and tiering ranges. **Note:** The **Edit** icon appears only when the assignment level is account agreed.
Override	When you override a product pricing, you create prices that are specific to an account (which is referred to as account agreed pricing). In other words, you create a new price assignment within the hierarchy. You can then edit this account agreed pricing. On clicking the **Override** ( ) icon, the **Override Product Pricing** screen appears where you can override rates, criteria, associated product, and tiering ranges.
Start Date	Displays the date from when the pricing assignment is effective.
End Date	Displays the date till when the pricing assignment is effective.
CCY (P)	Displays the pricing currency used in the pricing assignment.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Parent Customer	Displays the name of the parent or grandparent customer from whom the pricing is inherited.

Note: The number of records that can be displayed in the **Search Results** section of the **Effective Price Assignment** zone is controlled via the **C1_PR_REC** feature configuration. You can change the number of records that can be displayed using the **Effective Pricing RecordSet Limit** option type of the **C1_PR_REC** feature configuration. For more information, refer to *Setting the C1_PR_REC Feature Configuration* on page 583.

Related Topics

For more information on...	See...
How to view effective pricing of an account	*Viewing Effective Pricing of an Account* on page 88
How to override a product pricing	*Overriding Product Pricing* on page 177
How to edit a product pricing	*Editing Assigned Pricing* on page 171
How to export product pricing in the CSV format	*Exporting Effective Pricing in CSV Format* on page 89

Search Products to Assign

The **Search Products to Assign** zone allows you to search for products that you want to assign to the account. The search for products is restricted to those products that are valid for the account's division. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to specify the product code.	No
Product Description	Used to specify the description of the product.	No
Global Price List	Used to indicate whether the product is assigned to a global price list. The valid values are: • Yes • No	No

Note: You must specify at least one search criterion while searching for a product.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Product	Displays the product code. **Note:** It has a link. On clicking the link, the **Add Product Pricing** screen appears.
Product Description	Displays the description of the product.
Global Price List	Indicates whether the product is assigned to a global price list. The valid values are: • Y • N

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Unit of Measure	Displays the unit of measure associated with the product. **Note:** The unit of measure is generated automatically when the product is created.
Bundled	Indicates whether the product is a bundle or not. The valid values are: • Y • N
Bundle Type	Displays the type of bundle. The valid values are: • Phantom • Ratio • Regular

Related Topics

For more information on...	See...
How to assign a product to an account	*Assigning a Product to an Account* on page 91

Viewing Effective Pricing of an Account

Prerequisites

To view effective pricing of an account, you should have:

- Products assigned to the account either directly or through the customer hierarchy

Procedure

To view effective pricing of an account:

1. Search for the account in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the account whose *d*etails you want to view.

   A menu appears.
3. Click the **Go To Effective Pricing** menu option.

   The **Pricing (Account)** screen appears.
4. View the pricing for products assigned to the account (either directly or through the customer hierarchy) in the **Effective Price Assignment** zone.
5. If required, you can filter the product pricing by entering the search criteria in the **Effective Price Assignment** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

Related Topics

For more information on...	See...
How to search an account	*Searching for an Account* on page 22

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Pricing (Account) screen	*Pricing (Account)* on page 83
Effective Price Assignment zone	*Effective Price Assignment* on page 84

Exporting Effective Pricing in CSV Format

Procedure

To export effective pricing of an account in CSV format:

1. Search for the account in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the account whose details you want to view.

   A menu appears.
3. Click the **Go To Effective Pricing** menu option.

   The **Pricing (Account)** screen appears.
4. If required, you can filter the product pricing by entering the search criteria in the **Effective Price Assignment** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click the **Export to Excel** link in the **Effective Price Assignment** zone.

   The **File Download** dialog box appears.
6. Click **Save**.

   The **Save As** dialog box appears.
7. Browse to the location where you want to save the file.
8. Enter the file name in the respective field, and click **Save**.

   The search results are exported in CSV format.
9. Open the CSV file in Microsoft Excel.

   It contains the following columns:

Column Name	Column Description
Product	Displays the product code.
Product Description	Displays the description of the product.
Variance	Indicates the variance used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Product Parameters	Indicates the parameters which are used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
Assignment Type	Indicates the price assignment type. The valid values are: • Regular • Post Processing
Assignment Level	Displays the pricing assignment type.
Price List Description	Displays the description of the price list. **Note:** The description appears only when the pricing assignment type is Account Price List, Customer Price List, or Parent Customer Price List.
Rate	Displays the price of the product. It also indicates whether the price is a Flat, Threshold, or Step price. The price can be agreed pricing, price list pricing, or pricing inherited from the price list hierarchy. If the price is applicable only to new customers, an asterisk (*) symbol appears corresponding to the price.
Rate Description	Displays the description of the tiering setup of the rate component.
Start Date	Displays the date from when the pricing assignment is effective.
End Date	Displays the date till when the pricing assignment is effective.
CCY (P)	Displays the pricing currency used in the pricing assignment.
Lower Limit	Displays the lower limit of the tiering range.
Upper Limit	Displays the upper limit of the tiering range.
PA Usage Flag	Indicates whether the price assignment is applicable to all customers or only to the new customers.
Price Assignment ID	Displays the ID that is generated automatically when the price assignment is done.
Parent Level	Displays the numerical level of the parent in the hierarchy from whom the pricing is inherited.
Price List ID	Displays the price list ID from where the pricing is inherited.
Price List Start Date	Displays the date from when the price list is effective.
Parent Customer	Displays the name of the parent or grandparent customer from whom the pricing is inherited.
Parent Pricelist Level	Indicates the parent level when pricing is inherited from the price list hierarchy. If the pricing is inherited from the assigned price list, the parent price list level will be 0. However, if the pricing is inherited from the parent price list in the hierarchy, the parent price list level will be 1. And, if the pricing is inherited from the grandparent price list in the hierarchy, the parent price list level will be 2, and so on.
Ignore Transaction	Indicates whether the transactions mapped to the product should be considered for billing. The valid values are: • Y • N

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Aggregate Transaction	Indicates whether the transactions mapped to the product should be aggregated for billing. The valid values are: • Y • N
Aggregation Schedule	Indicates the aggregation cycle.
Tiering Criterion	Indicates the tiering criterion.
Tiering Product	Indicates whether the product is billed individually or at the bundle level.

Related Topics

For more information on...	See...
How to search an account	*Searching for an Account* on page 22
Pricing (Account) screen	*Pricing (Account)* on page 83
Effective Price Assignment zone	*Effective Price Assignment* on page 84

Assigning a Product to an Account

Prerequisites

To assign a product to an account, you should have:

- Product created in the application
- Product associated with the division to which the account belongs

Procedure

To assign a product to an account:

1. Search for the account in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the account whose details you want to view.

   A menu appears.
3. Click the **Go To Effective Pricing** menu option.

   The **Pricing (Account)** screen appears.
4. In the **Search Products to Assign** zone, enter the criteria to search for the product that you want to assign to the account.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of products that meet the search criteria appears in the search results.
6. In the **Search Results** section, click the link in the **Product** column corresponding to the product that you want to assign to the account.

Copyright © 2014, Oracle. All rights reserved.

The **Add Product Pricing** screen appears.

7. Define the pricing for the product.

   Note:

   You cannot assign a product to an account until you define the pricing for that product.

   You cannot assign different bundles with same products and product parameters combination to an account. However, you can assign different bundles with same products and different product parameters combination to an account.

Related Topics

For more information on...	See...
How to search an account	*Searching for an Account* on page 22
Pricing (Account) screen	*Pricing (Account)* on page 83
Search Products to Assign zone	*Search Products to Assign* on page 87
Add Product Pricing screen	*Add Product Pricing* on page 159
How to define product pricing	*Defining Product Pricing* on page 165

Pricing (Customer)

The **Pricing (Customer)** screen allows you to:

- View effective pricing for products assigned to the customer either directly or through the customer hierarchy
- Filter products that are already assigned to the customer
- Search and assign products to the customer
- Edit or override a product pricing

You can also view effective pricing for global customers (i.e. the customers that are not associated to any division) in this screen. The pricing for all products assigned to the global customer either directly or through a price list appears in this screen. However, you will be able to view pricing for only those products that are associated to the division to which you have access.

Since a global customer is not associated to any division, the system cannot determine the price assignment search order for a global customer. Hence, the default search order is defined for global customers through the **C1_PRASNORDR** feature configuration. This feature configuration contains the **Price Assignment Algorithm** option type where you specify the algorithm which contains the default search order for global customers. You can change this default search order, if required. The valid search order values are — **AGREED_PRICELIST** and **AGREED_FIRST**. You can also create a custom search order, if required.

This screen consists of the following zones:

- *Party* on page 93
- *Effective Price Assignment* on page 93
- *Search Products to Assign* on page 96

Through the **Pricing (Customer)** screen, you can navigate to the following screens:

- *Manage Products* on page 107
- *Add Product Pricing* on page 159

Copyright © 2014, Oracle. All rights reserved.

- *Override Product Pricing* on page 172
- *Edit Assigned Pricing* on page 167

Party

The **Party** zone displays basic information about the customer. This zone contains the following fields:

Field Name	Field Description
Customer Name	Displays the name of the customer.
Person ID	Displays the person ID of the customer.
Division	Displays the division to which the customer belongs.

Note: All fields in the **Party** zone are read-only.

Effective Price Assignment

The **Effective Price Assignment** zone allows you to filter product pricing based on the various search criteria. The default order in which the product pricing is listed in this zone is controlled by the Price Assignment Search algorithm defined for the division to which the customer belongs.

In case of bundles, the order in which the product pricing is listed in this zone is based on the following condition:

- If the system finds pricing for products that belong to a bundle before finding pricing for the bundle, then the system lists the pricing for products that belong to the bundle and not the pricing for the bundle. For example, let say, B0001 is a bundle, and contains C0001 and C0002 products. If the system finds pricing for B0001, it validates whether the pricing for C0001 and C0002 has already been found. If yes, then the system lists the pricing for C0001 and C0002. If the system does not find pricing for C0001 and C0002 before finding pricing for B0001, it lists the pricing for B0001.

This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Person ID	Displays the person ID of the customer.	Not applicable
Effective Pricing Date	Used to specify the date from when the pricing assignment is effective.	No
Product	Used to specify the product code.	No
Product Description	Used to specify the description of the product.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Assignment Level	Used to specify the pricing assignment type. You can specify either of the following assignment types: • **Customer Agreed** – Means product pricing is agreed for the specific customer within the hierarchy. • **Customer Price List** – Means product pricing is defined within the price list that is assigned to the customer. • **Customer Inherited Price List** — Means product pricing is inherited from the hierarchy defined for the price list that is assigned to the customer. • **Parent Customer Agreed** – Means product pricing is agreed for the parent customer in the hierarchy. • **Parent Customer Price List** – Means product pricing is defined within the price list that is assigned to the parent customer. • **Parent Customer Inherited Price List** — Means product pricing is inherited from the hierarchy defined for the price list that is assigned to the parent customer.	No
Parent Customer	Used to specify the name of the parent customer from whom the pricing is inherited.	No
Pricing Status	Used to indicate whether the product pricing is used for billing or quotations. You can also search for product pricing which are no longer active. The valid values are: • Active • Proposed • Reject	No

- **Search Results** — On clicking the **Search** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Product	Displays the product code. **Note:** It has a link. On clicking the link, the **Manage Products** screen appears with the details of the respective product.
Product Description	Displays the description of the product.
Variance	Indicates the variance used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Product Parameters	Indicates the parameters which are used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. A tool tip appears when you hover over this column corresponding to the product. It indicates the product parameters and their values.
Assignment Type	Indicates the price assignment type. The valid values are: • Regular • Post Processing
Assignment Level	Displays the pricing assignment type.
Price List Description	Displays the description of the price list. **Note:** The description appears only when the pricing assignment type is Customer Price List, Customer Inherited Price List, Parent Customer Price List, or Parent Customer Inherited Price List.
Rate	Displays the price of the product. It also indicates whether the price is a Flat, Threshold, or Step price. The price can be agreed pricing, price list pricing, or pricing inherited from the price list hierarchy. If the price is applicable only to new customers, an asterisk (*) symbol appears corresponding to the price.
Rate Description	Displays the description of the tiering setup of the rate component.
Edit	On clicking the **Edit** ( ) icon, the **Edit Assigned Pricing** screen appears where you can edit the rates, criteria, associated product, and tiering ranges. **Note:** The **Edit** icon appears only when the assignment level is customer agreed.
Override	When you override a product pricing, you create prices that are specific to a customer (which is referred to as customer agreed pricing). In other words, you create a new price assignment within the hierarchy. You can then edit this customer agreed pricing. On clicking the **Override** ( ) icon, the **Override Product Pricing** screen appears where you can override rates, criteria, associated product, and tiering ranges.
Start Date	Displays the date from when the pricing assignment is effective.
End Date	Displays the date till when the pricing assignment is effective.
CCY (P)	Displays the pricing currency used in the pricing assignment.
Parent Customer	Displays the name of the parent or grandparent customer from whom the pricing is inherited.

Note: The number of records that can be displayed in the **Search Results** section of the **Effective Price Assignment** zone is controlled via the **C1_PR_REC** feature configuration. You can change the number of records that can be displayed using the **Effective Pricing RecordSet Limit** option type of the **C1_PR_REC** feature configuration. For more information, refer to *Setting the C1_PR_REC Feature Configuration* on page 583.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to view effective pricing of a customer	*Viewing Effective Pricing of a Customer* on page 97
How to override a product pricing	*Overriding Product Pricing* on page 177
How to edit a product pricing	*Editing Assigned Pricing* on page 171
How to export product pricing in the CSV format	*Exporting Effective Pricing in CSV Format* on page 97

Search Products to Assign

The **Search Products to Assign** zone allows you to search for products that you want to assign to the customer. If the customer belongs to a division, the search will be limited to those products that are offered by the division. If the customer does not belong to a division, the search will be performed against all products defined in the system. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to specify the product code.	No
Product Description	Used to specify the description of the product.	No
Global Price List	Used to indicate whether the product is assigned to a global price list. The valid values are: • Yes • No	No

Note: You must specify at least one search criterion while searching for a product.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Product	Displays the product code. **Note:** It has a link. On clicking the link, the **Add Product Pricing** screen appears.
Product Description	Displays the description of the product.
Global Price List	Indicates whether the product is assigned to a global price list. The valid values are: • Y • N
Unit of Measure	Displays the unit of measure associated with the product. **Note:** The unit of measure is generated automatically when the product is created.
Bundled	Indicates whether the product is a bundle or not. The valid values are: • Y • N

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Bundle Type	Displays the type of bundle. The valid values are: • Phantom • Ratio • Regular

Related Topics

For more information on...	See...
How to assign a product to a customer	*Assigning a Product to a Customer* on page 100

Viewing Effective Pricing of a Customer

Prerequisites

To view effective pricing of a customer, you should have:

- Products assigned to the customer either directly or through the customer hierarchy

Procedure

To view effective pricing of a customer:

1. Search for the customer in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the customer whose details you want to view.

   A menu appears.
3. Click the **Go To Effective Pricing** menu option.

   The **Pricing (Customer)** screen appears.
4. View the pricing for products assigned to the customer (either directly or through the customer hierarchy) in the **Effective Price Assignment** zone.
5. If required, you can filter the product pricing by entering the search criteria in the **Effective Price Assignment** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

Related Topics

For more information on...	See...
How to search a customer	*Searching for a Customer* on page 25
Pricing (Customer) screen	*Pricing (Customer)* on page 92
Effective Price Assignment zone	*Effective Price Assignment* on page 93

Exporting Effective Pricing in CSV Format

Copyright © 2014, Oracle. All rights reserved.

Procedure

To export effective pricing of a customer in CSV format:

1. Search for the customer in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the customer whose *d*etails you want to view.

   A menu appears.
3. Click the **Go To Effective Pricing** menu option.

   The **Pricing (Customer)** screen appears.
4. If required, you can filter the product pricing by entering the search criteria in the **Effective Price Assignment** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click the **Export to Excel** link in the **Effective Price Assignment** zone.

   The **File Download** dialog box appears.
6. Click **Save**.

   The **Save As** dialog box appears.
7. Browse to the location where you want to save the file.
8. Enter the file name in the respective field, and click **Save**.

   The search results are exported in CSV format.
9. Open the CSV file in Microsoft Excel.

   It contains the following columns:

Column Name	Column Description
Product	Displays the product code.
Product Description	Displays the description of the product.
Variance	Indicates the variance used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameters	Indicates the parameters which are used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
Assignment Type	Indicates the price assignment type. The valid values are: • Regular • Post Processing
Assignment Level	Displays the pricing assignment type.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Price List Description	Displays the description of the price list. **Note:** The description appears only when the pricing assignment type is Customer Price List or Parent Customer Price List.
Rate	Displays the price of the product. It also indicates whether the price is a Flat, Threshold, or Step price. The price can be agreed pricing, price list pricing, or pricing inherited from the price list hierarchy. If the price is applicable only to new customers, an asterisk (*) symbol appears corresponding to the price.
Rate Description	Displays the description of the tiering setup of the rate component.
Start Date	Displays the date from when the pricing assignment is effective.
End Date	Displays the date till when the pricing assignment is effective.
CCY (P)	Displays the pricing currency used in the pricing assignment.
Lower Limit	Displays the lower limit of the tiering range.
Upper Limit	Displays the upper limit of the tiering range.
PA Usage Flag	Indicates whether the price assignment is applicable to all customers or only to the new customers.
Price Assignment ID	Displays the ID that is generated automatically when the price assignment is done.
Parent Level	Displays the numerical level of the parent in the hierarchy from whom the pricing is inherited.
Price List ID	Displays the price list ID from where the pricing is inherited.
Price List Start Date	Displays the date from when the price list is effective.
Parent Customer	Displays the name of the parent or grandparent customer from whom the pricing is inherited.
Parent Pricelist Level	Indicates the parent level when pricing is inherited from the price list hierarchy. If the pricing is inherited from the assigned price list, the parent price list level will be 0. However, if the pricing is inherited from the parent price list in the hierarchy, the parent price list level will be 1. And, if the pricing is inherited from the grandparent price list in the hierarchy, the parent price list level will be 2, and so on.
Ignore Transaction	Indicates whether the transactions mapped to the product should be considered for billing. The valid values are: • Y • N
Aggregate Transaction	Indicates whether the transactions mapped to the product should be aggregated for billing. The valid values are: • Y • N
Aggregation Schedule	Indicates the aggregation cycle.
Tiering Criterion	Indicates the tiering criterion.
Tiering Product	Indicates whether the product is billed individually or at the bundle level.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to search a customer	*Searching for a Customer* on page 25
Pricing (Customer) screen	*Pricing (Customer)* on page 92
Effective Price Assignment zone	*Effective Price Assignment* on page 93

Assigning a Product to a Customer

Prerequisites

To assign a product to a customer, you should have:

- Product created in the application
- Product associated with the division to which the customer belongs

Procedure

To assign a product to a customer:

1. Search for the customer in the **Banking Control Central** screen.
2. In the **Search Results** section, click the **Show Context Menu** ( ) icon corresponding to the customer whose details you want to view.

   A menu appears.
3. Click the **Go To Effective Pricing** menu option.

   The **Pricing (Customer)** screen appears.
4. In the **Search Products to Assign** zone, enter the criteria to search for the product that you want to assign to the customer.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of products that meet the search criteria appears in the search results.
6. In the **Search Results** section, click the link in the **Product** column corresponding to the product that you want to assign to the customer.

   The **Add Product Pricing** screen appears.
7. Define the pricing for the product.

   Note:

   You cannot assign a product to a customer until you define pricing for that product.

   You cannot assign different bundles with same products and product parameters combination to a customer. However, you can assign different bundles with same products and different product parameters combination to a customer.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to search a customer	*Searching for a Customer* on page 25
Pricing (Customer) screen	*Pricing (Customer)* on page 92
Search Products to Assign zone	*Search Products to Assign* on page 96
Add Product Pricing screen	*Add Product Pricing* on page 159
How to define product pricing	*Defining Product Pricing* on page 165

Manage Exchange Rates

The **Manage Exchange Rates** screen allows you to define exchange rates for currency conversion. You can define global exchange rates as well as division-specific exchange rates. When division specific exchange rate (for account's division) is available, it will be used during currency conversion. In case division specific exchange rate is not available in the system at the time of currency conversion, global exchange rate would be used.

The system allows you to configure which base currency to use when converting from one currency to another. The base currency is only used when division specific exchange rate is not available in the system and the conversion is done using the global exchange rates.

The following attributes are required while defining an exchange rate:

- The source currency code
- The target currency code
- The rate of exchange; this is the number of units of the target currency that is equivalent to a single unit of the source currency
- The date from when the exchange rate is effective
- The conversion type

For division-specific exchange rates, the end date is optional. If you want the end date to be mandatory, you must set the **End Date Required for Division Override** option type of the **C1_EXCHRATE** feature configuration to **Y**.

The number of exchange rate records that must be setup depends on the currency conversion algorithm used and on whether division specific exchange rates are being used. The currency conversion algorithm performs all conversions through the algorithm's base currency when using global exchange rates, and requires that the global exchange rate records must be defined with the base currency as the target currency. For example, if the base currency is defined as U.S. Dollars, a conversion from Canadian Dollars to Japanese Yen will result in the following conversions in case division specific exchange rate is not available:

- Canadian Dollars to U.S. Dollars
- U.S. Dollars to Japanese Yen

This necessitates that a global exchange rate must be defined for Canadian Dollars to U.S. Dollars and Japanese Yen to U.S. Dollars.

However, when a division specific exchange rate is available from Canadian Dollars to Japanese Yen, the base currency will be ignored and a direct conversion will be performed.

The **Manage Exchange Rates** screen consists of the following zones:

- *Search Exchange Rate* on page 102
- *Edit Exchange Rate* on page 103
- *Create Exchange Rate* on page 104

Copyright © 2014, Oracle. All rights reserved.

Search Exchange Rate

The **Search Exchange Rate** zone allows you to search for the exchange rates that are already defined in the system. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
From Currency	Used to specify the source currency.	No
To Currency	Used to specify the target currency.	No
Division	Used to specify the division to which the exchange rate belongs. You must use this field when searching for division specific exchange rates. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Conversion Type	Used to specify the conversion type.	No
Start Date	Used to specify the date from when the exchange rate is effective.	No

Note: You must specify at least one search criterion while searching for an exchange rate.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
From Currency	Displays the source currency.
To Currency	Displays the target currency.
Division	Displays the division to which the exchange rate belongs. **Note:** In case of a global exchange rate, this column will not have any value.
Conversion Type	Displays the conversion type.
Start Date	Displays the date from when the exchange rate is effective.
End Date	Displays the date till when the exchange rate is effective. **Note:** The global exchange rates will not have an end date.
Exchange Rate	Displays the exchange rate.
Spread	Displays the spread value for the exchange rate if any.

On clicking the **Broadcast** ( ) icon corresponding to the exchange rate, the **Edit Exchange Rate** zone appears with the details of the respective exchange rate.

Related Topics

For more information on...	See...
How to search an exchange rate	*Searching for an Exchange Rate* on page 104

Copyright © 2014, Oracle. All rights reserved.

Edit Exchange Rate

The **Edit Exchange Rate** zone allows you to edit the details of the exchange rate. This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
From Currency	Displays the source currency.	Not applicable
To Currency	Displays the target currency.	Not applicable
Division	Displays the division to which the exchange rate belongs. **Note:** In case of a global exchange rate, this field will not have any value.	Not applicable
Conversion Type	Displays the conversion type.	Not applicable
Start Date	Displays the date from when the exchange rate is effective.	Not applicable
End Date	Used to modify the date till when the exchange rate is effective. **Note:** This field is blank and non-editable when you are editing a global exchange rate. You cannot enter a date earlier than the start date in this field.	Yes (Conditional) **Note:** If the **End Date Required for Division Override** option type of the **C1_EXCHRATE** feature configuration is set to **Y**, you must specify the end date for a division specific exchange rate.
Exchange Rate	Used to modify the exchange rate value. **Note:** The system provides you with the facility to specify the exchange rate value with a scale of up to 0.000000000000000001 (18 decimal places).	Yes
Spread	Used to modify the spread value for the exchange rate.	No
Inverse Rate	Displays the inverse rate value for the current exchange rate. This is automatically calculated and displayed in this zone.	Not applicable

This zone contains the following two buttons:

Button Name	Button Description
Save	Used to save the changes made in this zone.
Delete	Used to delete the exchange rate from the system.

By default, the **Edit Exchange Rate** zone does not appear in the **Manage Exchange Rates** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the exchange rate in the **Search Exchange Rate** zone.

Related Topics

For more information on...	See...
How to edit an exchange rate	*Editing an Exchange Rate* on page 105
How to delete an exchange rate	*Deleting an Exchange Rate* on page 106

Copyright © 2014, Oracle. All rights reserved.

Create Exchange Rate

The **Create Exchange Rate** zone allows you to add an exchange rate. This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
From Currency	Used to specify the source currency.	Yes
To Currency	Used to specify the target currency.	Yes
Division	Used to specify the division to which the exchange rate belongs. **Note:** If you want to create a global exchange rate, then do not specify a division.	Yes (Conditional) **Note:** This field is required when you are creating a division specific exchange rate.
Conversion Type	Used to specify the conversion type. Currently, the system only supports the **Regular** conversion type.	Yes
Start Date	Used to specify the date from when the exchange rate is effective.	Yes
End Date	Used to specify the date till when the exchange rate is effective. **Note:** If you want to create a global exchange rate, then do not specify the end date because global exchange rates do not have an end date. You cannot enter a date earlier than the start date in this field.	Yes (Conditional) **Note:** If the **End Date Required for Division Override** option type of the **C1_EXCHRATE** feature configuration is set to **Y**, you must specify the end date for a division specific exchange rate.
Exchange Rate	Used to specify the exchange rate value. **Note:** The system provides you with the facility to specify the exchange rate value with a scale of up to 0.000000000000000001 (18 decimal places).	Yes
Spread	Used to specify the spread value for the exchange rate.	No

This zone contains the following two buttons:

Button Name	Button Description
Save	Used to create the exchange rate.
Cancel	Used to clear the fields in this zone.

Related Topics

For more information on...	See...
How to create an exchange rate	*Defining an Exchange Rate* on page 106

Searching for an Exchange Rate

Prerequisites

To search for an exchange rate, you should have:

- Divisions and currency codes defined in the application

Copyright © 2014, Oracle. All rights reserved.

Procedure

To search for an exchange rate:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Pricing Management** and then click **Manage Exchange Rates**.

   The **Manage Exchange Rates** screen appears.

4. Enter the search criteria in the **Search Exchange Rate** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all the input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of exchange rates that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
Manage Exchange Rates screen	*Manage Exchange Rates* on page 101
Search Exchange Rate zone	*Search Exchange Rate* on page 102

Editing an Exchange Rate

Procedure

To edit an exchange rate:

1. Search for the exchange rate in the **Search Exchange Rate** zone.

2. In the **Search Results** section, click the **Broadcast** ( ) icon corresponding to the exchange rate whose details you want to edit.

   The **Edit Exchange Rate** zone appears.

3. Modify the details of the exchange rate, such as end date, exchange rate value, or spread value, if required.

   Note: The end date cannot be earlier than the start date.

4. Click **Save**.

   The changes made to the exchange rate are saved.

   Note: On saving, the system will validate whether the exchange rate overlaps any existing exchange rate for the same division and conversion type combination.

5. Click the **Refresh** link in the **Actions/Navigation** area.

   The changes are reflected in the **Search Exchange Rate** zone.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to search for an exchange rate	*Searching for an Exchange Rate* on page 104
Edit Exchange Rate zone	*Edit Exchange Rate* on page 103
How to set the **C1_EXCHRATE** feature configuration	*Setting the C1_EXCHRATE Feature Configuration* on page 588

Deleting an Exchange Rate

Procedure

To delete an exchange rate:

1. Search for the exchange rate in the **Search Exchange Rate** zone.
2. In the **Search Results** section, click the **Broadcast** ( ) icon corresponding to the exchange rate that you want to delete.

   The **Edit Exchange Rate** zone appears.
3. Click **Delete**.

   The exchange rate is deleted.

Related Topics

For more information on...	See...
How to search for an exchange rate	*Searching for an Exchange Rate* on page 104
Edit Exchange Rate zone	*Edit Exchange Rate* on page 103

Defining an Exchange Rate

Prerequisites

To define an exchange rate, you should have:

- Divisions and currency codes defined in the application

Procedure

To define an exchange rate:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Pricing Management** and then click **Manage Exchange Rates**.

   The **Manage Exchange Rates** screen appears.
4. In the **Create Exchange Rate** zone, select the source and target currency from the **From Currency** and **To Currency** list, respectively.
5. Select the division if you want to create division specific exchange rate.

   Note: You can only view those divisions to which you have access in the **Division** list.

Copyright © 2014, Oracle. All rights reserved.

6. Enter the date from when the exchange rate is effective in the **Start Date** field.
7. Enter the date till when the exchange rate is effective in the **End Date** field.

   Note: The end date cannot be earlier than the start date.
8. Enter the exchange rate value in the respective field.
9. Click **Save**.

   The exchange rate is defined in the system.

   Note: On saving, the system will validate whether the exchange rate overlaps any existing exchange rate for the same division and conversion type combination.

Related Topics

For more information on...	See...
Manage Exchange Rates screen	*Manage Exchange Rates* on page 101
Create Exchange Rate zone	*Create Exchange Rate* on page 104
How to set the **C1_EXCHRATE** feature configuration	*Setting the C1_EXCHRATE Feature Configuration* on page 588

Manage Products

Oracle Revenue Management and Billing allows you to create two types of products:

- **Non-Bundled** — A product that represents a service offered or provided by financial institutions.
- **Bundled** — A product that represents a set of services that are grouped together for pricing. You can create the following types of bundles:
  - *Regular Bundle* on page 107
  - *Phantom Bundle* on page 109
  - *Ratio Bundle* on page 110

The **Manage Products** screen allows you to search, edit, and create a product. It also allows you to copy a bundle. This screen consists of the following zones:

- *Search Products* on page 112

Note: You cannot copy a bundle when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.

Regular Bundle

In case of a regular bundle, pricing is defined at the bundle level. The system determines the price by identifying the tiering range within which the total quantities of services used for all products in the bundle fall. Let us understand this with the help of an example.

Bundle X, which is a regular bundle, contains the following three products:

- Product A
- Product B
- Product C

The following tiered pricing is defined for Bundle X:

Copyright © 2014, Oracle. All rights reserved.

Quantity Range	Rate ($) per unit
1 – 3000	3
3001 – 4000	2
4001 – 8000	1

Now, when the user consumes 1500 units of Product A, 1000 units of Product B, and 2000 units of Product C, the system adds the quantities of services used for all products in Bundle X (i.e. 1500+1000+2000=4500), and then determines the range within which the total units (i.e. 4500) fall. In this case, the total units fall in the 4001 – 8000 range, and therefore the system uses $1 as the rate for calculating charges.

If the multi parameter based pricing feature is enabled, you can define pricing for regular bundles based on multiple parameters. For example:

Bundle X	Country	Currency
Pricing 1	US	USD
Pricing 2	Germany	USD

Pricing 1 and Pricing 2 are defined for Bundle X based on two parameters — Country and Currency. Before you define pricing based on country and currency, you need to define these parameters in the system. Once you define these parameters, you need to associate them to the regular bundle (i.e. Bundle X) and then add products (i.e. Product A, Product B, and Product C) to the bundle. Note that you can add a product to a regular bundle only when the regular bundle and product have same parameters associated with them for the specified date range. Therefore, before adding Product A, Product B, and Product C to Bundle X, you should ensure that Country and Currency are also associated with these products.

Then, when you define Pricing 1 for Bundle X, you need to set the following product parameters:

- Country — US
- Currency — USD

Similarly, you need to define Pricing 2 with Country set to Germany and Currency set to USD.

The following table lists the tiering ranges defined in Pricing 1 where product parameters are set to US, USD:

Tier Sequence	Rate	Tiering Criteria	Product	Product Parameters	From	To
10	2	Number of Transactions	Bundle X	US, USD	0	500
20	1	Number of Transactions	Bundle X	US, USD	500	

The following table lists the tiering ranges defined in Pricing 2 where product parameters are set to Germany, USD:

Tier Sequence	Rate	Tiering Criteria	Product	Product Parameters	From	To
10	4	Number of Transactions	Bundle X	Germany, USD	0	1000
20	3	Number of Transactions	Bundle X	Germany, USD	1000	

Now, when the user performs 500 transactions (in USD) of Bundle X in Germany, 1200 transactions (in USD) of Bundle X in US, the system creates two billable charges. In one billable charge (with Bundle X, US and USD combination), the system uses $1 as the rate for calculating charges, and in another billable charge (with Bundle X, Germany and USD combination), the system uses $4 as the rate for calculating charges.

Copyright © 2014, Oracle. All rights reserved.

Phantom Bundle

In case of a phantom bundle, pricing is not defined at the bundle level. Instead, pricing is defined separately for each product in the bundle. The system determines the price by identifying the tiering range of each product within which the total quantities of services used for all products in the bundle fall. Let us understand this with the help of an example.

Bundle A, which is a phantom bundle, contains the following two products:

- **Product X** — The following tiered pricing is defined for Product X:

Quantity Range	Rate ($) per unit
1 – 3000	3
3001 – 6000	2

- **Product Y** — The following tiered pricing is defined for Product Y:

Quantity Range	Rate ($) per unit
1 – 5000	2
5001 – 10000	1

Now, when the user consumes 2500 units of Product X and 3500 units of Product Y, the system adds the quantities of services used for all products in Bundle A (i.e. 2500+3500=6000), and then determines the range of each product within which the total units (i.e. 6000) fall. In this case, the total units fall in the 3001 – 6000 range of Product X and the 5001 – 10000 range of Product Y, and therefore the system uses $2 and $1, respectively, as the rate for calculating charges (i.e. (2500*2)= 5000 and (3500*1)=3500). This helps the customer to take advantage of the lowest rate.

If the multi parameter based pricing feature is enabled, you can determine the product utilization in a phantom bundle based on multiple parameters. For example:

Bundle A	Country	Currency
Product X	US	USD
Product Y	Germany	USD

Product X and Product Y are added in Bundle A. Product X and Product Y utilization in Bundle A is determined based on two parameters — Country and Currency. Before you add product to a phantom bundle, you need to define these parameters in the system. Once you define these parameters, you need to associate them to the products (i.e. Product X and Product Y) and then add these products to the bundle (i.e. Bundle A).

While adding Product X to Bundle A, you need to set the following product parameters:

- Country — US
- Currency — USD

Similarly, you need to add Product Y to Bundle A with Country set to Germany and Currency set to USD.

The following table lists the tiered pricing defined for Product X:

Tier Sequence	Rate	Tiering Criteria	Product	Product Parameters	From	To
10	3	Number of Transactions	Bundle A		0	5000
20	2	Number of Transactions	Bundle A		5000	10000
30	1	Number of Transactions	Bundle A		10000	

The following table lists the tiered pricing defined for Product Y:

Copyright © 2014, Oracle. All rights reserved.

Tier Sequence	Rate	Tiering Criteria	Product	Product Parameters	From	To
10	5	Number of Transactions	Bundle A		0	5000
20	4	Number of Transactions	Bundle A		5000	

Now, when the user performs 5000 transactions (in USD) of Product Y in Germany, 6000 transactions (in USD) of Product X in US, the system creates two billable charges — one for Product X and another for Product Y. The system adds the transactions with the following combinations and then determines the range of each product within which the total units (i.e. 11000) fall:

- Product X, US, USD
- Product Y, Germany, USD

In this case, the total units fall in the 10000 – Infinite range of Product X and the 5000 – Infinite range of Product Y, and therefore the system uses $1 and $4, respectively, as the rate for calculating charges (i.e. (5000*4)= 20000 and (6000*1)=6000).

You can also add a product more than once in a phantom bundle with different set of parameters. For example:

Bundle A	Country	Currency
Product X	US	USD
Product X	Germany	USD
Product Y	Germany	USD
Product Y	US	USD

In this case, the system adds the transactions with the following combinations and then determines the range of each product (i.e. Product X and Product Y) within which the total units fall:

- Product X, US, USD
- Product X, Germany, USD
- Product Y, Germany, USD
- Product Y, US, USD

Ratio Bundle

In case of a ratio bundle, pricing is not defined at the bundle level. Instead, pricing is defined separately for each product in the bundle.

A ratio expresses the magnitude of quantities relative to each other. It has two factors — Numerator and Denominator. For ratio bundle, the ratio of product quantities is used to determine the rate for volume based pricing. To determine within which range of ratio limit does the product utilization falls, the ratio of product quantities is used. Once the range limits are determined, the rate specified for that range is applied to the quantity of the product used. Let us understand this with the help of an example.

Bundle X, which is a ratio bundle, contains the following products:

- **Product A** — It has been added to the bundle using the product relationship type as Numerator. It has the following tiered pricing defined in the system:

Quantity Range	Rate ($) per unit
0 – 0.6	4
0.6 – 0.9	3
0.9+	2

Copyright © 2014, Oracle. All rights reserved.

- **Product B** — It has been added to the bundle using the product relationship type as Numerator. It has the following tiered pricing defined in the system:

Quantity Range	Rate ($) per unit
0 – 0.6	5
0.6 – 0.9	4
0.9+	3

- **Product C** — It has been added to the bundle using the product relationship type as Denominator. It has the following tiered pricing defined in the system:

Quantity Range	Rate ($) per unit
0 – 0.6	3
0.6 – 0.9	2
0.9+	1

Now, when the user consumes 500 units of Product A, 2500 units of Product B, and 4000 units of Product C, the system calculates the ratio of product quantities (i.e. (500+2500)/4000=0.75). Once the ratio is calculated, the system determines the range of each product within which the ratio (i.e. 0.75) falls. In this case, the ratio falls in the 0.6 – 0.9 range of Product A, B, and C. Therefore, the system uses $3, $4, and $2, respectively, as the rate for calculating charges (i.e. ((500*3)=1500, (2500*4)=10000, and (4000*2)=8000).

If the multi parameter based pricing feature is enabled, you can determine the product utilization in a ratio bundle based on multiple parameters. For example:

Bundle X	Country	Currency
Product A	US	USD
Product B	Germany	USD
Product C	England	USD

Product A, Product B, and Product C are added in Bundle X. Product A, Product B, and Product C utilization in Bundle X is determined based on two parameters — Country and Currency. Before you add product to a ratio bundle, you need to define these parameters in the system. Once you define these parameters, you need to associate them to the products (i.e. Product A, Product B, and Product C) and then add these products to the bundle (i.e. Bundle X).

While adding Product A to Bundle X, you need to set the following product parameters:

- Country — US
- Currency — USD

Similarly, you need to add Product B to Bundle X with Country set to Germany and Currency set to USD, and Product C with Country set to England and Currency set to USD.

The following table lists the tiered pricing defined for Product A:

Tier Sequence	Rate	Tiering Criteria	Product	Product Parameters	From	To
10	5	Number of Transactions	Bundle X		0	1.75
20	4	Number of Transactions	Bundle X		1.75	2.50
30	3	Number of Transactions	Bundle X		2.50	

The following table lists the tiered pricing defined for Product B:

Copyright © 2014, Oracle. All rights reserved.

Tier Sequence	Rate	Tiering Criteria	Product	Product Parameters	From	To
10	5	Number of Transactions	Bundle X		0	3.5
20	4	Number of Transactions	Bundle X		3.5	

The following table lists the tiered pricing defined for Product C:

Tier Sequence	Rate	Tiering Criteria	Product	Product Parameters	From	To
10	2	Number of Transactions	Bundle X		0	2.0
20	1	Number of Transactions	Bundle X		2.0	

Now, when the user performs 5000 transactions (in USD) of Product A in US, 6000 transactions (in USD) of Product B in Germany, and 5000 transactions (in USD) of Product C in England, the system creates three billable charges — one for each product (i.e. Product A, Product B, and Product C). The system calculates the ratio of transactions with the following combinations and then determines the range of each product within which the ratio (i.e. 2.2) falls:

- Product A, US, USD
- Product B, Germany, USD
- Product C, England, USD

In this case, the ratio falls in the 1.75 – 2.50 range of Product A, the 0 – 3.5 range of Product B, and in the 2.0 — Infinite range of Product C. Therefore, the system uses $4, $5, and $1 as the rate for calculating charges (i.e. (5000*4)=20000 , (6000*5)=30000 , and (5000*1)=5000).

You can also add a product more than once in a ratio bundle with different set of parameters. For example:

Bundle X	Relationship Type	Country	Currency
Product A	Numerator	US	USD
Product A	Numerator	England	USD
Product B	Numerator	Germany	USD
Product C	Denominator	England	USD
Product C	Denominator	US	USD

In this case, the system calculates the ratio of transactions with the following combinations and then determines the range of each product (i.e. Product A, Product B, and Product C) within which the ratio falls:

- Product A, US, USD
- Product A, England, USD
- Product B, Germany, USD
- Product C, England, USD
- Product C, US, USD

Search Products

The **Search Products** zone allows you to search for products using various search criteria. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to specify the product code.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Product Description	Used to specify the description of the product.	No
Division	Used to specify the division to which the product belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Global Price List	Used to indicate whether the product is assigned to a global price list. The valid values are: • Yes • No	No
Unit of Measure	Used to specify the unit of measure associated with the product. **Note:** The unit of measure is generated automatically when the product is created.	No
Bundled	Used to indicate whether the product is a bundle or not. The valid values are: • Yes • No	Yes

Note: You must specify at least one search criterion while searching for a product.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Product	Displays the product code. **Note:** It has a link. On clicking the link, the **Product Relationship Maintenance** screen appears.
Product Description	Displays the description of the product.
Global Price List	Indicates whether the product is assigned to a global price list. The valid values are: • Y • N
Unit of Measure	Displays the unit of measure associated with the product.
Bundle	Indicates whether the product is a bundle or not. The valid values are: • Y • N
Bundle Type	Indicates the type of bundle. The valid values are: • Phantom • Ratio • Regular

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
View	On clicking the **View** ( ) icon, the **View Product** screen appears where you can view the details of the product.
Copy	On clicking the **Copy** ( ) icon, the **Copy Bundle** screen appears where you can copy product assignments from one bundle to a new bundle. **Note:** This column appears in the **Search Results** section only when you search for a bundle. However, if the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**, this column does not appear when you search for a bundle.
Edit	On clicking the **Edit** ( ) icon, the **Edit Product** screen appears where you can edit the details of the product.

You can create a new product by clicking the **Add** link in the upper right corner of this zone.

Related Topics

For more information on...	See...
How to search for a product	*Searching for a Product* on page 114
How to view the product details	*Viewing the Product Details* on page 115
How to create a product	*Creating a Product* on page 115
How to edit a product	*Editing a Product* on page 123
How to copy a bundle	*Copying a Bundle* on page 151

Searching for a Product

Prerequisites

To search for a product, you should have:

- Divisions defined in the application
- Product associated with the division to which the user belongs

Procedure

To search for a product:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Pricing Management** and then click **Manage Products**.

   The **Manage Products** screen appears.

4. In the **Search Products** zone, select **Yes** or **No** from the **Bundled** list depending on whether you want to search for a bundle or not.
5. Enter the additional search criteria, if required.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria.

Copyright © 2014, Oracle. All rights reserved.

Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

6. Click **Refresh**.

   A list of products that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
Manage Products screen	*Manage Products* on page 107
Search Products zone	*Search Products* on page 112

Viewing the Product Details

Procedure

To view the details of a product:

1. Search for the product in the **Manage Products** screen.
2. In the **Search Results** section, click the **View** ( ) icon in the **View** column corresponding to the product whose details you want to view.

   The **View Product** screen appears.
3. View the basic details of the product in the **Product** tab.
4. View the characteristics defined for the product in the **Product Characteristics** tab.
5. View the parameters associated with the product in the **Parameters** tab.

   Note:

   The **Parameters** tab appears in the **View Product** screen only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.

   You cannot associate parameters to a ratio and phantom bundle. Therefore, while viewing the details of a ratio or phantom bundle, the **Parameters** tab does not appear in the **View Product** screen.
6. View the divisions to which the product is associated in the **Divisions** tab.

Related Topics

For more information on...	See...
How to search for a product	*Searching for a Product* on page 114

Creating a Product

Prerequisites

To create a product, you should have:

- Contract types defined in the application

Procedure

To create a product:

Copyright © 2014, Oracle. All rights reserved.

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Pricing Management** and then click **Manage Products**.

   The **Manage Products** screen appears.

4. Click the **Add** link in the upper right corner of the **Search Products** zone.

   The **Add Product** screen appears. It consists of the following tabs:

   - **Product** — Used to specify basic details about the product.
   - **Product Characteristics** — Used to define characteristics (which are applicable across divisions) for the product.
   - **Parameters** — Used to associate one or more parameter with the product. These parameters are used for aggregating transactions and/or for defining product pricing.

     Note:

     The **Parameters** tab appears in the **Add Product** screen only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.

     You cannot associate parameters to a ratio and phantom bundle. Therefore, while creating a ratio or phantom bundle, the **Parameters** tab does not appear in the **Add Product** screen.

   - **Divisions** — Used to associate product with one or more divisions. It also allows you to define division-specific product characteristics.

   The **Product** tab contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to specify the code that uniquely identifies the product.	Yes
Contract Type	Used to specify the contract type that you want to associate with the product.	Yes
Product Description	Used to specify the description for the product.	Yes
Global Price List	Used to indicate whether the product can be assigned to a global price list in the near future. The valid values are: • Yes • No **Note:** By default, the **No** option is selected.	Yes
Bundled	Used to indicate whether the product is a bundle or not. The valid values are: • Yes • No **Note:** By default, the **No** option is selected.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Bundle Type	Used to indicate the type of bundle. The valid values are: • Phantom • Ratio • Regular **Note:** By default, this list is disabled. It is enabled only when you select the **Yes** option from the **Bundled** list.	Yes (Conditional) **Note:** This field is required when you are creating a bundle.

5. Enter the required details in the **Product** tab.
6. Define characteristics for the product, if required.
7. Associate parameters with the product, if required.
8. Associate product with one or more divisions, if required.
9. Define division-specific characteristics for the product, if required.
10. Click **Save**.

    The unit of measure is generated automatically when the product is created.

Related Topics

For more information on...	See...
Manage Products screen	*Manage Products* on page 107
Search Products zone	*Search Products* on page 112
How to define characteristics for a product	*Defining Characteristics for a Product* on page 117
How to associate a product with a division	*Associating a Product with a Division* on page 120
How to define division-specific characteristics for a product	*Defining Division-Specific Characteristics for a Product* on page 121
How to associate a parameter with a product	*Associating a Parameter with a Product* on page 118

Defining Characteristics for a Product

Prerequisites

To define characteristics for a product, you should have:

- Characteristic types defined in the application (where the characteristic entity is set to Product)

Procedure

To define characteristics for a product:

1. Click the **Product Characteristics** tab in the **Add Product** or **Edit Product** screen depending on whether you are creating or editing a product.

   The **Product Characteristics** tab appears. It contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Effective Date	Used to specify the date from when the characteristic is effective for the product.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the product.
Characteristic Type	Used to indicate the characteristic type.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the product.
Characteristic Value	Used to specify the value for the characteristic type. **Note:** On specifying the value for a predefined characteristic type, the description of the characteristic value appears corresponding to the **Characteristic Value** field.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the product.

2. Enter the required details.

   Note: If you select a predefined characteristic type, the **Search** ( ) icon appears corresponding to the **Characteristic Value** field. On clicking the **Search** icon, you can search for a predefined characteristic value.

3. If you want to define more than one characteristic for the product, click the **Plus** ( ) icon and then repeat step *2*.

   Note: However, if you want to remove a characteristic from the product, click the **Minus** ( ) icon corresponding to the characteristic.

4. Click **Save**.

   The characteristics are defined for the product.

Related Topics

For more information on...	See...
How to create a product	*Creating a Product* on page 115
How to edit a product	*Editing a Product* on page 123
How to search for a predefined characteristic value	*Searching for a Predefined Characteristic Value* on page 564

Associating a Parameter with a Product

Prerequisites

To associate a parameter with a product, you should have:

- Parameters defined in the application

Procedure

To associate a parameter with a product:

Copyright © 2014, Oracle. All rights reserved.

1. Click the **Parameters** tab in the **Add Product** or **Edit Product** screen depending on whether you are creating *o*r editing a product.

   The **Parameters** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Effective Start Date	Used to specify the date from when the parameter is effective for the product.	Yes
Parameter	Used to select the parameter. On selecting a parameter, the following fields are enabled: • Business Label • Display Order • Pricing • Mandatory • Priority	Yes
Business Label	Used to specify a business label for the parameter. The business label appears when you define, edit and override pricing for the product.	No
Display Order	Used to indicate the order in which the parameters should be displayed in the **Product Parameters** screen. It also controls the order in which parameter values should be displayed in the product parameter information string across the application.	Yes
Pricing	Used to indicate whether the parameter will be used for aggregation and/or for defining product pricing. The valid values are: • **Yes** — Indicates that the parameter will be used for aggregating transactions and for defining product pricing. • **No** — Indicates that the parameter will be used only for aggregating transactions.	Yes
Mandatory	Used to indicate whether the parameter is mandatory while defining product pricing. The valid values are: • Yes • No **Note:** This field is disabled when you select the **No** option from the **Pricing** list.	Yes
Priority	Used to indicate the priority in which optional parameters should be considered while determining best fit price for the product. **Note:** This field is disabled when you select the **No** option from the **Pricing** list or the **Yes** option from the **Mandatory** list.	Yes

Note:

Copyright © 2014, Oracle. All rights reserved.

The **Parameters** tab appears in the **Add Product** or **Edit Product** screen only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.

You cannot associate parameters to a ratio and phantom bundle. Therefore, while creating or editing a ratio or phantom bundle, the **Parameters** tab does not appear in the **Add Product** or **Edit Product** screen.

2. Enter the date from when you want the parameter(s) to be effective for the product.
3. Select the parameter and enter the required details in the respective fields.
4. If you want to associate more than one parameter with the product, click the **Plus** (+) icon corresponding to the **Parameter** field and then repeat step 3.

   Note:

   However, if you want to remove a parameter from the product, click the **Minus** (−) icon corresponding to the parameter. You can edit the parameter details and remove a parameter from the product only when the parameter or any other parameter from the same date range is not yet used for aggregation or for defining product pricing.

   You can add a parameter which will be used for aggregation (in other words, where the **Pricing** flag is set to **No**) anytime, whenever required. However, you can add a parameter which will be used for pricing (in other words, where the **Pricing** flag is set to **Yes**) only when any other parameter from the same date range is not yet used for aggregation or for defining product pricing.
5. If you want to associate a parameter with the product for a different date range, click the **Plus** (+) icon corresponding to the **Effective Start Date** field and then repeat the steps from 2 to 4.

   Note:

   However, if you want to remove all parameters effective from a particular date from the product, click the **Minus** (−) icon corresponding to the effective start date. You can edit the parameter details and remove a parameter from the product only when the parameter or any other parameter from the same date range is not yet used for aggregation or for defining product pricing.

   You can add a parameter which will be used for aggregation (in other words, where the **Pricing** flag is set to **No**) anytime, whenever required. However, you can add a parameter which will be used for pricing (in other words, where the **Pricing** flag is set to **Yes**) only when any other parameter from the same date range is not yet used for aggregation or for defining product pricing.
6. Click **Save**.

   The parameters are associated with the product.

   Note: The priority for all parameters which are mandatory is set to 0.

Related Topics

For more information on...	See...
How to create a product	*Creating a Product* on page 115
How to edit a product	*Editing a Product* on page 123
How to add a product to a bundle	*Adding a Product to a Bundle* on page 145

Associating a Product with a Division

Prerequisites

To associate a product with a division, you should have:

- Divisions defined in the application

Copyright © 2014, Oracle. All rights reserved.

Procedure

To associate a product with a division:

1. Click the **Divisions** tab in the **Add Product** or **Edit Product** screen depending on whether you are creating or editing a product.

   The **Divisions** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to specify the division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Characteristic	On clicking the **Add** ( ) icon, the **Division-Specific Product Characteristics** section appears where you can define division-specific characteristics for the product.	Not applicable

2. Select the division from the list.
3. If you want to associate the product with more than one division, click the **Plus** ( ) icon and then repeat step 2.

   Note: However, if you want to remove a product from the division, click the **Minus** ( ) icon corresponding to the division.
4. Define division-specific characteristics for the product, if required.
5. Click **Save**.

   The product is associated with the divisions.

Tip: Alternatively, you can associate a product with a division using the **Division** screen.

Related Topics

For more information on...	See...
How to create a product	*Creating a Product* on page 115
How to edit a product	*Editing a Product* on page 123
How to define division-specific characteristics for a product	*Defining Division-Specific Characteristics for a Product* on page 121

Defining Division-Specific Characteristics for a Product

Prerequisites

To define division-specific characteristics for a product, you should have:

- Characteristic types defined in the application (where the characteristic entity is set to Division/Product Combination)
- Product associated with the division to which the user belongs

Procedure

To define division-specific characteristics for a product:

1. Click the **Divisions** tab in the **Add Product** or **Edit Product** screen depending on whether you are creating or editing a product.

Copyright © 2014, Oracle. All rights reserved.

The **Divisions** tab appears.

2. Click the **Add** ( ) icon in the **Characteristic** field corresponding to the division for which you want to *d*efine product characteristics.

   The **Division-Specific Product Characteristics** section appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division	Displays the division to which the product is associated.	Not applicable
Effective Date	Used to specify the date from when the product characteristic is effective for the division.	Yes (Conditional) **Note:** This field is required when you are defining a division-specific characteristic for the product.
Characteristic Type	Used to indicate the characteristic type.	Yes (Conditional) **Note:** This field is required when you are defining a division-specific characteristic for the product.
Characteristic Value	Used to specify the value for the characteristic type. **Note:** On specifying the value for a predefined characteristic type, the description of the characteristic value appears corresponding to the **Characteristic Value** field.	Yes (Conditional) **Note:** This field is required when you are defining a division-specific characteristic for the product.

3. Enter the required details.

   Note: If you select a predefined characteristic type, the **Search** ( ) icon appears corresponding to the **Characteristic Value** field. On clicking the **Search** icon, you can search for a predefined characteristic value.

4. If you want to define more than one division-specific characteristic for the product, click the **Plus** ( ) icon and *r*epeat step 3.

   Note: However, if you want to remove a division-specific characteristic from the product, click the **Minus** ( ) icon corresponding to the characteristic.

5. Click **Save**.

   The division-specific characteristics are defined for the product.

Related Topics

For more information on...	See...
How to create a product	*Creating a Product* on page 115
How to edit a product	*Editing a Product* on page 123
How to associate a product with a division	*Associating a Product with a Division* on page 120
How to search for a predefined characteristic value	*Searching for a Predefined Characteristic Value* on page 564

Copyright © 2014, Oracle. All rights reserved.

Editing a Product

Procedure

To edit a product:

1. Search for the product in the **Manage Products** screen.
2. In the **Search Results** section, click the **Edit** ( ) icon in the **Edit** column corresponding to the product that you want to edit.

   The **Edit Product** screen appears. It consists of the following tabs:

   - **Product** — Used to specify basic details about the product.
   - **Product Characteristics** — Used to define characteristics (which are applicable across divisions) for the product.
   - **Parameters** — Used to associate one or more parameter with the product. These parameters are used for aggregating transactions and/or for defining product pricing.

     Note:

     The **Parameters** tab appears in the **Edit Product** screen only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.

     You cannot associate parameters to a ratio and phantom bundle. Therefore, while editing a ratio or phantom bundle, the **Parameters** tab does not appear in the **Edit Product** screen.
   - **Divisions** — Used to associate product with one or more divisions. It also allows you to define division-specific product characteristics.

   The **Product** tab contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Displays the product code.	Not applicable
Contract Type	Used to modify the contract type associated with the product.	Yes
Product Description	Used to modify the description of the product.	Yes
Global Price List	Used to indicate whether the product can be assigned to a global price list. The valid values are: • Yes • No	Yes
Bundled	Indicates whether the product is a bundle or not. The valid values are: • Y • N	Not applicable
Bundle Type	Indicates the type of bundle. The valid values are: • Phantom • Ratio • Regular	Not applicable

3. Modify the details in the **Product** tab, if required.

Copyright © 2014, Oracle. All rights reserved.

4. Define, edit, or remove characteristics from the product, if required.
5. Associate or remove a parameter from the product, if required.

   Note:

   You can edit the parameter details and remove a parameter from the product only when the parameter or any other parameter from the same date range is not yet used for aggregation or for defining product pricing.

   You can add a parameter which will be used for aggregation (in other words, where the **Pricing** flag is set to **No**) anytime, whenever required. However, you can add a parameter which will be used for pricing (in other words, where the **Pricing** flag is set to **Yes**) only when any other parameter from the same date range is not yet used for aggregation or for defining product pricing.
6. Associate or remove the product from the divisions, if required.

   Note: You can only view those divisions to which you have access in the **Division** list. If the product is associated to a division to which you do not have access, then the **Division** list is grayed out.
7. Define, edit, or remove division-specific characteristics from the product, if required.
8. Click **Save**.

   The changes made to the product are saved.

Related Topics

For more information on...	See...
How to search for a product	*Searching for a Product* on page 114
How to define characteristics for a product	*Defining Characteristics for a Product* on page 117
How to associate a product with a division	*Associating a Product with a Division* on page 120
How to define division-specific characteristics for a product	*Defining Division-Specific Characteristics for a Product* on page 121
How to associate a parameter with a product	*Associating a Parameter with a Product* on page 118

Manage Price Lists

Price list allow you to define standard prices for a group of products. You can create more than one price list. For example, you can create a price list for large, medium-sized, and small customers. You can also create a set of price lists for different regions.

Once you create a price list, you have to assign products to the price list and define pricing for each of the product assigned to the price list. The price lists are then assigned to accounts or customers to indicate the prices that will be charged for various products or services offered to them. However, until you define pricing for all products assigned to the price list, you cannot assign the price list to accounts or customers. You can assign multiple price lists to an account or a customer along with the priority or order in which the pricing should be considered. You can also define whether the account or customer can avail the product pricing listed on the parent or grandparent price list if it is not available on the assigned price list. In other words, you can define whether the account or customer can inherit product pricing from the price list hierarchy.

You can also create one price list as a global price list which is used when a price for a product is not already defined or has expired for an account or a customer.

The **Manage Price Lists** screen allows you to search, edit, and create a price list. This screen consists of the following zones:

Copyright © 2014, Oracle. All rights reserved.

- *Search Price List* on page 125

Through the **Manage Price Lists** screen, you can navigate to the following screens:

- *Manage Product Assignments to Price Lists* on page 133
- *Copy Price List* on page 138

Search Price List

The **Search Price List** zone allows you to search for a price list using various search criteria. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Price List Description	Used to specify the description of the price list.	No
Global Price List	Used to indicate whether the price list is a global price list. The valid values are: • Yes • No	No
Effective Start Date	Used to specify the date from when the price list is effective.	No
Effective End Date	Used to specify the date till when the price list is effective.	No
Parent Price List Description	Used to specify the description of the parent price list.	No
Parent Price List Effective Date	Used to specify the date when the parent price list is effective for the price list.	No
Division	Used to search for a price list that is valid for a specific division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No

Note: You must specify at least one search criterion while searching for a price list.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Price List Description	Displays the description of the price list. **Note:** It has a link. On clicking the link, the **Manage Product Assignments to Price Lists** screen appears with the details of the respective price list.
Global Price List	Indicates whether the price list is a global price list. The valid values are: • Y • N
Effective Start Date	Displays the date from when the price list is effective.
Effective End Date	Displays the date till when the price list is effective.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Edit	On clicking the **Edit** ( ) icon, the **Edit Price List** screen appears where you can edit the details of the price list.
Copy	On clicking the **Copy** ( ) icon, the **Copy Price List** screen appears where you can copy the price list and its associated products.
View	On clicking the **View** ( ) icon, the **View Price List** screen appears where you can view the details of the price list.
Parent Price List Description	Displays the description of the parent price list.
Parent Price List Effective From Date	Displays the date from when the price list can inherit pricing from the parent price list.
Parent Price List Effective To Date	Displays the date till when the price list can inherit pricing from the parent price list.

Note: While retrieving the details of the price list that meet the search criteria, the system only retrieves the details of the parent price list that is currently effective for the price list. If there is no parent price list that is currently effective for the price list, the system will not display any details in the **Parent Price List Description**, **Parent Price List Effective From Date**, and **Parent Price List Effective To Date** columns. However, when you search for a price list by specifying the date (which can be current, past or future date) in the **Parent Price List Effective Date** field, the system retrieves the price lists that meet the search criteria along with the details of the parent price lists that are effective on that date.

You can create a new price list by clicking the **Add** link in the upper right corner of this zone.

Related Topics

For more information on...	See...
How to search for a price list	*Searching for a Price List* on page 126
How to view the price list details	*Viewing the Price List Details* on page 127
How to create a price list	*Creating a Price List* on page 127
How to edit a price list	*Editing a Price List* on page 132
How to copy a price list	*Copying a Price List* on page 141

Searching for a Price List

Prerequisites

To search for a price list, you should have:

- Divisions defined in the application
- Price list associated with the division to which the user belongs

Procedure

To search for a price list:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Pricing Management** and then click **Manage Price Lists**.

Copyright © 2014, Oracle. All rights reserved.

The **Manage Price Lists** screen appears.

4. Enter the search criteria in the **Search Price List** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of price lists that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
Manage Price Lists screen	*Manage Price Lists* on page 124
Search Price List zone	*Search Price List* on page 125

Viewing the Price List Details

Procedure

To view the details of a price list:

1. Search for the price list in the **Manage Price Lists** screen.
2. In the **Search Results** section, click the **View** ( ) icon in the **View** column corresponding to the price list whose details you want to view.

   The **View Price List** screen appears. It contains the following sections:

   - **Hierarchy** — Lists the parent price lists defined for the price list for a particular duration.
   - **Division** — Lists the divisions to which the price list is associated.
   - **Characteristics** — Lists the characteristics defined for the price list.

3. View the details of the price list in the **View Price List** screen.

Related Topics

For more information on...	See...
How to search for a price list	*Searching for a Price List* on page 126

Creating a Price List

Procedure

To create a price list:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

Copyright © 2014, Oracle. All rights reserved.

3. From the **Main Menu**, select **Pricing Management** and then click **Manage Price Lists**.

   The **Manage Price Lists** screen appears.

4. Click the **Add** link in the upper right corner of the **Search Price List** zone.

   The **Add Price List** screen appears. It consists of the following tabs:

   - **Main** — Used to specify basic details about the price list.
   - **Hierarchy** — Used to define parent price list for the price list for a particular duration.
   - **Characteristics** — Used to define characteristics for the price list.
   - **Divisions** — Used to associate price list with one or more divisions.

   The **Main** tab contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Price List Description	Used to specify the description for the price list.	Yes
Global Price List	Used to indicate whether the price list is a global price list. The valid values are: • Yes • No	Yes
Effective Start Date	Used to specify the date from when the price list is effective. **Note:** The effective start date cannot be a past date.	Yes
Effective End Date	Used to specify the date till when the price list is effective. **Note:** The effective end date cannot be earlier than the effective start date.	No

5. Enter the required details in the **Main** tab.
6. Define parent price list for the price list, if required.
7. Define characteristics for the price list, if required.
8. Associate price list with one or more divisions, if required.
9. Click **Save**.

   The price list ID is generated automatically when the price list is created.

Related Topics

For more information on...	See...
Manage Price Lists screen	*Manage Price Lists* on page 124
Search Price List zone	*Search Price List* on page 125
How to define the price list hierarchy	*Defining the Price List Hierarchy* on page 129
How to define characteristics for a price list	*Defining Characteristics for a Price List* on page 130
How to associate a price list with a division	*Associating a Price List with a Division* on page 131

Copyright © 2014, Oracle. All rights reserved.

Defining the Price List Hierarchy

Oracle Revenue Management and Billing allows you to define price list hierarchy. It helps you to derive the product pricing from the parent price list if the product pricing is not available in the price list (assigned to the account, customer, or parent customer). However, if the product pricing is not available in the parent price list, the system will search for the product pricing in the parent's parent price list (i.e. in the grandparent price list) and continue till it reaches the last level in the hierarchy.

In other words, when you define a price list hierarchy and assign the price list to an account or a customer, the account or customer can avail the product pricing listed on the parent or grandparent price list if it is not available on the assigned price list. However, if the product pricing is available on both the assigned and parent price lists, the system derives the product pricing from the assigned price list.

You can define multiple parent price lists for a price list. But, only one parent price list is effective for a particular duration. Two or more price lists can have the same parent price list.

Procedure

To define the price list hierarchy:

1. Click the **Hierarchy** tab in the **Add Price List** or **Edit Price List** screen depending on whether you are creating *o*r editing a price list.

   The **Hierarchy** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Parent Price List Description	Used to specify the description of the parent price list.	Yes (Conditional) **Note:** This field is required when you are defining a parent price list for the price list.
Parent Price List Effective From	Used to specify the date from when the price list can inherit pricing from the parent price list.	Yes (Conditional) **Note:** This field is required when you are defining a parent price list for the price list.
Parent Price List Effective To	Used to specify the date till when the price list can inherit pricing from the parent price list. **Note:** The effective to date cannot be earlier than the effective from date.	No

2. Enter the required details.

   Note: You can search for a price list by clicking the **Search** ( ) icon corresponding to the **Parent Price List Description** field.

3. If you want to define more than one parent price list for the price list, click the **Plus** ( ) icon and then repeat step 2.

   Note:

   You can define multiple parent price lists for a price list. But, only one parent price list is effective for a particular duration. Also, while defining parent price list for a price list, you can only specify a price list which is effective during the specified duration.

   If you want to remove a parent price list from the price list hierarchy, click the **Minus** ( ) icon corresponding to the parent price list.

4. Click **Save**.

Copyright © 2014, Oracle. All rights reserved.

The parent price lists are defined for the price list.

Related Topics

For more information on...	See...
How to create a price list	*Creating a Price List* on page 127
How to edit a price list	*Editing a Price List* on page 132

Defining Characteristics for a Price List

Prerequisites

To define characteristics for a price list, you should have:

- Characteristic types defined in the application (where the characteristic entity is set to Price List)

Procedure

To define characteristics for a price list:

1. Click the **Characteristics** tab in the **Add Price List** or **Edit Price List** screen depending on whether you are creating or editing a price list.

   The **Characteristics** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Effective Date	Used to specify the date from when the characteristic is effective for the price list.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the price list.
Characteristic Type	Used to indicate the characteristic type.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the price list.
Characteristic Value	Used to specify the value for the characteristic type. **Note:** On specifying the value for a predefined characteristic type, the description of the characteristic value appears corresponding to the **Characteristic Value** field.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the price list.

2. Enter the required details.

   Note: If you select a predefined characteristic type, the **Search** ( ) icon appears corresponding to the **Characteristic Value** field. On clicking the **Search** icon, you can search for a predefined characteristic value.

3. If you want to define more than one characteristic for the price list, click the **Plus** ( ) icon and then repeat step *2*.

   Note: However, if you want to remove a characteristic from the price list, click the **Minus** ( ) icon corresponding to the characteristic.

4. Click **Save**.

Copyright © 2014, Oracle. All rights reserved.

The characteristics are defined for the price list.

Related Topics

For more information on...	See...
How to create a price list	*Creating a Price List* on page 127
How to edit a price list	*Editing a Price List* on page 132
How to search for a predefined characteristic value	*Searching for a Predefined Characteristic Value* on page 564

Associating a Price List with a Division

Prerequisites

To associate a price list with a division, you should have:

- Divisions defined in the application

Procedure

To associate a price list with a division:

1. Click the **Divisions** tab in the **Add Price List** or **Edit Price List** screen depending on whether you are creating or editing a price list.

   The **Divisions** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to specify the division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No

2. Select the division from the list.
3. If you want to associate the price list with more than one division, click the **Plus** ( ) icon and then repeat step *2*.

   Note: However, if you want to remove a price list from the division, click the **Minus** ( ) icon corresponding to the division.
4. Click **Save**.

   The price list is associated with the divisions.

Tip: Alternatively, you can associate a price list with a division using the **Division** screen.

Related Topics

For more information on...	See...
How to create a price list	*Creating a Price List* on page 127
How to edit a price list	*Editing a Price List* on page 132

Copyright © 2014, Oracle. All rights reserved.

Editing a Price List

Procedure

To edit a price list:

1. Search for the price list in the **Manage Price Lists** screen.
2. In the **Search Results** section, click the **Edit** ( ) icon in the **Edit** column corresponding to the price list that you want to edit.

   The **Edit Price List** screen appears. It consists of the following tabs:

   - **Main** — Used to specify basic details about the price list.
   - **Hierarchy** — Used to define parent price list for the price list for a particular duration.
   - **Characteristics** — Used to define characteristics for the price list.
   - **Divisions** — Used to associate price list with one or more divisions.

   The **Main** tab contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Price List Description	Used to modify the description of the price list.	Yes
Global Price List	Used to convert a non-global price list to a global price list and vice versa. The valid values are: • Yes • No	Yes
Effective Start Date	Displays the date from when the price list is effective. **Note:** You cannot change the effective start date of the price list because there might be some products that are assigned to the price list on that date. Again, it may conflict with the effective start date that is specified while assigning the price list to an account or a customer.	Not applicable
Effective End Date	Used to modify the date till when the price list is effective. **Note:** The effective end date cannot be earlier than the effective start date.	No

3. Modify the details in the **Main** tab, if required.
4. Define or remove parent price list from the price list hierarchy, if required.
5. Define, edit, or remove characteristics from the price list, if required.
6. Associate or remove the price list from the divisions, if required.

   Note: You can only view those divisions to which you have access in the **Division** list. If the price list is associated to a division to which you do not have access, then the **Division** list is grayed out.
7. Click **Save**.

   The changes made to the price list are saved.

Copyright © 2014, Oracle. All rights reserved.

Related Topics

For more information on...	See...
How to search for a price list	*Searching for a Price List* on page 126
How to define the price list hierarchy	*Defining the Price List Hierarchy* on page 129
How to define characteristics for a price list	*Defining Characteristics for a Price List* on page 130
How to associate a price list with a division	*Associating a Price List with a Division* on page 131

Manage Product Assignments to Price Lists

Once the price list is created, you have to assign products to the price list and define pricing for each product assigned to the price list. The **Manage Product Assignments to Price Lists** screen allows you to view and filter the products that are currently associated with the price list. It also allows you to search for the products that you want to associate with the price list. This screen consists of the following zones:

- *Price List Information* on page 133
- *Price List Division* on page 133
- *Price List Products* on page 134
- *Search Products* on page 135

Price List Information

The **Price List Information** zone displays information about the price list. This zone contains the following fields:

Field Name	Field Description
Price List Description	Displays the description of the price list.
Global Price List	Indicates whether the price list is a global price list. The valid values are: • Y • N
Effective Start Date	Displays the date from when the price list is effective.
Effective End Date	Displays the date till when the price list is effective.

Note: All the fields in the **Price List Information** zone are read-only.

Price List Division

The **Price List Division** zone lists divisions to which the price list is associated. This zone contains the following columns:

Column Name	Column Description
Division	Displays the division to which the price list is associated.
Status	Displays the status of the division (that is, whether it is Active, Pending, or Retired).
Comments	Displays additional details about the division.

Copyright © 2014, Oracle. All rights reserved.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Price List Products

The **Price List Products** zone lists products that are currently assigned to the price list. You can filter the list using various search criteria. You will not find any records in this zone if the price list does not have any products assigned to it.

The **Price List Products** zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to specify the product code.	No
Product Description	Used to specify the description of the product.	No
Effective Start Date	Used to specify the date from when the product is assigned to the price list.	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Product	Displays the product code. **Note:** It has a link. On clicking the link, the **Edit Assigned Pricing** screen appears with the details of the respective product pricing.
Product Description	Displays the description of the product.
Variance	Indicates the variance used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameters	Indicates the parameters which are used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
Effective Start Date	Displays the date from when the product is assigned to the price list.
Effective End Date	Displays the date till when the product is assigned to the price list.
Pricing Currency	Displays the pricing currency of the product.
Rate Schedule	Displays the rate schedule used for defining pricing for the product.
Delete	On clicking the **Delete** icon, you can remove the product from the price list. **Note:** The **Delete** icon appears in this column only when the price list is not yet assigned to any account or customer.

You can change the layout of this section. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to remove a product from a price list	*Removing a Product from a Price List* on page 136
Edit Assigned Pricing screen	*Edit Assigned Pricing* on page 167

Search Products

The **Search Products** zone allows you to search for products that you want to assign to the price list. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to specify the product code.	No
Product Description	Used to specify the description of the product.	No
Global Price List	Used to indicate whether the product is assigned to a global price list. The valid values are: • Yes • No	No
Bundle	Used to indicate whether the product is a bundle or not. The valid values are: • Yes • No	No

Note: You must specify at least one search criterion while searching for a product.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Product	Displays the product code. **Note:** It has a link. On clicking the link, the **Add Product Pricing** screen appears.
Product Description	Displays the description of the product.
Global Price List	Indicates whether the product is assigned to a global price list. The valid values are: • Y • N
Unit of Measure	Displays the unit of measure associated with the product. **Note:** The unit of measure is generated automatically when the product is created.
Bundled	Indicates whether the product is a bundle or not. The valid values are: • Y • N

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Bundle Type	Indicates the type of bundle. The valid values are: • Phantom • Ratio • Regular **Note:** This column appears only when you select the **Yes** option from the **Bundle** list.

Related Topics

For more information on...	See...
How to assign a product to a price list	*Assigning a Product to a Price List* on page 137
Add Product Pricing screen	*Add Product Pricing* on page 159

Viewing Products Assigned to a Price List

Procedure

To view products assigned to a price list:

1. Search for the price list in the **Manage Price Lists** screen.
2. In the **Search Results** section, click the link in the **Price List** column corresponding to the price list whose details you want to view.

   The **Manage Product Assignments to Price Lists** screen appears.
3. View the products that are currently assigned to the price list in the **Price List Products** zone.

Related Topics

For more information on...	See...
How to search a price list	*Searching for a Price List* on page 126
Manage Product Assignments to Price Lists screen	*Manage Product Assignments to Price Lists* on page 133
Price List Products zone	*Price List Products* on page 134

Removing a Product from a Price List

You can remove the product from the price list only when the price list is not yet assigned to any account or customer.

Procedure

To remove a product from a price list:

1. Search for the price list in the **Manage Price Lists** screen.
2. In the **Search Results** section, click the link in the **Price List** column corresponding to the price list whose details you want to edit.

   The **Manage Product Assignments to Price Lists** screen appears.
3. Filter the list in the **Price List Products** zone, if required.

Copyright © 2014, Oracle. All rights reserved.

4. Click the **Delete** ( ) icon in the **Delete** column corresponding to the product that you want to remove from the *p*rice list.

   The product is removed from the price list.

   Note: The **Delete** icon appears in the **Delete** column only when the price list is not yet assigned to any account or customer.

Related Topics

For more information on...	**See...**
How to search a price list	*Searching for a Price List* on page 126
Manage Product Assignments to Price Lists screen	*Manage Product Assignments to Price Lists* on page 133
Price List Products zone	*Price List Products* on page 134

Assigning a Product to a Price List

Prerequisites

To assign a product to a price list, you should have:

- Product created in the application
- Product associated with the division to which the price list belongs

Procedure

To assign a product to a price list:

1. Search for the price list in the **Manage Price Lists** screen.
2. In the **Search Results** section, click the link in the **Price List** column corresponding to the price list whose *d*etails you want to edit.

   The **Manage Product Assignments to Price Lists** screen appears.
3. In the **Search Products** zone, enter the criteria to search for the product that you want to assign to the price list.
4. Click **Refresh**.

   A list of products that meet the search criteria appears in the search results.
5. In the **Search Results** section, click the link in the **Product** column corresponding to the product that you want *t*o assign to the price list.

   The **Add Product Pricing** screen appears.
6. Define the pricing for the product.

   Note: You cannot assign a product to a price list until you define the pricing for that product.

Related Topics

For more information on...	**See...**
How to search a price list	*Searching for a Price List* on page 126
Manage Product Assignments to Price Lists screen	*Manage Product Assignments to Price Lists* on page 133
Search Products zone	*Search Products* on page 112

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Add Product Pricing screen	*Add Product Pricing* on page 159
How to define product pricing	*Defining Product Pricing* on page 165

Copy Price List

Instead of creating a price list from scratch, you can also create a new price list using an existing price list. You can do this by copying a price list. Once you create a copy of an existing price list, you can assign or remove products from the new price list and change the product pricing, if required.

When you copy a price list, you can copy all products associated with the original price list to the new price list along with or without pricing. In case you copy a price list without pricing, you will have to define the pricing for all products assigned to the new price list. Once you define the pricing for all products in the new price list, you can then assign it to accounts or customers.

The **Copy Price List** screen allows you to copy a price list. This screen consists of the following zones:

- *Price List Information* on page 138
- *Price List Division* on page 138
- *Price List Products* on page 139
- *Copy Price List* on page 140

Price List Information

The **Price List Information** zone displays information about the original price list. This zone contains the following fields:

Field Name	Field Description
Price List Description	Displays the description of the original price list.
Global Price List	Indicates whether the original price list is a global price list. The valid values are: • Y • N
Effective Start Date	Displays the date from when the original price list is effective.
Effective End Date	Displays the date till when the original price list is effective.

Note: All fields in the **Price List Information** zone are read-only.

Price List Division

The **Price List Division** zone lists divisions to which the original price list is associated. This zone contains the following columns:

Column Name	Column Description
Division	Displays the division to which the original price list is associated.
Status	Displays the status of the division (that is, whether it is Active, Pending, or Retired).
Comments	Displays additional details about the division.

Copyright © 2014, Oracle. All rights reserved.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Price List Products

The **Price List Products** zone lists products that are currently assigned to the original price list. You can filter the list using various search criteria. You will not find any records in this zone if the original price list does not have any products assigned to it.

The **Price List Products** zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to specify the product code.	No
Product Description	Used to specify the description of the product.	No
Effective Start Date	Used to specify the date from when the product is assigned to the price list.	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Product	Displays the product code. **Note:** It has a link. On clicking the link, the **Edit Assigned Pricing** screen appears with the details of the respective product pricing.
Product Description	Displays the description of the product.
Variance	Indicates the variance used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameters	Indicates the parameters which are used for defining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
Effective Start Date	Displays the date from when the product is assigned to the price list.
Effective End Date	Displays the date till when the product is assigned to the price list.
Pricing Currency	Displays the pricing currency of the product.
Rate Schedule	Displays the rate schedule used for defining pricing for the product.
Delete	On clicking the **Delete** icon, you can remove the product from the original price list. **Note:** The **Delete** icon appears in this column only when the price list is not yet assigned to any account or customer.

You can change the layout of this section. For more information on how to change the layout, see *Changing the Layout* on page 554.

Copyright © 2014, Oracle. All rights reserved.

Copy Price List

The **Copy Price List** zone allows you to create a copy of the price list. On copying a price list, divisions and characteristics associated with the original price list are also copied to the new price list. This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Price List Description	Displays the description of the price list whose copy you want to create.	Not applicable
New Price List Description	Used to specify the description for the new price list.	Yes
Effective Start Date	Used to specify the date from when the new price list is effective. **Note:** The effective start date cannot be a past date.	Yes
Effective End Date	Used to specify the date till when the new price list is effective. **Note:** The effective end date cannot be earlier than the effective start date.	No
Copy Pricing	Used to indicate whether you want to copy pricing along with the products. The valid values are: • **All** - Used when you want to copy all products associated with the original price list along with product pricing to the new price list. • **None** – Used when you to want copy only products associated with the original price list (and not the product pricing) to the new price list.	Yes
Copy Pricing Hierarchy	Used to indicate whether you want to copy price list hierarchy along with the price list. The valid values are: • **None** — Used when you do not want to copy price list hierarchy. • **With Hierarchy** — Used when you want to copy price list hierarchy.	Yes

This zone contains the following two buttons:

Button Name	Button Description
Save	Used to create the price list.
Cancel	Used to clear the fields in this zone.

Related Topics

For more information on...	See...
How to copy a price list	*Copying a Price List* on page 141

Copyright © 2014, Oracle. All rights reserved.

Copying a Price List

Prerequisites

To copy a price list, you should have:

- Price list (whose copy you want to create) defined in the application
- Price list (whose copy you want to create) associated to the division to which the user belongs

Procedure

To copy a price list:

1. Search for the price list in the **Manage Price Lists** screen.
2. In the **Search Price List** zone, click the **Copy** ( ) icon corresponding to the price list whose copy you want to create.

   The **Copy Price List** screen appears.
3. In the **Copy Price List** zone, enter the description for the new price list.
4. Enter the date from when the new price list is effective in the **Effective Start Date** field.

   Note: The effective start date cannot be a past date.
5. Enter the date till when the new price list is effective in the **Effective End Date** field.

   Note: The effective end date cannot be earlier than the effective start date.
6. Select **All** or **None** from the **Copy Pricing** list depending on whether you want to copy the price list along with or without product pricing.
7. Select **With Hierarchy** or **None** from the **Copy Pricing Hierarchy** list depending on whether you want to copy price list hierarchy along with the price list.
8. Click **Save**.

   The price list ID is generated automatically when the price list is created.

Related Topics

For more information on...	See...
How to search a price list	*Searching for a Price List* on page 126
Copy Price List screen	*Copy Price List* on page 138
Copy Price List zone	*Copy Price List* on page 140

Product Relationship Maintenance

Oracle Revenue Management and Billing allows you to associate two or more products with each other. You can associate products using the following relationship types:

- Bundle
- Denominator
- Numerator
- Product

Copyright © 2014, Oracle. All rights reserved.

- Service
- Service Group

The **Bundle** relationship type is used while adding products in the regular and phantom bundles. The **Denominator** and **Numerator** relationship types are used while adding products in the ratio bundles. And, the other relationship types are used while creating product to product relationship.

Note:

You cannot add same set of products using the same relationship type while defining two or more bundles with the same bundle type. For example, you cannot add P1 and P2 using the relationship type as Bundle while defining regular bundles named BUN1 and BUN2. However, you can use same set of products while defining two or more product to product relationships.

If the multi parameter based pricing feature is enabled, you can add same set of product and product parameter combination (using the same relationship type) in more than one bundle (having the same bundle type) provided the product parameter values are different.

The **Product Relationship Maintenance** screen allows you to view the products associated with the parent product or the products added in the bundle. It also allows you to add or remove products from a group or bundle. This screen consists of the following zones:

- *Product Information* on page 142
- *Assigned Products* on page 143

Product Information

The **Product Information** zone displays information about the parent product or bundle. This zone contains the following fields:

Field Name	Field Description
Product	Displays the product code.
Contract Type	Displays the contract type associated with the product.
Product Description	Displays the description of the product.
Global Price List	Indicates whether the product is assigned to a global price list. The valid values are: • Yes • No
Bundled	Indicates whether the product is a bundle or not. The valid values are: • Y • N
Bundle Type	Indicates the type of bundle. The valid values are: • Phantom • Ratio • Regular

Note: All fields in the **Product Information** zone are read-only.

You can edit the parent product or bundle by clicking the **Edit** button in this zone.

Copyright © 2014, Oracle. All rights reserved.

Assigned Products

The **Assigned Products** zone lists products that are already associated with the parent product or bundle. You will not find any records in this zone if the parent product or bundle does not have any products associated with it. This zone contains the following columns:

Column Name	Column Description
Product	Displays the product code.
Product Description	Displays the description of the product.
Effective Start Date	Displays the date from when the product is associated with the parent product or bundle.
Effective End Date	Displays the date till when the product is associated with the parent product or bundle.
Product Relationship Type	Displays how the products are related. The valid values are: • Bundle • Denominator • Numerator • Product • Service • Service Group
Product Parameters	Displays a comma-separated list of parameter values. The order in which parameter values appear in this field is controlled by the display order (which is defined while associating a parameter with a product).

You can add or remove a product from the parent product or bundle by clicking the **Add/Edit** link in the upper right corner of this zone.

Related Topics

For more information on...	See...
How to view the products added in a bundle	*Viewing Products Added in a Bundle* on page 143

Viewing Products Added in a Bundle

Procedure

To view the products added in a bundle:

1. Search for the bundle in the **Manage Products** screen.
2. In the **Search Results** section, click the link in the **Product** column corresponding to the bundle whose *p*roducts you want to view.

   The **Product Relationship Maintenance** screen appears.
3. View the products that are already added in the bundle in the **Assigned Products** zone.

Related Topics

For more information on...	See...
How to search for a bundle	*Searching for a Product* on page 114
Product Relationship Maintenance screen	*Product Relationship Maintenance* on page 141

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Assigned Products zone	*Assigned Products* on page 143

Filtering Products of a Bundle

Procedure

To filter products of a bundle:

1. Search for the bundle in the **Manage Products** screen.
2. In the **Search Results** section, click the link in the **Product** column corresponding to the bundle whose *p*roducts you want to view.

   The **Product Relationship Maintenance** screen appears.
3. Click the **Add/Edit** link in the upper right corner of the **Assigned Products** zone.

   The **Add/Edit Product Relationship** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Parent Product	Displays the bundle or parent product code.	Not applicable
Product	Used to specify the product code.	No
Description	Used to specify the description of the product.	No
Start Date	Used to specify the date from when the product is associated with the parent product or bundle.	No
Relationship Type	Used to specify how the products are related. The valid values are: • Bundle • Denominator • Numerator • Product • Service • Service Group	No

4. Enter the search criteria.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Search**.

   The search results are filtered based on the specified criteria. This screen contains the following columns:

Column Name	Column Description
Product	Indicates the product associated with the parent product or bundle.
Relationship Type	Indicates how the products are related.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Start Date	Displays the date from when the product is associated with the parent product or bundle.
End Date	Displays the date till when the product is associated with the parent product or bundle.
Product Parameters	Displays a comma-separated list of parameter values. The order in which parameter values appear in this field is controlled by the display order (which is defined while associating a parameter with a product). **Note:** This column appears only when you are filtering products of a ratio and phantom bundle.

Related Topics

For more information on...	See...
How to search for a bundle	*Searching for a Product* on page 114

Adding a Product to a Bundle

Prerequisites

To add a product to a bundle, you should have:

- Product associated with the division to which the user belongs
- Product and bundle associated to the same contract type

  Note: If you are associating a product to another product (and not adding a product to a bundle), then the two products need not have same contract type associated with them.
- Parameters associated with the product (in case you want to determine product utilization based on multiple parameters)
- Product and bundle associated to the same parameters (in case of a regular bundle)

  Note: Not only the parameters, but also their details such as pricing flag, mandatory flag, and priority should be identical. Also, the date from when the parameters are effective for the bundle should be earlier than or equal to the date from when the parameters are effective for the product.

Procedure

To add a product to a bundle:

1. Search for the bundle in the **Manage Products** screen.
2. In the **Search Results** section, click the link in the **Product** column corresponding to the bundle in which you want to add a product.

   The **Product Relationship Maintenance** screen appears.
3. Click the **Add/Edit** link in the upper right corner of the **Assigned Products** zone.

   The **Add/Edit Product Relationship** screen appears. It contains the following columns:

Column Name	Column Description	Mandatory (Yes or No)
Product	Used to indicate the product that you want to associate with the parent product or bundle.	Yes

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description	Mandatory (Yes or No)
Relationship Type	Used to indicate how the products are related. The valid values are: • Bundle • Denominator • Numerator • Product • Service • Service Group	Yes
Start Date	Used to specify the date from when the product is associated with the parent product or bundle. **Note:** The start date cannot be later than the end date.	Yes
End Date	Used to specify the date till when the product is associated with the parent product or bundle. **Note:** The end date cannot be earlier than the start date.	No
Product Parameters	Used to specify multiple parameters based on which you want to determine the product utilization. **Note:** This columns appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. This column does not appear when you are adding products to a regular bundle. The **Search** ( ) icon appears corresponding to this field. On clicking the **Search** icon, the **Product Parameters** screen appears.	No

4. Enter the required details.

   Note:

   You can search for a product by clicking the **Search** ( ) icon corresponding to the **Product** field.

   You can add a product to a regular bundle only when the regular bundle and product have same parameters associated with them for the specified date range.

   You cannot add same set of products using the same relationship type while defining two or more bundles with the same bundle type. For example, you cannot add P1 and P2 using the relationship type as Bundle while defining regular bundles named BUN1 and BUN2. However, you can use same set of products while defining two or more product to product relationships.

   If the multi parameter based pricing feature is enabled, you can add same set of product and product parameter combination (using the same relationship type) in more than one bundle (having the same bundle type) provided the product parameter values are different.

   You cannot add same product in numerator and denominator while defining a ratio bundle.

Copyright © 2014, Oracle. All rights reserved.

5. If you want to determine product utilization based on multiple parameters, select the parameters using the **Search** ( ) icon corresponding to the **Product Parameters** field.
6. If you want to add more than one product to the bundle, click the **Plus** ( ) icon and then repeat the steps from 4 *to* 5.

   Note: However, if you want to remove a product from the bundle, click the **Minus** ( ) icon corresponding to the product.
7. Click **Save**.

   The product is added to the bundle.

Related Topics

For more information on...	See...
How to search for a bundle	*Searching for a Product* on page 114
How to search for a child product	*Searching for a Product* on page 566
Product Relationship Maintenance screen	*Product Relationship Maintenance* on page 141
Assigned Products zone	*Assigned Products* on page 143
How to associate a parameter with a product	*Associating a Parameter with a Product* on page 118
How to set product parameters	*Setting Product Parameters* on page 193

Removing a Product from a Bundle

Procedure

To remove a product from a bundle:

1. Search for the bundle in the **Manage Products** screen.
2. In the **Search Results** section, click the link in the **Product** column corresponding to the bundle from which *y*ou want to remove a product.

   The **Product Relationship Maintenance** screen appears.
3. Click the **Add/Edit** link in the upper right corner of the **Assigned Products** zone.

   The **Add/Edit Product Relationship** screen appears.
4. In the **Search Results** section, click the **Minus** ( ) icon corresponding to the product that you want to remove *f*rom the bundle.

   The row is deleted.
5. Click **Save**.

   The product is removed from the bundle.

Related Topics

For more information on...	See...
How to search for a bundle	*Searching for a Product* on page 114
Product Relationship Maintenance screen	*Product Relationship Maintenance* on page 141
Assigned Products zone	*Assigned Products* on page 143

Copyright © 2014, Oracle. All rights reserved.

Copy Bundle

Instead of creating a bundle from scratch, you can also create a new bundle using an existing bundle. You can do this by copying a bundle. Once you create a copy of an existing bundle, you can add or remove products from the new bundle. While copying a bundle, divisions associated with the original bundle are copied to the new bundle.

Note: You cannot copy a bundle when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.

The **Copy Bundle** screen allows you to copy a bundle. This screen consists of the following zones:

- *Bundle Information* on page 148
- *Product Division* on page 148
- *Search Products to Assign* on page 149
- *Copy Assigned Product* on page 150

Bundle Information

The **Bundle Information** zone displays information about the original bundle. This zone contains the following fields:

Field Name	Field Description
Product	Displays the code of the original bundle.
Contract Type	Displays the contract type associated with the original bundle.
Product Description	Displays the description of the original bundle.
Global Price List	Indicates whether the original bundle is assigned to a global price list. The valid values are: • Y • N
Bundle	Indicates whether the product is a bundle or not. The valid values are: • Y • N
Bundle Type	Displays the type of bundle. The valid values are: • Phantom • Ratio • Regular

Note: All fields in the **Bundle Information** zone are read-only.

Product Division

The **Product Division** zone lists divisions to which the original bundle is associated. This zone contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Division	Displays the division to which the original bundle is associated.
Status	Displays the status of the division (that is, whether it is Active, Pending, or Retired).
Comments	Displays additional details about the division.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Search Products to Assign

The **Search Products to Assign** zone allows you to search for products that you want to add to the new bundle. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to specify the product code.	No
Product Description	Used to specify the description of the product.	No
Global Price List	Used to indicate whether the product is assigned to a global price list. The valid values are: • Yes • No	No
Unit of Measure	Used to specify the unit of measure associated with the product. **Note:** The unit of measure is generated automatically when the product is created.	No
Contract Type	Used to specify the contract type associated with the product.	No

Note: You must specify at least one search criterion while searching for a product.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Product	Displays the product code.
Product Description	Displays the description of the product.
Global Price List	Indicates whether the product is assigned to a global price list. The valid values are: • Y • N
Unit of Measure	Displays the unit of measure associated with the product.
Bundled	Indicates whether the product is a bundle or not. The valid values are: • Y • N

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Bundle Type	Indicates the type of bundle. The valid values are: • Phantom • Ratio • Regular
Contract Type	Displays the contract type associated with the product.

Copy Assigned Product

The **Copy Assigned Product** zone allows you to create a copy of the bundle. This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
New Product	Used to specify the code that uniquely identifies the new bundle.	Yes
New Product Description	Used to specify the description for the new bundle.	Yes
Assign Products	It contains the following two options: • **All** - Allows you to copy all products associated with the original bundle to the new bundle. • **None** – Allows you to create a copy of the original bundle without copying the associated products.	Yes

You can add products to the new bundle or change currently associated products using the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to specify the product code.	Yes
Product Relationship Type	Used to indicate how the products are related.	Yes
Effective Start Date	Used to specify the date from when the product is associated with the new bundle.	Yes
Effective End Date	Used to specify the date till when the product is associated with the new bundle.	No

This zone contains the following two buttons:

Button Name	Button Description
Save	Used to create the new bundle.
Cancel	Used to clear the fields in this zone.

Related Topics

For more information on...	See...
How to copy a bundle	*Copying a Bundle* on page 151

Copyright © 2014, Oracle. All rights reserved.

Copying a Bundle

Prerequisites

To copy a bundle, you should have:

- Bundle associated with the division to which the user belongs

Procedure

To copy a bundle:

1. Search for the bundle in the **Manage Products** screen.
2. In the **Search Results** section, click the **Copy** ( ) icon corresponding to the bundle that you want to copy.

   The **Copy Bundle** screen appears.
3. In the **Copy Assigned Product** zone, enter the code that uniquely identifies the new bundle.
4. Enter the description for the new bundle.
5. Select **All** or **None** from the **Assign Products** list depending on whether you want to copy the bundle along with or without its associated products.
6. Add or remove products from the new bundle or edit the details of the currently associated products, if required.
7. Click **Save**.

   The unit of measure is generated automatically when the bundle is created.

Related Topics

For more information on...	**See...**
How to search for a bundle	*Searching for a Product* on page 114
Copy Bundle screen	*Copy Bundle* on page 148
Copy Assigned Product zone	*Copy Assigned Product* on page 150

Manage Rate Definitions

Rate schedules, rate versions, and rate components are used to define the formulas to calculate the total amount charged to a customer for a product. Some examples of formulas are: price times the number of transactions used and a flat monthly charge plus a percentage of the average daily balance.

The rate is a formula with variables whose values are supplied by a user by setting up a price list or override price. For example, a rate might add a flat monthly charge and a percentage of the average daily balance to arrive at the amount charged to the customer. This rate might be used to calculate the charge for multiple products, each product with its own flat amount and percentage. So, these two factors are defined as variables whose values must be entered by users when they setup price list or override price. In Oracle Revenue Management and Billing (ORMB), these variables are defined as rate components.

The system provides you with the ability to create tiered pricing in case standard flat pricing is not sufficient to meet the business needs. The **Manage Rate Definitions** screen allows you to indicate whether the rate component supports standard flat pricing or tiered pricing. It allows you to define, edit, and delete the tiering setup of a rate component. This screen consists of the following zones:

- *Select Rate Schedule to Define Rate* on page 152

Copyright © 2014, Oracle. All rights reserved.

- *Create/Edit Rate Definition* on page 153

Select Rate Schedule to Define Rate

The **Select Rate Schedule to Define Rate** zone allows you to select the rate schedule whose rate components' tiering setup you want to define or edit. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following field:

Field Name	Field Description	Mandatory (Yes or No)
Rate Schedule	Used to select the rate schedule.	Yes

- **Search Results** — On clicking the **Refresh** button, the rate components of the rate schedule appear in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Rate Schedule	Displays the rate schedule.
Sequence Number	Displays the sequence number of the rate component.
Rate Component Description	Displays the description of the rate component.
Effective Start Date	Displays the date from when the rate version to which the rate component belongs is effective.
Tiering Type	Displays the tiering type.
Maximum Tiering Combinations	Displays the maximum number of tiering ranges supported by the rate component. **Note:** Each tiering range supports more than one tiering criteria. For example, a rate component supports tiering based on two different criteria such as transaction volumes from a bundle and balances of the priced product. In such case, for a single rate, it is possible to enter separate tiering range information for each criterion and vary this information by product.
Rate Component Map Description	Displays the description of the tiering setup of the rate component.
Action	Indicates the action that can be performed on the rate component. The valid values are: • **Add** — Allows you to define the tiering setup of the rate component • **Edit** — Allows you to edit the tiering setup of the rate component
Rate Component Map ID	Displays the rate component map ID. **Note:** This ID is generated automatically when you define the tiering setup of the rate component.

On clicking the **Broadcast** ( ) icon corresponding to the rate component, the **Create/Edit Rate Definition** zone appears with the details of the respective rate component.

Related Topics

For more information on...	See...
How to define tiering setup of a rate component	*Defining Tiering Setup of a Rate Component* on page 154
How to edit tiering setup of a rate component	*Editing Tiering Setup of a Rate Component* on page 155

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to delete tiering setup of a rate component	*Deleting Tiering Setup of a Rate Component* on page 156

Create/Edit Rate Definition

The **Create/Edit Rate Definition** zone allows you to define and edit tiering setup of the rate component. This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Rate Schedule	Displays the code of the rate schedule.	Not applicable
Rate Component Description	Displays the description of the rate component.	Not applicable
Effective Start Date	Displays the date from when the rate version to which the rate component belongs is effective.	Not applicable
Sequence Number	Displays the sequence number of the rate component.	Not applicable
Tiering Type	Used to specify the tiering type. The valid values are: • FLAT • STEP • THRESHOLD **Note:** This field is non-editable when you edit the tiering setup of the rate component.	Yes
Maximum Tiering Combinations	Used to specify the maximum number of tiering ranges supported by the rate component. **Note:** This field is non-editable when you: • Select the tiering type as **FLAT** or **STEP** • Edit the tiering setup of the rate component By default, **0** appears in this field when you select the tiering type as **FLAT**, and **1** appears when you select the tiering type as **STEP**.	Yes
Rate Component Map Description	Used to specify the description for the tiering setup of the rate component. For example, if you want the user to enter price per transaction for a tiering range, enter `Price Per Transaction` in the **Rate Component Map Description** field.	Yes

This zone contains the following buttons:

Button Name	Button Description (When the Action is Add)	Button Description (When the Action is Edit)
Save	Used to create the tiering setup.	Used to save the changes made in this zone.

Copyright © 2014, Oracle. All rights reserved.

Button Name	Button Description (When the Action is Add)	Button Description (When the Action is Edit)
Delete	**Note:** This button is disabled when you define the tiering setup of the rate component.	Used to delete the tiering setup of the rate component. **Note:** You can delete the tiering setup only when the rate component is not yet used for any product pricing.
Cancel	Used to clear the fields in this zone.	Used to reset the changes made in this zone.

Related Topics

For more information on...	See...
How to define tiering setup of a rate component	*Defining Tiering Setup of a Rate Component* on page 154
How to edit tiering setup of a rate component	*Editing Tiering Setup of a Rate Component* on page 155
How to delete tiering setup of a rate component	*Deleting Tiering Setup of a Rate Component* on page 156

Defining Tiering Setup of a Rate Component

Prerequisites

To define tiering setup of a rate component, you should have:

- Rate schedules defined in the application
- Rate components of the rate schedule defined in the application

Procedure

To define tiering setup of a rate component:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Pricing Management** and then click **Manage Rate Definitions**.

   The **Manage Rate Definitions** screen appears.
4. Select the rate schedule in the **Select Rate Schedule to Define Rate** zone.
5. Click **Refresh**.

   The rate components of the rate schedule appear as the search results.
6. Click the **Broadcast** ( ) icon corresponding to the rate component whose tiering setup you want to define.

   The **Create/Edit Rate Definition** zone appears.
7. Select the tiering type from the list.
8. Enter the maximum number of tiering ranges supported by the rate component.

   Note:

   The **Maximum Tiering Combinations** field is non-editable when you select the tiering type as **FLAT** or **STEP**.

   By default, **0** appears in the **Maximum Tiering Combinations** field when you select the tiering type as **FLAT**, and **1** appears when you select the tiering type as **STEP**.
9. Enter the description for the tiering setup of the rate component.

Copyright © 2014, Oracle. All rights reserved.

For example, if you want the user to enter price per transaction for a tiering range, enter `Price Per Transaction` in the **Rate Component Map Description** field.

10. Click **Save**.

    The rate component map ID is generated automatically when you define the tiering setup of the rate component.

Related Topics

For more information on...	See...
Manage Rate Definitions screen	*Manage Rate Definitions* on page 151
Select Rate Schedule to Define Rate zone	*Select Rate Schedule to Define Rate* on page 152
Create/Edit Rate Definition zone	*Create/Edit Rate Definition* on page 153

Editing Tiering Setup of a Rate Component

Procedure

To edit tiering setup of a rate component:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Pricing Management** and then click **Manage Rate Definitions**.

   The **Manage Rate Definitions** screen appears.

4. Select the rate schedule in the **Select Rate Schedule to Define Rate** zone.
5. Click **Refresh**.

   The rate components of the rate schedule appear as the search results.

6. Click the **Broadcast** ( ) icon corresponding to the rate component whose tiering setup you want to edit.

   The **Create/Edit Rate Definition** zone appears.

7. Modify the details of the tiering setup.

   Note: You can only modify the rate component map description.

8. Click **Save**.

   The changes made to the tiering setup are saved.

Related Topics

For more information on...	See...
Manage Rate Definitions screen	*Manage Rate Definitions* on page 151
Select Rate Schedule to Define Rate zone	*Select Rate Schedule to Define Rate* on page 152
Create/Edit Rate Definition zone	*Create/Edit Rate Definition* on page 153

Copyright © 2014, Oracle. All rights reserved.

Deleting Tiering Setup of a Rate Component

Procedure

To delete tiering setup of a rate component:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Pricing Management** and then click **Manage Rate Definitions**.

   The **Manage Rate Definitions** screen appears.

4. Select the rate schedule in the **Select Rate Schedule to Define Rate** zone.
5. Click **Refresh**.

   The rate components of the rate schedule appear as the search results.

6. Click the **Broadcast** ( ) icon corresponding to the rate component whose tiering setup you want to delete.

   The **Create/Edit Rate Definition** zone appears.

7. Click **Delete**.

   The tiering setup of the rate component is deleted, and the action that can be performed on the rate component changes from **Edit** to **Add** in the **Select Rate Schedule to Define Rate** zone.

   Note:

   The **Delete** button is disabled when you define the tiering setup of the rate component.

   You can delete the tiering setup only when the rate component is not yet used for any product pricing.

Related Topics

For more information on...	See...
Manage Rate Definitions screen	*Manage Rate Definitions* on page 151
Select Rate Schedule to Define Rate zone	*Select Rate Schedule to Define Rate* on page 152
Create/Edit Rate Definition zone	*Create/Edit Rate Definition* on page 153

Manage Tiering Criteria

Oracle Revenue Management and Billing (ORMB) provides you with the ability to create tiered pricing in case standard flat pricing is not sufficient to meet the business needs. Through tiered pricing, you can offer more favorable pricing to the customers based on service quantity utilization.

Let us understand this with the help of an example. ABC company uses wire transfer services provided by a large bank. If ABC company initiates up to 1,000 wire transfers, the fee charged by the bank will be $5 per transfer. If ABC company initiates more than 1,000 wire transfers, the fee will be $3 per transfer. To introduce this flexibility in the pricing model, you will have to define tiered pricing with the following tiering ranges:

- If the number of wire transfers is greater than 0 and less than or equal to 1000, then charge $5 per transfer to ABC company.
- If the number of wire transfers is greater than 1000, then charge $3 per transfer to ABC company.

Copyright © 2014, Oracle. All rights reserved.

In the above example, number of wire transfers is the tiering criterion, 0 – 1000 and 1000 – BLANK are tiering ranges, and $5 and $3 are rates per transfer.

The **Manage Tiering Criteria** screen allows you to create and edit a tiering criterion. This screen consists of the following zones:

- *Tiering Criteria* on page 157
- *Edit Tiering Criterion* on page 157
- *Create Tiering Criterion* on page 158

Tiering Criteria

The **Tiering Criteria** zone displays tiering criteria that are already defined in the system. This zone contains the following columns:

Column Name	Column Description
Tiering Criterion	Displays the code of the tiering criterion.
Tiering Criterion Description	Displays the description of the tiering criterion.
Service Quantity Identifier	Displays the Service Quantity Identifier (SQI) of the tiering criterion.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

On clicking the **Broadcast** ( ) icon corresponding to the tiering criterion, the **Edit Tiering Criterion** zone appears with the details of the respective tiering criterion.

Edit Tiering Criterion

The **Edit Tiering Criterion** zone allows you to edit the tiering criterion. This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Tiering Criterion	Displays the code of the tiering criterion.	Not applicable
Tiering Criterion Description	Used to modify the description of the tiering criterion.	Yes
Service Quantity Identifier	Displays the Service Quantity Identifier (SQI) of the tiering criterion.	Not applicable

This zone contains the following two buttons:

Button Name	Button Description
Save	Used to save the changes made in this zone.
Cancel	Used to clear the changes made in this zone.

By default, the **Edit Tiering Criterion** zone does not appear in the **Manage Tiering Criteria** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the tiering criterion in the **Tiering Criteria** zone.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to edit a tiering criterion	*Editing a Tiering Criterion* on page 159

Create Tiering Criterion

The **Create Tiering Criterion** zone allows you to create tiering criterion. This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Tiering Criterion	Used to specify the code that uniquely identifies the tiering criterion.	Yes
Tiering Criterion Description	Used to specify the description for the tiering criterion.	Yes
Service Quantity Identifier	Used to specify the Service Quantity Identifier (SQI) for the tiering criterion. **Note:** During billing, the rating engine uses the SQI to determine which service quantities are applied to tiers.	Yes

This zone contains the following two buttons:

Button Name	Button Description
Save	Used to create the tiering criterion.
Cancel	Used to clear the fields in this zone.

Related Topics

For more information on...	See...
How to create a tiering criterion	*Creating a Tiering Criterion* on page 158

Creating a Tiering Criterion

Prerequisites

To create a tiering criterion, you should have:

- Service Quantity Identifiers (SQIs) defined in the application

Procedure

To create a tiering criterion:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **M** and then click **Manage Tiering Criteria**.

   The **Manage Tiering Criteria** screen appears.
4. In the **Create Tiering Criterion** zone, enter the code that uniquely identifies the tiering criterion.
5. Enter the description for the tiering criterion.
6. Select the Service Quantity Identifier (SQI) that you want to associate with the tiering criterion.
7. Click **Save**.

Copyright © 2014, Oracle. All rights reserved.

The tiering criterion is created.

Related Topics

For more information on...	See...
Manage Tiering Criteria screen	*Manage Tiering Criteria* on page 156
Create Tiering Criterion zone	*Create Tiering Criterion* on page 158

Editing a Tiering Criterion

Procedure

To edit a tiering criterion:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **M** and then click **Manage Tiering Criteria**.

   The **Manage Tiering Criteria** screen appears.
4. In the **Tiering Criteria** zone, click the **Broadcast** ( ) icon corresponding to the tiering criterion whose details you want to edit.

   The **Edit Tiering Criterion** zone appears.
5. Modify the description of the tiering criterion, if required.
6. Click **Save**.

   The changes made to the tiering criterion are saved.

Related Topics

For more information on...	See...
Manage Tiering Criteria screen	*Manage Tiering Criteria* on page 156
Edit Tiering Criterion zone	*Edit Tiering Criterion* on page 157

Add Product Pricing

The **Add Product Pricing** screen allows you to define pricing for a product that you want to assign to a price list, customer or an account. You can also define characteristics for the price assignment through this screen.

Note: A bundle cannot be assigned if its child products are already assigned to a price list, customer, or an account, and vice versa. However, you can assign a parent and child products, which are associated to each other using the relationship type, such as product, service and service group, to the same price list.

You can access the **Add Product Pricing** screen through the following screens:

- *Pricing (Account)* on page 83
- *Pricing (Customer)* on page 92

Copyright © 2014, Oracle. All rights reserved.

- *Manage Product Assignments to Price Lists* on page 133

This screen contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Displays the product code for which you are defining the pricing.	Not applicable
Product Description	Displays the description of the product.	Not applicable
Rate Schedule	Used to specify the rate schedule that you want to use while defining product pricing. **Note:** Rate schedules control how the bills for the product will be calculated. The **Search** ( ) icon appears corresponding to this field. On clicking the **Search** icon, the **Search Rate Schedule** screen appears.	Yes
Price Assignment Type	Used to specify the price assignment type. The valid values are: • Regular • Post Processing **Note:** By default, **Regular** is selected.	Yes
Effective Start Date	Used to specify the date from when the product pricing is effective. **Note:** By default, the current system date appears in this field. The effective start date cannot be later than the effective end date.	Yes
Effective End Date	Used to specify the date till when the product pricing is effective. **Note:** The effective end date cannot be earlier than the effective start date.	No
Variance Parameter	Used to specify the variance based on which you want to define the product pricing. **Note:** This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Product Parameters	Used to specify multiple parameters based on which you want to define the product pricing. **Note:** This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. The **Search** () icon appears corresponding to this field. On clicking the **Search** icon, the **Product Parameters** screen appears.	Yes (Conditional) **Note:** This field is required if the parameters are mandatory while defining product pricing.
Pricing Currency	Used to specify the currency in which the pricing is defined.	Yes
Print Zero	Used to indicate whether zero pricing should be displayed in the bill. The valid values are: • Yes • No **Note:** By default, **Yes** is selected.	Yes
Pricing Status	Used to indicate whether the product pricing is used for billing or quotations. The valid values are: • **Active** — Indicates that the product pricing is used for billing. • **Proposed** — Indicates that the product pricing is used for quotations.	Yes
Ignore Transaction	Used to indicate whether the transactions mapped to the product should be considered for billing. The valid values are: • **Yes** • **No** **Note:** By default, **No** is selected. The default value appears in this field only when the **Feed Management Used** option type of the **C1_FM** feature configuration is set to **Y**.	No
Aggregate Transaction	Used to indicate whether the transactions mapped to the product should be aggregated for billing. The valid values are: • **Yes** • **No** **Note:** By default, **Yes** is selected. The default value appears in this field only when the **Feed Management Used** option type of the **C1_FM** feature configuration is set to **Y**. This field is disabled when you select **Yes** from the **Ignore Transaction** list.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Aggregation Schedule	Used to indicate the aggregation cycle. The valid values are: • Daily • Weekly • Monthly • Quarterly • Yearly **Note:** By default, the **Monthly** option is selected. The default value appears in this field only when the **Feed Management Used** option type of the **C1_FM** feature configuration is set to **Y**. This field is disabled when you select **Yes** from the **Ignore Transaction** list. The system allows you to specify the schedule even if the **Aggregate Transaction** field is set to **No**. In this case, the billable charge start date is equal to the aggregation schedule start date and the billable charge end date is equal to the aggregation schedule end date.	Yes (Conditional) **Note:** This field is required when you want to aggregate transactions for billing.
Apply To	Used to indicate whether you want the product pricing to be applied to all customers or only to the new customers. **Note:** This field appears in this screen only when you access this screen through the **Manage Product Assignments to Price Lists** screen.	Yes

When you select the rate schedule, a zone appears at the bottom of this screen. This zone is divided into two sections. The section on the left hand side contains rate components of the rate schedule. Depending on the maximum tiering combinations specified during tiering setup of the rate component, the number of rows are displayed in this section for each rate component. For example, if you have specified the maximum tiering combinations as 3 for a rate component, three rows are displayed for that rate component in this section. The section on the right hand side contains the tiering ranges per component. You can add more than one tiering criterion for each tiering range by clicking the **Plus** ( ) icon, or delete the tiering criterion from a tiering range by clicking the **Minus** () icon corresponding to it. Tiering is not applicable when pricing is flat (or non-tiered).

This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Sequence Number	Displays the sequence number of the rate component.	Not applicable
Tiering Type	Displays the tiering type of the rate component.	Not applicable
Rate Schedule Description	Displays the description of the tiering setup of the rate component.	Not applicable

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Rate	Used to specify the price for the product. The value can be positive or negative. Decimals are allowed. This value is fed into the rate schedule for billing calculations. **Note:** The system provides you with the facility to specify the rate value with a precision of up to 18 places before decimal and 18 places after decimal. This gives you the flexibility to specify very large and very low values for the rates.	Yes
Tiering Criterion	Used to select the tiering criterion. **Note:** This field does not appear when you are defining flat pricing for a product.	Yes
Product	Used to indicate whether the product or bundle's total usage should be considered for determining the rate. By default, the product code for which you are defining the pricing appears in this field. You can specify any other product or bundle code, if required. **Note:** This field does not appear when you are defining flat pricing for a product.	Yes
Variance Parameter	Used to specify the variance based on which product or bundle's total usage should be considered for determining the rate. By default, the variance based on which you are defining the pricing appears in this field. You can specify any other variance, if required. **Note:** This field does not appear when you are defining flat pricing for a product. This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Product Parameters	Used to specify the parameters based on which product or bundle's total usage should be considered for determining the rate. By default, the parameters based on which you are defining the pricing appear in this field. You can specify any other parameters (where the **Pricing** flag is set to **Yes**), if required. However, note that you can only select parameters associated with the product or bundle which is used for defining the tiering criteria. **Note:** This field does not appear when you are defining flat pricing for a product. This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. The **Search** ( ) icon appears corresponding to this field. On clicking the **Search** icon, the **Product Parameters** screen appears.	No
From	Used to specify the lower limit of the tiering range. **Note:** The system provides you with the facility to specify the lower limit value with a precision of up to 18 places before decimal and 18 places after decimal. This gives you the flexibility to specify very large and very low values in the tiering range. This field does not appear when you are defining flat pricing for a product.	Yes
To	Used to specify the upper limit of the tiering range. **Note:** The system provides you with the facility to specify the upper limit value with a precision of up to 18 places before decimal and 18 places after decimal. This gives you the flexibility to specify very large and very low values in the tiering range. When you define single tier with the maximum value as blank (for example, 0 to BLANK), the system will automatically replace the blank space with 999999999999999999.99. This field does not appear when you are defining flat pricing for a product.	Yes

This zone contains the following buttons:

Button Name	Button Description
Save	Used to define the product pricing.

Copyright © 2014, Oracle. All rights reserved.

Button Name	Button Description
Cancel	Used to return to the screen from where this screen was called without saving the changes.
Add Characteristics	Used to define characteristics for the price assignment. **Note:** On clicking the **Add Characteristics** button, the **Price Assignment Characteristics** screen appears.

Related Topics

For more information on...	See...
How to define product pricing	*Defining Product Pricing* on page 165
How to define characteristics for the price assignment.	*Defining Characteristics for the Price Assignment* on page 179
Product Parameters screen	*Product Parameters* on page 192

Defining Product Pricing

Prerequisites

To define pricing for a product, you should have:

- Rate schedules, rate versions, and rate components defined in the application
- Tiering criteria defined in the application
- Tiering setup for the rate components defined in the application
- Parameters associated with the product (in case you want to define product pricing based on multiple parameters)

Procedure

To define pricing for a product:

1. Do either of the following:

If you want to	Then
Define pricing for a product that you want assign to a customer	1. Access the **Pricing (Customer)** screen. 2. Search for the product that you want to assign to the customer. 3. In the **Search Results** section, click the link in the **Product** column corresponding to the product that you want to assign to the customer.
Define pricing for a product that you want assign to an account	1. Access the **Pricing (Account)** screen. 2. Search for the product that you want to assign to the account. 3. In the **Search Results** section, click the link in the **Product** column corresponding to the product that you want to assign to the account.

Copyright © 2014, Oracle. All rights reserved.

If you want to	Then
Define pricing for a product that you want assign to a price list	1. Access the **Manage Product Assignments to Price Lists** screen. 2. Search for the product that you want to assign to the price list. 3. In the **Search Results** section, click the link in the **Product** column corresponding to the product that you want to assign to the price list.

The **Add Product Pricing** screen appears.

2. Enter the rate schedule that you want to use while defining product pricing.

   A zone appears at the bottom of the screen.

   Note: You can search for a rate schedule by clicking the **Search** ( ) icon corresponding to the field.
3. Select the currency, in which you want to define the pricing, from the **Pricing Currency** list.
4. If you want to define the product pricing based on multiple parameters, select the parameters using the **Search** ( ) icon corresponding to the **Product Parameters** field.
5. Enter the date from when the product pricing is effective in the **Effective Start Date** field.
6. Select **All Customers** or **New Customers** from the **Apply To** list depending on whether you want to apply the *p*roduct pricing to all customers or only to the new customers.
7. Enter the rate that you want to apply when the tiering criteria is satisfied.
8. Select the tiering criterion from the list.
9. If you want to define tiering range based on some other product or bundle's usage, enter the product or *b*undle code in the **Product** field

   Note: You can search for a product by clicking the **Search** ( ) icon corresponding to the **Product** field.
10. If you want to define tiering range based on the parameters other than the one used for defining the product *p*ricing, select the parameters using the **Search** ( ) icon corresponding to the **Product Parameters** field.
11. Enter the lower and upper limits of the tiering range in the **From** and **To** fields.
12. Repeat the steps from 6 to 8 to define other tiering ranges.
13. Define characteristics for the price assignment, if required.
14. Click **Save**.

    The pricing is defined for the product.

    Note: A bundle cannot be assigned if its child products are already assigned to a price list, customer, or an account, and vice versa, in the same date range.

Related Topics

For more information on...	See...
Add Product Pricing screen	*Add Product Pricing* on page 159
How to define characteristics for the price assignment	*Defining Characteristics for the Price Assignment* on page 179

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to set product parameters while defining product pricing	*Setting Product Parameters* on page 193
How to search for a rate schedule	*Searching for a Rate Schedule* on page 567

Edit Assigned Pricing

The **Edit Assigned Pricing** screen allows you to edit pricing for a product that is assigned to a price list, customer, or an account. You can also edit the price assignment characteristics, if required.

You can access the **Edit Assigned Pricing** screen through the following screens:

- *Pricing (Account)* on page 83
- *Pricing (Customer)* on page 92
- *Manage Product Assignments to Price Lists* on page 133

This screen contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Displays the product code whose pricing you want to modify.	Not applicable
Product Description	Displays the description of the product.	Not applicable
Rate Schedule	Used to specify the rate schedule that you want to use while defining product pricing. **Note:** Rate schedules control how the bills for the product will be calculated. The **Search** ( ) icon appears corresponding to this field. On clicking the **Search** icon, the **Search Rate Schedule** screen appears.	Yes
Price Assignment Type	Used to modify the price assignment type. The valid values are: • Regular • Post Processing	Yes
Effective Start Date	Used to modify the date from when the product pricing is effective. **Note:** The effective start date cannot be later than the effective end date.	Yes
Effective End Date	Used to modify the date till when the product pricing is effective. **Note:** The effective end date cannot be earlier than the effective start date.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Variance Parameter	Used to specify the variance based on which you want to define the product pricing. **Note:** This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.	No
Product Parameters	Used to specify multiple parameters based on which you want to define the product pricing. **Note:** This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. The **Search** ( ) icon appears corresponding to this field. On clicking the **Search** icon, the **Product Parameters** screen appears.	Yes (Conditional) **Note:** This field is required if the parameters are mandatory while defining product pricing.
Pricing Currency	Used to modify the currency in which the pricing is defined.	Yes
Print Zero	Used to indicate whether zero pricing should be displayed in the bill. The valid values are: • Yes • No	Yes
Pricing Status	Indicates whether the product pricing is used for billing or quotations.	Not applicable
Ignore Transaction	Used to indicate whether the transactions mapped to the product should be considered for billing. The valid values are: • **Yes** • **No**	Yes
Aggregate Transaction	Used to indicate whether the transactions mapped to the product should be aggregated for billing. The valid values are: • **Yes** • **No** **Note:** This field is disabled when you select **Yes** from the **Ignore Transaction** list.	Yes
Aggregation Schedule	Used to indicate the aggregation cycle. **Note:** This field is disabled when you select **Yes** from the **Ignore Transaction** list.	Yes (Conditional) **Note:** This field is required when you want to aggregate transactions for billing.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Apply To	Used to indicate whether you want the product pricing to be applied to all customers or only to the new customers. **Note:** This field appears in this screen only when you access this screen through the **Manage Product Assignments to Price Lists** screen.	Yes

When you select the rate schedule, a zone appears at the bottom of this screen. This zone is divided into two sections. The section on the left hand side contains rate components of the rate schedule. Depending on the maximum tiering combinations specified during tiering setup of the rate component, the number of rows are displayed in this section for each rate component. For example, if you have specified the maximum tiering combinations as 3 for a rate component, three rows are displayed in this section for that rate component . The section on the right hand side contains the tiering ranges per component. You can add more than one tiering criterion for each tiering range by clicking the **Plus** ( ) icon, or delete the tiering criterion from a tiering range by clicking the **Minus** ( ) icon corresponding to it. Tiering is not applicable when pricing is flat (or non-tiered).

This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Sequence Number	Displays the sequence number of the rate component.	Not applicable
Tiering Type	Displays the tiering type of the rate component.	Not applicable
Rate Schedule Description	Displays the description of the tiering setup of the rate component.	Not applicable
Rate	Used to modify the price for the product. The value can be positive or negative. Decimals are allowed. This value is fed into the rate schedule for billing calculations. **Note:** The system provides you with the facility to specify the rate value with a precision of up to 18 places before decimal and 18 places after decimal. This gives you the flexibility to specify very large and very low values for the rates.	Yes
Tiering Criterion	Used to modify the tiering criterion. **Note:** This field does not appear when you are defining flat pricing for a product.	Yes
Product	Used to indicate whether the product or bundle's total usage should be considered for determining the rate. By default, the product code for which you are defining the pricing appears in this field. You can specify any other product or bundle code, if required. **Note:** This field does not appear when you are defining flat pricing for a product.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Variance Parameter	Used to specify the variance based on which product or bundle's total usage should be considered for determining the rate. By default, the variance based on which you are defining the pricing appears in this field. You can specify any other variance, if required. **Note:** This field does not appear when you are defining flat pricing for a product. This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.	No
Product Parameters	Used to specify the parameters based on which product or bundle's total usage should be considered for determining the rate. By default, the parameters based on which you are defining the pricing appear in this field. You can specify any other parameters (where the **Pricing** flag is set to **Yes**), if required. However, note that you can only select parameters associated with the product or bundle which is used for defining the tiering criteria. **Note:** This field does not appear when you are defining flat pricing for a product. This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. The **Search** ( ) icon appears corresponding to this field. On clicking the **Search** icon, the **Product Parameters** screen appears.	No
From	Used to modify the lower limit of the tiering range. **Note:** The system provides you with the facility to specify the lower limit value with a precision of up to 18 places before decimal and 18 places after decimal. This gives you the flexibility to specify very large and very low values in the tiering range. This field does not appear when you are defining flat pricing for a product.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
To	Used to modify the upper limit of the tiering range. **Note:** The system provides you with the facility to specify the upper limit value with a precision of up to 18 places before decimal and 18 places after decimal. This gives you the flexibility to specify very large and very low values in the tiering range. When you define single tier with the maximum value as blank (for example, 0 to BLANK), the system will automatically replace the blank space with 999999999999999999.99. This field does not appear when you are defining flat pricing for a product.	Yes

This zone contains the following buttons:

Button Name	Button Description
Save	Used to save the changes made in this screen.
Cancel	Used to return to the screen from where this screen was called without saving the changes.
Edit Characteristics	Used to edit the price assignment characteristics and their values. **Note:** On clicking the **Edit Characteristics** button, the **Price Assignment Characteristics** screen appears.

Related Topics

For more information on...	See...
How to edit product pricing	*Editing Assigned Pricing* on page 171
How to edit the price assignment characteristics and their values	*Editing the Price Assignment Characteristics* on page 180
Product Parameters screen	*Product Parameters* on page 192

Editing Assigned Pricing

Prerequisites

To edit a product pricing, you should have:

- Rate schedules, rate versions, rate components defined in the application
- Tiering criteria defined in the application
- Tiering setup for the rate components defined in the application
- Parameters associated with the product (in case you want to edit product pricing based on multiple parameters)

Procedure

To edit a product pricing:

1. Do either of the following:

Copyright © 2014, Oracle. All rights reserved.

If you want to	Then
Edit the pricing for a product that is assigned to a customer	1. Access the **Pricing (Customer)** screen. 2. In the **Effective Price Assignment** zone, click the **Edit** ( ) icon in the **Edit** column corresponding to the product pricing that you want to edit.
Edit the pricing for a product that is assigned to an account	1. Access the **Pricing (Account)** screen. 2. In the **Effective Price Assignment** zone, click the **Edit** ( ) icon in the **Edit** column corresponding to the product pricing that you want to edit.
Edit the pricing for a product that is assigned to a price list	1. Access the **Manage Product Assignments to Price Lists** screen. 2. In the **Price List Products** zone, click the link in the **Product** column corresponding to the product whose pricing details you want to edit.

The **Edit Assigned Pricing** screen appears.

2. Modify the required pricing details.

   Note: If you change the effective start and end dates while editing a product pricing, you need to specify the parameters which are effective during that date range.

3. Edit the price assignment characteristics, if required.
4. Click **Save**.

   The changes made to the product pricing are saved.

Related Topics

For more information on...	See...
Edit Assigned Pricing screen	*Edit Assigned Pricing* on page 167
How to edit the characteristics of the price assignment	*Editing the Price Assignment Characteristics* on page 180
How to set product parameters while editing assigned pricing	*Setting Product Parameters* on page 193
How to search for a rate schedule	*Searching for a Rate Schedule* on page 567

Override Product Pricing

You can override a product pricing within the hierarchy to create prices that are specific to a customer or an account (also referred to as customer agreed or account agreed pricing). Using the Override feature, you create a new price assignment within the hierarchy.

Copyright © 2014, Oracle. All rights reserved.

Customer agreed or account agreed prices are effective for a particular duration and do not expire until you specify the end date manually. However, if you set the **Expire Override Switch** option type of the **C1_EXP_OVRD** feature configuration to **Y**, the system will automatically expire an agreed pricing when the agreed pricing of a customer or an account without end date is overridden. In case you do not want an agreed pricing to automatically expire when it is overridden, you must set the **Expire Override Switch** option type of the **C1_EXP_OVRD** feature configuration to **N**.

The **Override Product Pricing** screen allows you to override effective pricing for a product that is assigned to a customer or an account either directly or through a price list. You can also edit the price assignment characteristics, if required.

You can access the **Override Product Pricing** screen through the following screens:

- *Pricing (Account)* on page 83
- *Pricing (Customer)* on page 92

This screen contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Displays the product code whose pricing you want to override.	Not applicable
Product Description	Displays the description of the product.	Not applicable
Rate Schedule	Used to specify the rate schedule that you want to use while defining product pricing. **Note:** Rate schedules control how the bills for the product will be calculated. The **Search** () icon appears corresponding to this field. On clicking the **Search** icon, the **Search Rate Schedule** screen appears.	Yes
Price Assignment Type	Used to modify the price assignment type. The valid values are: • Regular • Post Processing	Yes
Effective Start Date	Used to modify the date from when the product pricing is effective. **Note:** The effective start date cannot be later than the effective end date.	Yes
Effective End Date	Used to modify the date till when the product pricing is effective. **Note:** The effective end date cannot be earlier than the effective start date.	No
Variance Parameter	Used to specify the variance based on which you want to define the product pricing. **Note:** This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Product Parameters	Used to specify multiple parameters based on which you want to define the product pricing. **Note:** This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. The **Search** () icon appears corresponding to this field. On clicking the **Search** icon, the **Product Parameters** screen appears.	Yes (Conditional) **Note:** This field is required if the parameters are mandatory while defining product pricing.
Pricing Currency	Used to modify the currency in which the pricing is defined.	Yes
Print Zero	Used to indicate whether zero pricing should be displayed in the bill. The valid values are: • Yes • No	Yes
Pricing Status	Used to indicate whether the product pricing is used for billing or quotations. The valid values are: • **Active** — Indicates that the product pricing is used for billing. • **Proposed** — Indicates that the product pricing is used for quotations.	Yes
Ignore Transaction	Used to indicate whether the transactions mapped to the product should be considered for billing. The valid values are: • **Yes** • **No**	Yes
Aggregate Transaction	Used to indicate whether the transactions mapped to the product should be aggregated for billing. The valid values are: • **Yes** • **No** **Note:** This field is disabled when you select **Yes** from the **Ignore Transaction** list.	Yes
Aggregation Schedule	Used to indicate the aggregation cycle. **Note:** This field is disabled when you select **Yes** from the **Ignore Transaction** list.	Yes (Conditional) **Note:** This field is required when you want to aggregate transactions for billing.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Apply To	Used to indicate whether you want the product pricing to be applied to all customers or only to the new customers. **Note:** This field appears in this screen only when you access this screen through the **Manage Product Assignments to Price Lists** screen.	Yes

When you select the rate schedule, a zone appears at the bottom of this screen. This zone is divided into two sections. The section on the left hand side contains rate components of the rate schedule. Depending on the maximum tiering combinations specified during tiering setup of the rate component, the number of rows are displayed in this section for each rate component. For example, if you have specified the maximum tiering combinations as 3 for a rate component, three rows are displayed in this section for that rate component . The section on the right hand side contains the tiering ranges per component. You can add more than one tiering criterion for each tiering range by clicking the **Plus** ( ) icon, or delete the tiering criterion from a tiering range by clicking the **Minus** () icon corresponding to it. Tiering is not applicable when pricing is flat (or non-tiered).

This zone contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Sequence Number	Displays the sequence number of the rate component.	Not applicable
Tiering Type	Displays the tiering type of the rate component.	Not applicable
Rate Schedule Description	Displays the description of the tiering setup of the rate component.	Not applicable
Rate	Used to modify the price for the product. The value can be positive or negative. Decimals are allowed. This value is fed into the rate schedule for billing calculations. **Note:** The system provides you with the facility to specify the rate value with a precision of up to 18 places before decimal and 18 places after decimal. This gives you the flexibility to specify very large and very low values for the rates.	Yes
Tiering Criterion	Used to modify the tiering criterion. **Note:** This field does not appear when you are defining flat pricing for a product.	Yes
Product	Used to indicate whether the product or bundle's total usage should be considered for determining the rate. By default, the product code for which you are defining the pricing appears in this field. You can specify any other product or bundle code, if required. **Note:** This field does not appear when you are defining flat pricing for a product.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Variance Parameter	Used to specify the variance based on which product or bundle's total usage should be considered for determining the rate. By default, the variance based on which you are defining the pricing appears in this field. You can specify any other variance, if required. **Note:** This field does not appear when you are defining flat pricing for a product. This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.	No
Product Parameters	Used to specify the parameters based on which product or bundle's total usage should be considered for determining the rate. By default, the parameters based on which you are defining the pricing appear in this field. You can specify any other parameters (where the **Pricing** flag is set to **Yes**), if required. However, note that you can only select parameters associated with the product or bundle which is used for defining the tiering criteria. **Note:** This field does not appear when you are defining flat pricing for a product. This field appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. The **Search** ( ) icon appears corresponding to this field. On clicking the **Search** icon, the **Product Parameters** screen appears.	No
From	Used to modify the lower limit of the tiering range. **Note:** The system provides you with the facility to specify the lower limit value with a precision of up to 18 places before decimal and 18 places after decimal. This gives you the flexibility to specify very large and very low values in the tiering range. This field does not appear when you are defining flat pricing for a product.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
To	Used to modify the upper limit of the tiering range. **Note:** The system provides you with the facility to specify the upper limit value with a precision of up to 18 places before decimal and 18 places after decimal. This gives you the flexibility to specify very large and very low values in the tiering range. When you define single tier with the maximum value as blank (for example, 0 to BLANK), the system will automatically replace the blank space with 999999999999999999.99. This field does not appear when you are defining flat pricing for a product.	Yes

This zone contains the following buttons:

Button Name	Button Description
Save	Used to save the changes made in this screen.
Cancel	Used to return to the screen from where this screen was called without saving the changes.
Edit Characteristics	Used to edit the price assignment characteristics and their values. **Note:** On clicking the **Edit Characteristics** button, the **Price Assignment Characteristics** screen appears.

Related Topics

For more information on...	See...
How to override product pricing	*Overriding Product Pricing* on page 177
How to edit the price assignment characteristics and their values	*Editing the Price Assignment Characteristics* on page 180
Product Parameters screen	*Product Parameters* on page 192
How to set the **C1_EXP_OVRD** feature configuration	*Setting the C1_EXP_OVRD Feature Configuration* on page 587

Overriding Product Pricing

Prerequisites

To override a product pricing, you should have:

- Rate schedules, rate versions, rate components defined in the application
- Tiering criteria defined in the application
- Tiering setup for the rate components defined in the application
- Parameters associated with the product (in case you want to override product pricing based on multiple parameters)

Procedure

To override a product pricing:

Copyright © 2014, Oracle. All rights reserved.

1. Do either of the following:

If you want to	Then
Override product pricing assigned to the customer either directly or through the customer hierarchy or price list	1. Access the **Pricing (Customer)** screen. 2. In the **Effective Price Assignment** zone, click the **Override** ( ) icon in the **Override** column corresponding to the product pricing that you want to override.
Override product pricing assigned to the account either directly or through the customer hierarchy or price list	1. Access the **Pricing (Account)** screen. 2. In the **Effective Price Assignment** zone, click the **Override** ( ) icon in the **Override** column corresponding to the product pricing that you want to override.

   The **Override Product Pricing** screen appears.

2. Modify the required pricing details.

   Note: If you change the effective start and end dates while editing a product pricing, you need to specify the parameters which are effective during that date range.

3. Edit the price assignment characteristics, if required.

4. Click **Save**.

   The product pricing is overridden.

Related Topics

For more information on...	See...
Override Product Pricing screen	*Override Product Pricing* on page 172
How to edit the characteristics of the price assignment	*Editing the Price Assignment Characteristics* on page 180
How to set product parameters while overriding product pricing	*Setting Product Parameters* on page 193
How to search for a rate schedule	*Searching for a Rate Schedule* on page 567

Price Assignment Characteristics

The **Price Assignment Characteristics** screen allows you to define characteristics for the price assignment. This screen contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Effective Date	Used to specify the date from when the characteristic is effective for the price assignment.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the price assignment.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Characteristic Type	Used to indicate the characteristic type.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the price assignment.
Characteristic Value	Used to specify the value for the characteristic type. **Note:** On specifying the value for a predefined characteristic type, the description of the characteristic value appears corresponding to the **Characteristic Value** field.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the price assignment.

This screen contains the following buttons:

Button Name	Button Description
Save	Used to save the price assignment characteristics and their values.
Cancel	Used to exit from this screen.

Related Topics

For more information on...	See...
How to define characteristics for the price assignment	*Defining Characteristics for the Price Assignment* on page 179
How to edit the characteristics of the price assignment	*Editing the Price Assignment Characteristics* on page 180

Defining Characteristics for the Price Assignment

Prerequisites

To define characteristics for a price assignment, you should have:

- Characteristic types defined in the application (where the characteristic entity is set to Price List Assignment)

Procedure

To define characteristics for the price assignment:

1. Do either of the following:

If you are	Then
Defining a product pricing	Click the **Add Characteristics** button.
Overriding or editing a product pricing	Click the **Edit Characteristics** button.

   The **Price Assignment Characteristics** screen appears.

2. Select the characteristic type from the list.
3. Enter the date from when you want the characteristic to be effective for the price assignment.
4. Enter the value for the characteristic type.

   Note: If you select a predefined characteristic type, the **Search** ( ) icon appears corresponding to the **Characteristic Value** field. On clicking the **Search** icon, you can search for a predefined characteristic value.

Copyright © 2014, Oracle. All rights reserved.

5. If you want to define more than one characteristic for the price assignment, click the **Plus** (+) icon and then *r*epeat steps from 2 to 4.

   Note: However, if you want to remove a characteristic from the price assignment, click the **Minus** (−) icon corresponding to the characteristic.

6. Click **Save**.

   The characteristics are defined for the price assignment.

Related Topics

For more information on...	See...
How to define product pricing	*Defining Product Pricing* on page 165
How to edit product pricing	*Editing Assigned Pricing* on page 171
How to override product pricing	*Overriding Product Pricing* on page 177
How to search for a predefined characteristic value	*Searching for a Predefined Characteristic Value* on page 564

Editing the Price Assignment Characteristics

Prerequisites

To edit the price assignment characteristics, you should have:

- Characteristic types defined in the application (where the characteristic entity is set to Price List Assignment)

Procedure

To edit the price assignment characteristics:

1. Click the **Edit Characteristics** button in the **Edit Assigned Pricing** or **Override Product Pricing** screen *d*epending on whether you are editing or overriding a product pricing.

   The **Price Assignment Characteristics** screen appears.

2. Modify the required price assignment characteristic details, such as effective date and value.
3. Define or remove characteristics from the price assignment, if required.
4. Click **Save**.

   The changes made to the price assignment characteristics are saved.

Related Topics

For more information on...	See...
How to edit product pricing	*Editing Assigned Pricing* on page 171
How to override product pricing	*Overriding Product Pricing* on page 177
How to define characteristics for the price assignment	*Defining Characteristics for the Price Assignment* on page 179

Copyright © 2014, Oracle. All rights reserved.

Variance Parameter

Oracle Revenue Management and Billing allows you to define pricing for a product based on the variance parameter. This helps you to maintain variance based pricing for a product. For example, you can define different product pricing for each country or currency, if required. Before you define product pricing based on a variance parameter, you need to define the variance parameter. The **Variance Parameter** screen allows you to define, edit, and delete a variance parameter. It also allows you to filter the variance parameters using a search criteria.

Filtering the Variance Parameters

Procedure

To filter the variance parameters:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **V** and then click **Variance Parameter**.

   The **Variance Parameter** screen appears. It contains the following two sections:

   - **Search Criteria**— The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Variance Parameter	Used to specify the variance parameter.	No

   - **Search Results** — On clicking the **Search** ( )icon corresponding to the **Variance Parameter** field, the search results are filtered based on the specified criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Variance Parameter	Displays the variance parameter.
Description	Displays the description of the variance parameter.

4. Enter the search criteria in the **Variance Parameter** field.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click the **Search**( ) icon corresponding to the **Variance Parameter** field.

   The search results are filtered based on the specified criteria.

Related Topics

For more information on...	See...
Variance Parameter screen	*Variance Parameter* on page 181

Copyright © 2014, Oracle. All rights reserved.

Defining a Variance Parameter

Procedure

To define a variance parameter:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **V** and then click **Variance Parameter**.

   The **Variance Parameter** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Variance Parameter	Used to specify the variance parameter.	Yes
Description	Used to specify the description for the variance parameter.	Yes

4. Enter the required details.

5. If you want to define more than one variance parameter, click the **Plus** ( ) icon and then repeat step 4.

   Note: However, if you want to remove a variance parameter, click the **Minus** ( ) icon corresponding to the variance parameter that you want to delete.

6. Click **Save**.

   The variance parameter is defined.

Related Topics

For more information on...	See...
Variance Parameter screen	*Variance Parameter* on page 181

Editing a Variance Parameter

Procedure

To edit a variance parameter:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **V** and then click **Variance Parameter**.

   The **Variance Parameter** screen appears.

4. If required, you can filter the variance parameters in the **Variance Parameter** screen.

   A list of variance parameters that meet the search criteria appears in the **Search Results** section. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Variance Parameter	Displays the variance parameter.	Not applicable

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Description	Used to specify the description for the variance parameter.	Yes

5. Modify the required details.
6. Click **Save**.

   The changes made to the variance parameter are saved.

Related Topics

For more information on...	See...
Variance Parameter screen	*Variance Parameter* on page 181
How to filter the variance parameters	*Filtering the Variance Parameters* on page 181

Deleting a Variance Parameter

Procedure

To delete a variance parameter:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **V** and then click **Variance Parameter**.

   The **Variance Parameter** screen appears.
4. If required, you can filter the variance parameters in the **Variance Parameter** screen.

   A list of variance parameters that meet the search criteria appears in the **Search Results** section.
5. Click the **Minus** ( ) icon corresponding to the variance parameter that you want to delete.
6. Click **Save**.

   The variance parameter is deleted.

   Note: You can only delete a variance parameter which is not yet used.

Related Topics

For more information on...	See...
Variance Parameter screen	*Variance Parameter* on page 181
How to filter the variance parameters	*Filtering the Variance Parameters* on page 181

Parameter

The price for a product or service may differ depending upon various transaction, customer or account attributes. Oracle Revenue Management and Billing provides a facility to define pricing for a product based on multiple parameters.

Copyright © 2014, Oracle. All rights reserved.

The **Parameter** screen allows you to define, edit, delete and copy a parameter. This screen consists of the following zones:

- *Search* on page 184

Search

The **Search** zone allows you to search for parameters that are already defined in the system. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Used to specify the parameter name.	No
Description	Used to specify the description of the parameter.	No
Value Type	Used to indicate the type of value that you can store in the parameter. The valid values are: • Adhoc • Predefined • Reference	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Code	Displays the parameter name.
Value Type	Indicates the type of value that you can store in the parameter. The valid values are: • Adhoc • Predefined • Reference
Description	Displays the description of the parameter.
View	On clicking the **View** ( ) icon, the **Parameter** screen appears where you can view the details of the parameter.
Edit	On clicking the **Edit** ( ) icon, the **Parameter** screen appears where you can edit the details of the parameter.
Delete	On clicking the **Delete** ( ) icon, you can delete the parameter. **Note:** You can delete a parameter only if it is not yet associated to any product.
Copy	On clicking the **Copy** ( ) icon, the **Parameter** screen appears where you can create a new parameter using an existing parameter.

You can create a new parameter by clicking the **Add** link in the upper right corner of this zone.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to search for a parameter	*Searching for a Parameter* on page 185
How to define a parameter	*Defining a Parameter* on page 185
How to edit a parameter	*Editing a Parameter* on page 187
How to delete a parameter	*Deleting a Parameter* on page 189
How to copy a parameter	*Copying a Parameter* on page 189
How to view the details of a parameter	*Viewing the Parameter Details* on page 191

Searching for a Parameter

Procedure

To search for a parameter:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **P** and then click **Parameter**.

   The **Parameter** screen appears.

4. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of parameters that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
Parameter screen	*Parameter* on page 183
Search zone	*Search* on page 184

Defining a Parameter

Prerequisites

To define a parameter, you should have:

- Validation algorithm defined using the C1_PPARM_VAL algorithm type
- Reference entities defined in the application

Procedure

To define a parameter:

1. Click the **Menu** link in the **Actions/Navigation** area.

Copyright © 2014, Oracle. All rights reserved.

A list appears.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **P** and then click **Parameter**.

   The **Parameter** screen appears.
4. Click the **Add** link in the upper right corner of the **Search** zone.

   The **Parameter** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Used to specify the parameter name. **Note:** You cannot specify any special character except underscore (_) in the parameter name.	Yes
Description	Used to specify the description for the parameter.	Yes
Value Type	Used to indicate the type of value that you want to store in the parameter. The valid values are: • Adhoc • Predefined • Reference	Yes
Validation Algorithm	Used to specify the algorithm that will be triggered when you save the parameter value. **Note:** This algorithm validates the parameter value. This field appears only when you select the **Adhoc** option from the **Value Type** list.	No
Reference Entity	Used to specify the base or custom entity against which the parameter value should be validated. **Note:** The list appears only when you set the **Reference Entity (C1_PPARM_REF)** feature configuration. This field appears only when you select the **Reference** option from the **Value Type** list.	Yes (Conditional) **Note:** This field is required when you select the **Reference** option from the **Value Type** list.

   In addition, this screen contains the following section:

   - **Parameter Values** — This section allows you to define predefined values for the parameter. If you want to define more than one predefined value for the parameter, click the **Plus** ( ) icon and then enter the value. However, if you want to remove a predefined value from the list, click the **Minus** ( ) icon corresponding to the parameter value.

   Note:

   The **Parameter Values** section appears only when you select the **Predefined** option from the **Value Type** list.

   You can specify any special characters except ampersand (&), comma (,), underscore (_), equal to (=), tilde (~), and semi-colon(;) in the predefined parameter value.
5. Enter the required details depending on whether you want to create a parameter with the adhoc, predefined, or *r*eference value type.

Copyright © 2014, Oracle. All rights reserved.

Note:

You can search for an algorithm by clicking the **Search** ( ) icon corresponding to the respective field.

At least one parameter value should be defined when you select the **Predefined** option from the **Value Type** list.

6. Click **Save**.

   The parameter is defined.

Related Topics

For more information on...	See...
Parameter screen	*Parameter* on page 183
Search zone	*Search* on page 184
How to search for an algorithm	*Searching for an Algorithm* on page 555
How to set the **Reference Entity (C1_PPARM_REF)** feature configuration	*Setting the Reference Entity (C1_PPARM_REF) Feature Configuration* on page 580

Editing a Parameter

Prerequisites

To edit a parameter, you should have:

- Validation algorithm defined using the C1_PPARM_VAL algorithm type
- Reference entities defined in the application

Procedure

To edit a parameter:

1. Search for the parameter in the **Parameter** screen.
2. In the **Search Results** section, click the **Edit** ( ) icon in the **Edit** column corresponding to the parameter whose details you want to edit.

   The **Parameter** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Displays the parameter name.	Not applicable
Description	Used to specify the description for the parameter.	Yes
Value Type	Indicates the type of value that you can store in the parameter. The valid values are: • Adhoc • Predefined • Reference	Not applicable

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Validation Algorithm	Used to specify the algorithm that will be triggered when you save the parameter value. **Note:** This algorithm validates the parameter value. This field appears only when you edit a parameter whose value type is set to **Adhoc**.	No
Reference Entity	Used to specify the base or custom entity against which the parameter value should be validated. **Note:** The list appears only when you set the **Reference Entity (C1_PPARM_REF)** feature configuration. This field appears only when you edit a parameter whose value type is set to **Reference**. You cannot edit this field if the parameter is already used for aggregating transactions or for defining product pricing.	Yes (Conditional) **Note:** This field is required for a parameter with the value type set to **Reference**.

In addition, this screen contains the following section:

- **Parameter Values** — This section allows you to define predefined values for the parameter. If you want to define more than one predefined value for the parameter, click the **Plus** ( ) icon and then enter the value. However, if you want to remove a predefined value from the list, click the **Minus** ( ) icon corresponding to the parameter value.

Note:

You cannot edit or remove a predefined value from the list if it is already used for aggregating transactions or for defining product pricing.

The **Parameter Values** section appears only when you edit a parameter whose value type is set to **Predefined**.

You can specify any special characters except ampersand (&), comma (,), underscore (_), equal to (=), tilde (~), and semi-colon(;) in the predefined parameter value.

3. Modify the required details.

Note:

You can search for an algorithm by clicking the **Search** ( ) icon corresponding to the respective field.

At least one parameter value should be defined when you edit a parameter whose value type is set to **Predefined**.

4. Click **Save**.

The changes made to the parameter are saved.

Related Topics

For more information on...	See...
How to search for a parameter	*Searching for a Parameter* on page 185
How to search for an algorithm	*Searching for an Algorithm* on page 555
How to set the **Reference Entity (C1_PPARM_REF)** feature configuration	*Setting the Reference Entity (C1_PPARM_REF) Feature Configuration* on page 580

Copyright © 2014, Oracle. All rights reserved.

Deleting a Parameter

Procedure

To delete a parameter:

1. Search for the parameter in the **Parameter** screen.
2. Click the **Delete** ( ) icon in the **Delete** column corresponding to the parameter that you want to delete.

   A message appears confirming whether you want to delete the parameter.

   Note: You can delete a parameter only if it is not yet associated to any product.
3. Click **OK**.

   The parameter is deleted.

Related Topics

For more information on...	See...
How to search for a parameter	*Searching for a Parameter* on page 185

Copying a Parameter

Instead of creating a parameter from scratch, you can create a new parameter using an existing parameter. This is possible through copying a parameter. When you copy a parameter, the predefined values, validation algorithm, and reference entity (depending upon the value type) are copied along with the parameter description. You can then edit the details, if required.

Note: You cannot change the type of value that you can store in the new parameter (which is created using an existing parameter).

Prerequisites

To copy a parameter, you should have:

- Validation algorithm defined using the C1_PPARM_VAL algorithm type
- Reference entities defined in the application

Procedure

To copy a parameter:

1. Search for the parameter in the **Parameter** screen.
2. In the **Search Results** section, click the **Copy** ( ) icon in the **Copy** column corresponding to the parameter whose copy you want to create.

   The **Parameter** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Used to specify the parameter name. **Note:** You cannot specify any special character except underscore (_) in the parameter name.	Yes
Description	Used to specify the description for the parameter.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Value Type	Indicates the type of value that you can store in the parameter. The valid values are: • Adhoc • Predefined • Reference	Not applicable
Validation Algorithm	Used to specify the algorithm that will be triggered when you save the parameter value. **Note:** This algorithm validates the parameter value. This field appears only when you copy a parameter whose value type is set to **Adhoc**.	No
Reference Entity	Used to specify the base or custom entity against which the parameter value should be validated. **Note:** The list appears only when you set the **Reference Entity (C1_PPARM_REF)** feature configuration. This field appears only when you copy a parameter whose value type is set to **Reference**.	Yes (Conditional) **Note:** This field is required for a parameter with the value type set to **Reference**.

In addition, this screen contains the following section:

- **Parameter Values** — This section allows you to define predefined values for the parameter. If you want to define more than one predefined value for the parameter, click the **Plus** (+) icon and then enter the value. However, if you want to remove a predefined value from the list, click the **Minus** (−) icon corresponding to the parameter value.

Note:

The **Parameter Values** section appears only when you copy a parameter whose value type is set to **Predefined**.

You can specify any special characters except ampersand (&), comma (,), underscore (_), equal to (=), tilde (~), and semi-colon(;) in the predefined parameter value.

3. Enter the required details depending on whether you are creating a parameter with the adhoc, predefined, or *r*eference value type.

   Note:

   You can search for an algorithm by clicking the **Search** (🔍) icon corresponding to the respective field.

   At least one parameter value should be defined when you copy a parameter with the value type set to **Predefined**.

4. Click **Save**.

   The parameter is defined.

Related Topics

For more information on...	See...
How to search for a parameter	*Searching for a Parameter* on page 185
How to search for an algorithm	*Searching for an Algorithm* on page 555

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to set the **Reference Entity (C1_PPARM_REF)** feature configuration	*Setting the Reference Entity (C1_PPARM_REF) Feature Configuration* on page 580

Viewing the Parameter Details

Procedure

To view the details of a parameter:

1. Search for the parameter in the **Parameter** screen.
2. In the **Search Results** section, click the **View** ( ) icon in the **View** column corresponding to the parameter whose details you want to view.

   The **Parameter** screen appears. It contains the following fields:

Field Name	Field Description
Code	Displays the parameter name.
Description	Displays the description of the parameter.
Value Type	Indicates the type of value that you can store in the parameter. The valid values are: • Adhoc • Predefined • Reference
Validation Algorithm	Indicates the algorithm that will be triggered when you save the parameter value. **Note:** This algorithm validates the parameter value. This field appears only when you view the details of a parameter whose value type is set to **Adhoc**.
Reference Entity	Indicates the base or custom entity against which the parameter value should be validated. **Note:** This field appears only when you view the details of a parameter whose value type is set to **Reference**.

   In addition, this screen contains the following section:

   - **Parameter Values** — This section allows you to view the predefined values of the parameter. It appears only when you view the details of a parameter whose value type is set to **Predefined**.
3. View the details of the parameter in the **Parameter** screen.

Related Topics

For more information on...	See...
How to search for a parameter	*Searching for a Parameter* on page 185

Copyright © 2014, Oracle. All rights reserved.

Product Parameters

The **Product Parameters** screen allows you to define values for the parameters based on which you want to define product pricing. This screen contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Displays the product code.	Not applicable
Product Description	Displays the description of the product.	Not applicable
Parameter	Displays the description of the parameter which is associated with the product. **Note:** The list includes only those parameters which are: • Used for aggregating transactions and for defining product pricing • Effective in the period in which the product pricing is defined If a business label is defined for the parameter, the business label appears in this field.	Not applicable
Mandatory	Indicates whether the parameter is mandatory while defining product pricing. The valid values are: • Yes • No	Not applicable
Priority	Indicates the priority in which optional parameters should be considered while determining best fit price for the product. **Note:** The priority for all parameters which are mandatory is set to 0.	Not applicable
Value	Used to specify the value for the parameter.	Yes (Conditional) **Note:** If the parameter is mandatory, you must specify the parameter value.

Related Topics

For more information on...	See...
How to set product parameters while defining, editing or overriding product pricing	*Setting Product Parameters* on page 193
Add Product Pricing screen	*Add Product Pricing* on page 159
Edit Assigned Pricing screen	*Edit Assigned Pricing* on page 167
Override Product Pricing screen	*Override Product Pricing* on page 172

Copyright © 2014, Oracle. All rights reserved.

Setting Product Parameters

Prerequisites

To set product parameters, you should have:

- Parameters (with the **Pricing** field set to **Yes**) associated with the product

Procedure

To set product parameters:

1. Click the **Search** ( ) icon corresponding to the **Product Parameters** field.

   The **Product Parameters** screen appears.

2. Enter the value for the parameters based on which you want to define product pricing.

   Note:

   If the parameter value type is **Predefined**, the **Search** ( ) icon appears corresponding to the **Value** field. On clicking the **Search** icon, you can search for a predefined parameter value.

   You can specify any special characters except ampersand (&), comma (,), underscore (_), equal to (=), tilde (~), and semi-colon(;) in the parameter value.

3. Click **OK**.

   A comma-separated list of values appear in the **Product Parameters** field. The order in which parameter values appear in the product parameter information string is controlled by the display order (which is defined while associating a parameter with a product).

   Note: The value of parameters whose value type is **Adhoc** is validated using the **Validation** algorithm attached to the respective parameter.

Related Topics

For more information on...	See...
How to search for a predefined parameter value	*Searching for a Predefined Parameter Value* on page 565
How to define product pricing	*Defining Product Pricing* on page 165
How to edit assigned pricing	*Editing Assigned Pricing* on page 171
How to override product pricing	*Overriding Product Pricing* on page 177
How to add a product to a bundle	*Adding a Product to a Bundle* on page 145

Copyright © 2014, Oracle. All rights reserved.

Copyright © 2014, Oracle. All rights reserved.

Chapter 4

Division

Topics:

- *Division Search*
- *Division*

The following two types of divisions are used while defining a contract type:

- **General Ledger (GL) Division** — GL divisions typically comprise of individual entities (for example, companies) in the general ledger. You must set up a GL division for each such entity. The GL division is used to define the accounting period for financial transactions linked to contracts. Contracts are associated with GL divisions through their contract type. The system uses accounting periods to prevent a user from creating financial transactions in the closed periods. It also uses accounting periods when it generates the flat file that contains the consolidated journal entry that is interfaced to the general ledger.
- **Division** — A division is associated with a jurisdiction. A jurisdiction is a geographic-oriented entity with unique business rules. For example, if you conduct business in California and Japan, each jurisdiction has different set of rules, and therefore you need to have a separate jurisdiction for each division. You must set up a division for each jurisdiction in which you conduct the business. For the Pricing Management functionality, setting up a division is mandatory, and the system must contain information about at least one division.

A division is associated with the following:

- **Person** — You may or may not associate person to a division. It is optional. But, when you are using division specific functionality, you have to associate person to a division while creating a local person or customer.
- **Contract** — Contract is associated to a division through its contract type. The contract type controls multiple business rules which are defined for a given jurisdiction and contract type combination. In addition to controlling the business rules defined on the contract's contract type, the contract's division also controls the type of collection criteria used to determine if and how to collect overdue debt.
- **Account** — The division on account when combined with the account's customer class defines the jurisdiction that governs financial business rules (for example, the bill's due date, when and how late payment charges are calculated, etc.). It also allows you to assign To Do entries associated with the account to a given To Do role based on the account's division.

Division Search

The **Division Search** window allows you to search for a division. This screen contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to specify the division code.	No
Description	Used to specify the description of the division.	No

- **Search Results** — On clicking the **Search** ( ) icon corresponding to the respective field, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Division	Displays the division code.
Description	Displays the description of the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196

Searching for a Division

Procedure

To search for a division:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **D** and then click **Division**.

   The **Division Search** window appears.

4. Enter the code or description of the division in the **Search Criteria** section.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click the **Search** ( ) icon corresponding to the respective field.

   A list of divisions that meet the search criteria appears in the search results.

6. In the **Search Results** section, click the division whose details you want to view or edit.

   The **Division** screen appears.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Division screen	*Division* on page 197

Division

The **Division** screen allows you to define and edit a division. This screen consists of the following tabs:

Tab Name	Tab Description	Mandatory (Yes or No)
Main	Used to define basic details for a division.	Yes
Access Groups	Used to define the users who have right to associate objects (such as persons, accounts, products, price lists, etc.) with this division. The users can only view those divisions to which they have access in the **Division** list used across the application.	No
Products	Used to define which products are available to persons or accounts in this division. **Note:** Once the product is created, you need to associate it with a division.	No
Price Lists	Used to define which price lists are available to persons or accounts in this division. **Note:** Once the price list is created, you need to associate it with a division. You can associate a price list with a division only when all products in the price list are already associated with the division.	No
Languages	Used to limit the languages that you can select for a person's bills and correspondence in this division.	No
Invoice Currencies	Used to limit the invoice currencies that you can select for accounts in this division. **Note:** Invoice currency is a currency in which the accounts in this division can be billed.	No
Customer Identifier Types	Used to limit the customer identifier types that you can select for persons or customers in this division.	No

Copyright © 2014, Oracle. All rights reserved.

Tab Name	Tab Description	Mandatory (Yes or No)
Algorithms	Used to associate algorithms with the division. Once a division is created, you must associate the **Price Assignment Search** algorithm to it. For the Banking functionality, this is required to ensure that the product pricing is displayed in the correct order as defined by the algorithm. Each division can have unique hierarchy order or more than one division can have the same hierarchy order. The hierarchy order is also used in billing when the price determination is controlled by the sort order definition of the algorithm. You can define algorithms in the **Algorithm** screen. The search order is governed by the second parameter of the algorithm, and the valid values for the same are: • **AGREED_PRICELIST** – If you use this search order, the product pricing is searched in the following order: Account Agreed, Account Price List, Account Inherited Price List, Customer Agreed, Customer Price List, Customer Inherited Price List, Parent Customer Agreed, Parent Customer Price List, and Parent Customer Inherited Price List. **Note:** In this search order, the account agreed level has highest precedence and parent customer inherited price list level has lowest precedence. • **AGREED_FIRST** - If you use this search order, the product pricing is searched in the following order: Account Agreed, Customer Agreed, Parent Customer Agreed, Account Price List, Account Inherited Price List, Customer Price List, Customer Inherited Price List, Parent Customer Price List, and Parent Customer Inherited Price List. **Note:** In this search order, the account agreed level has highest precedence and parent customer inherited price list level has lowest precedence.	No
Characteristics	Used to define characteristics for the division.	No
Bill Messages	Used to specify the bill messages that are valid for accounts in this division.	No
Party Char Types	Used to limit the characteristic types that you can select for persons and accounts in this division.	No
Bill Cycles	Used to limit the bill cycles that you can select for accounts in this division.	No
Account Identifier Types	Used to limit the account identifier types that you can select for accounts in this division.	No

Copyright © 2014, Oracle. All rights reserved.

Tab Name	Tab Description	Mandatory (Yes or No)
Product Characteristics	Used to define division-specific characteristics for products associated with this division.	No

Related Topics

For more information on...	See...
How to define a division	*Defining a Division* on page 199
How to associate access groups with a division	*Associating Access Groups with a Division* on page 202
How to associate products with a division	*Associating Products with a Division* on page 203
How to associate price lists with a division	*Associating Price Lists with a Division* on page 204
How to associate languages with a division	*Associating Languages with a Division* on page 204
How to associate invoice currencies with a division	*Associating Invoice Currencies with a Division* on page 205
How to associate customer identifier types with a division	*Associating Customer Identifier Types with a Division* on page 206
How to associate algorithms with a division	*Associating Algorithms with a Division* on page 206
How to define characteristics for a division	*Defining Characteristics for a Division* on page 208
How to associate bill messages with a division	*Associating Bill Messages with a Division* on page 209
How to associate party characteristic types with a division	*Associating Party Char Types with a Division* on page 210
How to associate bill cycles with a division	*Associating Bill Cycles with a Division* on page 211
How to associate account identifier types with a division	*Associating Account Identifier Types with a Division* on page 211
How to define division-specific characteristics for a product	*Defining Division-Specific Characteristics for a Product* on page 212

Defining a Division

Prerequisites

To define a division, you should have:

- Work calendars, bill formats, bill route types, time zones, currencies, business objects, To Do types, and To Do roles defined in the application

Procedure

To define a division:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **D** and then click the **Add** ( ) icon corresponding to the **Division** menu option.

   The **Division** screen appears. It contains the following tabs:

   - Main

Copyright © 2014, Oracle. All rights reserved.

- Access Groups
- Products
- Price Lists
- Languages
- Invoice Currencies
- Customer Identifier Types
- Algorithms
- Characteristics
- Bill Messages
- Party Char Types
- Bill Cycles
- Account Identifier Types
- Product Characteristics

The **Main** tab contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to specify the code that uniquely identifies the division.	Yes
Description	Used to specify the description for the division.	Yes
Work Calendar	Used to indicate the days on which this division operates. This calendar is used to ensure that the system calculated dates (for example, bill due date, credit and collection event dates, etc.) fall on a working day.	Yes
Status	Used to indicate the status of the division. You can use either of the following values: • **Active** Indicates that the division can be used in the system • **Pending** Indicates that the division is still being defined • **Retired** Indicates that the division is no longer available for use	Yes
Bill Format	Used to specify the default bill format for accounts in this division.	No
Bill Route Type	Used to specify the default bill route type for accounts in this division.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Base Currency Code	Used when accounts in this division can be billed in a currency that is different from the currency required by the GL. The system generates GL entries in the currency defined for an account. If you specify the value in this field, the system will convert the GL amounts maintained in the accounts currency into this currency. The financial transactions in both the currencies will be maintained in the system.	No
Time Zone	Used to indicate the time zone in which this division operates.	No
Comments	Used to specify additional details about the division.	No
Business Object	Used to specify a business object that may govern additional rules related to this division.	Yes
To Do Type	Used when you want the To Do entries (associated with accounts in this division) of a given To Do type must be assigned to the users with a given To Do role.	No
To Do Role	Used when you want the To Do entries (associated with accounts in this division) of a given To Do type must be assigned to the users with a given To Do role.	No

4. Enter the required details.

   Note: You can search for a To Do type and To Do role by clicking the **Search** ( ) icon corresponding to the respective field.

5. If you want to add more than one To Do type and To Do role combination for a division, click the **Plus** ( ) *i*con and then enter the To Do type and To Do role.

   Note: However, if you want to remove a To Do type and To Do role combination from the division, click the **Minus** ( ) icon corresponding to the combination.

6. Associate access groups, products, price lists, languages, invoice currencies, customer identifier types, *a*lgorithms, bill messages, party characteristic types, bill cycles, and account identifier types with the division, if *r*equired.
7. Define characteristics for the division, if required.
8. Define division-specific characteristics for the products, if required.
9. Click the **Save** link in the **Actions/Navigation** area.

   The division is defined.

Related Topics

For more information on...	See...
How to associate access groups with a division	*Associating Access Groups with a Division* on page 202
How to associate products with a division	*Associating Products with a Division* on page 203
How to associate price lists with a division	*Associating Price Lists with a Division* on page 204

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to associate languages with a division	*Associating Languages with a Division* on page 204
How to associate invoice currencies with a division	*Associating Invoice Currencies with a Division* on page 205
How to associate customer identifier types with a division	*Associating Customer Identifier Types with a Division* on page 206
How to associate algorithms with a division	*Associating Algorithms with a Division* on page 206
How to define characteristics for a division	*Defining Characteristics for a Division* on page 208
How to associate bill messages with a division	*Associating Bill Messages with a Division* on page 209
How to associate party characteristic types with a division	*Associating Party Char Types with a Division* on page 210
How to associate bill cycles with a division	*Associating Bill Cycles with a Division* on page 211
How to associate account identifier types with a division	*Associating Account Identifier Types with a Division* on page 211
How to define division-specific characteristics for a product	*Defining Division-Specific Characteristics for a Product* on page 212

Associating Access Groups with a Division

Prerequisites

To associate access groups with a division, you should have:

- Access groups defined in the application

Procedure

To associate access groups with a division:

1. Search for the division to which you want to associate access groups.
2. Click the **Access Groups** tab in the **Division** screen..

   The **Access Groups** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Access Group	Used to specify the access group code.	No
Description	Displays the description of the access group. **Note:** The description appears automatically when you specify the access group.	Not applicable

3. Enter the access group code.

   Note: You can search for an access group by clicking the **Search** ( ) icon corresponding to the field.
4. If you want to associate more than one access group with the division, click the **Plus** ( ) icon and then repeat step 3.

   Note: However, if you want to remove an access group from the division, click the **Minus** ( ) icon corresponding to the access group.

Copyright © 2014, Oracle. All rights reserved.

5. Click the **Save** link in the **Actions/Navigation** area.

   The access groups are associated with the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199
How to search for an access group	*Searching for an Access Group* on page 555

Associating Products with a Division

Prerequisites

To associate products with a division, you should have:

- Products created in the application

Procedure

To associate products with a division:

1. Search for the division to which you want to associate products.
2. Click the **Products** tab in the **Division** screen.

   The **Products** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to specify the product code.	No
Description	Displays the description of the product. **Note:** The description appears automatically when you specify the product code.	Not applicable

3. Enter the product code.

   Note: You can search for a product by clicking the **Search** ( ) icon corresponding to the field.

4. If you want to associate more than one product with the division, click the **Plus** ( ) icon and then repeat step 3.

   Note: However, if you want to remove a product from the division, click the **Minus** ( ) icon corresponding to the product.

5. Click the **Save** link in the **Actions/Navigation** area.

   The products are associated with the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199

Copyright © 2014, Oracle. All rights reserved.

Associating Price Lists with a Division

Prerequisites

To associate price lists with a division, you should have:

- Price lists created in the application

Procedure

To associate price lists with a division:

1. Search for the division to which you want to associate price lists.
2. Click the **Price Lists** tab in the **Division** screen.

   The **Price Lists** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Price List ID	Used to specify the price list ID.	No
Description	Displays the description of the price list. **Note:** The description appears automatically when you specify the price list ID.	Not applicable

3. Enter the price list ID.

   Note: You can search for a price list by clicking the **Search** ( ) icon corresponding to the field.

4. If you want to associate more than one price list with the division, click the **Plus** ( ) icon and then repeat step *3*.

   Note: However, if you want to remove a price list from the division, click the **Minus** ( ) icon corresponding to the price list.

5. Click the **Save** link in the **Actions/Navigation** area.

   The price lists are associated with the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199
How to search for a price list	*Searching for a Price List* on page 565

Associating Languages with a Division

Prerequisites

To associate languages with a division, you should have:

- Languages defined in the application

Procedure

Copyright © 2014, Oracle. All rights reserved.

To associate languages with a division:

1. Search for the division to which you want to associate languages.
2. Click the **Languages** tab in the **Division** screen.

   The **Languages** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Language	Used to specify the language.	No

3. Select the language from the list.
4. If you want to associate more than one language with the division, click the **Plus** (+) icon and then repeat step *3*.

   Note: However, if you want to remove a language from the division, click the **Minus** (−) icon corresponding to the language.
5. Click the **Save** link in the **Actions/Navigation** area.

   The languages are associated with the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199

Associating Invoice Currencies with a Division

Prerequisites

To associate invoice currencies with a division, you should have:

- Currencies defined in the application

Procedure

To associate invoice currencies with a division:

1. Search for the division to which you want to associate invoice currencies.
2. Click the **Invoice Currencies** tab in the **Division** screen.

   The **Invoice Currencies** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Currency	Used to specify the currency.	No

3. Select the currency from the list.
4. If you want to associate more than one invoice currency with the division, click the **Plus** (+) icon and then *r*epeat step 3.

   Note: However, if you want to remove an invoice currency from the division, click the **Minus** (−) icon corresponding to the invoice currency.
5. Click the **Save** link in the **Actions/Navigation** area.

Copyright © 2014, Oracle. All rights reserved.

The invoice currencies are associated with the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199

Associating Customer Identifier Types with a Division

Prerequisites

To associate customer identifier types with a division, you should have:

- Customer identifier types defined in the application

Procedure

To associate customer identifier types with a division:

1. Search for the division to which you want to associate customer identifier types.
2. Click the **Customer Identifier Types** tab in the **Division** screen.

   The **Customer Identifier Types** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Customer Identifier Type	Used to specify the customer identifier type.	No

3. Select the customer identifier type from the list.
4. If you want to associate more than one customer identifier type with the division, click the **Plus** ( ) icon and then repeat step 3.

   Note: However, if you want to remove a customer identifier type from the division, click the **Minus** () icon corresponding to the customer identifier type.
5. Click the **Save** link in the **Actions/Navigation** area.

   The customer identifier types are associated with the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199

Associating Algorithms with a Division

Prerequisites

To associate algorithms with a division, you should have:

Copyright © 2014, Oracle. All rights reserved.

- Algorithms defined in the application

Procedure

To associate algorithms with a division:

1. Search for the division to which you want to associate algorithms.
2. Click the **Algorithms** tab in the **Division** screen.

   The **Algorithms** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division Alg Entity	Used to specify the algorithm entity to which the algorithm is associated.	Yes (Conditional) **Note:** This field is required when you are associating an algorithm with the division.
Sequence Number	Used to specify the order in which the algorithms for each entity should be executed.	Yes (Conditional) **Note:** This field is required when you are associating an algorithm with the division.
Algorithm	Used to specify the algorithm code.	Yes (Conditional) **Note:** This field is required when you are associating an algorithm with the division.
Description	Displays the description of the algorithm. **Note:** The description appears automatically when you specify the algorithm code.	Not applicable

3. Enter the required details.

   Note: You can search for an algorithm by clicking the **Search** ( ) icon corresponding to the field.

4. If you want to associate more than one algorithm with the division, click the **Plus** ( ) icon and then repeat step *3*.

   Note: However, if you want to remove an algorithm from the division, click the **Minus** ( ) icon corresponding to the algorithm.

5. Click the **Save** link in the **Actions/Navigation** area.

   The algorithms are associated with the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199
How to search for an algorithm	*Searching for an Algorithm* on page 555

Copyright © 2014, Oracle. All rights reserved.

Defining Characteristics for a Division

Prerequisites

To define characteristics for a division, you should have:

- Characteristic types defined in the application (where the characteristic entity is set to Division)

Procedure

To define characteristics for a division:

1. Search for the division for which you want to define characteristics.
2. Click the **Characteristics** tab in the **Division** screen.

   The **Characteristics** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Effective Date	Used to specify the date from when the characteristic is effective for the division.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the division.
Characteristic Type	Used to indicate the characteristic type.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the division.
Characteristic Value	Used to specify the value for the characteristic type. **Note:** On specifying the value for a predefined characteristic type, the description of the characteristic value appears corresponding to the **Characteristic Value** field.	Yes (Conditional) **Note:** This field is required when you are defining a characteristic for the division.

3. Enter the required details.

   Note: If you select a predefined characteristic type, the **Search** ( ) icon appears corresponding to the **Characteristic Value** field. On clicking the **Search** icon, you can search for a predefined characteristic value.

4. If you want to define more than one characteristic for the division, click the **Plus** ( ) icon and then repeat step *3*.

   Note: However, if you want to remove a characteristic from the division, click the **Minus** ( ) icon corresponding to the characteristic.

5. Click the **Save** link in the **Actions/Navigation** area.

   The characteristics are defined for the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to search for a predefined characteristic value	*Searching for a Predefined Characteristic Value* on page 564

Associating Bill Messages with a Division

Prerequisites

To associate bill messages with a division, you should have:

- Bill messages defined in the application

Procedure

To associate bill messages with a division:

1. Search for the division to which you want to associate bill messages.
2. Click the **Bill Messages** tab in the **Division** screen.

   The **Bill Messages** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Start Date	Used to specify the date from when you want the bill message to appear on the bill.	Yes (Conditional) **Note:** This field is required when you are associating a bill message with the division.
End Date	Used to specify the date till when you want the bill message to appear on the bill.	No
Bill Message	Used to specify the bill message that is valid for accounts in this division.	Yes (Conditional) **Note:** This field is required when you are associating a bill message with the division.
Description	Displays the description of the bill message. **Note:** The description appears automatically when you specify the message code.	Not applicable

3. Enter the required details.

   Note: You can search for a bill message by clicking the **Search** ( ) icon corresponding to the field.

4. If you want to associate more than one bill message with the division, click the **Plus** ( ) icon and then repeat step 3.

   Note: However, if you want to remove a bill message from the division, click the **Minus** ( ) icon corresponding to the message code.

5. Click the **Save** link in the **Actions/Navigation** area.

   The bill messages are associated with the division.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199
How to search for a bill message	*Searching for a Bill Message* on page 559

Associating Party Char Types with a Division

Prerequisites

To associate party char types with a division, you should have:

- Characteristic types defined in the application (where the characteristic entity is set to Division)

Procedure

To associate party char types with a division:

1. Search for the division to which you want to associate party char types.
2. Click the **Party Char Types** tab in the **Division** screen.

   The **Party Char Types** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Characteristic Entity	Used to indicate whether the characteristic type is valid for a person or an account in this division.	Yes (Conditional) **Note:** This field is required when you are associating a party char type with the division.
Characteristic Type	Used to indicate the characteristic type.	Yes (Conditional) **Note:** This field is required when you are associating a party char type with the division.

3. Enter the required details.
4. If you want to associate more than one party char type with the division, click the **Plus** () icon and then repeat step 3.

   Note: However, if you want to remove a party char type from the division, click the **Minus** ( ) icon corresponding to the characteristic type.
5. Click the **Save** link in the **Actions/Navigation** area.

   The party char types are associated with the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199

Copyright © 2014, Oracle. All rights reserved.

Associating Bill Cycles with a Division

Prerequisites

To associate bill cycles with a division, you should have:

- Bill cycles defined in the application

Procedure

To associate bill cycles with a division:

1. Search for the division to which you want to associate bill cycles.
2. Click the **Bill Cycles** tab in the **Division** screen.

   The **Bill Cycles** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Bill Cycle	Used to specify the bill cycle.	No

3. Select the bill cycle from the list.
4. If you want to associate more than one bill cycle with the division, click the **Plus** ( ) icon and then repeat step *3*.

   Note: However, if you want to remove a bill cycle from the division, click the **Minus** ( ) icon corresponding to the bill cycle.
5. Click the **Save** link in the **Actions/Navigation** area.

   The bill cycles are associated with the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199

Associating Account Identifier Types with a Division

Prerequisites

To associate account identifier types with a division, you should have:

- Account Identifier Types defined in the application

Procedure

To associate account identifier types with a division:

1. Search for the division to which you want to associate account identifier types.
2. Click the **Account Identifier Types** tab in the **Division** screen.

   The **Account Identifier Types** tab appears. It contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier Type	Used to specify the account identifier type.	No

3. Select the account identifier type from the list.
4. If you want to associate more than one account identifier type with the division, click the **Plus** (+) icon and then repeat step 3.

   Note: However, if you want to remove an account identifier type from the division, click the **Minus** (−) icon corresponding to the account identifier type.
5. Click the **Save** link in the **Actions/Navigation** area.

   The account identifier types are associated with the division.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199

Defining Division-Specific Characteristics for a Product

Prerequisites

To define division-specific characteristics for a product, you should have:

- Characteristic types defined in the application (where the characteristic entity is set to Division/Product Combination)
- Product associated with the division to which the user belongs

Procedure

To define division-specific characteristics for a product:

1. Search for the division for which you want to define product characteristics.
2. Click the **Product Characteristics** tab in the **Division** screen.

   The **Product Characteristics** tab appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Displays the product code.	Not applicable
Effective Date	Used to specify the date from when the product characteristic is effective for the division.	Yes (Conditional) **Note:** This field is required when you are defining a division-specific characteristic for the product.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Characteristic Type	Used to indicate the characteristic type.	Yes (Conditional) **Note:** This field is required when you are defining a division-specific characteristic for the product.
Characteristic Value	Used to specify the value for the characteristic type. **Note:** On specifying the value for a predefined characteristic type, the description of the characteristic value appears corresponding to the **Characteristic Value** field.	Yes (Conditional) **Note:** This field is required when you are defining a division-specific characteristic for the product.

3. If the division has multiple products associated with it, scroll to define characteristics for the required product.

   Note: You can use the **Previous** ( ) and **Next** ( ) buttons to scroll through the products while defining their characteristics.

4. Enter the required details.

   Note: If you select a predefined characteristic type, the **Search** ( ) icon appears corresponding to the **Characteristic Value** field. On clicking the **Search** icon, you can search for a predefined characteristic value.

5. If you want to define more than one division-specific characteristic for the product, click the **Plus** ( ) icon and *t*hen repeat step 4.

   Note: However, if you want to remove a division-specific characteristic from the product, click the **Minus** ( ) icon corresponding to the characteristic.

6. Click the **Save** link in the **Actions/Navigation** area.

   The division-specific characteristics are defined for the product.

Related Topics

For more information on...	See...
How to search for a division	*Searching for a Division* on page 196
Division screen	*Division* on page 197
How to define a division	*Defining a Division* on page 199
How to search for a predefined characteristic value	*Searching for a Predefined Characteristic Value* on page 564

Copyright © 2014, Oracle. All rights reserved.

Copyright © 2014, Oracle. All rights reserved.

Chapter 5

Approval Workflow

Topics:

- *Most Commonly Used Terms*
- *Approval Workflow Process*
- *Prerequisites*
- *Approve*
- *Resolve*
- *Modify*
- *Logs*
- *Approve Price Assignment*
- *Modify Price Assignment*
- *Resolve Price Assignment*
- *Approval Workflow Group*
- *Approval Workflow Chain*
- *Approval Workflow Criteria Type*
- *Approval Workflow Group Chain Linkage*
- *Approval Workflow Settings*
- *Approval Workflow Reason*

Oracle Revenue Management and Billing may optionally be configured to use the approval workflow process whenever any addition, modification, or deletion is done manually by a user. The approval workflow process routes any changes made to the business objects (such as person, account, contract, division, and so on) to a group of people for approval. The approval workflow process allows you to manage and track all tasks involved in the approval process.

Approval workflow allows you to define the rules for requiring an approval step before the data changes are committed to the database. Once you establish the approval workflow rules, the application manages the business process flow for having data changes approved before they are reflected in the database.

The system provides you with a flexible set of options used to determine when approvals are required, and how the approval process is to be managed including:

- Turning approval on or off for individual business objects within the application
- Grouping business objects so that approval is required for the group rather than the individual business objects within the group
- Who should approve
- How many levels of approvals are required
- Different approval workflow chains based on different criteria

Once you have turned approval workflow on for an object, or a group of objects, the system will use the approval workflow configuration to manage the entire approval process including:

- Determining whether approval is required based on data changes submitted by a user
- Routing approval workflow requests to one or more qualified approvers
- Managing rejected data changes and sending these back to the submitter for resolution
- Committing the changes once all required approvals are received

Most Commonly Used Terms

Before you understand the approval workflow process, you must familiarize yourself with the following terms:

Term	Description
Submitter	A person who adds, modifies or deletes a business object, such as person, account, contract, and division is called a submitter.
Approver	A person who approves any changes made to a business object is called an approver.
Approval Workflow Group	A group of one or more business objects for which approval is required, under some or all conditions, when data changes are made.
Approval Workflow Chain	The approval workflow chain indicates how many levels of approvals are required to approve the changes made by the submitter.

Approval Workflow Process

When a submitter adds, edits or deletes a business object (for example, an account) that belongs to an approval workflow group, the system checks whether approval workflow is activated for the approval workflow group. If the approval workflow is activated for the group, the system creates an approval workflow request. Every approval workflow request is uniquely identified in the system through the Approval Transaction ID.

The system identifies the approval workflow chain that must be used for approval depending on the pre-configured conditions or criteria. Based on the number of levels defined in the approval workflow chain, the request is sent to the approver at each level in the chain or hierarchy for approval. When the approver at the first level approves the request, a notification is sent to the approver at the second level for approval. This process continues till the approval is received from all levels in the hierarchy. Once the approvers at all levels approve the request, the changes are committed to the database.

However, if an approver at any level in the hierarchy rejects the request, a notification is sent to the submitter who has made the changes. The submitter then makes the required corrections based on the approver’s comments and resubmits the changes for approval. In this case, the approval process starts once again from the beginning and not from the level at which the request was rejected.

The submitter also has the facility to modify the request before the approver at the first level in the hierarchy approves or rejects the request. Once the changes are made, the submitter submits the request for approval. The submitter also has the facility to cancel the request.

The following figure indicates the flow of the approval workflow process:

Copyright © 2014, Oracle. All rights reserved.



To implement the approval workflow process, you need to define the following:

- *Approval Workflow Group* on page 270
- *Approval Workflow Chain* on page 287
- *Approval Workflow Criteria* on page 298
- *Approval Workflow Group Chain Linkage* on page 297
- *Approval Workflow Settings* on page 304
- *Approval Workflow Reason* on page 309

For price list, product and price assignment, the approval workflow configuration is shipped with ORMB. The following groups are available in the system:

- **C1PRODUCT** – Contains the C1_PRICEITEM_BO business object
- **C1PRICELST** – Contains the C1_F_ADDPLBO business object
- **C1PRICEASG** – Contains the C1_PRICECOMP and C1_PRICEASGN_BO business objects

After creating the approval workflow chains, you need to link these groups to the corresponding approval workflow chains. To setup the approval workflow process for price assignment, you need to do the following:

For Product	1. If a **Determine BO** algorithm is not specified for the **C1_PRICEITEM** maintenance object, create a **Determine BO** algorithm using the **F1-MOBO** algorithm type and specify **C1_PRICEITEM_BO** as the business object on this algorithm. 2. Attach this algorithm on the **Determine BO** algorithm spot of the **C1_PRICEITEM** MO. 3. Link the **C1PRODUCT** group to the appropriate approval workflow chain. 4. Activate the approval workflow for the **C1PRODUCT** group by setting the **Active** flag corresponding to the group in the **Approval Workflow Settings** screen to **Y**.

Copyright © 2014, Oracle. All rights reserved.

For Price List	**1.** If a **Determine BO** algorithm is not specified for the **C1_PRICELIST** maintenance object, create a **Determine BO** algorithm using the **F1-MOBO** algorithm type and specify **C1_F_ADDPLBO** as the business object on this algorithm. **2.** Attach this algorithm on the **Determine BO** algorithm spot of the **C1_PRICELIST** MO. **3.** Link the **C1PRICELST** group to the appropriate approval workflow chain. **4.** Activate the approval workflow for the **C1PRICELST** group by setting the **Active** flag corresponding to the group in the **Approval Workflow Settings** screen to **Y**.
For Price Assignments	**1.** If a **Determine BO** algorithm is not specified for the **C1_PRICECOMP** maintenance object, create a **Determine BO** algorithm using the **F1-MOBO** algorithm type and specify **C1_PRICECOMP** as the business object on this algorithm. **2.** Attach this algorithm on the **Determine BO** algorithm spot of the **C1_PRICECOM**P MO. **3.** If a **Determine BO** algorithm is not specified for the **C1_PRICEASGN** maintenance object, create a **Determine BO** algorithm using the **F1-MOBO** algorithm type and specify **C1_PRICEASGN_BO** as the business object on this algorithm. **4.** Attach this algorithm on the **Determine BO** algorithm spot of the **C1_PRICEASGN** MO. **5.** Link the **C1PRICEASG** group to the appropriate approval workflow chain. **6.** Activate the approval workflow for the **C1PRICEASG** group by setting the **Active** flag corresponding to the group in the **Approval Workflow Settings** screen to **Y**.

Similarly, for invoicing group, the approval workflow configuration is shipped with ORMB. The following groups are available in the system:

- **C1IGADD**
- **C1IGUPD**

After creating the approval workflow chains, you need to link these groups to the corresponding approval workflow chains, and activate the approval workflow for these groups by setting the following in the **Approval Workflow Settings** screen:

- Set **Active** flag to **Yes**
- Set **Prevalidation** flag to **Yes**

Note: You must set the **Active** flag to **No** for both the groups in case you do not want to activate the approval workflow for invoicing group. If you set the **Active** flag to **Yes** for either of the groups, approval workflow is triggered when you add and/or edit an invoicing group.

Prerequisites

You need to setup the following prerequisites to implement the approval workflow process:

- **Setup Feature Configuration for Approval Workflow** — If you create new Maintenance Objects (MOs) and want the access control for these MOs in the approval workflow transactions to be based on the access group and division, then you have to create a custom algorithm and attach it to the **Approval Transaction Entity Access Algorithms** option type of the **C1_AXENTITY** feature configuration. Note that you will then have two access algorithms; one default algorithm (that is, **C1-APPTXN**) and another custom algorithm. For more information

Copyright © 2014, Oracle. All rights reserved.

about the **C1_AXENTITY** feature configuration, see *Setting the C1_AXENTITY Feature Configuration* on page 590.

- **Create and Attach Determine BO Algorithm** — To use approval workflow for a business object, check the corresponding maintenance object to see if a **Determine BO** algorithm is already attached to it. If not, create a **Determine BO** algorithm using the **F1-MOBO** algorithm type, and specify the appropriate business object name on the newly created algorithm. Attach this algorithm on the **Determine BO** algorithm spot of the maintenance object.
- **Attach Audit Algorithm to Business Objects** — To use the approval workflow process for a business object, you need to attach the **C1-APPTXNBAS** algorithm on the **Audit** algorithm spot of the business object. Unless you attach the audit algorithm to a business object, the approval workflow process will not be triggered for the respective business object. This step is only required when you are using the base panels. If you have created custom UI maps to enter or modify data for a specific business object, this step is not needed.
- **Attach Validation Algorithms to Business Objects** — The following algorithms are shipped with ORMB:

Business Object	Basic Validation Algorithm	Pending Transaction Validation Algorithm
C1-AppBOChain	C1-GRPCHNALG	C1-APPGRPCHL
C1-AppGrp	C1-GRPALG	C1-APPGROUPV
C1-ApprovalChainEligible	C1-ADMALG	C1-APGBYPORT
C1-ApprovalTransactionChain	C1-APCHALGO	C1-APCHNPEND

The basic validation algorithms are attached to the respective business objects, and then shipped with ORMB. However, the pending transaction validation algorithms are not attached to the respective business objects. If you want to restrict the users from either editing or deleting the approval workflow group, approval workflow settings, approval workflow chain, or approval workflow group chain linkage when the respective approval workflow requests are in the **Pending**, **Work-in-Progress**, or **Rejected** state, then you must attach the pending transaction validation algorithm on the **Validation** algorithm spot of the respective business object.

- **Set Colors for Highlighting during Comparison** — While approving, rejecting, or cancelling approval workflow requests where the submitter action is Update (UPD), you will be able to compare the existing and new data. By default, any modifications are highlighted in the Yellow (9933FF) color and new additions are highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.
- **Create To Do Types** — You need to create the To Do types that you want to use in the approval workflow process. Once the To Do type is created, you need to link it to the required To Do roles so that users belonging to the To Do role can view and work on the To Do type.
- **Create To Do Roles** — You need to create the To Do roles that you want to use in the approval workflow process. Once the To Do role is created, you need to add the users whom you want to assign this role.

  Note: User who is withdrawing the approval workflow request must be assigned to the To Do role to which the approver at the first level in the hierarchy is assigned. Otherwise, the user will not be able to withdraw the approval workflow request.
- **Create Input UI Map for an Approval Workflow Group** — The system provides you with the ability to automatically generate an Input UI map, and associate it with the approval workflow group. Alternatively, you can create an Input UI map manually, and attach it to the approval workflow group. For more information on how to create an Input UI map manually, see *Creating Input UI Map for an Approval Workflow Group* on page 575.
- **Create Display UI Map for an Approval Workflow Group** — The system provides you with the ability to automatically generate a Display UI map, and associate it with the approval workflow group. Alternatively, you can create a Display UI map manually, and attach it to the approval workflow group. For more information on

Copyright © 2014, Oracle. All rights reserved.

how to create a Display UI map manually, see *Creating Display UI Map for an Approval Workflow Group* on page 574.

Approve

The **Approve** screen allows you to search for the approval workflow requests that are pending in your workflow for approval. You can review the changes, and accordingly approve, reject, or cancel the request based on your observations.

Note: The system will not allow you to approve, reject, or cancel an approval workflow request that is created by you.

This screen consists of the following zones:

- *Search* on page 220
- *Log* on page 221

Search

The **Search** zone allows you to search for the approval workflow requests that are pending in your workflow for approval. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Group	Used to search the approval workflow requests created for the business objects that belong to a particular approval workflow group.	No
Reference ID	Used to search the approval workflow requests created for the business object having the specified reference ID.	No
Division	Used to search the approval workflow requests that belong to a particular division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
From Date	Used to search the approval workflow requests that are created from a particular date onwards.	No
To Date	Used to search the approval workflow requests that are created till a particular date.	No
Action	Used to search the approval workflow requests that are created for adding, updating, or deleting a business object.	No
Submitter ID	Used to search the approval workflow requests that are created by a particular submitter.	No
To Do Type	Used to search the approval workflow requests that are received using a particular To Do Type.	No
Transaction ID	Used to search the approval workflow request using the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the approval workflow request is created.	No

Copyright © 2014, Oracle. All rights reserved.

Note: You must specify at least one search criterion while searching for an approval workflow request.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Transaction ID	Displays the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the approval workflow request is created.
Task	On clicking the **View** link, you can review the changes, and accordingly approve, reject, or cancel the request based on the observations.
Group	Displays the approval workflow group for which the approval workflow request is created.
Submitter ID	Indicates the submitter who has created the approval workflow request.
To Do Type	Displays the type of To Do (notification) received for the approval workflow request.
Action	Indicates the type of action, such as Add, Update (UPD), or Delete (DEL), performed by the submitter on a business object.
Division	Displays the division to which the approval workflow request belongs.
Submit Date	Displays the date and time when the approval workflow request was created by the submitter.
Reference ID 1	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 2	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 3	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 4	Displays the reference ID of the business object for which the approval workflow request is created.

On clicking the **Broadcast** ( ) icon corresponding to the approval workflow request, the **Log** zone appears.

Related Topics

For more information on...	See...
How to approve a request	*Approving a Request* on page 222
How to reject a request	*Rejecting a Request* on page 223
How to cancel a request	*Cancelling a Request* on page 224

Log

The **Log** zone displays the complete trail of submitter and approver actions performed on the approval workflow request. This zone contains the following columns:

Column Name	Column Description
Date	Displays the date and time when the action was performed on the approval workflow request.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
User	Indicates the user who has performed the action on the approval workflow request.
Status	Displays the status of the approval workflow request. The status can be Pending Approval, In Process, Approved, Rejected, Cancelled, or Deleted.
Sequence	Indicates the sequence in which the actions were performed on the approval workflow request.
View	On clicking the **View** link, you can view the details of the approval workflow request.
Reason	Displays the reason why the approval workflow request was rejected or cancelled.
Comment	Displays the additional details entered by the approver on rejecting or cancelling the approval workflow request.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Approving a Request

Procedure

To approve a request:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve**.

   The **Approve** screen appears.

4. In the **Search** zone, enter the search criteria. For example, to view all approval workflow requests created for adding a business object, select **Add** from the **Action** list.

   Note:

   ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

   The system does not allow you search for an approval workflow request which is created for a product or price list using division as the search criteria. This is because a product or price list may be associated with more than one division at the same time.

5. Click **Refresh**.

   A list of approval workflow requests that meet the search criteria appears in the **Search Results** section.

   Note: The system provides you with a facility in case you want to view the log of an approval workflow request from the **Approve** screen before approving, rejecting, or cancelling a request. You can view the log of an approval workflow request by clicking the **Broadcast** ( ) icon corresponding to the request.

6. Click the **View** link in the **Task** column corresponding to the approval workflow request on which you want to take an action.

   A screen appears where you can review the changes, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

   Note:

Copyright © 2014, Oracle. All rights reserved.

By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the approval workflow request.

7. Review the changes, and if they are accurate, then click **Accept Changes**.

   A message appears indicating that the approval workflow request is sent to the approver at the next level in the hierarchy for approval. However, if you are the last approver in the hierarchy, a message appears indicating that the approval workflow request is approved successfully.

8. Click **OK**.

   A To Do (notification) is sent to the approver at the next level in the hierarchy. You will no longer be able to view this request in your workflow for approval. In case you are the last approver in the hierarchy, the changes are committed to the database.

Related Topics

For more information on...	See...
Approve screen	*Approve* on page 220
Search zone	*Search* on page 220
Log zone	*Log* on page 221

Rejecting a Request

Procedure

To reject a request:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve**.

   The **Approve** screen appears.

4. In the **Search** zone, enter the search criteria. For example, to view all approval workflow requests created by a submitter, enter the submitter ID in the respective field.

   Note:

   ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

   The system does not allow you search for an approval workflow request which is created for a product or price list using division as the search criteria. This is because a product or price list may be associated with more than one division at the same time.

5. Click **Refresh**.

   A list of approval workflow requests that meet the search criteria appears in the **Search Results** section.

Copyright © 2014, Oracle. All rights reserved.

Note: The system provides you with a facility in case you want to view the log of an approval workflow request from the **Approve** screen before approving, rejecting, or cancelling a request. You can view the log of an approval workflow request by clicking the **Broadcast** ( ) icon corresponding to the request.

6. Click the **View** link in the **Task** column corresponding to the approval workflow request on which you want to take an action.

   A screen appears where you can review the changes, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

   Note:

   By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

   Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the approval workflow request.

7. Review the changes, and if they are not appropriate, then click **Return to Submitter**.

   The **Rejection/Cancellation Reason** screen appears.

8. Select the reason for rejecting the approval workflow request, and enter the comments in the respective field.

9. Click **OK**.

   The **Accept Changes** and **Revert to Original** buttons are disabled.

10. Click **Return to Submitter**.

    A To Do (notification) is sent to the submitter. You will no longer be able to view this request in your workflow for approval.

Related Topics

For more information on...	See...
Approve screen	*Approve* on page 220
Search zone	*Search* on page 220
Log zone	*Log* on page 221

Cancelling a Request

Procedure

To cancel a request:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve**.

   The **Approve** screen appears.

4. In the **Search** zone, enter the search criteria. For example, to view all approval workflow requests created on 11th October 2010, enter 10-11-2010 in the **From Date** and **To Date** fields.

Copyright © 2014, Oracle. All rights reserved.

Note:

ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

The system does not allow you search for an approval workflow request which is created for a product or price list using division as the search criteria. This is because a product or price list may be associated with more than one division at the same time.

5. Click **Refresh**.

   A list of approval workflow requests that meet the search criteria appears in the **Search Results** section.

   Note: The system provides you with a facility in case you want to view the log of an approval workflow request from the **Approve** screen before approving, rejecting, or cancelling a request. You can view the log of an approval workflow request by clicking the **Broadcast** ( ) icon corresponding to the request.

6. Click the **View** link in the **Task** column corresponding to the approval workflow request on which you want to take an action.

   A screen appears where you can review the changes, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

   Note:

   By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

   Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the approval workflow request.

7. Review the changes, and if you want to cancel the request, then click **Revert to Original**.

   The **Rejection/Cancellation Reason** screen appears.

8. Select the reason for cancelling the approval workflow request, and enter the comments in the respective field.

9. Click **OK**.

   The **Accept Changes** and **Return to Submitter** buttons are disabled.

10. Click **Revert to Original**.

    You will no longer be able to view this request in your workflow for approval.

Related Topics

For more information on...	See...
Approve screen	*Approve* on page 220
Search zone	*Search* on page 220
Log zone	*Log* on page 221

Copyright © 2014, Oracle. All rights reserved.

Resolve

If an approver at any level in the hierarchy rejects a request, a notification is sent to the submitters having the To Do role to resolve. The submitter then makes the required corrections based on the approver's comments, and resubmits the changes for approval. In this case, the approval process starts once again from the beginning, and not from the level at which the request was rejected.

The **Resolve** screen allows you to resolve or withdraw a request. This screen consists of the following zones:

- *Search* on page 226
- *Log* on page 221

Search

The **Search** zone allows you to search for the approval workflow requests rejected by approvers and pending for you to resolve. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Group	Used to search the approval workflow requests created for the business objects that belong to a particular approval workflow group.	No
Reference ID	Used to search the approval workflow requests created for the business object having the specified reference ID.	No
Division	Used to search the approval workflow requests that belong to a particular division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
From Date	Used to search the approval workflow requests that are rejected from a particular date onwards.	No
To Date	Used to search the approval workflow requests that are rejected till a particular date.	No
Action	Used to search the approval workflow requests that are created for adding, updating, or deleting a business object.	No
Approver ID	Used to search the approval workflow requests that are rejected by a particular approver.	No
To Do Type	Used to search the approval workflow requests that are received using a particular To Do Type.	No
Transaction ID	Used to search the approval workflow request using the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the approval workflow request is created.	No

Note: You must specify at least one search criterion while searching for an approval request.

Copyright © 2014, Oracle. All rights reserved.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Transaction ID	Displays the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the approval workflow request is created.
To Do Type	Indicates the type of To Do (notification) received when the approval workflow request is rejected.
Group	Displays the approval workflow group for which the approval workflow request is created.
Action	Indicates the type of action, such as Add, Update (UPD), or Delete (DEL), performed by the submitter on a business object.
Approver ID	Indicates the approver who has rejected the approval workflow request.
Reject Date	Displays the date and time when the approval workflow request was rejected by the approver.
Division	Displays the division to which the approval workflow request belongs.
Reject Reason	Indicates the reason why the approval workflow request was rejected.
Reject Comment	Displays the additional details entered by the approver on rejecting the approval workflow request.
Resolve	On clicking the **Resolve** link, you can modify the details of the approval workflow request, and resubmit it for approval. On resubmitting, the approval workflow process starts once again from the first level in the hierarchy.
Withdraw	On clicking the **Withdraw** link, you can withdraw the approval workflow request. Once you withdraw the request, no further action will be taken on the request.
Reference ID 1	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 2	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 3	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 4	Displays the reference ID of the business object for which the approval workflow request is created.

On clicking the **Broadcast** ( ) icon corresponding to the approval workflow request, the **Log** zone appears.

Related Topics

For more information on...	See...
How to resolve a request	*Resolving a Request* on page 228
How to withdraw a request	*Withdrawing a Request* on page 229

Log

The **Log** zone displays the complete trail of submitter and approver actions performed on the approval workflow request. This zone contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Date	Displays the date and time when the action was performed on the approval workflow request.
User	Indicates the user who has performed the action on the approval workflow request.
Status	Displays the status of the approval workflow request. The status can be Pending Approval, In Process, Approved, Rejected, Cancelled, or Deleted.
Sequence	Indicates the sequence in which the actions were performed on the approval workflow request.
View	On clicking the **View** link, you can view the details of the approval workflow request.
Reason	Displays the reason why the approval workflow request was rejected or cancelled.
Comment	Displays the additional details entered by the approver on rejecting or cancelling the approval workflow request.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Resolving a Request

Procedure

To resolve a request:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Resolve**.

   The **Resolve** screen appears.

4. In the **Search** zone, enter the search criteria. For example, to search all requests rejected on 10th January 2010, enter 01-10-2010 in the **From Date** and **To Date** fields.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of approval workflow requests that meet the search criteria appears in the **Search Results** section.

   Note: The system provides you with a facility in case you want to view the log of an approval workflow request from the **Resolve** screen before resolving or withdrawing a request. You can view the log of an approval workflow request by clicking the **Broadcast** ( ) icon corresponding to the request.

6. Click the **Resolve** link in the **Resolve** column corresponding to the approval workflow request that you want to resolve.

   A screen appears where you can review and make the changes.

   Note:

   Only those users who have access to the application services for each business object within the approval workflow group will be able to resolve the request, and resubmit it for approval.

   You cannot resolve an approval workflow request where the submitter action is Delete (DEL). In this case, you can only withdraw the request.

Copyright © 2014, Oracle. All rights reserved.

7. Make the required changes.
8. Click **Save**.

   The approval workflow request is updated and resubmitted for approval.

Related Topics

For more information on...	See...
Resolve screen	*Resolve* on page 226
Search zone	*Search* on page 226
Log zone	*Log* on page 221

Withdrawing a Request

Procedure

To withdraw a request:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Approval Workflow Management** and then click **Resolve**.

   The **Resolve** screen appears.
4. In the **Search** zone, enter the search criteria. For example, to search all records added by you on 10th January 2010, select **Add** from the **Action** list, and enter 01-10-2010 in the **From Date** and **To Date** fields.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of approval workflow requests that meet the search criteria appears in the **Search Results** section.

   Note: The system provides you with a facility in case you want to view the log of an approval workflow request from the **Resolve** screen before resolving or withdrawing a request. You can view the log of an approval workflow request by clicking the **Broadcast** ( ) icon corresponding to the request.
6. Click the **Withdraw** link in the **Withdraw** column corresponding to the approval workflow request that you want to withdraw.

   A message box appears confirming whether you want to delete the approval workflow request.
7. Click **OK**.

   You will no longer be able to view this request in your workflow.

Related Topics

For more information on...	See...
Resolve screen	*Resolve* on page 226

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Search zone	*Search* on page 226
Log zone	*Log* on page 221

Modify

The submitter has the facility to modify or withdraw a request before the approver at the first level in the hierarchy approves or rejects the request. Once the changes are made, the submitter submits the request for approval.

The **Modify** screen allows you to modify or withdraw a request. This screen consists of the following zones:

- *Search* on page 230
- *Log* on page 221

Search

The **Search** zone allows you to search for the approval workflow requests which are in the Pending Approval status. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Group	Used to search the approval workflow requests created for the business objects that belong to a particular approval workflow group.	No
Reference ID	Used to search the approval workflow requests created for the business object having the specified reference ID.	No
Division	Used to search the approval workflow requests that belong to a particular division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Action	Used to search the approval workflow requests that are created for adding, updating, or deleting a business object.	No
From Date	Used to search the approval workflow requests that are created from a particular date onwards.	No
To Date	Used to search the approval workflow requests that are created till a particular date.	No
Transaction ID	Used to search the approval workflow request using the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the approval workflow request is created.	No

Note: You must specify at least one search criterion while searching for an approval workflow request.

Copyright © 2014, Oracle. All rights reserved.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Transaction ID	Displays the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the approval workflow request is created.
Group	Displays the approval workflow group for which the approval workflow request is created.
Action	Indicates the type of action, such as Add, Update (UPD), or Delete (DEL), performed by the submitter on a business object.
Submit Date	Displays the date and time when the approval workflow request was created by the submitter.
Division	Displays the division to which the approval workflow request belongs.
Modify	On clicking the **Modify** link, you can review and modify the details of the approval workflow request.
Withdraw	On clicking the **Withdraw** link, you can withdraw the approval workflow request. Once you withdraw the request, no further action will be taken on the request.
Reference ID 1	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 2	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 3	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 4	Displays the reference ID of the business object for which the approval workflow request is created.

On clicking the **Broadcast** ( ) icon corresponding to the approval workflow request, the **Log** zone appears.

Related Topics

For more information on...	See...
How to modify a request	*Modifying a Request* on page 232
How to withdraw a request	*Withdrawing a Request* on page 233

Log

The **Log** zone displays the complete trail of submitter and approver actions performed on the approval workflow request. This zone contains the following columns:

Column Name	Column Description
Date	Displays the date and time when the action was performed on the approval workflow request.
User	Indicates the user who has performed the action on the approval workflow request.
Status	Displays the status of the approval workflow request. The status can be Pending Approval, In Process, Approved, Rejected, Cancelled, or Deleted.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Sequence	Indicates the sequence in which the actions were performed on the approval workflow request.
View	On clicking the **View** link, you can view the details of the approval workflow request.
Reason	Displays the reason why the approval workflow request was rejected or cancelled.
Comment	Displays the additional details entered by the approver on rejecting or cancelling the approval workflow request.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Modifying a Request

Procedure

To modify a request:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Modify**.

   The **Modify** screen appears.

4. In the **Search** zone, enter the search criteria. For example, to search all records added by you on 10th January 2010, select **Add** from the **Action** list, and enter 01-10-2010 in the **From Date** and **To Date** fields.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of approval workflow requests that meet the search criteria appears in the **Search Results** section.

   Note: The system provides you with a facility in case you want to view the log of an approval workflow request from the **Modify** screen before modifying or withdrawing a request. You can view the log of an approval workflow request by clicking the **Broadcast** ( ) icon corresponding to the request.

6. Click the **Modify** link in the **Modify** column corresponding to the approval workflow request that you want to modify.

   A screen appears where you can review and make the changes.

   Note:

   Only those users who have access to the application services for each business object within the approval workflow group will be able to modify the details of the approval workflow request.

   You cannot modify an approval workflow request where the submitter action is Delete (DEL). In this case, you can only withdraw the request.

7. Make the required changes.

8. Click **Save**.

   The approval workflow request is updated.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Modify screen	*Modify* on page 230
Search zone	*Search* on page 230
Log zone	*Log* on page 221

Withdrawing a Request

Procedure

To withdraw a request:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Modify**.

   The **Modify** screen appears.

4. In the **Search** zone, enter the search criteria. For example, to search all records added by you on 10th January 2010, select **Add** from the **Action** list, and enter 01-10-2010 in the **From Date** and **To Date** fields.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of approval workflow requests that meet the search criteria appears in the **Search Results** section.

   Note: The system provides you with a facility in case you want to view the log of an approval workflow request from the **Modify** screen before modifying or withdrawing a request. You can view the log of an approval workflow request by clicking the **Broadcast** ( ) icon corresponding to the request.

6. Click the **Withdraw** link in the **Withdraw** column corresponding to the approval workflow request that you want to withdraw.

   A message box appears confirming whether you want to delete the approval workflow request.

7. Click **OK**.

   You will no longer be able to view this request in your workflow.

Related Topics

For more information on...	See...
Modify screen	*Modify* on page 230
Search zone	*Search* on page 230
Log zone	*Log* on page 221

Copyright © 2014, Oracle. All rights reserved.

Logs

The **Logs** screen allows you to view the complete trail of submitter and approver actions performed on the approval workflow request. This screen consists of the following zones:

- *Search* on page 234
- *Log* on page 221

Search

The **Search** zone allows you to search for the approval workflow requests whose log details you want to view. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Group	Used to search the approval workflow requests created for the business objects that belong to a particular approval workflow group.	No
Reference ID	Used to search the approval workflow requests created for the business object having the specified reference ID.	No
Division	Used to search the approval workflow requests that belong to a particular division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
From Date	Used to search the approval workflow requests that are created from a particular date onwards.	No
To Date	Used to search the approval workflow requests that are created till a particular date.	No
Submitter ID	Used to search the approval workflow requests that are created by a particular submitter.	No
Approval Status	Used to search the approval workflow requests with the specified status.	No
To Do Type	Used to search the approval workflow requests that are received using a particular To Do Type.	No
Transaction ID	Used to search the approval workflow request using the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the approval workflow request is created.	No

Note: You must specify at least one search criterion while searching for an approval workflow request.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Transaction ID	Displays the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the approval workflow request is created.
To Do Type	Displays the type of To Do (notification) received for the approval workflow request.
Group	Displays the approval workflow group for which the approval workflow request is created.
Action	Indicates the type of action, such as Add, Update (UPD), or Delete (DEL), performed by the submitter on a business object.
Submitter ID	Indicates the submitter who has created the approval workflow request.
Submit Date	Displays the date and time when the approval workflow request was created by the submitter.
Division	Displays the division to which the approval workflow request belongs.
Status	Indicates the status of the approval workflow request.
Reference ID 1	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 2	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 3	Displays the reference ID of the business object for which the approval workflow request is created.
Reference ID 4	Displays the reference ID of the business object for which the approval workflow request is created.

On clicking the **Broadcast** ( ) icon corresponding to the approval workflow request, the **Log** zone appears.

Related Topics

For more information on...	See...
How to view the log of an approval workflow request	*Viewing Log of an Approval Workflow Request* on page 236

Log

The **Log** zone displays the complete trail of submitter and approver actions performed on the approval workflow request. This zone contains the following columns:

Column Name	Column Description
Date	Displays the date and time when the action was performed on the approval workflow request.
User	Indicates the user who has performed the action on the approval workflow request.
Status	Displays the status of the approval workflow request. The status can be Pending Approval, In Process, Approved, Rejected, Cancelled, or Deleted.
Sequence	Indicates the sequence in which the actions were performed on the approval workflow request.
View	On clicking the **View** link, you can view the details of the approval workflow request.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Reason	Displays the reason why the approval workflow request was rejected or cancelled.
Comment	Displays the additional details entered by the approver on rejecting or cancelling the approval workflow request.

You can change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Viewing Log of an Approval Workflow Request

Procedure

To view the log of an approval workflow request:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Logs**.

   The **Logs** screen appears.

4. In the **Search** zone, enter the search criteria. For example, to view the logs of all approval workflow requests that are rejected, select **Rejected** from the **Approval Status** list.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of approval workflow requests that meet the search criteria appears in the **Search Results** section.

6. Click the **Broadcast** ( ) icon corresponding to the approval workflow request whose log you want to view.

   The **Log** zone appears.

7. Click the **View** link in the **View** column corresponding to the record to view the details of the approval workflow request at that stage in the approval process.

   Note: Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the approval workflow request.

Related Topics

For more information on...	See...
Logs screen	*Logs* on page 234
Search zone	*Search* on page 234
Log zone	*Log* on page 221

Copyright © 2014, Oracle. All rights reserved.

Approve Price Assignment

The **Approve Price Assignment** screen allows you to search for the price assignment requests that are pending in your workflow for approval. You can review the changes, and accordingly approve, reject, or cancel the request based on your observations.

Note: The system will not allow you to approve, reject, or cancel a price assignment request that is created by you.

This screen consists of the following zones:

- *Search* on page 237
- *List of Price Assignments* on page 239

Search

The **Search** zone allows you to search for the price assignment requests that are pending in your workflow for approval. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to search the price assignment requests created for customers that belong to a particular division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Customer Identifier Type	Used to select the identifier type based on which you want to search for price assignment requests of a customer.	Yes (Conditional) **Note:** If you enter the customer identifier as a search criteria, you have to select the customer identifier type.
Customer Identifier	Used to specify the ID linked to the customer.	Yes (Conditional) **Note:** If you specify the customer identifier type as a search criteria, you have to enter the customer identifier.
Division	Used to search the price assignment requests created for accounts that belong to a particular division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Account ID	Used to search for price assignment requests created for an account.	No
Account Identifier Type	Used to specify the account identifier type of the account whose price assignment requests you want to search.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier	Used to specify the value of the account identifier type.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Price List Description	Used to search for price assignment requests created for a price list.	No
Submitter ID	Used to search for price assignment requests that are created by a particular submitter.	No
Transaction ID	Used to search the price assignment request using the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the price assignment request is created.	No

Note: You must specify at least one search criterion while searching for a price assignment request.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Account ID	Displays the account ID. **Note:** This column appears only when you are searching for price assignment requests of an account.
Account Identifier Type	Displays the account identifier type. **Note:** This column appears only when you are searching for price assignment requests of an account.
Account Identifier	Displays the value of the account identifier type. **Note:** This column appears only when you are searching for price assignment requests of an account.
Price List	Displays the price list ID. **Note:** This column appears only when you are searching for price assignment requests of a price list.
Price List Description	Displays the description of the price list. **Note:** This column appears only when you are searching for price assignment requests of a price list.
Customer Identifier	Displays the ID linked to the customer. **Note:** This column appears only when you are searching for price assignment requests of a customer.
Customer Name	Displays the name of the customer. **Note:** This column appears only when you are searching for price assignment requests of a customer.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Division	Displays the division to which the account, customer, or price list belongs.

On clicking the **Broadcast** ( ) icon corresponding to the account, customer, or price list, the **List of Price Assignments** zone appears.

Related Topics

For more information on...	See...
How to approve price assignment request of an account	*Approving Price Assignment Request of an Account* on page 240
How to approve price assignment request of a customer	*Approving Price Assignment Request of a Customer* on page 242
How to approve price assignment request of a price list	*Approving Price Assignment Request of a Price List* on page 243
How to reject price assignment request of an account	*Rejecting Price Assignment Request of an Account* on page 244
How to reject price assignment request of a customer	*Rejecting Price Assignment Request of a Customer* on page 245
How to reject price assignment request of a price list	*Rejecting Price Assignment Request of a Price List* on page 246
How to cancel price assignment request of an account	*Cancelling Price Assignment Request of an Account* on page 248
How to cancel price assignment request of a customer	*Cancelling Price Assignment Request of a Customer* on page 249
How to cancel price assignment request of a price list	*Cancelling Price Assignment Request of a Price List* on page 250

List of Price Assignments

The **List of Price Assignments** zone lists price assignment requests specific to an account, a customer, or a price list. This zone contains the following columns:

Column Name	Column Description
Select All	On selecting the check box corresponding to the **Select All** column, you can approve, reject, or cancel all price assignment requests (displayed in the **List of Price Assignments** zone) at once. You can also select the check box corresponding to the price assignment request in case you want to approve, reject, or cancel one or more requests at once.
Transaction ID	Displays the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the price assignment request is created.
Submitter ID	Indicates the submitter who has created the price assignment request.
Action	Indicates the type of action, such as Add, Update (UPD), or Delete (DEL), performed by the submitter during price assignment.
Submit Date	Displays the date and time when the price assignment request was created by the submitter.
To Do Type	Displays the type of To Do (notification) received for the price assignment request.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Product	Displays the product code.
Description	Displays the description of the product.
Pricing Currency	Displays the currency in which the pricing is defined.
Start Date	Displays the date from when the product pricing is effective.
End Date	Displays the date till when the product pricing is effective.
View Changes	On clicking the **View Change** link, you can view the details of the price assignment request.
View Log	On clicking the **View Log** link, you can view the log of the price assignment request from the **Approve Price Assignment** screen before approving, rejecting, or cancelling a request.

By default, the **List of Price Assignments** zone does not appear in the **Approve Price Assignment** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the account, customer, or price list in the **Search** zone.

Related Topics

For more information on...	See...
How to approve price assignment request of an account	*Approving Price Assignment Request of an Account* on page 240
How to approve price assignment request of a customer	*Approving Price Assignment Request of a Customer* on page 242
How to approve price assignment request of a price list	*Approving Price Assignment Request of a Price List* on page 243
How to reject price assignment request of an account	*Rejecting Price Assignment Request of an Account* on page 244
How to reject price assignment request of a customer	*Rejecting Price Assignment Request of a Customer* on page 245
How to reject price assignment request of a price list	*Rejecting Price Assignment Request of a Price List* on page 246
How to cancel price assignment request of an account	*Cancelling Price Assignment Request of an Account* on page 248
How to cancel price assignment request of a customer	*Cancelling Price Assignment Request of a Customer* on page 249
How to cancel price assignment request of a price list	*Cancelling Price Assignment Request of a Price List* on page 250

Approving Price Assignment Request of an Account

Procedure

To approve price assignment request of an account:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve Price Assignment**.

Copyright © 2014, Oracle. All rights reserved.

The **Approve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the account belongs, account ID, or account identifier.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of accounts that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the account whose price assignments you want to review for approval.

   The **List of Price Assignments** zone appears.

7. Click the **View Change** link in the **View Changes** column corresponding to the price assignment request on which you want to take an action.

   A screen appears where you can review the pricing details, tiering ranges, and price assignment characteristics, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

   Note:

   By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

   Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the price assignment request.

8. Review the pricing details, tiering ranges, and price assignment characteristics, and if they are accurate, then click **Accept Changes**.

   A message appears indicating that the price assignment request is sent to the approver at the next level in the hierarchy for approval. However, if you are the last approver in the hierarchy, a message appears indicating that the price assignment request is approved successfully.

9. Click **OK**.

   A To Do (notification) is sent to the approver at the next level in the hierarchy. You will no longer be able to view this request in your workflow for approval. In case you are the last approver in the hierarchy, the changes are committed to the database.

   Tip: Alternatively, in the **List of Price Assignments** zone, you can select the check box corresponding to the price assignment request that you want to approve, and then click **Accept Changes**.

Related Topics

For more information on...	**See...**
Approve Price Assignment screen	*Approve Price Assignment* on page 237
Search zone	*Search* on page 237
List of Price Assignments zone	*List of Price Assignments* on page 239

Copyright © 2014, Oracle. All rights reserved.

Approving Price Assignment Request of a Customer

Procedure

To approve price assignment request of a customer:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve Price Assignment**.

   The **Approve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the customer belongs or the customer identification type and value.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of customers that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the customer whose price assignments you want to review for approval.

   The **List of Price Assignments** zone appears.

7. Click the **View Change** link in the **View Changes** column corresponding to the price assignment request on which you want to take an action.

   A screen appears where you can review the pricing details, tiering ranges, and price assignment characteristics, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

   Note:

   By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

   Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the price assignment request.

8. Review the pricing details, tiering ranges, and price assignment characteristics, and if they are accurate, then click **Accept Changes**.

   A message appears indicating that the price assignment request is sent to the approver at the next level in the hierarchy for approval. However, if you are the last approver in the hierarchy, a message appears indicating that the price assignment request is approved successfully.

9. Click **OK**.

   A To Do (notification) is sent to the approver at the next level in the hierarchy. You will no longer be able to view this request in your workflow for approval. In case you are the last approver in the hierarchy, the changes are committed to the database.

   Tip: Alternatively, in the **List of Price Assignments** zone, you can select the check box corresponding to the price assignment request that you want to approve, and then click **Accept Changes**.

Copyright © 2014, Oracle. All rights reserved.

Related Topics

For more information on...	See...
Approve Price Assignment screen	*Approve Price Assignment* on page 237
Search zone	*Search* on page 237
List of Price Assignments zone	*List of Price Assignments* on page 239

Approving Price Assignment Request of a Price List

Procedure

To approve price assignment request of a price list:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve Price Assignment**.

   The **Approve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the description of the price list.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of price lists that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the price list whose price assignments you want to review for approval.

   The **List of Price Assignments** zone appears.

7. Click the **View Change** link in the **View Changes** column corresponding to the price assignment request on which you want to take an action.

   A screen appears where you can review the pricing details, tiering ranges, and price assignment characteristics, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

   Note:

   By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

   Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the price assignment request.

8. Review the pricing details, tiering ranges, and price assignment characteristics, and if they are accurate, then click **Accept Changes**.

Copyright © 2014, Oracle. All rights reserved.

A message appears indicating that the price assignment request is sent to the approver at the next level in the hierarchy for approval. However, if you are the last approver in the hierarchy, a message appears indicating that the price assignment request is approved successfully.

9. Click **OK**.

   A To Do (notification) is sent to the approver at the next level in the hierarchy. You will no longer be able to view this request in your workflow for approval. In case you are the last approver in the hierarchy, the changes are committed to the database.

   Tip: Alternatively, in the **List of Price Assignments** zone, you can select the check box corresponding to the price assignment request that you want to approve, and then click **Accept Changes**.

Related Topics

For more information on...	See...
Approve Price Assignment screen	*Approve Price Assignment* on page 237
Search zone	*Search* on page 237
List of Price Assignments zone	*List of Price Assignments* on page 239

Rejecting Price Assignment Request of an Account

Procedure

To reject price assignment request of an account:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve Price Assignment**.

   The **Approve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the account belongs, account ID, or account identifier.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of accounts that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the account whose price assignments you want to review for approval.

   The **List of Price Assignments** zone appears.

7. Click the **View Change** link in the **View Changes** column corresponding to the price assignment request on which you want to take an action.

   A screen appears where you can review the pricing details, tiering ranges, and price assignment characteristics, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

Copyright © 2014, Oracle. All rights reserved.

Note:

By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the price assignment request.

8. Review the pricing details, tiering ranges, and price assignment characteristics, and if they are not appropriate, *t*hen click **Return to Submitter**.

   The **Rejection/Cancellation Reason** screen appears.

   Tip: Alternatively, in the **List of Price Assignments** zone, you can select the check box corresponding to the price assignment request that you want to reject, and then click **Return to Submitter**.

9. Select the reason for rejecting the price assignment request, and enter the comments in the respective field.

10. Click **OK**.

    The **Accept Changes** and **Revert to Original** buttons are disabled.

11. Click **Return to Submitter**.

    A To Do (notification) is sent to the submitter. You will no longer be able to view this request in your workflow for approval.

Related Topics

For more information on...	See...
Approve Price Assignment screen	*Approve Price Assignment* on page 237
Search zone	*Search* on page 237
List of Price Assignments zone	*List of Price Assignments* on page 239

Rejecting Price Assignment Request of a Customer

Procedure

To reject price assignment request of a customer:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve Price Assignment**.

   The **Approve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the customer belongs or the customer *i*dentification type and value.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

Copyright © 2014, Oracle. All rights reserved.

A list of customers that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the customer whose price assignments you want to review for approval.

   The **List of Price Assignments** zone appears.

7. Click the **View Change** link in the **View Changes** column corresponding to the price assignment request on which you want to take an action.

   A screen appears where you can review the pricing details, tiering ranges, and price assignment characteristics, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

   Note:

   By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

   Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the price assignment request.

8. Review the pricing details, tiering ranges, and price assignment characteristics, and if they are not appropriate, then click **Return to Submitter**.

   The **Rejection/Cancellation Reason** screen appears.

   Tip: Alternatively, in the **List of Price Assignments** zone, you can select the check box corresponding to the price assignment request that you want to reject, and then click **Return to Submitter**.

9. Select the reason for rejecting the price assignment request, and enter the comments in the respective field.

10. Click **OK**.

    The **Accept Changes** and **Revert to Original** buttons are disabled.

11. Click **Return to Submitter**.

    A To Do (notification) is sent to the submitter. You will no longer be able to view this request in your workflow for approval.

Related Topics

For more information on...	See...
Approve Price Assignment screen	*Approve Price Assignment* on page 237
Search zone	*Search* on page 237
List of Price Assignments zone	*List of Price Assignments* on page 239

Rejecting Price Assignment Request of a Price List

Procedure

To reject price assignment request of a price list:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

Copyright © 2014, Oracle. All rights reserved.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve Price Assignment**.

   The **Approve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the description of the price list.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of price lists that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the price list whose price assignments you want to review for approval.

   The **List of Price Assignments** zone appears.

7. Click the **View Change** link in the **View Changes** column corresponding to the price assignment request on which you want to take an action.

   A screen appears where you can review the pricing details, tiering ranges, and price assignment characteristics, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

   Note:

   By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

   Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the price assignment request.

8. Review the pricing details, tiering ranges, and price assignment characteristics, and if they are not appropriate, then click **Return to Submitter**.

   The **Rejection/Cancellation Reason** screen appears.

   Tip: Alternatively, in the **List of Price Assignments** zone, you can select the check box corresponding to the price assignment request that you want to reject, and then click **Return to Submitter**.

9. Select the reason for rejecting the price assignment request, and enter the comments in the respective field.

10. Click **OK**.

    The **Accept Changes** and **Revert to Original** buttons are disabled.

11. Click **Return to Submitter**.

    A To Do (notification) is sent to the submitter. You will no longer be able to view this request in your workflow for approval.

Related Topics

For more information on...	See...
Approve Price Assignment screen	*Approve Price Assignment* on page 237
Search zone	*Search* on page 237
List of Price Assignments zone	*List of Price Assignments* on page 239

Copyright © 2014, Oracle. All rights reserved.

Cancelling Price Assignment Request of an Account

Procedure

To cancel price assignment request of an account:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve Price Assignment**.

   The **Approve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the account belongs, account ID, or account identifier.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of accounts that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the account whose price assignments you want to review for approval.

   The **List of Price Assignments** zone appears.

7. Click the **View Change** link in the **View Changes** column corresponding to the price assignment request on which you want to take an action.

   A screen appears where you can review the pricing details, tiering ranges, and price assignment characteristics, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

   Note:

   By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

   Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the price assignment request.

8. Review the pricing details, tiering ranges, and price assignment characteristics, and if you want to cancel the request, then click **Revert to Original**.

   The **Rejection/Cancellation Reason** screen appears.

   Tip: Alternatively, in the **List of Price Assignments** zone, you can select the check box corresponding to the price assignment request that you want to cancel, and then click **Revert to Original**.

9. Select the reason for cancelling the price assignment request, and enter the comments in the respective field.

10. Click **OK**.

    The **Accept Changes** and **Return to Submitter** buttons are disabled.

11. Click **Revert to Original**.

    You will no longer be able to view this request in your workflow for approval.

Copyright © 2014, Oracle. All rights reserved.

Related Topics

For more information on...	See...
Approve Price Assignment screen	*Approve Price Assignment* on page 237
Search zone	*Search* on page 237
List of Price Assignments zone	*List of Price Assignments* on page 239

Cancelling Price Assignment Request of a Customer

Procedure

To cancel price assignment request of a customer:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve Price Assignment**.

   The **Approve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the customer belongs or the customer identification type and value.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of customers that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the customer whose price assignments you want to review for approval.

   The **List of Price Assignments** zone appears.

7. Click the **View Change** link in the **View Changes** column corresponding to the price assignment request on which you want to take an action.

   A screen appears where you can review the pricing details, tiering ranges, and price assignment characteristics, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

   Note:

   By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

   Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the price assignment request.

8. Review the pricing details, tiering ranges, and price assignment characteristics, and if you want to cancel the request, then click **Revert to Original**.

   The **Rejection/Cancellation Reason** screen appears.

Copyright © 2014, Oracle. All rights reserved.

Tip: Alternatively, in the **List of Price Assignments** zone, you can select the check box corresponding to the price assignment request that you want to cancel, and then click **Revert to Original**.

9. Select the reason for cancelling the price assignment request, and enter the comments in the respective field.
10. Click **OK**.

    The **Accept Changes** and **Return to Submitter** buttons are disabled.
11. Click **Revert to Original**.

    You will no longer be able to view this request in your workflow for approval.

Related Topics

For more information on...	See...
Approve Price Assignment screen	*Approve Price Assignment* on page 237
Search zone	*Search* on page 237
List of Price Assignments zone	*List of Price Assignments* on page 239

Cancelling Price Assignment Request of a Price List

Procedure

To cancel price assignment request of a price list:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Approval Workflow Management** and then click **Approve Price Assignment**.

   The **Approve Price Assignment** screen appears.
4. In the **Search** zone, enter the search criteria, such as the description of the price list.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of price lists that meet the search criteria appears in the **Search Results** section.
6. Click the

   Broadcast ( ) icon corresponding to the price list whose price assignments you want to review for approval.

   The **List of Price Assignments** zone appears.
7. Click the **View Change** link in the **View Changes** column corresponding to the price assignment request on which you want to take an action.

   A screen appears where you can review the pricing details, tiering ranges, and price assignment characteristics, and accordingly approve, reject, or cancel the request based on your observations. In case where the submitter action is Update (UPD), you will be able to compare the existing and new data, and accordingly take an action.

   Note:

Copyright © 2014, Oracle. All rights reserved.

By default, any modifications will be highlighted in the Yellow (9933FF) color and new additions will be highlighted in the Purple (FFFF66) color. You can easily change these default colors. For more information on how to set the colors used for highlighting, see *Changing the Highlighting Colors* on page 573.

Only those users who have access to the application services for each business object within the approval workflow group will be able to view the details of the price assignment request.

8. Review the pricing details, tiering ranges, and price assignment characteristics, and if you want to cancel the *r*equest, then click **Revert to Original**.

   The **Rejection/Cancellation Reason** screen appears.

   Tip: Alternatively, in the **List of Price Assignments** zone, you can select the check box corresponding to the price assignment request that you want to cancel, and then click **Revert to Original**.

9. Select the reason for cancelling the price assignment request, and enter the comments in the respective field.
10. Click **OK**.

    The **Accept Changes** and **Return to Submitter** buttons are disabled.

11. Click **Revert to Original**.

    You will no longer be able to view this request in your workflow for approval.

Related Topics

For more information on...	See...
Approve Price Assignment screen	*Approve Price Assignment* on page 237
Search zone	*Search* on page 237
List of Price Assignments zone	*List of Price Assignments* on page 239

Modify Price Assignment

The submitter has the facility to modify or withdraw a price assignment request before the approver at the first level in the hierarchy approves or rejects the request. Once the changes are made, the submitter submits the request for approval.

The **Modify Price Assignment** screen allows you to modify or withdraw a price assignment request. This screen consists of the following zones:

- *Search* on page 251
- *List of Price Assignments* on page 254

Search

The **Search** zone allows you to search for the price assignment requests which are in the Pending Approval status. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to search the price assignment requests created for customers that belong to a particular division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Customer Identifier Type	Used to select the identifier type based on which you want to search for price assignment requests of a customer.	Yes (Conditional) **Note:** If you enter the customer identifier as a search criteria, you have to select the customer identifier type.
Customer Identifier	Used to specify the ID linked to the customer.	Yes (Conditional) **Note:** If you specify the customer identifier type as a search criteria, you have to enter the customer identifier.
Division	Used to search the price assignment requests created for accounts that belong to a particular division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Account ID	Used to search for price assignment requests created for an account.	No
Account Identifier Type	Used to specify the account identifier type of the account whose price assignment requests you want to search.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.
Account Identifier	Used to specify the value of the account identifier type.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Price List Description	Used to search for price assignment requests created for a price list.	No
Submitter ID	Used to search for price assignment requests that are created by a particular submitter.	No
Transaction ID	Used to search the price assignment request using the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the price assignment request is created.	No

Note: You must specify at least one search criterion while searching for a price assignment request.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Account ID	Displays the account ID. **Note:** This column appears only when you are searching for price assignment requests of an account.
Account Identifier Type	Displays the account identifier type. **Note:** This column appears only when you are searching for price assignment requests of an account.
Account Identifier	Displays the value of the account identifier type. **Note:** This column appears only when you are searching for price assignment requests of an account.
Price List	Displays the price list ID. **Note:** This column appears only when you are searching for price assignment requests of a price list.
Price List Description	Displays the description of the price list. **Note:** This column appears only when you are searching for price assignment requests of a price list.
Customer Identifier	Displays the ID linked to the customer. **Note:** This column appears only when you are searching for price assignment requests of a customer.
Customer Name	Displays the name of the customer. **Note:** This column appears only when you are searching for price assignment requests of a customer.
Division	Displays the division to which the account, customer, or price list belongs.

On clicking the **Broadcast** ( ) icon corresponding to the account, customer, or price list, the **List of Price Assignments** zone appears.

Related Topics

For more information on...	See...
How to modify price assignment request of an account	*Modifying Price Assignment Request of an Account* on page 255
How to modify price assignment request of a customer	*Modifying Price Assignment Request of a Customer* on page 256
How to modify price assignment request of a price list	*Modifying Price Assignment Request of a Price List* on page 256
How to withdraw price assignment request of an account	*Withdrawing Price Assignment Request of an Account* on page 257
How to withdraw price assignment request of a customer	*Withdrawing Price Assignment Request of a Customer* on page 258
How to withdraw price assignment request of a price list	*Withdrawing Price Assignment Request of a Price List* on page 259

Copyright © 2014, Oracle. All rights reserved.

List of Price Assignments

The **List of Price Assignments** zone lists price assignment requests specific to an account, a customer, or a price list. This zone contains the following columns:

Column Name	Column Description
Transaction ID	Displays the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the price assignment request is created.
Submitter ID	Indicates the submitter who has created the price assignment request.
Action	Indicates the type of action, such as Add, Update (UPD), or Delete (DEL), performed by the submitter during price assignment.
Submit Date	Displays the date and time when the price assignment request was created by the submitter.
To Do Type	Displays the type of To Do (notification) received for the price assignment request.
Product	Displays the product code.
Description	Displays the description of the product.
Pricing Currency	Displays the currency in which the pricing is defined.
Start Date	Displays the date from when the product pricing is effective.
End Date	Displays the date till when the product pricing is effective.
Modify	On clicking the **Modify** link, you can review and modify the details of the price assignment request.
Withdraw	On clicking the **Withdraw** link, you can withdraw the price assignment request. Once you withdraw the request, no further action will be taken on the request.
View Log	On clicking the **View Log** link, you can view the log of the price assignment request from the **Modify Price Assignment** screen before modifying or withdrawing a request.

By default, the **List of Price Assignments** zone does not appear in the **Modify Price Assignment** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the account, customer, or price list in the **Search** zone.

Related Topics

For more information on...	See...
How to modify price assignment request of an account	*Modifying Price Assignment Request of an Account* on page 255
How to modify price assignment request of a customer	*Modifying Price Assignment Request of a Customer* on page 256
How to modify price assignment request of a price list	*Modifying Price Assignment Request of a Price List* on page 256
How to withdraw price assignment request of an account	*Withdrawing Price Assignment Request of an Account* on page 257
How to withdraw price assignment request of a customer	*Withdrawing Price Assignment Request of a Customer* on page 258

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to withdraw price assignment request of a price list	*Withdrawing Price Assignment Request of a Price List* on page 259

Modifying Price Assignment Request of an Account

Procedure

To modify price assignment request of an account:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Modify Price Assignment**.

   The **Modify Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the account belongs, account ID, or *a*ccount identifier.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of accounts that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the account whose price assignment requests you want to modify.

   The **List of Price Assignments** zone appears.

7. Click the **Modify** link in the **Modify** column corresponding to the price assignment request that you want to *m*odify.

   A screen appears where you can modify the pricing details, tiering ranges, and price assignment characteristics.

   Note: Only those users who have access to the application services for each business object within the approval workflow group will be able to modify the details of the price assignment request.

8. Make the required changes.

9. Click **Save**.

   The price assignment request is updated.

Related Topics

For more information on...	See...
Modify Price Assignment screen	*Modify Price Assignment* on page 251
Search zone	*Search* on page 251
List of Price Assignments zone	*List of Price Assignments* on page 254

Copyright © 2014, Oracle. All rights reserved.

Modifying Price Assignment Request of a Customer

Procedure

To modify price assignment request of a customer:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Modify Price Assignment**.

   The **Modify Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the customer belongs or the customer identification type and value.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of customers that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the customer whose price assignment requests you want to modify.

   The **List of Price Assignments** zone appears.

7. Click the **Modify** link in the **Modify** column corresponding to the price assignment request that you want to modify.

   A screen appears where you can modify the pricing details, tiering ranges, and price assignment characteristics.

   Note: Only those users who have access to the application services for each business object within the approval workflow group will be able to modify the details of the price assignment request.

8. Make the required changes.

9. Click **Save**.

   The price assignment request is updated.

Related Topics

For more information on...	See...
Modify Price Assignment screen	*Modify Price Assignment* on page 251
Search zone	*Search* on page 251
List of Price Assignments zone	*List of Price Assignments* on page 254

Modifying Price Assignment Request of a Price List

Procedure

To modify price assignment request of a price list:

Copyright © 2014, Oracle. All rights reserved.

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Approval Workflow Management** and then click **Modify Price Assignment**.

   The **Modify Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the description of the price list.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of price lists that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the price list whose price assignment requests you want to modify.

   The **List of Price Assignments** zone appears.

7. Click the **Modify** link in the **Modify** column corresponding to the price assignment request that you want to *m*odify.

   A screen appears where you can modify the pricing details, tiering ranges, and price assignment characteristics.

   Note: Only those users who have access to the application services for each business object within the approval workflow group will be able to modify the details of the price assignment request.

8. Make the required changes.

9. Click **Save**.

   The price assignment request is updated.

Related Topics

For more information on...	See...
Modify Price Assignment screen	*Modify Price Assignment* on page 251
Search zone	*Search* on page 251
List of Price Assignments zone	*List of Price Assignments* on page 254

Withdrawing Price Assignment Request of an Account

Procedure

To withdraw price assignment request of an account:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. Do the following:

Copyright © 2014, Oracle. All rights reserved.

If you want to	Then
Withdraw a price assignment request when it is in the Pending Approval status	From the **Main Menu**, select **Approval Workflow Management** and then click **Modify Price Assignment**. The **Modify Price Assignment** screen appears.
Withdraw a price assignment request when it has been rejected by an approver at any level in the hierarchy	From the **Main Menu**, select **Approval Workflow Management** and then click **Resolve Price Assignment**. The **Resolve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the account belongs, account ID, or *a*ccount identifier.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of accounts that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the account whose price assignment requests you want to withdraw.

   The **List of Price Assignments** zone appears.

   Note: The system provides you with a facility to view the log of a price assignment request from the **Modify Price Assignment** and **Resolve Price Assignment** screens before withdrawing a request.

7. Click the **Withdraw** link in the **Withdraw** column corresponding to the price assignment request that you want *t*o withdraw.

   A message box appears confirming whether you want to delete the price assignment request.

8. Click **OK**.

   You will no longer be able to view this request in your workflow.

Related Topics

For more information on...	See...
Modify Price Assignment screen	*Modify Price Assignment* on page 251
Resolve Price Assignment screen	*Resolve Price Assignment* on page 260

Withdrawing Price Assignment Request of a Customer

Procedure

To withdraw price assignment request of a customer:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

Copyright © 2014, Oracle. All rights reserved.

3. Do the following:

If you want to	Then
Withdraw a price assignment request when it is in the Pending Approval status	From the **Main Menu**, select **Approval Workflow Management** and then click **Modify Price Assignment**. The **Modify Price Assignment** screen appears.
Withdraw a price assignment request when it has been rejected by an approver at any level in the hierarchy	From the **Main Menu**, select **Approval Workflow Management** and then click **Resolve Price Assignment**. The **Resolve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the customer belongs or the customer identification type and value.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of customers that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the customer whose price assignment requests you want to withdraw.

   The **List of Price Assignments** zone appears.

   Note: The system provides you with a facility to view the log of a price assignment request from the **Modify Price Assignment** and **Resolve Price Assignment** screens before withdrawing a request.

7. Click the **Withdraw** link in the **Withdraw** column corresponding to the price assignment request that you want to withdraw.

   A message box appears confirming whether you want to delete the price assignment request.

8. Click **OK**.

   You will no longer be able to view this request in your workflow.

Related Topics

For more information on...	See...
Modify Price Assignment screen	*Modify Price Assignment* on page 251
Resolve Price Assignment screen	*Resolve Price Assignment* on page 260

Withdrawing Price Assignment Request of a Price List

Procedure

To withdraw price assignment request of a price list:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

Copyright © 2014, Oracle. All rights reserved.

3. Do the following:

If you want to	Then
Withdraw a price assignment request when it is in the Pending Approval status	From the **Main Menu**, select **Approval Workflow Management** and then click **Modify Price Assignment**. The **Modify Price Assignment** screen appears.
Withdraw a price assignment request when it has been rejected by an approver at any level in the hierarchy	From the **Main Menu**, select **Approval Workflow Management** and then click **Resolve Price Assignment**. The **Resolve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the description of the price list.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of price lists that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the price list whose price assignment requests you want to withdraw.

   The **List of Price Assignments** zone appears.

   Note: The system provides you with a facility to view the log of a price assignment request from the **Modify Price Assignment** and **Resolve Price Assignment** screens before withdrawing a request.

7. Click the **Withdraw** link in the **Withdraw** column corresponding to the price assignment request that you want *t*o withdraw.

   A message box appears confirming whether you want to delete the price assignment request.

8. Click **OK**.

   You will no longer be able to view this request in your workflow.

Related Topics

For more information on...	See...
Modify Price Assignment screen	*Modify Price Assignment* on page 251
Resolve Price Assignment screen	*Resolve Price Assignment* on page 260

Resolve Price Assignment

If an approver at any level in the hierarchy rejects a price assignment request, a notification is sent to the submitter who has made the changes. The submitter then makes the required corrections based on the approver's comments, and resubmits the changes for approval. In this case, the approval process starts once again from the beginning, and not from the level at which the request was rejected.

The **Resolve Price Assignment** screen allows you to resolve or withdraw a price assignment request. This screen consists of the following zones:

Copyright © 2014, Oracle. All rights reserved.

- *Search* on page 261
- *List of Price Assignments* on page 263

Search

The **Search** zone allows you to search for the price assignment requests rejected by approvers and pending for you to resolve. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to search the price assignment requests created for customers that belong to a particular division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Customer Identifier Type	Used to select the identifier type based on which you want to search for price assignment requests of a customer.	Yes (Conditional) **Note:** If you enter the customer identifier as a search criteria, you have to select the customer identifier type.
Customer Identifier	Used to specify the ID linked to the customer.	Yes (Conditional) **Note:** If you specify the customer identifier type as a search criteria, you have to enter the customer identifier.
Division	Used to search the price assignment requests created for accounts that belong to a particular division. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Account ID	Used to search for price assignment requests created for an account.	No
Account Identifier Type	Used to specify the account identifier type of the account whose price assignment requests you want to search.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.
Account Identifier	Used to specify the value of the account identifier type.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Price List Description	Used to search for price assignment requests created for a price list.	No
Submitter ID	Used to search for price assignment requests that are created by a particular submitter.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Transaction ID	Used to search the price assignment request using the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the price assignment request is created.	No

Note: You must specify at least one search criterion while searching for a price assignment request.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Account ID	Displays the account ID. **Note:** This column appears only when you are searching for price assignment requests of an account.
Account Identifier Type	Displays the account identifier type. **Note:** This column appears only when you are searching for price assignment requests of an account.
Account Identifier	Displays the value of the account identifier type. **Note:** This column appears only when you are searching for price assignment requests of an account.
Price List	Displays the price list ID. **Note:** This column appears only when you are searching for price assignment requests of a price list.
Price List Description	Displays the description of the price list. **Note:** This column appears only when you are searching for price assignment requests of a price list.
Customer Identifier	Displays the ID linked to the customer. **Note:** This column appears only when you are searching for price assignment requests of a customer.
Customer Name	Displays the name of the customer. **Note:** This column appears only when you are searching for price assignment requests of a customer.
Division	Displays the division to which the account, customer, or price list belongs.

On clicking the **Broadcast** ( ) icon corresponding to the account, customer, or price list, the **List of Price Assignments** zone appears.

Related Topics

For more information on...	See...
How to resolve price assignment request of an account	*Resolving Price Assignment Request of an Account* on page 264

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to resolve price assignment request of a customer	*Resolving Price Assignment Request of a Customer* on page 265
How to resolve price assignment request of a price list	*Resolving Price Assignment Request of a Price List* on page 266
How to withdraw price assignment request of an account	*Withdrawing Price Assignment Request of an Account* on page 257
How to withdraw price assignment request of a customer	*Withdrawing Price Assignment Request of a Customer* on page 258
How to withdraw price assignment request of a price list	*Withdrawing Price Assignment Request of a Price List* on page 259

List of Price Assignments

The **List of Price Assignments** zone lists price assignment requests specific to an account, a customer, or a price list. This zone contains the following columns:

Column Name	Column Description
Transaction ID	Displays the approval transaction ID. **Note:** The approval transaction ID is generated automatically when the price assignment request is created.
Submitter ID	Indicates the submitter who has created the price assignment request.
Action	Indicates the type of action, such as Add, Update (UPD), or Delete (DEL), performed by the submitter during price assignment.
Submit Date	Displays the date and time when the price assignment request was created by the submitter.
To Do Type	Displays the type of To Do (notification) received for the price assignment request.
Product	Displays the product code.
Description	Displays the description of the product.
Pricing Currency	Displays the currency in which the pricing is defined.
Start Date	Displays the date from when the product pricing is effective.
End Date	Displays the date till when the product pricing is effective.
Approver ID	Indicates the approver who has rejected the price assignment request.
Reject Date	Displays the date and time when the price assignment request was rejected by the approver.
Reject Reason	Indicates the reason why the price assignment request was rejected.
Reject Comment	Displays the additional details entered by the approver on rejecting the price assignment request.
Resolve	On clicking the **Resolve** link, you can modify the details of the price assignment request, and resubmit it for approval. On resubmitting, the approval workflow process starts once again from the first level in the hierarchy.
Withdraw	On clicking the **Withdraw** link, you can withdraw the price assignment request. Once you withdraw the request, no further action will be taken on the request.
View Log	On clicking the **View Log** link, you can view the log of the price assignment request from the **Resolve Price Assignment** screen before resolving or withdrawing a request.

Copyright © 2014, Oracle. All rights reserved.

By default, the **List of Price Assignments** zone does not appear in the **Resolve Price Assignment** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the account, customer, or price list in the **Search** zone.

Related Topics

For more information on...	See...
How to resolve price assignment request of an account	*Resolving Price Assignment Request of an Account* on page 264
How to resolve price assignment request of a customer	*Resolving Price Assignment Request of a Customer* on page 265
How to resolve price assignment request of a price list	*Resolving Price Assignment Request of a Price List* on page 266
How to withdraw price assignment request of an account	*Withdrawing Price Assignment Request of an Account* on page 257
How to withdraw price assignment request of a customer	*Withdrawing Price Assignment Request of a Customer* on page 258
How to withdraw price assignment request of a price list	*Withdrawing Price Assignment Request of a Price List* on page 259

Resolving Price Assignment Request of an Account

Procedure

To resolve price assignment request of an account:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Approval Workflow Management** and then click **Resolve Price Assignment**.

   The **Resolve Price Assignment** screen appears.
4. In the **Search** zone, enter the search criteria, such as the division to which the account belongs, account ID, or *a*ccount identifier.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of accounts that meet the search criteria appears in the **Search Results** section.
6. Click the

   Broadcast ( ) icon corresponding to the account whose price assignment requests you want to resolve.

   The **List of Price Assignments** zone appears.
7. Click the **Resolve** link in the **Resolve** column corresponding to the price assignment request that you want to *r*esolve.

   A screen appears where you can modify the pricing details, tiering ranges, and price assignment characteristics.

Copyright © 2014, Oracle. All rights reserved.

Note: Only those users who have access to the application services for each business object within the approval workflow group will be able to resolve the request, and resubmit it for approval.

8. Make the required changes.
9. Click **Save**.

   The price assignment request is updated and resubmitted for approval.

Related Topics

For more information on...	See...
Resolve Price Assignment screen	*Resolve Price Assignment* on page 260
Search zone	*Search* on page 261
List of Price Assignments zone	*List of Price Assignments* on page 263

Resolving Price Assignment Request of a Customer

Procedure

To resolve price assignment request of a customer:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Approval Workflow Management** and then click **Resolve Price Assignment**.

   The **Resolve Price Assignment** screen appears.
4. In the **Search** zone, enter the search criteria, such as the division to which the customer belongs or the customer identification type and value.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of customers that meet the search criteria appears in the **Search Results** section.
6. Click the

   Broadcast ( ) icon corresponding to the customer whose price assignment requests you want to resolve.

   The **List of Price Assignments** zone appears.
7. Click the **Resolve** link in the **Resolve** column corresponding to the price assignment request that you want to resolve.

   A screen appears where you can modify the pricing details, tiering ranges, and price assignment characteristics.

   Note: Only those users who have access to the application services for each business object within the approval workflow group will be able to resolve the request, and resubmit it for approval.
8. Make the required changes.
9. Click **Save**.

Copyright © 2014, Oracle. All rights reserved.

The price assignment request is updated and resubmitted for approval.

Related Topics

For more information on...	See...
Resolve Price Assignment screen	*Resolve Price Assignment* on page 260
Search zone	*Search* on page 261
List of Price Assignments zone	*List of Price Assignments* on page 263

Resolving Price Assignment Request of a Price List

Procedure

To resolve price assignment request of a price list:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Approval Workflow Management** and then click **Resolve Price Assignment**.

   The **Resolve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the description of the price list.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of price lists that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the price list whose price assignment requests you want to resolve.

   The **List of Price Assignments** zone appears.

7. Click the **Resolve** link in the **Resolve** column corresponding to the price assignment request that you want to resolve.

   A screen appears where you can modify the pricing details, tiering ranges, and price assignment characteristics.

   Note: Only those users who have access to the application services for each business object within the approval workflow group will be able to resolve the request, and resubmit it for approval.

8. Make the required changes.
9. Click **Save**.

   The price assignment request is updated and resubmitted for approval.

Related Topics

For more information on...	See...
Resolve Price Assignment screen	*Resolve Price Assignment* on page 260

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Search zone	*Search* on page 261
List of Price Assignments zone	*List of Price Assignments* on page 263

Withdrawing Price Assignment Request of an Account

Procedure

To withdraw price assignment request of an account:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. Do the following:

If you want to	Then
Withdraw a price assignment request when it is in the Pending Approval status	From the **Main Menu**, select **Approval Workflow Management** and then click **Modify Price Assignment**. The **Modify Price Assignment** screen appears.
Withdraw a price assignment request when it has been rejected by an approver at any level in the hierarchy	From the **Main Menu**, select **Approval Workflow Management** and then click **Resolve Price Assignment**. The **Resolve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the account belongs, account ID, or *a*ccount identifier.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of accounts that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the account whose price assignment requests you want to withdraw.

   The **List of Price Assignments** zone appears.

   Note: The system provides you with a facility to view the log of a price assignment request from the **Modify Price Assignment** and **Resolve Price Assignment** screens before withdrawing a request.

7. Click the **Withdraw** link in the **Withdraw** column corresponding to the price assignment request that you want *t*o withdraw.

   A message box appears confirming whether you want to delete the price assignment request.

8. Click **OK**.

   You will no longer be able to view this request in your workflow.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Modify Price Assignment screen	*Modify Price Assignment* on page 251
Resolve Price Assignment screen	*Resolve Price Assignment* on page 260

Withdrawing Price Assignment Request of a Customer

Procedure

To withdraw price assignment request of a customer:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. Do the following:

If you want to	Then
Withdraw a price assignment request when it is in the Pending Approval status	From the **Main Menu**, select **Approval Workflow Management** and then click **Modify Price Assignment**. The **Modify Price Assignment** screen appears.
Withdraw a price assignment request when it has been rejected by an approver at any level in the hierarchy	From the **Main Menu**, select **Approval Workflow Management** and then click **Resolve Price Assignment**. The **Resolve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the division to which the customer belongs or the customer identification type and value.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of customers that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the customer whose price assignment requests you want to withdraw.

   The **List of Price Assignments** zone appears.

   Note: The system provides you with a facility to view the log of a price assignment request from the **Modify Price Assignment** and **Resolve Price Assignment** screens before withdrawing a request.

7. Click the **Withdraw** link in the **Withdraw** column corresponding to the price assignment request that you want to withdraw.

   A message box appears confirming whether you want to delete the price assignment request.

8. Click **OK**.

   You will no longer be able to view this request in your workflow.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Modify Price Assignment screen	*Modify Price Assignment* on page 251
Resolve Price Assignment screen	*Resolve Price Assignment* on page 260

Withdrawing Price Assignment Request of a Price List

Procedure

To withdraw price assignment request of a price list:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. Do the following:

If you want to	Then
Withdraw a price assignment request when it is in the Pending Approval status	From the **Main Menu**, select **Approval Workflow Management** and then click **Modify Price Assignment**. The **Modify Price Assignment** screen appears.
Withdraw a price assignment request when it has been rejected by an approver at any level in the hierarchy	From the **Main Menu**, select **Approval Workflow Management** and then click **Resolve Price Assignment**. The **Resolve Price Assignment** screen appears.

4. In the **Search** zone, enter the search criteria, such as the description of the price list.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of price lists that meet the search criteria appears in the **Search Results** section.

6. Click the

   Broadcast ( ) icon corresponding to the price list whose price assignment requests you want to withdraw.

   The **List of Price Assignments** zone appears.

   Note: The system provides you with a facility to view the log of a price assignment request from the **Modify Price Assignment** and **Resolve Price Assignment** screens before withdrawing a request.

7. Click the **Withdraw** link in the **Withdraw** column corresponding to the price assignment request that you want to withdraw.

   A message box appears confirming whether you want to delete the price assignment request.

8. Click **OK**.

   You will no longer be able to view this request in your workflow.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Modify Price Assignment screen	*Modify Price Assignment* on page 251
Resolve Price Assignment screen	*Resolve Price Assignment* on page 260

Approval Workflow Group

The system has predefined data objects, such as person, account, contract, and so on. These predefined data objects are managed through business objects. Approval workflow is configured to act on approval workflow group which consists of either one or more business objects. When you add multiple business objects in the approval workflow group, the system generates a single approval workflow request for the changes made to these objects. This would be useful if you have created custom UI maps that can be used to update or add data for multiple business objects. In this case, the approver will receive one request to approve changes made to these business objects rather than receiving separate request for changes made to each business object.

The **Approval Workflow Group** screen allows you to add, edit and delete an approval workflow group. This screen consists of the following zones:

- *Approval Workflow Groups* on page 270
- *Business Objects* on page 271
- *Group BO Relation* on page 272

Approval Workflow Groups

The **Approval Workflow Groups** zone lists approval workflow groups that are already defined in the system. You can add, edit and delete an approval workflow group through this zone.

This zone contains the following columns:

Column Name	Column Description
Code	Displays the code of the approval workflow group.
Description	Displays the description of the approval workflow group.
Display UI Map	Indicates the UI map that will be used for viewing data of the business objects within the approval workflow group.
Input UI Map	Indicates the UI map that will be used for modifying data of the business objects within the approval workflow group.
Dependency Algorithm	Indicates the algorithm that will be triggered before creating the approval workflow request. **Note:** This algorithm can be used to check all prerequisites before creating the approval workflow request.
Approval Algorithm	Indicates the algorithm that will be triggered after the approval workflow request is approved by the approver at the last level in the hierarchy.
Approval Post Processing	Indicates the algorithm that will be triggered after the changes (which are approved by all approvers in the hierarchy) are committed to the database.
Transaction Creation Algorithm	Indicates the algorithm that will create approval workflow requests.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Data Retrieval Algorithm	Indicates the algorithm that will be triggered to retrieve the original data of the business objects within the approval workflow group. This will help an approver to compare the original and new data in case where the submitter action is Update (UPD).
Compare Map Code	Indicates the customized Display UI map used for the approval workflow group. It overrides the UI map specified in the **Display UI Map** field.
Input Script Code	Indicates the customized Input UI map used for the approval workflow group. It overrides the UI map specified in the **Input UI Map** field.
Edit	On clicking the **Edit** ( ) icon, the **Approval Workflow Group** screen appears where you can edit the details of the approval workflow group.
Delete	On clicking the **Delete** ( ) icon, you can delete the approval workflow group.

You can define an approval workflow group by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

On clicking the **Broadcast** ( ) icon corresponding to the approval workflow group, the **Business Objects** zone appears.

Related Topics

For more information on...	See...
How to define an approval workflow group	*Defining an Approval Workflow Group* on page 273
How to edit an approval workflow group	*Editing an Approval Workflow Group* on page 276
How to delete an approval workflow group	*Deleting an Approval Workflow Group* on page 280

Business Objects

The **Business Objects** zone lists business objects that you have added in the approval workflow group. You can add, edit and delete the business objects from the approval workflow group through this zone.

This zone contains the following columns:

Column Name	Column Description
Code	Displays the code of the business object.
Description	Displays the description of the business object.
Sequence	Indicates the order in which the business objects will be committed to the database.
Reference ID 1	Displays the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.
Reference ID 2	Displays the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.
Reference ID 3	Displays the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.
Reference ID 4	Displays the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.
List Flag	Indicates whether the group contains one or multiple instance of the business object.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Edit	On clicking the **Edit** ( ) icon, the **Business Object** screen appears where you can change the business object.
Delete	On clicking the **Delete** ( ) icon, you can delete the business object from the approval workflow group.

You can add a business object in the approval workflow group by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

On clicking the **Broadcast** ( ) icon corresponding to the business object, the **Group BO Relation** zone appears.

Related Topics

For more information on...	See...
How to add a business object in the approval workflow group	*Adding a Business Object* on page 281
How to edit a business object in the approval workflow group	*Editing a Business Object* on page 282
How to delete a business object from the approval workflow group	*Deleting a Business Object* on page 284

Group BO Relation

The **Group BO Relation** zone indicates how the business objects within a group are linked to each other. This zone contains the following columns:

Column Name	Column Description
Parent BO	Displays the code of the parent business object. This would be one of the business objects within the group.
From Key	Displays the XPATH key of the field or list of fields in the parent business object.
To Key	Displays the XPATH key of the field or list of fields in the current business object.
Sequence	Indicates the order in which the business objects will be grouped.
Edit	On clicking the **Edit** ( ) icon, the **Group BO Relation** screen appears where you can edit the business object's relationship details.
Delete	On clicking the **Delete** ( ) icon, you can delete the business object's relationship.
BO Sequence Number	Indicates the sequence number of the business object that you have selected.

You can define a relationship between business objects in the approval workflow group by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

For more information on...	See...
How to define a Group BO Relation	*Defining a Group BO Relation* on page 284

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to edit a Group BO Relation	*Editing a Group BO Relation* on page 285
How to delete a Group BO Relation	*Deleting a Group BO Relation* on page 286

Defining an Approval Workflow Group

Prerequisites

To define an approval workflow group, you should have:

- Input and Display UI maps created in the application in case you want to use custom UI maps
- Dependency, Approval, and Approval Post Processing algorithms defined in the application in case you want to use any of them

Note: Before you define an approval workflow group for the User BO, you need to attach the **C1-APPTXNBAS** algorithm on the **Audit** algorithm spot of the business object belonging to the USER-SC MO, and not the USER MO.

Procedure

To define an approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group**.

   The **Approval Workflow Group** screen appears.
4. Click the **Add** link in the upper right corner of the **Approval Workflow Groups** zone.

   The **Approval Workflow Group** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Used to specify the code that uniquely identifies the approval workflow group.	Yes
Description	Used to specify the description for the approval workflow group.	Yes
Display UI Map	Used to specify the UI map that you want to use for viewing data of the business objects within the approval workflow group. **Note:** If you do not specify a Display UI map for the approval workflow group, it is generated automatically and associated with the group when you set the **Active** flag of the group to **Yes** in the **Approval Workflow Settings** screen.	No
Input UI Map	Used to specify the UI map that you want to use for modifying data of the business objects within the approval workflow group. **Note:** If you do not specify an Input UI map for the approval workflow group, it is generated automatically and associated with the group when you set the **Active** flag of the group to **Yes** in the **Approval Workflow Settings** screen.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Dependency Algorithm	Used to specify the algorithm that will be triggered before creating the approval workflow request. **Note:** This algorithm can be used to check all prerequisites before creating the approval workflow request.	No
Approval Algorithm	Used to specify the algorithm that will be triggered after the approval workflow request is approved by the approver at the last level in the hierarchy. The following approval algorithms are shipped with ORMB: • **C1-APPPROD** — This approval algorithm is used for the C1PRODUCT group, which is shipped with ORMB. • **C1-APPPL** — This approval algorithm is used for the C1PRICELST group, which is shipped with ORMB. • **C1-APPPASG** — This approval algorithm is used for the C1PRICEASG group, which is shipped with ORMB. • **C1-APPALG** — This is a standard approval algorithm that you can use for approval workflow groups where custom logic is not required. You can also create your own approval algorithms for custom UIs.	No
Approval Post Processing	Used to specify the algorithm that will be triggered after the changes (which are approved by all approvers in the hierarchy) are committed to the database.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Transaction Creation Algorithm	Used to specify the algorithm that will create approval workflow requests. The following transaction creation algorithms are shipped with ORMB: • **C1-APPASGCR** — Used to create approval workflow requests for price assignment. • **C1-AXPROD** — Used to create approval workflow requests for product. • **C1-AXUSR** — Used to create approval workflow requests for user. • **C1-IGCREATE** — Used to create approval workflow requests for invoicing group. • **C1-AXCREATE** — This is a standard transaction creation algorithm that you can use to create approval workflow requests for most of the base objects. You can also create your own transaction creation algorithms for custom UIs. In case of the base UIs, this algorithm is only used while modifying or resolving a request. The initial approval transaction creation for base UIs takes place through the Audit algorithm attached on the business object.	Yes
Data Retrieval Algorithm	Used to specify the algorithm that will be triggered to retrieve the original data of the business objects within the approval workflow group. This will help an approver to compare the original and new data in case where the submitter action is Update (UPD). The following data retrieval algorithms are shipped with ORMB: • **C1-APPIGDR** — Used to retrieve data for invoicing group. • **C1-AXPRICEOV** — Used to retrieve data for price assignment. • **C1_APPDATA** — This is a standard data retrieval algorithm that you can use to retrieve data for most of the base objects. You can also create your own data retrieval algorithms for custom UIs.	Yes
Compare Map Code	Used to specify customized Display UI map that you want to use for the approval workflow group. It overrides the UI map specified in the **Display UI Map** field.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Input Script Code	Used to specify customized Input UI map that you want to use for the approval workflow group. It overrides the UI map specified in the **Input UI Map** field.	No

5. Enter the required details.

   Note: You can search for a UI map, code, and an algorithm by clicking the **Search** ( ) icon corresponding to the respective field.

6. Click **Save**.

   The approval workflow group is defined.

Related Topics

For more information on...	See...
Approval Workflow Group screen	*Approval Workflow Group* on page 270
Approval Workflow Groups zone	*Approval Workflow Groups* on page 270
How to create a Display UI map manually	*Creating Display UI Map for an Approval Workflow Group* on page 574
How to create an Input UI map manually	*Creating Input UI Map for an Approval Workflow Group* on page 575
How to define approval workflow settings	*Defining Approval Workflow Settings* on page 305
How to search for a UI map	*Searching for a UI Map* on page 570
How to search for an algorithm	*Searching for an Algorithm* on page 555

Editing an Approval Workflow Group

Prerequisites

To edit an approval workflow group, you should have:

- Input and Display UI maps created in the application in case you want to use custom UI maps
- Dependency, Approval, and Approval Post Processing algorithms defined in the application in case you want to use any of them

Procedure

To edit an approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group**.

   The **Approval Workflow Group** screen appears.

4. Click the **Edit** ( ) icon in the **Edit** column corresponding to the approval workflow group whose details you want to edit.

Copyright © 2014, Oracle. All rights reserved.

The **Approval Workflow Group** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Displays the code of the approval workflow group.	Not applicable
Description	Used to modify the description of the approval workflow group.	Yes
Display UI Map	Used to modify the UI map that you want to use for viewing data of the business objects within the approval workflow group. **Note:** If you clear the **Display UI Map** field, you need to either manually specify the UI map or automatically regenerate the UI map by clicking the **Regenerate UI Maps** ( ) icon corresponding to the group in the **Approval Workflow Settings** screen.	No
Input UI Map	Used to modify the UI Map that you want to use for modifying data of the business objects within the approval workflow group. **Note:** If you clear the **Input UI Map** field, you need to either manually specify the UI map or automatically regenerate the UI map by clicking the **Regenerate UI Maps** ( ) icon corresponding to the group in the **Approval Workflow Settings** screen.	No
Dependency Algorithm	Used to modify the algorithm that will be triggered before creating the approval workflow request. **Note:** This algorithm can be used to check all prerequisites before creating the approval workflow request.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Approval Algorithm	Used to modify the algorithm that will be triggered after the approval workflow request is approved by the approver at the last level in the hierarchy. The following approval algorithms are shipped with ORMB: • **C1-APPPROD** — This approval algorithm is used for the C1PRODUCT group, which is shipped with ORMB. • **C1-APPPL** — This approval algorithm is used for the C1PRICELST group, which is shipped with ORMB. • **C1-APPPASG** — This approval algorithm is used for the C1PRICEASG group, which is shipped with ORMB. • **C1-APPALG** — This is a standard approval algorithm that you can use for approval workflow groups where custom logic is not required. You can also create your own approval algorithms for custom UIs.	No
Approval Post Processing	Used to modify the algorithm that will be triggered after the changes (which are approved by all approvers in the hierarchy) are committed to the database.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Transaction Creation Algorithm	Used to modify the algorithm that will create approval workflow requests. The following transaction creation algorithms are shipped with ORMB: • **C1-APPASGCR** — Used to create approval workflow requests for price assignment. • **C1-AXPROD** — Used to create approval workflow requests for product. • **C1-AXUSR** — Used to create approval workflow requests for user. • **C1-IGCREATE** — Used to create approval workflow requests for invoicing group. • **C1-AXCREATE** — This is a standard transaction creation algorithm that you can use to create approval workflow requests for most of the base objects. You can also create your own transaction creation algorithms for custom UIs. In case of the base UIs, this algorithm is only used while modifying or resolving a request. The initial approval transaction creation for base UIs takes place through the Audit algorithm attached on the business object.	Yes
Data Retrieval Algorithm	Used to modify the algorithm that will be triggered to retrieve the original data of the business objects within the approval workflow group. This will help an approver to compare the original and new data in case where the submitter action is Update (UPD). The following data retrieval algorithms are shipped with ORMB: • **C1-APPIGDR** — Used to retrieve data for invoicing group. • **C1-AXPRICEOV** — Used to retrieve data for price assignment. • **C1_APPDATA** — This is a standard data retrieval algorithm that you can use to retrieve data for most of the base objects. You can also create your own data retrieval algorithms for custom UIs.	Yes
Compare Map Code	Used to modify customized Display UI map used for the approval workflow group. It overrides the UI map specified in the **Display UI Map** field.	No
Input Script Code	Used to modify customized Input UI map used for the approval workflow group. It overrides the UI map specified in the **Input UI Map** field.	No

Copyright © 2014, Oracle. All rights reserved.

5. Modify the required details.

   Note: You can search for a UI map, code, and an algorithm by clicking the **Search** ( ) icon corresponding to the respective field.

6. Click **Save**.

   The changes made to the approval workflow group are saved.

Related Topics

For more information on...	See...
Approval Workflow Group screen	*Approval Workflow Group* on page 270
Approval Workflow Groups zone	*Approval Workflow Groups* on page 270
How to create a Display UI map manually	*Creating Display UI Map for an Approval Workflow Group* on page 574
How to create an Input UI map manually	*Creating Input UI Map for an Approval Workflow Group* on page 575
How to search for a UI map	*Searching for a UI Map* on page 570
How to search for an algorithm	*Searching for an Algorithm* on page 555

Deleting an Approval Workflow Group

Procedure

To delete an approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group**.

   The **Approval Workflow Group** screen appears.

4. Click the **Delete** ( ) icon in the **Delete** column corresponding to the approval workflow group that you want to delete.

   A message appears confirming whether you want to delete the object.

5. Click **OK**.

   The approval workflow group is deleted.

Related Topics

For more information on...	See...
Approval Workflow Group screen	*Approval Workflow Group* on page 270
Approval Workflow Groups zone	*Approval Workflow Groups* on page 270

Copyright © 2014, Oracle. All rights reserved.

Adding a Business Object

Initially, while adding a business object to the approval workflow group, you should always add a business object that can be independently created and does not require a parent business object. For the subsequent business objects, you should specify how these business objects are related to each other. This helps the system to determine which fields need to be copied from the parent to the dependent business object before the dependent business objects are invoked.

For example, you have a group with two business objects (BOs) - Person and Account. When the Account BO is invoked, an appropriate person ID must be passed in the Account BO. This person ID must come from the Person BO. In this case, the Person BO will be defined with no parent BO within the group. However, when the Account BO is added to the group, it must be linked to the Person BO. You can link the Account BO with the Person BO by specifying:

- Person BO as the parent BO
- XPATH of the person ID in the Person BO (in the From Field)
- XPATH of the person ID in the Account BO (in the To Field)

Before ORMB invokes the Account BO (for validation or for crating the account in the application after the approval is received), ORMB will copy the person ID from Person BO to Account BO (based on the specified XPATHs) so that the correct person ID is available in Account BO before it is invoked.

Prerequisites

To add a business object in the approval workflow group, you should have:

- Business object and approval workflow group created in the application

Procedure

To add a business object in the approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group**.

   The **Approval Workflow Group** screen appears.

4. Click the **Broadcast** ( ) icon corresponding to the approval workflow group in which you want to add *a* business object.

   The **Business Objects** zone appears.

5. Click the **Add** link in the upper right corner of the **Business Objects** zone.

   The **Business Object** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Approval Workflow Group	Displays the code of the approval workflow group.	Not applicable
Business Object	Used to specify the business object that you want to include in the approval workflow group.	Yes
Reference ID 1	Used to specify the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.	No
Reference ID 2	Used to specify the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Reference ID 3	Used to specify the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.	No
Reference ID 4	Used to specify the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.	No
List Flag	Used to indicate whether the group contains one or multiple instance of the business object. For example, if you want to create a group that contains multiple account objects, you need to set this flag for the Account BO to True. If you want to create a group that contains single instance of the business object, you must set this flag for the business object to False.	Yes

6. Enter the required details.

   Note: You can search for a business object by clicking the **Search** ( ) icon corresponding to the field.

7. Click **Save**.

   The business object is added in the approval workflow group.

   Note: When you add business objects in an approval workflow group, you need to regenerate the Input and Display UI maps by clicking the **Regenerate UI Maps** ( ) icon corresponding to the group in the **Approval Workflow Settings** screen. You must do this only when you are using automatically generated UI maps, and not otherwise.

Related Topics

For more information on...	See...
Approval Workflow Group screen	*Approval Workflow Group* on page 270
Approval Workflow Groups zone	*Approval Workflow Groups* on page 270
Business Objects zone	*Business Objects* on page 271
How to search for a business object	*Searching for a Business Object* on page 560

Editing a Business Object

Procedure

To edit a business object in the approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group**.

   The **Approval Workflow Group** screen appears.

4. Click the **Broadcast** ( ) icon corresponding to the approval workflow group whose business object details you want to edit.

Copyright © 2014, Oracle. All rights reserved.

The **Business Objects** zone appears.

5. Click the **Edit** ( ) icon in the **Edit** column corresponding to the business object whose details you want to edit.

   The **Business Object** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Approval Workflow Group	Displays the code of the approval workflow group.	Not applicable
Business Object	Used to modify the business object that you want to include in the approval workflow group.	Yes
Reference ID 1	Used to modify the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.	No
Reference ID 2	Used to modify the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.	No
Reference ID 3	Used to modify the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.	No
Reference ID 4	Used to modify the XPATH key of the field in the business object that you want to use as criteria for searching approval workflow requests.	No
List Flag	Used to indicate whether the group contains one or multiple instance of the business object. For example, if you want to create a group that contains multiple account objects, you need to set this flag for the Account BO to True. If you want to create a group that contains single instance of the business object, you must set this flag for the business object to False.	Yes

6. Change the business object or edit the details, if required.

   Note: You can search for a business object by clicking the **Search** ( ) icon corresponding to the field.

7. Click **Save**.

   The changes made to the approval workflow group are saved.

   Note: When you change business objects in an approval workflow group, you need to regenerate the Input and Display UI maps by clicking the **Regenerate UI Maps** ( ) icon corresponding to the group in the **Approval Workflow Settings** screen. You must do this only when you are using automatically generated UI maps, and not otherwise.

Related Topics

For more information on...	See...
Approval Workflow Group screen	*Approval Workflow Group* on page 270
Approval Workflow Groups zone	*Approval Workflow Groups* on page 270
Business Objects zone	*Business Objects* on page 271
How to search for a business object	*Searching for a Business Object* on page 560

Copyright © 2014, Oracle. All rights reserved.

Deleting a Business Object

Procedure

To delete a business object from the approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group**.

   The **Approval Workflow Group** screen appears.
4. Click the **Broadcast** ( ) icon corresponding to the approval workflow group whose business object you want to delete.

   The **Business Objects** zone appears.
5. Click the **Delete** ( ) icon in the **Delete** column corresponding to the business object that you want to delete.

   A message appears confirming whether you want to delete the object.
6. Click **OK**.

   The business object is deleted from the approval workflow group.

Related Topics

For more information on...	See...
Approval Workflow Group screen	*Approval Workflow Group* on page 270
Approval Workflow Groups zone	*Approval Workflow Groups* on page 270
Business Objects zone	*Business Objects* on page 271

Defining a Group BO Relation

Prerequisites

To define relationship between business objects in the approval workflow group, you should have:

- Business objects added in the approval workflow group

Procedure

To define relationship between business objects in the approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group**.

   The **Approval Workflow Group** screen appears.
4. Click the **Broadcast** ( ) icon corresponding to the approval workflow group whose business object details you want to edit.

Copyright © 2014, Oracle. All rights reserved.

The **Business Objects** zone appears.

5. Click the **Broadcast** ( ) icon corresponding to the business object whose relationship details you want to add.

   The **Group BO Relation** zone appears.

6. Click the **Add** link in the upper right corner of the **Group BO Relation** zone.

   The **Approval Workflow Group BO Relation** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Approval Workflow Group	Displays the code of the approval workflow group.	Not applicable
Parent BO	Used to specify the parent business object. This should be one of the business objects within the group.	No
From Key	Used to specify the XPATH key of the field or list of fields in the parent business object.	No
To Key	Used to specify the XPATH key of the field or list of fields in the current business object.	No

7. Enter the required details.

   Note: You can search for a parent business object by clicking the **Search** ( ) icon corresponding to the field.

8. Click **Save**.

   The business object's relationship is defined in the approval workflow group.

Related Topics

For more information on...	See...
Approval Workflow Group screen	*Approval Workflow Group* on page 270
Approval Workflow Groups zone	*Approval Workflow Groups* on page 270
Business Objects zone	*Business Objects* on page 271
Group BO Relation zone	*Group BO Relation* on page 272
How to search for a business object	*Searching for a Business Object* on page 560

Editing a Group BO Relation

Procedure

To change the business object's relationship details in the approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group**.

   The **Approval Workflow Group** screen appears.

Copyright © 2014, Oracle. All rights reserved.

4. Click the **Broadcast** ( ) icon corresponding to the approval workflow group whose business object details you want to edit.

   The **Business Objects** zone appears.

5. Click the **Broadcast** ( ) icon corresponding to the business object whose relationship details you want to edit.

   The **Group BO Relation** zone appears.

6. Click the **Edit** ( ) icon in the **Edit** column corresponding to the business object's relationship whose details you want to edit.

   The **Approval Workflow Group BO Relation** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Approval Workflow Group	Displays the code of the approval workflow group.	Not applicable
Parent BO	Used to modify the parent business object. This should be one of the business objects within the group.	No
From Key	Used to modify the XPATH key of the field or list of fields in the parent business object.	No
To Key	Used to modify the XPATH key of the field or list of fields in the current business object.	No

7. Modify the required details.

   Note: You can search for a parent business object by clicking the **Search** ( ) icon corresponding to the field.

8. Click **Save**.

   The changes made to the approval workflow group are saved.

Related Topics

For more information on...	See...
Approval Workflow Group screen	*Approval Workflow Group* on page 270
Approval Workflow Groups zone	*Approval Workflow Groups* on page 270
Business Objects zone	*Business Objects* on page 271
Group BO Relation zone	*Group BO Relation* on page 272
How to search for a business object	*Searching for a Business Object* on page 560

Deleting a Group BO Relation

Procedure

To delete a business object's relationship details from the approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

Copyright © 2014, Oracle. All rights reserved.

3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group**.

   The **Approval Workflow Group** screen appears.

4. Click the **Broadcast** ( ) icon corresponding to the approval workflow group whose business object details you want to edit.

   The **Business Objects** zone appears.

5. Click the **Broadcast** ( ) icon corresponding to the business object whose relationship details you want to delete.

   The **Group BO Relation** zone appears.

6. Click the **Delete** ( ) icon in the **Delete** column corresponding to the relationship record that you want to delete.

   A message appears confirming whether you want to delete the object.

7. Click **OK**.

   The business object's relationship details are deleted from the approval workflow group.

Related Topics

For more information on...	See...
Approval Workflow Group screen	*Approval Workflow Group* on page 270
Approval Workflow Groups zone	*Approval Workflow Groups* on page 270
Business Objects zone	*Business Objects* on page 271
Group BO Relation zone	*Group BO Relation* on page 272

Approval Workflow Chain

The system supports multi-level approval workflow. You can define an approval workflow chain or hierarchy where users with different To Do role at each level can approve or reject the approval workflow request. For example, you can define a chain called Material Procurement with two levels of approval. At the first level, a user with the M1 role will approve or reject the request, and at the second level, a user with the M2 role will approve or reject the request.

When the approval workflow request is created, a notification in the form of To Do is sent to all users with the To Do role defined at the first level in the hierarchy. Once the request is approved at the first level, a notification is sent to all users with the To Do role defined at the next level in the hierarchy. This process continues till the approval is received from all levels in the hierarchy. Once users at all levels approve the request, the changes are reflected in the database. However, if an approver at any level in the hierarchy rejects the request, a notification is sent to all users with the To Do role defined for resolving the request.

The **Approval Workflow Chain** screen allows you to define, edit, and delete an approval workflow chain. This screen consists of the following zones:

- *Approval Workflow Chains* on page 287
- *Approval Levels* on page 288

Approval Workflow Chains

The **Approval Workflow Chains** zone lists approval workflow chains that are already defined in the system. You can define, edit, and delete an approval workflow chain through this zone.

This zone contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Code	Displays the code of the approval workflow chain.
Description	Displays the description of the approval workflow chain.
To Do Role To Resolve	Indicates that the users with the specified To Do role will be sent a notification when the approval workflow request is rejected by an approver at any level in the hierarchy. **Note:** Only those users who have access to the application services for each business object within the approval workflow group will be able to resolve the request, and resubmit it for approval.
Edit	On clicking the **Edit** ( ) icon, the **Approval Workflow Chain** screen appears where you can edit the details of the approval workflow chain.
Delete	On clicking the **Delete** ( ) icon, you can delete the approval workflow chain.

You can define an approval workflow chain by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

On clicking the **Broadcast** ( ) icon corresponding to the approval workflow chain, the **Approval Levels** zone appears.

Related Topics

For more information on...	See...
How to define an approval workflow chain	*Defining an Approval Workflow Chain* on page 289
How to edit an approval workflow chain	*Editing an Approval Workflow Chain* on page 290
How to delete an approval workflow chain	*Deleting an Approval Workflow Chain* on page 291

Approval Levels

The **Approval Levels** zone lists the levels defined in the approval workflow chain. For each level in the hierarchy, a To Do role is specified indicating that users with the respective To Do role can either accept or reject the approval workflow request. You can define, edit, and delete the levels in the hierarchy through this zone.

This zone contains the following columns:

Column Name	Column Description
Action Algorithm	Indicates the additional action that the system will perform apart from generating a notification when the approver approves or rejects the request.
Level	Indicates the level in the hierarchy.
Approver To Do Role	Indicates that the users with the specified To Do role will either approve or reject the request at this level in the hierarchy. **Note:** Only those users who have access to the application services for each business object within the approval workflow group will be able to approve or reject the request.
Approval To Do Type	Indicates the type of notification that will be generated when the approver approves or rejects the request.
Edit	On clicking the **Edit** ( ) icon, the **Approval Level** screen appears where you can edit the details of the level in the approval workflow chain.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Delete	On clicking the **Delete** ( ) icon, you can delete the level from the approval workflow chain.

You can define a level in the approval workflow chain by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

For more information on...	See...
How to define an approval level in the approval workflow chain	*Defining an Approval Level* on page 291
How to edit an approval level in the approval workflow chain	*Editing an Approval Level* on page 292
How to delete an approval level from the approval workflow chain	*Deleting an Approval Level* on page 293

Defining an Approval Workflow Chain

Prerequisites

To define an approval workflow chain, you should have:

- Required To Do role defined in the application

Procedure

To define an approval workflow chain:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Chain**.

   The **Approval Workflow Chain** screen appears.

4. Click the **Add** link in the upper right corner of the **Approval Workflow Chains** zone.

   The **Approval Workflow Chain** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Used to specify the code that uniquely identifies the approval workflow chain.	Yes
Description	Used to specify the description for the approval workflow chain.	Yes
To Do Role To Resolve	Used to specify the To Do role to indicate the users who will be sent a notification when the approval workflow request is rejected by an approver at any level in the hierarchy.	Yes

5. Enter the required details.

   Note: You can search for a To Do role by clicking the **Search** ( ) icon corresponding to the field.

6. Click **Save**.

Copyright © 2014, Oracle. All rights reserved.

The approval workflow chain is defined.

Related Topics

For more information on...	See...
Approval Workflow Chain screen	*Approval Workflow Chain* on page 287
Approval Workflow Chains zone	*Approval Workflow Chains* on page 287
How to search for a To Do role	*Searching for a To Do Role* on page 568

Editing an Approval Workflow Chain

Prerequisites

To edit an approval workflow chain, you should have:

- Required To Do role defined in the application

Procedure

To edit an approval workflow chain:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Chain**.

   The **Approval Workflow Chain** screen appears.
4. Click the **Edit** ( ) icon in the **Edit** column corresponding to the approval workflow chain whose details you want to edit.

   The **Approval Workflow Chain** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Displays the code of the approval workflow chain.	Not applicable
Description	Used to modify the description of the approval workflow chain.	Yes
To Do Role To Resolve	Used to modify the To Do role to indicate the users who will be sent a notification when the approval workflow request is rejected by an approver at any level in the hierarchy.	Yes

5. Modify the required details.

   Note: You can search for a To Do role by clicking the **Search** ( ) icon corresponding to the field.
6. Click **Save**.

   The changes made to the approval workflow chain are saved.

Related Topics

For more information on...	See...
Approval Workflow Chain screen	*Approval Workflow Chain* on page 287

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Approval Workflow Chains zone	*Approval Workflow Chains* on page 287
How to search for a To Do role	*Searching for a To Do Role* on page 568

Deleting an Approval Workflow Chain

Procedure

To delete an approval workflow chain:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Chain**.

   The **Approval Workflow Chain** screen appears.
4. Click the **Delete** ( ) icon in the **Delete** column corresponding to the approval workflow chain that you want to delete.

   A message appears confirming whether you want to delete the object.
5. Click **OK**.

   The approval workflow chain is deleted.

Related Topics

For more information on...	See...
Approval Workflow Chain screen	*Approval Workflow Chain* on page 287
Approval Workflow Chains zone	*Approval Workflow Chains* on page 287

Defining an Approval Level

Prerequisites

To define a level in the approval workflow chain, you should have:

- Required To Do role and To Do type defined in the application
- Action algorithms defined in the application in case you want to use any of them

Procedure

To define a level in the approval workflow chain:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Chain**.

   The **Approval Workflow Chain** screen appears.

Copyright © 2014, Oracle. All rights reserved.

4. Click the **Broadcast** ( ) icon corresponding to the approval workflow chain in which you want *to* define a level.

   The **Approval Levels** zone appears.

5. Click the **Add** link in the upper right corner of the **Approval Levels** zone.

   The **Approval Level** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Displays the code of the approval workflow chain.	Not applicable
Action Algorithm	Used to specify the additional action that you want the system to perform apart from generating a notification when the approver approves or rejects the request.	No
Approver To Do Role	Used to specify the To Do role to indicate the users who will either approve or reject the request at this level in the hierarchy.	Yes
Approval To Do Type	Used to specify the type of notification that you want to generate when the approver approves or rejects the request.	Yes

6. Enter the required details.

   Note: You can search for a To Do role, To Do type, and an algorithm by clicking the **Search** ( ) icon corresponding to the respective field.

7. Click **Save**.

   The level is defined in the approval workflow chain.

Related Topics

For more information on...	See...
Approval Workflow Chain screen	*Approval Workflow Chain* on page 287
Approval Workflow Chains zone	*Approval Workflow Chains* on page 287
Approval Levels zone	*Approval Levels* on page 288
How to search for a To Do role	*Searching for a To Do Role* on page 568
How to search for a To Do type	*Searching for a To Do Type* on page 569
How to search for an algorithm	*Searching for an Algorithm* on page 555

Editing an Approval Level

Prerequisites

To edit a level in the approval workflow chain, you should have:

- Required To Do role and To Do type defined in the application
- Action algorithms defined in the application in case you want to use any of them

Procedure

To edit a level in the approval workflow chain:

Copyright © 2014, Oracle. All rights reserved.

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Chain**.

   The **Approval Workflow Chain** screen appears.
4. Click the **Broadcast** ( ) icon corresponding to the approval workflow chain whose level you want to edit.

   The **Approval Levels** zone appears.
5. Click the **Edit** ( ) icon in the **Edit** column corresponding to the level that you want to edit.

   The **Approval Level** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Displays the code of the approval workflow chain.	Not applicable
Action Algorithm	Used to modify the additional action that you want the system to perform apart from generating a notification when the approver approves or rejects the request.	No
Approver To Do Role	Used to modify the To Do role to indicate the users who will either approve or reject the request at this level in the hierarchy.	Yes
Approval To Do Type	Used to modify the type of notification that you want to generate when the approver approves or rejects the request.	Yes

6. Modify the required details.

   Note: You can search for a To Do role, To Do type, and an algorithm by clicking the **Search** ( ) icon corresponding to the respective field.
7. Click **Save**.

   The changes made to the approval level are saved.

Related Topics

For more information on...	See...
Approval Workflow Chain screen	*Approval Workflow Chain* on page 287
Approval Workflow Chains zone	*Approval Workflow Chains* on page 287
Approval Levels zone	*Approval Levels* on page 288
How to search for a To Do role	*Searching for a To Do Role* on page 568
How to search for a To Do type	*Searching for a To Do Type* on page 569
How to search for an algorithm	*Searching for an Algorithm* on page 555

Deleting an Approval Level

Procedure

Copyright © 2014, Oracle. All rights reserved.

To delete a level from the approval workflow chain:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Chain**.

   The **Approval Workflow Chain** screen appears.
4. Click the **Broadcast** ( ) icon corresponding to the approval workflow chain whose level you want to delete.

   The **Approval Levels** zone appears.
5. Click the **Delete** ( ) icon in the **Delete** column corresponding to the level that you want to delete.

   A message appears confirming whether you want to delete the object.
6. Click **OK**.

   The level is deleted from the approval workflow chain.

Related Topics

For more information on...	See...
Approval Workflow Chain screen	*Approval Workflow Chain* on page 287
Approval Workflow Chains zone	*Approval Workflow Chains* on page 287
Approval Levels zone	*Approval Levels* on page 288

Approval Workflow Criteria Type

The approval workflow request is associated to the approval workflow chain based on the approval workflow criteria. For example, approval workflow requests for the Account group can be associated with different approval workflow chains based on account's division. In this case, account's division would be the criteria type, and division equal to California would be the criteria. Therefore, you need to define the criteria type for each business object that you would like to use for associating approval workflow requests with the approval workflow chains. The system also provides you with a default criteria type named DEF, which can be used for associating approval workflow requests with the approval workflow chains. While using this criteria type, you must always set the value of this criteria type to **Y**.

The **Approval Workflow Criteria Type** screen allows you to define, edit, and delete approval workflow criteria types. This screen consists of the following zones:

- *Approval Workflow Criteria Types* on page 294

Approval Workflow Criteria Types

The **Approval Workflow Criteria Types** zone lists approval workflow criteria types that are already defined in the system. You can define, edit, and delete an approval workflow criteria type through this zone.

This zone contains the following columns:

Column Name	Column Description
Code	Displays the code of the approval workflow criteria type.
Description	Displays the description of the approval workflow criteria type.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Business Object	Displays the business object for which you have defined the approval workflow criteria type.
Field	Displays the field using which the criteria for associating approval workflow requests with the approval workflow chains will be defined.
Edit	On clicking the **Edit** ( ) icon, the **Approval Workflow Criteria Type** screen appears where you can edit the criteria type.
Delete	On clicking the **Delete** ( ) icon, you can delete the approval workflow criteria type.

You can define an approval workflow criteria type by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

For more information on...	See...
How to define an approval workflow criteria type	*Defining an Approval Workflow Criteria Type* on page 295
How to edit an approval workflow criteria type	*Editing an Approval Workflow Criteria Type* on page 296
How to delete an approval workflow criteria type	*Deleting an Approval Workflow Criteria Type* on page 297

Defining an Approval Workflow Criteria Type

Procedure

To define an approval workflow criteria type:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Criteria Type**.

   The **Approval Workflow Criteria Type** screen appears.
4. Click the **Add** link in the upper right corner of the **Approval Workflow Criteria Types** zone.

   The **Approval Workflow Criteria Type** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Used to specify the code that uniquely identifies the approval workflow criteria type.	Yes
Description	Used to specify the description for the approval workflow criteria type.	Yes
Business Object	Used to specify the business object for which you want to define the approval workflow criteria type.	Yes
Field	Used to specify the field that you want to use to define the criteria for associating approval workflow requests with the approval workflow chains.	Yes
5. Enter the required details.

Copyright © 2014, Oracle. All rights reserved.

Note: You can search for a business object and field by clicking the **Search** ( ) icon corresponding to the respective field.

6. Click **Save**.

   The approval workflow criteria type is defined.

Related Topics

For more information on...	See...
Approval Workflow Criteria Type screen	*Approval Workflow Criteria Type* on page 294
Approval Workflow Criteria Types zone	*Approval Workflow Criteria Types* on page 294
How to search for a business object	*Searching for a Business Object* on page 560
How to search for a field	*Searching for a Field* on page 562

Editing an Approval Workflow Criteria Type

Procedure

To edit an approval workflow criteria type:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **A** and then click **Approval Workflow Criteria Type**.

   The **Approval Workflow Criteria Type** screen appears.

4. Click the **Edit** ( ) icon in the **Edit** column corresponding to the criteria type that you want to edit.

   The **Approval Workflow Criteria Type** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Displays the code of the approval workflow criteria type.	Not applicable
Description	Used to modify the description of the approval workflow criteria type.	Yes
Business Object	Used to modify the business object for which you want to define the approval workflow criteria type.	Yes
Field	Used to modify the field that you want to use to define the criteria for associating approval workflow requests with the approval workflow chains.	Yes

5. Modify the required details.

   Note: You can search for a business object and field by clicking the **Search** ( ) icon corresponding to the respective field.

6. Click **Save**.

   The changes made to the approval workflow criteria type are saved.

Copyright © 2014, Oracle. All rights reserved.

Related Topics

For more information on...	See...
Approval Workflow Criteria Type screen	*Approval Workflow Criteria Type* on page 294
Approval Workflow Criteria Types zone	*Approval Workflow Criteria Types* on page 294
How to search for a business object	*Searching for a Business Object* on page 560
How to search for a field	*Searching for a Field* on page 562

Deleting an Approval Workflow Criteria Type

Procedure

To delete an approval workflow criteria type:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Criteria Type**.

   The **Approval Workflow Criteria Type** screen appears.
4. Click the **Delete** ( ) icon in the **Delete** column corresponding to the criteria type that you want to delete.

   A message appears confirming whether you want to delete the object.
5. Click **OK**.

   The approval workflow criteria type is deleted.

Related Topics

For more information on...	See...
Approval Workflow Criteria Type screen	*Approval Workflow Criteria Type* on page 294
Approval Workflow Criteria Types zone	*Approval Workflow Criteria Types* on page 294

Approval Workflow Group Chain Linkage

Once the approval workflow group and chain are created, you can link them using the approval workflow criteria. For example, if you want approval workflow requests for all accounts in the California division should be sent to Chain A, then you will have to create a linkage between the Account group and the Chain A using the criteria, division is equal to California. You can also link an approval workflow group and chain using the default criteria type, **DEF**. While using the default criteria type, you must always set its value to **Y**.

The **Approval Workflow Group Chain Linkage** screen allows you to create a link between an approval workflow group and chain with or without using a criteria. This ensures that requests created for the business objects within a particular approval workflow group are sent to the approval workflow chain to which the group is associated. This screen consists of the following zones:

- *Approval Workflow Group Chain Linkages* on page 298

Copyright © 2014, Oracle. All rights reserved.

- *Approval Workflow Criteria* on page 298

Approval Workflow Group Chain Linkages

The **Approval Workflow Group Chain Linkages** zone lists links created between approval workflow groups and chains. You can create, edit, and delete the links through this zone.

This zone contains the following columns:

Column Name	Column Description
Group Chain Linkage ID	Displays the ID which is generated automatically when the link is created.
Approval Workflow Group	Displays the approval workflow group for which the link is created.
Approval Workflow Chain	Displays the approval workflow chain for which the link is created.
Edit	On clicking the **Edit** ( ) icon, the **Approval Workflow Group Chain Linkage** screen appears where you can change the approval workflow group and chain.
Delete	On clicking the **Delete** ( ) icon, you can delete the approval workflow group chain link.

You can create an approval workflow group chain link by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

On clicking the **Broadcast** ( ) icon corresponding to the approval workflow group chain link, the **Approval Workflow Criteria** zone appears.

Related Topics

For more information on...	See...
How to create an approval workflow group chain link	*Creating an Approval Workflow Group Chain Link* on page 299
How to edit an approval workflow group chain link	*Editing an Approval Workflow Group Chain Link* on page 300
How to delete an approval workflow group chain link	*Deleting an Approval Workflow Group Chain Link* on page 301

Approval Workflow Criteria

The **Approval Workflow Criteria** zone displays the approval workflow criteria that you have defined for associating the approval workflow group with the approval workflow chain. You can define, edit, and delete the approval workflow criteria through this zone.

This zone contains the following columns:

Column Name	Column Description
Logical Operator	Displays the logical operator used to define the criteria. By default, the system uses AND operator.
Criterion Type	Displays the description of the criteria type.
Operator	Displays the relational operator used to define the relation between the criterion type and criterion value.
Criterion Value	Displays the value of the criteria type.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Sequence	Indicates the order in which the criterion is verified.
Edit	On clicking the **Edit** ( ) icon, the **Approval Workflow Criteria** screen appears where you can edit the criterion.
Delete	On clicking the **Delete** ( ) icon, you can delete the criterion.

You can define an approval workflow criterion by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

For more information on...	See...
How to define a criterion	*Defining an Approval Workflow Criterion* on page 301
How to edit a criterion	*Editing an Approval Workflow Criterion* on page 302
How to delete a criterion	*Deleting an Approval Workflow Criterion* on page 303

Creating an Approval Workflow Group Chain Link

Prerequisites

To create an approval workflow group chain link, you should have:

- Required approval workflow group and chain defined in the application

Procedure

To create an approval workflow group chain link:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group Chain Linkage**.

   The **Approval Workflow Group Chain Linkage** screen appears.
4. Click the **Add** link in the upper right corner of the **Approval Workflow Group Chain Linkages** zone.

   The **Approval Workflow Group Chain Linkage** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Approval Workflow Group	Used to specify the approval workflow group.	Yes
Approval Workflow Chain	Used to specify the approval workflow chain.	Yes
5. Enter the required details.

   Note: You can search for an approval workflow group and chain by clicking the **Search** ( ) icon corresponding to the respective field.
6. Click **Save**.

   The approval workflow group chain link is created.

Copyright © 2014, Oracle. All rights reserved.

Related Topics

For more information on...	See...
Approval Workflow Group Chain Linkage screen	*Approval Workflow Group Chain Linkage* on page 297
Approval Workflow Group Chain Linkages zone	*Approval Workflow Group Chain Linkages* on page 298
How to search for an approval workflow group	*Searching for an Approval Workflow Group* on page 558
How to search for an approval workflow chain	*Searching for an Approval Workflow Chain* on page 556

Editing an Approval Workflow Group Chain Link

Prerequisites

To edit an approval workflow group chain link, you should have:

- Required approval workflow group and chain defined in the application

Procedure

To edit an approval workflow group chain link:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group Chain Linkage**.

   The **Approval Workflow Group Chain Linkage** screen appears.
4. Click the **Edit** ( ) icon in the **Edit** column corresponding to the link whose details you want to edit.

   The **Approval Workflow Group Chain Linkage** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Approval Workflow Group	Used to change the approval workflow group.	Yes
Approval Workflow Chain	Used to change the approval workflow chain.	Yes
5. Modify the required details.

   Note: You can search for an approval workflow group and chain by clicking the **Search** ( ) icon corresponding to the respective field.
6. Click **Save**.

   The changes made to the approval workflow group chain link are saved.

Related Topics

For more information on...	See...
Approval Workflow Group Chain Linkage screen	*Approval Workflow Group Chain Linkage* on page 297

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Approval Workflow Group Chain Linkages zone	*Approval Workflow Group Chain Linkages* on page 298
How to search for an approval workflow group	*Searching for an Approval Workflow Group* on page 558
How to search for an approval workflow chain	*Searching for an Approval Workflow Chain* on page 556

Deleting an Approval Workflow Group Chain Link

Procedure

To delete an approval workflow group chain link:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group Chain Linkage**.

   The **Approval Workflow Group Chain Linkage** screen appears.
4. Click the **Delete** ( ) icon in the **Delete** column corresponding to the link that you want to delete.

   A message appears confirming whether you want to delete the object.
5. Click **OK**.

   The approval workflow group chain link is deleted.

Related Topics

For more information on...	See...
Approval Workflow Group Chain Linkage screen	*Approval Workflow Group Chain Linkage* on page 297
Approval Workflow Group Chain Linkages zone	*Approval Workflow Group Chain Linkages* on page 298

Defining an Approval Workflow Criterion

Prerequisites

To define an approval workflow criterion, you should have:

- Required criteria type defined in the application

Procedure

To define an approval workflow criterion:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group Chain Linkage**.

Copyright © 2014, Oracle. All rights reserved.

The **Approval Workflow Group Chain Linkage** screen appears.

4. Click the **Broadcast** ( ) icon corresponding to the link for which you want to define a criteria.

   The **Approval Workflow Criteria** zone appears.

5. Click the **Add** link in the upper right corner of the **Approval Workflow Criteria** zone.

   The **Approval Workflow Criterion** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Group Chain Linkage ID	Displays the ID which is generated automatically when the link is created.	Not applicable
Criterion Type	Used to specify the criteria type that you want to use for defining the criterion.	Yes
Criterion Value	Used to specify the criterion value.	Yes

6. Enter the required details.

   Note: You can search for a criteria type by clicking the **Search** ( ) icon corresponding to the field.

7. Click **Save**.

   The approval workflow criterion is defined.

Related Topics

For more information on...	See...
Approval Workflow Group Chain Linkage screen	*Approval Workflow Group Chain Linkage* on page 297
Approval Workflow Group Chain Linkages zone	*Approval Workflow Group Chain Linkages* on page 298
Approval Workflow Criteria zone	*Approval Workflow Criteria* on page 298
How to search for a criteria type	*Searching for an Approval Workflow Criteria Type* on page 557

Editing an Approval Workflow Criterion

Prerequisites

To edit an approval workflow criterion, you should have:

- Required criteria type defined in the application

Procedure

To edit an approval workflow criterion:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group Chain Linkage**.

   The **Approval Workflow Group Chain Linkage** screen appears.

Copyright © 2014, Oracle. All rights reserved.

4. Click the **Broadcast** ( ) icon corresponding to the link whose criteria you want to edit.

   The **Approval Workflow Criteria** zone appears.

5. Click the **Edit** ( ) icon in the **Edit** column corresponding to the criterion that you want to edit.

   The **Approval Workflow Criterion** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Group Chain Linkage ID	Displays the ID which is generated automatically when the link is created.	Not applicable
Criterion Type	Used to modify the criteria type that you want to use for defining the criterion.	Yes
Criterion Value	Used to modify the criterion value.	Yes

6. Modify the required details.

   Note: You can search for a criteria type by clicking the **Search** ( ) icon corresponding to the field.

7. Click **Save**.

   The changes made to the approval workflow criterion are saved.

Related Topics

For more information on...	See...
Approval Workflow Group Chain Linkage screen	*Approval Workflow Group Chain Linkage* on page 297
Approval Workflow Group Chain Linkages zone	*Approval Workflow Group Chain Linkages* on page 298
Approval Workflow Criteria zone	*Approval Workflow Criteria* on page 298
How to search for a criteria type	*Searching for an Approval Workflow Criteria Type* on page 557

Deleting an Approval Workflow Criterion

Procedure

To delete an approval workflow criterion:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **A** and then click **Approval Workflow Group Chain Linkage**.

   The **Approval Workflow Group Chain Linkage** screen appears.

4. Click the **Broadcast** ( ) icon corresponding to the link whose criteria you want to edit.

   The **Approval Workflow Criteria** zone appears.

5. Click the **Delete** ( ) icon in the **Delete** column corresponding to the criterion that you want to delete.

   A message appears confirming whether you want to delete the object.

Copyright © 2014, Oracle. All rights reserved.

6. Click **OK**.

   The approval workflow criterion is deleted.

Related Topics

For more information on...	See...
Approval Workflow Group Chain Linkage screen	*Approval Workflow Group Chain Linkage* on page 297
Approval Workflow Group Chain Linkages zone	*Approval Workflow Group Chain Linkages* on page 298
Approval Workflow Criteria zone	*Approval Workflow Criteria* on page 298

Approval Workflow Settings

Once the approval workflow group is created, you need to set the **Active** flag of the group to **Yes**. The **Active** flag is used to indicate whether approval workflow request should be created for an approval workflow group or not. If the flag for an approval workflow group (for example, the Account group) is set to **Yes**, then the approval workflow request is created when changes are made to any account.

The **Approval Workflow Settings** screen allows you to define various settings for approval workflow groups. This screen consists of the following zones:

- *Approval Workflow Settings* on page 304

Approval Workflow Settings

The **Approval Workflow Settings** zone displays various settings defined for a list of approval workflow groups. You can define, edit, and delete the settings of an approval workflow group through this zone.

This zone contains the following columns:

Column Name	Column Description
Approval Workflow Group	Displays the description of the approval workflow group.
Approval Chain Selection Algorithm	Indicates the algorithm that will be triggered after creating the approval workflow request. **Note:** This algorithm identifies the approval workflow chain that must be used for the approval workflow group.
Prevalidation Flag	Indicates whether validation must be done before the approval workflow request is created. The valid values are: • Y • N
Active	Indicates whether the approval workflow is required for the business objects in the approval workflow group. The valid values are: • Y • N • Conditional

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Conditional Algorithm	Indicates the algorithm that will be used to determine the business objects for which the approval workflow must be activated.
Edit	On clicking the **Edit** ( ) icon, the **Approval Workflow Setting** screen appears where you can edit the settings of the approval workflow group.
Regenerate UI Maps	On clicking the **Regenerate UI Maps** ( ) icon, you can regenerate the Input and Display UI maps for the approval workflow group. **Note:** If the Input and Display UI maps already exist for the approval workflow group, they are overwritten with the new Input and Display UI maps. Any manual modifications made to the previous UI maps will be lost. If you want to make any modifications to an automatically generated UI map, it is recommended that you create a copy of an automatically generated UI map, save it with a new name, make the modifications in the new UI map, and then attach it to the group. If the **C1-REGENUI** application service is added in the user's user group, only then the user can automatically regenerate the Input and Display UI maps associated with a group.
Delete	On clicking the **Delete** ( ) icon, you can delete the settings of the approval workflow group.

You can define settings for an approval workflow group by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

For more information on...	See...
How to define the settings of an approval workflow group	*Defining Approval Workflow Settings* on page 305
How to edit the settings of an approval workflow group	*Editing Approval Workflow Settings* on page 307
How to delete the settings of an approval workflow group	*Deleting Approval Workflow Settings* on page 309

Defining Approval Workflow Settings

Procedure

To define settings for an approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Settings**.

   The **Approval Workflow Settings** screen appears.
4. Click the **Add** link in the upper right corner of the **Approval Workflow Settings** zone.

   The **Approval Workflow Setting** screen appears. It contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Approval Workflow Group	Used to specify the approval workflow group.	Yes
Approval Chain Selection Algorithm	Used to specify the algorithm that will be triggered after creating the approval workflow request. **Note:** This algorithm identifies the approval workflow chain that must be used for the approval workflow group.	Yes
Prevalidation Flag	Used to indicate whether validation must be done before the approval workflow request is created. The valid values are: • Yes • No	Yes
Active	Used to indicate whether the approval workflow is required for the business objects in the approval workflow group. The valid values are: • **Yes** — Used when you want to activate the approval workflow for the business objects in the approval workflow group. • **No** — Used when you do not want to activate the approval workflow for the business objects in the approval workflow group. • **Conditional** — Used when you want to activate the approval workflow for business objects that satisfy particular criteria (for example, when the person or account belongs to a particular division). Note that, at present, this functionality works only for an approval workflow group which consists of a single business object.	Yes
Conditional Algorithm	Used to specify the algorithm that will be used to determine the business objects for which the approval workflow must be activated. **Note:** This field appears only when you select the **Conditional** option from the **Active** list.	Yes (Conditional) **Note:** This field is required when you select the **Conditional** option from the **Active** list.

5. Enter the required details.

   Note: You can search for an approval workflow group and algorithm by clicking the **Search** ( ) icon corresponding to the respective field.

6. Click **Save**.

   The settings are defined for the approval workflow group.

   Note: On clicking the **Save** button, the system checks whether the **Active** flag for the approval workflow group is set to **Yes**. If yes, the system checks whether you have already specified the Input and Display UI maps manually for the approval workflow group. If not, the system automatically creates the Input and Display UI maps. If you now go to the **Approval Workflow Group** screen, you will be able to view the names of the Input and Display UI maps (which are automatically generated) corresponding to the approval workflow group for which

Copyright © 2014, Oracle. All rights reserved.

the approval workflow is activated. The Input UI map is named using the `CM_<Approval Workflow Group Code>_AppTxn_Input` naming convention, and the Display UI map is named using the `CM_<Approval Workflow Group Code>_AppTxn_Display` naming convention.

Related Topics

For more information on...	See...
Approval Workflow Settings screen	*Approval Workflow Settings* on page 304
Approval Workflow Settings zone	*Approval Workflow Settings* on page 304
How to search for an approval workflow group	*Searching for an Approval Workflow Group* on page 558
How to search for an algorithm	*Searching for an Algorithm* on page 555

Editing Approval Workflow Settings

Procedure

To edit settings of an approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Settings**.

   The **Approval Workflow Settings** screen appears.
4. Click the **Edit** (✎) icon in the **Edit** column corresponding to the group whose settings you want to edit.

   The **Approval Workflow Setting** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Approval Workflow Group	Displays the code of the approval workflow group.	Not applicable
Approval Chain Selection Algorithm	Used to modify the algorithm that will be triggered after creating the approval workflow request. **Note:** This algorithm identifies the approval workflow chain that must be used for the approval workflow group.	Yes
Prevalidation Flag	Used to indicate whether validation must be done before the approval workflow request is created. The valid values are: • Yes • No	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Active	Used to indicate whether the approval workflow is required for the business objects in the approval workflow group. The valid values are: • **Yes** — Used when you want to activate the approval workflow for the business objects in the approval workflow group. • **No** — Used when you do not want to activate the approval workflow for the business objects in the approval workflow group. • **Conditional** — Used when you want to activate the approval workflow for business objects that satisfy particular criteria (for example, when the person or account belongs to a particular division). Note that, at present, this functionality works only for an approval workflow group which consists of a single business object.	Yes
Conditional Algorithm	Used to modify the algorithm that will be used to determine the business objects for which the approval workflow must be activated. **Note:** This field appears only when you select the **Conditional** option from the **Active** list.	Yes (Conditional) **Note:** This field is required when you select the **Conditional** option from the **Active** list.

5. Modify the required details.

   Note: You can search for an approval workflow group and algorithm by clicking the **Search** ( ) icon corresponding to the respective field.

6. Click **Save**.

   The changes made to the approval workflow group settings are saved.

   Note: On clicking the **Save** button, the system checks whether the **Active** flag for the approval workflow group is set to **Yes**. If yes, the system checks whether the Input and Display UI maps already exist for the approval workflow group. If not, the system automatically creates the Input and Display UI maps. If you now go to the **Approval Workflow Group** screen, you will be able to view the names of the Input and Display UI maps (which are automatically generated) corresponding to the approval workflow group for which the approval workflow is activated. The Input UI map is named using the `CM_<Approval Workflow Group Code>_AppTxn_Input` naming convention, and the Display UI map is named using the `CM_<Approval Workflow Group Code>_AppTxn_Display` naming convention.

Related Topics

For more information on...	See...
Approval Workflow Settings screen	*Approval Workflow Settings* on page 304
Approval Workflow Settings zone	*Approval Workflow Settings* on page 304
How to search for an approval workflow group	*Searching for an Approval Workflow Group* on page 558
How to search for an algorithm	*Searching for an Algorithm* on page 555

Copyright © 2014, Oracle. All rights reserved.

Deleting Approval Workflow Settings

Procedure

To delete settings of an approval workflow group:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **A** and then click **Approval Workflow Settings**.

   The **Approval Workflow Settings** screen appears.

4. Click the **Delete** ( ) icon in the **Delete** column corresponding to the approval workflow group whose settings you want to delete.

   A message appears confirming whether you want to delete the object.

5. Click **OK**.

   The settings of the approval workflow group are deleted.

Related Topics

For more information on...	See...
Approval Workflow Settings screen	*Approval Workflow Settings* on page 304
Approval Workflow Settings zone	*Approval Workflow Settings* on page 304

Approval Workflow Reason

You have to define the reason codes which are used when the approval workflow request is either rejected or cancelled. The reason code helps to indicate the reason why a particular request was rejected or cancelled.

The **Approval Workflow Reason** screen allows you to define, edit, and delete a reason code. This screen consists of the following zones:

- *Approval Workflow Reasons* on page 309

Approval Workflow Reasons

The **Approval Workflow Reasons** zone lists reason codes that are already defined in the system. You can define, edit, and delete a reason code through this zone.

This zone contains the following columns:

Column Name	Column Description
Code	Displays the reason code.
Description	Displays the description of the reason code.
Category	Displays the category to which the reason code belongs.
Edit	On clicking the **Edit** ( ) icon, the **Approval Workflow Reason** screen appears where you can edit the reason code.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Delete	On clicking the **Delete** ( ) icon, you can delete the reason code.

You can define a reason code by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

For more information on...	See...
How to define a reason code	*Defining a Reason Code* on page 310
How to edit a reason code	*Editing a Reason Code* on page 310
How to delete a reason code	*Deleting a Reason Code* on page 311

Defining a Reason Code

Procedure

To define a reason code:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Reason**.

   The **Approval Workflow Reason** screen appears.
4. Click the **Add** link in the upper right corner of the **Approval Workflow Reasons** zone.

   The **Approval Workflow Reason** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Used to specify the reason code.	Yes
Description	Used to specify the description for the reason code.	Yes
Category	Used to specify the category to which the reason code belongs. You can either select **Reject** or **Cancelled**.	Yes
5. Enter the required details.
6. Click **Save**.

   The reason code is defined.

Related Topics

For more information on...	See...
Approval Workflow Reason screen	*Approval Workflow Reason* on page 309
Approval Workflow Reasons zone	*Approval Workflow Reasons* on page 309

Editing a Reason Code

Procedure

Copyright © 2014, Oracle. All rights reserved.

To edit a reason code:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Reason**.

   The **Approval Workflow Reason** screen appears.

4. Click the **Edit** ( ) icon in the **Edit** column corresponding to the reason code that you want to edit.

   The **Approval Workflow Reason** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Displays the reason code.	Not applicable
Description	Used to modify the description of the reason code.	Yes
Category	Used to modify the category to which the reason code belongs. You can either select **Reject** or **Cancelled**.	Yes

5. Modify the required details.
6. Click **Save**.

   The changes made to the reason code are saved.

Related Topics

For more information on...	See...
Approval Workflow Reason screen	*Approval Workflow Reason* on page 309
Approval Workflow Reasons zone	*Approval Workflow Reasons* on page 309

Deleting a Reason Code

Procedure

To delete a reason code:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **A** and then click **Approval Workflow Reason**.

   The **Approval Workflow Reason** screen appears.

4. Click the **Delete** ( ) icon in the **Delete** column corresponding to the reason code that you want to delete.

   A message appears confirming whether you want to delete the object.

5. Click **OK**.

   The reason code is deleted.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Approval Workflow Reason screen	*Approval Workflow Reason* on page 309
Approval Workflow Reasons zone	*Approval Workflow Reasons* on page 309

Copyright © 2014, Oracle. All rights reserved.

Chapter 6

Multi-Currency Accounts

Topics:

- *Creating Adjustments*
- *Generating Bills*
- *Applying Payments*
- *Monitoring Overdue Debt*
- *Generating History*

Oracle Revenue Management and Billing allows you to change the currency in which an account is invoiced. While the charges on a bill must be in a single currency, accounts can now be billed in different currencies over time. For example, when a customer opens an account, he/she might be billed in US Dollars. However, with the Multi-Currency Accounts feature enabled, the same account can be billed in Euros in the near future. You can use the Multi-Currency Accounts functionality only when:

- You set the **Multi-Currency Accounts (C1_MLTCURACC)** feature configuration.
- The account's customer class is enabled for open item accounting. In other words, the **Open Item Accounting** check box of the account's customer class is selected.
- The account does not have any active or pending loans, payment plans, payment arrangements, or recurring charge contracts.

The following are some limitations while using the Multi-Currency Accounts functionality:

- Overdue charges in multiple currencies may not be referred to a collection agency. Such cases would be handled via a manual referral.
- Because the account's customer class must be enabled for open-item accounting, you can only use Overdue Processing to collect overdue bills. The Collections and Severance processes are not supported for open-item accounting.
- Write offs involving multiple currencies must be performed manually.
- Budgets, deposits, pay plans, and payment arrangements are not supported.

Note: If there is an outstanding debt for an account in more than one currency, the system displays "***" instead of the total account balance across the application.

To use the Multi-Currency Accounts functionality, you need to:

- Set the **Multi-Currency Accounts (C1_MLTCURACC)** feature configuration
- Define required currencies along with currency symbols
- Define invoice currencies for divisions. This is because while changing the invoice currency of an account, you can only view those invoice currencies that are associated to the account's division.
- Define exchange rates for currencies

- Create tender control and deposit control for every invoice currency defined in the system
- Define an adjustment type that you want to use during currency conversion, and link it to the relevant adjustment profile
- Define an adjustment type that you want to use during Write off process, and link it to the relevant adjustment profile
- Define a contract type that you want to use during over payments to transfer the credit balance to other contracts
- Create an algorithm using the **CM_MEST** algorithm type, and attach it on the **Match Event Status** algorithm spot in the **Installation Options – Framework** screen
- Set the collection method of the account's customer class to **Overdue**
- Setup auto-pay to debit the bill amount, and not the account's balance
- Setup the account's customer class to keep credits on a separate contract

The following business processes are enhanced for implementing the Multi-Currency Accounts functionality:

- *Creating Adjustments* on page 315
- *Generating Bills* on page 315
- *Applying Payments* on page 315
- *Monitoring Overdue Debt* on page 315
- *Generating History* on page 315

Related Topics

For more information on...	See...
How to set the **Multi-Currency Accounts (C1_MLTCURACC)** feature configuration	*Setting the Multi-Currency Accounts (C1_MLTCURACC) Feature Configuration* on page 576

Copyright © 2014, Oracle. All rights reserved.

Creating Adjustments

If you are using the Multi-Currency Accounts functionality, you can create adjustments in the currency which is different from the account's invoice currency.

Generating Bills

A bill is generated in the account's invoice currency. If you change the invoice currency of an account, any new bills will be generated in the new currency. For example, if you have changed the invoice currency of an account from US Dollars to Euros on 1st Feb 2010, all bills generated thereafter will be generated in Euros.

When a bill is completed and adjustments are swept onto the bill, adjustments that are created in the currency which is different from the account's invoice currency will be converted to the account's invoice currency. The system will create a transfer adjustment for each adjustment that is converted to provide complete audit information. The adjustment type specified in the **Transfer Adjustment Type for Currency Conversion** option type of the **Multi-Currency Accounts (C1_MLTCURACC)** feature configuration will be used for the conversion. The original adjustment and to-side of the transfer adjustment will be placed on the same match event.

Also, during bill completion, the Contract Type – Bill Completion algorithm type, **CREDIT-XFER**, which is usually specified on the credit contract, will automatically convert credit amounts in one currency to the invoice currency before distributing those credits.

Applying Payments

If you are using the Multi-Currency Accounts feature, you can apply payments in the currency which is different from the account's invoice currency. However, note that the currency used for payment cannot be different from the one used for billing.

When applying a payment, you can only select **Bill ID** as the match type. Also, all tenders for the same payment event must be in the same currency.

Monitoring Overdue Debt

Currency code is now optional while defining collection class overdue rules. When a batch job is processed, the Overdue Debt Monitor will search for overdue rules that match the account's collection class, division, and currency. If overdue rules for that combination are found, those rules will be executed. If the overdue rules are not found, the Overdue Debt Monitor will search for overdue rules that match the account's collection class and division. If overdue rules for that combination are found, those rules will be executed. If the overdue rules are not found, the account will be skipped.

Generating History

If the account has financial transactions in multiple currencies, zero appears throughout the **Current Balance** and **Payoff Balance** columns in the following screens:

- Account Financial History
- Contract Financial History
- View Account Financial Transaction History

Copyright © 2014, Oracle. All rights reserved.

Copyright © 2014, Oracle. All rights reserved.

Chapter 7

Rules Engine

Topics:

- *Rule Type*
- *View Rule Type*
- *Rule*
- *View Rule*
- *Rule Check*

A rules engine executes one or more business rules in a runtime production environment. It allows you to define, execute, and maintain these business rules separately from the application code. You can then use these business rules in any program to facilitate operational decisions at runtime. For example, you might use business rules in the Collection module to decide the collection strategy or in the Banking module to derive charges codes or products for the transaction.

A rules engine allows you to classify these rules using the rule type. It also allows you to define the relationship between two or more rules and set the priority for each rule. When a calling program invokes these rules using the rule type, all effective rules with the specified rule type are executed, starting with the rule having highest priority. For example, a rule with the priority 10 will be executed before a rule with the priority 20.

Each rule contains one or more criteria. Depending on whether the criteria is satisfied, the system either executes the next criteria or indicates whether the rule is true or false. The rules engine allows you to define what should happen when the rule is true or false. In both the cases, you can enforce the system to either:

- Execute any dependent rule
- Execute a rule with the same rule type having lower priority
- Return the output parameters and their values to the calling program

You can define a criteria for a rule only using those parameters that are associated with the rule type. Also, when the rule is true, you can only return those parameters that are associated with the rule type to the calling programs. Therefore, in case you want to use any parameter in the rule, you have to associate it with the rule type as an input and output parameter.

A rules engine also allows you to execute preprocessing and postprocessing algorithms. A preprocessing algorithm is triggered before executing any criteria in the rule. It pre-processes the input parameters and then returns processed values against which the criteria is validated. A postprocessing algorithm is triggered after executing all criteria in the rule. It post-processes the output parameters and returns the updated values to the calling programs or dependent rules.

Oracle Revenue Management and Billing provides you with the Rule Check utility. It allows you to validate whether rules defined with a specific rule type get executed as expected. On validating, it indicates the sequence in which the rules were executed, the total execution time, and displays the output parameters of the rule that was successfully executed.

Rule Type

The **Rule Type** screen allows you to create, edit, delete, and copy a rule type. This screen consists of the following zones:

- *Search* on page 318

Search

The **Search** zone allows you to search for a rule type. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Rule Type	Used to specify the rule type.	No
Description	Used to specify the description of the rule type.	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Rule Type	Displays the rule type.
Description	Displays the description of the rule type.
View	On clicking the **View** ( ) icon, the **View Rule Type** screen appears where you can view the details of the rule type.
Edit	On clicking the **Edit** () icon, the **Edit Rule Type** screen appears where you can edit the details of the rule type.
Delete	On clicking the **Delete** ( ) icon, you can delete the rule type. **Note:** You can delete a rule type only if the rules are not yet defined using the rule type.
Copy	On clicking the **Copy** ( ) icon, the **Copy Rule Type** screen appears where you can create a rule type using an existing rule type.

You can create a new rule type by clicking the **Add** link in the upper right corner of this zone.

Related Topics

For more information on...	See...
How to search for a rule type	*Searching for a Rule Type* on page 319
How to view the details of a rule type	*Viewing the Rule Type Details* on page 323
How to create a rule type	*Creating a Rule Type* on page 319
How to edit a rule type	*Editing a Rule Type* on page 320
How to delete a rule type	*Deleting a Rule Type* on page 321
How to copy a rule type	*Copying a Rule Type* on page 322

Copyright © 2014, Oracle. All rights reserved.

Searching for a Rule Type

Procedure

To search for a rule type:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **R** and then click **Rule Type**.

   The **Rule Type** screen appears.

4. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of rule types that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
Rule Type screen	*Rule Type* on page 318
Search zone	*Search* on page 318

Creating a Rule Type

Prerequisites

To create a rule type, you should have:

- Fields that you want to use as parameters defined in the application

Procedure

To create a rule type:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **R** and then click the **Add** ( ) icon corresponding to the **Rule Type** menu option.

   The **Add Rule Type** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Rule Type	Used to specify the rule type.	Yes
Description	Used to specify the description for the rule type.	Yes

Copyright © 2014, Oracle. All rights reserved.

In addition, it contains the **Input and Output Parameters** section. It allows you to specify the fields that you can use as input or output parameters while defining rules of this type. This section contains the following columns:

Column Name	Column Description	Mandatory (Yes or No)
Field	Used to specify the field name.	No

Tip: Alternatively, you can access the **Add Rule Type** screen by clicking the **Add** link in the upper right corner of the **Search** zone in the **Rule Type** screen.

4. Enter the required details.

   Note:

   You can search for a field by clicking the **Search** ( ) icon corresponding to the field.

   If you want to associate more than one field with the rule type, click the **Plus** ( ) icon and then specify the details. However, if you want to remove a field from the rule type, click the **Minus** ( ) icon corresponding to the field.

5. Click **Save**.

   The rule type is created.

Related Topics

For more information on...	See...
Rule Type screen	*Rule Type* on page 318
Search zone	*Search* on page 318
How to search for a field	*Searching for a Field* on page 562

Editing a Rule Type

Prerequisites

To edit a rule type, you should have:

- Fields that you want to use as parameters defined in the application

Procedure

To edit a rule type:

1. Search for the rule type in the **Rule Type** screen.
2. In the **Search Results** section, click the **Edit** ( ) icon in the **Edit** column corresponding to the rule type whose details you want to edit.

   The **Edit Rule Type** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Rule Type	Displays the rule type.	Not applicable
Description	Used to modify the description of the rule type.	Yes

In addition, it contains the **Input and Output Parameters** section. It allows you to specify the fields that you can use as input or output parameters while defining rules of this type. This section contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description	Mandatory (Yes or No)
Field	Used to specify the field name.	No

Tip: Alternatively, you can access the **Edit Rule Type** screen by clicking the **Edit** link in the **View Rule Type** screen.

3. Modify the required details.

   Note:

   You can search for a field by clicking the **Search** ( ) icon corresponding to the field.

   If you want to associate more than one field with the rule type, click the **Plus** ( ) icon and then specify the details. However, if you want to remove a field from the rule type, click the **Minus** ( ) icon corresponding to the field.

   You can edit or remove a field from the rule type only if the field is not yet used as an input or output parameter in any rule created using this rule type.

4. Click **Save**.

   The changes made to the rule type are saved.

Related Topics

For more information on...	See...
How to search for a rule type	*Searching for a Rule Type* on page 319
View Rule Type screen	*View Rule Type* on page 322
How to search for a field	*Searching for a Field* on page 562

Deleting a Rule Type

Procedure

To delete a rule type:

1. Search for the rule type in the **Rule Type** screen.
2. In the **Search Results** section, click the **Delete** ( ) icon in the **Delete** column corresponding to the rule type that you want to delete.

   A message appears confirming whether you want to delete the rule type.

   Note: You can delete a rule type only if the rules are not yet defined using the rule type.

3. Click **OK**.

   The rule type is deleted.

Related Topics

For more information on...	See...
Rule Type screen	*Rule Type* on page 318
Search zone	*Search* on page 318

Copyright © 2014, Oracle. All rights reserved.

Copying a Rule Type

Instead of creating a rule type from scratch, you can also create a new rule type using an existing rule type. This process is called copying a rule type. When you copy a rule type, the parameters associated with the original rule type are copied to the new rule type. You can then add or remove parameters from the new rule type.

Prerequisites

To copy a rule type, you should have:

- Rule type (whose copy you want to create) defined in the application
- Fields that you want to use as parameters defined in the application

Procedure

To copy a rule type:

1. Search for the rule type in the **Rule Type** screen.
2. In the **Search Results** section, click the **Copy** ( ) icon corresponding to the rule type whose copy you want to create.

   The **Copy Rule Type** screen appears.
3. Enter the new rule type and description for the new rule type.
4. Add or remove parameters from the new rule type.

   Note:

   You can search for a field by clicking the **Search** ( ) icon corresponding to the field.

   If you want to associate more than one field with the rule type, click the **Plus** ( ) icon and then specify the details. However, if you want to remove a field from the rule type, click the **Minus** () icon corresponding to the field.
5. Click **Save**.

   The new rule type is created.

Related Topics

For more information on...	See...
Rule Type screen	*Rule Type* on page 318
Search zone	*Search* on page 318
How to search for a field	*Searching for a Field* on page 562

View Rule Type

The **View Rule Type** screen allows you to view the details of a rule type. This screen consists of the following zones:

- *Rule Type Information* on page 322

Rule Type Information

The **Rule Type Information** zone displays information about the rule type. This zone contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description
Rule Type	Displays the rule type.
Description	Displays the description of the rule type.

The **Input and Output Parameters** section lists the fields that you can use as input or output parameters while defining rules of this type. It contains the following columns:

Column Name	Column Description
Field	Displays the transaction field name.
Field Type	Indicates whether the transaction field is an input or output parameter. The valid values are: • Input • Output

The **Edit** link appears in the upper-right corner of the **Rule Type Information** zone. On clicking the **Edit** link, the **Edit Rule Type** screen appears where you can edit the details of the rule type.

Related Topics

For more information on...	See...
How to view the details of a rule type	*Viewing the Rule Type Details* on page 323

Viewing the Rule Type Details

Procedure

To view the details of a rule type:

1. Search for the rule type in the **Rule Type** screen.
2. In the **Search Results** section, click the **View** ( ) icon in the **View** column corresponding to the rule type whose details you want to view.

   The **View Rule Type** screen appears.
3. View the details of the rule type in the **Rule Type Information** zone.

Related Topics

For more information on...	See...
How to search for a rule type	*Searching for a Rule Type* on page 319
View Rule Type screen	*View Rule Type* on page 322
Rule Type Information zone	*Rule Type Information* on page 322

Rule

The **Rule** screen allows you to define, edit, delete, and copy a rule. This screen consists of the following zones:

- *Search* on page 324

Copyright © 2014, Oracle. All rights reserved.

Search

The **Search** zone allows you to search for a rule. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Rule Code	Used to specify the rule code.	No
Rule Type	Used to specify the type of rule.	No
Description	Used to specify the description of the rule.	No
Rule Priority	Used to specify the priority of the rule.	No
Effective Start Date	Used to specify the date from when the rule is effective.	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Priority	Displays the priority of the rule.
Code	Displays the rule code.
Description	Displays the description of the rule.
Type	Displays the type of rule.
Start Date	Displays the date from when the rule is effective.
End Date	Displays the date till when the rule is effective.
Preprocessing Algorithm	Indicates the algorithm that will be triggered before executing the criteria in the rule. It pre-processes the input parameters and then returns processed values against which the criteria is validated.
Postprocessing Algorithm	Indicates the algorithm that will be triggered when the rule is true. It post-processes the output parameters and returns the updated values to the calling programs or dependent rules.
View	On clicking the **View** ( ) icon, the **View Rule** screen appears where you can view the details of the rule.
Edit	On clicking the **Edit** ( ) icon, the **Edit Rule** screen appears where you can edit the details of the rule.
Delete	On clicking the **Delete** ( ) icon, you can delete the rule. **Note:** You can delete a rule only if it is not used.
Copy	On clicking the **Copy** ( ) icon, the **Copy Rule** screen appears where you can create a rule using an existing rule.

You can create a new rule by clicking the **Add** link in the upper right corner of this zone.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to search for a rule	*Searching for a Rule* on page 325
How to view the details of a rule	*Viewing the Rule Details* on page 337
How to define a rule	*Defining a Rule* on page 325
How to edit a rule	*Editing a Rule* on page 329
How to delete a rule	*Deleting a Rule* on page 333
How to copy a rule	*Copying a Rule* on page 334

Searching for a Rule

Procedure

To search for a rule:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **R** and then click **Rule**.

   The **Rule** screen appears.
4. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of rules that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
Rule screen	*Rule* on page 323
Search zone	*Search* on page 324

Defining a Rule

Prerequisites

To define a rule, you should have:

- Rule types defined in the application
- Preprocessing and postprocessing algorithms, dependent rules, and parameters defined in the application in case you want to use any of them

Procedure

To define a rule:

Copyright © 2014, Oracle. All rights reserved.

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **R** and then click the **Add** ( ) icon corresponding to the **Rule** menu option.

   The **Add Rule** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Rule Code	Used to specify the rule code.	Yes
Rule Type	Used to specify the type of rule.	Yes
Description	Used to specify the description for the rule.	Yes
Rule Priority	Used to specify the priority of the rule. **Note:** You cannot define two rules with the same rule type and priority in the same duration.	Yes
Effective Start Date	Used to specify the date from when the rule is effective.	Yes
Effective End Date	Used to specify the date till when the rule is effective. **Note:** The effective end date cannot be earlier than the effective start date.	No
Preprocessing Algorithm	Used to specify the algorithm that will be triggered before executing the criteria in the rule. It pre-processes the input parameters and then returns processed values against which the criteria is validated.	No
Postprocessing Algorithm	Used to specify the algorithm that will be triggered when the rule is true. It post-processes the output parameters and returns the updated values to the calling programs or dependent rules.	No
Rule True Action	Used to indicate what should happen when all conditions in the rule are satisfied and returns **Rule is True**. The valid values are: • **Next Dependent Rule** — Used to indicate that the dependent rule should be executed when the rule is true. • **Next Rule by Priority** — Used to indicate that the rule of the same rule type having lower priority should be executed when the rule is true. • **Success** — Used to indicate that no more rules should be executed when the rule is true. The output parameters and their values are returned to the calling programs.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Dependent Rule	Used to specify the next dependent rule that must be executed when **Next Dependent Rule** is selected from the **Rule True Action** list.	Yes (Conditional) **Note:** This field is required when you select **Next Dependent Rule** from the **Rule True Action** list.
Rule False Action	Used to indicate what should happen when any of the criteria in the rule is not satisfied and returns **Rule is False**. The valid values are: • **Next Dependent Rule** — Used to indicate that the dependent rule should be executed when the rule is false. • **Next Rule by Priority** — Used to indicate that the rule of the same rule type having lower priority should be executed when the rule is false. • **Success** — Used to indicate that no more rules should be executed when the rule is false. The output parameters and their values are returned to the calling programs.	Yes
Dependent Rule	Used to specify the next dependent rule that must be executed when **Next Dependent Rule** is selected from the **Rule False Action** list.	Yes (Conditional) **Note:** This field is required when you select **Next Dependent Rule** from the **Rule False Action** list.

In addition, it contains the following two sections:

- **Rule Output Parameters** — Used to specify the output parameters that must be returned to the calling programs or dependent rules when all conditions in the rule are satisfied. This section contains the following columns:

Column Name	Column Description	Mandatory (Yes or No)
Parameter Name	Used to specify the parameter. **Note:** For more information about the output parameters that you can specify while defining a rule, see *Transaction Validation and Initial Product Determination* on page 350.	Yes
Parameter Value	Used to specify the value for the parameter. **Note:** You can specify any special characters except ampersand (&), comma (,), underscore (_), equal to (=), tilde (~), and semi-colon(;) in the parameter value.	Yes

- **Criteria** — Used to define criteria for the rule. This section contains the following columns:

Column Name	Column Description	Mandatory (Yes or No)
Sequence Number	Used to indicate the order in which the criteria should be executed in the rule.	Yes

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description	Mandatory (Yes or No)
Parameter Name	Used to indicate whether you want to specify a field or an algorithm as an input parameter. It also allows you to specify the field or algorithm name. **Note:** If a business label is defined for a user defined field (that you have selected), the business label appears in the **Parameter Name** field.	Yes
Operator	Used to specify the relational operator to define the relation between the parameter name and value.	Yes
Parameter Value	Used to specify the parameter value. **Note:** You can specify any special characters except ampersand (&), comma (,), underscore (_), equal to (=), tilde (~), and semi-colon(;) in the parameter value.	Yes
Is True	Used to indicate what should happen when the condition is true (satisfied). The valid values are: • **Check next condition** — Used to indicate that the condition with consecutive sequence number should be executed. • **Rule is false** — Used to indicate that the action specified in the **Rule False Action** field should be executed. • **Rule is true** — Used to indicate that the action specified in the **Rule True Action** field should be executed.	Yes
Is False	Used to indicate what should happen when the condition is false (not satisfied). The valid values are: • **Check next condition** — Used to indicate that the condition with consecutive sequence number should be executed. • **Rule is false** — Used to indicate that the action specified in the **Rule False Action** field should be executed. • **Rule is true** — Used to indicate that the action specified in the **Rule True Action** field should be executed.	Yes

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description	Mandatory (Yes or No)
Is Insufficient	Used to indicate what should happen when the data is insufficient. The valid values are: • **Check next condition** — Used to indicate that the condition with consecutive sequence number should be executed. • **Rule is false** — Used to indicate that the action specified in the **Rule False Action** field should be executed. • **Rule is true** — Used to indicate that the action specified in the **Rule True Action** field should be executed.	Yes

Tip: Alternatively, you can access the **Add Rule** screen by clicking the **Add** link in the upper right corner of the **Search** zone in the **Rule** screen.

4. Enter the required details.

   Note:

   You can search for a parameter, dependent rule and an algorithm by clicking the **Search** ( ) icon corresponding to the respective field.

   If you want to associate more than one output parameter with the rule or define more than one criteria for the rule, click the **Plus** ( ) icon and then specify the details. However, if you want to remove an output parameter or a criteria from the rule, click the **Minus** ( ) icon corresponding to it.

5. Click **Save**.

   The rule is defined.

Related Topics

For more information on...	See...
Rule screen	*Rule* on page 323
Search zone	*Search* on page 324
How to search for a parameter	*Searching for a Parameter* on page 563
How to search for an algorithm	*Searching for an Algorithm* on page 555
How to search for a dependent rule	*Searching for a Dependent Rule* on page 561

Editing a Rule

Prerequisites

To edit a rule, you should have:

- Preprocessing and postprocessing algorithms, dependent rules, and parameters defined in the application in case you want to use any of them

Procedure

To edit a rule:

1. Search for the rule in the **Rule** screen.

Copyright © 2014, Oracle. All rights reserved.

2. In the **Search Results** section, click the **Edit** ( ) icon in the **Edit** column corresponding to the rule whose *d*etails you want to edit.

   The **Edit Rule** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Rule Code	Displays the rule code.	Not applicable
Rule Type	Displays the type of rule.	Not applicable
Description	Used to modify the description of the rule.	Yes
Rule Priority	Used to modify the priority of the rule. **Note:** You cannot define two rules with the same rule type and priority in the same duration.	Yes
Effective Start Date	Displays the date from when the rule is effective.	Not applicable
Effective End Date	Used to modify the date till when the rule is effective. **Note:** The effective end date cannot be earlier than the effective start date.	No
Preprocessing Algorithm	Used to modify the algorithm that will be triggered before executing the criteria in the rule. It pre-processes the input parameters and then returns processed values against which the criteria is validated.	No
Postprocessing Algorithm	Used to modify the algorithm that will be triggered when the rule is true. It post-processes the output parameters and returns the updated values to the calling programs or dependent rules.	No
Rule True Action	Used to indicate what should happen when all conditions in the rule are satisfied and returns **Rule is True**. The valid values are: • **Next Dependent Rule** — Used to indicate that the dependent rule should be executed when the rule is true. • **Next Rule by Priority** — Used to indicate that the rule of the same rule type having lower priority should be executed when the rule is true. • **Success** — Used to indicate that no more rules should be executed when the rule is true. The output parameters and their values are returned to the calling programs.	Yes
Dependent Rule	Used to modify the next dependent rule that must be executed when **Next Dependent Rule** is selected from the **Rule True Action** list.	Yes (Conditional) **Note:** This field is required when you select **Next Dependent Rule** from the **Rule True Action** list.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Rule False Action	Used to indicate what should happen when any of the criteria in the rule is not satisfied and returns **Rule is False**. The valid values are: • **Next Dependent Rule** — Used to indicate that the dependent rule should be executed when the rule is false. • **Next Rule by Priority** — Used to indicate that the rule of the same rule type having lower priority should be executed when the rule is false. • **Success** — Used to indicate that no more rules should be executed when the rule is false. The output parameters and their values are returned to the calling programs.	Yes
Dependent Rule	Used to modify the next dependent rule that must be executed when **Next Dependent Rule** is selected from the **Rule False Action** list.	Yes (Conditional) **Note:** This field is required when you select **Next Dependent Rule** from the **Rule False Action** list.

In addition, it contains the following two sections:

- **Rule Output Parameters** — Used to specify the output parameters that must be returned to the calling programs or dependent rules when all conditions in the rule are satisfied. This section contains the following columns:

Column Name	Column Description	Mandatory (Yes or No)
Parameter Name	Used to modify the parameter. **Note:** For more information about the output parameters that you can specify while defining a rule, see *Transaction Validation and Initial Product Determination* on page 350.	Yes
Parameter Value	Used to modify the value of the parameter. **Note:** You can specify any special characters except ampersand (&), comma (,), underscore (_), equal to (=), tilde (~), and semi-colon(;) in the parameter value.	Yes

- **Criteria** — Used to define criteria for the rule. This section contains the following columns:

Column Name	Column Description	Mandatory (Yes or No)
Sequence Number	Used to indicate the order in which the criteria should be executed in the rule.	Yes

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description	Mandatory (Yes or No)
Parameter Name	Used to indicate whether you want to specify a field or an algorithm as an input parameter. It also allows you to specify the field or algorithm name. **Note:** If a business label is defined for a user defined field (that you have selected), the business label appears in the **Parameter Name** field.	Yes
Operator	Used to modify the relational operator to define the relation between the parameter name and value.	Yes
Parameter Value	Used to modify the parameter value. **Note:** You can specify any special characters except ampersand (&), comma (,), underscore (_), equal to (=), tilde (~), and semi-colon(;) in the parameter value.	Yes
Is True	Used to indicate what should happen when the condition is true (satisfied). The valid values are: • **Check next condition** — Used to indicate that the condition with consecutive sequence number should be executed. • **Rule is false** — Used to indicate that the action specified in the **Rule False Action** field should be executed. • **Rule is true** — Used to indicate that the action specified in the **Rule True Action** field should be executed.	Yes
Is False	Used to indicate what should happen when the condition is false (not satisfied). The valid values are: • **Check next condition** — Used to indicate that the condition with consecutive sequence number should be executed. • **Rule is false** — Used to indicate that the action specified in the **Rule False Action** field should be executed. • **Rule is true** — Used to indicate that the action specified in the **Rule True Action** field should be executed.	Yes

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description	Mandatory (Yes or No)
Is Insufficient	Used to indicate what should happen when the data is insufficient. The valid values are: • **Check next condition** — Used to indicate that the condition with consecutive sequence number should be executed. • **Rule is false** — Used to indicate that the action specified in the **Rule False Action** field should be executed. • **Rule is true** — Used to indicate that the action specified in the **Rule True Action** field should be executed.	Yes

Tip: Alternatively, you can access the **Edit Rule** screen by clicking the **Edit** link in the **View Rule** screen.

3. Modify the required details.

   Note: You can search for a parameter, dependent rule and an algorithm by clicking the **Search** ( ) icon corresponding to the respective field.

4. Add or remove output parameters or criteria from the rule, if required.

   Note: If you want to associate more than one output parameter with the rule or define more than one criteria for the rule, click the **Plus** ( ) icon and then specify the details. However, if you want to remove an output parameter or a criteria from the rule, click the **Minus** ( ) icon corresponding to it.

5. Click **Save**.

   The changes made to the rule are saved.

Related Topics

For more information on...	See...
Rule screen	*Rule* on page 323
Search zone	*Search* on page 324
How to search for a parameter	*Searching for a Parameter* on page 563
How to search for an algorithm	*Searching for an Algorithm* on page 555
How to search for a dependent rule	*Searching for a Dependent Rule* on page 561

Deleting a Rule

Procedure

To delete a rule:

1. Search for the rule in the **Rule** screen.
2. In the **Search Results** section, click the **Delete** ( ) icon in the **Delete** column corresponding to the rule that you want to delete.

   A message appears confirming whether you want to delete the rule.

   Note: You can delete a rule only if it is not used.

Copyright © 2014, Oracle. All rights reserved.

3. Click **OK**.

   The rule is deleted.

Related Topics

For more information on...	See...
Rule screen	*Rule* on page 323
Search zone	*Search* on page 324

Copying a Rule

Instead of creating a rule from scratch, you can also create a new rule using an existing rule. You can do this by copying a rule. When you copy a rule, the output parameters and criteria defined for the original rule are copied to the new rule. You can then add or remove parameters or criteria from the new rule.

Prerequisites

To copy a rule, you should have:

- Rule (whose copy you want to create) defined in the application
- Preprocessing and postprocessing algorithms, dependent rules, and parameters defined in the application in case you want to use any of them

Procedure

To copy a rule:

1. Search for the rule in the **Rule** screen.
2. In the **Search Results** section, click the **Copy** ( ) icon corresponding to the rule whose copy you want to create.

   The **Copy Rule** screen appears.
3. Enter the new rule code and the description for the new rule.
4. Modify the required details.
5. Add or remove output parameters or criteria from the new rule.

   Note:

   You can specify any special characters except ampersand (&), comma (,), underscore (_), equal to (=), tilde (~), and semi-colon(;) in the parameter value.

   You can search for a parameter, dependent rule and an algorithm by clicking the **Search** ( ) icon corresponding to the respective field.

   If you want to associate more than one output parameter with the rule or define more than one criteria for the rule, click the **Plus** ( ) icon and then specify the details. However, if you want to remove an output parameter or a criteria from the rule, click the **Minus** ( ) icon corresponding to it.

   For more information about the output parameters that you can specify while defining a rule, see *Transaction Validation and Initial Product Determination* on page 350.
6. Click **Save**.

   The new rule is defined.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Rule screen	*Rule* on page 323
Search zone	*Search* on page 324
How to define a rule	*Defining a Rule* on page 325
How to search for a parameter	*Searching for a Parameter* on page 563
How to search for an algorithm	*Searching for an Algorithm* on page 555
How to search for a dependent rule	*Searching for a Dependent Rule* on page 561

View Rule

The **View Rule** screen allows you to view the details of a rule. This screen consists of the following zones:

- *Rule Information* on page 335

Rule Information

The **Rule Information** zone displays information about the rule. This zone contains the following fields:

Field Name	Field Description
Rule Code	Displays the rule code.
Rule Type	Indicates the type of rule.
Description	Displays the description of the rule.
Rule Priority	Indicates the priority of the rule. **Note:** You can use the **Move Up** ( ) and **Move Down** ( ) icons corresponding to this field to view the details of a rule (having the same rule type) with a higher or lower priority. Note that this functionality is available only when you access the **View Rule** screen through the **Rule** screen.
Effective Start Date	Displays the date from when the rule is effective.
Effective End Date	Displays the date till when the rule is effective.
Preprocessing Algorithm	Indicates the algorithm that will be triggered before executing the criteria in the rule. It pre-processes the input parameters and then returns processed values against which the criteria is validated.
Postprocessing Algorithm	Indicates the algorithm that will be triggered after executing the criteria in the rule. It post-processes the output parameters and returns the updated values to the calling programs or dependent rules.
Rule True Action	Indicates what should happen when all conditions in the rule are satisfied and returns **Rule is True**.
Dependent Rule	Indicates the next dependent rule that must be executed when **Next Dependent Rule** is selected from the **Rule True Action** list.
Rule False Action	Indicates what should happen when any of the criteria in the rule is not satisfied and returns **Rule is False**.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description
Dependent Rule	Indicates the next dependent rule that must be executed when **Next Dependent Rule** is selected from the **Rule False Action** list.

In addition, it contains the following two sections:

- **Rule Output Parameters** — Lists the output parameters that must be returned to the calling programs or dependent rules when all conditions in the rule are satisfied. This section contains the following columns:

Column Name	Column Description
Parameter Name	Displays the name of the parameter. In addition, this column has a context menu which helps in navigating to the **Field** screen.
Parameter Value	Displays the value of the parameter.

- **Criteria** — Lists the criteria defined in the rule. This section contains the following columns:

Column Name	Column Description
Sequence Number	Indicates the order in which the criteria should be executed in the rule.
Parameter Type	Indicates whether the input parameter is a field or an algorithm.
Parameter Name	Displays the field or algorithm name which is used as an input parameter.
Operator	Indicates the relational operator used to define the relation between the parameter name and value.
Parameter Value	Displays the parameter value.
Is True	Indicates what should happen when the condition is true (satisfied). The valid values are: • **Check next condition** — Indicates that the condition with consecutive sequence number should be executed. • **Rule is false** — Indicates that the action specified in the **Rule False Action** field should be executed. • **Rule is true** — Indicates that the action specified in the **Rule True Action** field should be executed.
Is False	Indicates what should happen when the condition is false (not satisfied). The valid values are: • **Check next condition** — Indicates that the condition with consecutive sequence number should be executed. • **Rule is false** — Indicates that the action specified in the **Rule False Action** field should be executed. • **Rule is true** — Indicates that the action specified in the **Rule True Action** field should be executed.
Is Insufficient	Indicates what should happen when the data is insufficient. The valid values are: • **Check next condition** — Indicates that the condition with consecutive sequence number should be executed. • **Rule is false** — Indicates that the action specified in the **Rule False Action** field should be executed. • **Rule is true** — Indicates that the action specified in the **Rule True Action** field should be executed.

Copyright © 2014, Oracle. All rights reserved.

The **Edit** link appears in the upper-right corner of the **Rule Information** zone. On clicking the **Edit** link, the **Edit Rule** screen appears where you can edit the details of the rule.

Related Topics

For more information on...	See...
How to view the details of a rule	*Viewing the Rule Details* on page 337

Viewing the Rule Details

Procedure

To view the details of a rule:

1. Search for the rule in the **Rule** screen.
2. In the **Search Results** section, click the **View** ( ) icon in the **View** column corresponding to the rule whose *d*etails you want to view.

   The **View Rule** screen appears.
3. View the details of the rule in the **Rule Information** zone.

Related Topics

For more information on...	See...
How to search for a rule	*Searching for a Rule* on page 325
View Rule screen	*View Rule* on page 335
Rule Information zone	*Rule Information* on page 335

Rule Check

The **Rule Check** screen allows you to validate whether rules of a particular rule type are executed as expected. On validating, it indicates the sequence in which all effective rules were executed, the total execution time, and the output parameters of the rule that was successfully executed. This screen consists of the following sections:

- *Rule Type Input Parameters*
- *Rule Output Parameters*
- *Rule Execution*

Rule Type Input Parameters

The **Rule Type Input Parameters** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Rule Type	Used to specify the rule type.	Yes
Effective Date	Used when you want to execute the rules which are effective on a particular date. **Note:** If you do not specify the effective date, the system executes all rules which are effective on the system date.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Parameter Name	Indicates the input parameter. **Note:** The input parameters listed change depending on the rule type that you have selected.	Not applicable
Parameter Value	Used to specify the value for the input parameter.	Yes

In addition, this section contains the **Check Rule** button. On clicking the button, you can validate the sequence in which the rules with the specified rule type are executed.

Rule Output Parameters

The **Rule Output Parameters** section contains the following fields:

Field Name	Field Description
Status	Displays the status of the rule execution. The valid values are: • **Success** — Indicates that one of the rule was successfully executed and returned the output parameters. • **Fail** — Indicates that none of the rules with the specified rule type were successfully executed. • **Error** — Indicates that an error occurred while executing a rule.
Execution Time	Displays the total time taken to execute all effective rules with the specified rule type.
Error	Displays the error message indicating the error that occurred while executing a rule. **Note:** This field appears only when the status is **Error**.

In addition, this section contains the following columns:

Column Name	Column Description
Parameter Name	Displays the output parameter of the rule that was successfully executed.
Parameter Value	Displays the value of the output parameter.

Rule Execution

The **Rule Execution** section indicates the sequence in which all effective rules with the specified rule type were executed. This section contains the following columns:

Column Name	Column Description
Rule Code	Indicates the rule that was executed.
Rule Type	Indicates the type of rule.
Rule Priority	Indicates the priority of the rule.
Rule Status Flag	Indicates whether the rule was true or false.
Rule Next Action	Indicates the action that took place when the rule was true or false.

Validating Effective Rules

Procedure

To validate effective rules with a particular rule type:

Copyright © 2014, Oracle. All rights reserved.

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **R** and then click **Rule Check**.

   The **Rule Check** screen appears.
4. Select the rule type from the list to indicate the type of rules you want to validate.

   The input parameters are listed depending on the rule type that you have selected.
5. Enter the value for the input parameters using which you want to validate the rules.

   Note: You must specify the value for at least one input parameter while validating rules in the **Rule Check** screen.
6. Click **Check Rule**.

   The effective rules with the specified rule type are executed based on the priority defined for each rule. The status of the rule execution and the total execution time along with the output parameters are displayed in the **Rule Output Parameters** section. In addition, you can view the sequence in which all effective rules were executed in the **Rule Execution** section.

Related Topics

For more information on...	See...
Rule Check screen	*Rule Check* on page 337

Copyright © 2014, Oracle. All rights reserved.

Copyright © 2014, Oracle. All rights reserved.

Chapter 8

Alternate Sequential Invoice Numbers

Topics:

- *Setting Alternate Sequential Invoice Numbers*

Oracle Revenue Management and Billing now allows you to configure the application to generate alternate sequential bill or invoice numbers which can be either unique across the globe or within the division. The **Assign Sequential Bill Numbers (ASSGNSBN)** batch allows you to generate alternate sequential bill or invoice numbers. However, you can only generate alternate sequential bill or invoice numbers for bills that are complete and for which the alternate sequential bill or invoice numbers are not yet generated.

This batch contains the **DIV-RESTRICT** parameter. It allows you to specify whether you want to generate alternate sequential bill or invoice numbers only for bills generated in a specific division. For example, if you specify `NEWYK` as the value for the **DIV-RESTRICT** parameter, the system will generate alternate sequential bill or invoice numbers only for bills generated in New York.

However, if you do not specify any value for the **DIV-RESTRICT** parameter, the system will generate alternate sequential bill or invoice numbers for bills generated in all divisions.

Setting Alternate Sequential Invoice Numbers

Procedure

To set alternate sequential bill or invoice numbers:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **I** and then click **Installation Options**.

   The **Installation Options** screen appears.
4. Click the **Billing** tab.

   The **Billing** tab appears.
5. Select the **Use Sequential Bill Numbers** check box to indicate that you want to generate alternate sequential *b*ill or invoice numbers.

   The **Sequential Invoice** and **Sequence Generation Algorithm** fields are enabled.
6. Select the **System-wide** or **Division-specific** option from the **Sequential Invoice** list depending on whether *y*ou want alternate sequential bill or invoice numbers to be unique across the globe or within the division.
7. Do either of the following:

If you want	Then
Alternate sequential bill or invoice numbers to be unique across the globe	1. Enter the algorithm code in the **Sequence Generation Algorithm** field to indicate how the alternate bill or invoice numbers which are unique across the globe should be sequenced. **Note:** The **C1_ALTBLLSYS** is a standard algorithm that is shipped with ORMB. It allows you to generate alternate sequential bill or invoice numbers which are unique across the globe. You can use this standard algorithm or create your own algorithm with custom logic. 2. Click the **Save** link in the **Actions/Navigation** area. The changes made to the installation options are saved.
Alternate sequential bill or invoice numbers to be unique within the division	1. Click the **Save** link in the **Actions/Navigation** area. The changes made to the installation options are saved. 2. Search for the division for which you want to generate alternate sequential bill or invoice numbers which are unique within the division. The **Division** screen appears. 3. Click the **Algorithms** tab. The **Algorithms** tab appears.

Copyright © 2014, Oracle. All rights reserved.

If you want	Then
	4. Select the **Division Specific Algorithm** option from the **Division Alg Entity** list. 5. Enter the sequence number to indicate the order in which the algorithms for each entity should be executed. 6. Enter the algorithm code in the respective field to indicate how alternate bill or invoice numbers which are unique within the division should be sequenced. **Note:** The **C1_ALTBLLDIV** is a standard algorithm that is shipped with ORMB. It allows you to generate alternate sequential bill or invoice numbers which are unique within the division. You can use this standard algorithm or create your own algorithm with custom logic. 7. Click the **Save** link in the **Actions/Navigation** area. The changes made to the division are saved.

Related Topics

For more information on...	See...
Alternate Sequential Invoice Numbers	*Alternate Sequential Invoice Numbers* on page 341

Copyright © 2014, Oracle. All rights reserved.

Copyright © 2014, Oracle. All rights reserved.

Chapter 9

Transaction Feed Management

Topics:

- *Transaction Feed Management Process*
- *Feed Status Transition*
- *Transaction Status Transition*
- *Transaction Leg Status Transition*
- *CSV File Format*
- *Error List*
- *Feed Management Dashboard*
- *View Billed Transactions*
- *Transaction Details*
- *Transaction Source*
- *Transaction Record Type*
- *Transaction Aggregation Rule*
- *Product SQIs*
- *Schedule*
- *Disaggregation Request*

Oracle Revenue Management and Billing provides you with a facility to upload banking transactions received from various product processors or banking applications for billing. You can use Oracle Data Integrator (ODI) to upload transaction data files in various formats, such as CSV, XML, and Fixed Length. Oracle Revenue Management and Billing provides an out of box sample interface with ODI that maps the flat file in .CSV format to various tables (such as, Transaction Header and Transaction Detail) in the system. You can customize the sample interface to support various other file formats, such as XML and Fixed Length. You can also upload transaction data directly from various product processors or banking applications.

In case you want to use the sample interface, you need to ensure that the CSV file is in the required format. For more information about the CSV file format, see *CSV File Format* on page 385.

Once the transaction data is uploaded in the system, you need to:

- Validate Header Details
- Validate Transaction Details and Determine Initial Product
- Verify Product Pricing
- Create and Update Billable Charge with the SQI values
- Clean-up Unwanted Data

During the transaction feed management process, each transaction goes through various statuses until it is billed to the customer. For more information about the transaction statuses, see *Transaction Status Transition* on page 375.

To setup the transaction feed management process, you need to define the following:

- Transaction Source
- Transaction Record Type
- Product SQIs
- Transaction Aggregation Rule
- Aggregation Schedule
- Rules for Initial Product Determination
- Validation Algorithm for Account Identifier Type (to ensure that the account identifier type and account identifier combination is unique in or across divisions)
- Price Assignment Search algorithm for each division

- Processing Date for Transaction Feed Management characteristic for each division
- Values for the PAGE_NUMBER lookup field

Besides this, you need to setup the following feature configurations:

- *Rule Engine (C1_RLENG)*
- *Dummy Header (C1-TXNDMYID)*
- *Multi Parameter Based Pricing (C1_PPARM_FLG)*
- *Feed Management (C1_FM)*

Copyright © 2014, Oracle. All rights reserved.

Transaction Feed Management Process

The transaction feed management process includes the following sub-processes:

- *Header Validation* on page 348
- *Transaction Validation and Initial Product Determination* on page 350
- *Product Pricing Verification* on page 358
- *Aggregation* on page 361
- *Clean Up* on page 364
- *Disaggregation* on page 366
- *Cancellation* on page 371
- *Rollback* on page 373

The following figure graphically explains the transaction feed management process:



Note that during the transaction aggregation process, you need to execute the following batches in the specified order:

Copyright © 2014, Oracle. All rights reserved.

1. Flush All Caches (F1-FLUSH)
2. Refresh Pricing (C1-TXNRP)

   Note:

   You can cache the product pricing information, and thereby improve the **Product Pricing Verification (C1-TXNVP)** batch performance. If you set the **Materialized View Used** option type of the **C1_FM** feature configuration to **true**, the system will cache the product pricing information in the following tables:

   - CI_PRC_AGRD
   - CI_PRC_PL
   - CI_PRC_INH_PL

   But, if you set the **Materialized View Used** option type of the **C1_FM** feature configuration to **false**, the system will not cache the product pricing information. If there are any pricing changes, you will have to update this cache using the **Refresh Pricing (C1-TXNRP)** batch.
3. Header Validation (C1-TXNHV)

   Note: The **Header Validation (C1-TXNHV)** batch is optional. You can directly execute the **Transaction Validation and Initial Product Determination (C1-TXNIP)** batch once the transactions are uploaded in the system.
4. Transaction Validation and Initial Product Determination (C1-TXNIP)
5. Product Pricing Verification (C1-TXNVP)
6. Update Status (C1-TXNEX)
7. Service Quantity Calculation (C1-TXNSQ)
8. Mark Completion (C1-TXNCM)
9. Clean Up (C1-TXNCU) with the **Request Type** parameter set to **EROR**

Note:

Before you start the transaction aggregation process, you need to execute the **Flush All Caches (F1-FLUSH)** batch to clean the cache. This batch has one parameter named **DIST-THD-POOL** which allows you to clean cache of a particular thread pool. In case you want to reprocess the error transactions from the earlier cycle, you need to execute the **Rollback (C1-TXNRB)** batch.

The system allows you to execute each batch consecutively. You can execute the **Transaction Validation and Initial Product Determination (C1-TXNIP)** batch consecutively with the same division and same parameters, or with the different division and different parameters. But, you cannot execute the **Transaction Validation and Initial Product Determination (C1-TXNIP)** batch consecutively with the same division and different parameters. For example, once you execute this batch with division as D1 and transaction source as S1, you cannot execute this batch again with division as D1 and transaction source as S2.

Once the **Product Pricing Verification (C1-TXNVP)** batch is executed, you cannot execute the **Transaction Validation and Initial Product Determination (C1-TXNIP)** batch again with the same division and same parameters unless and until the transaction aggregation cycle is complete.

During the transaction aggregation process, you must specify the same division and same parameters across each batch. Otherwise, erroneous results might occur.

If you have already executed the **Transaction Validation and Initial Product Determination (C1-TXNIP)** batch without any division, then you cannot execute this batch once again with a division unless and until the transaction aggregation cycle is complete.

Header Validation

Once the file is uploaded in the system, you can execute the **Header Validation (C1-TXNHV)** batch to validate the file or header level information. It checks whether:

- Transaction Header ID and Transaction Source is available in the header.
- At least one transaction record is available in the file.
- The number of transaction records in the file matches the total transaction records in the header.

Copyright © 2014, Oracle. All rights reserved.

- The sum of transaction amount matches the total transaction amount in the header.
- The sum of transaction volume matches the total transaction volume in the header.
- File with the same header date and transaction header ID is not available in the system.

If the file or header information is validated successfully, the status of the file or feed is changed to **Validated (VALI)** and the status of all transactions in the feed remains as **Uploaded (UPLD)**. However, if the header validation fails, the status of the feed and all transactions in the feed is changed to **Invalid (INVL)**.

The **Header Validation (C1-TXNHV)** batch is a multi-threaded batch. You can specify either of the following parameters while executing this batch:

Parameter Name	**Description**	**Mandatory (Yes or No)**
Transaction Source	Used when you want to validate transaction feeds received from a particular transaction source.	No
Transaction Header ID	Used when you want to validate a particular transaction feed.	No
Checksum Validation Required	Used to indicate whether the following should be validated: • The number of transaction records in the file matches the total transaction records in the header. • The sum of transaction amount matches the total transaction amount in the header. • The sum of transaction volume matches the total transaction volume in the header. The valid values are: • Y • N	No
Duplicate Check Required	Used to indicate whether the following should be validated: • File with the same header date and external header ID is not available in the system. The valid values are: • Y • N **Note:** If the file or feed with the same header date and external header ID is already available in the system, an error message occurs indicating that the duplicate file already exists in the system. The duplicate check is done only against the files or feeds which are in the **Validated (VALI)** status and not against the feeds which are in the **Uploaded (UPLD)** status.	No
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

Copyright © 2014, Oracle. All rights reserved.

Transaction Validation and Initial Product Determination

This process includes the following three sub-processes:

- **Transaction Validation** — In this sub-process, the transaction records are validated. The transaction level validations are done to check the integrity of the data. During the transaction validation, the system checks whether:
  - Transaction source is defined in the system.
  - Transaction record type is defined for the transaction source in the system.
  - Division and currencies are defined in the system.
  - The account with the specified account identifier, account identifier type and division exists in the system.
  - User ID (if available in the transaction information) is defined in the system.
  - The value other than 'Y' or 'N' is not specified in the Manual Switch column.
  - The value other than '+' or '-' is not specified in the Credit/Debit Indicator column.
  - Transaction Amount is specified when Transaction Currency is specified, and vice versa.
  - Additional Amount 1 is specified when Amount 1 Currency Code is specified, and vice versa.
  - Additional Amount 2 is specified when Amount 2 Currency Code is specified, and vice versa.
  - Additional Amount 3 is specified when Amount 3 Currency Code is specified, and vice versa.
  - Additional Amount 4 is specified when Amount 4 Currency Code is specified, and vice versa.
  - Additional Amount 5 is specified when Amount 5 Currency Code is specified, and vice versa.

  If the transaction information is invalid or incorrect (for example, division is invalid), the status of the transaction is changed to **Error (EROR)**. But, if the transaction information is not available, the status of the transaction is changed to **Invalid (INVL)**.
- **Initial Product Determination** — Once the transaction records are validated, the account which will bear the charges for the transaction and the product and variance parameter or product parameters to which the transaction will be mapped are determined using certain business rules. These business rules are invoked through a rule type. Depending on the transaction record type, a rule type is invoked for each transaction. The effective rules with the specified rule type are executed, starting with the rule having highest priority, until a rule is satisfied. For example, a rule with the priority 10 will be executed before a rule with the priority 20.

  Note:

  The system determines rules and product parameters which are effective based on the **Processing Date for Transaction Feed Management** characteristic defined for the division to which the transaction belongs. If the **Processing Date for Transaction Feed Management** characteristic type is set to `BATCH_DT`, the system executes the rules which are effective on the batch business date. However, if the **Processing Date for Transaction Feed Management** characteristic type is set to `TXN_DT`, the system executes the rules which are effective on the transaction date. Note that the transaction date must be earlier than or equal to the batch business date. And, if the **Processing Date for Transaction Feed Management** characteristic is not defined for the division to which the transaction belongs, the system (by default) executes the rules which are effective on the transaction date.

  The system uses the **Processing Date for Transaction Feed Management** characteristic which is effective on the transaction date.

  Each rule contains one or more conditions or criteria. For example, Rule A states that if the transaction record type is R001 and the division is New York, then set the following output parameters:
  - ACCT_NO1_Val — Account 1
  - DIVISION1_VAL — D1

Copyright © 2014, Oracle. All rights reserved.

- PRODUCT1_1_Val — Product X

Here, Transaction Record Type = R001 and Division = New York are two conditions. If these two conditions in the rule are satisfied, then set three output parameters — ACCT_NO1_Val, DIVISION1_VAL and PRODUCT1_1_Val. Now, when this rule is executed and the transaction satisfies this criteria, the transaction is mapped to Product X and Account 1 which belongs to D1 bears the charges for the transaction. In case, the rule has four output parameters (ACCT_NO1_Val set to Account 1, DIVISION1_VAL set to D1, PRODUCT1_1 Val set to Product X, and PRODUCT1_2_Val set to Product Y), the transaction will be mapped to both the products (i.e. Product X and Product Y) and Account 1 which belongs to D1 bears the charges for the transaction. A transaction can be mapped to one or more products or to one or more product and TOU (variance parameter) combinations. If the multi parameter based pricing feature is enabled, you can map a transaction to one or more product and product parameters combinations. Let us understand this with the help of an example.

Rule B states that if the transaction is performed in US and the transaction amount exceeds 1000 USD, then set the following output parameters:

- ACCT_NO1_Val — Account A
- DIVISION1_VAL — D1
- PRODUCT1_1_Val — Product X
- PCD1_1_1_VAL — Country
- PVL1_1_1_VAL — US
- PCD1_1_2_VAL — Currency
- PVL1_1_2_VAL — USD
- PRODUCT1_2_Val — Product Y
- PCD1_2_1_VAL — Country
- PVL1_2_1_VAL — US
- PCD1_2_2_VAL — Currency
- PVL1_2_2_VAL — USD

Now, when this rule is executed and the transaction satisfies the criteria, Account A which belongs to D1 bears the charges for the transaction which is mapped to the following product and product parameters combinations:

- Product X, Country — US, Currency — USD
- Product Y, Country — US, Currency — USD

More than one account can bear the charges for a transaction and each account can belong to a different division. You can map a transaction to one or more products, to one or more product and TOU (variance parameter) combinations, or to one or more product and product parameters combinations. The system allows you to map products for each account. For example, Rule C states that if the transaction is performed in UK and the transaction amount exceeds 1000 USD, then set the following output parameters:

- ACCT_NO1_Val — Account A
- DIVISION1_VAL — D1
- PRODUCT1_1_Val — Product X
- PCD1_1_1_VAL — Country
- PVL1_1_1_VAL — UK
- PCD1_1_2_VAL — Currency
- PVL1_1_2_VAL — USD
- PRODUCT1_2_Val — Product Y

Copyright © 2014, Oracle. All rights reserved.

- PCD1_2_1_VAL — Country
- PVL1_2_1_VAL — UK
- PCD1_2_2_VAL — Currency
- PVL1_2_2_VAL — USD
- ACCT_NO2_Val — Account B
- DIVISION2_VAL — D2
- PRODUCT2_1_Val — Product A
- PCD2_1_1_VAL — Country
- PVL2_1_1_VAL — US
- PCD2_1_2_VAL — Currency
- PVL2_1_2_VAL — USD

Now, when this rule is executed and the transaction satisfies the criteria, the transaction is mapped to the following product and product parameters combinations:

Charges Borne By	Division to which the account belongs...	Product	Country	Currency
Account A	D1	Product X	UK	USD
Account A	D1	Product Y	UK	USD
Account B	D2	Product A	US	USD

You can limit the maximum accounts that can bear the charges for a transaction, maximum products that can be mapped to a transaction, and maximum parameters that can be used with each product to determine product pricing. For more information, see *Defining a Transaction Record Type* on page 451. You can also define rules to ignore transactions based on the transaction attributes. If the rule returns **IGNORE_SW** equal to **Y**, the status of the transaction is changed to **Ignored (IGNR)** and no further processing takes place on the transaction.

You can use the following output parameters while defining rules in the system:

Output Parameter	Naming Convention	Example	Description
Account Identifier	ACCT_NOX_Val	ACCT_NO1_Val, ACCT_NO2_Val, ACCT_NO3_Val, ...	Used to indicate the account which will bear the charges for the transaction.
Account Identifier Column Name	ACCT_NOX_Col	ACCT_NO1_Col, ACCT_NO2_Col, ACCT_NO3_Col, ...	Used to indicate the column from where the account identifier corresponding to the transaction (in the transaction details) must be picked.
Account Identifier Type	ACCT_NO_TYPEX_Val	ACCT_NO_TYPE1_Val, ACCT_NO_TYPE2_Val, ACCT_NO_TYPE3_Val, ...	Used to indicate the type of account identifier.

Copyright © 2014, Oracle. All rights reserved.

Output Parameter	Naming Convention	Example	Description
Account Identifier Type Column Name	ACCT_NO_TYPEX_Col	ACCT_NO_TYPE1_Col, ACCT_NO_TYPE2_Col, ACCT_NO_TYPE3_Col, ...	Used to indicate the column from where the account identifier type corresponding to the transaction (in the transaction details) must be picked.
Account Division	DIVISIONX_VAL	DIVISION1_VAL	Used to indicate the division to which the account belongs.
Account Division Column Name	DIVISIONX_COL	DIVISION1_COL	Used to indicate the column from where the division corresponding to the transaction (in the transaction details) must be picked.
Product Name	PRODUCTX_Y_Val **Note:** Here, X represents the account and Y represents the product.	PRODUCT1_1_Val, PRODUCT2_1_Val, PRODUCT2_2_Val, ...	Used to indicate the product to which the transaction is mapped.
Product Column Name	PRODUCTX_Y_Col **Note:** Here, X represents the account and Y represents the product.	PRODUCT1_1_Col,, PRODUCT2_1_Col, PRODUCT2_2_Col, ...	Used to indicate the column from where the product corresponding to the transaction (in the transaction details) must be picked.
TOU	TOUX_Y_Val **Note:** Here, X represents the account and Y represents the product.	TOU1_1_Val, TOU2_1_Val, TOU2_2_Val, ...	Used to indicate the variance parameter which you want to use along with the product for price determination. **Note:** This output parameter appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.

Copyright © 2014, Oracle. All rights reserved.

Output Parameter	Naming Convention	Example	Description
TOU Column Name	TOUX_Y_Col **Note:** Here, X represents the account and Y represents the product.	TOU1_1_Col, TOU2_1_Col, TOU2_2_Col, ...	Used to indicate the column from where the variance parameter corresponding to the transaction (in the transaction details) must be picked. **Note:** This output parameter appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Parameter Code **Note:** At present, the system does not support the Parameter Code Column output parameter.	PCDX_Y_Z_VAL **Note:** Here, X represents the account, Y represents the product, and Z represents the parameter.	PCD1_1_1_VAL, PCD1_2_1_VAL, PCD2_1_1_VAL, ...	Used to indicate the parameter which you want to use along with the product for price determination. **Note:** This output parameter appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. You must not specify any special character except underscore (_) in the parameter code. Otherwise, the status of the transaction is changed to **Error (EROR)**.

Copyright © 2014, Oracle. All rights reserved.

Output Parameter	Naming Convention	Example	Description
Parameter Value	PVLX_Y_Z_VAL **Note:** Here, X represents the account, Y represents the product, and Z represents the parameter.	PVL1_1_1_VAL, PVL1_2_1_VAL, PVL2_1_1_VAL, ...	Used to specify the value for the parameter. **Note:** This output parameter appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. The parameter value must not contain the equal to (=) and tilde (~) symbols. Otherwise, the status of the transaction is changed to **Error (EROR)**.
Parameter Value Column Name	PVLX_Y_Z_COL **Note:** Here, X represents the account, Y represents the product, and Z represents the parameter.	PVL1_1_1_COL, PVL1_2_1_COL, PVL2_1_1_COL, ...	Used to indicate the column from where the parameter value corresponding to the transaction (in the transaction details) must be picked. **Note:** This output parameter appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**. The column from where the parameter value is picked must not contain the equal to (=) and tilde (~) symbols. Otherwise, the status of the transaction is changed to **Error (EROR)**.

Copyright © 2014, Oracle. All rights reserved.

Output Parameter	Naming Convention	Example	Description
Ignore Transaction	IGNORE_SW		Used to ignore transactions based on the transaction attributes. The valid values are: • Y • N

Once the transaction satisfies any rule (invoked through the rule type), the status of the transaction is changed to **Initial Product Determined (INPD)**. However, if a transaction does not satisfy any rule, the status of the transaction is changed to **Error (EROR)**.

- **Parameter Group Creation** — Once the initial product and parameters mapping is complete, the product parameters to which the transaction is mapped are grouped. For example, when a transaction is mapped to the following product and product parameters combinations, the system creates three groups — Group A, Group B, and Group C:
  - Account A, Product X, Country — US, Currency — USD
  - Account A, Product Y, Country — Germany, Currency — USD
  - Account B, Product X, Country — England, Currency — USD

  Group A contains Country — US, Currency — USD; Group B contains Country — Germany, Currency — USD; and Group C contains Country — England, Currency — USD.

  A set of product parameters are grouped only when the multi parameter based pricing feature is enabled. A group is used to determine the product pricing. A unique group ID is generated for each group. If a group with a set of product parameters already exists in the system, a new group is not created. Instead, the existing group is used for determining the product pricing.

  While creating a product parameter group, the system checks whether the parameter value is specified for all mandatory product parameters which are effective on the transaction or batch business date. If the parameter value is not specified, the status of the transaction is changed to **Error (EROR)**.

You can execute this process through a multi-threaded batch named **Transaction Validation and Initial Product Determination (C1-TXNIP)**. You can specify the following parameters while executing this batch:

Copyright © 2014, Oracle. All rights reserved.

Parameter Name	Description	Mandatory (Yes or No)
Batch Business Date	Used to identify the rules and product parameters which are effective on the batch business date. If the **Processing Date for Transaction Feed Management** characteristic type is set to BATCH_DT for the division, the system executes the rules which are effective on the batch business date. However, if the **Processing Date for Transaction Feed Management** characteristic type is set to TXN_DT for the division, the system executes the rules which are effective on the transaction date. But, note that the transaction date must be earlier than or equal to the batch business date. **Note:** If you do not specify any date, the batch business date is set to the current date. The batch business date specified while executing the C1-TXNIP batch is stamped in the database. It is also used while executing all other consequent batches in the transaction aggregation cycle.	No
Transaction Source	Used when you want to validate and derive product for transactions received from a particular transaction source.	No
Transaction Header ID	Used when you want to validate and derive product for transactions in a particular feed.	No
Division	Used when you want to validate and derive product for transactions belonging to a particular division.	No
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Maximum Batch Count	Used to specify the maximum number of transactions after which the data must be committed in the database.	Yes
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

On executing this batch, one transaction leg is created for each account, division, product, and variance parameter or product parameters combination. Let us understand this with the help of an example. The following table lists the accounts and products to which T1, T2, and T3 are mapped:

Transaction	Charges Borne By	Division to which the account belongs...	Product	Variance Parameter	Product Parameters
T1	A1	D1	P1	-	Country — US, Currency — USD
T1	A1	D1	P2	-	Country — Germany, Currency — USD
T1	A2	D2	P3	USD	-
T2	A1	D1	P1	-	Country — US, Currency — USD

Copyright © 2014, Oracle. All rights reserved.

Transaction	Charges Borne By	Division to which the account belongs...	Product	Variance Parameter	Product Parameters
T2	A2	D2	P2	USD	-
T3	A1	D1	P3	-	Country — Germany, Currency — USD

In such case, the system will create three legs for T1, two legs for T2, and one leg for T3. Each transaction leg will have its own status.

In addition, a log is generated if the **Logging Rules for Transaction Feed** option type in the **Rule Engine (C1_RLENG)** feature configuration is set to **True**. This log indicates the rules that were executed for each transaction and whether each rule passed or failed during the execution.

Related Topics

For more information on...	See...
Rules Engine	*Rules Engine* on page 317
How to create a rule type	*Creating a Rule Type* on page 319
How to define a rule	*Defining a Rule* on page 325
How to set the **Rule Engine (C1_RLENG)** feature configuration	*Setting the Rule Engine (C1_RLENG) Feature Configuration* on page 581
Transaction Leg Status Transition	*Transaction Leg Status Transition* on page 377

Product Pricing Verification

In this process, the system behaves in the following manner:

If the Multi Parameter Based Pricing feature is...	Then...
Disabled	The system checks whether effective pricing is available for the account, product or regular bundle (to which the product belongs) and/or TOU combination on the processing date. The system searches for the product or bundle pricing depending on the price assignment search order defined for the division to which the account belongs. If the product belongs to any regular bundle and the effective pricing is available for the regular bundle at the account level, the system considers the bundle as the final product and maps it to the transaction. In case the effective pricing is not available for the product or regular bundle (to which the product belongs), the status of the transaction is changed to **Error (EROR)**. Also, when the effective pricing is not available for one or more products to which a transaction is mapped, the status of the transaction is changed to **Error (EROR)**.

Copyright © 2014, Oracle. All rights reserved.

If the Multi Parameter Based Pricing feature is...	Then...
Enabled	The system checks whether effective pricing is available for the account, product or regular bundle (to which the product belongs) and/or product parameters (parameter group) combination on the processing date. The system searches for the product or bundle pricing depending on the price assignment search order defined for the division to which the account belongs. The system searches for a price with exact match at all levels defined in the search order. If the exact match is available at two or more levels, the price assignment at the higher precedence level is considered for calculating the charges. But, if the system does not find the exact match at any level, it searches for the best fit match at all levels. For more information about best fit match, see *Multi Parameter Based Pricing* on page 63. If the system finds the best fit match with same weight at multiple levels, the price assignment at the higher precedence level is considered for calculating the charges. If the product belongs to any regular bundle and the exact or best fit price is available for the regular bundle at the account level, the system considers the bundle as the final product and maps it to the transaction. In case the exact or best fit price is not available for the product or regular bundle (to which the product belongs), the status of the transaction is changed to **Error (EROR)**. Also, when the exact or best fit price is not available for one or more products to which a transaction is mapped, the status of the transaction is changed to **Error (EROR)**.

Note: The processing date can be the batch business date or the transaction date. If the **Processing Date for Transaction Feed Management** characteristic type of the division (to which the account belongs) is set to `BATCH_DT`, the system searches for the pricing which is effective on the batch business date. However, if the **Processing Date for Transaction Feed Management** characteristic type of the division (to which the account belongs) is set to `TXN_DT`, the system searches for the pricing which is effective on the transaction date. But, if the **Processing Date for Transaction Feed Management** characteristic is not defined for the division (to which the account belongs), the system (by default) searches for the pricing which is effective on the transaction date.

In addition, the status of the transaction is changed to **Error (EROR)** when:

- There is no contract available with the specified contract type on the transaction date or when the contract is inactive.
- There are multiple effective contracts of the same contract type (available on the transaction date) in **Active**, **Pending Stop**, or **Stop** status.
- The **Price Assignment Search** algorithm is not defined for the division.
- The parameter values are either not defined or invalid in the **Price Assignment Search** algorithm on the processing date.
- The period in which the transaction date falls is not defined in the aggregation schedule.

Once the effective pricing is determined for the initial or final product, the following data is retrieved:

- Ignore Transaction
- Aggregate Transaction
- Aggregation Schedule
- Price Assignment ID
- Account ID (in case of account agreed and price list pricing)
- Person ID (in case of customer agreed and price list pricing)
- Price List ID (in case of price list pricing)

Copyright © 2014, Oracle. All rights reserved.

- Contract ID
- Regular Bundle Code
- Pricing Currency

You can execute this process through a multi-threaded batch named **Product Pricing Verification (C1-TXNVP)**. You can specify either of the following parameters while executing this batch:

Parameter Name	Description	Mandatory (Yes or No)
Transaction Source	Used when you want to verify product pricing for transactions received from a particular transaction source.	No
Transaction Header ID	Used when you want to verify product pricing for transactions in a particular feed.	No
Division	Used when you want to verify product pricing for transactions belonging to a particular division.	No
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

Note that the **Product Pricing Verification (C1-TXNVP)** batch does not change the status of the transaction. You need to execute the **Update Status (C1-TXNEX)** batch to update the status of the transaction. You can specify either of the following parameters while executing this batch:

Parameter Name	Description	Mandatory (Yes or No)
Transaction Source	Used when you want to change the status of transactions received from a particular transaction source.	No
Transaction Header ID	Used when you want to change the status of transactions in a particular feed.	No
Division	Used when you want to change the status of transactions belonging to a particular division.	No
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Maximum Batch Count	Used to specify the maximum number of transactions after which the data must be committed in the database.	Yes
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

Note: You must specify same parameters in the **Product Pricing Verification (C1-TXNVP)** and **Update Status (C1-TXNEX)** batches. Otherwise, erroneous results will be generated.

If the transaction is ignored and not considered for billing for all products (to which it is mapped), the status of the transaction is changed to **Ignored (IGNR)**. However, if the effective pricing is not available for one or more products to which a transaction is mapped, the status of the transaction is changed to **Error (EROR)**.

Copyright © 2014, Oracle. All rights reserved.

You can cache the product pricing information, and thereby improve the **Product Pricing Verification (C1-TXNVP)** batch performance. If you set the **Materialized View Used** option type of the **C1_FM** feature configuration to **true**, the system will cache the product pricing information in the following tables:

- CI_PRC_AGRD
- CI_PRC_PL
- CI_PRC_INH_PL

But, if you set the **Materialized View Used** option type of the **C1_FM** feature configuration to **false**, the system will not cache the product pricing information. If there are any pricing changes, you will have to update this cache before executing the **Product Pricing Verification (C1-TXNVP)** batch. You can update the product pricing information in the cache by executing the **Refresh Pricing (C1-TXNRP)** batch. Ideally, you must execute the **Refresh Pricing (C1-TXNRP)** batch after you execute the **Flush All Caches (F1-FLUSH)** batch in the transaction aggregation process. You can specify the following parameters while executing the **Refresh Pricing (C1-TXNRP)** batch:

Parameter Name	Description	Mandatory (Yes or No)
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Chunk Size	Used to specify the number of persons whose product pricing information you want to cache in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

Related Topics

For more information on...	See...
Transaction Leg Status Transition	*Transaction Leg Status Transition* on page 377
How to set the **C1_FM** feature configuration	*Setting the C1_FM Feature Configuration* on page 592

Aggregation

Once the product pricing verification is complete, you can aggregate the transactions, create a billable charge, and update the SQI values in the billable charge. In the aggregation process, the system behaves in the following manner:

Copyright © 2014, Oracle. All rights reserved.

If the Multi Parameter Based Pricing feature is...	Then...
Disabled	The system checks the value defined in the **Aggregate Transaction** field. If the **Aggregate Transaction** is set to **No**, the system creates one billable charge (with the **Billable** status) for each transaction. However, if the **Aggregate Transaction** is set to **Yes**, the system creates one billable charge (with the **Billable** status) for all transactions having the same product and TOU combination and whose transaction date falls between the aggregation schedule. **Note:** During the billable charge creation, the system also considers the contract start and end dates along with the aggregation schedule. If the contract start date falls between the aggregation schedule, the billable charge start date is equal to the contract start date. If the contract start date is earlier than the aggregation schedule start date, the billable charge start date is equal to the aggregation schedule start date. If the contract end date is earlier than the aggregation schedule end date, the billable charge end date is equal to the contract end date. If the contract end date is later than the aggregation schedule end date, the billable charge end date is equal to the aggregation schedule end date. However, if the contract start date is later than the aggregation schedule end date or if the contract end date is earlier than the aggregation schedule start date, the status of the transaction is changed to **Error (EROR)**. If the aggregated billable charge already exists for the account, product and TOU combination and there is no bill segment associated with the billable charge, the system will update the SQI values in the existing billable charge.
Enabled	The system checks the value defined in the **Aggregate Transaction** field. If the **Aggregate Transaction** is set to **No**, the system creates one billable charge (with the **Billable** status) for each transaction. However, if the **Aggregate Transaction** is set to **Yes**, the system creates one billable charge (with the **Billable** status) for all transactions having the same product and product parameters (parameter group) combination and whose transaction date falls between the aggregation schedule. **Note:** During the billable charge creation, the system also considers the contract start and end dates along with the aggregation schedule. If the contract start date falls between the aggregation schedule, the billable charge start date is equal to the contract start date. If the contract start date is earlier than the aggregation schedule start date, the billable charge start date is equal to the aggregation schedule start date. If the contract end date is earlier than the aggregation schedule end date, the billable charge end date is equal to the contract end date. If the contract end date is later than the aggregation schedule end date, the billable charge end date is equal to the aggregation schedule end date. However, if the contract start date is later than the aggregation schedule end date or if the contract end date is earlier than the aggregation schedule start date, the status of the transaction is changed to **Error (EROR)**. If the aggregated billable charge already exists for the account, product and product parameters combination and there is no bill segment associated with the billable charge, the system will update the SQI values in the existing billable charge.

The transaction aggregation is done based on the aggregation schedule defined in the product pricing. You can use the following standard schedules or you can create your own custom schedules for aggregation:

- Daily

Copyright © 2014, Oracle. All rights reserved.

- Weekly
- Monthly
- Quarterly
- Yearly

Once the billable charge is created, the system aggregates the SQIs defined for the product — division combination using the aggregation function and then updates the billable charges with the respective SQI values. Once the SQI values are updated in the billable charge, the status of the transaction is changed to **Completed (COMP)**. However, if the SQIs are not defined for the product — division combination, the transaction aggregation rule is not defined for the SQI, or if the exchange rate is not available during currency conversion, the status of the transaction is changed to **Error (EROR)**.

Note: If the aggregation function is based on the transaction amount or on any other user defined amount and the transaction currency is different from the pricing currency, the system does currency conversion if the appropriate exchange rate is available in the system. If the **Processing Date for Transaction Feed Management** characteristic type of the division (to which the account belongs) is set to `BATCH_DT`, the system uses the exchange rate which is effective on the batch business date. However, if the **Processing Date for Transaction Feed Management** characteristic type of the division (to which the account belongs) is set to `TXN_DT`, the system uses the exchange rate which is effective on the transaction date. But, if the **Processing Date for Transaction Feed Management** characteristic is not defined for the division (to which the account belongs), the system (by default) uses the exchange rate which is effective on the transaction date.

You can execute this process through a multi-threaded batch named **Service Quantity Calculation (C1-TXNSQ)**. You can specify either of the following parameters while executing this batch:

Parameter Name	Description	Mandatory (Yes or No)
Transaction Source	Used when you want to create billable charges for transactions received from a particular transaction source.	No
Transaction Header ID	Used when you want to create billable charges for transactions in a particular feed.	No
Division	Used when you want to create billable charges for transactions belonging to a particular division.	No
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Maximum Batch Count	Used to specify the maximum number of transactions after which the data must be committed in the database.	Yes
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

The **Service Quantity Calculation (C1-TXNSQ)** batch does not change the status of the transaction. You need to execute the **Mark Completion (C1-TXNCM)** batch to update the status of the transaction. You can specify either of the following parameters while executing this batch:

Parameter Name	Description	Mandatory (Yes or No)
Transaction Source	Used when you want to change the status of transactions received from a particular transaction source.	No
Transaction Header ID	Used when you want to change the status of transactions in a particular feed.	No

Copyright © 2014, Oracle. All rights reserved.

Parameter Name	Description	Mandatory (Yes or No)
Division	Used when you want to change the status of transactions belonging to a particular division.	No
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Maximum Batch Count	Used to specify the maximum number of transactions after which the data must be committed in the database.	Yes
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

Note: You must specify same parameters in the **Service Quantity Calculation (C1-TXNSQ)** and **Mark Completion (C1-TXNCM)** batches. Otherwise, erroneous results will be generated.

Related Topics

For more information on...	See...
Transaction Leg Status Transition	*Transaction Leg Status Transition* on page 377

Clean Up

There might be situations when a transaction is mapped to one or more products and due to some reasons a billable charge could not be created for all products. And, therefore the status of the transaction is changed to **Error (EROR)**. In such case, you can delete the non aggregated billable charges, if any, created for transactions in the **Error (EROR)** status. You can also recalculate SQIs in a billable charge if the transactions in the **Error (EROR)** and **Completed (COMP)** status are aggregated together in the billable charge.

You can execute this cleanup process through a multi-threaded batch named **Clean Up (C1-TXNCU)**. Besides the aggregation process, this batch is also used during the following sub-processes:

- **Cancellation** — During the cancellation process, it deletes non aggregated billable charges and recalculates SQIs in aggregated billable charges.
- **Disaggregation** — During the disaggregation process, it deletes an aggregated billable charge when all the corresponding transaction legs which were aggregated in the billable charge are deleted during disaggregation.

Note:

The SQIs in an aggregated billable charge are recalculated only when the **SQ Recalculation Required** option type in the **C1_FM** feature configuration is set to **Y**. If you set the **SQ Recalculation Required** option type in the **C1_FM** feature configuration to **N**, the SQIs are not recalculated in an aggregated billable charge. We recommend you recalculate SQIs in an aggregated billable charge when more than one account bears the charges for a transaction.

If the aggregation function is based on the transaction amount or on any other user defined amount and the transaction currency is different from the pricing currency, the system does currency conversion if the appropriate exchange rate is available in the system. If the **Processing Date for Transaction Feed Management** characteristic type of the division (to which the account belongs) is set to `BATCH_DT`, the system uses the exchange rate which is effective on the batch business date. However, if the **Processing Date for Transaction Feed Management** characteristic type of the division (to which the account belongs) is set to `TXN_DT`, the system uses the exchange rate which is effective on the transaction date. Note that the transaction date must be earlier than or equal to the batch business date. But, if the **Processing Date for Transaction Feed Management** characteristic is not defined for the division (to which the account belongs), the system (by default) uses the exchange rate which is effective on the transaction date.

You can specify either of the following parameters while executing this batch:

Copyright © 2014, Oracle. All rights reserved.

Parameter Name	Description	Mandatory (Yes or No)
Transaction Header ID	Used when you want to delete or update billable charges created for transactions in a particular feed. **Note:** This parameter should not be used during the disaggregation process.	Yes (Conditional) **Note:** This parameter is required when you set the request type to CNCL.
Transaction Source	Used when you want to delete or update billable charges created for transactions received from a particular transaction source. **Note:** This parameter should not be used during the cancellation and disaggregation processes.	No
Division	Used when you want to delete or update billable charges created for transactions belonging to a particular division. **Note:** This parameter should not be used during the cancellation process.	No
Account ID	Used when you want to delete or update billable charges of a particular account. **Note:** This parameter should be used only during the disaggregation process.	No
Bill Cycle	Used when you want to delete or update billable charges of accounts having a particular bill cycle. **Note:** This parameter should be used only during the disaggregation process.	No
Disaggregate Transactions From Date	Used when you want to delete or update billable charges created for transactions which were performed from a particular date onwards. You must specify the date in the YYYY-MM-DD format. **Note:** This parameter should be used only during the disaggregation process.	Yes (Conditional) **Note:** This parameter is required when you set the request type to DISAGG.
Request Type	Used to indicate the process during which you want to execute the batch. The valid values are: • CNCL • EROR • DISAGG	Yes
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Maximum Batch Count	Used to specify the maximum number of transactions after which the data must be committed in the database.	Yes
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Transaction Leg Status Transition	*Transaction Leg Status Transition* on page 377
How to set the **C1_FM** feature configuration	*Setting the C1_FM Feature Configuration* on page 592

Disaggregation

Since the aggregation cycle is different from the billing cycle, there might be situations when due to pricing changes, the billable charges are no longer valid. In such cases, you need to disaggregate the transactions. In the following scenarios, the system automatically creates a disaggregation request in the CI_TXN_DISAGG_REQ table:

If...	Then
A product is assigned to an account	A disaggregation request is created for the account.
The following values in the product pricing assigned to an account is changed: • Effective Start Date • Effective End Date • Aggregation Schedule • Ignore Transaction • Aggregate Transaction • Product Parameter	A disaggregation request is created for the account.
A product is assigned to a customer	A disaggregation request is created for the customer.
The following values in the product pricing assigned to a customer is changed: • Effective Start Date • Effective End Date • Aggregation Schedule • Ignore Transaction • Aggregate Transaction • Product Parameter	A disaggregation request is created for the customer.
A price list is assigned to an account.	A disaggregation request is created for the account.
The following values in the price list assigned to an account is changed: • Effective Start Date • Effective End Date • Priority • Price List Inheritance	A disaggregation request is created for the account.
A price list is assigned to a customer.	A disaggregation request is created for the customer.

Copyright © 2014, Oracle. All rights reserved.

If...	Then
The following values in the price list assigned to a customer is changed: • Effective Start Date • Effective End Date • Priority • Price List Inheritance	A disaggregation request is created for the customer.

However, there are various other scenarios for which you have to disaggregate the transactions. But, at the moment, the system does not automatically create a disaggregation request for these scenarios in the CI_TXN_DISAGG_REQ table. You will have to create an appropriate disaggregation request in this table. The system allows you to create a disaggregation request manually through the **Disaggregation Request** screen or through a batch named **Disaggregation Request Creation (C1-DISTG)**.

In the following scenarios, you have to create an appropriate disaggregation request for the account or customer, respectively:

- Effective product pricing assigned to an account is overridden.
- Variance parameter in the product pricing assigned to an account is changed.
- A price list assignment has expired or a price list is no longer available to an account.
- Effective product pricing assigned to a customer is overridden.
- Variance parameter in the product pricing assigned to a customer is changed.
- A price list assignment has expired or a price list is no longer available to a customer.
- A product is added to a price list.
- The following details in the product pricing assigned to a price list is changed:
    - Variance Parameter
    - Effective Start Date
    - Effective End Date
    - Aggregation Schedule
    - Ignore Transaction
    - Aggregate Transaction
- A new bundle is created.
- A product is added to a bundle.
- A product is removed from a bundle.
- A bundle is eliminated (that is, all its products are removed).
- A product is added.
- A price list hierarchy is changed.
- SQIs associated with a product — division combination are changed.
- Transaction aggregation rule defined for an SQI is changed or deleted.
- Business rules used for initial product mapping are changed.

At present, the system disaggregates transactions at the account level and not at the product level. Let us understand this with the help of an example. The following table lists the accounts and products to which T1 is mapped:

Copyright © 2014, Oracle. All rights reserved.

Transaction	Account	Product
T1	A1	P1
T1	A1	P2
T1	A2	P1
T1	A2	P2

Now, if the pricing of P1 assigned to A1 changes, the system creates a disaggregation request for A1 and identifies all transaction legs which are mapped to A1 for disaggregation. In this example, the system will consider the first two transaction legs - T1-A1-P1 and T1-A1-P2 - for disaggregation even if the pricing of P2 assigned to A1 has not changed.

The **Disaggregation Request Creation (C1-DISTG)** batch creates an appropriate disaggregation request for the account whose transactions need to be disaggregated. It is a single-threaded batch. You can specify either of the following parameters while executing this batch:

Parameter Name	Description	Mandatory (Yes or No)
Division	Used when you want to add disaggregation request for accounts belonging to a particular division.	No
Bill Cycle	Used when you want to add disaggregation request for accounts having a particular bill cycle.	No
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

Once a disaggregation request is either manually or automatically created for an account or a customer, you need to execute the following batches in the specified order to disaggregate transactions:

- **Identify Affected Transactions (C1-IAENT)** — This batch fetches disaggregation requests from the CI_TXN_DISAGG_REQ table and identifies the transactions that need to be disaggregated. It also identifies the aggregated and non aggregated billable charges that must be deleted. You can specify either of the following parameters while executing this batch:

Parameter Name	Description	Mandatory (Yes or No)
Division	Used when you want to identify transactions of accounts belonging to a particular division.	No
Account ID	Used when you want to identify transactions of a particular account.	No
Bill Cycle	Used when you want to identify transactions of accounts having a particular bill cycle.	No
Disaggregate Transactions From Date	Used when you want to identify transactions which were performed from a particular date onwards. You must specify the date in the YYYY-MM-DD format. **Note:** The aggregated billable charge (which is affected) must not include a transaction leg whose transaction date is earlier than the disaggregation transactions from date. Otherwise, erroneous results will occur. Therefore, ensure that you specify the appropriate value for the **Disaggregate Transactions From Date** parameter.	Yes
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes

Copyright © 2014, Oracle. All rights reserved.

Parameter Name	Description	Mandatory (Yes or No)
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

- **Process Non Aggregated Transactions (C1-PDTXN)** — This batch processes the identified transactions, deletes the required transaction legs, and changes the status of the transaction to **Uploaded (UPLD)**. If a non aggregated billable charge exists for a transaction leg and the corresponding bill segment is in the following status:

Status	Then
Freezable	The billable charge, bill segment, and the corresponding transaction leg are deleted, and the status of the transaction is changed to **Uploaded (UPLD)**.
Frozen	The billable charge, bill segment, and the corresponding transaction leg are not deleted, and the status of the transaction remains as **Completed (COMP)**. However, if any other leg of the transaction is deleted due to disaggregation, the status of the transaction is changed to **Uploaded (UPLD)**.
Pending Cancel	The billable charge, bill segment, and the corresponding transaction leg are not deleted, and the status of the transaction remains as **Completed (COMP)**. However, if any other leg of the transaction is deleted due to disaggregation, the status of the transaction is changed to **Uploaded (UPLD)**.
Cancel	The billable charge is cancelled and the corresponding transaction leg is deleted. The status of the transaction is changed to **Uploaded (UPLD)**.

However, if a non aggregated billable charge exists for a transaction leg, but if the bill segment is not yet generated, then the billable charge and the corresponding transaction leg are deleted, and the status of the transaction is changed to **Uploaded (UPLD)**. You can specify either of the following parameters while executing this batch:

Parameter Name	Description	Mandatory (Yes or No)
Division	Used when you want to disaggregate transactions of accounts belonging to a particular division.	No
Account ID	Used when you want to disaggregate transactions of a particular account.	No
Bill Cycle	Used when you want to disaggregate transactions of accounts having a particular bill cycle.	No
Disaggregate Transactions From Date	Used when you want to disaggregate transactions which were performed from a particular date onwards. You must specify the date in the YYYY-MM-DD format.	Yes
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Maximum Batch Count	Used to specify the maximum number of transactions after which the data must be committed in the database.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

Copyright © 2014, Oracle. All rights reserved.

- **Clean Up (C1-TXNCU)** — This batch deletes an aggregated billable charge when all the corresponding transaction legs which were aggregated in the billable charge are deleted during disaggregation. If an aggregated billable charge exists and the corresponding bill segment is in the following status:

Status	Then
Freezable	The billable charge, bill segment, and the corresponding transaction legs are deleted, and the status of the transaction is changed to **Uploaded (UPLD)**.
Frozen	The billable charge, bill segment, and the corresponding transaction legs are not deleted, and the status of the transaction remains as **Completed (COMP)**. However, if any other leg of the transaction is deleted due to disaggregation, the status of the transaction is changed to **Uploaded (UPLD)**.
Pending Cancel	The billable charge, bill segment, and the corresponding transaction leg are not deleted, and the status of the transaction remains as **Completed (COMP)**. However, if any other leg of the transaction is deleted due to disaggregation, the status of the transaction is changed to **Uploaded (UPLD)**.
Cancel	The billable charge is cancelled and the corresponding transaction legs are deleted. The status of the transaction is changed to **Uploaded (UPLD)**.

  However, if an aggregated billable charge exists, but if the bill segment is not yet generated, then the billable charge and the corresponding transaction legs are deleted, and the status of the transaction is changed to **Uploaded (UPLD)**. Note that while executing this batch, the **Request Type** parameter must be set to **DISAGG**. For more information about the parameters that you can specify while executing this batch, refer to *Clean Up* on page 364.

- **Update Disaggregation Request Status (C1-DARSU)** — This batch changes the status of the disaggregation request in the CI_TXN_DISAGG_REQ table to **Complete**. You can specify either of the following parameters while executing this batch:

Parameter Name	Description	Mandatory (Yes or No)
Division	Used when you want to update disaggregate request status of accounts belonging to a particular division.	No
Account ID	Used when you want to update disaggregate request status of a particular account.	No
Bill Cycle	Used when you want to update disaggregate request status of accounts having a particular bill cycle.	No
Disaggregate Transactions From Date	Used when you want to update disaggregation request status of accounts that satisfy the following conditions: • Transactions for that account were performed from a particular date onwards. • Bill segments created for the transactions are in the **Pending Cancel** or **Frozen** status. You must specify the date in the YYYY-MM-DD format.	Yes
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Transaction Leg Status Transition	*Transaction Leg Status Transition* on page 377
How to create a disaggregation request manually	*Creating a Disaggregation Request* on page 473

Cancellation

There might be situations when incorrect transaction data file is uploaded in the system. In such cases, the system provides you with an ability to cancel the whole transaction feed. You can cancel a transaction feed either before the transaction aggregation process starts (that is, before executing the **Transaction Validation and Initial Product Determination (C1-TXNIP)** batch) or after the transaction aggregation process ends (that is, after executing the **Clean Up (C1-TXNCU)** batch). In other words, you cannot cancel a transaction feed during the transaction aggregation process. Once the transaction feed is cancelled, the status of the feed and all transactions in the feed is changed to **Cancelled (CNCL)**.

The following table explains how the system behaves:

When you cancel a transaction feed for which...	Then
A bill (with the Pending status) is already generated in the system	The corresponding billable charges, bill segments, and the bill are deleted and the status of the transactions is changed to **Cancelled (CNCL)**. **Note:** If a pending bill has a bill segment in **Frozen** or **Pending Cancel** status, the system does not allow you to cancel the transaction feed. If a bill is created for transactions which are uploaded through multiple transaction feeds (for example, Feed A and Feed B and you want to cancel Feed A), then: • The bill and their corresponding bill segments are deleted. • The SQIs are recalculated in the corresponding billable charges. • The status of the transactions uploaded through Feed A is changed to **Cancelled (CNCL)**. • The status of Feed A is changed to **Cancelled (CNCL)**. • The status of the transactions uploaded through Feed B remains the same (i.e. **Completed (COMP)**).
A bill (with the Complete status) already exists in the system	The system does not allow you to cancel the transaction feed.

Copyright © 2014, Oracle. All rights reserved.

When you cancel a transaction feed for which...	Then
A billable charge (with the Billable status) exists in the system	The billable charge is deleted and the status of the transactions is changed to **Cancelled (CNCL)**. **Note:** In case a billable charge is created for transactions uploaded through multiple transaction feeds (for example, Feed A and Feed B and you want to cancel Feed A), then: • The SQIs are recalculated in the billable charge. • The status of the transactions uploaded through Feed A is changed to **Cancelled (CNCL)**. • The status of Feed A is changed to **Cancelled (CNCL)**. • The status of the transactions uploaded through Feed B remains the same (i.e. **Completed (COMP)**).

Note: If any transaction in the feed which you want to cancel belongs to a frozen bill, the system will not cancel the feed.

To cancel a transaction feed, you need to execute the following batches in the specified order:

1. **Pending Bill Deletion (C1-DELBL)** — This batch deletes the bills (with the Pending status) and their corresponding bill segments. You can specify either of the following parameters while executing this batch:

Parameter Name	Description	Mandatory (Yes or No)
Transaction Header ID	Used when you want to delete bills which includes charges for transactions in a particular transaction feed.	Yes
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Maximum Batch Count	Used to specify the maximum number of transactions after which the data must be committed in the database.	Yes
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

2. **Clean Up (C1-TXNCU)** — This batch deletes non aggregated billable charges and recalculates SQIs in aggregated billable charges. Note that while executing this batch, the **Request Type** parameter must be set to **CNCL**. For more information about the parameters that you can specify while executing this batch, refer to *Clean Up* on page 364.
3. **Cancellation (C1-TXCNC)** — This batch changes the status of the feed and all transactions in the feed to **Cancelled (CNCL)**. You can specify either of the following parameters while executing this batch:

Parameter Name	Description	Mandatory (Yes or No)
Transaction Header ID	Used when you want to cancel a particular transaction feed.	Yes
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Maximum Batch Count	Used to specify the maximum number of transactions after which the data must be committed in the database.	Yes

Copyright © 2014, Oracle. All rights reserved.

Parameter Name	Description	Mandatory (Yes or No)
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

Related Topics

For more information on...	See...
Transaction Leg Status Transition	*Transaction Leg Status Transition* on page 377

Rollback

In the transaction feed management process, an error occurs when:

- Transaction validation fails.
- Transaction does not satisfy any rule invoked through the rule type.
- Effective pricing is not available for one or more products to which a transaction is mapped.
- SQIs are not defined for the product — division combination.
- Transaction aggregation rule is not defined for the SQI.
- There is no contract available with the specified contract type on the transaction date or when the contract is inactive.
- There are multiple effective contracts of the same contract type (available on the transaction date) in **Active**, **Pending Stop**, or **Stop** status.
- The **Price Assignment Search** algorithm is not defined for the division.
- The parameter values are either not defined or invalid in the **Price Assignment Search** algorithm on the processing date.
- The period in which the transaction date falls is not defined in the aggregation schedule.
- Exchange rate is not available during currency conversion.
- Parameter value is not specified for all mandatory product parameters which are effective on the transaction or batch business date.

In such cases, the status of the transaction is changed to **Error**. You can configure the required setup and then execute the following batches once again in the specified order:

1. Flush All Caches (F1–FLUSH)
2. Refresh Pricing (C1-TXNRP)
3. Header Validation (C1-TXNHV)
4. Transaction Validation and Initial Product Determination (C1-TXNIP)
5. Product Pricing Verification (C1-TXNVP)
6. Update Status (C1-TXNEX)
7. Service Quantity Calculation (C1-TXNSQ)
8. Mark Completion (C1-TXNCM)
9. Clean Up (C1-TXNCU)

But, before you execute these batches, you need to rollback the transaction status to **Uploaded (UPLD)**. You need to execute the **Rollback (C1-TXNRB)** batch to rollback the status of the transaction from **Error (EROR)** to **Uploaded (UPLD)**. You can also rollback the status of the transaction from **Ignored (IGNR)** to **Uploaded (UPLD)**.

You can specify the following parameters while executing this batch:

Copyright © 2014, Oracle. All rights reserved.

Parameter Name	Description	Mandatory (Yes or No)
Transaction Status	Used to indicate whether you want to rollback transactions which were ignored or where an error occurred. The valid values are: • IGNR • EROR	Yes
Transaction Header ID	Used when you want to rollback transactions of a particular feed.	No
Transaction Source	Used when you want to rollback transactions received from a particular transaction source.	No
Division	Used when you want to rollback transactions belonging to a particular division.	No
Rollback From Date	Used when you want to rollback transactions which were performed from a particular date onwards. You must specify the date in the YYYY-MM-DD format. **Note:** The rollback from date cannot be later than the rollback to date.	No
Rollback To Date	Used when you want to rollback transactions which were performed till a particular date. You must specify the date in the YYYY-MM-DD format. **Note:** The rollback to date cannot be earlier than the rollback from date.	No
Thread Count	Used to specify the number of threads you want to spawn in parallel.	Yes
Maximum Batch Count	Used to specify the maximum number of transactions after which the data must be committed in the database.	Yes
Chunk Size	Used to specify the number of transactions you want to execute in each work unit.	Yes
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No

Related Topics

For more information on...	See...
Transaction Leg Status Transition	*Transaction Leg Status Transition* on page 377

Feed Status Transition

The following figure graphically indicates how a feed moves from one status to another during the transaction feed management process:

Copyright © 2014, Oracle. All rights reserved.



Transaction Status Transition

Aggregation

The following figure graphically indicates how a transaction moves from one status to another during the aggregation process:

Copyright © 2014, Oracle. All rights reserved.



Disaggregation, Rollback, and Cancellation

The following figure graphically indicates how a transaction moves from one status to another during the disaggregation, rollback, and cancellation processes:

Copyright © 2014, Oracle. All rights reserved.



Transaction Leg Status Transition

This section explains how a transaction leg moves from one status to another during the following sub-processes:

- Aggregation

  Note: This is the aggregation process for transactions that are recently uploaded or reaggregated after being fully disaggregated.

- Rollack
- Cancellation
- Disaggregation
- Reaggregation

  Note: This is the aggregation process for transactions that are reaggregated after being partially disaggregated.

Aggregation

The following table indicates how a transaction leg moves from one status to another during the aggregation process:

Copyright © 2014, Oracle. All rights reserved.

Sr. No.	Batch	Event	Pre Event Transaction Status	Pre Event Transaction Leg Status	Post Event Transaction Status	Post Event Transaction Leg Status
1	C1-TXNIP	Transaction validation fails due to incomplete transaction data	UPLOADED	Not applicable as the transaction legs are not yet created	INVALID	Not applicable as the transaction legs are not yet created
2	C1-TXNIP	Transaction validation fails due to invalid or incorrect transaction data	UPLOADED	Not applicable as the transaction legs are not yet created	ERROR	Not applicable as the transaction legs are not yet created
3	C1-TXNIP	Transaction validation is successful but no product is derived	UPLOADED	Not applicable as the transaction legs are not yet created	ERROR	Not applicable as the transaction legs are not yet created
4	C1-TXNIP	Transaction validation is successful and product is derived	UPLOADED	Not applicable as the transaction legs are not yet created	INITIAL PRODUCT DETERMINED	INITIAL PRODUCT DETERMINED
5	C1-TXNIP	Transaction validation is successful and the transaction is ignored by the rule based on the transaction attributes	UPLOADED	Not applicable as the transaction legs are not yet created	IGNORED	Not applicable as the transaction legs are not yet created
6	C1-TXNVP and C1-TXNEX	Effective pricing is not found for any of the transaction legs	INITIAL PRODUCT DETERMINED	INITIAL PRODUCT DETERMINED	ERROR	ERROR
7	C1-TXNVP and C1-TXNEX	**Ignore Transaction** flag is set to **Y** in the effective pricing for one or more transaction legs but not for all transaction legs	INITIAL PRODUCT DETERMINED	INITIAL PRODUCT DETERMINED	INITIAL PRODUCT DETERMINED	IGNORED (when **Ignore Transaction** flag is set to **Y** in the effective pricing) INITIAL PRODUCT DETERMINED (when **Ignore Transaction** flag is set to **N** in the effective pricing)
8	C1-TXNVP and C1-TXNEX	**Ignore Transaction** flag is set to **Y** in the effective pricing for all transaction legs	INITIAL PRODUCT DETERMINED	INITIAL PRODUCT DETERMINED	IGNORED	IGNORED

Copyright © 2014, Oracle. All rights reserved.

Sr. No.	Batch	Event	Pre Event Transaction Status	Pre Event Transaction Leg Status	Post Event Transaction Status	Post Event Transaction Leg Status
9	C1-TXNVP and C1-TXNEX	**Ignore Transaction** flag is set to **N** in the effective pricing for all transaction legs	INITIAL PRODUCT DETERMINED	INITIAL PRODUCT DETERMINED	INITIAL PRODUCT DETERMINED	INITIAL PRODUCT DETERMINED
10	C1-TXNSQ and C1-TXNCM	SQIs are not defined for the product — division combination, Transaction aggregation rule is not defined for the SQI, or Exchange rate is not available during currency conversion	INITIAL PRODUCT DETERMINED	INITIAL PRODUCT DETERMINED	ERROR	ERROR
11	C1-TXNSQ and C1-TXNCM	Billable charges are created successfully for all transaction legs	INITIAL PRODUCT DETERMINED	INITIAL PRODUCT DETERMINED	COMPLETED	COMPLETED

Rollback

The following table indicates how a transaction leg moves from one status to another during the rollback process:

Sr. No.	Batch	Event	Pre Event Transaction Status	Pre Event Transaction Leg Status	Post Event Transaction Status	Post Event Transaction Leg Status
1	C1-TXNRB	Transactions with the Error (EROR) status are rolled back	ERROR	ERROR	UPLOADED	Not applicable as the transaction legs are not yet created
2	C1-TXNRB	Transactions with the Ignored (IGNR) status are rolled back	IGNORED	IGNORED	UPLOADED	Not applicable as the transaction legs are not yet created

Cancellation

The following table indicates how a transaction leg moves from one status to another during the cancellation process:

Sr. No.	Batch	Event	Pre Event Transaction Status	Pre Event Transaction Leg Status	Post Event Transaction Status	Post Event Transaction Leg Status
1	C1-TXCNC	Transactions in any status are cancelled	UPLOADED, INITIAL PRODUCT DETERMINED, ERROR, COMPLETED, INVALID, or IGNORED	INITIAL PRODUCT DETERMINED, ERROR, IGNORED, or COMPLETED	CANCELLED	CANCELLED

Copyright © 2014, Oracle. All rights reserved.

Disaggregation

The following table indicates how a transaction leg moves from one status to another during the disaggregation process:

Sr. No.	Batch	Event	Pre Event Transaction Status	Pre Event Transaction Leg Status	Post Event Transaction Status	Post Event Transaction Leg Status
1	C1-DISTG	Transactions in the COMPLETED, ERROR, or IGNORED status are disaggregated.	COMPLETED, ERROR, or IGNORED **Note:** The transactions in the ERROR or IGNORED status must have legs for disaggregation.	COMPLETED, ERROR, or IGNORED	No change in the status	No change in the status
2	C1-DISTG	Transactions in the INVALID or CANCELLED status cannot be disaggregated. In addition, the newly uploaded transactions and fully disaggregated transactions which are in the UPLOADED status cannot be disaggregated.	CANCELLED, INVALID, or UPLOADED	Not applicable as the transactions will not have any legs in these statuses	No change in the status	Not applicable as the transactions will not have any legs in these statuses
3	C1-IAENT	Transactions in the COMPLETED, ERROR, or IGNORED status are disaggregated.	COMPLETED, ERROR, or IGNORED **Note:** The transactions in the ERROR or IGNORED status must have legs for disaggregation.	COMPLETED, ERROR, or IGNORED	No change in the status	No change in the status

Copyright © 2014, Oracle. All rights reserved.

Sr. No.	Batch	Event	Pre Event Transaction Status	Pre Event Transaction Leg Status	Post Event Transaction Status	Post Event Transaction Leg Status
4	C1-IAENT	Transaction has already been disaggregated and is in the UPLOADED status. The transaction legs which were not affected are moved in the staging table and the transaction legs which were affected are deleted. Now, if the effective pricing is changed for the account to which the transaction leg in the staging table is mapped, then that transaction leg must be disaggregated. Thus, disaggregation is done even though the transaction is in the UPLOADED status.	UPLOADED	UPLOADED	No change in the status	No change in the status
5	C1-PDTXN	Transactions in the COMPLETED, ERROR, or IGNORED status are disaggregated.	COMPLETED, ERROR, or IGNORED **Note:** The transactions in the ERROR or IGNORED status must have legs for disaggregation.	COMPLETED, ERROR, or IGNORED	UPLOADED	Transaction legs which are affected during disaggregation are deleted and the other legs which are not affected are moved to the staging table.

Reaggregation

The following table indicates how a transaction leg moves from one status to another during the reaggregation process:

Copyright © 2014, Oracle. All rights reserved.

Sr. No.	Batch	Event	Transaction Status Before Disaggregation	Transaction Leg Status Before Disaggregation	Transaction Status After Reaggregation	Transaction Leg Status After Reaggregation
1	C1-TXNIP	Transaction in the COMPLETED status was disaggregated. It had four transaction legs – two in the COMPLETED status and other two in the IGNORED status. A transaction leg in the COMPLETED status was disaggregated due to change in the business rule (i.e. **IGNORE_SW** is set to **Y**).	COMPLETED	COMPLETED, IGNORED	COMPLETED	Derived Leg: IGNORED Existing Legs: COMPLETED and IGNORED
2	C1-TXNIP	Transaction in the COMPLETED status was disaggregated. It had one transaction leg in the COMPLETED status and all other transaction legs in the IGNORED status. The leg in the COMPLETED status was disaggregated due to change in the business rule (i.e. **IGNORE_SW** is set to **Y**).	COMPLETED	COMPLETED, IGNORED	IGNORED	Derived Leg: IGNORED Existing Legs: IGNORED

Copyright © 2014, Oracle. All rights reserved.

Sr. No.	Batch	Event	Transaction Status Before Disaggregation	Transaction Leg Status Before Disaggregation	Transaction Status After Reaggregation	Transaction Leg Status After Reaggregation
3	C1-TXNIP	Transaction in the COMPLETED status was disaggregated. All the transaction legs were in the COMPLETED status. One of the transaction legs in the COMPLETED status was disaggregated. During reaggregation, no product was derived for this transaction leg.	COMPLETED	COMPLETED	ERROR	Derived Leg: No new transaction leg was created Existing Legs: COMPLETED
4	C1-TXNIP	Transaction in the ERROR status was disaggregated. It had no transaction legs. During reaggregation, no product was derived for the transaction.	ERROR	No Transaction Legs Exist	ERROR	Derived Leg: No new transaction leg was created Existing Legs: None
5	C1-TXNIP	Transaction in the ERROR status was disaggregated. It had no transaction legs. During reaggregation, a product was derived for the transaction.	ERROR	No Transaction Legs Exist	INITIAL PRODUCT DETERMINED	Derived Leg: INITIAL PRODUCT DETERMINED Existing Legs: None

Copyright © 2014, Oracle. All rights reserved.

Sr. No.	Batch	Event	Transaction Status Before Disaggregation	Transaction Leg Status Before Disaggregation	Transaction Status After Reaggregation	Transaction Leg Status After Reaggregation
6	C1-TXNVP and C1-TXNEX	Transaction in the COMPLETED status was disaggregated. It had four transaction legs – two in the COMPLETED status and other two in the IGNORED status. A transaction leg in the COMPLETED status was disaggregated. During reaggregation, the effective pricing was not found for the transaction leg.	COMPLETED	COMPLETED, IGNORED	ERROR	Derived Leg: ERROR Existing Legs: COMPLETED and IGNORED
7	C1-TXNVP and C1-TXNEX	Transaction in the ERROR status was disaggregated. It had no transaction legs. During reaggregation, the effective pricing is found for the transaction legs.	ERROR	No Transaction Legs Exist	INITIAL PRODUCT DETERMINED	Derived Legs: INITIAL PRODUCT DETERMINED Existing Legs: None
8	C1-TXNVP and C1-TXNEX	Transaction in the COMPLETED status was disaggregated. It had four transaction legs – two in the COMPLETED status and other two in the IGNORED status. A transaction leg in the COMPLETED status was disaggregated due to change in the effective pricing (i.e. **Ignore Transaction** flag is set to **Y**).	COMPLETED	COMPLETED, IGNORED	COMPLETED	Derived Leg: IGNORED Existing Legs: COMPLETED and IGNORED

Copyright © 2014, Oracle. All rights reserved.

Sr. No.	Batch	Event	Transaction Status Before Disaggregation	Transaction Leg Status Before Disaggregation	Transaction Status After Reaggregation	Transaction Leg Status After Reaggregation
9	C1-TXNVP and C1-TXNEX	Transaction in the COMPLETED status was disaggregated. It had one transaction leg in the COMPLETED status and all other transaction legs in the IGNORED status. The leg in the COMPLETED status was disaggregated due to change in the effective pricing (i.e. **Ignore Transaction** flag is set to **Y**).	COMPLETED	COMPLETED, IGNORED	IGNORED	Derived Leg: IGNORED Existing Legs: IGNORED
10	C1-TXNSQ and C1-TXNCM	While reaggregating transaction legs, SQIs are not defined for the product — division combination, Transaction aggregation rule is not defined for the SQI, or Exchange rate is not available during currency conversion.	COMPLETED, ERROR, IGNORED **Note:** There must be no legs for the transaction in the IGNORED status.	COMPLETED, ERROR	ERROR	Derived Legs: ERROR Existing Legs: No change in the status
11	C1-TXNSQ and C1-TXNCM	Billable charges are created successfully for all transaction legs which were earlier disaggregated and now reaggregated.	COMPLETED, ERROR, IGNORED **Note:** There must be no legs for the transaction in the IGNORED status.	COMPLETED, ERROR	COMPLETED	Derived Leg: COMPLETED Existing Legs: No change in the status

CSV File Format

You need to ensure that the CSV file contains the following when you upload the transaction data using the sample interface:

Copyright © 2014, Oracle. All rights reserved.

- **File Header** — Every file must have one header record. It should contain the following details:

Column Name	Contains	Description	Mandatory (Yes or No)
A	HDR	Used to indicate that the row contains header information.	Yes
B	Number of Transactions	Used to specify the total number of transaction records in the file.	Yes
C	Header Date	Used to specify the header date.	Yes
D	Transaction Header ID	Used to specify the external transaction header ID.	Yes
E	Total Transaction Volume	Used to specify the total transaction volume.	Yes
F	Total Transaction Amount	Used to specify the total transaction amount.	Yes
G	Transaction Source	Used to specify the source from where the transactions are received.	Yes
H	File Name	Used to specify the file name.	Yes

- **Transaction Record** — Every file must have one or more transaction records. It should contain the following details:

Column Name	Contains	Description	Mandatory (Yes or No)
A	Transaction Record Type	Used to specify the record type of the transaction.	Yes
B	Sequence	Used to specify the sequence number of the transaction.	Yes
C	Transaction Date	Used to specify the date when the transaction was performed.	Yes
D	External Reference Number	Used to specify the external reference number of the transaction.	Yes
E	Transaction Volume	Used to specify the transaction volume.	Yes
F	Transaction Amount	Used to specify the transaction amount.	Yes
G	Transaction Currency	Used to specify the currency in which the transaction was performed. **Note:** If you specify a currency other than the pricing currency, the system will do the currency conversion if the appropriate exchange rate is available in the system.	Yes
H	Account Identifier	Used to indicate the account for which the transaction was performed.	Yes
I	Division	Used to specify the division to which the transaction belongs.	Yes

Copyright © 2014, Oracle. All rights reserved.

Column Name	Contains	Description	Mandatory (Yes or No)
J	Credit/Debit Indicator	Used to indicate whether the transaction is a debit or a credit transaction. The valid values are: • Plus (+) • Minus (-)	Yes
K, L, M, ..., AI	UDF_CHAR_1, UDF_CHAR_2, UDF_CHAR_3,.., UDF_CHAR_25	Used to specify additional information about the transaction. **Note:** If the data in these columns will be used for product parameter mapping, you must not use the equal to (=) and tilde (~) symbols in these columns.	No
AJ	UDF_AMT_1	Used to specify additional transaction amount.	Yes (Conditional) **Note:** This data is required if UDF_CCY_1 is specified.
AK	UDF_CCY_1	Used to specify additional transaction currency. **Note:** If you specify a currency other than the pricing currency, the system will do the currency conversion if the appropriate exchange rate is available in the system.	Yes (Conditional) **Note:** This data is required if UDF_AMT_1 is specified.
AL	UDF_AMT_2	Used to specify additional transaction amount.	Yes (Conditional) **Note:** This data is required if UDF_CCY_2 is specified.
AM	UDF_CCY_2	Used to specify additional transaction currency. **Note:** If you specify a currency other than the pricing currency, the system will do the currency conversion if the appropriate exchange rate is available in the system.	Yes (Conditional) **Note:** This data is required if UDF_AMT_2 is specified.
AN	UDF_AMT_3	Used to specify additional transaction amount.	Yes (Conditional) **Note:** This data is required if UDF_CCY_3 is specified.
AO	UDF_CCY_3	Used to specify additional transaction currency. **Note:** If you specify a currency other than the pricing currency, the system will do the currency conversion if the appropriate exchange rate is available in the system.	Yes (Conditional) **Note:** This data is required if UDF_AMT_3 is specified.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Contains	Description	Mandatory (Yes or No)
AP	UDF_AMT_4	Used to specify additional transaction amount.	Yes (Conditional) **Note:** This data is required if UDF_CCY_4 is specified.
AQ	UDF_CCY_4	Used to specify additional transaction currency. **Note:** If you specify a currency other than the pricing currency, the system will do the currency conversion if the appropriate exchange rate is available in the system.	Yes (Conditional) **Note:** This data is required if UDF_AMT_4 is specified.
AR	UDF_AMT_5	Used to specify additional transaction amount.	Yes (Conditional) **Note:** This data is required if UDF_CCY_5 is specified.
AS	UDF_CCY_5	Used to specify additional transaction currency. **Note:** If you specify a currency other than the pricing currency, the system will do the currency conversion if the appropriate exchange rate is available in the system.	Yes (Conditional) **Note:** This data is required if UDF_AMT_5 is specified.
AT, AU, AV, ..., BC	UDF_NUM_1, UDF_NUM_2, UDF_NUM_3, ..., UDF_NUM_10	Used to specify additional information about the transaction.	No
BD, BE, ..., BH	UDF_Date_1, UDF_Date_2, ..., UDF_Date_5	Used to specify additional information about the transaction.	No

Note: If the file does not contain header or transaction records in the required format, ODI will not upload the transaction data in the system. In addition, ODI will not upload the transaction records received from a transaction source which is not yet defined in the system.

Error List

The following table lists the errors that may occur while executing various batches in the transaction feed management process. It also indicates how you can resolve these errors.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNHV	102	{Checksum Validation Required} field invalid	11001	The possible issues could be: • The value other than 'Y', 'y', 'N' or 'n' is specified for the **Checksum Validation Required** parameter.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNHV	102	{Duplicate Check Required} field invalid	11001	The possible issues could be: • The value other than 'Y', 'y', 'N' or 'n' is specified for the **Duplicate Check Required** parameter.
C1-TXNHV	1332	Sum of transaction records in the header does not match the total number of records in the file.	17000	The possible issues could be: • Inappropriate file is uploaded in the system.
C1-TXNHV	1333	Sum of transaction volume in the header does not match the total transaction volume in the file.	17000	The possible issues could be: • Inappropriate file is uploaded in the system.
C1-TXNHV	1334	Sum of transaction amount in the header does not match the total transaction amount in the file.	17000	The possible issues could be: • Inappropriate file is uploaded in the system.
C1-TXNHV	1338	The Transaction Header ID already exists in the system. Please enter unique header ID.	17000	The possible issues could be: • The same file is uploaded multiple times in the system.
C1-TXNHV	1341	Exception occurred during the transaction header validation.	17000	The possible issues could be: • The data is not available in the required format.
C1-TXNHV	1421	Transaction records does not exist in the file. Please check.	17000	The possible issues could be: • Inappropriate file is uploaded in the system.
C1-TXNHV	1422	Sum of transaction records in the header cannot be zero. Please enter valid data in the header.	17000	The possible issues could be: • Inappropriate file is uploaded in the system.
C1-TXNHV	1423	Sum of transaction volume in the header cannot be zero. Please enter valid data in the header.	17000	The possible issues could be: • Inappropriate file is uploaded in the system.
C1-TXNHV	1853	Transaction Header External ID is missing.	11001	The possible issues could be: • Inappropriate file is uploaded in the system.
C1-TXNIP	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNIP	102	{ Maximum Batch Size } field invalid	11001	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is greater than the value specified for the **Chunk Size** parameter.
C1-TXNIP	106	Value { Given Transaction Header Id } too long for field { transactionHeaderId }. Maximum length: 14. Found: { Length of given Transaction Header Id}	11001	The possible issues could be: • The value specified for the **Transaction Header ID** parameter exceeds the maximum length of 14 characters.
C1-TXNIP	106	Value { GivenTransaction Source Code } too long for field { transactionSource }. Maximum length: 30. Found: { Length of given Transaction Source Code}	11001	The possible issues could be: • The value specified for the **Transaction Source** parameter exceeds the maximum length of 30 characters.
C1-TXNIP	106	Value { Given Transaction Division } too long for field { division }. Maximum length: 5 Found: { Length of given Transaction Division}	11001	The possible issues could be: • The value specified for the **Division** parameter exceeds the maximum length of 5 characters.
C1-TXNIP	1301	The account with the specified identifier does not exist in the system. Enter a valid identifier.	17000	The possible issues could be: • The account with the specified account identifier is not found in the system.
C1-TXNIP	1302	UDF_CCY_1 is mandatory when UDF_AMT_1 is non-zero. Enter a valid currency code.	17000	The possible issues could be: • The currency is not specified in the **UDF_CCY_1** column.
C1-TXNIP	1303	UDF_AMT_1 is mandatory when UDF_CCY_1 is specified. Enter the amount.	17000	The possible issues could be: • The amount is not specified in the **UDF_AMT_1** column.
C1-TXNIP	1304	UDF_CCY_2 is mandatory when UDF_AMT_2 is non-zero. Enter a valid currency code.	17000	The possible issues could be: • The currency is not specified in the **UDF_CCY_2** column.
C1-TXNIP	1305	UDF_AMT_2 is mandatory when UDF_CCY_2 is specified. Enter the amount.	17000	The possible issues could be: • The amount is not specified in the **UDF_AMT_2** column.
C1-TXNIP	1306	UDF_CCY_3 is mandatory when UDF_AMT_3 is non-zero. Enter a valid currency code.	17000	The possible issues could be: • The currency is not specified in the **UDF_CCY_3** column.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNIP	1307	UDF_AMT_3 is mandatory when UDF_CCY_3 is specified. Enter the amount.	17000	The possible issues could be: • The amount is not specified in the **UDF_AMT_3** column.
C1-TXNIP	1308	UDF_CCY_4 is mandatory when UDF_AMT_4 is non-zero. Enter a valid currency code.	17000	The possible issues could be: • The currency is not specified in the **UDF_CCY_4** column.
C1-TXNIP	1309	UDF_AMT_4 is mandatory when UDF_CCY_4 is specified. Enter the amount.	17000	The possible issues could be: • The amount is not specified in the **UDF_AMT_4** column.
C1-TXNIP	1310	UDF_CCY_5 is mandatory when UDF_AMT_5 is non-zero. Enter a valid currency code.	17000	The possible issues could be: • The currency is not specified in the **UDF_CCY_5** column.
C1-TXNIP	1311	UDF_AMT_5 is mandatory when UDF_CCY_5 is specified. Enter the amount.	17000	The possible issues could be: • The amount is not specified in the **UDF_AMT_5** column.
C1-TXNIP	1347	Could not derive a product from the rules engine.	17000	The possible issues could be: • The status returned by the rules engine is either **Fail** or **Error**. • The output parameter list returned by the rules engine is either null or empty. • The account with the specified account identifier is not found in the system.
C1-TXNIP	1349	Division is invalid. Please enter a valid division for the transaction.	17000	The possible issues could be: • The division to which the transaction belongs is not specified in the **Division** column. • Division is not defined in the system.
C1-TXNIP	1351	Transaction Currency is invalid. Please enter a valid currency code.	17000	The possible issues could be: • The currency in which the transaction was performed is not specified in the **Transaction Currency** column. • Currency is not defined in the system.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNIP	1362	UDF Currency 1 is invalid. Please enter a valid currency code.	17000	The possible issues could be: • The currency is not specified in the **UDF_CCY_1** column. • Currency is not defined in the system.
C1-TXNIP	1363	UDF Currency 2 is invalid. Please enter a valid currency code.	17000	The possible issues could be: • The currency is not specified in the **UDF_CCY_2** column. • Currency is not defined in the system.
C1-TXNIP	1364	UDF Currency 3 is invalid. Please enter a valid currency code.	17000	The possible issues could be: • The currency is not specified in the **UDF_CCY_3** column. • Currency is not defined in the system.
C1-TXNIP	1365	UDF Currency 4 is invalid. Please enter a valid currency code.	17000	The possible issues could be: • The currency is not specified in the **UDF_CCY_4** column. • Currency is not defined in the system.
C1-TXNIP	1366	UDF Currency 5 is invalid. Please enter a valid currency code.	17000	The possible issues could be: • The currency is not specified in the **UDF_CCY_5** column. • Currency is not defined in the system.
C1-TXNIP	1377	Transaction currency is mandatory when transaction amount is non-zero. Enter a valid currency code.	17000	The possible issues could be: • The currency is not specified in the **Transaction Currency** column.
C1-TXNIP	1378	Transaction amount is mandatory when transaction currency is specified. Enter the amount.	17000	The possible issues could be: • The amount is not specified in the **Transaction Amount** column.
C1-TXNIP	1379	The user does not exist in the system. Please enter a valid user ID.	17000	The possible issues could be: • The user is not defined in the system.
C1-TXNIP	1380	The value entered in the Credit/Debit Indicator column is incorrect. Enter either "+" or "-".	17000	The possible issues could be: • The value other than ‘+’ or ‘-’ is specified in the **Credit/Debit Indicator** column.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNIP	1381	The value entered in the Manual Switch field is incorrect. Enter either "Y" or "N".	17000	The possible issues could be: • The value other than 'Y' or 'N' is specified in the **MANUAL_SW** field.
C1-TXNIP	1556	{Maximum Batch Size} field should be greater than zero	17000	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is less than or equal to zero.
C1-TXNIP	1636	Invalid batch run [%1] for [%2] division(s). %3 **Note:** [%1] stands for Batch Code; [%2] stands for Division; and [%3] stands for Expected Batch Code	17000	The possible issues could be: • You are trying to execute the C1-TXNVP, C1-TXNEX, C1-TXNSQ, C1-TXNCM or C1-TXNCU batch instead of the C1-TXNIP batch (which is first mandatory batch in the transaction aggregation cycle).
C1-TXNIP	1637	Batch [%1] is already executed for [%2] division(s). Please complete pending batch runs before starting new cycle for [%3] division(s). **Note:** [%1] stands for Batch Code; [%2] and [%3] stands for Division	17000	The possible issues could be: • You are trying to execute this batch once again with the same division (for example, D1) after executing any other batch in the transaction aggregation cycle which is already initiated for D1.
C1-TXNIP	1638	Transaction Feed Management cycle for individual division(s) is not yet complete. Please complete pending batch runs before starting new cycle for processing [ALL] divisions.	17000	The possible issues could be: • You are trying to execute this batch for all divisions before completing the transaction aggregation cycle which is initiated for a particular division.
C1-TXNIP	1639	Transaction Feed Management cycle for [ALL] divisions is not yet complete. Please complete pending batch runs before starting new cycle for individual division [%1]. **Note:** [%1] stands for Division	17000	The possible issues could be: • You are trying to execute this batch for a particular division before completing the transaction aggregation cycle which is initiated for all divisions.
C1-TXNIP	1646	Value for mandatory parameter is missing	17000	The possible issues could be: • No value is defined for the mandatory product parameter in the rule.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNIP	1647	Mandatory parameter is missing	17000	The possible issues could be: • The mandatory product parameter is not defined as the output parameter in the rule.
C1-TXNIP	1648	Account Number derived by the rule is invalid	17000	The possible issues could be: • No value is defined for either **Account Identifier (ACCT_NOX_Val)** or **Account Identifier Column Name (ACCT_NOX_Col)** output parameter in the rule.
C1-TXNIP	1649	Account Number type code derived by the rule is invalid	17000	The possible issues could be: • No value is defined for either **Account Identifier Type (ACCT_NO_TYPEX_Val)** or **Account Identifier Type Column Name (ACCT_NO_TYPEX_Col)** output parameter in the rule.
C1-TXNIP	1650	Division derived by the rule is invalid	17000	The possible issues could be: • No value is defined for either **Account Division (DIVISIONX_VAL)** or **Account Division Column Name (DIVISIONX_COL)** output parameter in the rule.
C1-TXNIP	1651	Not able to derive account id	17000	The possible issues could be: • The account with the specified account identifier, account identifier type and division is not found in the system.
C1-TXNIP	1652	Product derived by the rule is invalid	17000	The possible issues could be: • No value is defined for either **Product Name (PRODUCTX_Y_Val)** or **Product Column Name (PRODUCTX_Y_Col)** output parameter in the rule.
C1-TXNIP	1653	Length of the derived product is gregater than 10	17000	The possible issues could be: • The value specified for the **Product Name (PRODUCTX_Y_Val)** or **Product Column Name (PRODUCTX_Y_Col)** output parameter in the rule exceeds the maximum length of 10 characters.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNIP	1654	Length of the derived variance parameter is gregater than 8	17000	The possible issues could be: • The value specified for the **TOU (TOUX_Y_Val)** or **TOU Column Name (TOUX_Y_Col)** output parameter in the rule exceeds the maximum length of 8 characters.
C1-TXNIP	1656	Length of the product parameter value derived by the rule is gregater than 254	17000	The possible issues could be: • The value specified for the **Parameter Value (PVLX_Y_Z_VAL)** or **Parameter Value Column Name (PVLX_Y_Z_COL)** output parameter in the rule exceeds the maximum length of 254 characters.
C1-TXNIP	1657	Length of the product parameter code derived by the rule is gregater than 30	17000	The possible issues could be: • The value specified for the **Parameter Code (PCDX_Y_Z_VAL)** output parameter in the rule exceeds the maximum length of 30 characters.
C1-TXNIP	1659	Transaction Paramter Value should not contain '~' and '='	17000	The possible issues could be: • The parameter value contains the equal to (=) and tide (~) symbols.
C1-TXNVP	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.
C1-TXNVP	106	Value { Given Transaction Header Id } too long for field { transactionHeaderId }. Maximum length: 14. Found: { Length of given Transaction Header Id}	11001	The possible issues could be: • The value specified for the **Transaction Header ID** parameter exceeds the maximum length of 14 characters.
C1-TXNVP	106	Value { GivenTransaction Source Code } too long for field { transactionSource }. Maximum length: 30. Found: { Length of given Transaction Source Code}	11001	The possible issues could be: • The value specified for the **Transaction Source** parameter exceeds the maximum length of 30 characters.
C1-TXNVP	106	Value { Given Transaction Division } too long for field { division }. Maximum length: 5 Found: { Length of given Transaction Division}	11001	The possible issues could be: • The value specified for the **Division** parameter exceeds the maximum length of 5 characters.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNVP	1636	Invalid batch run [%1] for [%2] division(s). %3 **Note:** [%1] stands for Batch Code; [%2] stands for Division; and [%3] stands for Expected Batch Code	17000	The possible issues could be: • You are trying to execute the C1-TXNVP batch before executing the C1-TXNIP batch (which is first mandatory batch in the transaction aggregation cycle). • You are trying to execute the C1-TXNVP batch in between the C1-TXNCM and C1-TXNCU batches during the transaction aggregation cycle.
C1-TXNVP	1638	Transaction Feed Management cycle for individual division(s) is not yet complete. Please complete pending batch runs before starting new cycle for processing [ALL] divisions.	17000	The possible issues could be: • You are trying to execute this batch for all divisions before completing the transaction aggregation cycle which is initiated for a particular division.
C1-TXNVP	1639	Transaction Feed Management cycle for [ALL] divisions is not yet complete. Please complete pending batch runs before starting new cycle for individual division [%1]. **Note:** [%1] stands for Division	17000	The possible issues could be: • You are trying to execute this batch for a particular division before completing the transaction aggregation cycle which is initiated for all divisions.
C1-TXNVP	1644	Transaction Feed Management cycle for division(s) [%1] is already in progress with filter [Source= %2, Header= %3] criteria. Filter criteria must be same for complete cycle. **Note:** [%1] stands for Batch Code; [%2] and [%3] stands for Division	17000	The possible issues could be: • You are trying to execute this batch once again with the same division and different parameters.
C1-TXNEX	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.
C1-TXNEX	102	{ Maximum Batch Size } field invalid	11001	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is greater than the value specified for the **Chunk Size** parameter.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNEX	106	Value { Given Transaction Header Id } too long for field { transactionHeaderId }. Maximum length: 14. Found: { Length of given Transaction Header Id}	11001	The possible issues could be: • The value specified for the **Transaction Header ID** parameter exceeds the maximum length of 14 characters.
C1-TXNEX	106	Value { GivenTransaction Source Code } too long for field { transactionSource }. Maximum length: 30. Found: { Length of given Transaction Source Code}	11001	The possible issues could be: • The value specified for the **Transaction Source** parameter exceeds the maximum length of 30 characters.
C1-TXNEX	106	Value { Given Transaction Division } too long for field { division }. Maximum length: 5 Found: { Length of given Transaction Division}	11001	The possible issues could be: • The value specified for the **Division** parameter exceeds the maximum length of 5 characters.
C1-TXNEX	790	The selected Member account does not have active Contracts.	17000	The possible issues could be: • There is no contract with the specified contract type available on the transaction date. • The contract is inactive.
C1-TXNEX	1336	Effective pricing is not available for the product. Please check.	17000	The possible issues could be: • The effective pricing is not available for the product.
C1-TXNEX	1392	Invalid configuration of Price Search Algorithm Parameters or Contracts or Schedule Periods.	17000	The possible issues could be: • The parameter values are either not defined or invalid in the **Price Assignment Search** algorithm (which is associated with the division). • The period in which the transaction date falls is not defined in the aggregation schedule. • There are multiple effective contracts of the same contract type (available on the transaction date) in **Active**, **Pending Stop**, or **Stop** status.
C1-TXNEX	1556	{Maximum Batch Size} field should be greater than zero	17000	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is less than or equal to zero.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNEX	1588	No Schedule Period found for the transaction date.	17000	The possible issues could be: • The period in which the transaction date falls is not defined in the aggregation schedule.
C1-TXNEX	1611	Division specific Price Search Algorithm is not configured	17000	The possible issues could be: • The **Price Assignment Search** algorithm is not defined for the division.
C1-TXNEX	1612	Price Search Algorithm parameters are not set or are invalid	17000	The possible issues could be: • The parameter values are either not defined or invalid in the **Price Assignment Search** algorithm (which is associated with the division).
C1-TXNEX	1613	Multiple contracts in Active, Pending Stop, Stop status exists for same contract type	17000	The possible issues could be: • There are multiple effective contracts of the same contract type (available on the transaction date) in **Active**, **Pending Stop**, or **Stop** status.
C1-TXNEX	1636	Invalid batch run [%1] for [%2] division(s). %3 **Note:** [%1] stands for Batch Code; [%2] stands for Division; and [%3] stands for Expected Batch Code	17000	The possible issues could be: • You are trying to execute the C1-TXNEX batch before executing the C1-TXNIP batch (which is first mandatory batch in the transaction aggregation cycle). • You are trying to execute the C1-TXNEX batch in between the C1-TXNCM and C1-TXNCU batches during the transaction aggregation cycle.
C1-TXNEX	1638	Transaction Feed Management cycle for individual division(s) is not yet complete. Please complete pending batch runs before starting new cycle for processing [ALL] divisions.	17000	The possible issues could be: • You are trying to execute this batch for all divisions before completing the transaction aggregation cycle which is initiated for a particular division.
C1-TXNEX	1639	Transaction Feed Management cycle for [ALL] divisions is not yet complete. Please complete pending batch runs before starting new cycle for individual division [%1]. **Note:** [%1] stands for Division	17000	The possible issues could be: • You are trying to execute this batch for a particular division before completing the transaction aggregation cycle which is initiated for all divisions.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNEX	1644	Transaction Feed Management cycle for division(s) [%1] is already in progress with filter [Source= %2, Header= %3] criteria. Filter criteria must be same for complete cycle. **Note:** [%1] stands for Batch Code; [%2] and [%3] stands for Division	17000	The possible issues could be: • You are trying to execute this batch once again with the same division and different parameters.
C1-TXNSQ	102	{ Maximum Batch Size } field invalid	11001	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is greater than the value specified for the **Chunk Size** parameter.
C1-TXNSQ	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.
C1-TXNSQ	106	Value { Given Transaction Header Id } too long for field { transactionHeaderId }. Maximum length: 14. Found: { Length of given Transaction Header Id}	11001	The possible issues could be: • The value specified for the **Transaction Header ID** parameter exceeds the maximum length of 14 characters.
C1-TXNSQ	106	Value { GivenTransaction Source Code } too long for field { transactionSource }. Maximum length: 30. Found: { Length of given Transaction Source Code}	11001	The possible issues could be: • The value specified for the **Transaction Source** parameter exceeds the maximum length of 30 characters.
C1-TXNSQ	106	Value { Given Transaction Division } too long for field { division }. Maximum length: 5 Found: { Length of given Transaction Division}	11001	The possible issues could be: • The value specified for the **Division** parameter exceeds the maximum length of 5 characters.
C1-TXNSQ	1388	Data configuration error for { ENV_ID }.	17000	The possible issues could be: • No data exists in the **ENV_ID** column of the **CI_INSTALLATION** table. • The data specified in the **ENV_ID** column of the **CI_INSTALLATION** table is not properly cached.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNSQ	1388	Data configuration error for { SQI Fragment }.	17000	The possible issues could be: • No data exists in the **SQL_FRAG**, **TXN_PRM**, **SQI_CD**, and **SQL_FUNC** columns of the **CI_TXN_SQI_FRAG** table. • The data specified in the **SQL_FRAG**, **TXN_PRM**, **SQI_CD**, and **SQL_FUNC** columns of the **CI_TXN_SQI_FRAG** table is not properly cached.
C1-TXNSQ	1388	Data configuration error for { Price Item SQI }.	17000	The possible issues could be: • No data exists in the **PRICEITEM_CD**, **CIS_DIVISION**, and **SQI_CD** columns of the **CI_PRICEITEM_SQI** table. • The data specified in the **PRICEITEM_CD**, **CIS_DIVISION**, and **SQI_CD** columns of the **CI_PRICEITEM_SQI** table is not properly cached.
C1-TXNSQ	1556	{Maximum Batch Size} field should be greater than zero	17000	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is less than or equal to zero.
C1-TXNSQ	1636	Invalid batch run [%1] for [%2] division(s). %3 **Note:** [%1] stands for Batch Code; [%2] stands for Division; and [%3] stands for Expected Batch Code	17000	The possible issues could be: • You are trying to execute the C1-TXNSQ batch before executing the C1-TXNIP batch (which is first mandatory batch in the transaction aggregation cycle). • You are trying to execute the C1-TXNSQ batch in between the C1-TXNCM and C1-TXNCU batches during the transaction aggregation cycle.
C1-TXNSQ	1638	Transaction Feed Management cycle for individual division(s) is not yet complete. Please complete pending batch runs before starting new cycle for processing [ALL] divisions.	17000	The possible issues could be: • You are trying to execute this batch for all divisions before completing the transaction aggregation cycle which is initiated for a particular division.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNSQ	1639	Transaction Feed Management cycle for [ALL] divisions is not yet complete. Please complete pending batch runs before starting new cycle for individual division [%1]. **Note:** [%1] stands for Division	17000	The possible issues could be: • You are trying to execute this batch for a particular division before completing the transaction aggregation cycle which is initiated for all divisions.
C1-TXNSQ	1644	Transaction Feed Management cycle for division(s) [%1] is already in progress with filter [Source= %2, Header= %3] criteria. Filter criteria must be same for complete cycle. **Note:** [%1] stands for Batch Code; [%2] and [%3] stands for Division	17000	The possible issues could be: • You are trying to execute this batch once again with the same division and different parameters.
C1-TXNCM	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.
C1-TXNCM	102	{ Maximum Batch Size } field invalid	11001	The possible issues could be: • The value specified for the **Maximum Batch Count**parameter is greater than the value specified for the **Chunk Size** parameter.
C1-TXNCM	106	Value { Given Transaction Header Id } too long for field { transactionHeaderId }. Maximum length: 14. Found: { Length of given Transaction Header Id}	11001	The possible issues could be: • The value specified for the **Transaction Header ID** parameter exceeds the maximum length of 14 characters.
C1-TXNCM	106	Value { GivenTransaction Source Code } too long for field { transactionSource }. Maximum length: 30. Found: { Length of given Transaction Source Code}	11001	The possible issues could be: • The value specified for the **Transaction Source** parameter exceeds the maximum length of 30 characters.
C1-TXNCM	106	Value { Given Transaction Division } too long for field { division }. Maximum length: 5 Found: { Length of given Transaction Division}	11001	The possible issues could be: • The value specified for the **Division** parameter exceeds the maximum length of 5 characters.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNCM	1393	Either the transaction feed management setup is incomplete, or there is no active contract avaialble	17000	The possible issues could be: • The SQIs are not defined for the product — division combination. • The transaction aggregation rule is not defined for the SQI. • There is no contract with the specified contract type available in the system. • The contract is inactive.
C1-TXNCM	1556	{Maximum Batch Size} field should be greater than zero	17000	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is less than or equal to zero.
C1-TXNCM	1636	Invalid batch run [%1] for [%2] division(s). %3 **Note:** [%1] stands for Batch Code; [%2] stands for Division; and [%3] stands for Expected Batch Code	17000	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is greater than the value specified for the **Chunk Size** parameter.
C1-TXNCM	1638	Transaction Feed Management cycle for individual division(s) is not yet complete. Please complete pending batch runs before starting new cycle for processing [ALL] divisions.	17000	The possible issues could be: • You are trying to execute this batch for all divisions before completing the transaction aggregation cycle which is initiated for a particular division.
C1-TXNCM	1639	Transaction Feed Management cycle for [ALL] divisions is not yet complete. Please complete pending batch runs before starting new cycle for individual division [%1]. **Note:** [%1] stands for Division	17000	The possible issues could be: • You are trying to execute this batch for a particular division before completing the transaction aggregation cycle which is initiated for all divisions.
C1-TXNCM	1644	Transaction Feed Management cycle for division(s) [%1] is already in progress with filter [Source= %2, Header= %3] criteria. Filter criteria must be same for complete cycle. **Note:** [%1] stands for Batch Code; [%2] and [%3] stands for Division	17000	The possible issues could be: • You are trying to execute this batch once again with the same division and different parameters.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNCU	101	{ Disaggregation From Date} field missing	11001	The possible issues could be: • No value is specified for the **Disaggregate Transactions From Date** parameter when the request type is set to DISAGG.
C1-TXNCU	101	{ Request Type} field missing	11001	The possible issues could be: • No value is specified for the **Request Type** parameter.
C1-TXNCU	101	{ Transaction Header Id } field missing	11001	The possible issues could be: • No value is specified for the **Transaction Header ID** parameter when the request type is set to CNCL.
C1-TXNCU	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.
C1-TXNCU	102	{ Maximum Batch Size } field invalid	11001	The possible issues could be: • The value specified for the **Maximum Batch Count**parameter is greater than the value specified for the **Chunk Size** parameter.
C1-TXNCU	102	{ Request Type } field invalid	11001	The possible issues could be: • The value other than 'EROR', 'CNCL' or 'DISAGG' is specified for the **Request Type** parameter.
C1-TXNCU	102	{ Transaction Division } field invalid	11001	The possible issues could be: • The value for the **Division** parameter is specified when the request type is set to CNCL.
C1-TXNCU	102	{ Transaction Source Code } field invalid	11001	The possible issues could be: • The value for the **Transaction Source** parameter is specified when the request type is set to CNCL.
C1-TXNCU	102	{Account Id } field invalid	11001	The possible issues could be: • The value for the **Account ID** parameter is specified when the request type is set to CNCL.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNCU	102	{Bill Cycle Code } field invalid	11001	The possible issues could be: • The value for the **Bill Cycle** parameter is specified when the request type is set to CNCL.
C1-TXNCU	102	{Disaggregation From Date } field invalid	11001	The possible issues could be: • The value for the **Disaggregate Transactions From Date** parameter is specified when the request type is set to CNCL.
C1-TXNCU	102	{Account Id } field invalid	11001	The possible issues could be: • The value for the **Account ID** parameter is specified when the request type is set to EROR.
C1-TXNCU	102	{Bill Cycle Code } field invalid	11001	The possible issues could be: • The value for the **Bill Cycle** parameter is specified when the request type is set to EROR.
C1-TXNCU	102	{Disaggregation From Date } field invalid	11001	The possible issues could be: • The value for the **Disaggregate Transactions From Date** parameter is specified when the request type is set to EROR.
C1-TXNCU	102	{Transaction Header Id } field invalid	11001	The possible issues could be: • The value for the **Transaction Header ID** parameter is specified when the request type is set to DISAGG.
C1-TXNCU	102	{ Transaction Source Code } field invalid	11001	The possible issues could be: • The value for the **Transaction Source** parameter is specified when the request type is set to DISAGG.
C1-TXNCU	106	Value { Given Transaction Header Id } too long for field { transactionHeaderId }. Maximum length: 14. Found: { Length of given Transaction Header Id}	11001	The possible issues could be: • The value specified for the **Transaction Header ID** parameter exceeds the maximum length of 14 characters.
C1-TXNCU	106	Value { GivenTransaction Source Code } too long for field { transactionSource }. Maximum length: 30. Found: { Length of given Transaction Source Code}	11001	The possible issues could be: • The value specified for the **Transaction Source** parameter exceeds the maximum length of 30 characters.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNCU	106	Value { Given Transaction Division } too long for field { division }. Maximum length: 5 Found: { Length of given Transaction Division}	11001	The possible issues could be: • The value specified for the **Division** parameter exceeds the maximum length of 5 characters.
C1-TXNCU	1388	Data configuration error for { SQI Fragment }.	17000	The possible issues could be: • No data exists in the SQL_FRAG, TXN_PRM, SQI_CD, and SQL_FUNC columns of the CI_TXN_SQI_FRAG table. • The data specified in the SQL_FRAG, TXN_PRM, SQI_CD, and SQL_FUNC columns of the CI_TXN_SQI_FRAG table is not properly cached.
C1-TXNCU	1388	Data configuration error for { Price Item SQI }.	17000	The possible issues could be: • No data exists in the PRICEITEM_CD, CIS_DIVISION, and SQI_CD columns of the CI_PRICEITEM_SQI table. • The data specified in the PRICEITEM_CD, CIS_DIVISION, and SQI_CD columns of the CI_PRICEITEM_SQI table is not properly cached.
C1-TXNCU	1391	Bill is completed hence cant cancel the header.	17000	The possible issues could be: • You are trying to cancel a transaction feed for which a bill with the Complete status already exists in the system.
C1-TXNCU	1424	There are pending bills for the feed you want to cancel. Please execute the Pending Bill Deletion (C1-DELBL) batch.	17000	The possible issues could be: • The **Pending Bill Deletion (C1-DELBL)** batch is not yet executed to delete the bills (generated for the feed) which are in the **Pending** status.
C1-TXNCU	1556	{Maximum Batch Size} field should be greater than zero	17000	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is less than or equal to zero.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNCU	1636	Invalid batch run [%1] for [%2] division(s). %3 **Note:** [%1] stands for Batch Code; [%2] stands for Division; and [%3] stands for Expected Batch Code	17000	The possible issues could be: • You are trying to execute the C1-TXNCU batch before executing the C1-TXNIP or C1-TXNCM batch.
C1-TXNCU	1638	Transaction Feed Management cycle for individual division(s) is not yet complete. Please complete pending batch runs before starting new cycle for processing [ALL] divisions.	17000	The possible issues could be: • You are trying to execute this batch for all divisions before completing the transaction aggregation cycle which is initiated for a particular division.
C1-TXNCU	1639	Transaction Feed Management cycle for [ALL] divisions is not yet complete. Please complete pending batch runs before starting new cycle for individual division [%1]. **Note:** [%1] stands for Division	17000	The possible issues could be: • You are trying to execute this batch for a particular division before completing the transaction aggregation cycle which is initiated for all divisions.
C1-TXNCU	1644	Transaction Feed Management cycle for division(s) [%1] is already in progress with filter [Source= %2, Header= %3] criteria. Filter criteria must be same for complete cycle. **Note:** [%1] stands for Batch Code; [%2] and [%3] stands for Division	17000	The possible issues could be: • You are trying to execute this batch once again with the same division and different parameters.
C1-TXNRB	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.
C1-TXNRB	102	{ Maximum Batch Size } field invalid	11001	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is greater than the value specified for the **Chunk Size** parameter.
C1-TXNRB	102	{ Status Value } field invalid	11001	The possible issues could be: • The value other than 'ERROR' or 'IGNR' is specified for the **Transaction Status** parameter.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXNRB	102	{ RollBack From Date } field invalid	11001	The possible issues could be: • The date specified in the **Rollback From Date** parameter is later than the date specified in the **Rollback To Date** parameter.
C1-TXNRB	1556	{Maximum Batch Size} field should be greater than zero	17000	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is less than or equal to zero.
C1-DELBL	101	{ Transaction Header Id } field missing	11001	The possible issues could be: • No value is specified for the **Transaction Header ID** parameter.
C1-DELBL	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.
C1-DELBL	106	Value { Given Transaction Header Id } too long for field { transactionHeaderId }. Maximum length: 14. Found: { Length of given Transaction Header Id}	11001	The possible issues could be: • The value specified for the **Transaction Header ID** parameter exceeds the maximum length of 14 characters.
C1-DELBL	1391	Bill is completed or bill segment is frozen or pending-cancelled hence can not cancel the header.	17000	The possible issues could be: • You are trying to cancel a transaction feed for which a bill with the Pending status is already generated in the system. This pending bill has a bill segment in either Frozen or Pending Cancel status.
C1-DELBL	1556	{Maximum Batch Size} field should be greater than zero	17000	The possible issues could be: • The value specified for the **Maximum Batch Count**parameter is less than or equal to zero.
C1-TXCNC	101	{ Transaction Header Id } field missing	11001	The possible issues could be: • No value is specified for the **Transaction Header ID** parameter.
C1-TXCNC	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-TXCNC	102	{ Maximum Batch Size } field invalid	11001	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is greater than the value specified for the **Chunk Size** parameter.
C1-TXCNC	1391	Bill is completed or bill segment is frozen or pending-cancelled hence can not cancel the header.	17000	The possible issues could be: • You are trying to cancel a transaction feed for which a bill with the **Pending** status is already generated in the system. This pending bill has a bill segment in either **Frozen** or **Pending Cancel** status.
C1-TXCNC	1424	There are pending bills for the feed you want to cancel. Please execute the Pending Bill Deletion (C1-DELBL) batch.	17000	The possible issues could be: • The **Pending Bill Deletion (C1-DELBL)** batch is not yet executed to delete the bills (generated for the feed) which are in the **Pending** status.
C1-TXCNC	1556	{Maximum Batch Size} field should be greater than zero	17000	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is less than or equal to zero.
C1-DISTG	102	{Division} field invalid	11001	The possible issues could be: • Division is not defined in the system.
C1-DISTG	102	{ Billing Cycle Code } field invalid	11001	The possible issues could be: • Bill cycle is not defined in the system.
C1-IAENT	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.
C1-IAENT	1660	Disaggregate Transactions From Date would impose partial disaggregation for some billable charges	17000	The possible issues could be: • The identified aggregated billable charges aggregate transactions whose transaction date falls before the disaggregate transactions from date.
C1-DARSU	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.

Copyright © 2014, Oracle. All rights reserved.

Batch Name	Message Number	Error Message	Message Category	Possible Issues
C1-PDTXN	102	{Chunk Size} field invalid	11001	The possible issues could be: • The value specified for the **Chunk Size** parameter is less than or equal to one.
C1-PDTXN	102	{ Maximum Batch Size } field invalid	11001	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is greater than the value specified for the **Chunk Size** parameter.
C1-PDTXN	1556	{Maximum Batch Size} field should be greater than zero	17000	The possible issues could be: • The value specified for the **Maximum Batch Count** parameter is less than or equal to zero.

Feed Management Dashboard

The **Feed Management Dashboard** screen allows you to view the details of a transaction feed. You can drill down and view the transaction details of a feed at the division level and at the transaction level. This screen consists of the following zones:

- *Search — Feed Level* on page 409
- *Division Level Information* on page 411
- *Transaction Level Information* on page 411

Search — Feed Level

The **Search — Feed Level** zone allows you to search for a transaction feed using various search criteria. You can view the details of a transaction feed which is already uploaded in the system. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Feed Header Date From	Used to search for transaction feeds having header date later than or equal to the specified date.	No
Feed Header Date To	Used to search for transaction feeds having header date earlier than or equal to the specified date.	No
Transaction Source	Used to search for transaction feeds received from a particular transaction source.	No
File Name	Used to search for a transaction feed based on the file name.	No
Feed Load Date From	Used to search for transaction feeds which are uploaded on or later than the specified date.	No
Feed Load Date To	Used to search for transaction feeds which are uploaded on or earlier than the specified date.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Transaction Header ID	Used to search for a transaction feed based on the header ID.	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
File Name	Displays the name of the file from where the transaction feed is uploaded.
Transaction Source	Displays the transaction source from where the transaction feed is received.
Transaction Header ID	Displays the transaction header ID. **Note:** The transaction header ID is generated automatically when the file is uploaded.
Transaction Header External ID	Displays the ID mentioned in the file header.
Feed Header Date	Displays the date mentioned in the file header.
Feed Load Date	Displays the date when the transaction feed was uploaded in the system.
Feed Status	Displays the status of the transaction feed. The valid values are: • **Uploaded** — Indicates that the transaction feed is uploaded. • **Validated** — Indicates that the file header is validated. • **Invalid** — Indicates that the file header validation failed. • **Cancelled** — Indicates that the transaction feed is cancelled.
Error Message	Indicates the reason why the file header validation failed.
Total Volume	Displays the total transaction volume of the feed.
Uploaded Volume	Displays the total transaction volume which is uploaded in the system.
INPD Volume	Displays the total transaction volume which is validated and for which product is determined in the system.
Completed Volume	Displays the total transaction volume for which billable charges are created and completed in the system.
Error Volume	Displays the total transaction volume which could not pass through the validation, product determination, or billable charge creation process.
Cancelled Volume	Displays the total transaction volume which is cancelled in the system.
Ignored Volume	Displays the total transaction volume which is ignored in the system.
Invalid Volume	Displays the total transaction volume which is invalid.

Related Topics

For more information on...	See...
How to search for a transaction feed	*Searching for a Transaction Feed* on page 413
How to view the division level details of a transaction feed	*Viewing Division Level Details of a Transaction Feed* on page 413

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to view the transaction details of a division	*Viewing Transaction Details of a Division in a Feed* on page 414

Division Level Information

The **Division Level Information** zone allows you to drill down and view the transaction volume details of a feed at the division level. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to specify the division.	No

- **Search Results** — On clicking the **Refresh** button, the search results are filtered based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Division	Indicates the division.
Total Volume	Displays the total transaction volume of the division.
Uploaded Volume	Displays the total transaction volume (of the division) which is uploaded in the system.
INPD Volume	Displays the total transaction volume (of the division) which is validated and for which product is determined in the system.
Completed Volume	Displays the total transaction volume (of the division) for which billable charges are created and completed in the system.
Error Volume	Displays the total transaction volume (of the division) which could not pass through the validation, product determination, or billable charge creation process.
Cancelled Volume	Displays the total transaction volume (of the division) which is cancelled in the system.
Ignored Volume	Displays the total transaction volume (of the division) which is ignored in the system.
Invalid Volume	Displays the total transaction volume (of the division) which is invalid.

By default, the **Division Level Information** zone does not appear in the **Feed Management Dashboard** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the transaction feed in the **Search — Feed Level** zone.

Related Topics

For more information on...	See...
How to view the division level details of a transaction feed	*Viewing Division Level Details of a Transaction Feed* on page 413

Transaction Level Information

The **Transaction Level Information** zone lists transactions in a feed which belong to a division. This zone contains the following two sections:

- **Search Criteria** — This section allows you to filter the transactions based on the various search criteria. It contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier Type	Used to select the identifier type based on which you want to search for transactions of an account.	No
Account Identifier	Used to indicate the account for which the transaction was performed.	No
Transaction Source	Used to specify the transaction source from where the transaction was received.	No
Transaction Record Type	Used to specify the record type of the transaction.	No
Transaction Status	Used to specify the status of the transaction.	No
External Reference Number	Used to specify the external reference number of the transaction.	No

- **Search Results** — On clicking the **Refresh** button, the search results are filtered based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
External Reference Number	Displays the external reference number of the transaction.
Division	Displays the division to which the transaction belongs.
Transaction Record Type	Displays the record type of the transaction.
Transaction Date	Displays the date when the transaction was performed.
Account Identifier Type	Displays the type of account identifier.
Account Identifier	Indicates the account for which the transaction was performed.
Transaction Volume	Displays the transaction volume.
Transaction Currency	Displays the currency in which the transaction was performed.
Transaction Amount	Displays the transaction amount.
Credit/Debit Indicator	Indicates whether the transaction is a debit or credit transaction.
Customer Reference Number	Indicates the customer who performed the transaction.
Transaction Status	Displays the status of the transaction.
Error Message	Indicates the reason why the validation, product determination, or billable charge creation process failed.
Rule	Indicates the rule which was met while determining initial product for the transaction. **Note:** It has a link. On clicking the link, the **Rule** screen appears where you can view the details of the rule.
Transaction Information	Displays additional information about the transaction. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears where you can view the details of the transaction.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to view the transaction details of a division	*Viewing Transaction Details of a Division in a Feed* on page 414

Searching for a Transaction Feed

Procedure

To search for a transaction feed:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Transaction Feed Management** and then click **Feed Management Dashboard**.

   The **Feed Management Dashboard** screen appears.

4. Enter the search criteria in the **Search — Feed Level** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of transaction feeds that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
Feed Management Dashboard screen	*Feed Management Dashboard* on page 409
Search — Feed Level zone	*Search — Feed Level* on page 409

Viewing Division Level Details of a Transaction Feed

Procedure

To view the division level details of a transaction feed:

1. Search for the transaction feed in the **Feed Management Dashboard** screen.
2. In the **Search Results** section, click the **Broadcast** ( ) icon corresponding to the transaction feed whose *d*ivision level details you want to view.

   The **Division Level Information** zone appears.

3. View the transaction volume details of each division in the **Division Level Information** zone.

Related Topics

For more information on...	See...
How to search for a transaction feed	*Searching for a Transaction Feed* on page 413

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Division Level Information zone	*Division Level Information* on page 411

Viewing Transaction Details of a Division in a Feed

Procedure

To view the transaction details of a division in a feed:

1. Search for the transaction feed in the **Feed Management Dashboard** screen.
2. In the **Search Results** section, click the **Broadcast** ( ) icon corresponding to the transaction feed whose details you want to view.

   The **Division Level Information** zone appears.
3. Click the **Broadcast** ( ) icon corresponding to the division whose transaction details you want to view.

   The **Transaction Level Information** zone appears.
4. View the list of the transactions that belong to the division in the **Transaction Level Information** zone.

Related Topics

For more information on...	See...
How to search for a transaction feed	*Searching for a Transaction Feed* on page 413
Division Level Information zone	*Division Level Information* on page 411
Transaction Level Information zone	*Transaction Level Information* on page 411

View Billed Transactions

The **View Billed Transactions** screen allows you to view the transactions which are billed to the customer. This screen consists of the following zones:

- *Search* on page 414
- *Bill Segments* on page 416
- *Transaction Details* on page 417
- *SQ Details* on page 418

You can also access this screen from the **Bill** screen by selecting the **Go To View Billed Transactions** option from the **Bill ID** context menu. The only difference is that the **Search** zone does not appear when you access this screen from the **Bill** screen.

Search

The **Search** zone allows you to search for a bill. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Bill ID	Used to specify the bill ID.	No
Alternate Bill ID	Used to specify the alternate bill ID.	No
Division	Used to search for bills of accounts that belong to a division. **Note:** You can only view those divisions to which you have access in the **Division** list.	Yes (Conditional) **Note:** This field is not required when you search for a bill using the Bill ID or the Alternate Bill ID.
Primary Account Identifier Type	Used to select the identifier type based on which you want to search for bills of an account.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.
Primary Account Identifier	Used to specify the primary account identifier of the account.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Primary Customer Identifier Type	Used to select the identifier type based on which you want to search for bills of a customer.	Yes (Conditional) **Note:** If you enter the customer identifier as a search criteria, you have to select the customer identifier type.
Primary Customer Identifier	Used to specify the ID linked to the customer.	Yes (Conditional) **Note:** If you specify the customer identifier type as a search criteria, you have to enter the customer identifier.
Bill Completion From Date	Used to search for bills which are completed on or later than the specified date.	No
Bill Completion To Date	Used to search for bills which are completed on or earlier than the specified date.	No
Bill Status	Used to indicate the status of the bill. The valid values are: • Complete • Pending	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Bill ID	Displays the bill ID. **Note:** It has a link. On clicking the link, the **Bill** screen appears with the details of the respective bill.
Bill Status	Displays the status of the bill.
Completion Date	Displays the date when the bill was completed.
Invoice Amount	Displays the total amount billed to the customer.
Invoice Currency	Displays the currency in which the amount is billed to the customer.
Account Identifier Type	Displays the primary account identifier type.
Account Identifier	Indicates the account for which the bill is created.
Customer Identifier Type	Displays the primary customer identifier type.
Customer Identifier	Indicates the customer for whom the bill is created.
Division	Displays the division to which the account belongs.
Alternate Bill ID	Displays the alternate bill ID.

Related Topics

For more information on...	See...
How to search for a bill	*Searching for a Bill* on page 418
How to view the bill segments of a bill	*Viewing the Bill Segments of a Bill* on page 419
How to view the transactions for which a bill segment is generated in a bill	*Viewing Transactions for which the Bill Segment is Generated* on page 419

Bill Segments

The **Bill Segments** zone lists the bill segments of a bill. This zone contains the following columns:

Column Name	Column Description
Bill Segment	Displays the bill segment ID. **Note:** It has a link. On clicking the link, the **Bill Segment** screen appears with the details of the respective bill segment.
Bill Segment Status	Indicates the current status of the bill segment.
Start Date	Displays the start date of the bill segment.
End Date	Displays the end date of the bill segment.
Amount	Displays the amount of the bill segment.
Currency	Displays the currency of the bill segment.
Product	Displays the description of the product.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Variance Parameter	Indicates the variance parameter mapped to the transaction. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameters	Indicates the product parameters mapped to the transaction. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
Rate Schedule Description	Indicates the rate schedule used for defining the product pricing.
Billable Charge ID	Indicates the billable charge for which the bill segment is created. **Note:** It has a link. On clicking the link, the **Billable Charge** screen appears with the details of the respective billable charge.
Account Info	Indicates the member account (in the invoicing group) for which the bill segment was generated.

By default, the **Bill Segments** zone does not appear in the **View Billed Transactions** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the bill in the **Search** zone.

Related Topics

For more information on...	See...
How to view the bill segments of a bill	*Viewing the Bill Segments of a Bill* on page 419

Transaction Details

The **Transaction Details** zone lists the transactions for which the billable charge (corresponding to the bill segment) is created. This zone contains the following columns:

Column Name	Column Description
Transaction ID	Displays the transaction ID. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears with the details of the respective transaction.
Transaction Date	Displays the date when the transaction was performed.
Transaction Volume	Displays the transaction volume.
Transaction Amount	Displays the transaction amount.
Transaction Currency	Displays the currency in which the transaction was performed.
Transaction Source	Displays the transaction source from where the transaction was received.
Transaction Record Type	Displays the record type of the transaction.
Initial Product	Displays the product mapped to the transaction.
Rule	Indicates the rule which was met while determining initial product for the transaction. **Note:** It has a link. On clicking the link, the **Rule** screen appears where you can view the details of the rule.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Transaction Information	Displays additional information about the transaction. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears where you can view the details of the transaction.

By default, the **Transaction Details** zone does not appear in the **View Billed Transactions** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the bill segment in the **Bill Segments** zone.

Related Topics

For more information on...	See...
How to view the transactions for which a bill segment is generated in a bill	*Viewing Transactions for which the Bill Segment is Generated* on page 419

SQ Details

The **SQ Details** zone lists the SQIs calculated on the billable charge (corresponding to the bill segment). This zone contains the following columns:

Column Name	Column Description
SQI	Indicates the service quantity identifier.
Billable Service Quantity	Displays the SQI value which is calculated using the transaction aggregation rule defined for the product — division combination.

By default, the **SQ Details** zone does not appear in the **View Billed Transactions** screen. It appears only when you click the **Broadcast** ( ) icon corresponding to the bill segment in the **Bill Segments** zone.

Related Topics

For more information on...	See...
How to view the SQIs calculated on the billable charge	*Viewing SQIs Calculated on the Billable Charge* on page 420

Searching for a Bill

Procedure

To search for a bill:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Transaction Feed Management** and then click **View Billed Transactions**.

   The **View Billed Transactions** screen appears.

4. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

Copyright © 2014, Oracle. All rights reserved.

5. Click **Refresh**.

   A list of bills that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
View Billed Transactions screen	*View Billed Transactions* on page 414
Search zone	*Search* on page 414

Viewing the Bill Segments of a Bill

Procedure

To view the bill segments of a bill:

1. Search for the bill in the **View Billed Transactions** screen.
2. In the **Search Results** section, click the **Broadcast** ( ) icon corresponding to the bill whose bill segments you want to view.

   The **Bill Segments** zone appears.
3. View all bill segments of the bill in the **Bill Segments** zone.

Related Topics

For more information on...	See...
How to search for a bill	*Searching for a Bill* on page 418
Bill Segments zone	*Bill Segments* on page 416

Viewing Transactions for which the Bill Segment is Generated

Procedure

To view transactions for which the bill segment is generated:

1. Search for the bill in the **View Billed Transactions** screen.
2. In the **Search Results** section, click the **Broadcast** ( ) icon corresponding to the bill whose bill segments you want to view.

   The **Bill Segments** zone appears.
3. Click the **Broadcast** ( ) icon corresponding to the bill segment whose details you want to view.

   The **Transaction Details** zone appears.
4. View the list of transactions for which the billable charge (corresponding to the bill segment) is created.

Related Topics

For more information on...	See...
How to search for a bill	*Searching for a Bill* on page 418

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Bill Segments zone	*Bill Segments* on page 416
Transaction Details zone	*Transaction Details* on page 417

Viewing SQIs Calculated on the Billable Charge

Procedure

To view the SQIs calculated on the billable charge:

1. Search for the bill in the **View Billed Transactions** screen.
2. In the **Search Results** section, click the **Broadcast** ( ) icon corresponding to the bill whose bill segments you want to view.

   The **Bill Segments** zone appears.
3. Click the **Broadcast** ( ) icon corresponding to the bill segment whose billable charge details you want to view.

   The **SQ Details** zone appears.
4. View the SQIs calculated on the billable charge in the **SQ Details** zone.

Related Topics

For more information on...	See...
How to search for a bill	*Searching for a Bill* on page 418
Bill Segments zone	*Bill Segments* on page 416
SQ Details zone	*SQ Details* on page 418

Transaction Details

The **Transaction Details** screen allows you to search for transactions using various search criteria. It also allows you to add and copy a transaction. This screen consists of the following zones:

- *Search* on page 420

Search

The **Search** zone allows you to search for transactions using various search criteria. This zone contains the following two sections:

- **Search Criteria** — The fields in the **Search Criteria** section change depending on the query option selected. You can select either of the following query options:
  - **Uploaded** — Used to indicate that you want to search for a transaction which is recently uploaded in the system.
  - **Initial Product Determined** — Used to indicate that you want to search for a transaction for which a product is determined in the system.

Copyright © 2014, Oracle. All rights reserved.

- **Ignored** — Used to indicate that you want to search for a transaction which is ignored in the system.
- **Error** — Used to indicate that you want to search for a transaction which could not pass through the validation, product determination, or billable charge creation process.
- **Cancelled** — Used to indicate that you want to search for a transaction which is cancelled in the system.
- **Completed** — Used to indicate that you want to search for a transaction for which billable charge is completed in the system.
- **Invalid** — Used to indicate that you want to search for a transaction which is invalid.

- **Search Results** — The **Search Results** section displays the records based on the specified search criteria. The columns in the search results change depending on the query option selected.

You can also add a transaction manually by clicking the **Add** link in the upper right corner of this zone.

Related Topics

For more information on...	See...
How to search for an uploaded transaction	*Searching for an UPLD Transaction* on page 421
How to search for a transaction for which product is determined	*Searching for an INPD Transaction* on page 423
How to search for an ignored transaction	*Searching for an IGNR Transaction* on page 433
How to search for an invalid transaction	*Searching for an INVL Transaction* on page 435
How to search for a transaction with an error	*Searching for an EROR Transaction* on page 430
How to search for a cancelled transaction	*Searching for an CNCL Transaction* on page 428
How to search for a transaction for which billable charge is completed	*Searching for an COMP Transaction* on page 426
How to add a transaction manually	*Adding a Transaction* on page 440
How to view the details of a transaction	*Viewing the Transaction Details* on page 438
How to cancel a transaction	*Cancelling a Transaction*

Searching for an UPLD Transaction

Procedure

To search for an uploaded transaction:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Transaction Feed Management** and then click **Transaction Details**.

   The **Transaction Details** screen appears.

4. Select the **Uploaded** option from the **Query Option** list to indicate that you want to search for a transaction which is recently uploaded in the system.

   The **Search Criteria** section contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
External Reference Number	Used to specify the external reference number of the transaction.	No
Division	Used to specify the division to which the transaction belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Transaction Source	Used to specify the transaction source from where the transaction was received.	No
Transaction Record Type	Used to specify the record type of the transaction.	No
Account Identifier Type	Used to select the identifier type based on which you want to search for transactions of an account.	No
Account Identifier	Used to indicate the account for which the transaction was performed.	No
Transaction Date	Used to specify the date when the transaction was performed.	No
Transaction Upload Date	Used to specify the date when the transaction was uploaded in the system.	No
Transaction Header ID	Used to search for transactions that are uploaded through a particular transaction feed.	No
Disaggregated	Used to indicate whether you want to search for transactions which were disaggregated. The valid values are: • Yes • No	No

5. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

6. Click **Refresh**.

   A list of transactions that meet the search criteria appears in the **Search Results** section. It contains the following columns:

Column Name	Column Description
Transaction ID	Displays the transaction ID. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears with the details of the respective transaction.
Transaction Source	Displays the transaction source from where the transaction was received.
Transaction Record Type	Displays the record type of the transaction.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Transaction Upload Date	Displays the date when the transaction was uploaded in the system.
Transaction Header ID	Indicates the transaction feed through which the transaction was uploaded in the system.
External Reference Number	Displays the external reference number of the transaction.
Disaggregation Status	Indicates whether the transaction was disaggregated. The valid values are: • Yes • No
Manual Entry	Indicates whether the transaction is manually added in the system. The valid values are: • Yes • No
Transaction Date	Displays the date when the transaction was performed.
Transaction Amount	Displays the transaction amount.
Transaction Currency	Displays the currency in which the transaction was performed.
Transaction Volume	Displays the transaction volume.
Division	Displays the division to which the transaction belongs.
Account Information	Indicates the account for which the transaction was performed. The string includes the account identifier type and account identifier.
Transaction Information	Displays additional information about the transaction. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears where you can view the details of the transaction.

7. View the legs of the transaction in the **Derived Sub-Transactions** zone, if required.

   Note: You can only view the legs of an UPLD transaction which is partially disaggregated.

Related Topics

For more information on...	See...
Transaction Details screen	*Transaction Details* on page 420
Search zone	*Search* on page 420
How to view the legs of a transaction	*Viewing the Transaction Legs* on page 437

Searching for an INPD Transaction

Procedure

To search for a transaction for which a product is determined:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

Copyright © 2014, Oracle. All rights reserved.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Transaction Feed Management** and then click **Transaction Details**.

   The **Transaction Details** screen appears.
4. Select the **Initial Product Determined** option from the **Query Option** list to indicate that you want to search for a transaction for which a product is determined in the system.

   The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
External Reference Number	Used to specify the external reference number of the transaction.	No
Division	Used to specify the division to which the transaction belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Transaction Source	Used to specify the transaction source from where the transaction was received.	No
Transaction Record Type	Used to specify the record type of the transaction.	No
Account Identifier Type	Used to select the identifier type based on which you want to search for transactions of an account.	No
Account Identifier	Used to indicate the account for which the transaction was performed.	No
Transaction Date	Used to specify the date when the transaction was performed.	No
Transaction Upload Date	Used to specify the date when the transaction was uploaded in the system.	No
Product	Used to search for transactions mapped to a particular product.	No
Disaggregated	Used to indicate whether you want to search for transactions which were disaggregated. The valid values are: • Yes • No	No

5. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all the input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
6. Click **Refresh**.

   A list of transactions that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Transaction ID	Displays the transaction ID. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears with the details of the respective transaction.
Transaction Source	Displays the transaction source from where the transaction was received.
Transaction Record Type	Displays the record type of the transaction.
Transaction Upload Date	Displays the date when the transaction was uploaded in the system.
Product	Indicates the product mapped to the transaction.
Variance Parameter	Indicates the variance parameter mapped to the transaction. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameters	Indicates the product parameters mapped to the transaction. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
External Reference Number	Displays the external reference number of the transaction.
Transaction Date	Displays the date when the transaction was performed.
Disaggregation Status	Indicates whether the transaction was disaggregated. The valid values are: • Yes • No
Transaction Amount	Displays the transaction amount.
Transaction Currency	Displays the currency in which the transaction was performed.
Transaction Volume	Displays the transaction volume.
Division	Displays the division to which the transaction belongs.
Account Information	Indicates the account which will bear the charges for the transaction. The string includes the account identifier type, account identifier, and division (to which the account belongs).
Rule	Indicates the rule which was met while determining initial product for the transaction. **Note:** It has a link. On clicking the link, the **Rule** screen appears where you can view the details of the rule.
Transaction Information	Displays additional information about the transaction. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears where you can view the details of the transaction.

7. View the legs of the transaction in the **Derived Sub-Transactions** zone, if required.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Transaction Details screen	*Transaction Details* on page 420
Search zone	*Search* on page 420
How to view the legs of a transaction	*Viewing the Transaction Legs* on page 437

Searching for an COMP Transaction

Procedure

To search for a transaction for which billable charge is completed:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Transaction Feed Management** and then click **Transaction Details**.

   The **Transaction Details** screen appears.

4. Select the **Completed** option from the **Query Option** list to indicate that you want to search for a transaction for which billable charge is completed in the system.

   The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
External Reference Number	Used to specify the external reference number of the transaction.	No
Division	Used to specify the division to which the transaction belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Transaction Source	Used to specify the transaction source from where the transaction was received.	No
Transaction Record Type	Used to specify the record type of the transaction.	No
Account Identifier Type	Used to select the identifier type based on which you want to search for transactions of an account.	No
Account Identifier	Used to indicate the account for which the transaction was performed.	No
Transaction Date	Used to specify the date when the transaction was performed.	No
Transaction Upload Date	Used to specify the date when the transaction was uploaded in the system.	No
Billable Charge ID	Used to search for transactions that contributed to the specified billable charge.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Disaggregated	Used to indicate whether you want to search for transactions which were disaggregated. The valid values are: • Yes • No	No

5. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

6. Click **Refresh**.

   A list of transactions that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Transaction ID	Displays the transaction ID. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears with the details of the respective transaction.
Transaction Source	Displays the transaction source from where the transaction was received.
Transaction Record Type	Displays the record type of the transaction.
Billable Charge ID	Indicates the billable charge in which the transaction is included for billing.
Product	Indicates the product mapped to the transaction.
Variance Parameter	Indicates the variance parameter mapped to the transaction. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameters	Indicates the product parameters mapped to the transaction. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
External Reference Number	Displays the external reference number of the transaction.
Disaggregation Status	Indicates whether the transaction was disaggregated. The valid values are: • Yes • No
Transaction Date	Displays the date when the transaction was performed.
Transaction Amount	Displays the transaction amount.
Transaction Currency	Displays the currency in which the transaction was performed.
Transaction Volume	Displays the transaction volume.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Division	Displays the division to which the transaction belongs.
Account Information	Indicates the account which will bear the charges for the transaction. The string includes the account identifier type, account identifier, and division (to which the account belongs).
Rule	Indicates the rule which was met while determining initial product for the transaction. **Note:** It has a link. On clicking the link, the **Rule** screen appears where you can view the details of the rule.
Transaction Information	Displays additional information about the transaction. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears where you can view the details of the transaction.

7. View the legs of the transaction in the **Derived Sub-Transactions** zone, if required.

Related Topics

For more information on...	See...
Transaction Details screen	*Transaction Details* on page 420
Search zone	*Search* on page 420
How to view the legs of a transaction	*Viewing the Transaction Legs* on page 437

Searching for an CNCL Transaction

Procedure

To search for a cancelled transaction:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Transaction Feed Management** and then click **Transaction Details**.

   The **Transaction Details** screen appears.

4. Select the **Cancelled** option from the **Query Option** list to indicate that you want to search for a transaction which is cancelled in the system.

   The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
External Reference Number	Used to specify the external reference number of the transaction.	No
Division	Used to specify the division to which the transaction belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Transaction Source	Used to specify the transaction source from where the transaction was received.	No
Transaction Record Type	Used to specify the record type of the transaction.	No
Account Identifier Type	Used to select the identifier type based on which you want to search for transactions of an account.	No
Account Identifier	Used to indicate the account for which the transaction was performed.	No
Transaction Date	Used to specify the date when the transaction was performed.	No
Transaction Upload Date	Used to specify the date when the transaction was uploaded in the system.	No
Transaction Header ID	Used to search for transactions that are uploaded through the specified transaction feed.	No
Disaggregated	Used to indicate whether you want to search for transactions which were disaggregated. The valid values are: • Yes • No	No

5. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

6. Click **Refresh**.

   A list of transactions that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Transaction ID	Displays the transaction ID. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears with the details of the respective transaction.
Transaction Source	Displays the transaction source from where the transaction was received.
Transaction Record Type	Displays the record type of the transaction.
Transaction Upload Date	Displays the date when the transaction was uploaded in the system.
Transaction Header ID	Indicates the transaction feed through which the transaction was uploaded in the system.
External Reference Number	Displays the external reference number of the transaction.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Disaggregation Status	Indicates whether the transaction was disaggregated. The valid values are: • Yes • No
Manual Entry	Indicates whether the transaction is manually added in the system. The valid values are: • Yes • No
Transaction Date	Displays the date when the transaction was performed.
Transaction Amount	Displays the transaction amount.
Transaction Currency	Displays the currency in which the transaction was performed.
Transaction Volume	Displays the transaction volume.
Division	Displays the division to which the transaction belongs.
Account Information	Indicates the account for which the transaction was performed. The string includes the account identifier type and account identifier.
Transaction Information	Displays additional information about the transaction. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears where you can view the details of the transaction.

Related Topics

For more information on...	See...
Transaction Details screen	*Transaction Details* on page 420
Search zone	*Search* on page 420

Searching for an EROR Transaction

Procedure

To search for a transaction with an error:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Transaction Feed Management** and then click **Transaction Details**.

   The **Transaction Details** screen appears.

4. Select the **Error** option from the **Query Option** list to indicate that you want to search for a transaction which could not pass through the validation, product determination, or billable charge creation process.

   The **Search Criteria** section contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
External Reference Number	Used to specify the external reference number of the transaction.	No
Division	Used to specify the division to which the transaction belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Transaction Source	Used to specify the transaction source from where the transaction was received.	No
Transaction Record Type	Used to specify the record type of the transaction.	No
Account Identifier Type	Used to select the identifier type based on which you want to search for transactions of an account.	No
Account Identifier	Used to indicate the account for which the transaction was performed.	No
Transaction Date	Used to specify the date when the transaction was performed.	No
Transaction Upload Date	Used to specify the date when the transaction was uploaded in the system.	No
Transaction Header ID	Used to search for transactions that are uploaded through the specified transaction feed.	No
Disaggregated	Used to indicate whether you want to search for transactions which were disaggregated. The valid values are: • Yes • No	No

5. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

6. Click **Refresh**.

   A list of transactions that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Transaction ID	Displays the transaction ID. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears with the details of the respective transaction.
Transaction Source	Displays the transaction source from where the transaction was received.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Transaction Record Type	Displays the record type of the transaction.
Transaction Upload Date	Displays the date when the transaction was uploaded in the system.
External Reference Number	Displays the external reference number of the transaction.
Customer Reference Number	Indicates the customer who performed the transaction.
Disaggregation Status	Indicates whether the transaction was disaggregated. The valid values are: • Yes • No
Transaction Date	Displays the date when the transaction was performed.
Transaction Amount	Displays the transaction amount.
Transaction Currency	Displays the currency in which the transaction was performed.
Transaction Volume	Displays the transaction volume.
Division	Displays the division to which the transaction belongs.
Error Message	Indicates the reason why the validation, product determination, or billable charge creation process failed.
Account Information	If the error has occurred during the transaction validation process, this column indicates the account for which the transaction was performed. However, if the error has occurred after the transaction validation process, this column indicates the account which will bear the charges for the transaction. The string includes the account identifier type, account identifier, and division (to which the account belongs). Note that division appears in the string only when the error has occurred after the transaction validation process.
Rule	Indicates the rule which was met while determining initial product for the transaction. **Note:** It has a link. On clicking the link, the **Rule** screen appears where you can view the details of the rule. This column is blank when the error has occurred while determining initial product for the transaction.
Transaction Information	Displays additional information about the transaction. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears where you can view the details of the transaction.

7. View the legs of the transaction in the **Derived Sub-Transactions** zone, if required.

Related Topics

For more information on...	See...
Transaction Details screen	*Transaction Details* on page 420
Search zone	*Search* on page 420
How to view the legs of a transaction	*Viewing the Transaction Legs* on page 437

Copyright © 2014, Oracle. All rights reserved.

Searching for an IGNR Transaction

Procedure

To search for an ignored transaction:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Transaction Feed Management** and then click **Transaction Details**.

   The **Transaction Details** screen appears.

4. Select the **Ignored** option from the **Query Option** list to indicate that you want to search for a transaction which is ignored in the system.

   The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
External Reference Number	Used to specify the external reference number of the transaction.	No
Division	Used to specify the division to which the transaction belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Transaction Source	Used to specify the transaction source from where the transaction was received.	No
Transaction Record Type	Used to specify the record type of the transaction.	No
Account Identifier Type	Used to select the identifier type based on which you want to search for transactions of an account.	No
Account Identifier	Used to indicate the account for which the transaction was performed.	No
Transaction Date	Used to specify the date when the transaction was performed.	No
Transaction Upload Date	Used to specify the date when the transaction was uploaded in the system.	No
Transaction Header ID	Used to search for transactions that are uploaded through the specified transaction feed.	No
Disaggregated	Used to indicate whether you want to search for transactions which were disaggregated. The valid values are: • Yes • No	No

5. Enter the search criteria in the **Search** zone.

Copyright © 2014, Oracle. All rights reserved.

Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

6. Click **Refresh**.

   A list of transactions that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Transaction ID	Displays the transaction ID. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears with the details of the respective transaction.
Transaction Source	Displays the transaction source from where the transaction was received.
Transaction Record Type	Displays the record type of the transaction.
Transaction Upload Date	Displays the date when the transaction was uploaded in the system.
Transaction Header ID	Indicates the transaction feed through which the transaction was uploaded in the system.
External Reference Number	Displays the external reference number of the transaction.
Disaggregation Status	Indicates whether the transaction was disaggregated. The valid values are: • Yes • No
Transaction Date	Displays the date when the transaction was performed.
Transaction Amount	Displays the transaction amount.
Transaction Currency	Displays the currency in which the transaction was performed.
Transaction Volume	Displays the transaction volume.
Division	Displays the division to which the transaction belongs.
Account Information	Indicates the account which will bear the charges for the transaction. The string includes the account identifier type, account identifier, and division (to which the account belongs).
Rule	Indicates the rule which was met while determining initial product for the transaction. **Note:** It has a link. On clicking the link, the **Rule** screen appears where you can view the details of the rule.
Transaction Information	Displays additional information about the transaction. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears where you can view the details of the transaction.

7. View the legs of the transaction in the **Derived Sub-Transactions** zone, if required.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Transaction Details screen	*Transaction Details* on page 420
Search zone	*Search* on page 420
How to view the legs of a transaction	*Viewing the Transaction Legs* on page 437

Searching for an INVL Transaction

Procedure

To search for an invalid transaction:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Transaction Feed Management** and then click **Transaction Details**.

   The **Transaction Details** screen appears.

4. Select the **Invalid** option from the **Query Option** list to indicate that you want to search for a transaction which is invalid.

   The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
External Reference Number	Used to specify the external reference number of the transaction.	No
Division	Used to specify the division to which the transaction belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	No
Transaction Source	Used to specify the transaction source from where the transaction was received.	No
Transaction Record Type	Used to specify the record type of the transaction.	No
Account Identifier Type	Used to select the identifier type based on which you want to search for transactions of an account.	No
Account Identifier	Used to indicate the account for which the transaction was performed.	No
Transaction Date	Used to specify the date when the transaction was performed.	No
Transaction Upload Date	Used to specify the date when the transaction was uploaded in the system.	No
Transaction Header ID	Used to search for transactions that are uploaded through the specified transaction feed.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Disaggregated	Used to indicate whether you want to search for transactions which were disaggregated. The valid values are: • Yes • No	No

5. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

6. Click **Refresh**.

   A list of transactions that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Transaction ID	Displays the transaction ID. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears with the details of the respective transaction.
Transaction Source	Displays the transaction source from where the transaction was received.
Transaction Record Type	Displays the record type of the transaction.
Transaction Upload Date	Displays the date when the transaction was uploaded in the system.
Transaction Header ID	Indicates the transaction feed through which the transaction was uploaded in the system.
External Reference Number	Displays the external reference number of the transaction.
Disaggregation Status	Indicates whether the transaction was disaggregated. The valid values are: • Yes • No
Transaction Date	Displays the date when the transaction was performed.
Transaction Amount	Displays the transaction amount.
Transaction Currency	Displays the currency in which the transaction was performed.
Transaction Volume	Displays the transaction volume.
Division	Displays the division to which the transaction belongs.
Account Information	Indicates the account for which the transaction was performed. The string includes the account identifier type and account identifier.
Transaction Information	Displays additional information about the transaction. **Note:** It has a link. On clicking the link, the **Transaction Details** screen appears where you can view the details of the transaction.
Error Message	Indicates the reason why the transaction is invalid.

Copyright © 2014, Oracle. All rights reserved.

Related Topics

For more information on...	See...
Transaction Details screen	*Transaction Details* on page 420
Search zone	*Search* on page 420

Viewing the Transaction Legs

Procedure

To view the legs of a transaction:

1. Search for the transaction in the **Transaction Details** screen.
2. In the **Search Results** section, click the **Broadcast** ( ) icon corresponding to the transaction whose legs you want to view.

   The **Derived Sub-Transactions** zone appears. It contains the following fields:

Column Name	Column Description
Transaction ID	Displays the transaction ID.
Sub-Transaction Status	Indicates the status of the transaction leg. The valid values are: • Uploaded (UPLD) • Initial Product Derived (INPD) • Ignored (IGNR) • Error (EROR) • Completed (COMP)
Account Information	Indicates the account which will bear the charges for the transaction. The string includes the account identifier type, account identifier, and division (to which the account belongs).
Initial Product Code	Indicates the initial product to which the transaction is mapped.
Variance Parameter	Indicates the variance parameter to which the transaction is mapped. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameters	Indicates the product parameters to which the transaction is mapped. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
Final Product Code	Indicates the final product to which the transaction is mapped.
Rule	Indicates the rule which was met while determining initial product, account, and/or variance parameter or product parameters for the transaction. **Note:** It has a link. On clicking the link, the **Rule** screen appears where you can view the details of the rule.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Price Assignment ID	Indicates the effective pricing which is available for the account, product or regular bundle (to which the product belongs) and/or variance parameter or product parameters (parameter group) combination on the processing date.
Aggregate Transaction	Indicates whether the transaction leg is aggregated. The valid values are: • Yes • No
Billable Charge ID	Indicates the billable charge in which the transaction leg is included for billing.
Division	Indicates the division to which the derived account belongs. The derived account means the account which will bear the charges for the transaction.

Note: The **Broadcast** ( ) icon appears corresponding to an UPLD, INPD, IGNR, EROR and COMP transaction. This is because you can only view legs of an UPLD, INPD, IGNR, EROR and COMP transaction.

3. View the details of the transaction legs in the **Derived Sub-Transactions** zone.

Related Topics

For more information on...	See...
How to search for an uploaded transaction	*Searching for an UPLD Transaction* on page 421
How to search for a transaction for which product is determined	*Searching for an INPD Transaction* on page 423
How to search for an ignored transaction	*Searching for an IGNR Transaction* on page 433
How to search for a transaction with an error	*Searching for an EROR Transaction* on page 430
How to search for a transaction for which billable charge is completed	*Searching for an COMP Transaction* on page 426

Viewing the Transaction Details

Procedure

To view the details of a transaction:

1. Search for the transaction in the **Transaction Details** screen.
2. In the **Search Results** section, click the link in the **Transaction ID** column corresponding to the transaction whose details you want to view.

   The **Transaction Details** screen appears. It contains the following fields:

Field Name	Field Description
Transaction ID	Displays the transaction ID. **Note:** The transaction ID is generated automatically when the transaction is uploaded or manually created in the system.
Transaction Source	Displays the transaction source from where the transaction was received.
Division	Displays the division to which the transaction belongs.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description
Transaction Record Type	Displays the record type of the transaction.
Transaction Date	Displays the date when the transaction was performed.
Manual Entry	Indicates whether the transaction was manually entered in the system.
Credit/Debit Indicator	Indicates whether the transaction is a debit or credit transaction.
External Reference Number	Displays the external reference number of the transaction.
Customer Reference Number	Indicates the customer who performed the transaction.
Account Identifier Type	Displays the type of account identifier.
Account Identifier	Indicates the account for which the transaction was performed.
Transaction Amount	Displays the transaction amount.
Transaction Currency	Displays the currency in which the transaction was performed.
Transaction Volume	Displays the transaction volume.
Account ID	Indicates the account for which the transaction was performed.
Additional Amount 1, Additional Amount 2, ..., Additional Amount 5 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Displays the additional information about the transaction.
Amount 1 Currency Code, Amount 2 Currency Code, ..., Amount 5 Currency Code **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Displays the additional information about the transaction.
Additional Date 1, Additional Date 2, ..., Additional Date 5 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Displays the additional information about the transaction.
Additional Numeric Data 1, Additional Numeric Data 2, Additional Numeric Data 3, ..., Additional Numeric Data 10 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Displays the additional information about the transaction.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description
Additional Data 1, Additional Data 2, Additional Data 3, ..., Additional Data 25 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Displays the additional information about the transaction.

Related Topics

For more information on...	See...
How to copy a transaction	*Copying a Transaction* on page 443

Adding a Transaction

Prerequisites

To add a transaction manually, you should have:

- Divisions, account identifier types, transaction sources, transaction record types, and currencies defined in the application

Procedure

To add a transaction manually:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Transaction Feed Management** and then click **Transaction Details**.

   The **Transaction Details** screen appears.

4. Click the **Add** link in the upper right corner of the **Search** zone.

   The **Transaction Details** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Transaction Source	Used to specify the transaction source from where the transaction was received.	Yes
Division	Used to specify the division to which the transaction belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	Yes
Transaction Record Type	Used to specify the record type of the transaction.	Yes
Transaction Date	Used to specify the date when the transaction was performed.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Manual Entry	Indicates that the transaction is manually entered in the system.	Not applicable
Credit/Debit Indicator	Used to indicate whether the transaction is a debit or credit transaction.	Yes
External Reference Number	Used to specify the external reference number of the transaction.	No
Customer Reference Number	Used to indicate the customer who performed the transaction.	No
Account Identifier Type	Used to specify the type of account identifier.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.
Account Identifier	Used to specify the account identifier of the account for which the transaction was performed.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Transaction Amount	Used to specify the transaction amount.	Yes
Transaction Currency	Used to specify the currency in which the transaction was performed.	Yes
Transaction Volume	Used to specify the transaction volume.	Yes
Additional Amount 1, Additional Amount 2, ..., Additional Amount 5 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Used to specify additional information about the transaction. **Note:** These fields appear only when you select the transaction source and record type from the respective list.	Yes (Conditional) **Note:** This field is required when you are specifying the currency in the corresponding field.
Amount 1 Currency Code, Amount 2 Currency Code, ..., Amount 5 Currency Code **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Used to specify additional information about the transaction. **Note:** These fields appear only when you select the transaction source and record type from the respective list.	Yes (Conditional) **Note:** This field is required when you are specifying the amount in the corresponding field.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Additional Date 1, Additional Date 2, ..., Additional Date 5 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Used to specify additional information about the transaction. **Note:** These fields appear only when you select the transaction source and record type from the respective list.	No
Additional Numeric Data 1, Additional Numeric Data 2, Additional Numeric Data 3, ..., Additional Numeric Data 10 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Used to specify additional information about the transaction. **Note:** These fields appear only when you select the transaction source and record type from the respective list.	No
Additional Data 1, Additional Data 2, Additional Data 3, ..., Additional Data 25 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Used to specify additional information about the transaction. **Note:** These fields appear only when you select the transaction source and record type from the respective list.	No

5. Enter the required details.
6. Click **Save**.

   The transaction is added in the system. If the following option types are set in the **Dummy Header (C1-TXNDMYID)** feature configuration, the header details including the header ID are generated automatically for the manually added transaction:

   - Dummy File Name
   - Dummy Header ID
   - Dummy Transaction Source
   - Dummy Header Date

   Note: The header ID remains same for all transactions which are manually created on a particular date. You can cancel manually added transactions using the Transaction Header ID.

Related Topics

For more information on...	See...
Transaction Details screen	*Transaction Details* on page 420
Search zone	*Search* on page 420
How to set the **Dummy Header (C1-TXNDMYID)** feature configuration	*Setting the Dummy Header (C1-TXNDMYID) Feature Configuration* on page 582

Copyright © 2014, Oracle. All rights reserved.

Copying a Transaction

Instead of adding a transaction from scratch, you can create a copy of similar transaction and then edit it accordingly.

Prerequisites

To copy a transaction, you should have:

- Transaction (whose copy you want to create) available in the application
- Divisions, account identifier types, transaction sources, transaction record types, and currencies defined in the application

Procedure

To copy a transaction:

1. Search for the transaction in the **Transaction Details** screen.
2. In the **Search Results** section, click the link in the **Transaction ID** column corresponding to the transaction *w*hose copy you want to create.

   The **Transaction Details** screen appears. Note that the fields are in the read-only mode.
3. Click **Copy**.

   The **Transaction Details** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Transaction Source	Used to specify the transaction source from where the transaction was received.	Yes
Division	Used to specify the division to which the transaction belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	Yes
Transaction Record Type	Used to specify the record type of the transaction.	Yes
Transaction Date	Used to specify the date when the transaction was performed.	Yes
Manual Entry	Indicates that the transaction is manually entered in the system.	Not applicable
Credit/Debit Indicator	Used to indicate whether the transaction is a debit or credit transaction.	Yes
External Reference Number	Used to specify the external reference number of the transaction.	No
Customer Reference Number	Used to indicate the customer who performed the transaction.	No
Account Identifier Type	Used to specify the type of account identifier.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to select the account identifier type.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier	Used to specify the account identifier of the account for which the transaction was performed.	Yes (Conditional) **Note:** If you specify the account identifier type as a search criteria, you have to enter the account identifier.
Transaction Amount	Used to specify the transaction amount.	Yes
Transaction Currency	Used to specify the currency in which the transaction was performed.	Yes
Transaction Volume	Used to specify the transaction volume.	Yes
Additional Amount 1, Additional Amount 2, ..., Additional Amount 5 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Used to specify additional information about the transaction.	Yes (Conditional) **Note:** This field is required when you are specifying the currency in the corresponding field.
Amount 1 Currency Code, Amount 2 Currency Code, ..., Amount 5 Currency Code **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Used to specify additional information about the transaction.	Yes (Conditional) **Note:** This field is required when you are specifying the amount in the corresponding field.
Additional Date 1, Additional Date 2, ..., Additional Date 5 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Used to specify additional information about the transaction.	No
Additional Numeric Data 1, Additional Numeric Data 2, Additional Numeric Data 3, ..., Additional Numeric Data 10 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Used to specify additional information about the transaction.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Additional Data 1, Additional Data 2, Additional Data 3, ..., Additional Data 25 **Note:** If the business label is defined for any of these user defined fields, the business label appears instead of the field name.	Used to specify additional information about the transaction.	No

4. Enter the required details.
5. Click **Save**.

   The new transaction is added in the system.

Related Topics

For more information on...	See...
How to view the details of a transaction	*Viewing the Transaction Details* on page 438

Transaction Source

The **Transaction Source** screen allows you to define, edit, delete, and copy a transaction source. This screen consists of the following zones:

- *Search* on page 445

Search

The **Search** zone allows you to search for a transaction source. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Transaction Source	Used to specify the transaction source.	No
Description	Used to specify the description of the transaction source.	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Transaction Source	Displays the transaction source.
Description	Displays the description of the transaction source.
Account Identifier Type	Indicates the type of account identifier received from the transaction source.
Edit	On clicking the **Edit** ( ) icon, the **Transaction Source** screen appears where you can edit the details of the transaction source.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Delete	On clicking the **Delete** ( ) icon, you can delete the transaction source. **Note:** You can only delete a transaction source which is not yet used.
Copy	On clicking the **Copy** ( ) icon, the **Transaction Source** screen appears where you can create a transaction source using an existing transaction source.

You can create a new transaction source by clicking the **Add** link in the upper right corner of this zone.

Related Topics

For more information on...	See...
How to search for a transaction source	*Searching for a Transaction Source* on page 446
How to define a transaction source	*Defining a Transaction Source* on page 447
How to edit a transaction source	*Editing a Transaction Source* on page 447
How to delete a transaction source	*Deleting a Transaction Source* on page 448
How to copy a transaction source	*Copying a Transaction Source* on page 448

Searching for a Transaction Source

Procedure

To search for a transaction source:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **T** and then click **Transaction Source**.

   The **Transaction Source** screen appears.

4. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   A list of transaction sources that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
Transaction Source screen	*Transaction Source* on page 445
Search zone	*Search* on page 445

Copyright © 2014, Oracle. All rights reserved.

Defining a Transaction Source

Prerequisites

To define a transaction source, you should have:

- Account identifier types defined in the application

Procedure

To define a transaction source:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **T** and then click **Transaction Source**.

   The **Transaction Source** screen appears.
4. Click the **Add** link in the upper right corner of the **Search** zone.

   The **Transaction Source** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Transaction Source	Used to specify the transaction source. **Note:** You cannot specify any special character except underscore (_) in the transaction source.	Yes
Description	Used to specify the description for the transaction source.	Yes
Account Identifier Type	Used to indicate the type of account identifier that will be received from the transaction source.	Yes

5. Enter the required details.
6. Click **Save**.

   The transaction source is defined.

Related Topics

For more information on...	See...
Transaction Source screen	*Transaction Source* on page 445
Search zone	*Search* on page 445

Editing a Transaction Source

Prerequisites

To edit a transaction source, you should have:

- Account identifier types defined in the application

Procedure

To edit a transaction source:

Copyright © 2014, Oracle. All rights reserved.

1. Search for the transaction source in the **Transaction Source** screen.
2. In the **Search Results** section, click the **Edit** ( ) icon in the **Edit** column corresponding to the transaction source whose details you want to edit.

   The **Transaction Source** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Transaction Source	Displays the transaction source.	Not applicable
Description	Used to modify the description of the transaction source.	Yes
Account Identifier Type	Used to indicate the type of account identifier that will be received from the transaction source.	Yes

3. Modify the required details.
4. Click **Save**.

   The changes made to the transaction source are saved.

Related Topics

For more information on...	See...
How to search for a transaction source	*Searching for a Transaction Source* on page 446

Deleting a Transaction Source

Procedure

To delete a transaction source:

1. Search for the transaction source in the **Transaction Source** screen.
2. In the **Search Results** section, click the **Delete** ( ) icon in the **Delete** column corresponding to the transaction source that you want to delete.

   A message appears confirming whether you want to delete the transaction source.

   Note: You can only delete a transaction source which is not yet used.
3. Click **OK**.

   The transaction source is deleted.

Related Topics

For more information on...	See...
How to search for a transaction source	*Searching for a Transaction Source* on page 446

Copying a Transaction Source

Instead of creating a transaction source from scratch, you can create a new transaction source using an existing transaction source. This is possible through copying a transaction source. Once you create a copy of a transaction source, the record types defined for the original transaction source are also copied to the new transaction source.

Copyright © 2014, Oracle. All rights reserved.

Prerequisites

To copy a transaction source, you should have:

- Transaction source (whose copy you want to create) defined in the application
- Account identifier types defined in the application

Procedure

To copy a transaction source:

1. Search for the transaction source in the **Transaction Source** screen.
2. In the **Search Results** section, click the **Copy** ( ) icon in the **Copy** column corresponding to the transaction source whose copy you want to create.

   The **Transaction Source** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Transaction Source	Used to specify the transaction source. **Note:** You cannot specify any special character except underscore (_) in the transaction source.	Yes
Description	Used to specify the description for the transaction source.	Yes
Account Identifier Type	Used to indicate the type of account identifier that will be received from the transaction source.	Yes

3. Enter the required details.
4. Click **Save**.

   The new transaction source is defined.

Related Topics

For more information on...	See...
How to search for a transaction source	*Searching for a Transaction Source* on page 446

Transaction Record Type

The **Transaction Record Type** screen allows you to define, edit, delete, and copy a transaction record type. In addition, you can define a rule type which you want to invoke for the transaction source and record type combination.

This screen consists of the following zones:

- *Search* on page 449

Search

The **Search** zone allows you to search for a transaction record type. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Transaction Source	Used to specify the transaction source whose transaction record types you want to view.	No
Transaction Record Type	Used to specify the transaction record type.	No
Description	Used to specify the description of the transaction record type.	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Transaction Record Type	Displays the transaction record type.
Description	Displays the description of the transaction record type.
Transaction Source	Displays the transaction source for which the transaction record type is defined.
Rule Type	Indicates the rule type that is invoked for the transaction record type. **Note:** It has a link. On clicking the link, the **View Rule Type** screen appears with the details of the respective rule type.
Edit	On clicking the **Edit** ( ) icon, the **Transaction Record Type** screen appears where you can edit the details of the transaction record type.
Delete	On clicking the **Delete** ( ) icon, you can delete the transaction record type. **Note:** You can delete a transaction record type when: • It is not yet used. • Rules are not yet defined using the rule type which is invoked by the transaction source and record type combination.
Copy	On clicking the **Copy** ( ) icon, the **Transaction Record Type** screen appears where you can create a new transaction record type using an existing transaction record type.

You can create a new transaction record type by clicking the **Add** link in the upper right corner of this zone.

Related Topics

For more information on...	See...
How to search for a transaction record type	*Searching for a Transaction Record Type* on page 450
How to define a transaction record type	*Defining a Transaction Record Type* on page 451
How to edit a transaction record type	*Editing a Transaction Record Type* on page 453
How to delete a transaction record type	*Deleting a Transaction Record Type* on page 454
How to copy a transaction record type	*Copying a Transaction Record Type* on page 455

Searching for a Transaction Record Type

Procedure

Copyright © 2014, Oracle. All rights reserved.

To search for a transaction record type:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **T** and then click **Transaction Record Type**.

   The **Transaction Record Type** screen appears.

4. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   The search results appear.

Related Topics

For more information on...	See...
Transaction Record Type screen	*Transaction Record Type* on page 449
Search zone	*Search* on page 449

Defining a Transaction Record Type

Prerequisites

To define a transaction record type, you should have:

- Transaction sources defined in the application
- Validation algorithm defined using the C1-RULE-VAL algorithm type
- Transaction Information String algorithm defined using the C1-TXDETINFO algorithm type

Procedure

To define a transaction record type:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **T** and then click **Transaction Record Type**.

   The **Transaction Record Type** screen appears.

4. Click the **Add** link in the upper right corner of the **Search** zone.

   The **Transaction Record Type** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Transaction Source	Used to specify the transaction source for which you want to define the transaction record type.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Transaction Record Type	Used to specify the transaction record type. **Note:** You cannot specify any special character except underscore (_) in the transaction record type.	Yes
Description	Used to specify the description for the transaction record type.	Yes
Rule Type	Used to specify the rule type. **Note:** You cannot specify any special character except underscore (_) in the rule type.	Yes
Rule Type Description	Used to specify the description for the rule type.	Yes
Rule Validation Algorithm	Used to specify the validation algorithm that will be triggered when a rule is defined with this rule type. **Note:** This algorithm checks whether: • The values specified against the output parameters exist in the system • The same product parameter (for example, PCD1_1_1_VAL) is not used multiple times for a division, account, and product combination	No
Info String Algorithm	Used to specify the algorithm that will generate the information string which appears in the **Transaction Information** column throughout the application. **Note:** This algorithm concatenates the fields (related to the transaction) and delimiters specified as parameters in the algorithm.	No
Maximum Accounts to be charged	Used to indicate the maximum number of accounts which can bear the charges for the transaction.	Yes
Maximum Products to be mapped	Used to indicate the maximum number of products to which the transaction can be mapped for each account.	Yes
Maximum Product Parameters	Used to indicate the maximum number of parameters that can be used for each product.	Yes
Transaction Field	Displays the transaction field name.	Not applicable
Business Label	Used to specify a business label for the user defined fields. **Note:** The business label appears when you add, copy, or view a transaction in the **Transaction Details** screen. The label changes depending on the transaction source and record type combination that you have selected.	No
Rule Type Input	Used to indicate whether you want to use the transaction field as an input parameter while defining rules of this type.	No

5. Enter the required details.
6. Click **Save**.

Copyright © 2014, Oracle. All rights reserved.

The transaction record type is defined.

Related Topics

For more information on...	See...
Transaction Record Type screen	*Transaction Record Type* on page 449
Search zone	*Search* on page 449

Editing a Transaction Record Type

Prerequisites

To edit a transaction record type, you should have:

- Validation algorithm defined using the C1-RULE-VAL algorithm type
- Transaction Information String algorithm defined using the C1-TXDETINFO algorithm type

Procedure

To edit a transaction record type:

1. Search for the transaction record type in the **Transaction Record Type** screen.
2. In the **Search Results** section, click the **Edit** ( ) icon in the **Edit** column corresponding to the transaction record type whose details you want to edit.

   The **Transaction Record Type** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Transaction Source	Displays the transaction source for which the transaction record type is defined.	Not applicable
Transaction Record Type	Displays the transaction record type.	Not applicable
Description	Used to modify the description of the transaction record type.	Yes
Rule Type	Indicates the rule type invoked for the transaction source and record type combination.	Not applicable
Rule Type Description	Used to modify the description of the rule type.	Yes
Rule Validation Algorithm	Used to modify the validation algorithm that will be triggered when a rule is defined with this rule type. **Note:** This algorithm checks whether: • The values specified against the output parameters exist in the system • The same product parameter (for example, PCD1_1_1_VAL) is not used multiple times for a division, account, and product combination	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Info String Algorithm	Used to modify the algorithm that will generate the information string which appears in the **Transaction Information** column throughout the application. **Note:** This algorithm concatenates the fields (related to the transaction) and delimiters specified as parameters in the algorithm.	No
Maximum Accounts to be charged	Used to indicate the maximum number of accounts which can bear the charges for the transaction.	Yes
Maximum Products to be mapped	Used to indicate the maximum number of products to which the transaction can be mapped for each account.	Yes
Maximum Product Parameters	Used to indicate the maximum number of parameters that can be used for each product.	Yes
Transaction Field	Displays the transaction field name.	Not applicable
Business Label	Used to modify the business label for the user defined fields. **Note:** This business label appears when you add or view a transaction in the **Transaction Details** screen. The label changes depending on the transaction source and record type combination that you have selected.	No
Rule Type Input	Used to indicate whether you want to use the transaction field as an input parameter while defining rules of this type.	No

3. Modify the required details.

   Note: You can edit and remove an input parameter from a rule type only when it is not yet used in any rule created using the rule type.

4. Click **Save**.

   The changes made to the transaction record type are saved.

Related Topics

For more information on...	See...
How to search for a transaction record type	*Searching for a Transaction Record Type* on page 450

Deleting a Transaction Record Type

Procedure

To delete a transaction record type:

1. Search for the transaction record type in the **Transaction Record Type** screen.
2. In the **Search Results** section, click the **Delete** ( ) icon in the **Delete** column corresponding to the transaction record type that you want to delete.

Copyright © 2014, Oracle. All rights reserved.

A message appears confirming whether you want to delete the transaction record type.

Note: You can only delete a transaction record type which is not yet used.

3. Click **OK**.

   The transaction record type is deleted.

Related Topics

For more information on...	See...
How to search for a transaction record type	*Searching for a Transaction Record Type* on page 450

Copying a Transaction Record Type

Instead of creating a transaction record type from scratch, you can create a new transaction record type using an existing transaction record type. This is possible through copying a transaction record type.

Prerequisites

To copy a transaction record type, you should have:

- Transaction record type (whose copy you want to create) defined in the application
- Validation algorithm defined using the C1-RULE-VAL algorithm type
- Transaction Information String algorithm defined using the C1-TXDETINFO algorithm type

Procedure

To copy a transaction record type:

1. Search for the transaction record type in the **Transaction Record Type** screen.
2. In the **Search Results** section, click the **Copy** ( ) icon in the **Copy** column corresponding to the transaction record type whose copy you want to create.

   The **Transaction Record Type** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Transaction Source	Displays the transaction source for which you want to define the transaction record type.	Not applicable
Transaction Record Type	Used to specify the transaction record type. **Note:** You cannot specify any special character except underscore (_) in the transaction record type.	Yes
Description	Used to specify the description for the transaction record type.	Yes
Rule Type	Used to specify the rule type. **Note:** You cannot specify any special character except underscore (_) in the rule type.	Yes
Rule Type Description	Used to specify the description for the rule type.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Rule Validation Algorithm	Used to specify the validation algorithm that will be triggered when a rule is defined with this rule type. **Note:** This algorithm checks whether: • The values specified against the output parameters exist in the system • The same product parameter (for example, PCD1_1_1_VAL) is not used multiple times for a division, account, and product combination	No
Info String Algorithm	Used to specify the algorithm that will generate the information string which appears in the **Transaction Information** column throughout the application. **Note:** This algorithm concatenates the fields (related to the transaction) and delimiters specified as parameters in the algorithm.	No
Maximum Accounts to be charged	Used to indicate the maximum number of accounts which can bear the charges for the transaction.	Yes
Maximum Products to be mapped	Used to indicate the maximum number of products to which the transaction can be mapped for each account.	Yes
Maximum Product Parameters	Used to indicate the maximum number of parameters that can be used for each product.	Yes
Transaction Field	Displays the transaction field name.	Not applicable
Business Label	Used to specify a business label for the user defined fields. **Note:** This business label appears when you add or view a transaction in the **Transaction Details** screen. The label changes depending on the transaction source and record type combination that you have selected.	No
Rule Type Input	Used to indicate whether you want to use the transaction field as an input parameter while defining rules of this type.	No

3. Enter the required details.
4. Click **Save**.

   The new transaction record type is defined.

Related Topics

For more information on...	See...
How to search for a transaction record type	*Searching for a Transaction Record Type* on page 450

Copyright © 2014, Oracle. All rights reserved.

Transaction Aggregation Rule

The **Transaction Aggregation Rule** screen allows you to define transaction aggregation rule for an SQI. You can also edit and delete the transaction aggregation rule of an SQI. This screen consists of the following zones:

- *Transaction Aggregation Rules* on page 457

Transaction Aggregation Rules

The **Transaction Aggregation Rules** zone lists transaction aggregation rules that are already defined in the system. You can define, edit, and delete a transaction aggregation rule through this zone.

This zone contains the following columns:

Column Name	Column Description
SQI Description	Displays the description of the service quantity identifier (SQI).
Aggregation Function	Indicates the formula used in the transaction aggregation rule defined for the SQI.
Function	Indicates the function used for aggregation.
Transaction Parameter	Indicates the transaction parameter used for aggregation.
Edit	On clicking the **Edit** ( ) icon, the **Transaction Aggregation Rule** screen appears where you can edit the aggregation rule.
Delete	On clicking the **Delete** ( ) icon, you can delete the transaction aggregation rule.

You can define transaction aggregation rule for an SQI by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

For more information on...	See...
How to define transaction aggregation rule for an SQI	*Defining Transaction Aggregation Rule for an SQI* on page 457
How to edit transaction aggregation rule of an SQI	*Editing Transaction Aggregation Rule of an SQI* on page 458
How to delete transaction aggregation rule of an SQI	*Deleting Transaction Aggregation Rule of an SQI* on page 459

Defining Transaction Aggregation Rule for an SQI

Prerequisites

To define transaction aggregation rule for an SQI, you should have:

- SQI defined in the application

Procedure

To define transaction aggregation rule for an SQI:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

Copyright © 2014, Oracle. All rights reserved.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **T** and then click **Transaction Aggregation Rule**.

   The **Transaction Aggregation Rule** screen appears.
4. Click the **Add** link in the upper right corner of the **Transaction Aggregation Rules** zone.

   The **Transaction Aggregation Rule** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
SQI	Used to indicate the SQI for which you want to define the transaction aggregation rule.	Yes
Function	Used to indicate the function that you want to use for aggregation. The valid values are: • SUM() • MIN() • MAX() • COUNT()	Yes
Transaction Parameter	Used to indicate the transaction parameter that you want to use for aggregation.	Yes

5. Enter the required details.
6. Click **Save**.

   The transaction aggregation rule is defined for the SQI.

Related Topics

For more information on...	See...
Transaction Aggregation Rule screen	*Transaction Aggregation Rule* on page 457
Transaction Aggregation Rules zone	*Transaction Aggregation Rules* on page 457

Editing Transaction Aggregation Rule of an SQI

Procedure

To edit the transaction aggregation rule of an SQI:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **T** and then click **Transaction Aggregation Rule**.

   The **Transaction Aggregation Rule** screen appears.
4. Click the **Edit** ( ) icon in the **Edit** column corresponding to the SQI whose transaction aggregation rule you want to edit.

   The **Transaction Aggregation Rule** screen appears. It contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
SQI	Indicates the SQI for which the transaction aggregation rule is defined.	Not applicable
Function	Used to indicate the function that you want to use for aggregation. The valid values are: • SUM() • MIN() • MAX() • COUNT()	Yes
Transaction Parameter	Used to indicate the transaction parameter that you want to use for aggregation.	Yes

5. Modify the required details.
6. Click **Save**.

   The changes made to the transaction aggregation rule are saved.

Related Topics

For more information on...	See...
Transaction Aggregation Rule screen	*Transaction Aggregation Rule* on page 457
Transaction Aggregation Rules zone	*Transaction Aggregation Rules* on page 457

Deleting Transaction Aggregation Rule of an SQI

Procedure

To delete the transaction aggregation rule of an SQI:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **T** and then click **Transaction Aggregation Rule**.

   The **Transaction Aggregation Rule** screen appears.
4. Click the **Delete** ( ) icon in the **Delete** column corresponding to the SQI whose transaction aggregation rule you want to delete.

   A message appears confirming whether you want to delete the transaction aggregation rule.
5. Click **OK**.

   The transaction aggregation rule is deleted.

Related Topics

For more information on...	See...
Transaction Aggregation Rule screen	*Transaction Aggregation Rule* on page 457

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Transaction Aggregation Rules zone	*Transaction Aggregation Rules* on page 457

Product SQIs

In the Transaction Feed Management process, SQIs are calculated on a billable charge depending on the SQIs that you have associated with the product for which the billable charge is created. Therefore, as a perquisite, you need to associate the required SQIs with each product. The **Product SQIs** screen allows you to define SQIs for a product — division combination. You can also edit and delete the SQIs for a product — division combination.

This screen consists of the following zones:

- *Search* on page 460

Search

The **Search** zone allows you to search for a product whose SQI details you want to view. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to specify the product code.	No
Product Description	Used to specify the description of the product.	No
Division	Used to specify the division to which the product belongs.	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Product	Displays the product code.
Product Description	Displays the description of the product.
Division	Displays the division to which the product belongs.
View	On clicking the **View** () icon, the **Product SQIs** screen appears where you can view the SQIs associated with the product — division combination.
Edit	On clicking the **Edit** () icon, the **Product SQIs** screen appears where you can edit the SQIs associated with the product — division combination.
Delete	On clicking the **Delete** ( ) icon, you can remove the link between the SQIs and the product — division combination.
Copy	On clicking the **Copy** ( ) icon, the **Product SQIs** screen appears where you can associate SQIs with the new product — division combination.

You can associate SQIs with a product — division combination by clicking the **Add** link in the upper right corner of this zone.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to view the SQIs associated with the product — division combination	*Viewing SQIs Associated with a Product — Division Combination* on page 461
How to associate SQIs with a product — division combination	*Associating an SQI with a Product — Division Combination* on page 461
How to edit the SQIs associated with the product — division combination	*Editing SQIs Associated with the Product — Division Combination* on page 462
How to remove the link between the SQIs and the product — division combination	*Removing a Link Between SQIs and the Product — Division Combination* on page 463
How to copy a product SQIs mapping	*Copying Product SQIs* on page 464

Viewing SQIs Associated with a Product — Division Combination

Procedure

To view the SQIs associated with the product — division combination:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **P** and then click **Product SQIs**.

   The **Product SQIs** screen appears.

4. In the **Search** zone, search for the product whose SQI details you want to view.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. In the **Search Results** section, click the **View** ( ) icon in the **View** column corresponding to the product — *d*ivision combination *w*hose SQI details you want to view.

   The **Product SQIs** screen appears.

6. View the SQIs associated with the product — division combination in the **Product SQIs** screen.

Related Topics

For more information on...	See...
Product SQIs screen	*Product SQIs* on page 460
Search zone	*Search* on page 460

Associating an SQI with a Product — Division Combination

Prerequisites

To associate an SQI with a product — division combination, you should have:

- Product, Division and SQI defined in the application

Copyright © 2014, Oracle. All rights reserved.

Procedure

To associate an SQI with a product — division combination:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **P** and then click **Product SQIs**.

   The **Product SQIs** screen appears.

4. Click the **Add** link in the upper right corner of the **Search** zone.

   The **Product SQIs** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to indicate the product to which you want to associate the SQI.	Yes
Division	Used to indicate the division to which the product belongs. **Note:** In the **Division** list, you can only view those divisions to which the product is associated and to which you have access.	Yes
SQI	Used to indicate the SQI that you want to associate with the product — division combination.	Yes

5. Enter the required details.

   Note: You can search for a product by clicking the **Search** ( ) icon corresponding to the respective field.

6. If you want to associate more than one SQI with the product — division combination, click the **Plus** ( ) icon *a*nd then select the SQI from the list.

   Note: However, if you want to remove the link between an SQI and the product — division combination, click the **Minus** ( ) icon corresponding to the SQI.

7. Click **Save**.

   The SQIs are associated with the product — division combination.

Related Topics

For more information on...	See...
Product SQIs screen	*Product SQIs* on page 460
Search zone	*Search* on page 460

Editing SQIs Associated with the Product — Division Combination

Procedure

To edit the SQIs associated with the product — division combination:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

Copyright © 2014, Oracle. All rights reserved.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **P** and then click **Product SQIs**.

   The **Product SQIs** screen appears.
4. In the **Search** zone, search for the product whose SQI details you want to edit.
5. In the **Search Results** section, click the **Edit** ( ) icon in the **Edit** column corresponding to the product — *d*ivision combination whose SQIs you want to edit.

   The **Product SQIs** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Indicates the product to which the SQIs are associated.	Not applicable
Division	Indicates the division to which the SQIs are associated.	Not applicable
SQI	Used to indicate the SQI that you want to associate with the product — division combination.	Yes

6. Modify the list of SQIs associated with the product — division combination, if required.

   Note: If you want to associate more than one SQI with the product — division combination, click the **Plus** ( ) icon and then select the SQI from the list. However, if you want to remove the link between an SQI and the product — division combination, click the **Minus** ( ) icon corresponding to the SQI.
7. Click **Save**.

   The changes made to the product — division combination are saved.

Related Topics

For more information on...	See...
Product SQIs screen	*Product SQIs* on page 460
Search zone	*Search* on page 460

Removing a Link Between SQIs and the Product — Division Combination

Procedure

To remove a link between SQIs and the product — division combination:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **P** and then click **Product SQIs**.

   The **Product SQIs** screen appears.
4. In the **Search** zone, search for the product whose SQI details you want to delete.
5. In the **Search Results** section, click the **Delete** ( ) icon in the **Delete** column corresponding to the product — *d*ivision combination whose SQI details you want to delete.

   A message appears confirming whether you want to remove the link between the SQIs and the product — division combination.

Copyright © 2014, Oracle. All rights reserved.

6. Click **OK**.

   The link between the SQIs and the product — division combination is removed.

Related Topics

For more information on...	See...
Product SQIs screen	*Product SQIs* on page 460
Search zone	*Search* on page 460

Copying Product SQIs

Instead of associating SQIs to a product — division combination from scratch, you can create a copy of an existing product SQIs mapping and then associate the SQIs with the new product — division combination. You can also add or remove SQIs from the list.

Procedure

To copy a product SQIs mapping:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **P** and then click **Product SQIs**.

   The **Product SQIs** screen appears.

4. In the **Search** zone, search for the product whose SQI details you want to copy.

5. In the **Search Results** section, click the **Copy** ( ) icon in the **Copy** column corresponding to the product — *d*ivision combination whose SQI details you want to copy.

   The **Product SQIs** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Product	Used to indicate the product to which you want to associate the SQIs.	Yes
Division	Used to indicate the division to which the product belongs. **Note:** In the **Division** list, you can only view those divisions to which the product is associated and to which you have access.	Yes
SQI	Used to indicate the SQI that you want to associate with the product — division combination.	Yes

6. Enter the required details.

   Note: You can search for a product by clicking the **Search** ( ) icon corresponding to the respective field.

7. If you want to associate more than one SQI with the product — division combination, click the **Plus** ( ) icon *a*nd then select the SQI from the list.

   Note: However, if you want to remove the link between an SQI and the product — division combination, click the **Minus** ( ) icon corresponding to the SQI.

Copyright © 2014, Oracle. All rights reserved.

8. Click **Save**.

   The SQIs are associated with the new product — division combination.

Related Topics

For more information on...	See...
Product SQIs screen	*Product SQIs* on page 460
Search zone	*Search* on page 460

Schedule

The **Schedule** screen allows you to define, edit, and delete a schedule. This screen consists of the following zones:

- *Search* on page 465

Search

The **Search** zone allows you to search for a schedule. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Schedule	Used to specify the schedule code.	No
Description	Used to specify the description of the schedule.	No

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Schedule	Displays the schedule.
Description	Displays the description of the schedule.
View	On clicking the **View** () icon, the **View Schedule** screen appears where you can view the details of the schedule.
Edit	On clicking the **Edit** () icon, the **Edit Schedule** screen appears where you can edit the details of the schedule.
Delete	On clicking the **Delete** ( ) icon, you can delete the schedule. **Note:** You can only delete a schedule which is not yet used.

You can create a new schedule by clicking the **Add** link in the upper right corner of this zone.

Related Topics

For more information on...	See...
How to search for a schedule	*Searching for a Schedule* on page 466
How to view the details of a schedule	*Viewing the Schedule Details* on page 466

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to define a schedule	*Defining a Schedule* on page 467
How to edit a schedule	*Editing a Schedule* on page 468
How to delete a schedule	*Deleting a Schedule* on page 469

Searching for a Schedule

Procedure

To search for a schedule:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **S** and then click **Schedule**.

   The **Schedule** screen appears.

4. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

5. Click **Refresh**.

   The search results appear.

Related Topics

For more information on...	See...
Schedule screen	*Schedule* on page 465
Search zone	*Search* on page 465

Viewing the Schedule Details

Procedure

To view the details of a schedule:

1. Search for the schedule in the **Schedule** screen.
2. In the **Search Results** section, click the **View** ( ) icon in the **View** column corresponding to the schedule whose details you want to view.

   The **View Schedule** screen appears.

3. View the details of the schedule in the **View Schedule** screen.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to search for a schedule	*Searching for a Schedule* on page 466

Defining a Schedule

Procedure

To define a schedule:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **S** and then click **Schedule**.

   The **Schedule** screen appears.

4. Click the **Add** link in the upper right corner of the **Search** zone.

   The **Add Schedule** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Schedule	Used to specify the schedule code.	Yes
Description	Used to specify the description for the schedule.	Yes

   In addition, this screen contains the following two sections:

   - **Schedule Periods** — This section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Start Date	Used to specify the start date of the billable charge. **Note:** The start date cannot be later than the end date.	Yes
End Date	Used to specify the end date of the billable charge. **Note:** The end date cannot be earlier than the start date.	Yes

     Note: At least one schedule period must be defined in the schedule. Also, ensure that the schedule periods do not have overlapping days.

   - **Schedule Types** — This section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Schedule Type	Used to indicate the functionality where you want to use the schedule. You can use a schedule for more than one functionality. For example, you can use the same schedule for Earnings Credit and Transaction Feed Management.	Yes

5. Enter the required details.
6. If you want to define more than one period in the schedule, click the **Plus** () icon and then specify the details.

Copyright © 2014, Oracle. All rights reserved.

Note: However, if you want to remove a period from the schedule, click the **Minus** ( ) icon corresponding to the period.

7. Click **Save**.

   The schedule is defined.

Related Topics

For more information on...	See...
Schedule screen	*Schedule* on page 465
Search zone	*Search* on page 465

Editing a Schedule

Procedure

To edit a schedule:

1. Search for the schedule in the **Schedule** screen.
2. In the **Search Results** section, click the **Edit** ( ) icon in the **Edit** column corresponding to the schedule whose *d*etails you want to edit.

   The **Edit Schedule** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Schedule	Displays the schedule code.	Not applicable
Description	Used to modify the description of the schedule.	Yes

   In addition, this screen contains the following two sections:

   - **Schedule Periods** — This section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Start Date	Used to specify the start date of the billable charge. **Note:** The start date cannot be later than the end date.	Yes
End Date	Used to specify the end date of the billable charge. **Note:** The end date cannot be earlier than the start date.	Yes

     Note: At least one schedule period must be defined in the schedule. Also, ensure that the schedule periods do not have overlapping days.

   - **Schedule Types** — This section contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Schedule Type	Used to indicate the functionality where you want to use the schedule. You can use a schedule for more than one functionality. For example, you can use the same schedule for Earnings Credit and Transaction Feed Management.	Yes

3. Modify the required details.
4. If you want to define more than one period in the schedule, click the **Plus** (+) icon and then specify the details.

   Note: However, if you want to remove a period from the schedule, click the **Minus** (−) icon corresponding to the period.
5. Click **Save**.

   The changes made to the schedule are saved.

Related Topics

For more information on...	See...
How to search for a schedule	*Searching for a Schedule* on page 466

Deleting a Schedule

Procedure

To delete a schedule:

1. Search for the schedule in the **Schedule** screen.
2. In the **Search Results** section, click the **Delete** (🗑) icon in the **Delete** column corresponding to the schedule that you want to delete.

   A message appears confirming whether you want to delete the schedule.

   Note: You can only delete a schedule which is not yet used.
3. Click **OK**.

   The schedule is deleted.

Related Topics

For more information on...	See...
How to search for a schedule	*Searching for a Schedule* on page 466

Disaggregation Request

The **Disaggregation Request** screen allows you to search for disaggregation requests using various search criteria. It also allows you to create a disaggregation request manually. This screen consists of the following zones:

- *Search* on page 470

Copyright © 2014, Oracle. All rights reserved.

Search

The **Search** zone allows you to search for disaggregation requests using various search criteria. This zone contains the following two sections:

- **Search Criteria** — The fields in the **Search Criteria** section change depending on the query option selected. You can select either of the following query options:
  - **Person** — Used to indicate that you want to search for a disaggregation request created for a customer.
  - **Account** — Used to indicate that you want to search for a disaggregation request created for an account.
- **Search Results** — The **Search Results** section displays the records based on the specified search criteria. The columns in the search results change depending on the query option selected.

You can create a disaggregation request manually by clicking the **Add** link in the upper right corner of this zone.

Related Topics

For more information on...	See...
How to search for a disaggregation request	*Searching for a Disaggregation Request* on page 470
How to create a disaggregation request manually	*Creating a Disaggregation Request* on page 473

Searching for a Disaggregation Request

Procedure

To search for a disaggregation request:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Transaction Feed Management** and then click **Disaggregation Request**.

   The **Disaggregation Request** screen appears.
4. Select the **Person** or **Account** option from the **Query Option** list depending on whether you want to search for *a* disaggregation request created for a customer or an account.

   The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Customer Name	Used to indicate the customer whose disaggregation requests you want to search. **Note:** This field appears only when you select the **Person** option from the **Query Option** list.	No
Request Date From	Used to search disaggregation requests that are created from a particular date onwards.	Yes
Request Date To	Used to search disaggregation requests that are created till a particular date.	Yes
Processing Date From	Used to search disaggregation requests that are processed from a particular date onwards.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Processing Date To	Used to search disaggregation requests that are processed till a particular date.	No
Request Source	Used to indicate whether the disaggregation request was created automatically, manually, or through the batch process. The valid values are: • AUTOMATIC • BATCH • MANUAL	No
Request Status	Used to indicate the status of the disaggregation request. The valid values are: • COMPLETE • PENDING	No
Customer ID	Used to indicate the customer whose disaggregation requests you want to search. **Note:** This field appears only when you select the **Person** option from the **Query Option** list.	No
Division	Used to specify the division to which the customer or account belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	Yes (Conditional) **Note:** This field is required when you are searching for disaggregation requests created for an account.
Customer Identifier Type	Used to select the customer identifier type based on which you want to search for disaggregation requests created for a customer. **Note:** This field appears only when you select the **Person** option from the **Query Option** list.	Yes (Conditional) **Note:** If you enter customer identifier as a search criteria, you have to select the customer identifier type.
Customer Identifier	Used to specify the ID linked to the customer. **Note:** This field appears only when you select the **Person** option from the **Query Option** list.	Yes (Conditional) **Note:** If you specify customer identifier type as a search criteria, you have to enter the customer identifier.
Account ID	Used to indicate the account whose disaggregation requests you want to search. **Note:** This field appears only when you select the **Account** option from the **Query Option** list.	No
Account Identifier Type	Used to select the account identifier type based on which you want to search for disaggregation requests created for an account. **Note:** This field appears only when you select the **Account** option from the **Query Option** list.	Yes (Conditional) **Note:** If you enter account identifier as a search criteria, you have to select the account identifier type.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier	Used to specify the value of the account identifier type. **Note:** This field appears only when you select the **Account** option from the **Query Option** list.	Yes (Conditional) **Note:** If you specify account identifier type as a search criteria, you have to enter the account identifier.

5. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

6. Click **Refresh**.

   A list of disaggregation requests that meet the search criteria appears in the **Search Results** section. It contains the following columns:

Column Name	Column Description
Request ID	Displays the disaggregation request ID.
Request Date	Displays the date when the disaggregation request was created.
Status	Displays the status of the disaggregation request. The valid values are: • COMPLETE • PENDING
Person ID	Indicates the customer for whom the disaggregation request is created.
Person Information	Displays additional information about the customer. In addition, this column has a context menu which helps in navigating to other screens in the application. **Note:** It has a link. On clicking the link, the **Person** screen appears with the details of the respective person (customer).
Account ID	Indicates the account for which the disaggregation request is created.
Account Information	Displays additional information about the account. In addition, this column has a context menu which helps in navigating to other screens in the application. **Note:** It has a link. On clicking the link, the **Account** screen appears with the details of the respective account.
Processing Date	Displays the date when the disaggregation request was processed.

Related Topics

For more information on...	See...
Disaggregation Request screen	*Disaggregation Request* on page 469
Search zone	*Search* on page 470

Copyright © 2014, Oracle. All rights reserved.

Creating a Disaggregation Request

Prerequisites

To create a disaggregation request manually, you should have:

- Divisions, customer identifier types, account identifier types, bill cycles, and invoice currencies defined in the application
- Price list assigned to the customer or account (in case you want to search a customer or an account based on an assigned price list)

Procedure

To create a disaggregation request manually:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Transaction Feed Management** and then click **Disaggregation Request**.

   The **Disaggregation Request** screen appears.
4. Click the **Add** link in the upper right corner of the **Search** zone.

   The **Add Disaggregation Request** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Request Type	Used to indicate whether you want to create disaggregation request for a person (customer) or an account. The valid values are: • Account • Person	Yes
Division	Used to specify the division to which the customer or account belongs. **Note:** You can only view those divisions to which you have access in the **Division** list.	Yes (Conditional) **Note:** This field is required when you are creating a disaggregation request for an account.
Account ID	Used to indicate the account for which you want to create a disaggregation request. **Note:** This field is enabled only when you select the **Account** option from the **Request Type** list.	No
Customer ID	Used to indicate the customer for whom you want to create a disaggregation request. **Note:** This field is enabled only when you select the **Person** option from the **Request Type** list.	No
Account Identifier Type	Used to specify the account identifier type based on which you want to search for an account. **Note:** This field is enabled only when you select the **Account** option from the **Request Type** list.	Yes (Conditional) **Note:** If you enter account identifier as a search criteria, you have to select the account identifier type.

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier	Used to specify the value of the account identifier type. **Note:** This field is enabled only when you select the **Account** option from the **Request Type** list.	Yes (Conditional) **Note:** If you specify account identifier type as a search criteria, you have to enter the account identifier.
Customer Identifier Type	Used to specify the customer identifier type based on which you want to search for a customer. **Note:** This field is enabled only when you select the **Person** option from the **Request Type** list.	Yes (Conditional) **Note:** If you enter customer identifier as a search criteria, you have to select the customer identifier type.
Customer Identifier	Used to specify the ID linked to the customer. **Note:** This field is enabled only when you select the **Person** option from the **Request Type** list.	Yes (Conditional) **Note:** If you specify customer identifier type as a search criteria, you have to enter the customer identifier.
Bill Cycle	Used when you want to search for accounts having a particular bill cycle. **Note:** This field is enabled only when you select the **Account** option from the **Request Type** list.	No
Customer Name	Used to specify the name of the customer.	No
Invoice Currency	Used when you want to search for accounts having a particular invoice currency. **Note:** This field is enabled only when you select the **Account** option from the **Request Type** list.	No
With Assigned Price List	Used when you want to search for a customer or an account to which a particular price list is assigned.	Yes (Conditional) **Note:** This field is required when you want to search for a customer or an account based on an assigned price list.
Price List Assigned From	Used when you want to search for a customer or an account based on an assigned price list which is effective within the specified date range.	Yes (Conditional) **Note:** This field is required when you want to search for a customer or an account based on an assigned price list.
Price List Assigned To	Used when you want to search for a customer or an account based on an assigned price list which is effective within the specified date range.	Yes (Conditional) **Note:** This field is required when you want to search for a customer or an account based on an assigned price list.

5. Select the **Person** or **Account** option from the **Request Type** list depending on whether you want to search for *a* customer or an account.
6. Enter the search criteria in the **Search** section.

Copyright © 2014, Oracle. All rights reserved.

Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

7. Click **Search**.

   A list of customers or accounts that meet the search criteria appears in the **Search Results** section. It contains the following columns:

Column Name	Column Description
Account Identifier Type	Displays the primary account identifier type of the account. **Note:** The data appears in this column only when you search for an account.
Account Identifier	Displays the value of the primary account identifier type. **Note:** The data appears in this column only when you search for an account.
Division	Displays the division to which the customer or account belongs.
Customer Identifier Type	Displays the primary customer identifier type of the customer. **Note:** The data appears in this column only when you search for a customer.
Customer Identifier	Displays the ID linked to the customer. **Note:** The data appears in this column only when you search for a customer.
Customer Name	Displays the name of the customer.
With Assigned Price List	Displays the price list assigned to the customer or account. **Note:** The data appears in this column only when you search for a customer or an account based on an assigned price list.
Price List Assigned From	Displays the date from when the price list is assigned to the customer or account. **Note:** The data appears in this column only when you search for a customer or an account based on an assigned price list.
Price List Assigned To	Displays the date till when the price list is assigned to the customer or account. **Note:** The data appears in this column only when you search for a customer or an account based on an assigned price list.
Account Info	Displays additional information about the account. **Note:** The data appears in this column only when you search for an account.
Bill Cycle	Indicates the bill cycle defined for the account. **Note:** The data appears in this column only when you search for an account.

Note:

Pagination is used to display limited number of records in the **Search Results** section. By default, 20 records are displayed in the **Search Results** section. You can change the number of records displayed per page, if required.

You can use the navigation buttons, such as **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) to navigate between pages. You can also select the page to which you want to navigate from the **Go To** list.

Copyright © 2014, Oracle. All rights reserved.

The values appear in the **Page Limit** list only when you define values for the **PAGE_NUMBER** lookup field.

8. Do either of the following:

If you want to...	Then
Create disaggregation request for one or more customers or accounts	1. In the **Search Results** section, select the check box corresponding to the customer or account for which you want to create a disaggregation request. 2. Click **Disaggregate**. A disaggregation request is created for each customer or account whose check box you have selected.
Create disaggregation request for all customers or accounts that meet the search criteria	1. Click **Disaggregate All**. A message appears confirming whether you want to create disaggregation requests for all customers or accounts that meet the search criteria. 2. Click **OK**. A disaggregation request is created for each customer or account that meet the search criteria.

Related Topics

For more information on...	See...
Disaggregation Request screen	*Disaggregation Request* on page 469
Search zone	*Search* on page 470

Copyright © 2014, Oracle. All rights reserved.

Chapter 10

On Demand Billing

Topics:

- *Prerequisites*
- *CSV File Format*
- *Usage Record Status Transition*
- *File Type*
- *On Demand Billing*

Oracle no longer supports the Off Cycle Billing feature introduced in Oracle Revenue Management and Billing Version 2.2.4.2. Instead, the On Demand Billing feature has been introduced to facilitate adhoc and regular billing. Earlier, you were only able to carry out billing based on the bill cycle (defined for the account). In other words, you were able to generate a bill for a bill cycle using the billable charges whose start and end dates fall within the bill cycle. However, there might be situations where you have received certain billing information after the bill is generated for the bill cycle. In such scenarios, you would like to generate a separate bill for the newly created billable charges. The system now allows you to generate an adhoc bill. However, note that you cannot generate adhoc bills through the **Bill** screen.

A bill is generated using the billable charges. Now, in order to differentiate between the normal and adhoc billable charges, you need to set the **Adhoc Bill** flag for the billable charges. If the value of the **Adhoc Bill** flag is set to **Y**, the system will consider the billable charge during adhoc billing. And, if the value of the **Adhoc Bill** flag is set to **N**, the system will consider the billable charge during regular billing based on the bill cycle.

A new batch named **Adhoc Billing (C1-FABL)** is created which generates adhoc bills. Both, automatically generated and manually created billable charges (with the **Adhoc Bill** flag set to **Y**) are considered during adhoc billing.

Oracle Revenue Management and Billing provides you with a facility to upload usage data received from various product processors or banking applications for billing. You can upload a usage data file in the CSV format. You need to ensure that the CSV file is in the required format; otherwise the file will not be uploaded in the system. For more information about the CSV file format, see *CSV File Format* on page 481.

When you upload a usage data file, mapping algorithm parses the flat file in the CSV format and maps the columns in the CSV file to an XML schema named **Interface**. The validation process starts immediately after the file is uploaded in the system. During the validation process, the system and custom validations (if any) are executed. The status of each usage record is changed to **Valid** or **Invalid** depending on whether the usage record was validated successfully or not. Once a usage record is successfully validated, you can submit the valid records and create billable charges for them.

You can optionally configure the system to use the approval workflow process for a usage data file. On submitting a valid record, the approval workflow process routes the usage record to the approver for approval. The approver receives a notification to approve the valid records. The approver can either approve or reject one or more valid records. Once the approver approves a valid record, a billable charge is created for the usage record. However, if the approver rejects a valid record, a notification is sent to the submitter to resolve the usage record. The submitter can then correct the existing data or add missing

data (based on the review comments), and can again submit the valid record for approval. Once the valid record is approved, a billable charge is created for the usage record.

You may or may not specify the Bill After Date while uploading a usage data file. The Bill After Date indicates the date after which adhoc or normal bills must be generated. The system behaves in the following manner when:

- **Billing Method — Adhoc Billing, Bill After Date — Specified:** Adhoc bill is generated for the usage data file and account combination when the Bill After Date is equal to or earlier than the current date.
- **Billing Method — Adhoc Billing, Bill After Date — Not Specified:** During the upload process, the Bill After Date is set to the current date. And, adhoc bill is generated for the usage data file and account combination when the Bill After Date is equal to or earlier than the current date.
- **Billing Method — Regular Billing, Bill After Date — Specified:** Normal bill is generated for the account in the bill cycle in which the bill after date falls.
- **Billing Method — Regular Billing, Bill After Date — Not Specified:** Normal bill is generated for the account based on the bill cycle defined for the account.

Once the adhoc or normal bills are generated for a usage data file, you can freeze and complete the bills. Oracle Revenue Management and Billing provides you with the ability to freeze and complete adhoc bills generated for a usage data file from the **On Demand Billing** screen.

During the on demand billing process, each usage record goes through various statuses until it is billed to the customer. For more information about the usage record statuses, see *Usage Record Status Transition* on page 483.

Copyright © 2014, Oracle. All rights reserved.

Prerequisites

To setup the on demand billing process, you need to do the following:

- Ensure approver's user group has access to the **F1-DFLTS** application service
- Create a To Do Type for submitter named **C1-ODBSU** using the following information:
  - **Navigation Option** — C1_SUBMIT
  - **Priority** — Priority 10 – Highest
  - **Message Category** — 17000
  - **Message Number** — 1470
  - **Sort Keys** — Define the following sort keys for the To Do type:

Sort Key	Use as Default	Sort Order
Usage Data ID	Yes	Descending

  - **Drill Keys** — Define the following drill keys for the To Do type:

Table Name	Field Name
CI_BCHG_HSTG	BCHG_HSTG_ID
CI_BCHG_STG	BCHG_STG_STAT_FLG

- Create a To Do Type for approver named **C1-ODBAP** using the following information:
  - **Navigation Option** — CI_NDAP
  - **Priority** — Priority 10 – Highest
  - **Message Category** — 17000
  - **Message Number** — 1470
  - **Sort Keys** — Define the following sort keys for the To Do type:

Sort Key	Use as Default	Sort Order
Usage Data ID	Yes	Descending

  - **Drill Keys** — Define the following drill keys for the To Do type:

Table Name	Field Name
CI_BCHG_HSTG	BCHG_HSTG_ID

- Create a To Do role named **C1-ODBSU** for submitter and **C1-ODBAP** for approver
- Assign the **C1-ODBSU** To Do type to the **C1-ODBSU** To Do role
- Assign the **C1-ODBAP** To Do type to the **C1-ODBAP** To Do role
- Create a To Do role named **C1-ODFU** and assign users to this To Do role. The users who have the **C1-ODFU** To Do role will receive the To Do entries generated while executing the **Upload and Validate Usage Data File (C1-ODFU)** batch.
- Assign the **C1-ODFU** To Do type to the **C1-ODFU** To Do role

Copyright © 2014, Oracle. All rights reserved.

- Create a To Do role named **C1-ODBCH** and assign users to this To Do role. The users who have the **C1-ODBCH** To Do role will receive the To Do entries generated while executing the **Billable Charge Creation (C1-ODBCH)** batch.
- Assign the **C1-ODBCH** To Do type to the **C1-ODBCH** To Do role
- Create a To Do role named **C1-FABL** and assign users to this To Do role. The users who have the **C1-FABL** To Do role will receive the To Do entries generated while executing the **Adhoc Billing (C1-FABL)** batch.
- Assign the **C1-FABL** To Do type to the **C1-FABL** To Do role
- Create a To Do role named **C1-FCADH** and assign users to this To Do role. The users who have the **C1-FCADH** To Do role will receive the To Do entries generated while executing the **Freeze and Complete Adhoc Bills (C1-FCADH)** batch.
- Assign the **C1-FCADH** To Do type to the **C1-FCADH** To Do role
- Set e-mail address for the users who are going to use the **On Demand Billing** screen (otherwise To Do entry will not be generated on executing the above batches)
- Create a mapping algorithm using the **C1-CSVPMALGO** algorithm type
- Create a validation algorithm using the **C1-VLDALGO** algorithm type
- Create a To Do algorithm using the **C1_ODBTDALGO** algorithm type and set the following parameters in the algorithm:
  - **To Do Role for Submitter** — Used to indicate that users with the specified To Do role can only resolve the records which are rejected by the approver.
  - **To Do Type for Submitter** — Used to indicate that a To Do entry of the specified To Do type must be created when the approver rejects the records.
  - **To Do Role for Approver** — Used to indicate that users with the specified To Do role can only approve the records submitted by the submitter.
  - **To Do Type for Approver** — Used to indicate that a To Do entry of the specified To Do type must be created when the submitter submits the valid records for approval.
- Define the required file types in the system
- Define values for the following lookup fields:
  - ODB_CAN_RSN_FLG
  - ODB_REJ_RSN_FLG
  - PAGE_NUMBER
- If you want to create billable charges with future date for a contract, then ensure that the **Use Calendar Billing** option is set to **Allow Advanced Billing** in the respective contract type.

Besides this, you need to setup the following feature configurations:

- On Demand Billing (C1-ODBFC)
- Multi Parameter Based Pricing (C1_PPARM_FLG)

Related Topics

For more information on...	See...
How to set the **On Demand Billing (C1–ODBFC)** feature configuration	*Setting the On Demand Billing (C1-ODBFC) Feature Configuration* on page 578
How to set the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration	*Setting the Multi Parameter Based Pricing (C1_PPARM_FLG) Feature Configuration* on page 579

Copyright © 2014, Oracle. All rights reserved.

CSV File Format

Before uploading a usage data file, you need to ensure that the CSV file contains the following columns:

Column Name	Description	Mandatory (Yes or No)
Data Identifier	Used to specify the serial number of the usage record.	No
Account ID type	Used to specify the account identifier type.	Yes
Account Identifier	Used to indicate the account to which the usage record belongs.	Yes
Start Date	Used to specify the date from when the product was used. **Note:** You must specify the date in the YYYY-MM-DD format.	No
End Date	Used to specify the date till when the product was used. **Note:** You must specify the date in the YYYY-MM-DD format.	No
Division	Used to specify the division to which the usage record belongs.	Yes
Description	Used to specify the description of the usage record. It is shown on the billable charge.	Yes
Bill Line Description1, Bill Line Description2, ..., Bill Line Description5	Used to specify the description of the line item (charge).	Yes (Conditional) **Note:** This data is required when the charge amount is specified.
Amount1, Amount2, ..., Amount5	Used to specify the charge amount.	Yes (Conditional) **Note:** This data is required when the bill line description or currency is specified.
Currency1, Currency2, ..., Currency5	Used to specify the currency in which the amount is charged. **Note:** If you specify a currency other than the account's invoice currency, the system will do the currency conversion if the appropriate exchange rate is available in the system.	Yes (Conditional) **Note:** This data is required when the charge amount is specified.
Memo Only1, Memo Only2, ..., Memo Only5	Used to indicate whether the charge should be included in the bill amount or not. The valid values are: • true • false **Note:** By default, the value will be set to **false** if the column does not contain any value.	No

Copyright © 2014, Oracle. All rights reserved.

Column Name	Description	Mandatory (Yes or No)
Summary1, Summary2, ..., Summary5	Used to indicate whether the charge should be included in the summary line or not. The valid values are: • true • false **Note:** By default, the value will be set to **true** if the column does not contain any value.	No
Show On Bill1, Show On Bill2, ..., Show On Bill5	Used to indicate whether the charge should appear on the customer's printed bill or not. The valid values are: • true • false **Note:** By default, the value will be set to **true** if the column does not contain any value.	No
GL Distribution Code1, GL Distribution Code2, ..., GL Distribution Code5	Used to specify the distribution code which indicates the GL account associated with the charge.	Yes (Conditional) **Note:** This data is required when **false** is specified in the **Memo Only** column corresponding to the bill line description.
Product	Used to specify the product code.	Yes
PV1	Used to indicate the variance that must be used along with the product for determining the product pricing.	No
Param Type1, Param Type2, Param Type3, Param Type4, ..., Param Type15	Used to indicate the product parameter that must be used along with the product for determining the product pricing. **Note:** If the data in these columns will be used for product parameter mapping, you must not use the equal to (=) and tilde (~) symbols in these columns.	Yes (Conditional) **Note:** This data is required when the parameter value is specified.
Param Value1, Param Value2, Param Value3, Param Value4, ..., Param Value15	Used to specify the parameter value. **Note:** If the data in these columns will be used for product parameter mapping, you must not use the equal to (=) and tilde (~) symbols in these columns.	Yes (Conditional) **Note:** This data is required when the parameter type is specified.
SQI1, SQI2, ..., SQI5	Used to indicate the service quantity identifier that must be used for calculating the product charges.	Yes (Conditional) **Note:** This data is required when the service quantity is specified.
SQIVALUE1, SQIVALUE2, ..., SQIVALUE5	Used to specify the number of units of the service quantity.	Yes (Conditional) **Note:** This data is required when the SQI is specified.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Description	Mandatory (Yes or No)
CHARTYPE1, CHARTYPE2, ..., CHARTYPE5	Used to indicate the characteristic that must be defined for the billable charge.	Yes (Conditional) **Note:** This data is required when the characteristic value is specified.
CHARVAL1, CHARVAL2, ..., CHARVAL5	Used to specify the value of the characteristic type.	Yes (Conditional) **Note:** This data is required when the characteristic type is specified.

Note: If a usage data file contains column names other than those mentioned in the above table, the system will not upload the usage data file.

Usage Record Status Transition

The following figure graphically indicates how a usage record moves from one status to another during the on demand billing process:



File Type

You can upload various types of usage data files in Oracle Revenue Management and Billing. During the upload process, each file must be mapped to a file type. It is the file type which helps the system to understand how to process the file. Each file type has the mapping algorithm attached to it. The mapping algorithm parses the flat file in the CSV format

Copyright © 2014, Oracle. All rights reserved.

and maps the columns in the CSV file to an XML schema named **Interface**. In addition, you can also define validation and To Do algorithms for each file type. If the To Do algorithm is attached to a file type, it means that all usage records in the file must be approved before creating the billable charges.

The **File Type** screen allows you to define, edit and delete a file type. This screen consists of the following zones:

- *File Types* on page 484

File Types

The **File Types** zone lists the file types that are already defined in the system. You can define, edit and delete a file type through this zone.

This zone contains the following columns:

Column Name	Column Description
File Type	Displays the file type.
Description	Displays the description of the file type.
Mapping Algorithm	Indicates the algorithm that will be triggered when you upload a usage data file.
Validation Algorithm	Indicates the algorithm that will be triggered once the usage data file is uploaded in the system.
Feed Type	Indicates the type of data stored in the file. The valid value is: • Usage Data
To Do Algorithm	Indicates whether the records must be approved before creating the billable charges. If the algorithm is specified in this field, it means the approval is required.
Edit	On clicking the **Edit** ( ) icon, the **File Type** screen appears where you can edit the details of the file type. **Note:** You can edit the details of a file type only when no files of this type have been uploaded in the system.
Delete	On clicking the **Delete** ( ) icon, you can delete the file type. **Note:** You can only delete a file type which is not yet used.

You can define a file type by clicking the **Add** link in the upper right corner of this zone. You can also change the layout of this zone. For more information on how to change the layout, see *Changing the Layout* on page 554.

Related Topics

For more information on...	See...
How to define a file type	*Defining a File Type* on page 484
How to edit a file type	*Editing a File Type* on page 488
How to delete a file type	*Deleting a File Type* on page 491

Defining a File Type

Prerequisites

To define a file type, you should have:

- Mapping algorithm defined using the C1-CSVPMALGO algorithm type

Copyright © 2014, Oracle. All rights reserved.

- Validation algorithm defined using the C1-VLDALGO algorithm type
- To Do algorithm defined using the C1_ODBTDALGO algorithm type

Procedure

To define a file type:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **File Type**.

   The **File Type** screen appears.
4. Click the **Add** link in the upper right corner of the **File Types** zone.

   The **File Type** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Type	Used to specify the file type.	Yes
Feed Type	Used to indicate the type of data stored in the file. The valid value is: • Usage Data	Yes
Description	Used to specify the description for the file type.	Yes

Mapping Algorithm	Used to specify the algorithm that will be triggered when you upload a usage data file.
	Note: This algorithm parses the flat file in the CSV format and maps the columns in the CSV file to an XML schema named **Interface**. It also validates whether:
	• The file that is uploaded is in the CSV format.
	• The file contains data in the required format.
	• The following data is available for each usage record:
	  • Account Identifier Type
	  • Account Identifier
	  • Division
	  • Product
	  • Description
		Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
To Do Algorithm	Used to indicate whether the records must be approved before creating the billable charges. If the algorithm is specified in this field, it means the approval is required. **Note:** This algorithm contains the following parameters: • **To Do Role for Submitter** — Indicates that users with the specified To Do role can only resolve the records which are rejected by the approver. • **To Do Type for Submitter** — Indicates that a To Do entry of the specified To Do type must be created when the approver rejects the records. • **To Do Role for Approver** — Indicates that users with the specified To Do role can only approve the records submitted by the submitter. • **To Do Type for Approver** — Indicates that a To Do entry of the specified To Do type must be created when the submitter submits the valid records for approval.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Validation Algorithm	Used to specify the algorithm that will be triggered once the usage data file is uploaded in the system. **Note:** Once the usage data file is uploaded, the system checks whether: • Division, Product, and SQIs are available in the system. • Account with the specified combination (account identifier type, account identifier, and division) exists in the system. • GL Distribution code is valid. • Characteristic types exist in the system. • Usage Data Start Date is earlier than or equal to the Bill After Date or Current Date if the contract type does not support billable charges with future date. • Account has an active contract which is created using the contract type associated with the product. • Usage Data Start and End Dates fall within the Contract Start and End Dates. • Parameters are associated with the product for a given date range. • Parameter value matches one of the predefined values when the parameter value type is set to **Predefined**. • Parameter value exists in the reference entity when the parameter value type is set to **Reference**. • Characteristic value matches one of the predefined values when the characteristic value type is set to **Predefined Value**. If you want to define custom validations, you can define them in the validation algorithm. At present, when you create an algorithm using the C1-VLDALGO algorithm type, it checks whether account identifier contains any special characters.	No

5. Enter the required details.

   Note: You can search for an algorithm by clicking the **Search** (🔍) icon corresponding to the respective field.

6. Click **Save**.

   The file type is defined.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
File Type screen	*File Type* on page 483
File Types zone	*File Types* on page 484
How to search for an algorithm	*Searching for an Algorithm* on page 555

Editing a File Type

Prerequisites

To edit a file type, you should have:

- Mapping algorithm defined using the C1-CSVPMALGO algorithm type
- Validation algorithm defined using the C1-VLDALGO algorithm type
- To Do algorithm defined using the C1_ODBTDALGO algorithm type

Note: You can edit the details of a file type only when no files of this type have been uploaded in the system.

Procedure

To edit a file type:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **File Type**.

   The **File Type** screen appears.
4. Click the **Edit** (✎) icon in the **Edit** column corresponding to the file type whose details you want to edit.

   The **File Type** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Type	Displays the file type.	Not applicable
Feed Type	Used to indicate the type of data stored in the file. The valid value is: • Usage Data	Yes
Description	Used to specify the description for the file type.	Yes

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)

Mapping Algorithm	Used to specify the algorithm that will be triggered when you upload a usage data file.
	
	Note: This algorithm parses the flat file in the CSV format and maps the columns in the CSV file to an XML schema named **Interface**. It also validates whether:
	• The file that is uploaded is in the CSV format.
	• The file contains data in the required format.
	• The following data is available for each usage record:
	  • Account Identifier Type
	  • Account Identifier
	  • Division
	  • Product
	  • Description
		Yes

To Do Algorithm	Used to indicate whether the records must be approved before creating the billable charges. If the algorithm is specified in this field, it means the approval is required. **Note:** This algorithm contains the following parameters: • **To Do Role for Submitter** — Indicates that users with the specified To Do role can only resolve the records which are rejected by the approver. • **To Do Type for Submitter** — Indicates that a To Do entry of the specified To Do type must be created when the approver rejects the records. • **To Do Role for Approver** — Indicates that users with the specified To Do role can only approve the records submitted by the submitter. • **To Do Type for Approver** — Indicates that a To Do entry of the specified To Do type must be created when the submitter submits the valid records for approval.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Validation Algorithm	Used to specify the algorithm that will be triggered once the usage data file is uploaded in the system. **Note:** Once the usage data file is uploaded, the system checks whether: • Division, Product, and SQIs are available in the system. • Account with the specified combination (account identifier type, account identifier, and division) exists in the system. • GL Distribution code is valid. • Characteristic types exist in the system. • Usage Data Start Date is earlier than or equal to the Bill After Date or Current Date if the contract type does not support billable charges with future date. • Account has an active contract which is created using the contract type associated with the product. • Usage Data Start and End Dates fall within the Contract Start and End Dates. • Parameters are associated with the product for a given date range. • Parameter value matches one of the predefined values when the parameter value type is set to **Predefined**. • Parameter value exists in the reference entity when the parameter value type is set to **Reference**. • Characteristic value matches one of the predefined values when the characteristic value type is set to **Predefined Value**. If you want to define custom validations, you can define them in the validation algorithm. At present, when you create an algorithm using the C1-VLDALGO algorithm type, it checks whether account identifier contains any special characters.	No

5. Modify the required details.

   Note: You can search for an algorithm by clicking the **Search** ( ) icon corresponding to the respective field.

6. Click **Save**.

   The changes made to the file type are saved.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
File Type screen	*File Type* on page 483
File Types zone	*File Types* on page 484
How to search for an algorithm	*Searching for an Algorithm* on page 555

Deleting a File Type

Procedure

To delete a file type:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **File Type**.

   The **File Type** screen appears.
4. Click the **Delete** ( ) icon in the **Delete** column corresponding to the file type that you want to delete.

   A message appears confirming whether you want to delete the file type.

   Note: You can only delete a file type which is not yet used.
5. Click **OK**.

   The file type is deleted.

Related Topics

For more information on...	See...
File Type screen	*File Type* on page 483
File Types zone	*File Types* on page 484

On Demand Billing

The **On Demand Billing** screen allows you to search for a usage data file based on various search criteria. Through this screen, you can:

- Upload a usage data file
- Cancel a usage data file
- View all records uploaded through a usage data file
- View the valid, invalid, and cancelled records of a usage data file
- View the valid records of a usage data file which are submitted for approval
- View the valid records of a usage data file for which billable charges are already created
- View the rejected, billed and unbilled records of a usage data file

Copyright © 2014, Oracle. All rights reserved.

- Submit the valid records of a usage data file and create billable charges for them
- Approve or reject one or more valid records of a usage data file
- Revalidate the valid and invalid records of a usage data file
- Cancel the valid, invalid, and rejected records of a usage data file
- Generate adhoc bills for a usage data file
- Freeze and complete adhoc bills of a usage data file
- View the bills generated for a usage data file
- Edit the valid, invalid and rejected records of a usage data file

This screen consists of the following zones:

- *Search* on page 492

Search

The **Search** zone allows you to search for usage data files that are uploaded and/or processed in the system. This zone contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Name	Used to specify the name of the usage data file.	No
File Upload Date	Used to specify the date when the usage data file was uploaded in the system.	No
Bill After Date	Used to specify the date after which the bills must be generated for the usage data file.	No
Billing Method	Used to specify the type of billing used for the usage data file. The valid values are: • Adhoc Billing • Regular Billing	No
User ID	Used to specify the name of the user who has uploaded the usage data file.	No
File Type	Used to specify the type of usage data file.	No

Note: You must specify at least one search criterion while searching for a usage data file.

- **Search Results** — On clicking the **Refresh** button, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
File Name	Displays the name of the usage data file. **Note:** It has a link. On clicking the link, the **Usage Data** screen appears where you can view all records uploaded through the usage data file.
Billing Method	Indicates the type of billing used for the usage data file. The valid values are: • Adhoc Billing • Regular Billing

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Bill After Date	Displays the date after which the bills must be generated for the usage data file.
Status	Indicates the status of the usage data file. The valid values are: • Uploaded • Cancelled **Note:** The status of the usage data file is changed to **Cancelled** only when all records in the usage data file are cancelled.
Submit	On clicking the **Submit** button, you can submit the valid records and create billable charges for them. If the valid usage records need to be approved before creating the billable charges, a To Do entry is created for the approver to approve the valid records.
Generate Bill	On clicking the **Generate Bill** button, you can generate an adhoc bill for the usage data file and account combination. Note that the adhoc bills are generated only when the bill after date is equal to or earlier than the current date.
Approve	On clicking the **Approve** button, the approver can approve all valid records of the usage data file.
Freeze and Complete	On clicking the **Freeze and Complete** button, you can freeze and complete adhoc bills generated for the usage data file.
Cancel	On clicking the **Cancel** button, you can cancel all valid, invalid and rejected records of the usage data file.
Revalidate	On clicking the **Revalidate** button, you can execute the validation process once again on the valid and invalid records.
Total	Displays the total number of records that are uploaded through the usage data file. **Note:** It has a link. On clicking the link, the **Usage Data** screen appears where you can view all records uploaded through the usage data file.
Valid	Displays the number of records which are successfully validated in the system. **Note:** It has a link. On clicking the link, the **Usage Data** screen appears where you can view and edit all valid records of the usage data file.
Invalid	Displays the number of records which could not pass through the validation process in the system. **Note:** It has a link. On clicking the link, the **Usage Data** screen appears where you can view and edit all invalid records of the usage data file.
Submitted	Displays the number of valid records which are submitted for approval. **Note:** It has a link. On clicking the link, the **Usage Data** screen appears where you can view all submitted records of the usage data file.
Processed	Displays the number of valid records for which billable charges are already created. **Note:** It has a link. On clicking the link, the **Usage Data** screen appears where you can view all processed records of the usage data file.
Rejected	Displays the number of records which are rejected by the approver. **Note:** It has a link. On clicking the link, the **Usage Data** screen appears where you can view and edit all rejected records of the usage data file.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Cancelled	Displays the number of records which are cancelled in the system. **Note:** It has a link. On clicking the link, the **Usage Data** screen appears where you can view all cancelled records of the usage data file.
Bills	Displays the number of bills generated for the usage data file. **Note:** It has a link. On clicking the link, the **View Bill Data** screen appears where you can view all bills generated for the usage data file.
Billed	Displays the number of records for which billable charges are created and billed to the customer. **Note:** It has a link. On clicking the link, the **Usage Data** screen appears where you can view all billed records of the usage data file.
Unbilled	Displays the number of records for which billable charges are created, but are not yet billed to the customer. **Note:** It has a link. On clicking the link, the **Usage Data** screen appears where you can view all unbilled records of the usage data file.
Batch Status	Indicates the batch that was last executed on the usage data file and its current status. **Note:** It has a link. On clicking the link, the **Batch Run Tree** screen appears where you can view the execution details of the batch.

You can upload a usage data file by clicking the **Upload** link in the upper right corner of this zone.

Related Topics

For more information on...	See...
On Demand Billing screen	*On Demand Billing* on page 491
How to upload a usage data file	*Uploading a Usage Data File* on page 495
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to view all records of a usage data file	*Viewing All Records of a Usage Data File* on page 498
How to view valid records of a usage data file	*Viewing Valid Records of a Usage Data File* on page 501
How to view invalid records of a usage data file	*Viewing Invalid Records of a Usage Data File* on page 503
How to view submitted records of a usage data file	*Viewing Submitted Records of a Usage Data File* on page 506
How to view processed records of a usage data file	*Viewing Processed Records of a Usage Data File* on page 509
How to view rejected records of a usage data file	*Viewing Rejected Records of a Usage Data File* on page 515
How to view cancelled records of a usage data file	*Viewing Cancelled Records of a Usage Data File* on page 512
How to view billed records of a usage data file	*Viewing Billed Records of a Usage Data File* on page 518
How to view unbilled records of a usage data file	*Viewing Unbilled Records of a Usage Data File* on page 521
How to view all bills generated for a usage data file	*Viewing All Bills Generated for a Usage Data File* on page 524
How to submit the valid records	*Submitting a Valid Record* on page 526
How to edit the valid, invalid or rejected records	*Editing a Valid, Invalid, or Rejected Usage Record* on page 536

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to approve the valid records	*Approving a Valid Record* on page 527
How to reject the valid records	*Rejecting a Valid Record* on page 532
How to cancel a usage data file	*Cancelling a Usage Data File* on page 534
How to cancel a record in the usage data file	*Cancelling a Record in a Usage Data File* on page 534
How to revalidate a usage data file	*Revalidating a Usage Data File* on page 535
How to generate adhoc bills for a usage data file	*Generating Adhoc Bills* on page 530
How to freeze and complete one or more bills	*Freezing Selected Bills of a Usage Data File* on page 531
How to freeze and complete all bills of a usage data file	*Freezing All Bills of a Usage Data File* on page 531

Searching for a Usage Data File

Procedure

To search for a usage data file:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Financial** and then click **On Demand Billing**.

   The **On Demand Billing** screen appears.
4. Enter the search criteria in the **Search** zone.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
5. Click **Refresh**.

   A list of usage data files that meet the search criteria appears in the **Search Results** section.

Related Topics

For more information on...	See...
On Demand Billing screen	*On Demand Billing* on page 491
Search zone	*Search* on page 492

Uploading a Usage Data File

Prerequisites

To upload a usage data file, you should have:

- File types defined in the application
- Usage data in the required CSV file format

Copyright © 2014, Oracle. All rights reserved.

Procedure

To upload a usage data file:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Financial** and then click **On Demand Billing**.

   The **On Demand Billing** screen appears.
4. Click the **Upload** link in the upper right corner of the **Search** zone.

   The **Upload File** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Type	Used to specify the type of usage data file.	Yes
Billing Method	Used to specify the type of billing you want to use for the usage data file. The valid values are: • Adhoc Billing • Regular Billing	Yes
Default Usage Start Date	Used to specify the date from when the product was used. The default usage start date is used when the start date is not specified for a record in the usage data file. By default, the current date appears in this field. You can change the default usage start date, if required. **Note:** The default usage start date cannot be later than the default usage end date.	Yes
Default Usage End Date	Used to specify the date till when the product was used. The default usage end date is used when the end date is not specified for a record in the usage data file. By default, the current date appears in this field. You can change the default usage end date, if required. **Note:** The default usage end date cannot be earlier than the default usage start date.	Yes
Bill After Date	Used to specify the date after which the bills must be generated for the usage data file. **Note:** In case of adhoc billing, if you do not specify the bill after date, it is set to the current date.	No
File Name	Used to specify the name and path of the usage data file that you want to upload. **Note:** You can also click the **Browse** button corresponding to this field to browse to the location where the usage data file is available in the system.	Yes

5. Enter the required details.
6. Click the **Browse** button corresponding to the **File Name** field.

   The **Choose File** dialog box appears.

Copyright © 2014, Oracle. All rights reserved.

7. Browse to the location where the usage data file that you want to upload is available.
8. Click **Open**.

   The usage data file name and path appears in the **File Name** field.
9. Click **Upload**.

   A message appears indicating that the usage data file has been uploaded successfully. If an error occurs while parsing, the usage data file is not uploaded in the system.

   Note:

   The validation process starts immediately after the file is uploaded in the system. If a usage record is successfully validated, the status of the usage record is changed to **Valid**. And, if a usage record could not pass through the validation process, the status of the usage record is changed to **Invalid**. You can view the details of the uploaded file and its records in the **On Demand Billing** screen.

   If the usage data file size exceeds the value derived by multiplying average record size and transaction limit, a batch job is created using the **Upload and Validate Usage Data File (C1-ODFU)** batch. A message appears indicating the batch job ID. This batch job uploads and validates the usage data file. You can change the average record size and transaction limit using the **On Demand Billing (C1–ODBFC)** feature configuration. For more information on the **Upload and Validate Usage Data File (C1-ODFU)** batch, see *Oracle Revenue Management and Billing Batch Execution Guide*.

   The number of usage records that are parsed and mapped in an XML file depends on the value defined for the **Staging XML Size** option type in the **On Demand Billing (C1–ODBFC)** feature configuration. For example, if the **Staging XML Size** option type is set to 100 and a usage data file contains 500 records, then the system creates 5 XML files — each containing 100 records.

   If a batch job is created automatically, the number of usage records that are validated in each work unit depends on the value defined for the **Validation Chunk Size** option type in the **On Demand Billing (C1–ODBFC)** feature configuration.

   On successful completion of the **Upload and Validate Usage Data File (C1-ODFU)** batch, a To Do entry is created using the **C1-ODFU** To Do type. You can view this To Do entry only when you are assigned a To Do role which is mapped to the **C1-ODFU** To Do type. This To Do indicates whether the batch was successfully executed or not. If the batch was successfully executed, it indicates the following:

   - Number of records that were uploaded in the system
   - Number of records which were successfully validated
   - Number of records which could not pass through the validation process
   - Number of records which failed to validate due to some technical reasons
10. Click **OK** in the message box.

    Once a usage record is successfully validated, the status of the usage record is changed to **Valid**. And, if a usage record could not pass through the validation process, the status of the usage record is changed to **Invalid**.

Related Topics

For more information on...	**See...**
On Demand Billing screen	*On Demand Billing* on page 491
Search zone	*Search* on page 492
How to set the **On Demand Billing (C1–ODBFC)** feature configuration	*Setting the On Demand Billing (C1-ODBFC) Feature Configuration* on page 578

Copyright © 2014, Oracle. All rights reserved.

Viewing All Records of a Usage Data File

Procedure

To view all records of a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the link in the **Total** column corresponding to the usage data file whose *r*ecords you want to view.

   The **Usage Data** screen appears. It contains the following two sections:

   - **Search Criteria** — This section allows you to filter the usage records based on the various search criteria. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Name	Displays the name of the usage data file.	Not applicable
File Type	Indicates the type of the usage data file.	Not applicable
Default Usage Start Date	Displays the usage start date entered while uploading the usage data file.	Not applicable
Default Usage End Date	Displays the usage end date entered while uploading the usage data file.	Not applicable
Status	Used to specify the status of the usage record. The valid values are: • Valid • Invalid • Submitted for Approval • Processed • Rejected • Cancelled	No
Division	Used to specify the division to which the usage record belongs.	No
Account Identifier Type	Used to specify the identifier type based on which you want to search for the usage records.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to enter the account identifier type.
Account Identifier	Used to indicate the account whose usage records you want to view.	Yes (Conditional) **Note:** If you enter the account identifier type as a search criteria, you have to enter the account identifier.

Copyright © 2014, Oracle. All rights reserved.

- **Search Results** — By default, all records of the usage data file are listed in the **Search Results** section. You can filter the search results based on the specified criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Billable Charge ID	Indicates the billable charge which is generated for the usage record.
Account Identifier Type	Indicates the account identifier type.
Account Identifier	Indicates the account to which the usage record belongs.
Division	Indicates the division to which the usage record belongs.
Start Date	Displays the date from when the product was used. **Note:** If the start date is not available, the default usage start date appears in this column.
End Date	Displays the date till when the product was used. **Note:** If the end date is not available, the default usage end date appears in this column.
Description	Displays the description of the usage record. It is shown on the billable charge.
Product	Displays the product code.
Variance Parameter	Indicates the variance that must be used along with the product for determining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameter 1, Product Parameter 2, ..., Product Parameter 15	Indicates the product parameter that must be used along with the product for determining the product pricing. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
Parameter Value 1, Parameter Value 2, ..., Parameter Value 15	Displays the value of the product parameter. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
SQI 1, SQI 2, ..., SQI 5	Indicates the service quantity identifier that must be used for calculating the product charges.
Service Quantity 1, Service Quantity 2, ..., Service Quantity 5	Displays the number of units of the service quantity.
Description on Bill 1, Description on Bill 2, ..., Description on Bill 5	Displays the description of the line item (charge).
Charge Amount 1, Charge Amount 2, ..., Charge Amount 5	Displays the charge amount.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Currency 1, Currency 2, ..., Currency 5	Displays the currency in which the amount is charged.
Memo Only, No GL 1, Memo Only, No GL 2, ..., Memo Only, No GL 5	Indicates whether the charge should be included in the bill amount or not.
Appears in Summary 1, Appears in Summary 2, ..., Appears in Summary 5	Indicates whether the charge should be included in the summary line or not.
Show on Bill 1, Show on Bill 2, ..., Show on Bill 5	Indicates whether the charge should appear on the customer's printed bill or not.
Distribution Code 1, Distribution Code 2, ..., Distribution Code 5	Displays the distribution code which indicates the GL account associated with the charge.
Characteristic Type 1, Characteristic Type 2, ..., Characteristic Type 5	Indicates the characteristic that must be defined for the billable charge.
Characteristic Value 1, Characteristic Value 2, ..., Characteristic Value 5	Displays the value of the characteristic type.

Note:

Only those columns that contain data in the CSV file appear in the **Usage Data** screen. For example, if information about only one characteristic is available for all usage records, then the Characteristic Type 1 and Characteristic Value 1 columns appear in the **Usage Data** screen. The Characteristic Type 2, Characteristic Type 3, Characteristic Type 4, Characteristic Type 5, Characteristic Value 2, Characteristic Value 3, Characteristic Value 4, and Characteristic Value 5 columns do not appear in the **Usage Data** screen.

Note:

Pagination is used to display limited number of records in the **Search Results** section. You can change the number of records displayed per page, if required. You can use the navigation buttons, such as **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) to navigate between pages. You can also select the page to which you want to navigate from the **Go To** list.

3. View the records of the usage data file in the **Usage Data** screen.
4. If required, you can change the number of records displayed per page.

   Note: By default, the number of records that appear in each page depends on the minimum value defined in the **PAGE_NUMBER** lookup field. For example, if the **PAGE_NUMBER** lookup field has four values — 10, 20, 30, and 40, then the number of records displayed in each page, by default, would be 10.
5. If required, you can click the **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) buttons to navigate *b*etween pages.
6. If required, you can filter the usage records in the **Usage Data** screen.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to filter the usage records	*Filtering Usage Records* on page 537

Copyright © 2014, Oracle. All rights reserved.

Viewing Valid Records of a Usage Data File

Procedure

To view valid records of a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the link in the **Valid** column corresponding to the usage data file whose *v*alid records you want to view.

   The **Usage Data** screen appears. It contains the following two sections:

   - **Search Criteria** — This section allows you to filter the valid records based on the various search criteria. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Name	Displays the name of the usage data file.	Not applicable
File Type	Indicates the type of the usage data file.	Not applicable
Default Usage Start Date	Displays the usage start date entered while uploading the usage data file.	Not applicable
Default Usage End Date	Displays the usage end date entered while uploading the usage data file.	Not applicable
Status	Indicates that all valid records are displayed in the **Usage Data** screen.	Not applicable
Division	Used to specify the division to which the valid record belongs.	No
Account Identifier Type	Used to specify the identifier type based on which you want to search for the valid records.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to enter the account identifier type.
Account Identifier	Used to indicate the account whose valid records you want to view.	Yes (Conditional) **Note:** If you enter the account identifier type as a search criteria, you have to enter the account identifier.

   - **Search Results** — By default, all valid records of the usage data file are listed in the **Search Results** section. You can filter the search results based on the specified criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Account Identifier Type	Indicates the account identifier type.
Account Identifier	Indicates the account to which the valid record belongs.
Division	Indicates the division to which the valid record belongs.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Product	Displays the product code.
Start Date	Displays the date from when the product was used. **Note:** If the start date is not available, the default usage start date appears in this column.
End Date	Displays the date till when the product was used. **Note:** If the end date is not available, the default usage end date appears in this column.
Description	Displays the description of the usage record. It is shown on the billable charge.
Variance Parameter	Indicates the variance that must be used along with the product for determining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameter 1, Product Parameter 2, ..., Product Parameter 15	Indicates the product parameter that must be used along with the product for determining the product pricing. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
Parameter Value 1, Parameter Value 2, ..., Parameter Value 15	Displays the value of the product parameter. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
SQI 1, SQI 2, ..., SQI 5	Indicates the service quantity identifier that must be used for calculating the product charges.
Service Quantity 1, Service Quantity 2, ..., Service Quantity 5	Displays the number of units of the service quantity.
Description on Bill 1, Description on Bill 2, ..., Description on Bill 5	Displays the description of the line item (charge).
Charge Amount 1, Charge Amount 2, ..., Charge Amount 5	Displays the charge amount.
Currency 1, Currency 2, ..., Currency 5	Displays the currency in which the amount is charged.
Memo Only, No GL 1, Memo Only, No GL 2, ..., Memo Only, No GL 5	Indicates whether the charge should be included in the bill amount or not.
Appears in Summary 1, Appears in Summary 2, ..., Appears in Summary 5	Indicates whether the charge should be included in the summary line or not.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Show on Bill 1, Show on Bill 2, ..., Show on Bill 5	Indicates whether the charge should appear on the customer's printed bill or not.
Distribution Code 1, Distribution Code 2, ..., Distribution Code 5	Displays the distribution code which indicates the GL account associated with the charge.
Characteristic Type 1, Characteristic Type 2, ..., Characteristic Type 5	Indicates the characteristic that must be defined for the billable charge.
Characteristic Value 1, Characteristic Value 2, ..., Characteristic Value 5	Displays the value of the characteristic type.

Note:

Only those columns that contain data in the CSV file appear in the **Usage Data** screen. For example, if information about only one characteristic is available for all valid records, then the Characteristic Type 1 and Characteristic Value 1 columns appear in the **Usage Data** screen. The Characteristic Type 2, Characteristic Type 3, Characteristic Type 4, Characteristic Type 5, Characteristic Value 2, Characteristic Value 3, Characteristic Value 4, and Characteristic Value 5 columns do not appear in the **Usage Data** screen.

Note:

Pagination is used to display limited number of records in the **Search Results** section. You can change the number of records displayed per page, if required. You can use the navigation buttons, such as **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) to navigate between pages. You can also select the page to which you want to navigate from the **Go To** list.

3. View the valid records of the usage data file in the **Usage Data** screen.
4. If required, you can change the number of records displayed per page.

   Note: By default, the number of records that appear in each page depends on the minimum value defined in the **PAGE_NUMBER** lookup field. For example, if the **PAGE_NUMBER** lookup field has four values — 10, 20, 30, and 40, then the number of records displayed in each page, by default, would be 10.
5. If required, you can click the **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) buttons to navigate *b*etween pages.
6. If required, you can filter the valid records in the **Usage Data** screen.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to filter the usage records	*Filtering Usage Records* on page 537

Viewing Invalid Records of a Usage Data File

Procedure

To view invalid records of a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.

Copyright © 2014, Oracle. All rights reserved.

2. In the **Search Results** section, click the link in the **Invalid** column corresponding to the usage data file whose *i*nvalid records you want to view.

   The **Usage Data** screen appears. It contains the following two sections:

   - **Search Criteria** — This section allows you to filter the invalid records based on the various search criteria. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Name	Displays the name of the usage data file.	Not applicable
File Type	Indicates the type of the usage data file.	Not applicable
Default Usage Start Date	Displays the usage start date entered while uploading the usage data file.	Not applicable
Default Usage End Date	Displays the usage end date entered while uploading the usage data file.	Not applicable
Status	Indicates that all invalid records are displayed in the **Usage Data** screen.	Not applicable
Division	Used to specify the division to which the invalid record belongs.	No
Account Identifier Type	Used to specify the identifier type based on which you want to search for the invalid records.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to enter the account identifier type.
Account Identifier	Used to indicate the account whose invalid records you want to view.	Yes (Conditional) **Note:** If you enter the account identifier type as a search criteria, you have to enter the account identifier.

   - **Search Results** — By default, all invalid records of the usage data file are listed in the **Search Results** section. You can filter the search results based on the specified criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Account Identifier Type	Indicates the account identifier type.
Account Identifier	Indicates the account to which the invalid record belongs.
Division	Indicates the division to which the invalid record belongs.
Product	Displays the product code.
Start Date	Displays the date from when the product was used. **Note:** If the start date is not available, the default usage start date appears in this column.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
End Date	Displays the date till when the product was used. **Note:** If the end date is not available, the default usage end date appears in this column.
Description	Displays the description of the usage record. It is shown on the billable charge.
Variance Parameter	Indicates the variance that must be used along with the product for determining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameter 1, Product Parameter 2, ..., Product Parameter 15	Indicates the product parameter that must be used along with the product for determining the product pricing. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
Parameter Value 1, Parameter Value 2, ..., Parameter Value 15	Displays the value of the product parameter. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
SQI 1, SQI 2, ..., SQI 5	Indicates the service quantity identifier that must be used for calculating the product charges.
Service Quantity 1, Service Quantity 2, ..., Service Quantity 5	Displays the number of units of the service quantity.
Description on Bill 1, Description on Bill 2, ..., Description on Bill 5	Displays the description of the line item (charge).
Charge Amount 1, Charge Amount 2, ..., Charge Amount 5	Displays the charge amount.
Currency 1, Currency 2, ..., Currency 5	Displays the currency in which the amount is charged.
Memo Only, No GL 1, Memo Only, No GL 2, ..., Memo Only, No GL 5	Indicates whether the charge should be included in the bill amount or not.
Appears in Summary 1, Appears in Summary 2, ..., Appears in Summary 5	Indicates whether the charge should be included in the summary line or not.
Show on Bill 1, Show on Bill 2, ..., Show on Bill 5	Indicates whether the charge should appear on the customer's printed bill or not.
Distribution Code 1, Distribution Code 2, ..., Distribution Code 5	Displays the distribution code which indicates the GL account associated with the charge.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Characteristic Type 1, Characteristic Type 2, ..., Characteristic Type 5	Indicates the characteristic that must be defined for the billable charge.
Characteristic Value 1, Characteristic Value 2, ..., Characteristic Value 5	Displays the value of the characteristic type.

Note:

Only those columns that contain data in the CSV file appear in the **Usage Data** screen. For example, if information about only one characteristic is available for all invalid records, then the Characteristic Type 1 and Characteristic Value 1 columns appear in the **Usage Data** screen. The Characteristic Type 2, Characteristic Type 3, Characteristic Type 4, Characteristic Type 5, Characteristic Value 2, Characteristic Value 3, Characteristic Value 4, and Characteristic Value 5 columns do not appear in the **Usage Data** screen.

Note:

Pagination is used to display limited number of records in the **Search Results** section. You can change the number of records displayed per page, if required. You can use the navigation buttons, such as **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) to navigate between pages. You can also select the page to which you want to navigate from the **Go To** list.

3. View the invalid records of the usage data file in the **Usage Data** screen.
4. If required, you can change the number of records displayed per page.

   Note: By default, the number of records that appear in each page depends on the minimum value defined in the **PAGE_NUMBER** lookup field. For example, if the **PAGE_NUMBER** lookup field has four values — 10, 20, 30, and 40, then the number of records displayed in each page, by default, would be 10.
5. If required, you can click the **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) buttons to navigate *b*etween pages.
6. If required, you can filter the invalid records in the **Usage Data** screen.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to filter the usage records	*Filtering Usage Records* on page 537

Viewing Submitted Records of a Usage Data File

Procedure

To view submitted records of a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the link in the **Submitted** column corresponding to the usage data file *w*hose submitted records you want to view.

   The **Usage Data** screen appears. It contains the following two sections:

   - **Search Criteria** — This section allows you to filter the submitted records based on the various search criteria. It contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
File Name	Displays the name of the usage data file.	Not applicable
File Type	Indicates the type of the usage data file.	Not applicable
Default Usage Start Date	Displays the usage start date entered while uploading the usage data file.	Not applicable
Default Usage End Date	Displays the usage end date entered while uploading the usage data file.	Not applicable
Status	Indicates that all records submitted for approval are displayed in the **Usage Data** screen.	Not applicable
Division	Used to specify the division to which the submitted record belongs.	No
Account Identifier Type	Used to specify the identifier type based on which you want to search for the submitted records.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to enter the account identifier type.
Account Identifier	Used to indicate the account whose submitted records you want to view.	Yes (Conditional) **Note:** If you enter the account identifier type as a search criteria, you have to enter the account identifier.

- **Search Results** — By default, all submitted records of the usage data file are listed in the **Search Results** section. You can filter the search results based on the specified criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Billable Charge ID	Indicates the billable charge which is generated for the usage record.
Account Identifier Type	Indicates the account identifier type.
Account Identifier	Indicates the account to which the submitted record belongs.
Division	Indicates the division to which the submitted record belongs.
Start Date	Displays the date from when the product was used. **Note:** If the start date is not available, the default usage start date appears in this column.
End Date	Displays the date till when the product was used. **Note:** If the end date is not available, the default usage end date appears in this column.
Description	Displays the description of the usage record. It is shown on the billable charge.
Product	Displays the product code.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Variance Parameter	Indicates the variance that must be used along with the product for determining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameter 1, Product Parameter 2, ..., Product Parameter 15	Indicates the product parameter that must be used along with the product for determining the product pricing. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
Parameter Value 1, Parameter Value 2, ..., Parameter Value 15	Displays the value of the product parameter. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
SQI 1, SQI 2, ..., SQI 5	Indicates the service quantity identifier that must be used for calculating the product charges.
Service Quantity 1, Service Quantity 2, ..., Service Quantity 5	Displays the number of units of the service quantity.
Description on Bill 1, Description on Bill 2, ..., Description on Bill 5	Displays the description of the line item (charge).
Charge Amount 1, Charge Amount 2, ..., Charge Amount 5	Displays the charge amount.
Currency 1, Currency 2, ..., Currency 5	Displays the currency in which the amount is charged.
Memo Only, No GL 1, Memo Only, No GL 2, ..., Memo Only, No GL 5	Indicates whether the charge should be included in the bill amount or not.
Appears in Summary 1, Appears in Summary 2, ..., Appears in Summary 5	Indicates whether the charge should be included in the summary line or not.
Show on Bill 1, Show on Bill 2, ..., Show on Bill 5	Indicates whether the charge should appear on the customer's printed bill or not.
Distribution Code 1, Distribution Code 2, ..., Distribution Code 5	Displays the distribution code which indicates the GL account associated with the charge.
Characteristic Type 1, Characteristic Type 2, ..., Characteristic Type 5	Indicates the characteristic that must be defined for the billable charge.
Characteristic Value 1, Characteristic Value 2, ..., Characteristic Value 5	Displays the value of the characteristic type.

Copyright © 2014, Oracle. All rights reserved.

Note:

Only those columns that contain data in the CSV file appear in the **Usage Data** screen. For example, if information about only one characteristic is available for all submitted records, then the Characteristic Type 1 and Characteristic Value 1 columns appear in the **Usage Data** screen. The Characteristic Type 2, Characteristic Type 3, Characteristic Type 4, Characteristic Type 5, Characteristic Value 2, Characteristic Value 3, Characteristic Value 4, and Characteristic Value 5 columns do not appear in the **Usage Data** screen.

Note:

Pagination is used to display limited number of records in the **Search Results** section. You can change the number of records displayed per page, if required. You can use the navigation buttons, such as **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) to navigate between pages. You can also select the page to which you want to navigate from the **Go To** list.

3. View the submitted records of the usage data file in the **Usage Data** screen.
4. If required, you can change the number of records displayed per page.

   Note: By default, the number of records that appear in each page depends on the minimum value defined in the **PAGE_NUMBER** lookup field. For example, if the **PAGE_NUMBER** lookup field has four values — 10, 20, 30, and 40, then the number of records displayed in each page, by default, would be 10.

5. If required, you can click the **First** ( ), **Previous** (), **Next** (), and **Last** ( ) buttons to navigate *b*etween pages.
6. If required, you can filter the submitted records in the **Usage Data** screen.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to filter the usage records	*Filtering Usage Records* on page 537

Viewing Processed Records of a Usage Data File

Procedure

To view processed records of a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the link in the **Processed** column corresponding to the usage data file *w*hose processed records you want to view.

   The **Usage Data** screen appears. It contains the following two sections:

   - **Search Criteria** — This section allows you to filter the processed records based on the various search criteria. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Name	Displays the name of the usage data file.	Not applicable
File Type	Indicates the type of the usage data file.	Not applicable
Default Usage Start Date	Displays the usage start date entered while uploading the usage data file.	Not applicable

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Default Usage End Date	Displays the usage end date entered while uploading the usage data file.	Not applicable
Status	Indicates that all processed records are displayed in the **Usage Data** screen.	Not applicable
Division	Used to specify the division to which the processed record belongs.	No
Account Identifier Type	Used to specify the identifier type based on which you want to search for the processed records.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to enter the account identifier type.
Account Identifier	Used to indicate the account whose processed records you want to view.	Yes (Conditional) **Note:** If you enter the account identifier type as a search criteria, you have to enter the account identifier.

- **Search Results** — By default, all processed records of the usage data file are listed in the **Search Results** section. You can filter the search results based on the specified criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Billable Charge ID	Indicates the billable charge which is generated for the usage record.
Account Identifier Type	Indicates the account identifier type.
Account Identifier	Indicates the account to which the processed record belongs.
Division	Indicates the division to which the processed record belongs.
Start Date	Displays the date from when the product was used. **Note:** If the start date is not available, the default usage start date appears in this column.
End Date	Displays the date till when the product was used. **Note:** If the end date is not available, the default usage end date appears in this column.
Description	Displays the description of the usage record. It is shown on the billable charge.
Product	Displays the product code.
Variance Parameter	Indicates the variance that must be used along with the product for determining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Product Parameter 1, Product Parameter 2, ..., Product Parameter 15	Indicates the product parameter that must be used along with the product for determining the product pricing. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
Parameter Value 1, Parameter Value 2, ..., Parameter Value 15	Displays the value of the product parameter. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
SQI 1, SQI 2, ..., SQI 5	Indicates the service quantity identifier that must be used for calculating the product charges.
Service Quantity 1, Service Quantity 2, ..., Service Quantity 5	Displays the number of units of the service quantity.
Description on Bill 1, Description on Bill 2, ..., Description on Bill 5	Displays the description of the line item (charge).
Charge Amount 1, Charge Amount 2, ..., Charge Amount 5	Displays the charge amount.
Currency 1, Currency 2, ..., Currency 5	Displays the currency in which the amount is charged.
Memo Only, No GL 1, Memo Only, No GL 2, ..., Memo Only, No GL 5	Indicates whether the charge should be included in the bill amount or not.
Appears in Summary 1, Appears in Summary 2, ..., Appears in Summary 5	Indicates whether the charge should be included in the summary line or not.
Show on Bill 1, Show on Bill 2, ..., Show on Bill 5	Indicates whether the charge should appear on the customer's printed bill or not.
Distribution Code 1, Distribution Code 2, ..., Distribution Code 5	Displays the distribution code which indicates the GL account associated with the charge.
Characteristic Type 1, Characteristic Type 2, ..., Characteristic Type 5	Indicates the characteristic that must be defined for the billable charge.
Characteristic Value 1, Characteristic Value 2, ..., Characteristic Value 5	Displays the value of the characteristic type.

Note:

Only those columns that contain data in the CSV file appear in the **Usage Data** screen. For example, if information about only one characteristic is available for all processed records, then the Characteristic Type 1 and Characteristic Value 1 columns appear in the **Usage Data** screen. The Characteristic Type 2, Characteristic Type

Copyright © 2014, Oracle. All rights reserved.

3, Characteristic Type 4, Characteristic Type 5, Characteristic Value 2, Characteristic Value 3, Characteristic Value 4, and Characteristic Value 5 columns do not appear in the **Usage Data** screen.

Note:

Pagination is used to display limited number of records in the **Search Results** section. You can change the number of records displayed per page, if required. You can use the navigation buttons, such as **First** ( ), **Previous** ( ), **Next** (), and **Last** ( ) to navigate between pages. You can also select the page to which you want to navigate from the **Go To** list.

3. View the processed records of the usage data file in the **Usage Data** screen.
4. If required, you can change the number of records displayed per page.

   Note: By default, the number of records that appear in each page depends on the minimum value defined in the **PAGE_NUMBER** lookup field. For example, if the **PAGE_NUMBER** lookup field has four values — 10, 20, 30, and 40, then the number of records displayed in each page, by default, would be 10.

5. If required, you can click the **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) buttons to navigate *b*etween pages.
6. If required, you can filter the processed records in the **Usage Data** screen.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to filter the usage records	*Filtering Usage Records* on page 537

Viewing Cancelled Records of a Usage Data File

Procedure

To view cancelled records of a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the link in the **Cancelled** column corresponding to the usage data file *w*hose cancelled records you want to view.

   The **Usage Data** screen appears. It contains the following two sections:

   - **Search Criteria** — This section allows you to filter the cancelled records based on the various search criteria. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Name	Displays the name of the usage data file.	Not applicable
File Type	Indicates the type of the usage data file.	Not applicable
Default Usage Start Date	Displays the usage start date entered while uploading the usage data file.	Not applicable
Default Usage End Date	Displays the usage end date entered while uploading the usage data file.	Not applicable
Status	Indicates that all cancelled records are displayed in the **Usage Data** screen.	Not applicable

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Division	Used to specify the division to which the cancelled record belongs.	No
Account Identifier Type	Used to specify the identifier type based on which you want to search for the cancelled records.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to enter the account identifier type.
Account Identifier	Used to indicate the account whose cancelled records you want to view.	Yes (Conditional) **Note:** If you enter the account identifier type as a search criteria, you have to enter the account identifier.

- **Search Results** — By default, all cancelled records of the usage data file are listed in the **Search Results** section. You can filter the search results based on the specified criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Billable Charge ID	Indicates the billable charge which is generated for the usage record.
Account Identifier Type	Indicates the account identifier type.
Account Identifier	Indicates the account to which the cancelled record belongs.
Division	Indicates the division to which the cancelled record belongs.
Start Date	Displays the date from when the product was used. **Note:** If the start date is not available, the default usage start date appears in this column.
End Date	Displays the date till when the product was used. **Note:** If the end date is not available, the default usage end date appears in this column.
Description	Displays the description of the usage record. It is shown on the billable charge.
Product	Displays the product code.
Variance Parameter	Indicates the variance that must be used along with the product for determining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameter 1, Product Parameter 2, ..., Product Parameter 15	Indicates the product parameter that must be used along with the product for determining the product pricing. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Parameter Value 1, Parameter Value 2, ..., Parameter Value 15	Displays the value of the product parameter. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
SQI 1, SQI 2, ..., SQI 5	Indicates the service quantity identifier that must be used for calculating the product charges.
Service Quantity 1, Service Quantity 2, ..., Service Quantity 5	Displays the number of units of the service quantity.
Description on Bill 1, Description on Bill 2, ..., Description on Bill 5	Displays the description of the line item (charge).
Charge Amount 1, Charge Amount 2, ..., Charge Amount 5	Displays the charge amount.
Currency 1, Currency 2, ..., Currency 5	Displays the currency in which the amount is charged.
Memo Only, No GL 1, Memo Only, No GL 2, ..., Memo Only, No GL 5	Indicates whether the charge should be included in the bill amount or not.
Appears in Summary 1, Appears in Summary 2, ..., Appears in Summary 5	Indicates whether the charge should be included in the summary line or not.
Show on Bill 1, Show on Bill 2, ..., Show on Bill 5	Indicates whether the charge should appear on the customer's printed bill or not.
Distribution Code 1, Distribution Code 2, ..., Distribution Code 5	Displays the distribution code which indicates the GL account associated with the charge.
Characteristic Type 1, Characteristic Type 2, ..., Characteristic Type 5	Indicates the characteristic that must be defined for the billable charge.
Characteristic Value 1, Characteristic Value 2, ..., Characteristic Value 5	Displays the value of the characteristic type.
Reason	Indicates the reason why the usage record was cancelled.
Comments	Displays additional information entered while cancelling a usage record.

Note:

Only those columns that contain data in the CSV file appear in the **Usage Data** screen. For example, if information about only one characteristic is available for all cancelled records, then the Characteristic Type 1 and Characteristic Value 1 columns appear in the **Usage Data** screen. The Characteristic Type 2, Characteristic Type 3, Characteristic Type 4, Characteristic Type 5, Characteristic Value 2, Characteristic Value 3, Characteristic Value 4, and Characteristic Value 5 columns do not appear in the **Usage Data** screen.

Note:

Copyright © 2014, Oracle. All rights reserved.

Pagination is used to display limited number of records in the **Search Results** section. You can change the number of records displayed per page, if required. You can use the navigation buttons, such as **First** (<<), **Previous** (<), **Next** (>), and **Last** (>>) to navigate between pages. You can also select the page to which you want to navigate from the **Go To** list.

3. View the cancelled records of the usage data file in the **Usage Data** screen.
4. If required, you can change the number of records displayed per page.

   Note: By default, the number of records that appear in each page depends on the minimum value defined in the **PAGE_NUMBER** lookup field. For example, if the **PAGE_NUMBER** lookup field has four values — 10, 20, 30, and 40, then the number of records displayed in each page, by default, would be 10.
5. If required, you can click the **First** (<<), **Previous** (<), **Next** (>), and **Last** (>>) buttons to navigate between pages.
6. If required, you can filter the cancelled records in the **Usage Data** screen.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to filter the usage records	*Filtering Usage Records* on page 537

Viewing Rejected Records of a Usage Data File

Procedure

To view rejected records of a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the link in the **Rejected** column corresponding to the usage data file whose rejected records you want to view.

   The **Usage Data** screen appears. It contains the following two sections:

   - **Search Criteria** — This section allows you to filter the rejected records based on the various search criteria. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Name	Displays the name of the usage data file.	Not applicable
File Type	Indicates the type of the usage data file.	Not applicable
Default Usage Start Date	Displays the usage start date entered while uploading the usage data file.	Not applicable
Default Usage End Date	Displays the usage end date entered while uploading the usage data file.	Not applicable
Status	Indicates that all rejected records are displayed in the **Usage Data** screen.	Not applicable
Division	Used to specify the division to which the rejected record belongs.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier Type	Used to specify the identifier type based on which you want to search for the rejected records.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to enter the account identifier type.
Account Identifier	Used to indicate the account whose rejected records you want to view.	Yes (Conditional) **Note:** If you enter the account identifier type as a search criteria, you have to enter the account identifier.

- **Search Results** — By default, all rejected records of the usage data file are listed in the **Search Results** section. You can filter the search results based on the specified criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Account Identifier Type	Indicates the account identifier type.
Account Identifier	Indicates the account to which the rejected record belongs.
Division	Indicates the division to which the rejected record belongs.
Product	Displays the product code.
Start Date	Displays the date from when the product was used. **Note:** If the start date is not available, the default usage start date appears in this column.
End Date	Displays the date till when the product was used. **Note:** If the end date is not available, the default usage end date appears in this column.
Description	Displays the description of the usage record. It is shown on the billable charge.
Variance Parameter	Indicates the variance that must be used along with the product for determining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameter 1, Product Parameter 2, ..., Product Parameter 15	Indicates the product parameter that must be used along with the product for determining the product pricing. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Parameter Value 1, Parameter Value 2, ..., Parameter Value 15	Displays the value of the product parameter. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
SQI 1, SQI 2, ..., SQI 5	Indicates the service quantity identifier that must be used for calculating the product charges.
Service Quantity 1, Service Quantity 2, ..., Service Quantity 5	Displays the number of units of the service quantity.
Description on Bill 1, Description on Bill 2, ..., Description on Bill 5	Displays the description of the line item (charge).
Charge Amount 1, Charge Amount 2, ..., Charge Amount 5	Displays the charge amount.
Currency 1, Currency 2, ..., Currency 5	Displays the currency in which the amount is charged.
Memo Only, No GL 1, Memo Only, No GL 2, ..., Memo Only, No GL 5	Indicates whether the charge should be included in the bill amount or not.
Appears in Summary 1, Appears in Summary 2, ..., Appears in Summary 5	Indicates whether the charge should be included in the summary line or not.
Show on Bill 1, Show on Bill 2, ..., Show on Bill 5	Indicates whether the charge should appear on the customer's printed bill or not.
Distribution Code 1, Distribution Code 2, ..., Distribution Code 5	Displays the distribution code which indicates the GL account associated with the charge.
Characteristic Type 1, Characteristic Type 2, ..., Characteristic Type 5	Indicates the characteristic that must be defined for the billable charge.
Characteristic Value 1, Characteristic Value 2, ..., Characteristic Value 5	Displays the value of the characteristic type.
Reason	Indicates the reason why the usage record was rejected by the approver.
Comments	Displays additional information entered while rejecting a usage record.

Note:

Only those columns that contain data in the CSV file appear in the **Usage Data** screen. For example, if information about only one characteristic is available for all rejected records, then the Characteristic Type 1 and Characteristic Value 1 columns appear in the **Usage Data** screen. The Characteristic Type 2, Characteristic Type 3, Characteristic Type 4, Characteristic Type 5, Characteristic Value 2, Characteristic Value 3, Characteristic Value 4, and Characteristic Value 5 columns do not appear in the **Usage Data** screen.

Note:

Copyright © 2014, Oracle. All rights reserved.

Pagination is used to display limited number of records in the **Search Results** section. You can change the number of records displayed per page, if required. You can use the navigation buttons, such as **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) to navigate between pages. You can also select the page to which you want to navigate from the **Go To** list.

3. View the rejected records of the usage data file in the **Usage Data** screen.
4. If required, you can change the number of records displayed per page.

   Note: By default, the number of records that appear in each page depends on the minimum value defined in the **PAGE_NUMBER** lookup field. For example, if the **PAGE_NUMBER** lookup field has four values — 10, 20, 30, and 40, then the number of records displayed in each page, by default, would be 10.
5. If required, you can click the **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) buttons to navigate between pages.
6. If required, you can filter the rejected records in the **Usage Data** screen.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to filter the usage records	*Filtering Usage Records* on page 537

Viewing Billed Records of a Usage Data File

Procedure

To view billed records of a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the link in the **Billed** column corresponding to the usage data file whose billed records you want to view.

   The **Usage Data** screen appears. It contains the following two sections:

   - **Search Criteria** — This section allows you to filter the billed records based on the various search criteria. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Name	Displays the name of the usage data file.	Not applicable
File Type	Indicates the type of the usage data file.	Not applicable
Default Usage Start Date	Displays the usage start date entered while uploading the usage data file.	Not applicable
Default Usage End Date	Displays the usage end date entered while uploading the usage data file.	Not applicable
Status	Indicates that all billed records are displayed in the **Usage Data** screen.	Not applicable
Division	Used to specify the division to which the billed record belongs.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier Type	Used to specify the identifier type based on which you want to search for the billed records.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to enter the account identifier type.
Account Identifier	Used to indicate the account whose billed records you want to view.	Yes (Conditional) **Note:** If you enter the account identifier type as a search criteria, you have to enter the account identifier.

- **Search Results** — By default, all billed records of the usage data file are listed in the **Search Results** section. You can filter the search results based on the specified criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Billable Charge ID	Indicates the billable charge which is generated for the usage record.
Account Identifier Type	Indicates the account identifier type.
Account Identifier	Indicates the account to which the billed record belongs.
Division	Indicates the division to which the billed record belongs.
Start Date	Displays the date from when the product was used. **Note:** If the start date is not available, the default usage start date appears in this column.
End Date	Displays the date till when the product was used. **Note:** If the end date is not available, the default usage end date appears in this column.
Description	Displays the description of the usage record. It is shown on the billable charge.
Product	Displays the product code.
Variance Parameter	Indicates the variance that must be used along with the product for determining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameter 1, Product Parameter 2, ..., Product Parameter 15	Indicates the product parameter that must be used along with the product for determining the product pricing. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Parameter Value 1, Parameter Value 2, ..., Parameter Value 15	Displays the value of the product parameter. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
SQI 1, SQI 2, ..., SQI 5	Indicates the service quantity identifier that must be used for calculating the product charges.
Service Quantity 1, Service Quantity 2, ..., Service Quantity 5	Displays the number of units of the service quantity.
Description on Bill 1, Description on Bill 2, ..., Description on Bill 5	Displays the description of the line item (charge).
Charge Amount 1, Charge Amount 2, ..., Charge Amount 5	Displays the charge amount.
Currency 1, Currency 2, ..., Currency 5	Displays the currency in which the amount is charged.
Memo Only, No GL 1, Memo Only, No GL 2, ..., Memo Only, No GL 5	Indicates whether the charge should be included in the bill amount or not.
Appears in Summary 1, Appears in Summary 2, ..., Appears in Summary 5	Indicates whether the charge should be included in the summary line or not.
Show on Bill 1, Show on Bill 2, ..., Show on Bill 5	Indicates whether the charge should appear on the customer's printed bill or not.
Distribution Code 1, Distribution Code 2, ..., Distribution Code 5	Displays the distribution code which indicates the GL account associated with the charge.
Characteristic Type 1, Characteristic Type 2, ..., Characteristic Type 5	Indicates the characteristic that must be defined for the billable charge.
Characteristic Value 1, Characteristic Value 2, ..., Characteristic Value 5	Displays the value of the characteristic type.

Note:

Only those columns that contain data in the CSV file appear in the **Usage Data** screen. For example, if information about only one characteristic is available for all billed records, then the Characteristic Type 1 and Characteristic Value 1 columns appear in the **Usage Data** screen. The Characteristic Type 2, Characteristic Type 3, Characteristic Type 4, Characteristic Type 5, Characteristic Value 2, Characteristic Value 3, Characteristic Value 4, and Characteristic Value 5 columns do not appear in the **Usage Data** screen.

Note:

Pagination is used to display limited number of records in the **Search Results** section. You can change the number of records displayed per page, if required. You can use the navigation buttons, such as **First** ( ), **Previous**

Copyright © 2014, Oracle. All rights reserved.

(<), **Next** (>), and **Last** (>>) to navigate between pages. You can also select the page to which you want to navigate from the **Go To** list.

3. View the billed records of the usage data file in the **Usage Data** screen.
4. If required, you can change the number of records displayed per page.

   Note: By default, the number of records that appear in each page depends on the minimum value defined in the **PAGE_NUMBER** lookup field. For example, if the **PAGE_NUMBER** lookup field has four values — 10, 20, 30, and 40, then the number of records displayed in each page, by default, would be 10.
5. If required, you can click the **First** (<<), **Previous** (<), **Next** (>), and **Last** (>>) buttons to navigate *b*etween pages.
6. If required, you can filter the billed records in the **Usage Data** screen.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to filter the usage records	*Filtering Usage Records* on page 537

Viewing Unbilled Records of a Usage Data File

Procedure

To view unbilled records of a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the link in the **Unbilled** column corresponding to the usage data file whose *u*nbilled records you want to view.

   The **Usage Data** screen appears. It contains the following two sections:

   - **Search Criteria** — This section allows you to filter the unbilled records based on the various search criteria. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
File Name	Displays the name of the usage data file.	Not applicable
File Type	Indicates the type of the usage data file.	Not applicable
Default Usage Start Date	Displays the usage start date entered while uploading the usage data file.	Not applicable
Default Usage End Date	Displays the usage end date entered while uploading the usage data file.	Not applicable
Status	Indicates that all unbilled records are displayed in the **Usage Data** screen.	Not applicable
Division	Used to specify the division to which the unbilled record belongs.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Account Identifier Type	Used to specify the identifier type based on which you want to search for the unbilled records.	Yes (Conditional) **Note:** If you enter the account identifier as a search criteria, you have to enter the account identifier type.
Account Identifier	Used to indicate the account whose unbilled records you want to view.	Yes (Conditional) **Note:** If you enter the account identifier type as a search criteria, you have to enter the account identifier.

- **Search Results** — By default, all unbilled records of the usage data file are listed in the **Search Results** section. You can filter the search results based on the specified criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Billable Charge ID	Indicates the billable charge which is generated for the usage record.
Account Identifier Type	Indicates the account identifier type.
Account Identifier	Indicates the account to which the unbilled record belongs.
Division	Indicates the division to which the unbilled record belongs.
Start Date	Displays the date from when the product was used. **Note:** If the start date is not available, the default usage start date appears in this column.
End Date	Displays the date till when the product was used. **Note:** If the end date is not available, the default usage end date appears in this column.
Description	Displays the description of the usage record. It is shown on the billable charge.
Product	Displays the product code.
Variance Parameter	Indicates the variance that must be used along with the product for determining the product pricing. **Note:** This column appears only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **False**.
Product Parameter 1, Product Parameter 2, ..., Product Parameter 15	Indicates the product parameter that must be used along with the product for determining the product pricing. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Parameter Value 1, Parameter Value 2, ..., Parameter Value 15	Displays the value of the product parameter. **Note:** These columns appear only when the **Multi Price Parameter** option type of the **Multi Parameter Based Pricing (C1_PPARM_FLG)** feature configuration is set to **True**.
SQI 1, SQI 2, ..., SQI 5	Indicates the service quantity identifier that must be used for calculating the product charges.
Service Quantity 1, Service Quantity 2, ..., Service Quantity 5	Displays the number of units of the service quantity.
Description on Bill 1, Description on Bill 2, ..., Description on Bill 5	Displays the description of the line item (charge).
Charge Amount 1, Charge Amount 2, ..., Charge Amount 5	Displays the charge amount.
Currency 1, Currency 2, ..., Currency 5	Displays the currency in which the amount is charged.
Memo Only, No GL 1, Memo Only, No GL 2, ..., Memo Only, No GL 5	Indicates whether the charge should be included in the bill amount or not.
Appears in Summary 1, Appears in Summary 2, ..., Appears in Summary 5	Indicates whether the charge should be included in the summary line or not.
Show on Bill 1, Show on Bill 2, ..., Show on Bill 5	Indicates whether the charge should appear on the customer's printed bill or not.
Distribution Code 1, Distribution Code 2, ..., Distribution Code 5	Displays the distribution code which indicates the GL account associated with the charge.
Characteristic Type 1, Characteristic Type 2, ..., Characteristic Type 5	Indicates the characteristic that must be defined for the billable charge.
Characteristic Value 1, Characteristic Value 2, ..., Characteristic Value 5	Displays the value of the characteristic type.

Note:

Only those columns that contain data in the CSV file appear in the **Usage Data** screen. For example, if information about only one characteristic is available for all unbilled records, then the Characteristic Type 1 and Characteristic Value 1 columns appear in the **Usage Data** screen. The Characteristic Type 2, Characteristic Type 3, Characteristic Type 4, Characteristic Type 5, Characteristic Value 2, Characteristic Value 3, Characteristic Value 4, and Characteristic Value 5 columns do not appear in the **Usage Data** screen.

Note:

Pagination is used to display limited number of records in the **Search Results** section. You can change the number of records displayed per page, if required. You can use the navigation buttons, such as **First** ( ), **Previous**

Copyright © 2014, Oracle. All rights reserved.

(<), **Next** (>), and **Last** (>>) to navigate between pages. You can also select the page to which you want to navigate from the **Go To** list.

3. View the unbilled records of the usage data file in the **Usage Data** screen.
4. If required, you can change the number of records displayed per page.

   Note: By default, the number of records that appear in each page depends on the minimum value defined in the **PAGE_NUMBER** lookup field. For example, if the **PAGE_NUMBER** lookup field has four values — 10, 20, 30, and 40, then the number of records displayed in each page, by default, would be 10.
5. If required, you can click the **First** (<<), **Previous** (<), **Next** (>), and **Last** (>>) buttons to navigate *b*etween pages.
6. If required, you can filter the unbilled records in the **Usage Data** screen.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to filter the usage records	*Filtering Usage Records* on page 537

Viewing All Bills Generated for a Usage Data File

Procedure

To view all bills generated for a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the link in the **Bills** column corresponding to the usage data file whose bills *y*ou want to view.

   The **View Bill Data** screen appears. It contains the following fields:

Field Name	Field Description
File Name	Displays the name of the usage data file.
File Type	Indicates the type of the usage data file.
Default Usage Start Date	Displays the usage start date entered while uploading the usage data file.
Default Usage End Date	Displays the usage end date entered while uploading the usage data file.
Billing Date	Displays the date when the bills were generated for the usage data file.
Billing Method	Indicates the type of billing used for the usage data file. The valid values are: • Adhoc Billing • Regular Billing

   In addition, this screen contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Bill ID	Displays the bill ID. **Note:** It has a link. On clicking the link, the **Bill** screen appears with the details of the respective bill.
Alternate Bill ID	Displays the alternate bill ID.
Bill Status	Displays the status of the bill. The valid values are: • Pending • Complete
Completion Date	Displays the date and time when the bill was completed.
Invoice Amount	Displays the total amount billed to the customer.
Invoice Currency	Displays the currency in which the amount is billed to the customer.
Invoice Account Info	Indicates the account for which the bill is created. **Note:** It has a link. On clicking the link, the **Account** screen appears with the details of the respective account.

Note:

Pagination is used to display limited number of records in the **Search Results** section. You can change the number of records displayed per page, if required. You can use the navigation buttons, such as **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) to navigate between pages. You can also select the page to which you want to navigate from the **Go To** list.

3. View the bills generated for the usage data file in the **View Bill Data** screen.
4. If required, you can change the number of records displayed per page.

   Note: By default, the number of records that appear in each page depends on the minimum value defined in the **PAGE_NUMBER** lookup field. For example, if the **PAGE_NUMBER** lookup field has four values — 10, 20, 30, and 40, then the number of records displayed in each page, by default, would be 10.
5. If required, you can click the **First** ( ), **Previous** ( ), **Next** ( ), and **Last** ( ) buttons to navigate between pages.
6. If required, you can freeze and complete adhoc bills which are generated for the usage data file.

   Note:

   The **Freeze/Complete** button is not available in the **View Bill Data** screen when:

   - All bills generated for a usage data file are in the **Complete** status
   - Multiple bills are generated for a usage data file and one or more bill segments of each bill are in the **Error** status

   In other words, the **Freeze/Complete** button is available in the **View Bill Data** screen only when there is at least one pending bill for a usage data file where none of the bill segments are in the **Error** status.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to freeze and complete one or more bills	*Freezing Selected Bills of a Usage Data File* on page 531

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to freeze and complete all bills of a usage data file	*Freezing All Bills of a Usage Data File* on page 531

Submitting a Valid Record

Procedure

To submit a valid record:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the **Submit** button corresponding to the usage data file whose valid records you want to submit.

   The system behaves in the following manner when:

   - **Billing Method — Adhoc Billing, Approval Workflow — Off, and Bill After Date — Current or Future Date:** A billable charge is created for each valid usage record. The **Adhoc Bill** flag is set to **Y** and the **Bill After Date** is stamped on the billable charge. If the total number of valid records in a usage data file exceeds the transaction limit, a batch job is created using the **Billable Charge Creation (C1-ODBCH)** batch. A message appears indicating the batch job ID. This batch job creates a billable charge for each valid usage record. The status of the usage record is changed to **Processed**.
   - **Billing Method — Adhoc Billing, Approval Workflow — On, and Bill After Date — Current or Future Date:** A To Do entry is created for the approver to approve the valid records. The status of the usage record is changed to **Submitted**.
   - **Billing Method — Regular Billing, Approval Workflow — Off, and Bill After Date — Specified:** A billable charge is created for each valid usage record. The **Adhoc Bill** flag is set to **N** and the **Bill After Date** is stamped on the billable charge. If the total number of valid records in a usage data file exceeds the transaction limit, a batch job is created using the **Billable Charge Creation (C1-ODBCH)** batch. A message appears indicating the batch job ID. This batch job creates a billable charge for each valid usage record. The status of the usage record is changed to **Processed**. The bills will be generated for the account in the bill cycle in which the bill after date falls.
   - **Billing Method — Regular Billing, Approval Workflow — Off, and Bill After Date — Not Specified:** A billable charge is created for each valid usage record. The **Adhoc Bill** flag is set to **N** in the billable charge. If the total number of valid records in a usage data file exceeds the transaction limit, a batch job is created using the **Billable Charge Creation (C1-ODBCH)** batch. A message appears indicating the batch job ID. This batch job creates a billable charge for each valid usage record. The status of the usage record is changed to **Processed**. The bills will be generated for the account based on the bill cycle defined for the account.
   - **Billing Method — Regular Billing and Approval Workflow — On:** A To Do entry is created for the approver to approve the valid records. The status of the usage record is changed to **Submitted**.

   Note:

   You can change the transaction limit, whenever required, using the **On Demand Billing (C1–ODBFC)** feature configuration. For more information on the **Billable Charge Creation (C1-ODBCH)** batch, see *Oracle Revenue Management and Billing Batch Execution Guide*.

   If you want to create billable charges for valid usage records where start date is a future date, then ensure that the **Use Calendar Billing** option is set to **Allow Advanced Billing** in the respective contract type.

   If a batch job is created automatically, the number of valid records for which billable charges are created in each work unit depends on the value defined for the **Billable Charge Chunk Size** option type in the **On Demand Billing (C1–ODBFC)** feature configuration.

Copyright © 2014, Oracle. All rights reserved.

In case an account belongs to an invoicing group, the billable charge is created for the member account and the bill is generated for the master account.

On successful completion of the **Billable Charge Creation (C1-ODBCH)** batch, a To Do entry is created using the **C1-ODBCH** To Do type. You can view this To Do entry only when you are assigned a To Do role which is mapped to the **C1-ODBCH** To Do type. This To Do indicates whether the batch was successfully executed or not. If the batch was successfully executed, it indicates the following:

- Number of records for which billable charges were created
- Number of records for which billable charges could not be created successfully

3. If a batch job is created automatically, click **OK** in the message box.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to set the **On Demand Billing (C1–ODBFC)** feature configuration	*Setting the On Demand Billing (C1-ODBFC) Feature Configuration* on page 578

Approving a Valid Record

You can view the number of records which are pending for approval in the **Submitted** column corresponding to the usage data file in the **On Demand Billing** screen. The approver can review, and accordingly approve or reject the usage record based on the observations.

Note: The system will not allow you to approve or reject a usage record submitted by you.

Procedure

To approve a valid record:

1. Do either of the following:

If you want to	Then
Approve the usage record from the **On Demand Billing** screen	1. Search for the usage data file in the **On Demand Billing** screen. 2. In the **Search Results** section, click the **Approve** button corresponding to the usage data file whose records you want to review.
Approve the usage record from the **To Do List** screen	1. From the **Main Menu**, select **To Do** and then click **To Do List**. The **To Do Type for User Search** window appears. 2. Select the type of To Do entries you want to view. The **To Do List** screen appears. 3. Select **Open** from the **Filter by** list to view all unassigned To Dos.

Copyright © 2014, Oracle. All rights reserved.

If you want to	Then
	4. Click the **Submitted Message** link corresponding to the To Do entry whose records you want to review.

The **Usage Data** screen appears.

2. Review the usage records which you want approve or reject.
3. Do either of the following:

If you want to	Then
Approve one or more usage records	**1.** If the usage record is accurate, then select the check box corresponding to the usage record. **2.** Click **Approve**. The system behaves in the following manner when: • **Billing Method — Adhoc Billing and Bill After Date — Current or Future Date:** A billable charge is created for each valid record which is approved. The **Adhoc Bill** flag is set to **Y** and the **Bill After Date** is stamped on the billable charge. The status of the usage record is changed to **Processed**. • **Billing Method — Regular Billing and Bill After Date — Specified:** A billable charge is created for each valid record which is approved. The **Adhoc Bill** flag is set to **N** and the **Bill After Date** is stamped on the billable charge. The status of the usage record is changed to **Processed**. The bills will be generated for the account in the bill cycle in which the bill after date falls. • **Billing Method — Regular Billing and Bill After Date — Not Specified:** A billable charge is created for each valid record which is approved. The **Adhoc Bill** flag is set to **N** in the billable charge. The status of the usage record is changed to **Processed**. The bills will be generated for the account based on the bill cycle defined for the account.
Approve all usage records	**1.** Click **Approve All**. The system behaves in the following manner when: • **Billing Method — Adhoc Billing and Bill After Date — Current or Future Date:** A billable charge is created for each valid record which is approved. The **Adhoc Bill** flag is set to **Y** and the **Bill After Date** is stamped on the billable charge. If the total number of records that you want to approve exceeds the transaction limit, a batch job is created using the **Billable Charge Creation (C1-**

Copyright © 2014, Oracle. All rights reserved.

If you want to	Then
	ODBCH) batch. A message appears indicating the batch job ID. This batch job creates a billable charge for each valid usage record. The status of the usage record is changed to **Processed**. • **Billing Method — Regular Billing and Bill After Date — Specified:** A billable charge is created for each valid record which is approved. The **Adhoc Bill** flag is set to **N** and the **Bill After Date** is stamped on the billable charge. If the total number of records that you want to approve exceeds the transaction limit, a batch job is created using the **Billable Charge Creation (C1-ODBCH)** batch. A message appears indicating the batch job ID. This batch job creates a billable charge for each valid usage record. The status of the usage record is changed to **Processed**. The bills will be generated for the account in the bill cycle in which the bill after date falls. • **Billing Method — Regular Billing and Bill After Date — Not Specified:** A billable charge is created for each valid record which is approved. The **Adhoc Bill** flag is set to **N** in the billable charge. If the total number of records that you want to approve exceeds the transaction limit, a batch job is created using the **Billable Charge Creation (C1-ODBCH)** batch. A message appears indicating the batch job ID. This batch job creates a billable charge for each valid usage record. The status of the usage record is changed to **Processed**. The bills will be generated for the account based on the bill cycle defined for the account.

Note:

You can change the transaction limit, whenever required, using the **On Demand Billing (C1–ODBFC)** feature configuration. For more information on the **Billable Charge Creation (C1-ODBCH)** batch, see *Oracle Revenue Management and Billing Batch Execution Guide*.

If you want to create billable charges for approved records where start date is a future date, then ensure that the **Use Calendar Billing** option is set to **Allow Advanced Billing** in the respective contract type.

If a batch job is created automatically, the number of approved records for which billable charges are created in each work unit depends on the value defined for the **Billable Charge Chunk Size** option type in the **On Demand Billing (C1–ODBFC)** feature configuration.

In case an account belongs to an invoicing group, the billable charge is created for the member account and the bill is generated for the master account.

On successful completion of the **Billable Charge Creation (C1-ODBCH)** batch, a To Do entry is created using the **C1-ODBCH** To Do type. You can view this To Do entry only when you are assigned a To Do role which is mapped to the **C1-ODBCH** To Do type. This To Do indicates whether the batch was successfully executed or not. If the batch was successfully executed, it indicates the following:

- Number of records for which billable charges were created
- Number of records for which billable charges could not be created successfully

Copyright © 2014, Oracle. All rights reserved.

4. If a batch job is created automatically, click **OK** in the message box.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to set the **On Demand Billing (C1–ODBFC)** feature configuration	*Setting the On Demand Billing (C1-ODBFC) Feature Configuration* on page 578

Generating Adhoc Bills

Procedure

To generate adhoc bills for a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the **Generate Bill** button corresponding to the usage data file for which you want to generate adhoc bills.

   An adhoc bill is generated for a usage data file and account combination when the bill after date is equal to or earlier than the current date. The status of the usage records is changed to **Billed**. If the total number of billable charges created for a usage data file exceeds the online bill creation limit, a batch job is created using the **Adhoc Billing (C1-FABL)** batch. A message appears indicating the batch job ID. This batch job creates adhoc bills for the usage data file.

   Note:

   You can change the online bill creation limit, whenever required, using the **On Demand Billing (C1–ODBFC)** feature configuration. For more information on the **Adhoc Billing (C1-FABL)** batch, see *Oracle Revenue Management and Billing Batch Execution Guide*.

   If an adhoc bill with the **Pending** status already exists for a usage data file and account combination, then the existing bill is deleted and regenerated. If an adhoc bill with the **Completed** status already exists for a usage data file and account combination, then a new bill is generated (but the existing bill is not deleted). If a completed bill of a usage data file and account combination is cancelled (in other words, bill segments in an adhoc bill are cancelled), a new bill is generated (but the existing bill is not deleted).

   In case an account belongs to an invoicing group, the billable charge is created for the member account and the bill is generated for the master account.

   On successful completion of the **Adhoc Billing (C1-FABL)** batch, a To Do entry is created using the **C1-FABL** To Do type. You can view this To Do entry only when you are assigned a To Do role which is mapped to the **C1-FABL** To Do type. This To Do indicates whether the batch was successfully executed or not. If the batch was successfully executed, it indicates the following:

   - Number of billable charges which were processed
   - Number of billable charges for which the bill after date is a future date
   - Number of adhoc bills generated for the usage data file
   - Number of billable charges which could not be processed successfully

3. If a batch job is created automatically, click **OK** in the message box.

   Once the batch is executed successfully, the status of the usage records is changed to **Billed**.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to set the **On Demand Billing (C1–ODBFC)** feature configuration	*Setting the On Demand Billing (C1-ODBFC) Feature Configuration* on page 578

Freezing All Bills of a Usage Data File

Oracle Revenue Management and Billing provides you with the ability to freeze and complete adhoc bills generated for a usage data file from the **On Demand Billing** screen. You can either freeze and complete all or selected adhoc bills, whenever required. However, you cannot freeze and complete normal or regular bills from the **On Demand Billing** screen.

Procedure

To freeze and complete all adhoc bills generated for a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the **Freeze and Complete** button corresponding to the usage data file whose adhoc bills you want to freeze and complete.

   A batch job is created using the **Freeze and Complete Adhoc Bills (C1-FCADH)** batch. A message appears indicating the batch job ID. This batch job freezes and completes all adhoc bills of the usage data file which are in the **Pending** status. The system does not freeze and complete pending adhoc bills which have bill segments in the **Error** status. For more information on the **Freeze and Complete Adhoc Bills (C1-FCADH)** batch, see *Oracle Revenue Management and Billing Batch Execution Guide*.

   Note:

   On successful completion of the **Freeze and Complete Adhoc Bills (C1-FCADH)** batch, a To Do entry is created using the **C1-FCADH** To Do type. You can view this To Do entry only when you are assigned a To Do role which is mapped to the **C1-FCADH** To Do type. This To Do indicates whether the batch was successfully executed or not. If the batch was successfully executed, it indicates the following:

   - Number of bills which were picked up for completion
   - Number of bills which were completed
   - Number of bills which could not be completed successfully
3. Click **OK** in the message box.

   Once the batch is executed successfully, the status of the bills is changed to **Complete**.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to freeze and complete one or more bills	*Freezing Selected Bills of a Usage Data File* on page 531

Freezing Selected Bills of a Usage Data File

Oracle Revenue Management and Billing provides you with the ability to freeze and complete adhoc bills generated for a usage data file from the **On Demand Billing** screen. You can either freeze and complete all or selected adhoc

Copyright © 2014, Oracle. All rights reserved.

bills, whenever required. However, you cannot freeze and complete normal or regular bills from the **On Demand Billing** screen.

Procedure

To freeze and complete selected adhoc bills of a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the link in the **Bills** column corresponding to the usage data file whose adhoc bills you want to freeze and complete.

   The **View Bill Data** screen appears.
3. Select the check box corresponding to the pending adhoc bill that you want to freeze and complete.

   Note: The check box does not appear corresponding to the completed adhoc bills and pending adhoc bills which have bill segments in the **Error** status.
4. Click **Freeze/Complete**.

   The status of the bills is changed to **Complete**.

   Note:

   The **Freeze/Complete** button is not available in the **View Bill Data** screen when:

   - All bills generated for a usage data file are in the **Complete** status
   - Multiple bills are generated for a usage data file and one or more bill segments of each bill are in the **Error** status

   In other words, the **Freeze/Complete** button is available in the **View Bill Data** screen only when there is at least one pending bill for a usage data file where none of the bill segments are in the **Error** status.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to freeze and complete all bills of a usage data file	*Freezing All Bills of a Usage Data File* on page 531

Rejecting a Valid Record

You can view the number of records which are pending for approval in the **Submitted** column corresponding to the usage data file in the **On Demand Billing** screen. The approver can review, and accordingly approve or reject the usage record based on the observations.

Note: The system will not allow you to approve or reject a usage record submitted by you.

Procedure

To reject a valid record:

1. Do either of the following:

If you want to	Then
Reject the usage record from the **On Demand Billing** screen	1. Search for the usage data file in the **On Demand Billing** screen.

Copyright © 2014, Oracle. All rights reserved.

If you want to	Then
	2. In the **Search Results** section, click the **Approve** button corresponding to the usage data file whose records you want to review.
Reject the usage record from the **To Do List** screen	1. From the **Main Menu**, select **To Do** and then click **To Do List**. The **To Do Type for User Search** window appears. 2. Select the type of To Do entries you want to view. The **To Do List** screen appears. 3. Select **Open** from the **Filter by** list to view all unassigned To Dos. 4. Click the **Submitted Message** link corresponding to the To Do entry whose records you want to review.

The **Usage Data** screen appears.

2. Review the usage records which you want approve or reject.
3. Do either of the following:

If you want to	Then
Reject one or more usage records	1. If the usage record is not appropriate, then select the check box corresponding to the usage record. 2. Click **Reject**.
Reject all usage records	1. Click **Reject All**.

The **Rejection Reason** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Reason	Used to indicate the reason why you want to reject the usage record.	Yes
Comments	Used to specify additional information while rejecting the usage record.	Yes

4. Select the reason for rejecting the usage record and enter the comments in the respective field.

   Note: The **ODB_REJ_RSN_FLG** lookup field values appear in the **Reason** list.

5. Click **OK**.

   The status of the usage record is changed to **Rejected**. A To Do entry is created for the submitter to include correct or missing data.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495

Cancelling a Record in a Usage Data File

Oracle Revenue Management and Billing allows you to cancel one or more records in a usage data file. However, you can cancel only those records which are in the **Valid**, **Invalid** or **Rejected** status.

Procedure

To cancel a record in a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the link in the **Total** column corresponding to the usage data file whose *r*ecords you want to cancel.

   The **Usage Data** screen appears.
3. Select **Valid**, **Invalid**, or **Rejected** from the **Status** list depending on whether you want to cancel a valid, *i*nvalid, or rejected record.
4. Click **Search**.

   The search results are filtered based on the specified criteria.

   Note: The check box corresponding to each usage record and the **Cancel** button are enabled.
5. Select the check box corresponding to the usage record that you want to cancel.
6. Click **Cancel**.

   The **Cancel Reason** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Reason	Used to indicate the reason why you want to cancel the usage record.	Yes
Comments	Used to specify additional information while cancelling the usage record.	Yes

7. Select the reason for cancelling the usage record and enter the comments in the respective field.

   Note: The **ODB_CAN_RSN_FLG** lookup field values appear in the **Reason** list.
8. Click **OK**.

   The status of the usage record is changed to **Cancelled**.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495

Cancelling a Usage Data File

There might be situations when incorrect usage data file is uploaded in the system. In such case, the system provides you with an ability to cancel the file. Once the usage data file is cancelled, the status of the file and all usage records

Copyright © 2014, Oracle. All rights reserved.

in the file is changed to **Cancelled**. However, note that you can cancel a usage data file only when there are no records (in other words, zero records) in the **Processed** and **Submitted** statuses.

Procedure

To cancel a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. In the **Search Results** section, click the **Cancel** button corresponding to the usage data file that you want to cancel.

   A message appears confirming whether you want to cancel the usage data file.
3. Click **OK**.

   The **Cancel Reason** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Reason	Used to indicate the reason why you want to cancel the usage data file.	Yes
Comments	Used to specify additional information while cancelling the usage data file.	Yes

4. Select the reason for cancelling the usage data file and enter the comments in the respective field.

   Note: The **ODB_CAN_RSN_FLG** lookup field values appear in the **Reason** list.
5. Click **OK**.

   The status of the usage data file is changed to **Cancelled**. Also, the status of all valid, invalid and rejected records in the usage data file is changed to **Cancelled**.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495

Revalidating a Usage Data File

There might be situations when you want to execute the validation process once again on the usage data file. For example, initially when the usage data file was uploaded, accounts didn't have an active contract and therefore the status of the usage records was set to **Invalid**. Later, a contract was created and activated for each account (whose usage records are available in the usage data file). In such case, you need to execute the validation process once again on the usage data file. However, note that when you revalidate a usage data file, only the records in the **Valid** and **Invalid** status are revalidated.

Procedure

To revalidate a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. Click the **Revalidate** button corresponding to the usage data file on which you want to execute the validation process once again.

   The valid and invalid records are revalidated, and accordingly the status of records is changed. A message appears indicating that the validation process has completed successfully.

   Note:

Copyright © 2014, Oracle. All rights reserved.

If the usage data file size exceeds the value derived by multiplying average record size and transaction limit, a batch job is created using the **Upload and Validate Usage Data File (C1-ODFU)** batch. A message appears indicating the batch job ID. This batch job revalidates the usage data file. You can change the average record size and transaction limit using the **On Demand Billing (C1–ODBFC)** feature configuration. For more information on the **Upload and Validate Usage Data File (C1-ODFU)** batch, see *Oracle Revenue Management and Billing Batch Execution Guide*.

If a batch job is created automatically, the number of usage records that are revalidated in each work unit depends on the value defined for the **Validation Chunk Size** option type in the **On Demand Billing (C1–ODBFC)** feature configuration.

On successful completion of the **Upload and Validate Usage Data File (C1-ODFU)** batch, a To Do entry is created using the **C1-ODFU** To Do type. You can view this To Do entry only when you are assigned a To Do role which is mapped to the **C1-ODFU** To Do type. This To Do indicates whether the batch was successfully executed or not. If the batch was successfully executed, it indicates the following:

- Number of records which were successfully validated
- Number of records which could not pass through the validation process
- Number of records which failed to validate due to some technical reasons

3. Click **OK** in the message box.

   Once a usage record is successfully validated, the status of the usage record is changed to **Valid**. And, if a usage record could not pass through the validation process, the status of the usage record is changed to **Invalid**.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495
How to set the **On Demand Billing (C1–ODBFC)** feature configuration	*Setting the On Demand Billing (C1-ODBFC) Feature Configuration* on page 578

Editing a Valid, Invalid, or Rejected Usage Record

If the usage record validation fails or the approver rejects the usage record due to some reason, the status of the record is changed to **Invalid** or **Rejected**, respectively. You need to then correct the existing data or add the missing data. The system allows you to edit the valid, invalid, and rejected usage records.

Procedure

To edit a valid, invalid or rejected usage record:

1. Search for the usage data file in the **On Demand Billing** screen.
2. Depending on whether you want to edit a valid, invalid, or rejected record, click the link in the **Valid**, **Invalid**, *or* **Rejected** column corresponding to the usage data file whose records you want to edit.

   The **Usage Data** screen appears. The columns in the**Search Results** section are editable.

   Note:

   In case of rejected records, all columns except the **Reason** and **Comments** columns are editable.

   In case of invalid record, the field with incorrect or missing data is highlighted with the red color. This helps to easily identify the reason why the validation process failed.

3. Enter the correct or missing data in the respective field.
4. Click **Save**.

Copyright © 2014, Oracle. All rights reserved.

All valid, invalid, or rejected usage records are validated once again. Once the validation process has completed successfully, the status of the records is changed accordingly.

Related Topics

For more information on...	See...
How to search for a usage data file	*Searching for a Usage Data File* on page 495

Filtering Usage Records

Procedure

To filter records of a usage data file:

1. Search for the usage data file in the **On Demand Billing** screen.
2. Depending on whether you want to filter total, valid, invalid, submitted, processed, rejected, cancelled, billed, or *u*nbilled usage records, click the link in the respective column corresponding to the usage data file.

   The **Usage Data** screen appears.
3. Enter the search criteria based on which you want to filter the records.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.
4. Click **Search**.

   The search results are filtered based on the specified criteria.

Related Topics

For more information on...	See...
How to view all records of a usage data file	*Viewing All Records of a Usage Data File* on page 498
How to view valid records of a usage data file	*Viewing Valid Records of a Usage Data File* on page 501
How to view invalid records of a usage data file	*Viewing Invalid Records of a Usage Data File* on page 503
How to view submitted records of a usage data file	*Viewing Submitted Records of a Usage Data File* on page 506
How to view processed records of a usage data file	*Viewing Processed Records of a Usage Data File* on page 509
How to view rejected records of a usage data file	*Viewing Rejected Records of a Usage Data File* on page 515
How to view cancelled records of a usage data file	*Viewing Cancelled Records of a Usage Data File* on page 512
How to view billed records of a usage data file	*Viewing Billed Records of a Usage Data File* on page 518
How to view unbilled records of a usage data file	*Viewing Unbilled Records of a Usage Data File* on page 521

Copyright © 2014, Oracle. All rights reserved.

Copyright © 2014, Oracle. All rights reserved.

Chapter 11

Reporting

Topics:

- *Report Search*
- *Report Submission*

Oracle Revenue Management and Billing (ORMB) can optionally be configured to use the reporting feature where Oracle Business Intelligence Publisher (BI Publisher) is used as a reporting tool. ORMB provides you with 10 sample reports that you can use for reporting or as a starting point for creating a new report. While generating the report, data is extracted from ORMB database and presented in the predefined format to the user. Oracle BI Publisher is used for creating the format in which the data in the report needs to be presented to the user.

You can generate reports from ORMB only if Oracle BI Publisher is integrated with ORMB. You can also schedule the reports that you want to execute at a predefined time and interval in Oracle BI Publisher. Once the reports are generated, you can view these reports in Oracle BI Publisher.

To use the reporting feature, you need to:

1. Install Oracle Business Intelligence Publisher.
2. Configure ORMB to use the reporting feature. For more information on how to install and configure reports in ORMB, refer to the *Oracle Revenue Management and Billing Reports Installation Guide.*
3. Import report specific metadata from the ORMB sample database and/or manually enter the metadata for reports. For more information on how to import the metadata, refer to the *Oracle Revenue Management and Billing Reports Installation Guide*.

Report Search

The **Report Search** window allows you to search for a report. This screen contains the following two sections:

- **Search Criteria** — The **Search Criteria** section contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Report Code	Used to specify the report code.	No
Description	Used to specify the description of the report.	No

- **Search Results** — On clicking the **Search** ( ) icon corresponding to the respective field, the search results appear based on the specified search criteria. The **Search Results** section contains the following columns:

Column Name	Column Description
Report Code	Displays the report code.
Description	Displays the description of the report.
External Reference ID	Displays the code that uniquely identifies the report in Oracle BI Publisher.

Report Submission

Oracle Revenue Management and Billing provides you with the following reports that you can use for reporting or as a starting point for creating a new report:

- Open Cases by Type (CI_CSEOPN)
- Case Statistics for a Given Status (CI_CSESGS)
- Case Statistics by Case Type (CI_CSESTS)
- Customer Contact by Type (CI_CUSTCN)
- GL Accounting Summary (CI_GLACSM)
- Letter Print - Sample Welcome Letter (CI_LTRGN_ENG)
- Payments Balance (CI_PMTBAL)
- Receivables Aging (CI_RCVAGA)
- To Do Entries (CI_TDENTR)
- Tax Payables Analysis (CI_TXPYBL)

The **Report Submission** screen allows you to generate these reports. This screen is available only if the system is integrated with the third party reporting system. This screen contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Report Code	Used to specify the report code. **Note:** You can search for a report by clicking the **Search** ( ) icon corresponding to the field.	Yes
Report Description	Displays the description of the report.	Not applicable
Sequence	Displays the sequence number of the parameter.	Not applicable

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Parameter	Displays the parameters defined for the report.	Not applicable
Parameter Value	Used to specify the value for the parameter. **Note:** For some of the parameters, the default value is displayed. These default values are defined for the parameters in the **Report Definition** screen.	Yes (Conditional) **Note:** If the parameter is set as required while defining a report, you have to specify the value for the parameter.

This screen contains the following buttons:

Button Name	Button Description
Submit	Used to generate the report.

Related Topics

For more information on...	See...
How to generate the CI_CSEOPN report	*Generating the CI_CSEOPN Report* on page 541
How to generate the CI_CSESGS report	*Generating the CI_CSESGS Report* on page 543
How to generate the CI_CSESTS report	*Generating the CI_CSESTS Report* on page 544
How to generate the CI_CUSTCN report	*Generating the CI_CUSTCN Report* on page 545
How to generate the CI_GLACSM report	*Generating the CI_GLACSM Report* on page 546
How to generate the CI_LTRGN_ENG report	*Generating the CI_LTRGN_ENG Report* on page 547
How to generate the CI_PMTBAL report	*Generating the CI_PMTBAL Report* on page 548
How to generate the CI_RCVAGA report	*Generating the CI_RCVAGA Report* on page 549
How to generate the CI_TDENTR report	*Generating the CI_TDENTR Report* on page 550
How to generate the CI_TXPYBL report	*Generating the CI_TXPYBL Report* on page 551

Generating the CI_CSEOPN Report

The **Open Cases by Type (CI_CSEOPN)** report allows you to view cases that are currently open. The data is grouped based on the case type. For each case type, the report shows:

- Number of open cases in various age buckets (the last three parameters control the size (in days) of each bucket)
- Percentage of open cases in various age buckets
- Details of the open cases

Procedure

To generate the CI_CSEOPN report:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Batch** and then click **Report Submission**.

   The **Report Search** window appears.
4. Enter **CI_CSEOPN** in the **Report Code** field.

Copyright © 2014, Oracle. All rights reserved.

5. Click the **Search** ( ) icon corresponding to the **Report Code** field.

   The **Report Submission** screen appears with the following parameters:

Field Name	Field Description	Mandatory (Yes or No)
Start Date (YYYY-MM-DD)	Used to search for cases that are created on or after the specified date and are still open. **Note:** If you do not specify the start date, the system sets the start date to the current date minus seven days.	No
End Date (YYYY-MM-DD)	Used to search for cases that are created on or before the specified date and are still open. **Note:** If you do not specify the end date, the system sets the current date as the end date.	No
Case Type	Used to specify the case type. **Note:** If you specify the case type, only open cases of that type are listed in the report.	No
Responsible User	Used to specify the user name. **Note:** If you specify the user name, only open cases that are handled by that user are listed in the report.	No
First Bucket High Limit	Used to group cases that are open for less than or equal to the specified number of days.	Yes
Second Bucket High Limit	Used to group cases that are open for less than or equal to the specified number of days, but greater than the number of days specified in the **First Bucket High Limit** field.	Yes
Third Bucket High Limit	Used to group cases that are open for less than or equal to the specified number of days, but greater than the number of days specified in the **Second Bucket High Limit** field.	Yes

6. Enter the parameters based on which you want to generate the report.
7. Click **Submit**.

   The **Oracle BI Publisher Enterprise Login** page appears.
8. Enter the BI publisher user name and password.
9. Click **Login**.

   The report appears in Oracle BI Publisher.

Related Topics

For more information on...	See...
Report Search window	*Report Search* on page 540
Report Submission screen	*Report Submission* on page 540

Copyright © 2014, Oracle. All rights reserved.

Generating the CI_CSESGS Report

The **Case Statistics for a Given Status (CI_CSESGS)** report allows you to view cases of a given case type that transitioned to a given status within a given date range. It also shows the number and percentage of cases grouped by the time it took to reach the status in the graphical format. These statistics are grouped into age buckets whose size (in days) is controlled by the following parameters:

- First Bucket High Limit
- Second Bucket High Limit
- Third Bucket High Limit

In addition, this report shows the minimum, maximum, average, and median time taken to reach the status.

Procedure

To generate the CI_CSESGS report:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Batch** and then click **Report Submission**.

   The **Report Search** window appears.
4. Enter **CI_CSESGS** in the **Report Code** field.
5. Click the **Search** ( ) icon corresponding to the **Report Code** field.

   The **Report Submission** screen appears with the following parameters:

Field Name	Field Description	Mandatory (Yes or No)
Start Date (YYYY-MM-DD)	Used to search for cases of a given case type that transitioned to a given status on or after the specified date. **Note:** If you do not specify the start date, the system sets the start date to the current date minus seven days.	No
End Date (YYYY-MM-DD)	Used to search for cases of a given case type that transitioned to a given status on or before the specified date. **Note:** If you do not specify the end date, the system sets the current date as the end date.	No
Case Type/Status	Used to specify the case type and status for which you want to generate the report. You must specify the criteria in the `Case Type|Status` format.	Yes
Responsible User	Used to specify the user name. **Note:** If you specify the user name, only cases that are handled by that user are listed in the report.	No
First Bucket High Limit (in days)	Used to group cases that took less than or equal to the specified number of days to reach a given status.	No

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Second Bucket High Limit (in days)	Used to group cases that took less than or equal to the specified number of days, but greater than the number of days specified in the **First Bucket High Limit** field to reach a given status.	No
Third Bucket High Limit (in days)	Used to group cases that took less than or equal to the specified number of days, but greater than the number of days specified in the **Second Bucket High Limit** field to reach a given status.	No

6. Enter the parameters based on which you want to generate the report.
7. Click **Submit**.

   The **Oracle BI Publisher Enterprise Login** page appears.
8. Enter the BI publisher user name and password.
9. Click **Login**.

   The report appears in Oracle BI Publisher.

Related Topics

For more information on...	See...
Report Search window	*Report Search* on page 540
Report Submission screen	*Report Submission* on page 540

Generating the CI_CSESTS Report

The **Case Statistics by Case Type (CI_CSESTS)** report allows you to view the number and percentage of cases that are open and/or closed. The data is grouped based on the case type.

Procedure

To generate the CI_CSESTS report:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Batch** and then click **Report Submission**.

   The **Report Search** window appears.
4. Enter **CI_CSESTS** in the **Report Code** field.
5. Click the **Search** ( ) icon corresponding to the **Report Code** field.

   The **Report Submission** screen appears with the following parameters:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Start Date (YYYY-MM-DD)	Used to search for the following: • Cases that are created on or after the specified date and are currently open • Cases that are closed on or after the specified date	No
End date (YYYY-MM-DD)	Used to search for the following: • Cases that are created on or before the specified date and are currently open • Cases that are closed on or before the specified date	No
Case Condition	Used to indicate whether you want to generate the report for open or closed cases. • OPEN • CLSD If you want to generate the report for both open and closed cases, leave this field blank.	No

6. Enter the parameters based on which you want to generate the report.
7. Click **Submit**.

   The **Oracle BI Publisher Enterprise Login** page appears.
8. Enter the BI publisher user name and password.
9. Click **Login**.

   The report appears in Oracle BI Publisher.

Related Topics

For more information on...	See...
Report Search window	*Report Search* on page 540
Report Submission screen	*Report Submission* on page 540

Generating the CI_CUSTCN Report

The **Customer Contact by Type (CI_CUSTCN)** report allows you to view all customer contacts that are created for a given contact class and contact type within a given date range. It displays information both in textual and graphical formats.

Procedure

To generate the CI_CUSTCN report:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.

Copyright © 2014, Oracle. All rights reserved.

3. From the **Main Menu**, select **Batch** and then click **Report Submission**.

   The **Report Search** window appears.

4. Enter **CI_CUSTCN** in the **Report Code** field.

5. Click the **Search** ( ) icon corresponding to the **Report Code** field.

   The **Report Submission** screen appears with the following parameters:

Field Name	Field Description	Mandatory (Yes or No)
Start Date (YYYY-MM-DD)	Used to search for customer contacts that are created on or after the specified date.	No
End date (YYYY-MM-DD)	Used to search for customer contacts that are created on or before the specified date.	No
Customer Contact Class/Type	Used to specify the customer contact class and type for which you want to generate the report. If you want to generate the report for all contact types within a given contact class, just specify the customer contact class. However, if you want to generate the report for a given contact type within a given contact class, then specify both in the `Customer Contact Class|Type` format.	No

6. Enter the parameters based on which you want to generate the report.

7. Click **Submit**.

   The **Oracle BI Publisher Enterprise Login** page appears.

8. Enter the BI publisher user name and password.

9. Click **Login**.

   The report appears in Oracle BI Publisher.

Related Topics

For more information on...	See...
Report Search window	*Report Search* on page 540
Report Submission screen	*Report Submission* on page 540

Generating the CI_GLACSM Report

The **GL Accounting Summary (CI_GLACSM)** report allows you to view the financial transactions created in ORMB for a given accounting period. The data is grouped based on the GL account types, divisions, and GL divisions.

Procedure

To generate the CI_GLACSM report:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Main Menu** option from the list.

3. From the **Main Menu**, select **Batch** and then click **Report Submission**.

Copyright © 2014, Oracle. All rights reserved.

The **Report Search** window appears.

4. Enter **CI_GLACSM** in the **Report Code** field.
5. Click the **Search** ( ) icon corresponding to the **Report Code** field.

   The **Report Submission** screen appears with the following parameters:

Field Name	Field Description	Mandatory (Yes or No)
Accounting period	Used to specify the accounting period for which you want to generate the report. You must specify a valid fiscal year and accounting period for a valid accounting calendar in the following format: `CALENDAR_ID|FISCAL_YEAR|ACCOUNTING_PERIOD`	Yes
Characteristic Type - Account type	Used to specify the GL account type for which you want to generate the report.	Yes

6. Enter the parameters based on which you want to generate the report.
7. Click **Submit**.

   The **Oracle BI Publisher Enterprise Login** page appears.
8. Enter the BI publisher user name and password.
9. Click **Login**.

   The report appears in Oracle BI Publisher.

Related Topics

For more information on...	See...
Report Search window	*Report Search* on page 540
Report Submission screen	*Report Submission* on page 540

Generating the CI_LTRGN_ENG Report

The **Letter Print - Sample Welcome Letter (CI_LTRGN_ENG)** report allows you to produce a sample welcome letter for a new customer. The letter contains the name and address of the company which is extracted from the installation options. The text for the letter is defined in the report layout. The report is printed according to the customer's language definition, and not based on the user's language definition.

This report contains the following text:

"Welcome to `<Company Name>`. You have been filed with ID Number `<Person ID>`.

We hope to provide you with our best possible service. If you experience any problems or have any questions, please contact one of our customer service representatives at (800)1234567."

Note: The `<Company Name>` is stored as a message in the installation options, and the `<Person ID>` is stored in the customer contact.

Procedure

To generate the CI_LTRGN_ENG report:

1. Click the **Menu** link in the **Actions/Navigation** area.

Copyright © 2014, Oracle. All rights reserved.

A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Batch** and then click **Report Submission**.

   The **Report Search** window appears.
4. Enter **CI_LTRGN_ENG** in the **Report Code** field.
5. Click the **Search** ( ) icon corresponding to the **Report Code** field.

   The **Report Submission** screen appears with the following parameters:

Field Name	Field Description	Mandatory (Yes or No)
Batch Switch	Used to indicate whether you want to access this report online or not. To access the report online, set the value to **N**.	Yes
Customer Contact ID	Used to specify the ID of the customer contact associated with the main customer for whom you want to generate the letter.	Yes

6. Enter the parameters based on which you want to generate the report.
7. Click **Submit**.

   The **Oracle BI Publisher Enterprise Login** page appears.
8. Enter the BI publisher user name and password.
9. Click **Login**.

   The report appears in Oracle BI Publisher.

Related Topics

For more information on...	See...
Report Search window	*Report Search* on page 540
Report Submission screen	*Report Submission* on page 540

Generating the CI_PMTBAL Report

The **Payments Balance (CI_PMTBAL)** report allows you to view all payments received and cancelled within a given date range. The data is grouped based on the tender source and type of payment. This report is used for financial control and audit purposes.

Procedure

To generate the CI_PMTBAL report:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Batch** and then click **Report Submission**.

   The **Report Search** window appears.
4. Enter **CI_PMTBAL** in the **Report Code** field.

Copyright © 2014, Oracle. All rights reserved.

5. Click the **Search** ( ) icon corresponding to the **Report Code** field.

   The **Report Submission** screen appears with the following parameters:

Field Name	Field Description	Mandatory (Yes or No)
Start Date	Used to search for payments received and cancelled on or after the specified date. **Note:** If you do not specify the start date, the system sets the start date to the current date minus seven days.	No
End Date	Used to search for payments received and cancelled on or before the specified date. **Note:** If you do not specify the end date, the system sets the current date as the end date.	No

6. Enter the parameters based on which you want to generate the report.
7. Click **Submit**.

   The **Oracle BI Publisher Enterprise Login** page appears.
8. Enter the BI publisher user name and password.
9. Click **Login**.

   The report appears in Oracle BI Publisher.

Related Topics

For more information on...	See...
Report Search window	*Report Search* on page 540
Report Submission screen	*Report Submission* on page 540

Generating the CI_RCVAGA Report

The **Receivables Aging (CI_RCVAGA)** report lists all accounts and their arrears information as of the input cutoff date using the balance forward accounting method. Outstanding debt is placed into the buckets provided as input using the age of the debt as of the cutoff date. For each account, charges that are not yet billed are displayed in the **Unbilled A/R ($)** column.

Procedure

To generate the CI_RCVAGA report:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Batch** and then click **Report Submission**.

   The **Report Search** window appears.
4. Enter **CI_RCVAGA** in the **Report Code** field.
5. Click the **Search** ( ) icon corresponding to the **Report Code** field.

Copyright © 2014, Oracle. All rights reserved.

The **Report Submission** screen appears with the following parameters:

Field Name	Field Description	Mandatory (Yes or No)
Cutoff Date	Used to specify the date from when the arrears should be calculated. **Note:** If you do not specify the cutoff date, the system sets the cutoff date to the current date minus seven days.	No
1st Bucket High Limit	Used to group debts that are outstanding for less than or equal to the specified number of days.	Yes
2nd Bucket High Limit	Used to group debts that are outstanding for less than or equal to the specified number of days, but greater than the number of days specified in the **First Bucket High Limit** field.	Yes
3rd Bucket High Limit	Used to group debts that are outstanding for less than or equal to the specified number of days, but greater than the number of days specified in the **Second Bucket High Limit** field.	Yes

6. Enter the parameters based on which you want to generate the report.
7. Click **Submit**.

   The **Oracle BI Publisher Enterprise Login** page appears.
8. Enter the BI publisher user name and password.
9. Click **Login**.

   The report appears in Oracle BI Publisher.

Related Topics

For more information on...	See...
Report Search window	*Report Search* on page 540
Report Submission screen	*Report Submission* on page 540

Generating the CI_TDENTR Report

The **To Do Entries (CI_TDENTR)** report allows you to view the total number of To Do entries that are open or being worked on for each To Do type. It displays information both in textual and graphical formats.

Procedure

To generate the CI_TDENTR report:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Batch** and then click **Report Submission**.

   The **Report Search** window appears.

Copyright © 2014, Oracle. All rights reserved.

4. Enter **CI_TDENTR** in the **Report Code** field.
5. Click the **Search** ( ) icon corresponding to the **Report Code** field.

   The **Report Submission** screen appears with the following parameters:

Field Name	Field Description	Mandatory (Yes or No)
To Do Entry Status	Used to include To Do entries with the specified status in the report. **Note:** If you leave this field blank, the report shows To Do entries with all statuses.	No
To Do Type	Used to include To Do entries with the specified To Do type in the report. **Note:** If you leave this field blank, the report shows To Do entries with all To Do types.	No

6. Enter the parameters based on which you want to generate the report.
7. Click **Submit**.

   The **Oracle BI Publisher Enterprise Login** page appears.
8. Enter the BI publisher user name and password.
9. Click **Login**.

   The report appears in Oracle BI Publisher.

Related Topics

For more information on...	See...
Report Search window	*Report Search* on page 540
Report Submission screen	*Report Submission* on page 540

Generating the CI_TXPYBL Report

The **Tax Payables Analysis (CI_TXPYBL)** report allows you to view the tax amounts that were levied by the company to customers within a given date range. It also shows the tax exempted during that period.

This report considers tax amounts of only those financial transactions which satisfy the following criteria:

- The financial transaction is frozen.
- The accounting date of the financial transaction is within a given date range.
- The distribution code associated with the financial transaction has a characteristic type and value that matches the one specified as the input parameters.

The report also provides tax exemption information for bill segments whose financial transactions satisfy the above criteria. The tax exemption information is retrieved by looking at the bill calculation lines associated with the financial transaction's bill segment.

Procedure

To generate the CI_TXPYBL report:

1. Click the **Menu** link in the **Actions/Navigation** area.

Copyright © 2014, Oracle. All rights reserved.

A list appears.

2. Select the **Main Menu** option from the list.
3. From the **Main Menu**, select **Batch** and then click **Report Submission**.

   The **Report Search** window appears.
4. Enter **CI_TXPYBL** in the **Report Code** field.
5. Click the **Search** ( ) icon corresponding to the **Report Code** field.

   The **Report Submission** screen appears with the following parameters:

Field Name	Field Description	Mandatory (Yes or No)
Start Date	Used to specify the date from when the report should be generated. **Note:** If you do not specify the start date, the system sets the start date to the current date minus seven days.	No
End Date	Used to specify the date till when the report should be generated. **Note:** If you do not specify the end date, the system sets the current date as the end date.	No
Account Type Characteristic	Used to specify the characteristic type. You must always specify the characteristic type as `Account Type`. Otherwise, the report will not be generated.	Yes
Account Type Char Value for Tax Related GL Account	Used to specify the value for the characteristic type.	Yes

6. Enter the parameters based on which you want to generate the report.
7. Click **Submit**.

   The **Oracle BI Publisher Enterprise Login** page appears.
8. Enter the BI publisher user name and password.
9. Click **Login**.

   The report appears in Oracle BI Publisher.

Related Topics

For more information on...	See...
Report Search window	*Report Search* on page 540
Report Submission screen	*Report Submission* on page 540

Copyright © 2014, Oracle. All rights reserved.

Appendix
A

Most Commonly Used Tasks

Topics:

- *Changing the Layout*
- *Searching for an Access Group*
- *Searching for an Algorithm*
- *Searching for an Approval Workflow Chain*
- *Searching for an Approval Workflow Criteria Type*
- *Searching for an Approval Workflow Group*
- *Searching for a Bill Message*
- *Searching for a Business Object*
- *Searching for a Dependent Rule*
- *Searching for a Field*
- *Searching for a Parameter*
- *Searching for a Predefined Characteristic Value*
- *Searching for a Predefined Parameter Value*
- *Searching for a Price List*
- *Searching for a Product*
- *Searching for a Rate Schedule*
- *Searching for a To Do Role*
- *Searching for a To Do Type*
- *Searching for a UI Map*

This section lists some of the common tasks that are performed while using various functionality in the application.

Changing the Layout

You can change the layout of the zone by:

- *Removing a Column from the Zone* on page 554
- *Adding a Column to the Zone* on page 554
- *Rearranging Columns in the Zone* on page 554

Adding a Column to the Zone

Once you have removed the columns from the zone, you can add them back to the zone. To add a column to the zone:

1. Click the **Explorer** ( ) icon in the upper right corner of the zone.

   A panel appears at the bottom of the zone with a list of column names.

   Note: The column names with the orange background in the panel are currently not displayed in the zone.
2. Drag and drop the column name from the panel to the location where you want to add the column in the zone.

   The orange background of the column name in the panel changes to the blue background indicating that the column is currently displayed in the zone.

Related Topics

For more information on...	See...
How to change the layout of the zone	*Changing the Layout* on page 554

Rearranging Columns in the Zone

You can change the order in which the columns are displayed in the zone. To change the position of a column in the zone:

1. Click the column name whose position you want to change in the zone.
2. Drag and drop the column name between the columns where you want to place the selected column.

   The position of the column changes in the zone.

Related Topics

For more information on...	See...
How to change the layout of the zone	*Changing the Layout* on page 554

Removing a Column from the Zone

To remove a column from the zone:

1. Click the column name that you want to remove from the zone.

   A toolbar with the **Delete** ( ) symbols appears in the zone.
2. Drag and drop the column name over the toolbar.

Copyright © 2014, Oracle. All rights reserved.

The column is removed from the zone, and the toolbar is replaced with the **Refresh** button. If you want to remove another column from the zone, repeat the first step. You will note that the **Refresh** button is replaced by the toolbar.

Related Topics

For more information on...	See...
How to change the layout of the zone	*Changing the Layout* on page 554

Searching for an Access Group

Procedure

To search for an access group:

1. Click the **Search** (🔍) icon corresponding to the **Access Group** field.

   The **Access Group Search** window appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Access Group	Used to specify the access group.	No
Description	Used to specify the description of the access group.	No

2. Enter the search criteria.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click **Refresh**.

   A list of access groups that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Access Group	Displays the access group.
Description	Displays the description of the access group.

Related Topics

For more information on...	See...
How to associate access groups with a division	*Associating Access Groups with a Division* on page 202

Searching for an Algorithm

Procedure

Copyright © 2014, Oracle. All rights reserved.

To search for an algorithm:

1. Click the **Search** ( ) icon corresponding to the respective field.

   The **Search Algorithm** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Algorithm	Used to specify the code of the algorithm.	No
Description	Used to specify the description of the algorithm.	No

2. Enter the search criteria.

   Note:

   You must specify at least one search criterion while searching for an algorithm.

   ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the field in which you have specified the criteria.

   A list of algorithms that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Algorithm	Displays the code of the algorithm.
Algorithm Type	Displays the type of algorithm.
Description	Displays the description of the algorithm.

Related Topics

For more information on...	See...
How to define an approval workflow group	*Defining an Approval Workflow Group* on page 273
How to edit an approval workflow group	*Editing an Approval Workflow Group* on page 276
How to define an approval level	*Defining an Approval Level* on page 291
How to edit an approval level	*Editing an Approval Level* on page 292
How to define approval workflow settings	*Defining Approval Workflow Settings* on page 305
How to edit approval workflow settings	*Editing Approval Workflow Settings* on page 307
How to define a file type	*Defining a File Type* on page 484
How to edit a file type	*Editing a File Type* on page 488

Searching for an Approval Workflow Chain

Procedure

Copyright © 2014, Oracle. All rights reserved.

To search for an approval workflow chain:

1. Click the **Search** ( ) icon corresponding to the respective field.

   The **Search Approval Workflow Chain** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Used to specify the code of the approval workflow chain.	No
Description	Used to specify the description of the approval workflow chain.	No

2. Enter the search criteria.

   Note:

   You must specify at least one search criterion while searching for an approval workflow chain.

   ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the field in which you have specified the criteria.

   A list of approval workflow chains that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Code	Displays the code of the approval workflow chain.
Description	Displays the description of the approval workflow chain.

Related Topics

For more information on...	See...
How to create an approval workflow group chain link	*Creating an Approval Workflow Group Chain Link* on page 299
How to edit an approval workflow group chain link	*Editing an Approval Workflow Group Chain Link* on page 300

Searching for an Approval Workflow Criteria Type

Procedure

To search for an approval workflow criteria type:

1. Click the **Search** ( ) icon corresponding to the respective field.

   The **Search Approval Workflow Criteria Type** screen appears. It contains the following fields:

Copyright © 2014, Oracle. All rights reserved.

Field Name	Field Description	Mandatory (Yes or No)
Code	Used to specify the code of the approval workflow criteria type.	No
Description	Used to specify the description of the approval workflow criteria type.	No

2. Enter the search criteria.

   Note:

   You must specify at least one search criterion while searching for an approval workflow criteria type.

   ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the field in which you have specified the criteria.

   A list of approval workflow criteria types that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Code	Displays the code of the approval workflow criteria type.
Description	Displays the description of the approval workflow criteria type.

Related Topics

For more information on...	See...
How to create an approval workflow group chain link	*Creating an Approval Workflow Group Chain Link* on page 299
How to edit an approval workflow group chain link	*Editing an Approval Workflow Group Chain Link* on page 300

Searching for an Approval Workflow Group

Procedure

To search for an approval workflow group:

1. Click the **Search** ( ) icon corresponding to the respective field.

   The **Search Approval Workflow Group** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Used to specify the code of the approval workflow group.	No
Description	Used to specify the description of the approval workflow group.	No

Copyright © 2014, Oracle. All rights reserved.

2. Enter the search criteria.

   Note:

   You must specify at least one search criterion while searching for an approval workflow group.

   ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the field in which you have specified the criteria.

   A list of approval workflow groups that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Code	Displays the code of the approval workflow group.
Description	Displays the description of the approval workflow group.

Related Topics

For more information on...	See...
How to create an approval workflow group chain link	*Creating an Approval Workflow Group Chain Link* on page 299
How to edit an approval workflow group chain link	*Editing an Approval Workflow Group Chain Link* on page 300
How to define approval workflow settings	*Defining Approval Workflow Settings* on page 305
How to edit approval workflow settings	*Editing Approval Workflow Settings* on page 307

Searching for a Bill Message

Procedure

To search for a bill message:

1. Click the **Search** ( ) icon corresponding to the **Bill Message** field.

   The **Bill Message Search** window appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Message Code	Used to specify the bill message code.	No
Description	Used to specify the description of the bill message.	No

2. Enter the search criteria.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria.

Copyright © 2014, Oracle. All rights reserved.

Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click **Refresh**.

   A list of bill messages that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Message Code	Displays the bill message code.
Description	Displays the description of the bill message.
Priority	Indicates the order in which the message should appear when multiple messages appear on a bill.

Related Topics

For more information on...	See...
How to associate bill messages with a division	*Associating Bill Messages with a Division* on page 209

Searching for a Business Object

Procedure

To search for a business object:

1. Click the **Search** ( ) icon corresponding to the respective field.

   The **Search Business Object** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Code	Used to specify the code of the business object.	No
Description	Used to specify the description of the business object.	No

2. Enter the search criteria.

   Note:

   You must specify at least one search criterion while searching for a business object.

   ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the field in which you have specified the criteria.

   A list of business objects that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Code	Displays the code of the business object.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Description	Displays the description of the business object.

Related Topics

For more information on...	See...
How to add a business object in the approval workflow group	*Adding a Business Object* on page 281
How to edit a business object in the approval workflow group	*Editing a Business Object* on page 282
How to define a relationship between business objects in the approval workflow group	*Defining a Group BO Relation* on page 284
How to change the business object's relationship details in the approval workflow group	*Editing a Group BO Relation* on page 285
How to define an approval workflow criteria type	*Defining an Approval Workflow Criteria Type* on page 295
How to edit an approval workflow criteria type	*Editing an Approval Workflow Criteria Type* on page 296

Searching for a Dependent Rule

Procedure

To search for a dependent rule:

1. Click the **Search** ( ) icon corresponding to the **Dependent Rule** field.

   The **Search Rule** window appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Rule Code	Used to specify the rule code.	No
Rule Type	Used to specify the type of rule.	No
Description	Used to specify the description of the rule.	No
Rule Priority	Used to specify the priority of the rule.	No
Effective Start Date	Used to specify the date from when the rule is effective.	No

2. Enter the search criteria.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click **Refresh**.

   A list of rules that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Rule Code	Displays the rule code.
Description	Displays the description of the rule.
Rule Type	Displays the type of rule.
Rule Priority	Displays the priority of the rule.
Start Date	Displays the date from when the rule is effective.
End Date	Displays the date till when the rule is effective.

Related Topics

For more information on...	See...
How to define a rule	*Defining a Rule* on page 325
How to edit a rule	*Editing a Rule* on page 329
How to copy a rule	*Copying a Rule* on page 334

Searching for a Field

Procedure

To search for a field:

1. Click the **Search** ( ) icon corresponding to the respective field.

   The **Search Field** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Field	Used to specify the name of the field.	No
Description	Used to specify the description of the field.	No

   Note: You must specify at least one search criterion while searching for a field.

2. Enter the search criteria.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the field in which you have specified the criteria.

   A list of fields that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Field	Displays the name of the field.

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Description	Displays the description of the field.

Related Topics

For more information on...	See...
How to define an approval workflow criteria type	*Defining an Approval Workflow Criteria Type* on page 295
How to edit an approval workflow criteria type	*Editing an Approval Workflow Criteria Type* on page 296
How to create a rule type	*Creating a Rule Type* on page 319
How to edit a rule type	*Editing a Rule Type* on page 320
How to copy a rule type	*Copying a Rule Type* on page 322

Searching for a Parameter

Procedure

To search for a parameter:

1. Click the **Search** ( ) icon corresponding to the **Parameter Name** field.

   The **Search Parameter** window appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Rule Type	Used to specify the rule type.	No
Description	Used to specify the description of the rule type.	No
Parameter Name	Used to specify the field name.	No

2. Enter the search criteria.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click **Refresh**.

   A list of parameters that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Parameter Name	Displays the field associated the rule type.
Description	Displays the description of the rule type.

Related Topics

For more information on...	See...
How to define a rule	*Defining a Rule* on page 325

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to edit a rule	*Editing a Rule* on page 329
How to copy a rule	*Copying a Rule* on page 334

Searching for a Predefined Characteristic Value

Procedure

To search for a predefined characteristic value:

1. Click the **Search** ( ) icon corresponding to the **Characteristic Value** field.

   Note: The **Search** icon appears corresponding to the **Characteristic Value** field only when you select a predefined characteristic type.

   The **Search Characteristic Value** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Characteristic Type	Displays the predefined characteristic type whose values you want to search.	Not applicable
Characteristic Value	Used to specify the predefined characteristic value.	No
Description	Used to specify the description of the predefined characteristic value.	No

2. Enter the search criteria.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click **Refresh**.

   A list of predefined characteristic values that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Characteristic Value	Displays the predefined characteristic value.
Description	Displays the description of the predefined characteristic value.

4. Select the required characteristic value in the **Search Results** section.

Related Topics

For more information on...	See...
How to define characteristics for a product	*Defining Characteristics for a Product* on page 117
How to define division-specific characteristics for a product	*Defining Division-Specific Characteristics for a Product* on page 121
How to define characteristics for a division	*Defining Characteristics for a Division* on page 208

Copyright © 2014, Oracle. All rights reserved.

Searching for a Predefined Parameter Value

Procedure

To search for a predefined parameter value:

1. Click the **Search** ( ) icon corresponding to the **Value** field.

   Note: The **Search** icon appears corresponding to the **Value** field only when the parameter value type is set to **Predefined**.

   The **Search Parameter Value** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Parameter	Displays the parameter name.	Not applicable
Parameter Value	Used to specify the predefined parameter value.	No

2. Enter the search criteria.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the **Parameter Value** field in which you have specified the criteria.

   A list of predefined values that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Parameter Value	Displays the predefined parameter value. **Note:** It has a link. On clicking the link, you can select the predefined parameter value.

4. Select the required predefined value for the parameter.

Related Topics

For more information on...	See...
How to set product parameters while defining, editing or overriding product pricing	*Setting Product Parameters* on page 193

Searching for a Price List

Procedure

To search for a price list:

Copyright © 2014, Oracle. All rights reserved.

1. Click the **Search** (🔍) icon corresponding to the **Price List ID** field.

   The **Price List Search** window appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Price List ID	Used to specify the price list ID.	No
Description	Used to specify the description of the price list.	No

2. Enter the search criteria.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click **Refresh**.

   A list of price lists that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Price List ID	Displays the price list ID.
Description	Displays the description of the price list.

Related Topics

For more information on...	See...
How to associate price lists with a division	*Associating Price Lists with a Division* on page 204

Searching for a Product

Procedure

To search for a product:

1. Click the **Search** (🔍) icon corresponding to the **Product** field.

   A screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Parent Product	Displays the bundle or parent product code.	Not applicable
Child Product	Used to specify the code of the product that you want to add.	No
Description	Used to specify the description of the product that you want to add.	No

2. Enter the search criteria.

   Note: ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields

Copyright © 2014, Oracle. All rights reserved.

except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the field in which you have specified the criteria.

   A list of products that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Product	Displays the product code.
Description	Displays the description of the product.

4. In the **Search Results** section, click the product that you want to add to the bundle.

   The product is selected and displayed in the **Product** field.

Related Topics

For more information on...	See...
How to add a product to a bundle	*Adding a Product to a Bundle* on page 145

Searching for a Rate Schedule

Procedure

To search for a rate schedule:

1. Click the **Search** ( ) icon corresponding to the **Rate Schedule** field.

   The **Search Rate Schedule** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Rate Schedule	Used to specify the rate schedule.	No
Description	Used to specify the description of the rate schedule.	No

2. Enter the search criteria.

   Note:

   You must specify at least one search criterion while searching for a rate schedule.

   ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the field in which you have specified the criteria.

   A list of rate schedules that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Copyright © 2014, Oracle. All rights reserved.

Column Name	Column Description
Rate Schedule	Displays the rate schedule.
Description	Displays the description of the rate schedule.

Related Topics

For more information on...	See...
How to define product pricing	*Defining Product Pricing* on page 165
How to edit assigned pricing	*Editing Assigned Pricing* on page 171
How to override product pricing	*Overriding Product Pricing* on page 177

Searching for a To Do Role

Procedure

To search for a To Do role:

1. Click the **Search** ( ) icon corresponding to the respective field.

   The **Search To Do Role** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
Role ID	Used to specify the To Do role ID.	No
Description	Used to specify the description of the To Do role.	No

2. Enter the search criteria.

   Note:

   You must specify at least one search criterion while searching for a To Do role.

   ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the field in which you have specified the criteria.

   A list of To Do roles that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
Role ID	Displays the To Do role ID.
Description	Displays the description of the To Do role.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to define an approval workflow chain	*Defining an Approval Workflow Chain* on page 289
How to edit an approval workflow chain	*Editing an Approval Workflow Chain* on page 290
How to define an approval level	*Defining an Approval Level* on page 291
How to edit an approval level	*Editing an Approval Level* on page 292

Searching for a To Do Type

Procedure

To search for a To Do type:

1. Click the **Search** ( ) icon corresponding to the respective field.

   The **Search To Do Type** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
To Do Type	Used to specify the code of the To Do type.	No
Description	Used to specify the description of the To Do type.	No

2. Enter the search criteria.

   Note:

   You must specify at least one search criterion while searching for a To Do type.

   ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the field in which you have specified the criteria.

   A list of To Do types that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
To Do Type	Displays the code of the To Do type.
Description	Displays the description of the To Do type.
Priority	Indicates the priority of the To Do type.
To Do Type Usage	Indicates whether the To Dos of this type are created automatically by the system or manually by a user.

Related Topics

For more information on...	See...
How to define an approval level	*Defining an Approval Level* on page 291

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to edit an approval level	*Editing an Approval Level* on page 292

Searching for a UI Map

Procedure

To search for a UI map:

1. Click the **Search** ( ) icon corresponding to the respective field.

   The **Search UI Map** screen appears. It contains the following fields:

Field Name	Field Description	Mandatory (Yes or No)
UI Map Code	Used to specify the code of the UI map.	No
Description	Used to specify the description of the UI map.	No

2. Enter the search criteria.

   Note:

   You must specify at least one search criterion while searching for a UI map.

   ORMB search engine supports wildcard search, where you can substitute the percentage (%) symbol as a stand in for any word or letter in a search criteria. You can use the '%' wildcard character in all input fields except the date fields. The '%' wildcard character is suffixed automatically at the end of the partial search criteria. Therefore, you may or may not specify the wildcard character at the end of the partial search criteria. However, you have to prefix the wildcard character manually wherever required.

3. Click the **Search** ( ) icon corresponding to the field in which you have specified the criteria.

   A list of UI maps that meet the search criteria appears in the search results. The **Search Results** section contains the following columns:

Column Name	Column Description
UI Map Code	Displays the code of the UI map.
Description	Displays the description of the UI map.

Related Topics

For more information on...	See...
How to define an approval workflow group	*Defining an Approval Workflow Group* on page 273
How to edit an approval workflow group	*Editing an Approval Workflow Group* on page 276

Copyright © 2014, Oracle. All rights reserved.

Appendix
B

Administration

Topics:

- *Changing the Highlighting Colors*
- *Creating Display UI Map for an Approval Workflow Group*
- *Creating Input UI Map for an Approval Workflow Group*
- *Setting the Multi-Currency Accounts (C1_MLTCURACC) Feature Configuration*
- *Setting the On Demand Billing (C1-ODBFC) Feature Configuration*
- *Setting the Multi Parameter Based Pricing (C1_PPARM_FLG) Feature Configuration*
- *Setting the Reference Entity (C1_PPARM_REF) Feature Configuration*
- *Setting the Rule Engine (C1_RLENG) Feature Configuration*
- *Setting the Dummy Header (C1-TXNDMYID) Feature Configuration*
- *Setting the C1_PR_REC Feature Configuration*
- *Setting the C1_PRASNORDR Feature Configuration*
- *Setting the C1_DIVFUNCT Feature Configuration*
- *Setting the C1_PERACCT Feature Configuration*

This section lists some of the administrative tasks.

- *Setting the C1_FINTRANOP Feature Configuration*
- *Setting the C1_EXP_OVRD Feature Configuration*
- *Setting the C1_EXCHRATE Feature Configuration*
- *Setting the C1_EX_ROUND Feature Configuration*
- *Setting the C1_AXENTITY Feature Configuration*
- *Setting the C1_FM Feature Configuration*
- *Setting the C1_ACCTINFO Feature Configuration*

Copyright © 2014, Oracle. All rights reserved.

Changing the Highlighting Colors

While approving, rejecting, or cancelling approval workflow requests where the submitter action is Update (UPD), you will be able to compare the existing and new data. By default, any modifications are highlighted in the Yellow (9933FF) color and new additions are highlighted in the Purple (FFFF66) color. You can easily change these default colors.

Procedure

For example, to highlight any modifications in the red (#FF0000) color and new additions in the blue (#0000FF) color:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** screen appears.
4. Enter **C1_AXENTITY** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears.
6. Enter `#0000FF` in the **Value** field corresponding to the **Approval Transaction Compare New or Missing Entry Color** option type so that new additions are *h*ighlighted in the blue color.
7. Enter `#FF0000` in the **Value** field corresponding to the **Approval Transaction Compare Value Changed Color** option type so that any modifications are highlighted *i*n the red color.
8. Click the **Save** link in the **Actions/Navigation** area.

   The changes are saved.

Related Topics

For more information on...	See...
How to approve a request	*Approving a Request* on page 222
How to reject a request	*Rejecting a Request* on page 223
How to cancel a request	*Cancelling a Request* on page 224
How to approve price assignment request of an account	*Approving Price Assignment Request of an Account* on page 240
How to approve price assignment request of a customer	*Approving Price Assignment Request of a Customer* on page 242
How to approve price assignment request of a price list	*Approving Price Assignment Request of a Price List* on page 243
How to reject price assignment request of an account	*Rejecting Price Assignment Request of an Account* on page 244
How to reject price assignment request of a customer	*Rejecting Price Assignment Request of a Customer* on page 245

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
How to reject price assignment request of a price list	*Rejecting Price Assignment Request of a Price List* on page 246
How to cancel price assignment request of an account	*Cancelling Price Assignment Request of an Account* on page 248
How to cancel price assignment request of a customer	*Cancelling Price Assignment Request of a Customer* on page 249
How to cancel price assignment request of a price list	*Cancelling Price Assignment Request of a Price List* on page 250

Creating Display UI Map for an Approval Workflow Group

The system provides you with the ability to automatically generate a Display UI map, and associate it with the approval workflow group. Alternatively, you can create a Display UI map manually, and attach it to the approval workflow group.

Procedure

To create a Display UI map manually:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **U** and then click the **Add** ( ) icon corresponding to the **UI Map** menu option.

   The **UI Map** screen appears.

4. In the **Main** tab, enter the name and description of the Display UI map.

   Note: The system uses the `CM_<Approval Workflow Group Code>_AppTxn_Display` naming convention while automatically generating a Display UI map. Therefore, do not use this naming convention while creating a Display UI map manually.

5. Select **Complete HTML Document** from the **UI Map Type** list.

6. Click the **Schema** tab.

   The **Schema** tab appears.

7. Add the following schema in the **Scheme Editor** zone:

```
<schema>
 <<Business Object Name> type="group">
  <includeBO name="<Business Object Name>"/>
 </<Business Object Name>>
</schema>
```

   In the above schema, you must replace `<Business Object Name>` with the name of the business object. For example, if you want to create a Display UI map for account, you must use the following schema:

```
<schema>
 <account type="group">
  <includeBO name="Account"/>
 </account>
</schema>
```

8. Click the **Save** link in the **Actions/Navigation** area.

Copyright © 2014, Oracle. All rights reserved.

The **Display Only** and **Input Map** buttons are enabled on the dashboard.

9. Click the **Display Only** button.

   The HTML code is generated in the **HTML Editor** zone.

10. Click the **Save** link in the **Actions/Navigation** area.

    The changes are saved.

Related Topics

For more information on...	See...
How to define an approval workflow group	*Defining an Approval Workflow Group* on page 273
How to edit an approval workflow group	*Editing an Approval Workflow Group* on page 276

Creating Input UI Map for an Approval Workflow Group

The system provides you with the ability to automatically generate an Input UI map, and associate it with the approval workflow group. Alternatively, you can create an Input UI map manually, and attach it to the approval workflow group.

Procedure

To create an Input UI map manually:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.

3. From the **Admin Menu**, select **U** and then click the **Add** ( ) icon corresponding to the **UI Map** menu option.

   The **UI Map** screen appears.

4. In the **Main** tab, enter the name and description of the Input UI map.

   Note: The system uses the `CM_<Approval Workflow Group Code>_AppTxn_Input` naming convention while automatically generating an Input UI map. Therefore, do not use this naming convention while creating an Input UI map manually.

5. Select **Complete HTML Document** from the **UI Map Type** list.

6. Click the **Schema** tab.

   The **Schema** tab appears.

7. Add the following schema in the **Scheme Editor** zone:

```
<schema>
 <approvalTransactionId/>
 <action/>
 <<Business Object Name> type="group">
  <includeBO name="<Business Object Name>"/>
 </<Business Object Name>>
</schema>
```

   In the above schema, you must replace `<Business Object Name>` with the name of the business object. For example, if you want to create an Input UI map for account, you must use the following schema:

```
<schema>
 <approvalTransactionId/>
```

Copyright © 2014, Oracle. All rights reserved.

```
 <action/>
 <account type="group">
  <includeBO name="Account"/>
 </account>
</schema>
```

The `<approvalTransactionId/>` tag is used in the schema to retrieve the approval transaction ID of the respective business object. The `<action/>` tag is used in the schema to retrieve the action performed by the submitter.

8. Click the **Save** link in the **Actions/Navigation** area.

   The **Display Only** and **Input Map** buttons are enabled on the dashboard.

9. Click the **Input Map** button.

   The HTML code is generated in the **HTML Editor** zone.

10. Add the following tag in the `head` tag:

```
<script language="javascript" type="text/javascript" src="code/
approvalWorkflow.js"></script>
```

11. Add the text highlighted in bold within the tag as shown below:

```
<td>
<input onClick="performAction('<Approval Workflow Group Code>');"
 oraMdLabel="SAVE_BTN_LBL" class="oraButton" type="button">
<input onClick="oraSubmitMap('CANCEL', false);" oraMdLabel="CANCEL_LBL"
 class="oraButton" type="button">
</td>
```

   In the above HTML code, you must replace `<Approval Workflow Group Code>` with the code of the approval workflow group for which you are creating a UI map.

12. Click the **Save** link in the **Actions/Navigation** area.

    The changes are saved.

Related Topics

For more information on...	See...
How to define an approval workflow group	*Defining an Approval Workflow Group* on page 273
How to edit an approval workflow group	*Editing an Approval Workflow Group* on page 276

Setting the Multi-Currency Accounts (C1_MLTCURACC) Feature Configuration

Prerequisites

To set the Multi-Currency Accounts (C1_MLTCURACC) feature configuration, you should have:

- Currency conversion algorithm defined in the system
- Transfer adjustment type defined for currency conversion
- Cancel reason code defined for currency conversion adjustment
- Required To Do types defined in the system

Procedure

Copyright © 2014, Oracle. All rights reserved.

To set the Multi-Currency Accounts (C1_MLTCURACC) feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_MLTCURACC** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Allow Multi-Currency Accounts	Indicates whether the Multi-Currency Accounts feature is switched on or off. To switch on this feature, set the **Allow Multi-Currency Accounts** option type to **Y**. By default, the value is set to **N**. **Note:** When the **Allow Multi-Currency Accounts** option type is set to **N**, the base currency of the account's division appears in the **Invoice Currency** field while creating an account. If the account's division does not have a base currency defined, the currency code specified in the **Installation Options - Framework** screen is used.	Yes
Currency Conversion Algorithm	Used to specify the name of the algorithm that you want to be used for currency conversion. This algorithm is the same as the one used for currency conversion in billing.	Yes
Transfer Adjustment Type for Currency Conversion	Used to specify the adjustment type that you want to be used automatically when financial amount in one currency is converted to another currency.	Yes
Cancel Reason Code for Currency Conversion Adjustment	Used to specify the reason code that must be used automatically when the transfer adjustments are cancelled while reopening a bill.	Yes
Payment Distribution To-Do	Used to specify the To Do type that you want to be generated when the bill currency does not match the excess credit amount currency.	Yes

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

Copyright © 2014, Oracle. All rights reserved.

For more information on...	See...
Multi-Currency Accounts functionality	*Multi-Currency Accounts* on page 313

Setting the On Demand Billing (C1-ODBFC) Feature Configuration

Procedure

To set the On Demand Billing (C1-ODBFC) feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1-ODBFC** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Average Record Size	Used to specify the average size of a usage record in bytes. By default, the value is set to 500. You can change the value, if required.	Yes
Validation Chunk Size	Used to specify the number of usage records you want to validate or revalidate in each work unit. By default, the value is set to 500. You can change the value, if required.	Yes
Staging XML Size	Used to specify the number of usage records you want to parse and map in each XML file. By default, the value is set to 500. You can change the value, if required.	Yes
Billable Charge Chunk Size	Used to specify the number of billable charges you want to create in each work unit. By default, the value is set to 500. You can change the value, if required.	Yes
Online Bill Creation Limit	Used to determine whether adhoc bills must be generated for a usage data file online or through the background process. If the total number of billable charges created for a usage data file exceeds the online bill creation limit, adhoc bills are generated for the usage data file through a batch process. By default, the value is set to 500. You can change the value, if required.	Yes

Copyright © 2014, Oracle. All rights reserved.

Option Type	Description	Mandatory (Yes or No)
Transaction Limit	Used to determine whether billable charges for a usage data file must be created online or through the background process. If the total number of valid or approved records in a usage data file exceeds the transaction limit, billable charges are created for the valid or approved records through a batch process.	No
Thread Pool Name	Used to specify the thread pool on which you want to execute the batch.	No
Thread Count	Used to specify the number of threads you want to spawn in parallel.	No

6. Enter the value for the option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
On Demand Billing	*On Demand Billing* on page 477
How to upload a usage data file	*Uploading a Usage Data File* on page 495
How to revalidate a usage data file	*Revalidating a Usage Data File* on page 535
How to submit the valid records	*Submitting a Valid Record* on page 526
How to approve the valid records	*Approving a Valid Record* on page 527
How to generate adhoc bills for a usage data file	*Generating Adhoc Bills* on page 530

Setting the Multi Parameter Based Pricing (C1_PPARM_FLG) Feature Configuration

Procedure

To set the Multi Parameter Based Pricing (C1_PPARM_FLG) feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_PPARM_FLG** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Copyright © 2014, Oracle. All rights reserved.

Option Type	Description	Mandatory (Yes or No)
Multi Price Parameter	Used to indicate whether you want to use the multi parameter based pricing feature. The valid values are: • **True** — Indicates that you want to enable the multi parameter based pricing feature. • **False** — Indicates that you want to disable the multi parameter based pricing feature.	Yes

6. Enter the value for the option type.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
Multi Parameter Based Pricing feature	*Multi Parameter Based Pricing* on page 63

Setting the Reference Entity (C1_PPARM_REF) Feature Configuration

You must set the **Reference Entity (C1_PPARM_REF)** feature configuration to ensure that the base or custom entities are listed in the **Reference Entity** field while adding, editing or copying a parameter.

Prerequisites

To set the C1_PPARM_REF feature configuration, you should have:

- Values defined for the **PPRF_OPT_TYP_FLG** lookup

Note: While defining values for the **PPRF_OPT_TYP_FLG** lookup, you must specify the table name for each lookup value in the **Detailed Description** field.

Procedure

To set the Reference Entity (C1_PPARM_REF) feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_PPARM_REF** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Copyright © 2014, Oracle. All rights reserved.

Option Type	Description	Mandatory (Yes or No)
<Table Name> **Note:** The **PPRF_OPT_TYP_FLG** lookup field value appears as the option type.	Used to indicate the column in the table which you want to use as reference entity.	Yes

6. Select the required option type and enter the value for the option type.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
How to define a parameter	*Defining a Parameter* on page 185
How to edit a parameter	*Editing a Parameter* on page 187
How to copy a parameter	*Copying a Parameter* on page 189

Setting the Rule Engine (C1_RLENG) Feature Configuration

Procedure

To set the Rule Engine (C1_RLENG) feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_RLENG** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Logging Rules for Transaction Feed	Used to indicate whether a log should be generated when you execute the **Transaction Validation and Initial Product Determination (C1-TXNIP)** batch. The valid values are: • True • False **Note:** This log indicates the rules that were executed for each transaction and whether each rule passed or failed during the execution.	Yes

Copyright © 2014, Oracle. All rights reserved.

Option Type	Description	Mandatory (Yes or No)
Maximum Number of Rules in Cache	Used to indicate the maximum number of rules whose entry should be created in the log file.	Yes

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
Transaction Feed Management	*Transaction Feed Management* on page 345

Setting the Dummy Header (C1-TXNDMYID) Feature Configuration

For manually added transactions, the system can generate header details including the header ID automatically if you set the option types in the **Dummy Header (C1-TXNDMYID)** feature configuration.

Procedure

To set the Dummy Header (C1-TXNDMYID) feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1-TXNDMYID** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Dummy File Name	Used to specify the dummy file name.	Yes
Dummy Header ID	Used to specify the dummy header ID.	Yes
Dummy Transaction Source	Used to specify the dummy transaction source.	Yes
Dummy Header Date	Used to specify the dummy header date.	Yes

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
Transaction Feed Management	*Transaction Feed Management* on page 345

Copyright © 2014, Oracle. All rights reserved.

Setting the C1_PR_REC Feature Configuration

Procedure

To set the C1_PR_REC feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_PR_REC** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Effective Pricing RecordSet Limit	Used to specify the number of records that can be displayed in the **Search Results** section of the **Effective Price Assignment** zone. The value must be an integer and not in decimals. The maximum number of records that can be displayed are 5000. **Note:** If you enter the value as **0** or if you do not specify the value for the **Effective Pricing RecordSet Limit** option type, no records will be displayed in the **Search Results** section.	Yes

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
Effective Price Assignment zone in the **Pricing (Account)** screen	*Effective Price Assignment* on page 84
Effective Price Assignment zone in the **Pricing (Customer)** screen	*Effective Price Assignment* on page 93

Setting the C1_PRASNORDR Feature Configuration

Procedure

Copyright © 2014, Oracle. All rights reserved.

To set the C1_PRASNORDR feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_PRASNORDR** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Price Assignment Algorithm	Used to specify the algorithm which contains the default search order for global customers. The valid search order values are: • AGREED_PRICELIST • AGREED_FIRST You can change this default search order, whenever required. You can also create a custom search order, if required.	Yes

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
Pricing (Customer) screen	*Pricing (Customer)* on page 92

Setting the C1_DIVFUNCT Feature Configuration

Procedure

To set the C1_DIVFUNCT feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_DIVFUNCT** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

Copyright © 2014, Oracle. All rights reserved.

The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Enforce division-specific validations	Used to indicate whether the division-specific validations must be triggered on the **Person**, **Account** and **Contract** screens. The valid values are: • Y • N	Yes

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Setting the C1_PERACCT Feature Configuration

Procedure

To set the C1_PERACCT feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_PERACCT** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Create Person Account Together	Used to indicate whether you want to create a person and account for that person simultaneously. The valid values are: • Y • N	Yes

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Copyright © 2014, Oracle. All rights reserved.

Setting the C1_FINTRANOP Feature Configuration

Procedure

To set the C1_FINTRANOP feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_FINTRANOP** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Bill Segment Regeneration on Freeze	Used to indicate whether you want to regenerate the bill segments before freezing them. The valid value is: • Y If you do not want to regenerate the bill segments before freezing them, you must leave this option type blank. **Note:** If the **Freeze and Complete** check box is selected for the bill cycle and the **Bill Segment Regeneration on Freeze** option type is set to **Y**, then the bill segments are regenerated and the status of the bill segments is set to **Frozen**. However, if the **Freeze and Complete** check box is not selected for the bill cycle, then the bill segments are always regenerated irrespective of whether the **Bill Segment Regeneration on Freeze** option type is set to **Y** or not.	No

Copyright © 2014, Oracle. All rights reserved.

Option Type	Description	Mandatory (Yes or No)
Billable Charges Date	Used to indicate whether you want to consider the billable charges whose start or end date is earlier than or equal to the cut-off date. The valid values are: • **S** — Used when you want to consider the billable charges whose start date is earlier than or equal to the cut-off date. • **E** — Used when you want to consider the billable charges whose end date is earlier than or equal to the cut-off date. If you do not set the value of this option type, by default, the system considers the billable charges whose start date is earlier than or equal to the cut-off date.	No

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Setting the C1_EXP_OVRD Feature Configuration

Procedure

To set the C1_EXP_OVRD feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_EXP_OVRD** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Expire Override Switch	Used to indicate whether you want to automatically expire an agreed pricing when the agreed pricing of a customer or an account without end date is overridden. The valid values are: • Y • N	Yes

6. Enter the values for the required option types.

Copyright © 2014, Oracle. All rights reserved.

7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
Override Product Pricing screen	*Override Product Pricing* on page 172

Setting the C1_EXCHRATE Feature Configuration

Procedure

To set the C1_EXCHRATE feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.

2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.

4. Enter **C1_EXCHRATE** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
End Date Required for Division Override	Used to indicate whether the end date is mandatory for a division-specific exchange rate. The valid values are: • Y • N By default, the value of this option type is set to **N**.	Yes

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
How to define an exchange rate	*Defining an Exchange Rate* on page 106
How to edit an exchange rate	*Editing an Exchange Rate* on page 105

Copyright © 2014, Oracle. All rights reserved.

Setting the C1_EX_ROUND Feature Configuration

Initially, rate engine calculated all bill calc lines in the pricing currency. And, then the bill segment creation algorithm converted the bill calc line amounts from the pricing currency to the invoice currency. However, there are following two issues while using this method of currency conversion:

- Rounding rules vary with the currency. For example, amounts in Japanese Yen are rounded down to the nearest yen while other currencies are rounded up or down to the nearest unit. Therefore, the bill calc line amounts are not converted correctly in the invoice currency.
- In some cases, customers want to first convert and round the rate (derived from the rate engine) to the invoice currency, and then calculate the bill calc line amount (a product of rate and unit).

In order to resolve these issues, Oracle Revenue Management and Billing provides the capability to perform currency conversion on the rate. To enable this feature, you need to set the **C1_EX_ROUND** feature configuration.

Procedure

To set the C1_EX_ROUND feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_EX_ROUND** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Feature Config for Conversion	Used to indicate whether currency conversion must be done on the rate (derived from the rate engine) or on the bill calc line amount. The valid values are: • **Y** — Indicates that the currency conversion must be done on the rate. • **N** — Indicates that the currency conversion must be done on the bill calc line amount. By default, the value of this option type is set to **N**.	Yes
RC Conversion Characteristic Type	Used to specify the characteristic type. **Note:** The system checks whether the characteristic type specified in the **RC Conversion Characteristic Type** field is defined on the rate component. If the characteristic type is defined on the rate component and its value matches the value defined in the **RC Conversion Characteristic Value** field, the system does currency conversion on the rate and not on the bill calc line amount. Else, the currency conversion process on the rate is terminated even if the **Feature Config for Conversion** option type is set to **Y**.	Yes

Copyright © 2014, Oracle. All rights reserved.

Option Type	Description	Mandatory (Yes or No)
RC Conversion Characteristic Value	Used to specify the value for the characteristic type.	Yes
RC Currency Conversion Algorithm	Used to specify the name of the algorithm that you want to use for currency conversion.	Yes
RC Currency Rounding Characteristic Type	Used to specify the characteristic type. **Note:** The system checks whether the characteristic type specified in the **RC Currency Rounding Characteristic Type** field is defined on the rate component. If the characteristic type is defined on the rate component and its value matches the value defined in the **RC Currency Rounding Characteristic Value** field, the system does rounding to the nearest unit based on the decimal positions specified for the currency in the **Currency** screen. However, if the characteristic type is not defined on the rate component or its value does not match the value defined in the **RC Currency Rounding Characteristic Value** field, the system does rounding based on the rounding type and precision defined on the rate component.	Yes
RC Currency Rounding Characteristic Value	Used to specify the value for the characteristic type.	Yes
Round Down Currency	Used to specify the currency code whose value should be rounded down on currency conversion. If you want to round down the value of more than one currency code, you need to define this option type for each such currency code. For example, you need to round down Japanese Yen and USD. In such case, you need to define this option type twice – once with the value as Yen and another with the value as USD.	Yes

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Setting the C1_AXENTITY Feature Configuration

Procedure

To set the C1_AXENTITY feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.

Copyright © 2014, Oracle. All rights reserved.

4. Enter **C1_AXENTITY** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Approval Transaction Compare New or Missing Entry Color	Used to indicate the color in which the new additions must be highlighted. This helps in comparing the existing and new data while approving, rejecting, or cancelling approval workflow requests. You must specify hexadecimal value in this option type.	Yes
Approval Transaction Compare Value Changed Color	Used to indicate the color in which the existing data modifications must be highlighted. This helps in comparing the existing and new data while approving, rejecting, or cancelling approval workflow requests. You must specify hexadecimal value in this option type.	Yes
Approval Transaction Entity Access Algorithms	Used to specify the algorithm which controls access to the existing and new maintenance objects based on the access group and division. By default, the C1-APPTXN algorithm is specified. If you create new maintenance objects and want the access control for these new maintenance objects to be based on the access group and division, you have to create a custom algorithm and then attach it to this option type. In such case, you would define this option type twice — one with the default algorithm (that is, C1-APPTXN) and another with the custom algorithm.	Yes
Approval Transaction Fields to be Disabled in Input UI Maps	Used to indicate the fields that you want to disable whenever the input UI maps are regenerated.	Yes
Approval Transaction Resolve To Do Type	Used to indicate the type of To Do that must be created when an approver at any level in the hierarchy rejects a request.	Yes
Display UI XSL	Used to indicate the XSL file that you want to use while regenerating the Display UI maps.	Yes
Input UI XSL	Used to indicate the XSL file that you want to use while regenerating the Input UI maps.	Yes

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
How to set the prerequisites to implement the approval workflow process	*Prerequisites* on page 218

Copyright © 2014, Oracle. All rights reserved.

Setting the C1_FM Feature Configuration

Procedure

To set the C1_FM feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_FM** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Option Type	Description	Mandatory (Yes or No)
Batch Control — First Run	Used to specify the first mandatory batch that you want to be executed in the transaction aggregation cycle. **Note:** At present, the system does not support any value other than C1-TXNIP for this option type.	Yes
Batch Control — Last Run	Used to specify the last mandatory batch that you want to be executed in the transaction aggregation cycle. **Note:** At present, the system does not support any value other than C1-TXNCU for this option type.	Yes
Feed Management Used	Used to indicate whether default values must appear in the **Ignore Transaction**, **Aggregate Transaction**, and **Aggregation Schedule** fields while defining product pricing. The valid values are: • Y • N	Yes
Materialized Views Used	Used to indicate whether the product pricing information must be cached in the following tables — CI_PRC_AGRD, CI_PRC_PL, and CI_PRC_INH_PL. The valid values are: • true • false	Yes
Max No. of Product Parameters Cache Size	Used to indicate the maximum number of products whose product parameters' information must be cached in the memory.	Yes

Copyright © 2014, Oracle. All rights reserved.

Option Type	Description	Mandatory (Yes or No)
SQ Recalculation Required	Used to indicate whether the SQIs in an aggregated billable charge must be recalculated while executing the C1-TXNCU batch. The valid values are: • Y • N **Note:** If you do not specify the value or if you set the value to **N**, the system will not recalculate the SQIs in an aggregated billable charge.	No

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
Add Product Pricing screen	*Add Product Pricing* on page 159
Product Pricing Verification	*Product Pricing Verification* on page 358
Clean Up	*Clean Up* on page 364

Setting the C1_ACCTINFO Feature Configuration

Prerequisites

To set the C1_ACCTINFO feature configuration, you should have:

- Account Type characteristic type defined in the application (where the characteristic entity is set to Account)
- Invoice Group Account characteristic type defined in the application (where the characteristic entity is set to Account)

Procedure

To set the C1_ACCTINFO feature configuration:

1. Click the **Menu** link in the **Actions/Navigation** area.

   A list appears.
2. Select the **Admin Menu** option from the list.
3. From the **Admin Menu**, select **F** and then click **Feature Configuration**.

   The **Feature Configuration Search** window appears.
4. Enter **C1_ACCTINFO** in the **Feature Name** field.
5. Click the **Search** ( ) icon corresponding to the **Feature Name** field.

   The **Feature Configuration** screen appears. It contains the following option types:

Copyright © 2014, Oracle. All rights reserved.

Option Type	Description	Mandatory (Yes or No)
Account Type	Used to specify the characteristic type. This characteristic type is used to define the type of account in the **Account** screen. **Note:** By default, the **C1_F_ATY** characteristic type is specified. If you want to use account types other than the ones defined in the **C1_F_ATY** characteristic type, you need to create a new predefined characteristic type and add the required account types as its characteristic values. Then, specify the newly created characteristic type as the value for this option type.	Yes
Invoice Group Account	Used to specify the characteristic type. This characteristic type is used to indicate whether the account is a master or member account in the **Account** screen. **Note:** By default, the **C1_F_IGA** characteristic type is specified. If you want to use any other characteristic type other than **C1_F_IGA**, you need to create a new predefined characteristic type and add two characteristic values — Y and N. Then, specify the newly created characteristic type as the value for this option type.	Yes

6. Enter the values for the required option types.
7. Click the **Save** link in the **Actions/Navigation** area.

   The changes made to the feature configuration are saved.

Related Topics

For more information on...	See...
Invoicing Group	*Invoicing Group* on page 43

Copyright © 2014, Oracle. All rights reserved.

Appendix
C

Control Data

Topics:

- *Accounting Environment*
- *Automatic Payment (EFT) Environment*
- *Bill Cycle Environment*
- *Contract Configuration*
- *Credit and Collections Environment*
- *Customer Class Environment*
- *Customer Environment*
- *Division Environment*
- *Financial Transaction Environment*
- *Global Context*
- *Late Payment Environment*
- *Notification and Workflow*
- *Pricing Management*
- *Rate Environment*
- *Security Environment*
- *Services and Characteristics*
- *Statements*
- *Wrap Up*

Oracle Revenue Management and Billing supports the ability to create user profiles which are customized based on the user needs. The following user profiles have been pre-configured in the system with specific set of responsibilities:

- **BKADMIN** – This is the administrator user profile that has access to all administrative and end-user functions related to the Banking functionality in the application. The security profile definition for BKADMIN is based on the SYSUSER user who has access to all screens, transactions and administrative functions.

Note: BKADMIN user and password should be setup post installation for Web server because it is not pre-configured when a user logs in the database or application server.

For more information on how to setup users, how to import users from LDAP, and how to setup security profiles, refer to the framework documentation.

Besides the user profile, you need to setup the control data in the Oracle Revenue Management and Billing application. A user with the BKADMIN user rights should setup the control data.

The control data has been classified into the following categories:

- *Global Context* on page 614
- *Accounting Environment* on page 597
- *Security Environment* on page 618
- *Customer Class Environment* on page 604
- *Division Environment* on page 608
- *Financial Transaction Environment* on page 609
- *Customer Environment* on page 605
- *Statements* on page 619
- *Automatic Payment (EFT) Environment* on page 599
- *Credit and Collections Environment* on page 602
- *Services and Characteristics* on page 619
- *Bill Cycle Environment* on page 600
- *Rate Environment* on page 617
- *Late Payment Environment* on page 614
- *Contract Configuration* on page 601
- *Pricing Management* on page 615

- *Notification and Workflow* on page 614
- *Wrap Up* on page 620

Copyright © 2014, Oracle. All rights reserved.

Accounting Environment

Function	Menu	Auto Setup
Country & State	Admin Menu, Country	All base package transactions are automatically populated.
Currency Codes	Admin Menu, Currency	USD is automatically populated.
Accounting Calendar	Admin Menu, Accounting Calendar	All base package transactions are automatically populated.
GL Division	Admin Menu, General Ledger Division	All base package transactions are automatically populated.
Feature Configuration	Admin Menu, Feature Configuration. While defining an account, if you want the system to validate whether the specified account number is unique for a division, you must set the **Validate External Account Char** option type of the **C1_ACCTINFO** feature configuration to **Y**. By default, the value is set to **N**.	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Feature Configuration	Admin Menu, Feature Configuration. You can change the invoice currency of an account whenever required to meet the changing business needs. To activate this Multi-Currency Accounts functionality, you must set the **Multi-Currency Accounts (C1_MLTCURACC)** feature configuration using the following option types: • **Allow Multi-Currency Accounts** – Indicates whether the Multi-Currency Accounts feature configuration is switched on or off. To switch on this feature configuration, set the **Allow Multi-Currency Accounts** option type to **Y**. By default, the value is set to **N**. • **Currency Conversion Algorithm** – Used to specify the name of the algorithm that you want to be used for currency conversion. This algorithm is the same as the one used for currency conversion in billing. • **Transfer Adjustment Type for Currency Conversion** – Used to specify the adjustment type that you want to be used automatically when financial amount in one currency is converted to another currency. • **Cancel Reason Code for Currency Conversion Adjustment** – Used to specify the reason code that must be used automatically when the transfer adjustments are cancelled while reopening a bill. • **Payment Distribution To-Do** – Used to specify the To Do type that you want to be generated when the bill currency does not match the excess credit amount currency.	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Automatic Payment (EFT) Environment

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. You will need to set up an algorithm to create automatic payments. This algorithm is plugged-in on the installation record.	You can run the **CI_COPAP** DB process to copy this algorithm (and other autopay-oriented algorithms) from the demonstration database.
Tender Source	Admin Menu, Tender Source **Note:** Earlier you created tender sources for the remittance processor and your cash drawers. At this point, you will need to add at least one tender source for automatic payments. This is because automatic payments get linked to a tender control (which, in turn, gets linked to a tender source) when they are interfaced out of the system.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You will need to set up the appropriate automatic payment date calculation algorithm to populate the extract, GL interface and payment dates on automatic payments.	If you have executed the **CI_COPAP** DB process that is described above, this algorithm will have been set up for you.
Auto Pay Route Type	Admin Menu, Auto Pay Route Type	To be setup manually as per the business requirements.
Tender Type	Admin Menu, Tender Type **Note:** Earlier you created tender types for things like cash, checks, etc. At this point, you will need to add a tender type for each type of automatic payments (for example, direct debt, credit card, etc.).	To be setup manually as per the business requirements.
Work Calendar	Admin Menu, Work Calendar. You need to set up additional work calendars only if the auto pay sources (that is, the financial institutions) have different working days than your organization.	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. If you need to validate the customer's bank account or credit card number, you will need to set up the appropriate validation algorithms.	If you have executed the **CI_COPAP** DB process that is described above, this algorithm will have been set up for you.
Auto Pay Source Type	Admin Menu, Auto Pay Source Type	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may need to set up an algorithm if your customers can define a maximum withdrawal limit on their autopay options.	If you have executed the **CI_COPAP** DB process that is described above, this algorithm will have been set up for you.
Return to Customer Class	Admin Menu, Customer Class. You should plug-in the Autopay Over Limit Algorithm in each appropriate customer class.	To be setup manually as per the business requirements.

Bill Cycle Environment

Function	Menu	Auto Setup
Bill Cycle, Bill Cycle Schedule	Admin Menu, Bill Cycle	To be setup manually as per the business requirements.
Bill Period, Bill Period Schedule	Admin Menu, Bill Period	To be setup manually as per the business requirements.
Return to Division	Admin Menu, Division. At this time, you must define the valid bill cycles for the division.	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Contract Configuration

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. You will need to set up the algorithms that determine: • How to calculate the late payment charge amount for contracts of a given type • Special criteria to be tested before a contract is severed • Special processing that should take place prior to the completion of a bill that references contracts of a given type • Special processing that should take place during completion of a bill that references contracts of a given type • Special processing that should take place when contracts of a given type are created. • Special processing that should take place when a financial transaction is frozen for contracts of a given type	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may want to set up an algorithm that formats the contract information that is displayed throughout the system. This algorithm is plugged-in on the installation record.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may want to set up an algorithm that formats the contract information that is displayed throughout the system for a specific contract type. This algorithm is plugged-in on the contract type.	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. If you want a Control Central alert to highlight when the current account has any stopped contract(s), you will need to set up the algorithm that does this. This algorithm is plugged-in on the installation record.	To be setup manually as per the business requirements.
Contract Type	Admin Menu, Contract Type	To be setup manually as per the business requirements.
Terms and Conditions	Admin Menu, Terms and Conditions	To be setup manually as per the business requirements.
Contract type Start Options	Admin Menu, Contract Type Start Option	To be setup manually as per the business requirements.

Credit and Collections Environment

Note: If you collect overdue bills (as opposed to overdue debt), you don't need to set up these tables; refer to Overdue Processing - Set Up Tasks for the list of control tables required to collect overdue bills.

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. You may need to set up algorithms if you have non-standard collection events.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may need to set up a collection process cancellation algorithm if your organization allows individual contracts to be removed from a collection process if they are paid (rather than performing cancellation based on all contracts in a debt class).	To be setup manually as per the business requirements.
Collection Class	Admin Menu, Collection Class	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. At this time, you will need to set up the following algorithms: Collection Process Cancellation Criteria, Severance Process Cancellation Criteria, and Override Arrears due to Pay Plans	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Debt Class	Admin Menu, Debt Class	To be setup manually as per the business requirements.
Write Off Debt Class	Admin Menu, Write Off Debt Class	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You will need to set up Collection Condition algorithms.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may need to set up algorithms if you have non-standard severance events.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may need to set up a severance process cancellation algorithm if your organization allows a severance process to be canceled when the related contract is paid (rather than performing cancellation based on all contracts in a debt class).	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. At this time, you will need to set up the following algorithms: How to refer debt to a collection agency, How to transfer debt to another active contract, How to write down small amounts of debt, and How to refund credit balances to a customer	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may need to set up algorithms if you have non-standard write-off events.	To be setup manually as per the business requirements.
Write Off Event Type	Admin Menu, Write Off Event Type **Note:** You will have to wait until you have defined your contract types before you can set up the Write Off Events because contract type is a necessary parameter to write off debt.	To be setup manually as per the business requirements.
Write Off Process Template	Admin Menu, Write Off Process Template	To be setup manually as per the business requirements.
Write Off Control	Admin Menu, Write Off Control	

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Collection Agency	Admin Menu, Collection Agency. **Note:** Each collection agency references a person, and therefore you must set up a person for each agency before you can enter collection agency information.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may need to set up algorithms if you have special logic that should be executed when a pay plan is canceled.	To be setup manually as per the business requirements.
Payment Method	Admin Menu, Pay Method	To be setup manually as per the business requirements.
Installation	Admin Menu, Installation. Several fields on the installation record impact the Credit and Collections Environment.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You will need to setup an algorithm that is called when a user writes-off debt real time.	To be setup manually as per the business requirements.
Return to Customer Class	Admin Menu, Customer Class. You should plug-in the Autopay Over Limit Algorithm in each appropriate customer class.	To be setup manually as per the business requirements.

Customer Class Environment

Function	Menu	Auto Setup
Customer Class	Admin Menu, Customer Class. At this point, you will only be able to set up your customer class codes. You will return to these customer classes throughout the setup process to populate additional information.	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Customer Environment

Function	Menu	Auto Setup
Account Management Group	Admin Menu, Account Management Group. **Note:** You will probably have to set up To Do Type and To Do Roles before you can setup account management groups. Refer to Assigning A To Do Role in the online help for more information on how account management groups may be used to define an entry's role.	To be setup manually as per the business requirements.
Account Relationship	Admin Menu, Account Relationship Type	To be setup manually as per the business requirements.
Alert Type	Admin Menu, Alert Type	To be setup manually as per the business requirements.
Bill Message	Admin Menu, Bill Message	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. If you have software that is capable of reconstructing an image of a bill in a PDF (for the purpose of online display), you will need to create an algorithm that formats the extract records that are sent to your bill image software.	If you use the Doc 1 printing software, you can run the **CI_COPD1** DB process to copy all Doc 1 oriented algorithms from the demonstration database.
Bill Route Type	Admin Menu, Bill Route Type	To be setup manually as per the business requirements.
Contract Quantity Type	Admin Menu, Contract Quantity Type	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. If you have software that is capable of reconstructing an image of a letter in a PDF (for the purpose of online display), you will need to create an algorithm that formats the extract records that are sent to your letter image software.	If you have executed the **CI_COPD1** DB process that is described above, these algorithms will have been set up for you.
Letter Template	Admin Menu, Letter Template	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Customer Contact Class	Admin Menu, Customer Contact Class	To be setup manually as per the business requirements.
Customer Contact Type	Admin Menu, Customer Contact Type	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may need to set up the algorithms that determine if person IDs are in a predefined format.	To be setup manually as per the business requirements.
Identifier Type	Admin Menu, Identifier Type	To be setup manually as per the business requirements.
SICs	Admin Menu, SIC Code	To be setup manually as per the business requirements.
Tax Exempt Type	Admin Menu, Tax Exempt Type	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may need to set up the algorithms that determine if phone numbers are in a predefined format.	To be setup manually as per the business requirements.
Phone Type	Admin Menu, Phone Type.	To be setup manually as per the business requirements.
Person Relationship Type	Admin Menu, Person Relationship Type.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You will need to set up an algorithm that formats the person information that is displayed throughout the system. This algorithm is plugged-in on the installation record.	If you have executed the **CI_COPIN** DB process that is described above, this algorithm will have been set up for you.
Algorithm	Admin Menu, Algorithm. You will need to set up an algorithm to validate a person's name. This algorithm is plugged-in on the installation record.	If you have executed the **CI_COPIN** DB process that is described above, this algorithm will have been set up for you.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. You can override the system's standard account information string by setting up an algorithm that produces this string of information. This algorithm is plugged-in on the installation record.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. If you have software that is capable of reconstructing an image of a letter in a PDF for the purpose of online display, you will need to create an algorithm that renders this PDF. This algorithm is plugged-in on the installation record.	If you have executed the **CI_COPD1** DB process that is described above, this algorithm will have been set up for you.
Algorithm	Admin Menu, Algorithm. If you have software that is capable of reconstructing an image of a bill in a PDF for the purpose of online display, you will need to create an algorithm that renders this PDF. This algorithm is plugged-in on the installation record.	If you have executed the **CI_COPD1** DB process that is described above, this algorithm will have been set up for you.
Installation	Admin Menu, Installation Options. Many fields on the installation record impact the Customer Environment. Refer to the description of the Main, Person, and Account tabs for more information.	To be setup manually as per the business requirements.
Characteristic Type	Admin Menu, Characteristic Type. Characteristic types are required for the account to indicate the external account number, account type, and invoice group account indicator.	To be setup manually as per the business requirements.
Return to Division	Admin Menu, Division. At this time, you must define the valid characteristic types for the division.	To be setup manually as per the business requirements.
Feature Configuration	Admin Menu, Feature Configuration. The characteristic types that were setup for the external account number, account type, and invoice group account indicator must be indicated for feature configuration C1_ACCTINFO.	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Feature Configuration	Admin Menu, Feature Configuration. If you want to provide the ability to a user to create a person and the account for that person together, you must set the **Create Person Account together** option type of the **C1_PERACCT** feature to **Y**.	To be setup manually as per the business requirements.

Division Environment

Function	Menu	Auto Setup
Feature Configuration	Admin Menu, Feature Configuration. There are certain division-specific validations that are triggered on the Person, Account and Contract screens. In order to activate this Division functionality for Banking, you need to set up the C1_DIVFUNCT feature. The **Enforce division-specific validations** option type for the C1_DIVFUNCT feature must be set to Y. Validations for division will not be triggered if this value is set to N.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You must create algorithm for Price Assignment Search with the algorithm type as **C1_PRASN**.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may need to set up the algorithms that would determine the actions to be taken when the status of a division is altered.	To be setup manually as per the business requirements.
Work Calendar	Admin Menu, Work Calendar	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Division	Admin Menu, Division. At this point, you will only be able to set up your division codes. You will return to these divisions throughout the setup process to populate additional information.	To be setup manually as per the business requirements. You must setup a division for each jurisdiction in which you conduct business using different rules. When creating customer accounts, they must be associated with an existing division. For Pricing Management functionality, setting up a division is mandatory and the system must contain information about at least one division.
Access Groups Tab in Division	Admin Menu, Division. At this time, you must define the access groups for the division.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Division. At this time, you must associate Price Assignment Search algorithm for each division.	To be setup manually as per the business requirements.

Financial Transaction Environment

Function	Menu	Auto Setup
Work Calendar	Admin Menu, Work Calendar	To be setup manually as per the business requirements.
Return to Division	Admin Menu, Division. At this time, you must define the work calendar for the division.	To be setup manually as per the business requirements.
Revenue Class	Admin Menu, Revenue Class	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You will need to set up the algorithm that constructs a distribution code's corresponding GL account when it is interfaced to the general ledger.	To be setup manually as per the business requirements.
Distribution Code	Admin Menu, Distribution Code	To be setup manually as per the business requirements.
Bank & Bank Accounts	Admin Menu, Bank	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Billable Charge Template	Admin Menu, Billable Charge Template. **Note:** If you want the system to default service quantities onto billable charges created using this template, you must setup the appropriate unit of measure code, time-of-use code and/or service quantity identifier.	To be setup manually as per the business requirements.
Billable Charge Upload Line Type	Admin Menu, Billable Charge Line Type	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You will need to set up several algorithms. These algorithms include: 1) Calculate a bill segment's bill lines, 2) Construct a bill segment's financial transaction	Rather than setting up these manually, you can run the **CI_COPBI** DB process to copy many of these algorithms from the demonstration database. Review the parameter values in these algorithms after they are copied.
Bill Segment Type	Admin Menu, Bill Segment Type	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You will need to set up the algorithm that constructs a payment segment's financial transaction.	Rather than setting up these manually, you can run the **CI_COPPY** DB process to copy many of these algorithms from the demonstration database. Review the parameter values in these algorithms after they are copied.
Payment Segment Type	Admin Menu, Payment Segment Type	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You will need to set up the algorithm that constructs an adjustment's financial transaction.	Rather than setting up these manually, you can run the **CI_COPAD** DB process to copy many of these algorithms from the demonstration database. Review the parameter values in these algorithms after they are copied.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. Several plug-in spots are available to perform additional logic when processing adjustments. For example, if you have the system calculate adjustments, you must set up an adjustment generation algorithm. Refer to Adjustment Type for other available plug-in spots that may be used in your implementation.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. Several plug-in spots are available to perform additional logic when processing adjustments. For example, if you have the system calculate adjustments, you must set up an adjustment generation algorithm. Refer to Adjustment Type for other available plug-in spots that may be used in your implementation.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may want to set up an algorithm that formats the Adjustment information that is displayed throughout the system for a specific Adjustment Type. This algorithm is plugged-in on the Adjustment Type.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may want to set up an algorithm that formats the Adjustment information that is displayed throughout the system. This algorithm is plugged-in on the installation record.	To be setup manually as per the business requirements.
Adjustment Type	Admin Menu, Adjustment Type	To be setup manually as per the business requirements.
Adjustment Type Profile	Admin Menu, Adjustment Type Profile	To be setup manually as per the business requirements.
Cancel Reason – Bill	Admin Menu, Bill Cancel Reason	To be setup manually as per the business requirements.
Cancel Reason – Payment	Admin Menu, Payment Cancel Reason	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Cancel Reason – Adjustment	Admin Menu, Adjustment Cancel Reason	To be setup manually as per the business requirements.
Tender Type	Admin Menu, Tender Type	To be setup manually as per the business requirements
Tender Source	Admin Menu, Tender Source	To be setup manually as per the business requirements
Installation	Admin Menu, Installation Options - Framework and Admin Menu, Installation Options. Many fields in the installation record impact the financial transaction environment. Refer to the description of the Billing and Financial Transaction tabs and the Messages tab in the Framework page for more information.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You will need to set up an algorithm that distributes payments.	If you have executed the **CI_COPPY** DB process that is described above, this algorithm will have been set up for you.
Algorithm	Admin Menu, Algorithm. You will need to set up an algorithm that handles overpayment situations.	
Algorithm	Admin Menu, Algorithm. You may need to set up an algorithm if specific customers can have individual bill due dates.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You may need to set up an algorithm if you want the system to delete bills that contain only information about historical payments.	If you have executed the **CI_COPBI** DB process that is described above, this algorithm will have been set up for you.
Algorithm	Admin Menu, Algorithm. You may need to set up an algorithm if you want the system to levy a non-sufficient funds charge if a payment is canceled due to non-sufficient funds	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. You will need to set up an algorithm that formats the bill information that is displayed throughout the system. This algorithm is plugged-in on the installation record.	You can run the **CI_COPIN** DB process to copy many of the algorithms that format basic information from the demonstration database.
Algorithm	Admin Menu, Algorithm. You will need to set up an algorithm that formats the payment information that is displayed throughout the system. This algorithm is plugged-in on the installation record.	If you have executed the **CI_COPIN** DB process that is described above, this algorithm will have been set up for you.
Algorithm	Admin Menu, Algorithm. You will need to set up an algorithm that defaults the amount when a payment is manually added. This algorithm also calculates the amount of an automatic payment for a bill for an account with an active auto pay option. This algorithm is plugged-in on the installation record.	If you have executed the **CI_COPIN** DB process that is described above, this algorithm will have been set up for you.
Algorithm	Admin Menu, Algorithm. Refer to Customer Class for other available plug-in spots that may be used in your implementation to perform additional logic when processing payments and bills.	To be setup manually as per the business requirements.
Return to Customer Class	Admin Menu, Customer Class. You will need to plug-in the algorithms defined above on your customer classes.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. Refer to Division for available plug-in spots that may be used in your implementation to perform additional logic when processing payments and bills for division.	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Global Context

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. You will need to set up an algorithm that populates global context values. The global context is used by various zones in the system to display relevant data. This algorithm is plugged-in on the installation record.	You can run the **CI_COPIN** DB process to copy many of the algorithms that support basic functionality from the demonstration database. For more information, refer to Online Help under **Administration** > **Preparing To Implement** > **How To Copy An Algorithm From The Demo Database** .

Late Payment Environment

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. You will need to set up the algorithm that determines whether customers in a customer class are eligible for late payment charges.	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. You will need to set up the algorithm that levies late payment charges for customers in a customer class.	To be setup manually as per the business requirements.
Return to Customer Class	Admin Menu, Customer Class. You will need to plug-in the late payment charge algorithms.	To be setup manually as per the business requirements.

Notification and Workflow

Function	Menu	Auto Setup
Workflow Event Type	Admin Menu, Workflow Event Type	To be setup manually as per the business requirements.
Workflow Process Template	Admin Menu, Workflow Process Template	To be setup manually as per the business requirements.
Notification Upload Type	Admin Menu, Notification Upload Type	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Workflow Process Profile	Admin Menu, Workflow Process Profile	To be setup manually as per the business requirements.
Notification Download Type	Admin Menu, Notification Download Type	To be setup manually as per the business requirements.
Notification Download Profile	Admin Menu, Notification Download Profile	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. If you want a Control Central alert to highlight when the current account has active workflow processes, you will need to set up the algorithm that does this. This algorithm is plugged-in on the installation record.	To be setup manually as per the business requirements.

Pricing Management

Function	Menu	Auto Setup
Feature Configuration	Admin Menu, Feature Configuration. Since a global customer is not associated to any division, the system cannot determine the price assignment search order for a global customer. Hence, the default search order is defined for global customers through the **C1_PRASNORDR** feature configuration. This feature configuration contains the **Price Assignment Algorithm** option type where you specify the algorithm which contains the default search order for global customers. You can change this default search order, if required. The valid search order values are — **AGREED_PRICELIST** and **AGREED_FIRST**. You can also create a custom search order, if required.	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Feature Configuration	Admin Menu, Feature Configuration. Prices are effective for a particular duration and do not expire until you specify the end date manually. However, if you set the **C1_EXP_OVRD** feature to **Y**, the system will automatically expire the agreed pricing when the agreed pricing of a customer or an account with no end date is overridden. In case you do not want the agreed pricing to automatically expire when it is overridden, you can set the **C1_EXP_OVRD** feature to **N**.	To be setup manually as per the business requirements.
Feature Configuration	Admin Menu, Feature Configuration. You must define the number of records that can be displayed in the **Pricing (Account)** and **Pricing (Customer)** screens using the **C1_PR_REC** feature configuration. If you do not specify the value for the **Effective Pricing RecordSet Limit** option type, no records will be displayed in these screens. Also, if you enter the value as **0**, no records will be displayed in these screens.	To be setup manually as per the business requirements.
Feature Configuration	Admin Menu, Feature Configuration. For division-specific exchange rate, the end date is optional. If you want the end date to be mandatory, you must set the **End Date Required for Division Override** option type of the **C1_EXCHRATE** feature to **Y**.	To be setup manually as per the business requirements.
Tiering Criteria	Main Menu, Pricing Management, Manage Tiering Criteria	To be setup manually as per the business requirements.
Rate Definition	Main Menu, Pricing Management, Manage Rate Definitions	To be setup manually as per the business requirements.
Products	Main Menu, Pricing Management, Manage Products	To be setup manually as per the business requirements.
Products Tab in Division	Admin Menu, Division. At this time, you must define the valid products (including bundles) for the division.	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Price Lists	Main Menu, Pricing Management, Manage Price Lists	To be setup manually as per the business requirements.
Price List Tab in Division	Admin Menu, Division. At this time, you must define the valid price lists for the division.	To be setup manually as per the business requirements.
Exchange Rates	Main Menu, Pricing Management, Manage Exchange Rates	To be setup manually as per the business requirements.

Rate Environment

Function	Menu	Auto Setup
Frequency	Admin Menu, Frequency	To be setup manually as per the business requirements.
Service Quantity Identifier	Admin Menu, Service Quantity Identifier	To be setup manually as per the business requirements.
Algorithm Type	Admin Menu, Algorithm Type. If you create new Service Quantity Rules, you must set up an algorithm type for each such rule. **Note:** The algorithm type defines the types of parameters that are passed to the Service Quantity Rule.	All base package algorithm types are automatically populated.
Service Quantity Rule	Admin Menu, Service Quantity Rule	To be setup manually as per the business requirements.
Bill Factor	Main Menu, Rates, Bill Factor	To be setup manually as per the business requirements.
Rate	Main Menu, Rates, Rate Schedule	To be setup manually as per the business requirements.
Rate Version	Main Menu, Rates, Rate Version	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. If you use algorithms to dynamically change step boundaries, calculate prices, convert between currencies, or implement rate component eligibility rules, you must set up these algorithms.	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Return to Division	Admin Menu, Division. You will need to plug-in the division specific algorithms defined on the division.	To be setup manually as per the business requirements.
Rate Component	Main Menu, Rates, Rate Component	To be setup manually as per the business requirements.
Bill Factor Value	Main Menu, Rates, Bill Factor Values	To be setup manually as per the business requirements.

Security Environment

Function	Menu	Auto Setup
Application Service	Admin Menu, Application Service	All base package transactions are automatically populated.
Security Type	Admin Menu, Security Type	All base package transactions are automatically populated.
User Group	Admin Menu, User Group **Note:** You will not be able to set up users at this point.	One user group, **ALL-SERVICES**, is automatically setup. It references all other application services and a single user called **SYSUSER**. **Note:** You may be able to import sample user groups from the demonstration database. Also, you may be able to import user groups if your organization has already defined them using LDAP.
Language	Admin Menu, Language	**ENG** is automatically populated.
Display Profile	Admin Menu, Display Profile	The following two display profiles are automatically setup: • **NORTHAM** - Displays currencies and dates in a classic American format • **EURO** - Displays information in a classic European format
Data Access Role	Admin Menu, Data Access Role	All base package transactions are automatically populated.
Access Group	Admin Menu, Access Group	All base package transactions are automatically populated.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
User	Admin Menu, User	BKADMIN is automatically set up. **Note:** You may be able to import users if your organization has already defined them using LDAP.
Return to User Group	You must return to your user groups and define all of their users.	All base package transactions are automatically populated.

Services and Characteristics

Function	Menu	Auto Setup
Service Type	Admin Menu, Service Type	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. If you have ad hoc characteristic types, you may need to set up the algorithms that control how they are validated.	To be setup manually as per the business requirements.
Foreign Key Reference	Admin Menu, FK Reference. If you have foreign key characteristic types, you may need to set up foreign key references to control how the user selects the characteristic values (and how the foreign key values are validated).	All base package FK references are automatically populated.
Characteristic Type & Values	Admin Menu, Characteristic Type	To be setup manually as per the business requirements.

Statements

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. If you have software that is capable of reconstructing an image of a statement in a PDF (for the purpose of online display), you will need to create an algorithm that formats the extract records that are sent to your statement image software.	If you have executed the **CI_COPD1** DB process that is described above, this algorithm will have been set up for you.
Statement Route Type	Admin Menu, Statement Route Type	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.

Function	Menu	Auto Setup
Statement Cycle	Admin Menu, Statement Cycle	To be setup manually as per the business requirements.
Algorithm	Admin Menu, Algorithm. If you have software that is capable of reconstructing an image of a statement in a PDF for the purpose of online display, you will need to create an algorithm that renders this PDF. This algorithm is plugged-in on the installation record.	If you have executed the **CI_COPD1** DB process that is described above, this algorithm will have been set up for you.

Wrap Up

Function	Menu	Auto Setup
Algorithm	Admin Menu, Algorithm. You will need to set up the algorithms that determine: • Special alerts on Control Central (assuming you have special alerts)	To be setup manually as per the business requirements.
Installation Options	Admin Menu, Installation Options - Framework and Admin Menu, Installation Options. At this point, it is recommended to cross-check everything on the installation record.	To be setup manually as per the business requirements.
Postal Default	Admin Menu, Postal Code Default	To be setup manually as per the business requirements.

Copyright © 2014, Oracle. All rights reserved.