

Security Management System User Guide

Oracle FLEXCUBE Universal Banking

Release 12.1.0.4.11

Part No. E64763-01

July 2017

Security Management System User Guide
July 2017
Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2017, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. Preface	1-1
1.1 Introduction.....	1-1
1.2 Audience.....	1-1
1.3 Documentation Accessibility	1-1
1.4 Organization	1-1
1.5 Abbreviations.....	1-2
1.6 Glossary of Icons.....	1-2
1.7 Related Documents	1-3
2. Security Management	2-1
2.1 Introduction.....	2-1
2.2 Bank Level Parameter Setup.....	2-2
2.2.1 <i>Invoking SMS Bank Parameters Maintenance Screen</i>	2-2
2.2.2 <i>Branch Restriction Button</i>	2-7
2.2.3 <i>Password Restriction Button</i>	2-8
2.3 User Details Modification in Bulk	2-9
2.3.1 <i>Invoking the User Credentials Change Screen</i>	2-9
2.4 Common Branch Restrictions.....	2-11
2.4.1 <i>Invoking the Branch Restriction Screen</i>	2-11
2.5 Function Maintenance	2-12
2.5.1 <i>Invoking Function Description Maintenance Screen</i>	2-13
2.5.2 <i>Defining the Menu</i>	2-16
2.6 User Role Maintenance	2-16
2.6.1 <i>Invoking Role Maintenance Screen</i>	2-16
2.6.2 <i>Defining Functions for a Role Profile</i>	2-17
2.6.3 <i>Process Stage Rights Button</i>	2-18
2.6.4 <i>Branch Restriction Button</i>	2-19
2.6.5 <i>Account Class Restriction Button</i>	2-19
2.6.6 <i>Rights Button</i>	2-20
2.6.7 <i>Password Restriction Button</i>	2-22
2.6.8 <i>Copying the Role Profile of an Existing Role</i>	2-23
2.6.9 <i>Closing a Role Profile</i>	2-23
2.6.10 <i>Defining Roles for Oracle FLEXCUBE Branch Users</i>	2-23
2.7 Limits Role Maintenance	2-24
2.7.1 <i>Invoking Limits Role Maintenance</i>	2-24
2.8 User Holidays Maintenance.....	2-25
2.8.1 <i>Invoking User Holiday Maintenance Screen</i>	2-25
2.8.2 <i>Viewing Holiday Summary Details</i>	2-26
2.9 User Profile Maintenance	2-28
2.9.1 <i>Invoking User Maintenance Screen</i>	2-28
2.9.2 <i>Restricted Passwords Button</i>	2-38
2.9.3 <i>Roles Button</i>	2-38
2.9.4 <i>Rights Button</i>	2-39
2.9.5 <i>Functions Button</i>	2-41
2.9.6 <i>Tills Button</i>	2-43

2.9.7	<i>Account Classes Button</i>	2-43
2.9.8	<i>General Ledgers Button</i>	2-44
2.9.9	<i>Limits Button</i>	2-45
2.9.10	<i>Branches Button</i>	2-47
2.9.11	<i>Products Button</i>	2-48
2.9.12	<i>Group Code Restriction Button</i>	2-49
2.9.13	<i>Disallowed Functions Button</i>	2-50
2.9.14	<i>Users Holiday Button</i>	2-50
2.9.15	<i>Centralized Role Button</i>	2-51
2.9.16	<i>Dashboard Mapping Button</i>	2-52
2.9.17	<i>Copying the User Profile of an Existing User</i>	2-53
2.9.18	<i>Deleting a User Profile</i>	2-54
2.9.19	<i>Closing a User Profile</i>	2-54
2.10	<i>Department Details</i>	2-54
2.10.1	<i>Specifying Department Details</i>	2-54
2.11	<i>Alerts for Users</i>	2-55
2.11.1	<i>Defining Alerts for Users</i>	2-55
2.12	<i>Process Codes</i>	2-56
2.12.1	<i>Maintaining Process Codes</i>	2-56
2.13	<i>Single Sign On (SSO) Enabled Environment</i>	2-57
2.14	<i>Multi-Factor Authentication</i>	2-57
2.14.1	<i>Logging into Oracle FLEXCUBE by Multi-Factor Authentication</i>	2-58
2.14.2	<i>Maintaining Multi-Factor Authentication Limits</i>	2-58
2.14.3	<i>Viewing Multi-Factor Authentication - Limit Maintenance Summary</i>	2-60
3.	Associated Functions	3-1
3.1	<i>Clearing a User ID</i>	3-1
3.1.1	<i>Invoking the Clear User Screen</i>	3-1
3.2	<i>System Time Level</i>	3-2
3.2.1	<i>Changing the System Time Level</i>	3-2
3.3	<i>Current Users</i>	3-3
3.3.1	<i>View Current Users</i>	3-4
3.4	<i>Language Codes</i>	3-4
3.4.1	<i>Defining Language Codes</i>	3-4
3.5	<i>Branch of Operation</i>	3-5
3.5.1	<i>Changing the Branch of Operation</i>	3-5
3.6	<i>User Password</i>	3-6
3.6.1	<i>Changing the User Password</i>	3-6
3.7	<i>SSO Parameters</i>	3-6
3.7.1	<i>Maintaining SSO Parameters</i>	3-7
3.8	<i>Transaction Status Control</i>	3-8
3.8.1	<i>Maintaining Transaction Status Control</i>	3-8
3.9	<i>Error Messages</i>	3-9
3.9.1	<i>Maintaining Error Messages</i>	3-9
3.10	<i>Customized Hot Keys</i>	3-10
3.10.1	<i>Configuring Customized Hot Keys</i>	3-10
3.11	<i>Viewing User Activities</i>	3-10
3.11.1	<i>Viewing User Activities</i>	3-10
3.12	<i>Branch Status</i>	3-11
3.12.1	<i>Viewing Branch Status</i>	3-11
4.	Error Codes and Messages	4-1

4.1	Error Codes	4-2
5.	Reports	5-1
5.1	Events Log Report.....	5-1
5.1.1	Generating Event Logs Report.....	5-1
5.1.2	Contents of the Events Log	5-2
5.2	Security Management System Violations Log Report	5-3
5.2.1	Generating Security Management System Violations Log Report	5-3
5.2.2	Contents of the Security Management System Violations Log Report	5-4
5.3	User Profile Report	5-4
5.3.1	Generating User Profile Report	5-5
5.3.2	Contents of the User Profile Report.....	5-6
5.4	Changes Report	5-6
5.4.1	Generating Change Report	5-7
5.4.2	Contents of the Changes Report.....	5-7
5.5	Inactive Users Aging Analysis Report	5-8
5.5.1	Generating Inactive Users Aging Analysis Report.....	5-8
5.5.2	Contents of the Inactive Users Aging Analysis Report.....	5-8
5.6	SMS User Inactive Log Report	5-8
5.6.1	Generating SMS User Inactive Log Report	5-8
5.6.2	Contents of the Inactive Users Log Report.....	5-9
5.7	Online Performance Statistics Report	5-9
5.7.1	Generating Online Performance Statistics Report.....	5-9
5.7.2	Contents of the Online Performance Statistics Report.....	5-10
5.8	Batch Performance Statistics Report.....	5-11
5.8.1	Generating Batch Performance Statistics Report.....	5-11
5.8.2	Contents of the Performance Statistics report.....	5-12
5.9	Change Control Log Report.....	5-13
5.9.1	Generating Change Control Log Report.....	5-13
5.9.2	Contents of the Report	5-14
5.10	Event Log Report.....	5-15
5.10.1	Generating Event Log Report.....	5-15
5.10.2	Contents of the Report	5-16
5.11	Changes Log Report	5-16
5.11.1	Generating Changes Log Report.....	5-17
5.11.2	Contents of the Report	5-17
5.12	New User Created Report	5-18
5.12.1	Generating New User Created Report	5-19
5.12.2	Contents of the Report	5-19
5.13	Role Profile Created Report	5-20
5.13.1	Generating Role Profile Created Report.....	5-21
5.13.2	Contents of the Report	5-21
5.14	User Profile Report.....	5-22
5.14.1	Generating User Profile Report	5-22
5.14.2	Contents of the Report	5-23
5.15	Role Profile Report	5-24
5.15.1	Generating Role Profile Report	5-25
5.15.2	Contents of the Report	5-25
5.16	User Role Summary Report	5-26
5.16.1	Generating Role Summary Report	5-26
5.16.2	Contents of the Report	5-27

5.17	User Entitlement Report	5-28
5.17.1	<i>Generating User Entitlement Report</i>	5-28
5.17.2	<i>Contents of the Report</i>	5-29
6.	Function ID Glossary	6-1

1. Preface

1.1 Introduction

This Manual is designed to help you to quickly get familiar with the Security Management System (SMS) module of Oracle FLEXCUBE.

It provides an overview of the module and takes you through the various stages in setting- up and using the security features that Oracle FLEXCUBE offers.

Besides this User Manual, you can find answers to specific features and procedures in the Online Help, which can be invoked, by choosing Help Contents from the *Help* Menu of the software. You can further obtain information specific to a particular field by placing the cursor on the relevant field and striking <F1> on the keyboard.

1.2 Audience

This Manual is intended for the following User/User Roles:

Role	Function
Oracle FLEXCUBE Implementers	To set up the initial startup parameters in the individual client workstations. To set up security management parameters for the Bank.
SMS Administrator for the Bank	To set the SMS bank parameters. To identify the Branch level SMS Administrators.
SMS Administrator for the Branch	To create User and Rsddole profiles for the branches of your bank. Will also grant access to the various functions to the Users.
A Oracle FLEXCUBE user	Any user of Oracle FLEXCUBE whose activities are traced by the SMS module.

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.4 Organization

This manual is organized into the following chapters:

Chapter	Description
Chapter 1	<i>About this Manual</i> gives information on the intended audience. It also lists the various chapters covered in this User Manual.
Chapter 2	<i>Security Management</i> explains how to define and maintain the security of the banking system in terms of users access and roles.





Chapter 3	<i>Associated Functions</i> discusses on the details pertaining to defining and maintaining additional security options such as clearing user profile, changing system time level, maintaining SSO parameters, error Messages, and viewing user activity, branch status, and so on.
Chapter 4	<i>Error Codes and Messages</i> lists all the error codes with the associated messages that you can encounter while working with this module.
Chapter 5	<i>Reports</i> provides a list of reports that can be generated in this module.
Chapter 6	<i>Function ID Glossary</i> has alphabetical listing of Function/Screen ID's used in the module with page references for quick navigation.

1.5 Abbreviations

Abbreviation	Description
FC	Oracle FLEXCUBE
AEOD	Auto End of Day
BOD	Beginning of Day
EOD	End of Day
EOTI	End of Transaction Input
EOFI	End of Financial Input
The System	This term is always used to refer to Oracle FLEXCUBE
SI	Standing Instructions
MM	Money Market
RM	Relationship Manager

1.6 Glossary of Icons

This User Manual may refer to all or some of the following icons.

Icons	Function
	Exit
	Add row
	Delete row
	Option List

1.7 **Related Documents**

The Procedures User Manual

2. Security Management

2.1 Introduction

Controlled access to the system is a basic parameter that determines the robustness of the security in banking software. In Oracle FLEXCUBE, we have employed a multi-pronged approach to ensure that this parameter is in place.

Only Authorized Users Access the System

First, only authorized users can access the system with the help of a unique User ID and a password. Secondly, a user should have access rights to execute a function.

User Profiles

The user profile of a user contains the User ID, the password and the functions to which the user has access.

Restricted Number of Unsuccessful Attempts

You can define the maximum number of unsuccessful attempts after which a User ID should be disabled. When a User ID has been disabled, the Administrator should enable it. The password of a user can be made applicable only for a fixed period. This forces the user to change the password at regular intervals thus reducing security risks. Further, you can define passwords that could be commonly used by a user as Restrictive Passwords at the user, user role and bank level. A user cannot use any password that is listed as a Restrictive Password at any of these levels.

Restricted Access to Branches

You can indicate the branches from where a user can operate in the Restricted Access screen.

All Activities Tracked

Extensive log is kept of all the activities on the system. You can generate reports on the usage of the system anytime. These reports give details of unsuccessful attempts at accessing the system along with the nature of these attempts. It could be an invalid password attempt, the last login time of a user etc.

Audit Trail

Whenever a record is saved in the module, the ID of the user who saved the record is displayed in the 'Input By' field at the bottom of the screen. The date and time at which the record is saved is displayed in the Date/Time field.

A record that you have entered should be authorized by a user, bearing a different login ID, before the EOD is run. Once the record is authorized, the ID of the user who authorized the record will be displayed in the 'Authorized By' field. The date and time at which the record was authorized is displayed in the 'Date/Time' field positioned next to the 'Authorized By' field.

The number of modifications that have happened to the record is stored in the field 'Modification Number'. The Status of the record whether it is Open or Closed is also recorded in the 'Open' checkbox..

This chapter contains the following sections:

- [Section 2.2, "Bank Level Parameter Setup"](#)
- [Section 2.3, "User Details Modification in Bulk"](#)
- [Section 2.4, "Common Branch Restrictions"](#)
- [Section 2.5, "Function Maintenance"](#)

- [Section 2.6, "User Role Maintenance"](#)
- [Section 2.7, "Limits Role Maintenance"](#)
- [Section 2.8, "User Holidays Maintenance"](#)
- [Section 2.9, "User Profile Maintenance"](#)
- [Section 2.10, "Department Details"](#)
- [Section 2.11, "Alerts for Users"](#)
- [Section 2.12, "Process Codes"](#)
- [Section 2.13, "Single Sign On \(SSO\) Enabled Environment"](#)
- [Section 2.14, "Multi-Factor Authentication"](#)

2.2 Bank Level Parameter Setup

This section contains the following topics:

- [Section 2.2.1, "Invoking SMS Bank Parameters Maintenance Screen"](#)
- [Section 2.2.2, "Branch Restriction Button"](#)
- [Section 2.2.3, "Password Restriction Button"](#)

2.2.1 Invoking SMS Bank Parameters Maintenance Screen

Certain parameters related to security management should be defined at the bank level. These parameters will apply to all the users of the system. Examples of such parameters are the number of invalid login attempts after which a user-id should be disabled, the maximum and minimum length for a password, the number of previous passwords that should not be used, the interval at which the password should be changed by every user, etc.

You can invoke the 'SMS Bank Parameters Maintenance' screen by typing 'SMDBANKP' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

SMS Bank Parameters Maintenance

New Enter Query

Bank Level Parameters

Head Office

Site Code *

Activation Key

Password Length (Characters)

Maximum *

Minimum *

Invalid Logins

Cumulative

Successive

Parameters

Password Repetitions

Force Password Change After

Intimate User (Before Password Expiry)

Archival Period (in days)

Minimum Days Between Password Changes

Dormancy Days

☐ Display Legal Notice

☐ Password External

Maximum Consecutive Repetitive Characters

Minimum Number Of Numeric Characters In Password *

Minimum Number Of Special Characters In Password *

Minimum Number of LowerCase Characters in Password *

Minimum Number of UpperCase Characters in Password *

Warning Screen Text

Warning Screen Text

Screen Saver Details

☐ Screensaver Required

☐ Screensaver Interval Modifiable at User Level

Screensaver Interval (in seconds)

Branch Restrictions | Password Restrictions | Fields

Maker

Checker

Mod No

Date Time:

Date Time:

Record Status

Authorization Status

Exit

Note

You can modify the Bank Parameters only when the Head Office branch is in the transaction input stage.

Specifying Invalid Logins

You can specify the allowable number of times an invalid login attempt is made by a user. Each user accesses the system through a unique User ID and password. While logging on to the system, if either the User ID or the Password is wrong, it amounts to an invalid login attempt.

You can stipulate the allowable number of cumulative invalid attempts made during the course of a day, as well as the allowable number of consecutive or successive invalid attempts made at a time. In either case, if the number of invalid attempts exceeds the stipulated number, the user ID is disabled.

By default, the allowable number of cumulative invalid attempts is six, and the allowable number of consecutive invalid attempts is three. You can change the default and specify the allowable number of attempts in each case. You can specify an allowable number for cumulative attempts between 6 and 99, and for consecutive (successive) attempts, between 3 and 5.

Once specified, you can change the allowable number of cumulative or consecutive login attempts, provided you do so only at a time when no users are logged in to the system.

When authentication of credentials is unsuccessful due to an incorrect user ID, then the user ID will not be logged in the audit logs. In case the user ID is correct and the password is wrong, the attempt is logged in the audit log and the successive and cumulative failure count is incremented. When the user ID and password are correct, this is logged into the audit logs.

Specifying Parameter**Archival Period in Days**

You can specify the period (in calendar days) for which the audit trail details of system security related activities (such as usage of the system by a user, activities by the system administrator, etc.) should be maintained. The system defaults to a value of 30, which you can change.

You can specify an archival period that is greater than or equal to 7 calendar days.

Dormancy Days

Oracle FLEXCUBE allows you to automatically disable the profile of all the users who have not logged into the system for a pre-defined period of time. A user ID is considered dormant if the difference between the last login date and the current date is equal to or greater than the number of 'Dormancy Days' that you specify in this screen. This is reckoned in calendar days i.e. inclusive of holidays.

All dormant users (whose home branch is same as the current branch) are disabled during the end of day run at the current branch.

Password External

The password external is enabled if the PASSWORD_EXTERNAL is maintained as 'Y' in the property file. However, you cannot edit this check box.

If 'Password External' is enabled then you cannot modify the user and the password.

Specifying Warning Screen Text

Warning Screen Text

At your bank, you may require a warning message containing legal requirements and security policy to be displayed to all users before allowing them to login to Oracle FLEXCUBE.

You can specify the text (content) of such a message, in the Warning Screen Text field. This message will be displayed soon after a user launches the Oracle FLEXCUBE login screen. The user will be allowed to continue with the login process only after he clicks on the OK button on the message window.

You can modify the contents of the message only during the transaction input stage. The changes will come into effect during the next login by a user. The maximum size of the warning message is '1000' characters.

Note

You will be allowed to specify the contents of the warning message only if the 'Display Legal Notice' option is enabled.

Specifying Screen Saver Details

You can lock the Oracle FLEXCUBE application screen if there is no activity for some time. You can log in back to the screen only if you specify the password of your user ID.

Screensaver Required

Check this box if screensaver is required.

Screensaver Interval Modifiable at User level

Check this box if you want to modify the screensaver interval at user level.

Screensaver Interval (in seconds)

Specify the time in seconds, after which the screen should be locked.

If both 'Screensaver required' and 'Screensaver Interval Modifiable at User level' are checked in bank level, then it will be visible at user level. Otherwise it will be hidden.

The system will default the screensaver time out from that maintained in bank parameter screen. Administrator who creates user will be allowed to change the same during user creation time.

The screensaver interval maintained at user level should be always be less than or equal to that maintained at bank level.

If screensaver interval is not specified in user level, the system will take the interval from bank parameter maintenance.

The screensaver interval can be specified by the user only if 'Screensaver Modifiable at User Level' is checked in the bank parameter maintenance.

Specifying Parameters for User Passwords

You can specify the following parameters that would govern user passwords:

Password Length (characters)

You can indicate the range of length (in terms of number of characters) of a user password. The number of characters in a user password is not allowed to exceed the maximum length, or fall below the minimum length that you specify here.

The minimum length defaults to 8, and the maximum length to 15. You can change the defaults and specify the required range. If you do so, you can specify a minimum length between 8 and 11 characters, and a maximum length between 12 and 30 characters. The minimum length that you specify must not exceed the maximum length that you have specified.

Force Password Change after

The password of a user can be made valid for a fixed period after which a password change should be forced. In the 'Force Password Change after' field, you can specify the number of calendar days for which the password should be valid. After the specified number of days has elapsed for the user's password, it is no longer valid and a password change is forced.

The number of calendar days defined here will be applicable for a password change of any nature - either through the 'Change Password' function initiated by the user or a forced change initiated by the system.

The system defaults to a value of 30, which can be changed. If you change it, the number of days you specify here should be between 15 and 180 days, inclusive.

Password Repetitions

You can stipulate the number of previous passwords that cannot be set as the new current password, when a password change occurs.

The system defaults to a value of three (i.e., when a user changes the user password, the user's previous three passwords cannot be set as the new password). You can change the default, and if you do, you can specify a number between one and five, inclusive.

For example, while setting up the Bank Level Parameters, you have given a value of '2' in the Password Repetitions field. Suppose that a user of the system has the user ID and password for login.

If the user wants to change the password for the first time, he/she should invoke the Change Password screen. The user cannot choose his current password again, but has to enter a new password.

The user wants to change the password for the second time. As the last two passwords cannot be used (Password Repetitions = 2 in the Bank Level Parameters table), the user cannot enter either of the old password. He/she should enter a password which is different from the previous two password.

The number you specify here should be greater than or equal to 1 and less than or equal to 5.

Minimum Days between Password Changes

You can specify the minimum number of calendar days that must elapse between two password changes. After a user has changed the user password, it cannot be changed again until the minimum number of days you specify here have elapsed.

By default, the minimum days between password changes is set to One. However, you can modify this.

Note

- The minimum days between password changes should not be a value more than the days defined in the field 'Force Password Change After'.
 - It is recommended not to set the minimum days between password changes to '0'
-

Intimate Users (before password expiry)

The number of days for which a password is to be valid is defined in the 'Force Password Change' after field. You can also indicate the number of working days before password expiry that a warning is to be issued to the user. When the user logs into the system (the stipulated number of days before the expiry date of the password), a warning message will continue to be displayed till the password expires or till the user changes it.

By default, the value for this parameter is two (i.e., two days before password expiry). You can change the default if required. If you do, you can specify a number greater than zero and less than or equal to five.

For example, if the value specified in the Intimate User (Before Password Expiry) field is 2 and a user's password is due to expire on January 31. The warning message is displayed on January 29 and January 30 whenever the user logs in.

Specifying Restrictions on User Passwords

You are allowed to place restrictions on the number of alpha and numeric characters that can be specified for a user password.

Maximum Consecutive Repetitive Characters

You can define the maximum number of allowable repetitive characters occurring consecutively, in a user password. This specification is validated whenever a user changes the user password, and is applicable for a password change of any nature - either through the 'Change Password' function initiated by the user or a forced change initiated by the system.

For example, the value specified in the Maximum Consecutive Repetitive Characters field is 3 and a user decides to change his password to STUDDDD123. The System will not allow this password change as the Maximum Repetitive Characters value has exceeded in the recurrence of 'D' in the password.

Minimum Number of Special Characters in Password

You can define minimum number of special characters allowed in a user password. The system validates these specifications only when a user chooses to change the password.

If you do not specify the limits, the following default values will be used:

- Minimum No of Special Characters = 1

Minimum Number of Numeric Characters in Password

Likewise, you can also define the minimum number of numeric characters allowed in a user password. The system validates the password only when a user chooses to change his password.

If you do not specify the limits, the following default values will be used:

- Minimum No of Numeric Characters = 1

Note

You can specify any number between 0 and 11 in each of these fields. However, you must ensure that the sum total of the minimum number of special characters and the minimum number of numeric characters is less than or equal to the 'Maximum Password Length'.

Minimum Number of Lower Case Characters in Password

You can define the minimum number of lowercase characters allowed in a user password. The allowed lower case characters are from the US-ASCII character set only. The system validates these specifications only when a user chooses to change the password.

If you do not specify the limits, the following default values will be used:

- Minimum No of Lower Case Characters = 1
- Maximum No of Numeric Characters = Maximum Password Length

Minimum Number of Upper Case Characters in Password

You can define the minimum number of upper case characters allowed in a user password. The allowed upper case characters are from the US-ASCII character set only. The system validates these specifications only when a user chooses to change the password.

If you do not specify the limits, the following default values will be used:

- Minimum No of Upper Case Characters = 1
- Maximum No of Numeric Characters = Maximum Password Length

2.2.2 Branch Restriction Button

You can restrict administrators of branches from performing operations related to specific functions in branches other than their home branch. These are referred to as 'Branch Restrictions for Specific Applications'. You can also maintain a list of branches in which the administrator of a certain branch is allowed / restricted to perform specific operations. These other restrictions are referred to as 'Common Branch Restrictions'.

According to the restrictions you maintain, the administrator of a specific branch is allowed to perform specific operations in the administrator's home branch, as well as any branch found in the list of allowed branches.

According to your requirements, the implementers at your installation configure a list of the specific functions or applications for which you might wish to maintain such branch restrictions. You can maintain branch restrictions for each of these applications, as required.

In the 'Branch Restrictions' screen, you can specify the applications for which you intend to maintain branch restrictions. To invoke the 'Branch Restrictions' screen, click 'Branch Restrictions' button in the 'SMS Bank Parameters Maintenance' screen.

For maintaining the Branch Restrictions for an application, click add icon to add a record to the list. Then click on each field's option list to select the application for which you intend to maintain branch restrictions.

Note

You cannot create common branch restrictions for an application that you have not specified in this screen.

For example, if you wish to restrict branch administrators from performing operations in the following applications, in branches other than their home branch:

- User administration (creation, modification and viewing of user profiles)
- End of Day (EOD) operations
- Maintaining rules for ICCF components
- Maintaining branch restrictions for IC rates

In the Restriction Type field in the SMS Branch Restriction Type screen, select USRADMIN (to maintain branch restrictions for User Administration), EODOPERATN (to maintain branch restrictions for EOD operations); ICCFRULE (to maintain branch restrictions for maintaining ICCF rules) and ICRATES (to maintain branch restrictions for IC rates).

2.2.3 Password Restriction Button

You can define a list of passwords that cannot be used by any user of the system in the bank. This list, called the Restrictive Passwords list can be defined at three levels:

- At the bank level (applicable to all the users of the system)
- At the user role level (applicable for all the users assigned the same role)
- At the user level (applicable for the user)

The list of Restrictive Passwords should typically contain those passwords the users are most likely to use: the name of your bank, city, country, etc. For a user role, it could contain names, or terms, that are commonly used in the department. At the user level, it could contain the

names of loved ones, etc. By disallowing users from using such common passwords, you can reduce the risk of somebody other than the user knowing the password.

Click 'Password Restrictions' button to define restricted passwords at the bank level that should not be used by any user of the bank.



To add a password to the 'Password' list, click add icon. To select a record in the list use the check box beside it.

After you listed the restrictive passwords in the 'Password' list, click 'Ok' button to save the password restrictions.

2.3 User Details Modification in Bulk

This section contains the following topics:

- [Section 2.3.1, "Invoking the User Credentials Change Screen"](#)

2.3.1 Invoking the User Credentials Change Screen

You can change or reset user passwords in bulk if you have the system admin rights. After modification of the user list, click 'Save', The modified user list will be stored in a temporary table. The lists of users which are modified and mapped with a unique sequence number will not be available until the particular sequence number is authorized. When the particular sequence number is authorized those user details will be changed and updated.

You can invoke this screen by typing 'SMDCHPWD' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

In this screen, the following information is to be provided.

Sequence Number

Click on 'New' icon to generate a new 'Sequence Number'.

Process Date

Select a date by clicking on the calendar icon beside the field. This field is generally useful for querying purpose.

Description

Provide a description of what modification is being done on selected user ids.

User Id

Select the User Id to be changed from the option list provided.

Name

Name of the user specific to the selected user id will be displayed in this field.

Password

Password of the selected user id will be displayed here. This field will be editable only if the 'Auto Generation Required' option is not selected at the application level. If the 'Auto Generation Required' option is checked, the password will be auto generated by the application.

Reset Password

Select this checkbox to reset the password in case of user ids where password needs to be auto generated.

If the external password is enabled in the bank parameters, then the Password and Reset Password will be disabled for editing.

2.4 Common Branch Restrictions

This section contains the following topics:

- [Section 2.4.1, "Invoking the Branch Restriction Screen"](#)

2.4.1 Invoking the Branch Restriction Screen

To recall, in the Branch Restrictions maintenance, you have identified those applications and operations, for which you intend to maintain branch restrictions. Having done this, you must proceed to create the appropriate common branch restrictions for each branch administrator. You can maintain these restrictions in the common 'Branch Restrictions' screen.

You can invoke this screen by typing 'SMDBRRES' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

This can be done only at the head office branch.

The screenshot shows the 'Branch Restrictions' application window. At the top, there's a title bar with a diamond icon and the text 'Branch Restrictions'. Below the title bar are two buttons: 'New' and 'Enter Query'. The main content area is divided into several sections. The first section contains four fields: 'User Branch *' (with a dropdown arrow), 'Description' (with a help icon), 'Restriction type *' (with a dropdown arrow), and another 'Description' field (with a help icon). Below these fields is a 'Branch Restriction' section with two radio buttons: 'Allowed' and 'Disallowed'. The 'Disallowed' radio button is selected. Below this is a table titled 'Disallowing Branches'. The table has two columns: 'Branch Code *' and 'Describe'. The 'Branch Code *' column has a dropdown arrow. Below the table is a 'Fields' section with three labels: 'Input By Date Time', 'Authorized By Date Time', and 'Modification Number'. Under 'Modification Number' are two checkboxes: 'Authorized' and 'Open'.

In this screen, you create common branch restrictions by specifying the information described below.

User Branch

You must first select the home branch of the administrator for which you are maintaining common branch restrictions, in the User Branch field.

Restriction Type

You must also indicate the specific application for which you wish to maintain common branch restrictions, for the administrator of the selected branch. You can only specify a restriction type that has been maintained in the SMS Branch Restriction Type maintenance.

Branch Restriction

You maintain common branch restrictions by creating a list of branches for each administrator, in which the administrator will either be allowed / disallowed access to perform operations related to the selected application (Restriction Type). You can maintain either an 'allowed' or a 'disallowed' restriction list.

The common branch restrictions you maintain are applicable for operations in the selected application (Restriction Type) in the home branch (User Branch) of the administrator and the list of allowed / disallowed branches.

For example, suppose that you have created the following common branch restrictions:

Home Branch	Restriction Type	Allowed Branches
000	USRADMIN	000, 001, 002, 005
001	USRADMIN	001, 006
002	ICCFRULE	002, 005, 006
005	EODOPERATN	002, 005, 006
006	ICRATES	004, 005, 006

The administrator of branch 000 can perform user administration for the branches 000, 001, 002 and 005, but not for 006. Similarly, the administrator of branch 002 can create ICCF rules in branches 002, 005 and 006, but not in branches 000 and 001.

When the administrator of branch 000 attempts to create a new user in the User Profile screen, the branches available in the Home Branch field in the screen will be 000, 001, 002 and 005.

Note

- The administrator of the head office branch is allowed to perform all operations in any of the other branches
 - When a new branch is created, it must be manually added to the allowed / disallowed list, as required
 - For those applications (Restriction Types) that you have specified in the SMS Branch Restriction Types maintenance, you must create the appropriate common branch restrictions in the Common Branch Restrictions screen. If no restrictions have been created in the Common Branch Restrictions screen for a specific branch for an application chosen in the SMS Branch Restriction Types maintenance, operations pertaining to the application will not be allowed from that branch.
 - To allow the administrator of a certain branch to perform operations pertaining to a specific application for all branches, you can either maintain an allowed list with all branches selected or maintain a disallowed list with none of the branches selected.
-

2.5 Function Maintenance

This section contains the following topics:

- [Section 2.5.1, "Invoking Function Description Maintenance Screen"](#)
- [Section 2.5.2, "Defining the Menu"](#)

2.5.1 Invoking Function Description Maintenance Screen

Any function that is a part of the system should be defined through the 'Function Description Maintenance' screen before it is available for execution. Mostly, our professionals carry out this activity. You can modify the description of the function that appears in the Application Browser through this screen. You can invoke this screen by typing 'SMDFNDSC' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Function Description Maintenance screen showing various input fields and checkboxes for function configuration.

The following details are captured here:

Function Identification

Select the Function id for which you want to give access rights, from the option list.

Module

Select the module to which the Function id has to be mapped. All Functions are mapped to specific modules.

Name

Specify the executable to open the Function Id.

Type

Select the type of Function Id here from the drop-down list. The options available are:

- Form
- Report
- Stored Procedure

Menu Head

Select the menu head from the drop-down list. The options available are:

- Module
- Report

You can then specify the rights to the different actions for the functions by checking against the action. These actions can be:

- Static Maintenance Functions
 - New (Define a new record)
 - Copy (Copy details of an existing record)
 - Delete (Delete an existing record)
 - Close (Close an existing record)
 - Unlock (to amend an existing record)
 - Reopen (Reopen an existing record)
 - Print (Print the details of selected records)
 - Authorize (Authorize any maintenance activity on a record)
- Contracts and on-line transaction processing
 - Reverse (reverse an authorized contract)
 - Rollover (to manually roll over an existing contract into a new contract)
 - Confirm (to indicate the counterparty or broker confirmation of a contract)
 - Liquidate (to manually liquidate a contract)
 - Hold (to put a contract on hold)
 - View (to see the details of the contract)
- Reports
 - Generate (to generate reports)
 - View (view the reports)
 - Print (print the reports)

To delete the access rights given for a Function, select the Function ID and click delete icon.

Custom Function ID

Specify a custom function id which can be used as an alias for the function id selected.

If you input this value in the field at the top right corner of the Application tool bar and click on the adjoining arrow button, system will check for the mapped function id and will launch that function id screen.

Tanking Required

Check this box to indicate that the maintenance records that are created or modified in the system, for the function Id specified here, need to be tanked till they get authorized.

The new or the modified records are written to the static tables only after authorization.

For more details on tanking of maintenance records refer the Core Services user manual.

Dual Authorization

Check this box to enable dual authorization for records that are created or modified in the system, for the specified function id. If dual authorization is enabled then after creation or modification of a maintenance record, an intermediate verifier (First Authorizer) has to verify the record before the record can actually be authorized.

You cannot enable both 'Dual Authorization' and 'Auto Authorization' for a function id at the same time, as they are mutually exclusive.

Remarks Required

Check this box to enable capturing of maker remarks on the actions like save, close and reopen of records belonging to the selected function id.

If this box is checked then system pops up a 'Maker Remarks' window and forces the maker to save remarks while saving, closing or reopening a record, The checker/authorizer can view the maker remarks entered and also enter remarks for each modification while authorizing the record.

Excel Export Required

Check this box to enable data export for the selected function id.

If this box is checked, system allows you to export data from records belonging to the selected function id into an excel file.

Multi Branch Access Required

Check this box to configure dual access framework for the function ID.

Note

- If the function level check box is unchecked, the transactions will be posted in the current branch.
 - Dual access functionality is enabled only when the 'Multi Branch Access' check box is checked at 'User ID' and 'Function ID' levels.
-

Available

Check this box to make the Function accessible in the Oracle FLEXCUBE menu. The definition of the menu would be as specified in the Column at the bottom of the 'Function Description Maintenance' screen. If this box is unchecked, then this screen will not be accessible from the menu even if it is selected for the Role that is assigned to the user.

Automatic End Of Day aware

Check this box to consider the Function for an AEOD run.

Log Event

Check this box to enable the event log for a particular Function ID, Oracle FLEXCUBE maintains an extensive log of the activities of every user. This can later be used for reporting on the user activities.

Cust Access

Check this box to make the Function available to Users who are classified as Customers.

Auto authorization

As configured for your installation according to your requirement, automatic authorization is applicable for a pre-shipped list of functions. For those functions, you can revoke the applicability of automatic authorization, if required.

It is not possible to indicate the applicability of automatic authorization for any other functions than those pre-shipped functions configured for your installation.

Head Office Function

Check this box to enable the Function to be handled only by the users of the Head Office. Users of the other branches would be only allowed to view the Function.

2.5.2 Defining the Menu

The Oracle FLEXCUBE menu can be defined in the Function Description section.

You can define menu appearance for a given Language. The Menu can only be drilled down up to two sub menu levels.

For example, for Language Code 'ENG' if the Main menu value is given as Security Management', Sub Menu1 as 'Maintenance' and Sub Menu2 as 'Function Description' for Function id SMDFNDSC then on the Oracle FLEXCUBE menu it would appear as follows:



2.6 User Role Maintenance

This section contains the following topics:

- [Section 2.6.1, "Invoking Role Maintenance Screen"](#)
- [Section 2.6.2, "Defining Functions for a Role Profile"](#)
- [Section 2.6.3, "Process Stage Rights Button"](#)
- [Section 2.6.4, "Branch Restriction Button"](#)
- [Section 2.6.5, "Account Class Restriction Button"](#)
- [Section 2.6.6, "Rights Button"](#)
- [Section 2.6.7, "Password Restriction Button"](#)
- [Section 2.6.8, "Copying the Role Profile of an Existing Role"](#)
- [Section 2.6.9, "Closing a Role Profile"](#)
- [Section 2.6.10, "Defining Roles for Oracle FLEXCUBE Branch Users"](#)

2.6.1 Invoking Role Maintenance Screen

It is likely that users working in the same department at the same level of hierarchy need to have similar user profiles. In such cases, you can define a Role Profile that includes access rights to the functions that are common to a group of users. A user can be linked to a Role Profile by which you give the user access rights to all the functions in the Role Profile.

The roles defined will be effective only after dual authorization.

Role profiles are defined in the 'Role Maintenance' screen. You can invoke this screen by typing 'SMDROLDF' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screen is as shown below:

Role Maintenance

Save

Role Id *

Role Description

☐ Centralisation Role

Maintenance | Reports | Batch | Online | Process Stage Rights | Acc Class Restriction | Branch Restriction | Rights | Password Restriction | Web Branch | Branch Limit | Fields

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Cancel

You can specify the following details

Role ID

Specify the role profile.

Role Description

Specify the role description.

Centralisation Role

Check this box to centralise the role.

2.6.2 Defining Functions for a Role Profile

After you have defined the basic attributes of a role profile (the Role Identification, Description) you should define the functions to which the role profile has access. Check centralization role to specify that the role is applicable for centralized users. The role is automatically associated with all branches accessible to you, if the multi branch operational parameter is enabled. The various functions in the system fall under different categories.

To assign a function to a role in the 'Role Maintenance' screen, you must click the function category button to which the function belongs. The function category buttons in the 'Role Maintenance' screen are as follows:

- **Maintenance** - Functions related to the maintenance of static tables
- **Reports** - Functions related to the generation of reports in the various modules
- **Batch** - Functions related to the automated operations (like automatic liquidation of contract, interest, etc.)
- **On Line** - Functions related to contract processing
- **Process Stage Rights** - Functions related to workflow

- **Acc Class Restriction** – Functions related to restricting the role from using certain account classes
- **Branch Restriction** – Functions related to restricting the association of roles to certain branches.
- **Rights** – Functions related to giving necessary rights for perform various operations in respect of incoming and outgoing messages
- **Password Restriction** – Functions related to creating a list of words that the users, having a certain Role are likely to use as Passwords and on which restrictions can be placed.
- **Web Branch** – Functions related to the Teller Module for the role of branch users.
- **Branch Limit** – Function related to setting up Branch limits.
- **Fields** – Functions related to User Defined Fields.

The lower portion of the Role Description screen has buttons corresponding to each of the above function categories. Click on a button to view the corresponding screen.

2.6.3 Process Stage Rights Button

You can specify the function id to which the role profile is associated. Click 'Process Stage Rights' button in the 'Role Maintenance' screen. The 'Process Stage Rights' screen is opened.



Role Function	Editable
	<input checked="" type="checkbox"/>

You can specify the following details:

Role Function

Specify the function id for which you need to provide access rights. Alternatively you can select the function id from the option list. The list displays all valid function ids maintained in the system for the selected category.

Editable

Check this box to provide editing access for the selected function id.

2.6.4 Branch Restriction Button

You can specify the branches to which the role profile is associated, and for which it is available. Click 'Branch Restriction' button in the 'Role Maintenance' screen. The 'Branch Restriction' screen is opened.

The screenshot shows a software window titled "Branch Restriction". Inside the window, there is a section labeled "Branch" containing a table. The table has two columns: "Branch *" and "Branch Name". Below the table header, there is one row with a checkbox in the "Branch *" column and an empty text field in the "Branch Name" column. Below the table, there are two radio buttons labeled "Allowed" and "Disallowed", with "Disallowed" being the selected option. At the bottom right of the window, there are two buttons: "Ok" and "Exit".

You can maintain a list of branches for which the role is either:

- Allowed
- Disallowed

Choose the 'Allowed' option to maintain an allowed list, and the 'Branch Restrictions' list will show the list of allowed branches. Choose the 'Disallowed' option, to maintain a disallowed list of branches.

If you maintain an 'Allowed' list, then the role profile will be available only for those branches that you specify in the Branch Restrictions list. Similarly, if you maintain a 'Disallowed' list, then the role profile will not be available only for those branches that you specify in the Branch Restrictions list.

After choosing either the 'Allowed' or 'Disallowed' option, click add icon to add a record under the 'Branch Restrictions' list. Into each added record field, select the required branch from the adjoining option list.

2.6.5 Account Class Restriction Button

You can restrict the role from using certain account classes that are maintained in Oracle FLEXCUBE. Click 'Acc Class Restriction' to specify the account class restrictions. The 'Account Class Restriction' screen is displayed.

The screen is as shown below:

The screenshot shows a window titled "Acc Class Restriction". Inside, there's a table with two columns: "Account Class *" and "Description". The table is currently empty. Below the table, there are two radio buttons: "Allowed" and "Disallowed", with "Disallowed" selected. At the bottom right, there are "Ok" and "Exit" buttons. The window also has a navigation bar at the top with "1 Of 1" and a "Go" button.

You can either allow or disallow association of the role with certain account classes. Subsequently, specify the account classes, which have to be restricted for the role.

After choosing the 'Allowed' or 'Disallowed' option, click add icon to add a record under the 'Account Class Restrictions' list. Into each added record's field, select the required account class from the adjoining option list.


For more details about account class restriction, refer Account Class Restriction at User Role maintenance and User Profile maintenance levels of this user manual.

2.6.6 Rights Button

For a role profile, you can specify the necessary rights to perform various operations in respect of incoming and outgoing messages, in the Messaging module of Oracle FLEXCUBE. You can grant specific permissions for operations on messages, as well as allot the messaging queues to which the role has access.

In the 'Role Maintenance' screen, click 'Rights' button to open the 'Rights' screen. Here you can grant the rights pertaining to the Messaging module, to the role.

The screen is as shown below:



Check against the messaging operations for which you want to grant the permission.

Granting rights pertaining to operations on messages

You can grant permissions for the following operations on outgoing messages:

- Generating a message
- Printing a message
- Placing a message on hold
- Releasing a message on hold
- Cancelling a message
- Inserting a testword
- Reinstating a message
- Changing the priority of a message
- Request information relating to Status of a message
- Request cancellation of a message
- Changing the media through which a message is transmitted
- Changing the address to which a message is to be sent
- Moving a message to another branch
- Changing the node from which a message should be generated
- Authorization of any of the operations listed above, in respect of outgoing messages

You can grant permissions for the following operations on incoming messages:

- Printing a message
- Authorizing a testword
- Routing a message to a queue
- Associating a message with a contract
- Uploading incoming messages
- Making changes (edit) incoming messages. You can also grant permissions for changing the branch and the address in incoming messages
- Authorizing changes made to incoming messages
- 'Force Release' payment message transactions with 'Funding Exception' status and insufficient funds
- Suppressing a message
- Deleting a message

Granting each of these permissions in the Rights screen enables the user having this role to perform the corresponding functions in the Incoming and Outgoing Message Browsers. The appropriate button in the Browser, in each case, is enabled for the users associated with the role.

For details regarding each of these operations in respect of both incoming and outgoing messages, consult the **Messaging System** user manual

Apart from these functions, you can also grant permission for the cover matching function for incoming payment message transactions.

For details regarding uploading incoming payment transaction messages and cover matching for incoming payment transactions, refer the 'Straight Through Processing' chapter in the Funds Transfer user manual.

Grant Queues


You can grant the message queues to which the role has access, and in which users associated with the role can perform messaging operations according to the messaging rights you have assigned. The required queues can be selected and listed in the 'Queues' list under the 'Grant Queues' section.

2.6.7 Password Restriction Button

System allows you to create a list of words that the users, having a certain Role are likely to use as Passwords and on which restrictions can be placed. The list of Restrictive Passwords should contain those passwords that the users are most likely to use: the name of your bank, city, country, etc. For a user role, it could contain names, or terms, that are commonly used in the department. At the user level, it could contain the names of loved ones, etc. By disallowing users from using such common passwords, you can reduce the risk of somebody other than the user knowing the password.

Click 'Password Restriction' button to define the list of Restrictive Passwords for the role profile you are defining. Any user, who is attached to the role, cannot use a password in this list.

The screen is as shown below:



You can define only the functions that are applicable for the role and the list of Restrictive Passwords for a role. All the other attributes of a user profile should be defined when the user profile is being created.

2.6.8 **Copying the Role Profile of an Existing Role**

Often, you may have to create a Role Profile that closely resembles an existing one. In such a case, you can copy the existing profile on to the new one.

Select 'Copy' from the Actions menu in the Application toolbar or click copy icon. A list of existing role profiles will be displayed. Click on the one you want to copy. All the details of the profile except the Role ID will be copied and displayed. Enter a unique Role ID. You can change any of the details of the profile before saving it.

2.6.9 **Closing a Role Profile**

A Role Profile should be closed only if there are no users linked to it. Thus, before closing a role profile, you should modify each user profile attached to it and delete the link to the role.

Select 'Close' from the Actions menu in the Application toolbar to delete an existing role profile. If the role is linked to any user, a warning message will be displayed. This message will bring your attention to the fact that the user profile to which the role is linked will not be the same if the role profile is closed.

You will be prompted to confirm the closure. The Role Profile will be closed only if you confirm the Closure.

2.6.10 **Defining Roles for Oracle FLEXCUBE Branch Users**

You can define a role with functions typically performed by you from Oracle FLEXCUBE Branch system. You can maintain the role 'Teller' and select the branch function from the 'Web branch' button.

Note

In case you wish to give access of the host functions to the 'Teller', you can attach role like 'ALLROLES' or other role with host functions in addition to the 'Teller' role. You can do this at the User Profile level for the branch you are allowed.

2.7 Limits Role Maintenance

This section contains the following topics:

- [Section 2.7.1, "Invoking Limits Role Maintenance"](#)

2.7.1 Invoking Limits Role Maintenance

Oracle FLEXCUBE allows you to place restrictions on the amount specified by a user when processing a transaction. You can also restrict users with authorization rights from authorizing transactions with amounts beyond a specific limit.

To achieve this, you can define Input Limits and Transaction Authorization Limits for a user at the time of maintaining a User Profile in Oracle FLEXCUBE. The input limits and authorization limits will be made applicable to the following types of transactions:

- Payment transactions (FTs)
- Single Entry Journal transactions
- Multi Offset transactions
- Teller transactions

Oracle FLEXCUBE allows you to maintain different Role Limits, which can then be linked to a user profile. The limits defined for the attached role will be applicable to the user profile to which it is linked. The Role Limits are maintained in the 'Limits Role Maintenance' screen. You can invoke this screen by typing 'SMDRLMNE' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Fields							
Maker	Date Time:	Mod No	Record Status				
Checker	Date Time:		Authorization Status				Exit

Role Identification

The Id that you specify here will uniquely identify the Role Limit throughout the system. A Role Limit is distinct from the User Role, in that the Role Limit is designated for the specific purpose of enabling you to set transaction amount processing limits that you wish to impose on a user.

Description

You can specify a brief description for the Role Limit being defined.

Limits Currency

Here you will indicate the currency in which the limits (transactions amounts) will be expressed. If a user captures a transaction in a different currency, Oracle FLEXCUBE will convert the transaction amount to the Limits Currency and then perform the validations.

Note

For currency conversions, the system will use the mid-rate of the STANDARD exchange rate type maintained in your system.

Input Limit

Specify the maximum amount that a user (to which the limits role is associated) is allowed to process while entering a transaction.

If the transaction amount exceeds the input limit maintained for the Role, the system displays an override message. Selection of the 'OK' button in the message window will allow the user to continue despite exceeding the limits. If the user selects the 'Cancel' button, he will not be able to continue with transaction processing.

Authorization Limit

Specify the maximum amount that a user (to which the limits role is associated) is allowed to process while authorizing a transaction.

If the transaction amount that the user is attempting to authorize exceeds the authorization limit maintained for the Role, the system displays an override message. Selection of the 'OK' button in the message window will allow the user to continue with the authorization despite exceeding the limits. If the user selects the 'Cancel' button, he will not be able to continue with authorizing the transaction.

Note

The role limits (input and authorization) would apply to a user with which the limits role has been associated, for operations in any of the modules listed above (that is, payment transactions, single entry journal transactions, multi-offset transactions).

The role limits maintained in the screen 'SMDRLMNT' are not applicable for web branch.

2.8 User Holidays Maintenance

This section contains the following topics:

- [Section 2.8.1, "Invoking User Holiday Maintenance Screen"](#)
- [Section 2.8.2, "Viewing Holiday Summary Details"](#)

2.8.1 Invoking User Holiday Maintenance Screen

You can block a specific user login for a certain time frame by defining holiday slots for that user profile. You can define holiday slots through the 'User Holiday Maintenance' screen. You

can invoke this screen by typing 'SMDUSHOL' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The 'User Holiday Maintenance' screen is shown below.

The screenshot shows the 'User Holiday Maintenance' window. It features a title bar, a menu bar with 'New' and 'Enter Query', and a main area with input fields for 'Branch Code', 'Leave From *', 'Remarks', 'User ID *', and 'Leave To *'. The bottom status bar includes fields for 'Maker', 'Checker', 'Mod No', 'Date Time:', 'Record Status', and 'Authorization Status', along with an 'Exit' button.

Specify the following details:

Branch Code

The branch code of the user selected in the 'User ID' field is displayed here.

User ID

Specify the user ID of the user for whom you want to define the holiday period. The adjoining option list displays all the valid user profiles maintained in the system. You can select the appropriate one.

Leave From

Select the start date for the holiday period from the adjoining calendar.

Leave To

Select the end date for the holiday period from the adjoining calendar.

The user will not be allowed to log in within the specified holiday range.

Remarks

Specify a brief description for the holiday.

You can maintain multiple holiday slots for a user but the system will not allow including a specific day in more than one slot.

2.8.2 Viewing Holiday Summary Details

You can view holiday periods maintained for any user profile in the 'Users Holiday' screen. You can also invoke this screen by typing 'SMSUSHOL' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screen is as shown below:

User Holiday Summary

Search Advanced Search Reset

Authorization Status Record Status

Branch Code User ID

Leave From Leave To

Records per page 15 1 Of 1 Go

<input type="checkbox"/>	Authorization Status	Record Status	Branch Code	User ID	Leave From	Leave To	Maker ID	Maker Date Stamp
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								

Exit

You can query for records based on the following criteria:

- Authorization Status
- Record Status
- Branch Code
- User ID
- Leave From
- Leave To

Click 'Search' button. Based on your preferences, the system identifies all records satisfying the criteria and displays the following details for every record:

- Authorization Status
- Record Status
- Branch Code
- User ID
- Leave From
- Leave To
- Maker ID
- Maker Date Stamp
- Checker ID
- Checker Date Stamp

2.9 User Profile Maintenance

This section consists of the following topics:

- [Section 2.9.1, "Invoking User Maintenance Screen"](#)
- [Section 2.9.2, "Restricted Passwords Button"](#)
- [Section 2.9.3, "Roles Button"](#)
- [Section 2.9.4, "Rights Button"](#)
- [Section 2.9.5, "Functions Button"](#)
- [Section 2.9.6, "Tills Button"](#)
- [Section 2.9.7, "Account Classes Button"](#)
- [Section 2.9.8, "General Ledgers Button"](#)
- [Section 2.9.9, "Limits Button"](#)
- [Section 2.9.10, "Branches Button"](#)
- [Section 2.9.11, "Products Button"..](#)
- [Section 2.9.12, "Group Code Restriction Button"](#)
- [Section 2.9.13, "Disallowed Functions Button"](#)
- [Section 2.9.14, "Users Holiday Button"](#)
- [Section 2.9.15, "Centralized Role Button"](#)
- [Section 2.9.16, "Dashboard Mapping Button"](#)
- [Section 2.9.17, "Copying the User Profile of an Existing User"](#)
- [Section 2.9.18, "Deleting a User Profile"](#)
- [Section 2.9.19, "Closing a User Profile"](#)

2.9.1 Invoking User Maintenance Screen

A User Profile defines the activities that a user can carry out on the system. It also contains the user ID, the name through which the user will access the system and the password. The user profiles will be effective only after dual authorization.

You can create User Profiles through the 'User Maintenance' screen. You can invoke this screen by typing SMDUSRDF in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. The 'User Maintenance' screen is shown below.

The screenshot displays the 'User Maintenance' application window. It features a top toolbar with 'New' and 'Enter Query' buttons. The main area is divided into several sections: 'User Details' (including fields for User Identification, Name, User Reference, Language, Home Branch, Customer No, Department Code, Department Description, Tax Identifier, LDAP DN, Time Level, Amount Format, Number Format Mask, Date Format, Supervisor Identification, Supervisor Name, and Access Control), 'User Password' (Password, Password Changed On, Email, Reference No), 'Invalid Logins' (No of Cumulative Logins, No of Successive Logins), 'User Status' (radio buttons for Enabled, Hold, Disabled, Locked), 'Classification' (radio buttons for Staff, Branch), 'Status Changed On', 'Last Signed On', 'ELCM User ID', 'Multi-Factor Authentication' (MFA Enabled, MFA ID, Start Date, End Date), and 'Screen Saver Details' (Screensaver Interval). A bottom toolbar contains a navigation menu with options like 'Restricted Password', 'Roles', 'Rights', 'Functions', 'Tills', 'Account Classes', 'General Ledgers', 'Limits', 'Branches', 'Products', 'Disallowed Functions', 'Users Holiday', 'Fields', 'Group Restriction', 'Centralized Role', and 'Dashboard Mapping'. The footer area includes fields for 'Maker', 'Checker', 'Mod No', 'Date Time', 'Record Status', 'Authorization Status', and an 'Exit' button.

Specify the following details:

User Identification

Specify the user identification. This ID identifies the user whose profile you are defining. In a user ID, you can use alphabets in upper or lower case, numbers 0 to 9 and _ (underscore).

The number of characters in a User ID should be greater than or equal to six and less than 12.

Name

Specify the name of the user.

Classification

- **Staff** - All internal users of the bank can be classified as Staff. You can include any of the functions available in the system in the user profile.
- **Branch** - This indicates a branch user. This is used to identify a branch user and branch specific user maintenance for Branch user.

Number Format Mask

Select the format of mask number either in Million or in /Lakh from the following options:

- XXX,XXX,XXX,XXX
- XX,XX,XX,XX,XXX

Front-End Debug Enabled

Check this box to enable the debug window for a user.

Differentiating Normal and MF Users

Check the 'MFi User' box to indicate that the user is a Microfinance (Account Officer) user. By default, the system leaves this box unchecked to indicate that all users would be normal users.

Note

An account officer can book loan accounts for customers who are linked to him/her.

For more details, refer to 'Linking Customers to Account Officers' in the Microfinance User Manual.

Restrictions on User Profile Administration

A branch administrator can create, modify or delete user profiles only in the Head Office, Home branch of the administrator or in those branches that are allowed for the restriction type USRADMIN, in the Common Branch Restrictions.

When the administrator of a branch attempts to create a new user in the User Profile screen, the branches available in the Home Branch field in the screen are only those allowed branches maintained in the Common Branch Restrictions for restriction type 'USRADMIN'.

For details about the Common Branch Restrictions, refer the section 'Creating Common Branch Restrictions' in this user manual.

For example, suppose that you have created the following branch restrictions:

Home Branch	Restriction Type	Allowed Branches
000	USRADMIN	000, 001, 002, 005
001	USRADMIN	001, 006

The administrator of branch 000 can perform user administration for the branches 000, 001, 002 and 005, but not for 006.

When the administrator of branch 000 attempts to create a new user in the User Profile screen, the branches available in the Home Branch field in the screen will be 000, 001, 002 and 005.

Language

Select the Language in which the Users screen have to be defined, from the option list. The Language Codes maintained through the 'Language codes' screen will be available for selection.

Home Branch

By default the Current Branch is displayed here. All users have to be attached to a branch.

User Status

Select the status of the user from the options available. The options available are:

- Enabled
- Hold
- Disabled

For a user to be able to login to Oracle FLEXCUBE, his status should be set as '**Enabled**'. The field '**Status Changed on**' displays the date and time when the Status of the User was last changed.

Customer Number

For User Profiles of your choice, Oracle FLEXCUBE allows you to restrict the viewing and printing of Balances (in case of accounts) and financial details of contracts involving customers who also happen to be employees of your bank. In order to enable this option, while creating the User Profile of the employee you can link the customer number (CIF ID) of the employee with the User ID.

Supervisor Identification

Specify the ID of the supervisor of the user. The option list displays all valid supervisor identifications maintained in the system. Choose the appropriate one.

In case of relationship managers, you can also use this field to define the RM hierarchy. For defining RM hierarchy in this method, you need to select the RM user who is one level up in the hierarchical order as the supervisor.

If the user is the superior in the RM hierarchical order, you can specify his/her own user ID as supervisor ID. The supervisor ID option list also shows the user ID of the user being maintained. This means, you can define an RM user as his/her own supervisor.

Note

The RM hierarchy defined in this method is enabled only if the checkbox 'RM Hierarchy Setup Required' is not checked in 'Bank Parameters Maintenance' screen.

Supervisor Name

Based on the supervisor ID selected, the system displays the name of the supervisor.

Department Code

Specify the department code. The adjoining option list displays a list of all the valid department codes maintain in the system. You can choose the appropriate one.

Department Description

The system displays the Department description.

Tax Identifier

Specify the tax identifier code of the customer to monitor Anti Money Laundering activities.

A user with restricted access will not be able to view/print details of contracts involving the product in all Contract Functions and Contract Summary screens for the following modules:

- Corporate Teller
- Clearing

- Funds Transfer
- Payment and Collections
- The Contract Online and Cycle Due screen of SI
- Foreign Exchange (online and payment)
- The Contract Online, Value Dated Amendments and Payments Input screens of MM
- The Contract Online put, Value Dated Amendments, Payments Input and Loans Assignment screens of LD

Note

The view restriction is not applicable to the transaction or contract screens in which the other staff accounts are involved.

The other functions to which the user will have restrictive rights is as follows:

- Ad-hoc loan statement generation
- Queries – Accounting Entries
- Customer Based Information Retrieval
- Limits Overrides showing account balances
- Message Browser
- Payments and Collections Message browser

Note

In the Payments and Collection module the restriction is applicable to product categories and *not* products.

If a balance exception has occurred, the balances are not displayed for the restricted user but will be replaced by **.

Note

The restricted users will be able to:

- View/print financial information pertaining to contracts *they have* initiated or view/print balances pertaining to *their own* accounts
 - Post transactions to the staff accounts or create contracts for staff members, even if the user is restricted to view/print balances / contract information pertaining to other colleagues.
 - In case of balance exception during transaction posting, the balance will not be displayed. The Exception Message will only state that the account will be 'overdrawn' on account of the transaction.
 - Post transactions and view transaction information until the contract is authorized. After authorization, such users cannot access the contract
-

The only exception is that when the user has captured a contract, the user will be allowed to view the details till the contract gets authorized.

LDAP DN

The LDAP Details that have been maintained in the SSO screen have to be input here. Clicking on the 'Validate' button validates the LDAP details entered in the **Single Sign On**.

The application will verify if only one user ID in FLEXCUBE UBS is mapped to the subject (DN) while authentication via SSO.

Time Level

Time level is defaulted to nine here. You can specify the time level you need to maintain at the User level, if needed. You can specify values between zero and nine.

Time level can be specified at two levels - at the Branch level and at the User level.

If you need to login, then the time level maintained at your User Profile should be greater than or equal to that maintained at the Branch level.

Time levels are maintained to prevent you from logging into the application when the system is processing EOC batch. Before EOC Operations, the time level of the system is increased, so that it is higher than that maintained at the User level. However, if you are not logged out when the Time level is raised to the one higher than yours, then you can continue to use the application.

You can modify time level at user profile level when branch is at Transaction Input stage.

Note


After modifying the time level value to the value you need to maintain, move the cursor to any other field and then click the save icon.

For more details, refer the Security Management System User Manual.

Last Signed On

This is a display field which shows the Date and Time of the Users last Login.

On each Sign on into the System, this field gets displayed as a Message to the User.



Staff Customer Restriction Required

Check this box to restrict a staff user from viewing, modifying or authorizing other staff customer account details. If this box is unchecked then the staff user can view the CIF/ account details of other staff customers in the CIF/Account Maintenance or any query screens.

The staff user can view his/her own account details but won't be able to input or authorize a transaction irrespective of the selection of this box. In this screen, the Customer ID of the staff is linked with the user ID created for the staff.

Note

All amend or authorize operations will fail with invalid account / CIF message if you try to amend or authorize own or other staff CIF / account details. The view restriction will not apply to the transaction or contract screens in which the other staff accounts are involved. The view restriction will not apply to the Oracle FLEXCUBE reports.

ELCM User ID

Specify the ELCM user ID which will be used by ELCM system to perform the ELCM maintenance.

Note

ELCM User ID would be unique across all the instances of FCUBS and it should be controlled operationally.

ELCM User ID

Specify the ELCM user ID which will be used by ELCM system to perform the ELCM maintenance.

Note

ELCM User ID would be unique across all the instances of FCUBS and it should be controlled operationally.

Multi Branch Access Required

Check this box if you need to configure dual access framework for the specified User ID.

Other RM Customer Access Restricted

You can restrict the users' access to the transactions of the customers who are assigned to a different relationship manager. Check this box to restrict the user from viewing, creating, authorizing or amending the transactions of the customers who are not assigned to him/her. The customers not assigned to the RM include the customers assigned to other relationship managers as well as those who are not assigned to any relationship manager.

If you do not check this box, the user can view, create, authorize and amend the transactions of the customers assigned to other relationship managers.

This is applicable to the users created with their role as 'Relationship Manager'.

Show Dashboards

Check this box if you want the system to display all the Dashboards assigned to your 'User Role, on the landing page.

Alerts on Home

Check this box if you want the system to display the Alerts, relevant to you, on the landing page.

Auto Authorize

To indicate that a user is allowed to perform automatic authorization, you must enable the 'Auto Authorize' option in the User Maintenance screen.

If automatic authorization has been enabled for a function, branch and user profile, and such a user has rights for both input and authorize operations, any record maintained by such a

user in the corresponding function (maintenance or online) screens will be automatically authorized when the Save operation is performed.

Consider the following example.

You have enabled automatic authorization for the following branches in the Branch Parameters:

Branch	Automatic Authorization Enabled
000	Yes
001	No
002	Yes

In the Function Description maintenance, automatic authorization has been enabled for the following functions:

Function	Automatic Authorization Enabled
Customer Information Maintenance	Yes
LD Contract Online	Yes
Customer Account Maintenance	Yes
FT Contract Online	No

You have maintained automatic authorization rights for specific users in the User Profile maintenance as shown below:

User	Automatic Authorization Enabled
Ronald	Yes
George	Yes
Smith	No

You have also maintained transaction access rights for the users as shown below:

User	Branch	Function	Input Access	Authorize Access
Ronald	000	Customer Information Maintenance	Yes	Yes
Ronald	001	Customer Information Maintenance	Yes	Yes
Ronald	000	FT Contract Online	Yes	Yes
Ronald	000	Customer Account Maintenance	Yes	No
George	001	LD Contract Online	Yes	Yes
George	000	Customer Account Maintenance	Yes	Yes
Smith	000	LD Contract Online	Yes	Yes

Smith	000	Customer Account Maintenance	Yes	Yes
-------	-----	------------------------------	-----	-----

According to your maintenance, automatic authorization would be performed as shown below:

User	Branch	Function	Automatic Authorization on Save?	Reason
Ronald	000	Customer Information Maintenance	Yes	Input and Authorize rights enabled for the user, as well as automatic authorization rights enabled for the user, branch and function.
Ronald	001	Customer Information Maintenance	No	Automatic authorization not enabled for branch 001
Ronald	000	FT Contract Online	No	Automatic authorization not enabled for the FT Contract Online function
Ronald	000	Customer Account Maintenance	No	Authorization access not enabled for the user
George	001	LD Contract Online	No	Automatic authorization not enabled for branch 001
George	000	Customer Account Maintenance	Yes	Input and Authorize rights enabled for the user, as well as automatic authorization rights enabled for the user, branch and function. The user can also authorize any maintenance done by the user Ronald in this function..
Smith	000	LD Contract Online	No	Authorization access not enabled for the user

For more details about automatic authorization, consult the Common Procedures user manual.

User Identification

Specify the User Id with which a User logs into Oracle FLEXCUBE. This User Id is unique across all branches. The minimum length of UserId must be six and the maximum number can be 12 characters.

User Reference

Specify an external reference number for the User Id.

Multi-Factor Authentication

MFA Enabled

Select whether multi-factor authentication is enabled for the user ID or not from the drop-down list. The list displays the following values:

- Disabled - If you select this, multi factor authentication will be disabled for the user
- Enabled - If you select this, multi factor authentication will be enabled for the user. If MFA is enabled, then it is mandatory to specify the MFA ID
- Locked - The system updates the status to Locked in specific situation. For example, in case of cumulative invalid logins beyond the permissible attempts, the system may change the MFA status to 'Locked'. This limit is usually defined in the external system that validates the MFA credentials.

MFA ID

Specify the multi-factor user ID assigned to the user. This field is enabled if you select 'Enabled' option in the MFA Enabled field.

For more information on multi factor authentication, refer to the section 'Multi-Factor Authentication Limits' in this User Manual.

User Password

Password

Specify the Users Password here. This is a Hidden Field. The Password set must not be a restricted word. It should also be governed by the parameters set in the SMS Bank Parameters table, like Maximum and Minimum length, Number of Alphabetic and Numeric characters etc.

Note

If the application level parameter which indicates the auto generation of the password is required or not is set to Y (Yes), then this field will be disabled and the system will create a random password in accordance with the parameters maintained at the level of the bank. The new password will be send to the respective user via mail.

Password Changed On

The date when the password was last changed gets displayed here.

Email

Specify a valid Email id at the time of user creation. All system generated passwords shall be communicated to the user via this mail id.

Start Date

Specify the date from which the User is valid. The Branch date gets defaulted if no other value is specified.

End Date

Specify the End Date upto which the User is valid. By default the user does not have an End Date associated, unless otherwise specified.

Invalid Logins

Cumulative

The number of Cumulative Invalid Login attempts allowed for a User before the User status gets Disabled is specified in the 'SMS Bank Parameters' screen. The actual attempts that a user makes when he logs into Oracle FLEXCUBE get displayed here.

Successive

The number of Successive Invalid Login attempts allowed for a User before the User status gets Disabled is specified in the 'SMS Bank Parameters' screen. The actual attempts that a user makes while he logs into Oracle FLEXCUBE get displayed here.

Screen Saver Details


Screensaver Interval (in seconds)

The system defaults the screen saver interval based on the screen saver details maintained in the bank parameters screen.

2.9.2 Restricted Passwords Button

You can maintain a list of passwords that the user is most likely to use. For example, a user may tend to use the names of persons, bank, department, etc. as a password, as these are easy to remember. This might be a security risk as it will be easy for another person to guess a password. To prevent this, you can maintain a list of passwords that the user should not use. This list of restrictive passwords will be checked before a password is accepted when the user is changing passwords. If the password entered by the user exists in the list, it will not be accepted.

To specify a list of passwords that the user is not allowed to use, click 'Restricted Passwords' button in the User Profile definition screen.



The user for whom you are defining the restrictive passwords cannot use restrictive passwords defined in the Bank Level Parameters screen and the Role Profile screen.

2.9.3 Roles Button

A Role is always associated to a User for a specific Branch. The values set at the Role level are directly inherited by the User for that branch, like Functions Ids, Account Class and Branch Restrictions, Input and Authorization Limits etc.

To attach the user profile you are defining to a role, you must use the 'Roles' screen. Click 'Roles' button and the 'Roles' screen will be displayed. The roles to be attached to the user profile can be listed under 'Roles' list.

Branch Code *	Role *	Role Description
---------------	--------	------------------

Specify the following details:

Branch Code

Specify the branch code assigned to the user role. The option list displays all the valid branch codes maintained in the system. You can choose the appropriate one.

Role

Specify the role assigned to the user for the selected branch. The option list displays all valid roles maintained in the system. Choose the appropriate one.

Note

You can assign the role of Relationship Manager to a user by selecting 'RM-ROLE'.

Role Description

Based on the role selected, the system displays the role description.


Click add icon to add a record under the 'Roles' list. Specify the above details to attach more roles to the user.

To delete a role(s) that has been attached to a user profile, check the box beside it and click delete icon.

2.9.4 Rights Button

A user should have the necessary rights to perform various operations in respect of incoming and outgoing messages, in the Messaging module of Oracle FLEXCUBE. You can grant specific permissions for operations on messages, as well as allot the messaging queues to which the user has access. In the User Maintenance screen, click 'Rights' button to grant these rights pertaining to the Messaging module, to the user.

The screen is as shown below:



Check against the messaging operations for which you want to grant the permission.

Granting rights pertaining to operations on messages

You can grant permissions for the following operations on outgoing messages:

- Generating a message
- Printing a message
- Placing a message on hold
- Releasing a message on hold
- Canceling a message
- Inserting a test word
- Reinstating a message
- Changing the priority of a message
- Requesting status of a message
- Requesting cancellation of a message
- Changing the media through which a message is transmitted
- Changing the address to which a message is to be sent
- Moving a message to another branch
- Changing the node from which a message should be generated
- Authorization of any of the operations listed above, in respect of outgoing messages

You can grant permissions for the following operations on incoming messages:

- Printing a message
- Authorizing a test word
- Routing a message to a queue
- Associating a message with a contract
- Uploading incoming messages
- Making changes (edit) incoming messages. You can also grant permissions for changing the branch and the address in incoming messages
- Authorizing changes made to incoming
- 'Force Release' payment message transactions with 'Funding Exception' status and insufficient funds
- Suppressing a message
- Deleting a message

Granting each of these permissions in the Rights screen enables the user to perform the corresponding functions in the Incoming and Outgoing Message Browsers. The appropriate button in the Browser, in each case, is enabled for the user.

For details regarding each of these operations in respect of both incoming and outgoing messages, consult the Messaging System user manual

Apart from these functions, you can also grant permission for the cover matching function for incoming payment message transactions.

For details regarding uploading incoming payment transaction messages and cover matching for incoming payment transactions, refer the Straight Through Processing chapter in the Funds Transfer user manual.

Queues

You can allot the message queues to which the user has access, and in which the user can perform messaging operations according to the messaging rights you have assigned. The required queues can be selected and listed in the 'Queues' list under the 'Grant Queues' section.

2.9.5 Functions Button

In addition to attaching a user profile to a role, you can give rights to individual functions. For a user profile to which no role is attached, you can give access to specific functions. If you have:

- Attached one or more roles to a user profile
- You have given access to individual functions to a profile to which roles are attached


The rights for Function IDs that figure in both the role and user specific functions will be applied as explained in the following example.

Example

The role profile FXDP1 has access to New, Copy, Delete, Close, Reopen, Unlock and Print for the Forward Rates table.

You attach the user profile of Tanya to the role FXDP1. While allotting rights to individual functions for Tanya, you give rights to New, Copy, Delete and Close for the Forward Rates table. The role has access rights to Reopen, Unlock and Print in addition to these. In such a case, the user profile of Tanya will have rights to only the functions to which rights are given at the user profile level (that is, New, Copy, Delete and Close) even if the role FXDP1 has rights to other functions.

To give access to functions for the user profile you are defining, click 'Functions' button in the 'User Profile Definition' screen. The 'Functions' screen will be displayed as shown below:



The various functions in the system fall under different categories.

To assign a function to a user profile in the User Functions screen, you must select the tab of the function category to which the function belongs. The function categories and their respective tab in the User Functions screen are as follows:


Category (Tab)	Description
Maintenance	Functions relating to the maintenance of static tables.
On-line	Functions relating to contract processing.
Batch	Functions relating to the automated operations (like automatic liquidation of contract, interest, etc.)
Reports	Functions relating to the generation of reports in the various modules.
Process	Functions relating to access rights for the tasks under a process

Click on the corresponding category tab to associate the required functions as described below:

To add a function, click add icon. At Function Identification, you should select the function for which you want to give rights. The adjoining option list displays a list of Function IDs belonging to the category along with their descriptions. From this list you can pick up the function for which you want to give access rights by double clicking on it when it is highlighted. You can then specify the rights to the different actions for the functions by checking against the action.

2.9.6 Tills Button

You can restrict the user from using certain tills maintained at your bank. Such restrictions can be specified in the 'Tills' screen. Click 'Tills' button to invoke the 'Tills' screen.



You can either allow or disallow the user from using certain tills.

- Select the option 'Allowed' if you want to allow the user to manage certain tills
- Select the option 'Disallowed' to disallow the user to manage certain tills

After choosing either the 'Allowed' or 'Disallowed' option, click add icon to add a record under the 'Tills' list. Into each added field select the required Till Id by clicking the adjoining option list.


2.9.7 Account Classes Button

You can restrict the user from using certain account classes that are maintained in Oracle FLEXCUBE in two ways.

- You can map an user role which has an account class restriction at User Role level, for an allowed branch in the Roles button at User Profile level.
Restricted account classes can be viewed in 'Account Class' option list at User Role level and not at User Profile level.
- Select account classes from the 'Account Class' option list and then select an option from the following at User Profile level:
 - Allowed–Select to allow selected account classes and disallow unselected account classes.
 - Disallow–Select to disallow selected account classes and allow unselected account classes.

In both the cases, user can query customer accounts belonging to restricted account class. However, the system will not allow creation and modification of an account under restricted account class.

Click 'Account Classes' button to specify such account class restrictions.




You can either allow or disallow the user from using certain account classes. Subsequently, specify the account classes, which have to be allowed or restricted for the user depending on the option selected. The following options are provided:

- Allowed–Select to allow user to use specified account classes.
- Disallowed–Select to disallow user to use specified account classes.

2.9.8 General Ledgers Button

You can restrict the user from posting entries to certain General Ledgers (GLs) maintained in Oracle FLEXCUBE. Further, you can restrict the user from posting entries to specific node GLs and Leaf GLs. Leaf GLs maintained in the section 'Exception Leaf GLs' will be excluded from this restriction. Click 'General Ledgers' button to specify the GL restrictions.



You can either allow or disallow the user from using certain GLs. Select the node GLs that you want to restrict. If you want to allow/disallow posting to some leaf GLs from the selected node GL, specify them in the Exception Leaf GLs list.

For instance, if we have a node GL 100000000 and it has four leaf GLs 100000087, 100000088, 100000089 and 100000090 and the posting is allowed only to one of the leaf GL

100000089, then you have to select GL restriction as Disallowed and give the node GL under Node GLs and the leaf node GL 100000089 under Exceptional Leaf GLs.

Similarly, if you want to allow posting to all leaf GLs under a node GL and disallow posting to some leaf GLs, then select GL Restriction as Allowed and specify the node GL under section node GLs and the leaf GLs to be disallowed under the section Exception Leaf GLs.

2.9.9 Limits Button

You can place a limit on the transaction amount for a user. Consequently, the system will not allow the user to process transactions exceeding a specific limit. You can also associate a user limits or limits at the role level with a user profile. Click 'Limits' button to indicate the limits.

In this screen, you can choose to:

- Define user specific limits
- Link a Limits Role to the User Profile
- Maintain No Limits

The manner in which FLEXCUBE handles each of the above options is explained below:

Specifying User Specific

If you choose to maintain User Limits, you will need to specify the following details:

- Limit Currency
- Maximum Transaction Amount
- Authorization Limit

When a user processes a transaction, the system will convert the transaction amount (if the transaction is in a different currency) to the currency in which the limit amount is expressed based on the Standard Mid Rate. During authorization or approval of a transaction, if the amount exceeds the limits maintained for the specific user, the system will display an override message.

When such an override is sought, the user will be allowed to continue processing depending upon the sensitivity assigned to the override. The implementers at your installation configure this sensitivity, depending upon your requirements. If it has been configured as 'ignore' or 'warning', the user can continue processing (despite exceeding the input limit) by selecting

'OK' in the override message window, or select 'Cancel' to terminate the processing. If configured to be an 'error', the user cannot proceed with the transaction without authorization.

The system will validate the user authorization limit at the following stages of a transaction:

- Local authorization
- When the transaction is assigned to user manually
- On locking the assigned record
- On authorizing the records

Note

The User Limits maintained for a User Profile are common and applicable across all the branches of your bank.

Specifying Role of Limits

You can link a Limits Role to the User Profile. The Limits maintained for the role will be applicable to the user profile to which it is linked.

If you select the Limits Role option, you will be required to specify the following details:

Branch

For a user, you can assign Limit Roles specific to each branch of your bank. Depending on the branch in which the user operates, the relevant Limits Role will be made applicable. You can select the branch from the option-list available.

Note

You can attach only one Limits Role to a branch. Further, if you choose not to attach a Limits Role to a particular branch, the system will not validate the limits in that branch.

Limits Role

All the Limits Roles maintained at your bank will be displayed in the option-list. You can select the Roles you wish to link to the user profile. On selection of the Role, the following details get defaulted:

- Limits Currency
- Input Limit
- Authorization Limit

Note

For Journal (Single and Multi-Offset), the check will be performed on each individual transaction i.e. each debit and credit entry. Role-wise limit setup is not applicable to retail teller transactions. Only User Limits is supported for retail teller transactions.


No Limits

Select the No Limits option, to place no restrictions on the user. The user will be allowed to specify any amount during transaction processing. Likewise, users with authorization rights will be allowed to authorize transactions without any restrictions on the amount involved in the transaction.

2.9.10 Branches Button

To specify the branches from which the Staff and Branch users of the bank can operate, you must use the 'Branches' screen.

Click 'Branches' button in the User Maintenance screen and 'Branches' screen will be displayed as shown below.



You can maintain a list of branches to which the user is either:

- Allowed
- Disallowed

To maintain an allowed list of branches choose the Allowed option. Then the 'Branch Restrictions' list will show the list of allowed branches. To maintain a disallowed list of branches, choose the Disallowed option.

If you maintain an 'allowed' list, then the user profile will be available only for those branches that you specify in the Branch Restrictions list. Similarly, if you maintain a 'disallowed' list, then the user profile will not be available only for those branches that you specify in the Branch Restrictions list. Any branch that is 'Disallowed' will not appear to that user in his 'Change Branch' list.

After choosing either the 'Allowed' or 'Disallowed' option, click add icon to add a record under the 'Branch Restrictions' list. Into each added record's field, select the required branch by clicking the adjoining option list.

Note

- The branch in which the user profile is defined is known as the Home Branch. The branches the user can access are known as the Host Branches
 - You should create an ID called GUEST in each branch. When a user belonging to the Staff category changes the branch of operation, he can perform the functions defined for the GUEST ID in the Host Branch.
-

2.9.11 Products Button

You can restrict the user from using certain products maintained in FLEXCUBE. Such product restrictions for the user can be specified in the 'Products' screen. Click 'Products' button and the 'Products' screen will be displayed.

The screenshot shows a software window titled "Products". Inside, there are two identical panels. Each panel contains a table with two columns: "Product Code *" and "Product Description". Below the table, there are two radio button options: "Posting Restriction" and "Access Restriction", both with "Allowed" selected. At the bottom right of the window, there are "Ok" and "Exit" buttons.

In this screen you can place the following restrictions on the User Profile:

- Posting Restriction
- Access Restriction

Users who have posting restrictions will not be able to process transactions involving restricted products. Users with access restrictions will not be allowed to view or print financial details of contracts involving restricted products.

To allow or disallow the user from posting into/accessing certain products by

- Select the option 'Allowed' if you want to allow the user to post entries into/access certain products
- Select the option 'Disallowed' to disallow the user from posting/accessing certain products

After choosing the 'Allowed' or 'Disallowed' option, click add icon to add a record under the 'Products' list. Into each added record's field select the required Product Code by clicking the adjoining option list.

Note

- If for a product the Access restriction has not been maintained but Posting is allowed the restricted user can post transactions for that product and can view the contract information until such time that the contract gets authorized.

- For the PC module, you can apply restrictions on product categories.
-

2.9.12 **Group Code Restriction Button**

You can restrict the group code for the selected Oracle FLEXCUBE user id using 'Group Code Restriction' screen. To invoke this screen, click 'Group Code Restriction' button in 'User Maintenance' screen.

The screenshot shows a software window titled "Group Code Restriction". At the top, there are two radio buttons labeled "Allowed" and "Disallowed", with "Disallowed" being the selected option. Below this is a table with two columns: "Group Code" and "Group Description". The table is currently empty. At the bottom right of the window, there are two buttons: "Ok" and "Exit".

Group Code

Specify whether the group code is allowed or disallowed for the Oracle FLEXCUBE user ID. You can select one of the following:

- Allowed
- Disallowed

Group Code

Specify group code which is allowed or disallowed for the Oracle FLEXCUBE user. You can select any or all of the following:

- Retail
- Corporate

Group Description


System describes the group code selected by the user.

Note

User will be able to query or modify the account details only for those customers whose group code is allowed to him. If a user tries to query or modify the account of the customer whose group code is restricted for him, system will display the error message "User is restricted to query or modify the account".

2.9.13 Disallowed Functions Button

You can restrict certain functions from being performed by a user. You can specify such restrictions in the 'Disallowed Functions' screen. Click 'Disallowed Functions' button to invoke this screen.




Click add icon to add a record under the 'Function' list. Into each added field, select the required function by clicking the adjoining option list.

2.9.14 Users Holiday Button

You can view holiday periods maintained for the user profile in the 'Users Holiday' screen. Click 'Users Holiday' button to invoke this screen.

The screen is as shown below:



The following details are displayed:

- Authorization Status
- Record Status
- Branch Code
- User ID
- Leave From
- Leave To
- Maker ID
- Maker Date Stamp
- Checker ID
- Checker Date Stamp


Note

The above screen can be used only for viewing the holiday summary of the user specified in the 'User Holiday Maintenance' screen. Hence all the query fields such as Authorization Status, Branch Code, User ID etc will be disabled.

For more information about viewing holiday details for any user profile, refer the section 'Viewing Holiday Summary Details' in this document.

2.9.15 Centralized Role Button

The centralization role can be linked to a user here. You can view centralized role maintained for the user profile in the 'Centralized Role' screen. Click 'Centralized Role' button to invoke this screen.



If the multi branch operational parameter is enabled and the centralization roles are defined, then the roles are automatically assigned to the branches based on the branch restricted details specified in the user maintenance screen. You can also include additional list of normal roles from the Roles sub screen.

Note

You cannot assign a centralized role to a subset of allowed branches of a user. You have to manually assign the normal role to each applicable branch.

2.9.16 Dashboard Mapping Button

If you checked the 'Show Dashboards' check box in the main page of the 'User Maintenance' screen, then you can map the specified 'User' to one or more Dashboards in the 'Dashboard Maintenance' sub-screen. Click 'Dashboard Mapping' button to invoke this screen.

Function Id	Description	Sequence Number *	Clause Wizard	Where Clause *	Show In Dash board
-------------	-------------	-------------------	---------------	----------------	--------------------

The system defaults the following from the main screen:

- User Identification
- Name

Click 'Populate' button, the system displays DFIs mapped to the specified 'User Role'. The system defaults the following details:

- Function ID – Function ID of the Dashboard assigned to the 'User'.
- Description – Description of the Dashboard


You can maintain the following details for the dash:

Sequence Number

Specify the sequence number, based on the 'User' preference.

Clause Wizard

Click to invoke 'Dashboard Condition' sub-screen. You can maintain filter conditions for each DFI the 'User' is mapped to.



You can maintain filter conditions for a specific Dashboard:

Column Name

Specify the column name for which you want to maintain filter conditions. The adjoining option list displays all valid columns available in the Dashboard. Choose the appropriate one.

Condition

Select the filter condition you want to maintain. The following conditions are available:

- AND
- OR
- (
-)
- =
- >
- <

Click 'Add' to add the selected conditions to 'Where Clause'.

Where Clause

Here, the system defaults the values specified in 'Dashboard Condition' screen.

Show in Dashboard

Check this box if you want to display a specific Dashboard assigned to the 'User'.

2.9.17 Copying the User Profile of an Existing User

Often, you may have to create a user profile that closely resembles an existing one. In such a case, you can copy the existing profile on to the new one.

Select 'Copy' from the Actions menu in the Application toolbar. A list of existing user profiles will be displayed. Click on the one you want to copy. All the details of the profile except the User ID and the password will be copied and displayed for the new user. Enter a unique User ID and give a password. You can change any of the details of the profile before saving it.

2.9.18 Deleting a User Profile

Enter the User ID. The details defined will be displayed. Select 'Delete' from the Actions menu in the Application toolbar to delete an existing user profile. Only users that have not been authorized can be deleted by the creator. You will be prompted to confirm the deletion. The user profile will be deleted only if you confirm the deletion.

2.9.19 Closing a User Profile

Users Ids that are no longer usable can be closed. For Closing, Enter the User ID. The details defined will be displayed. Select 'Close' from the Actions menu in the Application toolbar to close an existing user profile. The profile can be closed only if the User is currently not logged on to the system.

You will be prompted to confirm the Closure. The user profile will be closure only if you confirm the Closure.

2.10 Department Details

This section contains the following topics:

- [Section 2.10.1, "Specifying Department Details"](#)

2.10.1 Specifying Department Details

Oracle FLEXCUBE allows you to maintain department details in the system. However, only privileged administrative users can edit the department details. You can capture department details in the 'Department Maintenance' screen. You can invoke this screen by typing 'SMDDPTMT' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Department Maintenance

New Enter Query

Department Details

Department Code *

Department Short Name *

Department Description *

Maker Date Time:

Checker Date Time:

Mod No Record Status

Authorization Status

Exit

Department Details

Here you can specify the following:

Department Code

Specify the department code. You can enter a maximum of 3 alphanumeric characters.

Department Short Name

Specify the department short name. You can enter a maximum of 10 alphanumeric characters.

Department Description

Specify the department description. You can enter a maximum of 225 alphanumeric characters.

2.11 Alerts for Users

This section contains the following topics:

- [Section 2.11.1, "Defining Alerts for Users"](#)

2.11.1 Defining Alerts for Users

Oracle FLEXCUBE allows you to define and send text messages to a destination user. These text messages will be displayed as an alert on the dashboard when the destination user logs in to the application. The user can then pick up the unprocessed messages and process it.

You can define the message for a destination user in the 'User Alerts' screen. You can invoke this screen by typing 'SMDUSALR' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

User ID	Sequence Number	Alert Type	Message	Status Movement

The following details are captured here:

User Id

Specify the id of the destination user to whom the message has to be sent.

Sequence No

Specify the sequence number of the message that you are defining.

Alert Type

Specify the alert type as I (Information).

Message

Specify the message that has to be sent to the destination user.

Status

Specify the status of the message as any of the following:

- P -Processed
- U -Unprocessed

After defining the message click 'Exit' button to exit from the screen.

For more details on how the destination user can view the alert messages refer section titled 'Unprocessed Alerts' in the chapter 'Getting Started with Oracle FLEXCUBE' in 'Procedures' User Manual.

2.12 Process Codes

This section contains the following topics:

- [Section 2.12.1, "Maintaining Process Codes"](#)

2.12.1 Maintaining Process Codes

You can maintain the process codes using the 'Process Definition' screen. You can invoke this screen by typing 'SMDPRCDE' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The 'Process Definition' screen is shown below:

Fields					
Maker			Date Time:		
Checker			Date Time:		
Mod No			Record Status		
			Authorization Status		

You can specify the following here:

Process Code

Specify a unique code for the process.


Description

Enter an appropriate description of the process.

After entering the details, click the 'Save' button.

2.13 Single Sign On (SSO) Enabled Environment

Provided you have opted for the SSO Enabled option at bank level, you can log in from an LDAP (Oracle Internet Directory) external system into Oracle FLEXCUBE through the screen shown below.



After successful authentication and authorization of the user is carried out by the LDAP (Oracle Internet Directory), a request is forwarded to gain access into Oracle FLEXCUBE. On clicking the 'Submit' button you can directly get into Oracle FLEXCUBE without specifying Oracle FLEXCUBE user id and password.

2.14 Multi-Factor Authentication

This section contains the following topic:

- [Section 2.14.1, "Logging into Oracle FLEXCUBE by Multi-Factor Authentication"](#)
- [Section 2.14.2, "Maintaining Multi-Factor Authentication Limits"](#)
- [Section 2.14.3, "Viewing Multi-Factor Authentication - Limit Maintenance Summary"](#)

2.14.1 **Logging into Oracle FLEXCUBE by Multi-Factor Authentication**

Multi-Factor Authentication (MFA) is an authentication mode, which provides further level of authentication apart from the regular user ID and password authentication.

After successful login validation to FLEXCUBE, the system validates whether the user is enabled for MFA as maintained at the 'User Maintenance' (SMDUSRDF) screen. If you are MFA enabled, you are eligible for transactions greater than MFA limit and the system displays the MFA login screen and defaults the user ID.



You can specify the following details:

Multi-Factor Id

The system displays the Multi-Factor authentication ID linked to the user ID.

Multi-Factor PIN

Specify the Multi-Factor PIN for MFA.

The system generates the MFA PIN just before the authentication, which expires in a short time. The generated MFA PIN is communicated to the user in multiple ways, such as text messages sent to the user's mobile phone or electronic devices.

The system prompts the user to input the MFA token as a second password and validates the user's authenticity. This process reduces the risk posed by using only user ID or password mechanism. If the MFA pin is validated successfully, the user's session is marked as 'Multi-Factor Authenticated'. Else, it is marked as 'Multi-Factor Not Authenticated'.

2.14.2 **Maintaining Multi-Factor Authentication Limits**

You can capture Multi-Factor Authentication (MFA) limits branch-wise and module-wise in the 'Multi-Factor Authentication - Limit Maintenance' screen. MFA limit indicates the limit above

which MFA is required. The process of MFA can be determined by the parameters set at the individual user level. MFA limits can be used to authorize transactions above certain limit.

You can invoke this screen by typing 'SMDMFALM' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Multi-Factor Authentication - Limit Maintenance

New Enter Query

Branch Code *
Module Identification *
Limit Currency
Input Limit
Authorization Limit

Branch Name
Module Name

Maker
Checker
Mod No
Date Time:
Date Time:
Record Status
Authorization Status

Exit

You can specify the following details here:

Branch Code

Specify the branch code for MFA limit. Alternatively, you can select the branch code from the option list. The list displays all the branches in the country maintained in the system and a value **, which indicates all branches.

Branch Name

The system displays the name of the branch code.

Module Identification

Specify the module code for MFA limit. Alternatively, you can select the module code from the option list. The list displays all the modules maintained in the system and a value **, which indicates all modules.

Module Name

The system displays name of the module for the selected module code.

Limit Currency

Specify the currency code in which the limit amount can be specified. Alternatively, you can select the currency code from the option list. The list displays all the currencies maintained in the system.

Input Limit

Specify the limit amount for input.

Authorization Limit

Specify the authorization limit amount for authorizer.

2.14.3 Viewing Multi-Factor Authentication - Limit Maintenance Summary

You can view multi-factor authentication limit maintenance in the 'Multi-Factor Authentication - Limit Maintenance Summary' screen. You can invoke this screen by typing 'SMSMFALM' in the field at the top right corner of the Application toolbar and clicking on the adjoining arrow button.

Multi-Factor Authentication-Limit Maintenance Summary Screen

Search Advanced Search Reset

Authorization Status Record Status

Branch Code Module Identification

Records per page 15 1 Of 1 Go

	Authorization Status	Record Status	Branch Code	Module Identification
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				
<input type="checkbox"/>				

Exit

In the above screen, you can base your queries on any or all of the following parameters and fetch records:

- Authorization Status
- Branch Code
- Record Status
- Module Identification

Click 'Search' button. The system identifies all records satisfying the specified criteria and displays the following details for each one of them:

- Authorization Status
- Branch Code
- Record Status
- Module Identification

3. Associated Functions

This chapter contains the following sections:

- [Section 3.1, "Clearing a User ID"](#)
- [Section 3.2, "System Time Level"](#)
- [Section 3.3, "Current Users"](#)
- [Section 3.4, "Language Codes"](#)
- [Section 3.5, "Branch of Operation"](#)
- [Section 3.6, "User Password"](#)
- [Section 3.7, "SSO Parameters"](#)
- [Section 3.8, "Transaction Status Control"](#)
- [Section 3.9, "Error Messages"](#)
- [Section 3.10, "Customized Hot Keys"](#)
- [Section 3.11, "Viewing User Activities"](#)
- [Section 3.12, "Branch Status"](#)

3.1 Clearing a User ID

This section contains the following topics:

- [Section 3.1.1, "Invoking the Clear User Screen"](#)

3.1.1 Invoking the Clear User Screen

When a User logs into the system, the system maintains a record of the user with the date and time of login. On a successful, normal log out this record gets deleted.

Occasionally, you may come across a situation when a user who is logged into the system is forced out. However, the ID of the user still continues to have a status of Currently Logged In. In such a situation, the user will not be allowed to log in to the system again.

Such User IDs can be cleared through the 'Clear User Profile' screen. You can invoke this screen by typing 'CLRU' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows a window titled "Clear User". At the top, there are two input fields: "User Id" and "Branch Code". Below the "Branch Code" field is a "Fetch" button. Below this is a section labeled "Records" containing a table with the following data:

Branch Code	User Id	User Name
<input type="checkbox"/> 004	36697T1	PRAHLAD
<input type="checkbox"/> 004	SIVAKAN	SIVAKANNAN
<input type="checkbox"/> 004	SIVAAUTO	SIVAKANNAN

At the bottom right of the window are two buttons: "Clear" and "Exit".

You can search for the users based on the following parameters:

- User Id
- Branch Code

Once you have specified the parameters click 'Fetch' button. The system lists the following details of the users who have logged into the application:

- Branch Code
- User ID
- User Name

To force log out a user, check the box against the relevant user record and click 'Clear' button. The system will display a message to confirm the clear operation. To force log out all the users in a page, check the box against the header row, which will select all the users in the page. Further click the 'Clear' button. The selected users are logged off from the application.

Select the check boxes next to the User IDs which you want to clear and then click 'Clear' button.

3.2 System Time Level

This section contains the following topics:

- [Section 3.2.1, "Changing the System Time Level"](#)

3.2.1 Changing the System Time Level

The time level is allotted at two levels — at the system (branch) level and at the user level. For a user to be able to login, the time level for the user profile should be greater than or equal to that of the system. The time level can be between zero and nine.

You can change time level of the branch by using the 'Change Time Level' screen. You can invoke this screen by typing 'SMDCHGTL' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click 'Users' button for a display of the details of users who are currently logged in.

This screen shows a list of all users who are currently logged in and their respective Time Levels. When the Time Level of the branch is changed the system validates and displays a message if the Time Level of any of the Users is lesser than that of the newly changed value. These users can continue to log onto and work on the system till they log off. When they try to log in back the system validates and only allows such users access whose time levels are greater than that of the system.

Change Time Level

New Enter Query

Branch Current Time Level

New Time Level Users

User Time Level

User Identification	Terminal	Time Level
<input type="text"/>	<input type="text"/>	<input type="text"/>

Input By Date Time Authorized By Date Time Modification Number

☐ Authorized ☐ Open


3.3 Current Users

This section contains the following topics:

- [Section 3.3.1, "View Current Users"](#)

3.3.1 View Current Users

The user of a branch can view a list of all the users logged in from the current branch or from any other the branches through the 'Current Users' screen.



The following details are captured here:

Branch

You are allowed to view users logged in from the current branch as well as any other branch. Select the any of the following options and click 'Users' button to view the current users of that branch:

- Current Branch
- All Branches

The following user details are displayed here:

- Branch – The branch from which the user has logged in
- Terminal – The terminal/system from which the user has logged in
- User Identification – The name of the user
- Start Time – The time when the user logged in

3.4 Language Codes

This section contains the following topics:

- [Section 3.4.1, "Defining Language Codes"](#)

3.4.1 Defining Language Codes

Every language that is supported by the system is identified by a Language Code. In Oracle FLEXCUBE, this code is a three character alphanumeric code.

Invoke the 'Language Code Maintenance' screen by typing 'SMDLNGCE' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Language Code Maintenance

New Enter Query

Language Code *
Language Name *
Display Direction
Language ISO Code

Maker
Checker
Mod No

Date Time:
Date Time:
Record Status
Authorization Status

Exit

For example, for English language, the code you could enter in Oracle FLEXCUBE could be ENG.

3.5 **Branch of Operation**

This section contains the following topics:

- [Section 3.5.1, "Changing the Branch of Operation"](#)

3.5.1 **Changing the Branch of Operation**

Through this function, you can change the branch of operation to a branch other than the one you are signed on to. The branches to which you can change into will be defined in your user profile. You can change your branch of operation only when a function that has been initiated by you in the current branch has been completed.

The screen is as shown below:

List of Values Branch Code

Search

Branch Code % Branch Status %
Branch Name % Time Level %

Fetch Values

Search Results

First Previous 1 Of 3 Next Last Go

Branch Code	Branch Name	Branch Status	Time Level
000	BANK FUTURA	TRANSACTION INPUT	0
001	Bank Futura,2ndStreet Branch,London	TRANSACTION INPUT	0
002	Bank Futura,4th Street Branch,Londo	TRANSACTION INPUT	0
003	Bank Futura,Avenue Branch, London	TRANSACTION INPUT	0
004	Bank Futura,Neethle Street, London	TRANSACTION INPUT	0
005	Bank Futura -Town HallBranch London	TRANSACTION INPUT	0

Ok

3.6 User Password

This section contains the following topics:

- [Section 3.6.1, "Changing the User Password"](#)

3.6.1 Changing the User Password

The Password of a User can be changed either when it expires or at the will of the user using the 'Change Password' screen.

Change Password

Enter Old Password
Enter new password
Confirm New Password

Save Cancel

The following details are captured here:

Enter Old password

Specify the old password which has to be changed.

Enter new password

Specify the new password.

Confirm new password

Specify the new password.

Click 'Save' to save the new password. Click 'Cancel' to exit the screen.

3.7 SSO Parameters

This section contains the following topics:

- [Section 3.7.1, "Maintaining SSO Parameters"](#)

3.7.1 **Maintaining SSO Parameters**

LDAP is an external directory system which stores the details regarding user ids and password.

Once SSO has been enabled for your bank, the SSO parameters need to be maintained. This can be done using the 'Single Sign On Maintenance' screen. You can invoke this screen by typing 'SMDSOPRM' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'LDAP Maintenance' application window. It features a menu bar with 'New' and 'Enter Query' options. The main workspace contains six labeled input fields, each with a red asterisk indicating it is required: 'LDAP Host *', 'LDAP Port *', 'LDAP Admin Id *', 'LDAP Password *', 'LDAP Base *', and 'Time Out Duration(Seconds) *'. Small yellow speech bubble icons are positioned to the right of each field. Below the input fields is a 'Fields' section containing a table with the following columns: 'Input By', 'Date Time', 'Authorized By', 'Date Time', 'Modification Number', 'Authorized', and 'Open'. The 'Authorized' and 'Open' columns have small square checkboxes next to them.

The following details can be maintained in this screen:

LDAP Host

Indicate the machine or server name where LDAP (Oracle Internet Directory) is installed.

LDAP Port

Specify the network Port number where the LDAP (Oracle Internet Directory) listen to the Server.

LDAP Admin id

Specify the admin user id of the LDAP (Oracle Internet Directory).

LDAP Password

Specify the Password for the LDAP Admin User which is provided during installation.

LDAP Base

Specify the directory information tree (DIT) structure under which the data is to be stored, which is provided during installation. This is used while validating the user present in the LDAP (Oracle Internet Directory).

Time Out Duration (Sec)

You can stipulate the allowable idle time (in seconds) that a user can spend without performing any activity, after logging in to the system.

3.8 Transaction Status Control

This section contains the following topics:

- [Section 3.8.1, "Maintaining Transaction Status Control"](#)

3.8.1 Maintaining Transaction Status Control

The 'Transaction Status Control Maintenance' screen allows the user to define the various action buttons depending on the status of the contract. You can invoke this screen by typing 'SMDTXNST' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. For each Transaction Status, the record status 'Authorized' or 'Unauthorized', could also affect the Action buttons.

Some of the statuses that a Contract could have are:

- Y-Irrevocable
- A-Authorized
- U-Unauthorized
- V-Reversed
- L-Liquidated
- S-Closed
- H-Hold
- K-Cancelled
- N-NON-CUMULATIVE
- T-TIME
- O-OUR

Transaction *	Authorization *	New	Copy	Delete	Closed	Unlock	Reopen	Print	Authorize
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Check the box against a transaction record to select the actions allowed for that transaction. Following are the actions that are allowed on a record:

- New
- Copy

- Delete
- Close
- Unlock
- Reopen
- Print
- Auth
- Reverse

3.9 Error Messages

This section contains the following topics:

- [Section 3.9.1, "Maintaining Error Messages"](#)

3.9.1 Maintaining Error Messages

Error codes provide step by step support for maintenances and contract Input for a User. The Error codes are uploaded into the system at Software installation. However the 'Description' and 'Type' of the error can be modified from the Oracle FLEXCUBE Menu. Each Error Code can be of the following types:

- Override(O)
- Ignore / Warning (I)
- Error(E)

You can maintain error messages using the 'Error Messages Maintenance' screen. You invoke this screen by typing 'CSDERMSG' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow.

The screenshot shows the 'Error Messages Maintenance' application window. At the top, there's a title bar and a menu bar with 'New' and 'Enter Query' options. The main workspace contains several input fields: 'Error Code *', 'Language *', 'Description', 'Message', and 'Type *'. The 'Error Code' and 'Language' fields are marked with red asterisks, indicating they are required. The 'Message' field has a small yellow speech bubble icon to its right. Below the main workspace, there's a blue footer bar containing labels for 'Input By', 'Date Time', 'Authorized By', 'Date Time', 'Modification Number', 'Authorized', and 'Open'.

The following details are captured here:

Error Code

Specify a code for the error message here.

Language

Specify the language code of the error message.

Description

Specify the description for the language code.

Message

Specify the error message that has to be displayed.


3.10 Customized Hot Keys

This section contains the following topics:

- [Section 3.10.1, "Configuring Customized Hot Keys"](#)

3.10.1 Configuring Customized Hot Keys

Oracle FLEXCUBE allows you to configure Hot keys or Shortcut keys for function ids, using which you can launch the function id screens without typing the function ids. For this you need to map each function id to a hot key using the 'Hot Key Maintenance' screen. To invoke the 'Hot Keys Maintenance' screen click the option 'Hot Keys' under 'Options' menu. You invoke this screen by typing 'SMDHOTKY' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.



The following details are captured in this screen:

User Id

The id of the user who has logged in is displayed here.

Hot Key Details

Here, you can map a function id against each hot key. You can select the function id to be mapped against the hot key from the adjoining option list.

3.11 Viewing User Activities

This section contains the following topics:

- [Section 3.11.1, "Viewing User Activities"](#)

3.11.1 Viewing User Activities

You can view a log of activities of Oracle FLEXCUBE users through the 'User Activity' screen. You can view user activities only through Oracle FLEXCUBE host system. This screen is not

available for viewing in the branch installations. You can invoke this screen by typing 'SMSUSRAC' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screen is displayed as below:

You can query for records based on the following criteria:

- User ID
- Branch Code
- Function ID

Click 'Search' button. Based on your preferences, the system identifies all records satisfying the criteria and displays the following details for every record:

- User ID
- IP Address
- Branch Code
- Function ID
- Sequence No
- System Start Time
- System End Time
- Exit Flag

3.12 **Branch Status**

This section contains the following topics:

- [Section 3.12.1, "Viewing Branch Status"](#)

3.12.1 **Viewing Branch Status**

You can view the host connectivity status of various branches through the 'Branch Status' screen. You can invoke this screen by typing 'SMSBRNST' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screen is displayed as below:

Branch Status

Search Advanced Search Reset

Branch Code Branch Name

Branch Status

Records per page 15 1 Of 1 Go

	Branch Code	Branch Name	Branch Status
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			
<input type="checkbox"/>			

Exit

You can query for records based on the following criteria:

- Branch Code
- Branch Name
- Branch Status

Click 'Search' button. Based on your preferences, the system identifies all records satisfying the criteria and displays the following details for every record:

- Branch Code
- Branch Name
- Branch Status

4. Error Codes and Messages

This chapter contains the following section:

- [Section 4.1, "Error Codes"](#)

4.1 Error Codes

Error Code	Message
SM-00001	Unauthorized installation. Contact Oracle Financial Services representative
SM-00002	Licensed number of users exceeded. Try again after a while
SM-00003	Guest ids can sign on only via change branch function
SM-00004	Invalid login
SM-00005	User already logged in
SM-00006	User status is disabled. Please contact your system administrator.
SM-00007	User status on hold. Contact your system administrator
SM-00008	Your time level does not permit you to log in. Contact your branch system administrator
SM-00009	Please change password now!
SM-00010	Password file missing or corrupt
SM-00011	Contact your system administrator. Oracle built in problem
SM-00012	SMTBS_passwords table missing or entries not found
SM-00014	Password due to expire on \$1
SM-00015	User profile expired. Contact branch system administrator
SM-00016	Your time level does not permit you to launch this function
SM-00030	This function is currently not available for execution
SM-00031	This form \$1 is not available. Contact your branch system administrator
SM-00032	The time level in the branch has changed. Your time level does not permit you to execute any functions
SM-00033	The number of users currently executing functions in this module has exceeded the license limit.
SM-00034	This function is not available for customer access
SM-00035	This function is not available for staff access
SM-00036	Function ID is not correct. Enter function ID again
SM-00037	Main menu and sub menu descriptions cannot be same
SM-00040	Wrong password. Enter password again
SM-00041	The new and confirmed passwords do not match. Enter passwords again
SM-00042	The password entered is restricted. Try another password

Error Code	Message
SM-00043	The password entered has already been used. Try another password
SM-00044	Length of password is less than \$1 characters
SM-00045	Length of password is more than \$1 characters
SM-00046	The password string contains special characters that are not allowed. Retype password
SM-00050	Control clerks passwords do not match. Retype passwords again
SM-00060	There are users currently logged in with a lesser time level. Do you want to change?
SM-00070	You are currently executing some functions. Exit from those functions and try again
SM-00080	User ID already exists.
SM-00081	Negative amount not allowed
SM-00082	Start cannot be before today
SM-00083	End date cannot be before start date
SM-00084	Start date cannot be null
SM-00085	User profile saved
SM-00086	Could not save user profile
SM-00087	User profile deleted
SM-00088	Could not delete user profile
SM-00089	Mandatory or not null fields are missing
SM-00090	Role ID already exists
SM-00091	Users attached to the role. Cannot delete
SM-00092	Role deleted
SM-00093	Invalid role ID
SM-00094	Currency code not defined
SM-00095	Branch code not defined
SM-00096	Customer no not defined
SM-00097	Customer category not defined
SM-00098	Role profile saved
SM-00100	Cannot delete the role. There are users attached to this role.
SM-00101	Cannot delete function. There are users attached to this function.

Error Code	Message
SM-00102	Cannot modify function. There are users attached to this function.
SM-00103	Do you want to delete the user?
SM-00104	Do you want to delete the role?
SM-00105	Cannot delete role. Users attached to role.
SM-00110	Site code length cannot be less than 4 characters
SM-00111	Cumulative invalid logins - number should be greater than 5 and less than 100
SM-00112	Successive invalid logins - number should be greater than 2 and less than 6
SM-00113	Password prevent reuse value should be between 1 and 5
SM-00114	Minimum password length should be between 6 and 10
SM-00115	Maximum password length should be between 9 and 12
SM-00116	Graph not found. Contact your branch administrator
SM-00117	Password change after message - no of days should be greater than 15 and less than 180
SM-00118	Archival period should be greater than 0
SM-00119	Enter the role description
SM-00120	Cannot delete/modify role of other branch
SM-00121	Idle time before sign off should be between 30 and 600
SM-00122	Password expiry message - between 0 and 5
SM-00123	Enter a valid module ID
SM-00125	Min password length should be less than Max password length
SM-00126	Override idle time should be greater than 10
SM-00130	User access to \$1 \$2 denied
SM-00131	Duplicate values encountered
SM-00140	Guest ID not defined in branch \$1
SM-00150	Maximum value encountered
SM-00160	Users attached to the language code. Cannot delete
SM-00161	Language code already exists. Try another one
SM-00170	Reserved word cannot be used
SM-00500	Mandatory values missing or null

Error Code	Message
SM-00501	Activation key contains irrelevant characters. Wrong activation key
SM-00502	Installation with this key already done. Cannot duplicate
SM-00503	Installation not done. Contact BSA or Oracle Financial Services representative
SM-00510	No branches defined for user
SM-00520	Could not delete function. Role attached
SM-00530	Could not delete function. Users attached
SM-00171	Max password Length can not be null
SM-00172	Min password Length can not be null
SM-00173	Min password alphabets length can not be greater than Max password alphabets length
SM-00174	Min password alphabets length can not be greater than Max password length
SM-00175	Min password alphabets length + Max password numeric length can not be greater than Max password Length
SM-00176	Min password alphabets length + Min password numeric length can not be greater than Min password Length
SM-00177	Min password numeric length can not be greater than Max password numeric length
SM-00178	Min password numeric length can not be greater than Max password length
SM-00179	Min password numeric length + Max password alphabets length can not be greater than Max password Length
SM-00180	Max password alphabets length can not be lesser than Min password alphabets length
SM-00181	Max password alphabets length can not be greater than Max password length
SM-00183	Max password numeric length can not be greater than Max password length
SM-00184	Max password numeric length can not be lesser than Min password numeric length
SM-00185	Password can not contain more than \$1 consecutive characters
SM-00186	Password should contain atleast \$1 Numeric characters
SM-00187	Password should contain atleast \$1 Alphabetic characters
SM-00188	Min password alphabetic length can not be lesser than Min password length

Error Code	Message
SM-00189	Min password numeric length can not be Greater than Min password length
SM-00200	Maximum No of Consecutive Characters should be Greater than 0
SM-00201	The transaction amount exceeds the maximum input amount for the user
SM-00202	The User is Un-Authorized
SM-00203	The Last Login date was - \$1
SM-00204	Failed to validate transaction limits for the User
SM-00205	Limits Id already exists
SM-00206	Dormancy Days Should be Greater than 0
SM-00207	Warning Screen Text can not be Null
SM-00208	Role Limits attached to the User are Unauthorized
SM-00209	Restriction type cannot be null
SM-00251	Value for legal notice is needed.
SM-00252	Value for legal notice is not needed.
SM-00300	Values for user limits are not applicable for the chosen transaction limit
SM-00301	Values for role limits are not applicable for the chosen transaction limit
SM-00500	Mandatory values missing or null
SM-00501	Activation key contains irrelevant characters. Wrong activation key
SM-00502	Installation with this key already done. Cannot duplicate
SM-00503	Installation not done. Contact BSA or i-flex representative
SM-00510	No branches defined for user
SM-00520	Could not delete function. Role attached
SM-00530	Could not delete function. Users attached
SM-00540	Could not delete function
SM-00550	Function successfully saved
SM-00560	Function not implemented
SM-00610	No functions defined for the user
SM-00612	You are not logged on
SM-00900	Process completed
SM-00901	Please select user ids to Enable

Error Code	Message
SM-00998	Password should be alphanumeric
SM-00999	First and last letter cannot be numeric
SM-01000	Invalid password. Bad sign on
SM-01001	Invalid name. Bad sign on
SM-01002	Successive invalid logins. Forced disable
SM-01003	Cumulative invalid logins. Forced disable
SM-01004	Password expired. Password changed
SM-01005	User initiated password change.
SM-01006	Forced password change
SM-01007	Status enabled
SM-01008	Status put on hold
SM-01009	No of licensed users for modules exceeded
SM-01010	No of licensed users for bank exceeded
SM-01011	Wrong activation key entered
SM-01012	Duplicate terminal ID encountered.
SM-01013	SMS user profile cleared
SM-01014	Restricted access program invoked by control clerks
SM-01015	User profile definition form invoked
SM-01016	Role profile definition form invoked
SM-01017	SMS bank parameters definition form invoked
SM-01018	Wrong control clerk password entered
SM-01019	Function id is not available for current module
SM-01099	Your Current amount decimal separator is not \$1'. Please ask IT to change machine oracle settings.'
SM-01100	Entries in SMS bank parameters missing
SM-01101	Could not get today s date for the head office
SM-01102	Bank code not maintained in branch table
SM-01103	Local currency not maintained in bank table
SM-01104	User already signed on
SM-01105	User \$1 in branch \$2 changed branch to branch \$3 as user \$4

Error Code	Message
SM-01205	Both Passwords expired. Change Password Now
SM-01206	Password1 expired. Change Password Now
SM-01207	Password2 expired. Change Password Now
SM-0200	Cannot restrict current password
SM-02000	Internal error: exception raised in \$1
SM-02001	Enter from date
SM-02002	Enter to date
SM-02003	From date cannot be later than to date
SM-02004	Enter from time
SM-02005	Enter to time
SM-02006	From time cannot be later than to time
SM-02007	Select all users to use purge option
SM-02008	Role ID should be entered
SM-02009	User ID should be entered
SM-05000	Installation successful
SM-06001	User does not exist
SM-06500	Document Long Description is Mandatory
SM-0999	You do not have access to this function
SM-09999	Internal error: unhandled exception raised
SM-10000	Do you want to reset cumulative invalid logins to 0?
SM-10001	Head office branch code is not valid
SM-10002	Language code must be 3 characters
SM-10003	Branch is closed
SM-10004	Number of invalid logins since last logout = \$1
SM-10005	This Function has been linked to a role
SM-3001	User does not have rights
SM-3002	Incorrect User ID or password
SM-555555	Sign off allowed only from home branch
SM-555556	Logout allowed only from home branch

Error Code	Message
SM-555557	Triggers in the database are disabled. Please contact System Administrator.
SM-666666	Amount exceeds users authorization limit
SM-666666	Amount exceeds users authorization limit
SM-700007	Terminal ID should be Four Characters in Length
SM-7001	Invalid User Id or Password
SM-7002	User does not have rights
SM-7003	Invalid Login
SM-7004	User already logged in
SM-7005	User Status is Disabled
SM-7006	User Status on Hold
SM-7007	Your Time level does not permit you to Login
SM-7008	Please change Password now!
SM-7010	Password file missing or corrupt
SM-7011	Oracle built in problem
SM-7012	Password due to expire on \$1
SM-7013	User Profile expired
SM-7014	Wrong Password
SM-7015	Enter Password again
SM-7016	The New and Confirmed Passwords do not match
SM-7017	Enter Passwords again
SM-7018	The Password entered is Restricted. Try another Password
SM-7019	The Password entered has already been used. Try another Password
SM-7020	Length of Password is less than \$1 characters
SM-7021	Length of Password is more than \$1 characters
SM-7022	The Password string contains special characters that are not allowed. Retype Password

Error Code	Message
SM-7023	Password cannot contain more than \$1 consecutive identical characters
SM-7024	You cannot change Password today
SM-7025	The password should be mix of alphabetic and numeric characters
SM-7026	Control Clerks Passwords do not match. Retype Passwords again
SM-7027	There are Users currently logged in with a lesser time level. Do you want to change?
SM-7028	User Id already exists.
SM-7029	Cumulative Invalid Logins - Number should be greater than 5 and less than 100
SM-7031	Password prevent reuse value should be between 1 and 5 Minimum
SM-7032	Password length should be between 6 and 10
SM-7033	Maximum Password Length should be between 9 and 12
SM-7034	Password expiry message - between 0 and 5
SM-7035	Password change after message - no of days should be greater than 15 and less than 180
SM-7036	User Access to \$1 \$2 denied
SM-7037	Consecutive Password Characters should be greater than 1
SM-7038	The User is un-authorized
SM-7039	The Last Login date was - \$1
SM-7040	Password Changed Successfully
SM-7041	Invalid Password. Bad Sign On
SM-7042	Invalid Name. Bad Sign On
SM-7043	Successive Invalid Logins
SM-7044	Forced Disable Cumulative Invalid Logins
SM-7045	Forced Disable Password expired.
SM-7046	Password changed
SM-7047	User initiated Password change

Error Code	Message
SM-7048	Forced password change
SM-7049	Status Enabled
SM-7050	Status put on
SM-7051	Hold User already Signed on
SM-7052	Do you want to reset Cumulative Invalid Logins to 0 ?
SM-7053	Number of Invalid Logins Since Last Logout = \$1
SM-7054	User Password Changed Successfully
SM-7055	Change password now !!
SM-7056	Terminal Id not set
SM-7057	Message Digest not matched
SM-7058	User Not Logged In. Please login again
SM-7059	Fast Path Cannot Contain Special Characters
SM-7060	Currency sold and Currency bought can not be same.
SM-7070	Branch date is ahead of host date, cannot proceed
SM-77777	User does not have rights to authorize the override
SM-AUTH01	The transaction amount exceeds the maximum authorization amount for the User
SM-BRN01	Not a Valid user for Branch
SM-BRN02	Password for Branch User cannot be null
SM-BVALUE1	\$1 Back value days cannot be null
SM-C0050	Invalid Branch Code
SM-C0051	Function ID Already attached
SM-C0052	Branch or Function id should not be null
SM-CHBRLO	Change Branch to Home Branch In-Order to Logoff.
SM-CHBRSO	Change Branch to Home Branch In-Order to Signoff.
SM-CLBRN01	Branch User Profile Updated at Host

Error Code	Message
SM-CLS001	Users attached to Role. Close?
SM-CV001	Sequence no cannot be null
SM-CV002	Sequence no is a numeric field
SM-CV003	Group ID cannot be null
SM-CV004	Module code cannot be null
SM-CV005	Source code cannot be null
SM-CV006	Template ID cannot be null
SM-CV007	Duplicate broker ID
SM-CV008	Liquidation code cannot be null
SM-CV009	Duplicate details in record not allowed
SM-CV010	Basis amount to cannot be null
SM-CV011	Floor basis amount has to be less than basis amount to
SM-CV012	Rate cannot be null for percentage type
SM-CV013	Min amount cannot be more than floor charge for percentage type
SM-CV014	Max amount cannot be less than floor charge for percentage type
SM-CV015	Flat amount cannot be null for flat amount type
SM-CV016	Invalid rate, rate is too high
SM-CV017	Floor basis amount cannot be null
SM-CV018	Floor charge cannot be null
SM-CV019	Basis amount to cannot be less than basis amount from
SM-CV020	Duplicate rule code
SM-CV021	Minimum amount must be less than maximum amount
SM-CV022	Maximum amount must be more than minimum amount
SM-CV023	Rule cannot be null
SM-CV024	Group already exists

Error Code	Message
SM-CV025	The record is already closed
SM-CV026	Intermediate table has to be entered
SM-CV027	Upload table has to be entered
SM-CV028	Cube table has to be entered
SM-CV029	Source field cannot be null
SM-CV030	Destination field cannot be null
SM-CV031	Destination field already maintained
SM-CV032	Group ID already maintained
SM-CV033	Template ID already maintained for this group
SM-CV034	Sequence no already maintained for this group
SM-CV035	Invalid column name
SM-DATE1	Failed to convert date format
SM-DEMO01	Oracle FLEXCUBE not properly installed, exiting!
SM-DEMO02	Demo version will expire after \$1 day(s)
SM-DEMO03	Welcome to Oracle FLEXCUBE
SM-DEMO04	Only one user is allowed to login in demo version of Oracle FLEX-CUBE, exiting!
SM-DEMO05	Insufficient parameters to launch Oracle FLEXCUBE, exiting!
SM-DEMO06	Oracle FLEXCUBE demo version does not allow this function
SM-DEMO07	Demo version expired, please contact i-flex!!!
SM-DEMO08	Demo version allows only \$1 contracts.
SM-DEMO09	Demo version expires today
SM-DTCH01	Users are running functions.
SM-DTCH02	AEOD dates not maintained
SM-DTCH03	Wrong branch status to run this form
SM-EFIN01	Users in transactions input

Error Code	Message
SM-EXTUS	Oracle FLEXCUBE has been launched from another application. Sign off disallowed. Please exit
SM-FND01	Menu items not populated
SM-PRD02	Deletion not allowed as periods beyond \$1 exist for the financial cycle
SM-PRD03	The period end date has to be the last day of a month
SM-PWC01	Password same as previously used password
SM-QRY-01	The form is in the enter-query mode. Please click on the exit toolbar button or exit menu item to get to the normal mode.
SM-QRY01	The form is in the enter-query mode. Please click on the exit toolbar button or exit menu item to get to the normal mode.

5. Reports

The chapter contains the following sections:

- [Section 5.1, "Events Log Report"](#)
- [Section 5.2, "Security Management System Violations Log Report"](#)
- [Section 5.3, "User Profile Report"](#)
- [Section 5.4, "Changes Report"](#)
- [Section 5.5, "Inactive Users Aging Analysis Report"](#)
- [Section 5.6, "SMS User Inactive Log Report"](#)
- [Section 5.7, "Online Performance Statistics Report"](#)
- [Section 5.8, "Batch Performance Statistics Report"](#)
- [Section 5.8, "Batch Performance Statistics Report"](#)
- [Section 5.9, "Change Control Log Report"](#)
- [Section 5.10, "Event Log Report"](#)
- [Section 5.11, "Changes Log Report"](#)
- [Section 5.12, "New User Created Report"](#)
- [Section 5.13, "Role Profile Created Report"](#)
- [Section 5.14, "User Profile Report"](#)
- [Section 5.15, "Role Profile Report"](#)
- [Section 5.16, "User Role Summary Report"](#)
- [Section 5.17, "User Entitlement Report"](#)

5.1 Events Log Report

This section contains the following topics:

- [Section 5.1.1, "Generating Event Logs Report"](#)
- [Section 5.1.2, "Contents of the Events Log"](#)

5.1.1 Generating Event Logs Report

The Events Log report gives details of all events that occurred over a period in time. You can specify the period for which you require the report when you invoke the report function.

To invoke the screen to generate this report, type 'SMRPEVLG' in the field at top right corner of the Application tool bar and click the adjoining arrow button.

Events Log

Report For

Type ☒ All Users ☐ Selected Users

User Id

From Date

To Date

☐ Purge

Report Format PDF

Report Output View

Printer At Client

Printer

Ok Exit

Report For

Indicate the user of the report by choosing one of the options.

- All Users
- Selected Users

From Date

Indicate the start date by using the adjoining calendar.

To Date

Indicate the end date by using the adjoining calendar.

Purge

Check this box to purge the document.

Click 'OK' to generate the report.

5.1.2 Contents of the Events Log

The contents of this report are discussed under the following heads:

Header

The Header carries the title of the report, information on the branch code, the ID of the user who generated the report, the date and time at which it was generated, the branch date, the modules covered in the report.

Body of the report

The following details are displayed in the report.

Field Name	Field Description
User ID	The user who initiated the event.
Function Description	The name of the function that activated the event.

Start Time	The time at which the event was initiated.
End Time	The time at which the event was successfully completed or was aborted. If the event has not been completed, or 'Not Yet' is displayed here.
Branch Code	The code allotted to the branch .
Terminal ID	The system ID where the application is launched
System Start Time	The time when the user starts the application
System End Time	The time when the user signs out of the application

Total time spent on individual functions by individual users is also provided.

5.2 **Security Management System Violations Log Report**

This section contains the following topics:

- [Section 5.2.1, "Generating Security Management System Violations Log Report"](#)
- [Section 5.2.2, "Contents of the Security Management System Violations Log Report"](#)

5.2.1 **Generating Security Management System Violations Log Report**

Any attempt at violating the security of the system will be reported in the Security Violations report. You can generate this report for a particular period.

To invoke the screen to generate this report, type 'SMRPVLLG' in the field at top right corner of the Application tool bar and click the adjoining arrow button.

The screen is as shown below:

Indicate the following details:

Date Range

Indicate the date range.

From Date

Indicate the date from which you want to generate the violations report, using the adjoining calendar.

To Date

Indicate the date until which you want to generate the violations report, using the adjoining calendar.

Time Range

Specify the time range that should be considered for the violations report.

Sort By

Indicate the mode of sorting data in the report by choosing one of the following options:

- Date and Time
- User Identification

Purge

Check this box to indicate that the report can be purged.

Click 'OK' button to generate the report.

5.2.2 **Contents of the Security Management System Violations Log Report**

The contents of this report are discussed under the following heads:

Header

The Header carries the title of the report, information on the branch code, the ID of the user who generated the report, the date and time at which it was generated, the branch date, the modules covered in the report.

Body of the report

The following details are displayed in the report

Field Name	Field Description
User-ID	The user who was involved in the security management system violation.
Start Time	The time at which the security management system was violated.
Message	The error message if any displayed by the system during validation
Function Description	The description of the function that was executed by the user, which resulted in the violation.
Terminal ID	The terminal-ID of the terminal onto which the user was logged.

5.3 **User Profile Report**

This section contains the following topics:

- [Section 5.3.1, "Generating User Profile Report"](#)
- [Section 5.3.2, "Contents of the User Profile Report"](#)

5.3.1 Generating User Profile Report

The details of all the user profiles that have been defined are available in the form of a report. The User Profile Report gives details of user profiles maintained for all or specific users. It includes:

- The functions attached to the role.
- The roles to which the user is attached.
- Amount limits for each user.
- Branches in which the user can operate.
- Currencies the user can use.
- Customers the user can deal with.
- Restrictive passwords defined for the user.

To invoke the screen to generate this report, type 'SMDCUUSR' in the field at the top right corner of the Application tool bar and click the adjoining arrow button.

The screen is as shown below:

Current Users

New Enter Query

☒ Current Branch ☐ All Branches Users

Current Users

Branch	Terminal	User Id	Start Time
--------	----------	---------	------------

5.3.2 Contents of the User Profile Report

Field Name	Field Description
Branch Code and Name	The code allotted to the branch and the full name of the branch.
Date and Time	At which the report was generated.
Printed by	The user who has generated the report.
Spool File	If the report has been printed onto a spool file, the name of the spool file is given here.
Sort on	The criteria on which the details have been sorted.
Date Range	The period for which the report is generated.
User-ID	The ID of the user whose details are being reported.
Name	The name of the user whose details are being reported.
Time Level	The time level of the user.
Language Code	The language assigned to the user.
Profile Expires On	The date on which the user profile is due to expire.
Status	The status of the user - enabled, on hold or disabled.
Function-ID	The function allowed for the user.
Function Description	The description of the function.
Link with Role Definition	If the user has been linked to a role, the role-ID is given here.
Maximum Transaction Amount	The maximum amount that the user can enter in a single transaction.
Maximum Authorization Amount	The maximum amount that a transaction can have if it has to be authorized by this user.
Branch Code	The branch in which the user profile is defined.
Branch Name	The name of the branch in which the user has signed on.
Currency Code	The S.W.I.F.T code of the currency in which the user can operate.
Currency Name	The name of the currency in which the user can operate.
Customer Code	The customer whose accounts can be handled by the user.
Customer Name	The name of the customer whose accounts can be handled by this user.
Restrictive Passwords - User	The passwords defined as restrictive passwords for the user.

5.4 Changes Report

This section contains the following reports:

- [Section 5.4.1, "Generating Change Report"](#)
- [Section 5.4.2, "Contents of the Changes Report"](#)

5.4.1 Generating Change Report

This report gives details of maintenance done on the following screen:

- Static Parameters screen
- Static User Profile Details screen
- Dynamic User Profile Details screen
- Static Role Profile Details
- Static User Profile Details

You can generate this report for a particular period using the 'Report' screen To invoke this screen type 'SMRPCHLG' in the field at top right corner of the Application tool bar and click the adjoining arrow button.

The screenshot shows a 'Report' window with two main sections: 'Branch Options' and 'Report Options'. In 'Branch Options', the 'Single' radio button is selected, and there are fields for 'Branch Code', 'Report Format' (set to PDF), and 'Report Output' (set to View). In 'Report Options', the 'Single' radio button is also selected, and there are fields for 'Function Id', 'Function Description', 'From Date', 'To Date', 'Printer At' (set to Client), and 'Printer'. The window has 'Ok' and 'Exit' buttons at the bottom right.

5.4.2 Contents of the Changes Report

The contents of this report are discussed under the following heads:

Header

The Header carries the title of the report, information on the branch code, the ID of the user who generated the report, the date and time at which it was generated, the branch date, the modules covered in the report.

Body of the report

The following details are displayed in the report

Field Name	The field that has been maintained
Input by	The Id of the person who input the details of the transaction
Old Value	The value in the field before it was modified
New Value	The value in the field after it was modified

Date & Time	The date and time of the transaction
Authorizer ID	The Id of the person who authorized the transaction
Date & Time	The date and time when the transaction was authorized
Record Stat	The status of the record
Auth Stat	The authorization status
Function ID	The function ID
Mod Number	The module number
Table Name	The table name

5.5 **Inactive Users Aging Analysis Report**

This sections contains the following topics:

- [Section 5.5.1, "Generating Inactive Users Aging Analysis Report"](#)
- [Section 5.5.2, "Contents of the Inactive Users Aging Analysis Report"](#)

5.5.1 **Generating Inactive Users Aging Analysis Report**

This report gives details of users who have not used the system over a certain period. You should enter the period when you invoke the report. The details are sorted in ascending order of the date from which the user has not used the system.

Click 'OK' button if you want to generate this report. To come out of this screen without generating the report click 'Exit' button.

5.5.2 **Contents of the Inactive Users Aging Analysis Report**

Field Name	Field Description
User-ID	The ID of the user who has not been using the system
Inactive Since	The date from which the user has not accessed the system
Status	The status of the user - enabled, disabled, hold, inactive
Inactivity Period	The number of days for which the user has not used the system

5.6 **SMS User Inactive Log Report**

This section contains the following topics:

- [Section 5.6.1, "Generating SMS User Inactive Log Report"](#)
- [Section 5.6.2, "Contents of the Inactive Users Log Report"](#)

5.6.1 **Generating SMS User Inactive Log Report**

This report gives details of users who have not used the system over a certain period. You should enter the period when you invoke the report. The details are sorted in ascending order of the date from which the user has not used the system. In the Application Browser, this report is available under the SM module.

To invoke the screen 'Security Maintenance Inactive Users Report' type 'SMRPINST' in the field at top right corner of the Application tool bar and click the adjoining arrow button.

5.6.2 Contents of the Inactive Users Log Report

The contents of this report are discussed under the following heads:

Header

The Header carries the title of the report, information on the branch code, the ID of the user who generated the report, the date and time at which it was generated, the branch date, the modules covered in the report.

Body of the report

The following details are displayed in the report.

Field Name	Field Description
User-ID	The ID of the user who has not been using the system
Home Branch	The home branch of the bank.
Last Signed On	The date from which the user has not accessed the system
Inactive For (In days)	The number of days for which the user has not used the system

5.7 Online Performance Statistics Report

The section contains the following topics:

- [Section 5.7.1, "Generating Online Performance Statistics Report"](#)
- [Section 5.7.2, "Contents of the Online Performance Statistics Report"](#)

5.7.1 Generating Online Performance Statistics Report

This report lists the maximum, minimum and average execution time for different actions across transactions in Oracle FLEXCUBE. You can generate this report using the 'Online

Screen Performance Statistics Report' screen. To invoke this screen, type 'SMRONSTA' in the field at top right corner of the Application tool bar and click the adjoining arrow button.

Specify the following details:

Function

Specify the function ID for which performance statistics need to be collected. The adjoining option list displays all transaction related function IDs available in the system. You can select the appropriate one. You can also leave this field blank if you have mentioned the action. This will imply that the report needs to be generated for the given action across all function IDs.

Action

Specify the action that needs to be performed on the function ID. The adjoining option list displays all operations for the functions IDs available in the system. You can select the appropriate one. You can also leave this field blank if you have mentioned the action. This will imply that the report needs to be generated for the given function ID across all actions.

Note

Both the function and the action cannot be null at a time.

5.7.2 Contents of the Online Performance Statistics Report

The parameters specified while generating the report are printed at the beginning of the report. The contents of this report are discussed under the following heads:

Header

The Header carries the title of the report, information on the branch code, the ID of the user who generated the report, the date and time at which it was generated, the branch date, the modules covered in the report.

Body of the report

The following details are displayed in the report.

Term	Description
Function Id	This indicates function action of the screen.

Function Id	This indicates function ID of the screen.
Action	This indicates the action performed on the Function ID.
Source	This indicates the source of the report.
Max Response	This indicates the maximum execution time for the action on the Function ID.
Min Response	This indicates the minimum execution time for the action on the Function ID.
Average	This indicates the average execution time of the report to be generated.
Count	This indicates the execution count for the report to be generated.
Log Time	Time of execution.

5.8 **Batch Performance Statistics Report**

This section contains the following topics:

- [Section 5.8.1, "Generating Batch Performance Statistics Report"](#)
- [Section 5.8.2, "Contents of the Performance Statistics report"](#)

5.8.1 **Generating Batch Performance Statistics Report**

This report provides the maximum, minimum and average performance record of each batch operation across all the branches in Oracle FLEXCUBE. It also has the option of generating report within a given date and time range. You can generate this report using the 'Batch Performance Statistics Report' screen. To invoke this screen, type 'SMRBASTA' in the field at top right corner of the Application tool bar and click the adjoining arrow button.

Specify the following details:

Report

You can indicate the following details for report generation:

Batch

Specify the batch for which the report has to be generated. The adjoining option list displays the list of all batches available in the system. You can select the appropriate one. However, you can leave this field blank if you have mentioned the branch. This will imply that the report needs to be generated for the given branch across all batches.

Branch

Specify the branch for which the report has to be generated. The adjoining option list displays the list of all branches available in the system. You can select the appropriate one. However, you can also leave this field blank if you have mentioned the batch. This will imply that the report needs to be generated for the given batch across all branches.

Period

Select the period within which the data for report generation should be fetched.

Start Date.

Indicate the date from which records should be considered for report generation, using the adjoining calendar.

End Date

Indicate the date until which records should be considered for report generation, using the adjoining calendar.

5.8.2 Contents of the Performance Statistics report

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The Header carries the title of the report, information on the branch code, the ID of the user who generated the report, the date and time at which it was generated, the branch date, the modules covered in the report.

Body of the report

The following details are displayed in the report.

Term	Description
EOC Stage	This indicates the End of Cycle stage.
Branch Code	This indicates the code of the branch.
Start Time	This indicates the start time from which the records have been considered for report generation.
End Time	This indicates the end time until which the records have been considered for report generation.
Maximum Time	This indicates the maximum time taken for the batch operation.
Minimum Time	This indicates the minimum time taken for batch operation.
Average Time	This indicates the average time taken for batch operation.

5.9 Change Control Log Report

This section contains the following topics:

- [Section 5.9.1, "Generating Change Control Log Report"](#)
- [Section 5.9.2, "Contents of the Report"](#)

5.9.1 Generating Change Control Log Report

The Change Control Log report provides change control log details. You can invoke the screen by typing the code 'SMRCONTL' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

The screenshot shows a window titled "Change Control Log Report" with a blue header bar. The window is divided into four main sections: "Branch Options", "User Options", "Module Options", and "Main".

- Branch Options:** Contains radio buttons for "All" and "Single" (selected), a text field for "Branch Code", and a "Main" label.
- User Options:** Contains radio buttons for "All" and "Single" (selected), a text field for "User", and a "Main" label.
- Module Options:** Contains radio buttons for "All" and "Single" (selected), a text field for "Module Code", a "Report Format" dropdown menu (set to "PDF"), and a "Report Output" dropdown menu (set to "View").
- Main:** Contains a "Date" text field, a "Printer At" dropdown menu (set to "Client"), and a "Printer" text field.

At the bottom right of the window, there are "Ok" and "Exit" buttons.

You can specify the following parameters:

Branch Options

You can generate the report based on the following branch criteria. The following options are available for section:

- All
- Single

Branch Code

Specify a valid branch code for which you want to generate the report from the adjoining option list, if you have selected 'Single'.

User Options

You can generate the report based on the following User criteria. The following options are available for section:

- All
- Single

User

Specify a valid User ID for which you want to generate the report from the adjoining option list, if you have selected 'Single'.

Module Options

You can generate the report based on the following Module criteria. The following options are available for section:

- All
- Single

Module Code

Specify a valid module code for which you want to generate the report from the adjoining option list, if you have selected 'Single'.

Main

You can specify the following parameters:

Date

Specify a valid date for which you want to generate the report from the adjoining calendar.

5.9.2 Contents of the Report

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The following details are displayed in the header section:

Field Name	Field Description
Branch	Indicates Branch Code and Branch Name
Branch Date	Indicates Current Date of the Branch
User ID	Indicates User ID
Date & Time	Indicates the Date and Time when the report was generated
Module	Indicates module for which report is generated.

Body of the Report

The following details are displayed as body of the generated report:

Field Name	Field Description
Branch	Indicates Branch Code
User ID	Indicates User ID
Module	Indicates Module
Function Modified	Indicates Function Modified
Modification Number	Indicates Modification Number
Field Name	Indicates Field Name
Status	Indicates Status
Old Value	Indicates Amount

New Value	Indicates Currency code
Maker Date Checker ID	Indicates Maker Date and Checker ID

5.10 Event Log Report

This section contains the following topics:

- [Section 5.10.1, "Generating Event Log Report"](#)
- [Section 5.10.2, "Contents of the Report"](#)

5.10.1 Generating Event Log Report

The Event Log report provides event log details. You can invoke the screen by typing the code 'SMREVNLO' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

You can specify the following parameters:

Input User

You can generate the report based on the following User criteria. The following options are available for section:

- All
- Single

User

Specify a valid User ID for which you want to generate the report from the adjoining option list, if you have selected 'Single'.

Start Date

Specify start date of the event for which you want to generate the report from the adjoining calendar.

5.10.2 Contents of the Report

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The following details are displayed in the header section:

Field Name	Field Description
Branch	Indicates Branch Code and Branch Name
Branch Date	Indicates Current Date of the Branch
User ID	Indicates User ID
Date & Time	Indicates the Date and Time when the report was generated
Module	Indicates module for which report is generated.

Body of the Report

The following details are displayed as body of the generated report:

Field Name	Field Description
Start Date	Indicates the start date of the event
End Date	Indicates the end date of the event
Application	Indicates application details
Current Branch	Indicates current branch code
Transaction Branch	Indicates transaction branch code
User ID	Indicates User ID


5.11 Changes Log Report

This section contains the following topics:

- [Section 5.11.1, "Generating Changes Log Report"](#)
- [Section 5.11.2, "Contents of the Report"](#)

5.11.1 Generating Changes Log Report

The Changes Log report provides changes log details. You can invoke the screen by typing the code 'SMRMCLOG' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.



You can specify the following parameters:

Report Options

You can specify the following parameters:

Function ID

Specify a valid Function ID for which you want to generate the report from the adjoining option list.

You can generate the report based on the following change criteria. The following options are available for section:

- Unauthorized
- All changes

Print Copies

Check this box if you wish to print copies of the report.

5.11.2 Contents of the Report

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The following details are displayed in the header section:

Field Name	Field Description
Branch	Indicates Branch Code and Branch Name
Branch Date	Indicates Current Date of the Branch

User ID	Indicates User ID
Date & Time	Indicates the Date and Time when the report was generated
Module	Indicates module for which report is generated.

Body of the Report

The following details are displayed as body of the generated report:

Field Name	Field Description
Maintenance Program	Indicates Maintenance Program
Action	Indicates Action
Modification Number	Indicates Modification Number
Field Name	Indicates Field Name
New Value	Indicates New Value
Old Value	Indicates Old Value
Maker ID	Indicates Maker ID
Maker Date	Indicates Maker Date
Checker ID	Indicates Checker ID
Checker Date	Indicates Checker Date

5.12 New User Created Report

This section contains the following topics:

- [Section 5.12.1, "Generating New User Created Report"](#)
- [Section 5.12.2, "Contents of the Report"](#)

5.12.1 **Generating New User Created Report**

The New User Created report provides details of the new users created. You can invoke the screen by typing the code 'SMRNEWUSR' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

The screenshot shows a software window titled "New User Created Report". It is divided into two main sections. The "Select Details" section at the top has two radio buttons: "All" and "Single" (which is selected). Below these is a text field labeled "Branch Code". The "User Creation" section below it contains several controls: "From Date" and "To Date" text fields, "Report Format" and "Report Output" dropdown menus (showing "PDF" and "View" respectively), and "Printer At" and "Printer" dropdown menus (showing "Client" and an empty field respectively). At the bottom right of the window are "Ok" and "Exit" buttons.

You can specify the following parameters:

Branch Options

You can generate the report based on the following branch criteria. The following options are available for section:

- All
- Single

Branch Code

Specify a valid branch code for which you want to generate the report from the adjoining option list, if you have selected 'Single'.

User Creation

You can specify the following parameter:

From Date

Specify date from when you want to generate the report from the adjoining calendar.

To Date

Specify date till when you want to generate the report from the adjoining calendar

5.12.2 **Contents of the Report**

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The following details are displayed in the header section:

Field Name	Field Description
Branch	Indicates Branch Code and Branch Name
Branch Date	Indicates Current Date of the Branch
User ID	Indicates User ID
Date & Time	Indicates the Date and Time when the report was generated
Module	Indicates module for which report is generated.

Body of the Report

The following details are displayed as body of the generated report:

Field Name	Field Description
Start Date	Indicates the start date of the event
User ID	Indicates user ID
Creator	Indicates creator's ID
Authorizer	Indicates authorizer's ID code
Home Branch	Indicates home branch code
Role ID	Indicates role ID to which the user ID is mapped

5.13 Role Profile Created Report

This section contains the following topics:

- [Section 5.13.1, "Generating Role Profile Created Report"](#)
- [Section 5.13.2, "Contents of the Report"](#)

5.13.1 Generating Role Profile Created Report

The Role Profile Created report provides details of the role profile created. You can invoke the screen by typing the code in the field at the top right corner of the Application tool bar and click on the adjoining arrow button. "

Role Profile Report

Report For

☐ All Roles
☒ Selected

Role Id

Report Format PDF
Report Output View

Printer At Client
Printer

Ok Exit

You can specify the following parameters:

Report For

You can generate the report based on the following role criteria. The following options are available for section:

- All Roles
- Selected

Role ID

Specify a valid Role ID for which you want to generate the report from the adjoining option list, if you have selected 'Selected'.

5.13.2 Contents of the Report

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The following details are displayed in the header section:

Field Name	Field Description
Branch	Indicates Branch Code and Branch Name
Branch Date	Indicates Current Date of the Branch
User ID	Indicates User ID
Date & Time	Indicates the Date and Time when the report was generated
Module	Indicates module for which report is generated.

Body of the Report

The following details are displayed as body of the generated report:

Field Name	Field Description
Role ID	Indicates role ID
Role Description	Indicates role description
Functions Allowed	Indicates function allowed for the role
Branches Allowed	Indicates branch code and name of the branches allowed
Account Class Allowed	Indicates the account class and description of the account classes allowed
Users Attached	Indicates the User ID, Name and the branch of the Users attached

5.14 User Profile Report

This section contains the following topics:

- [Section 5.14.1, "Generating User Profile Report"](#)
- [Section 5.14.2, "Contents of the Report"](#)

5.14.1 Generating User Profile Report

The User Profile report provides details of the user profile. You can invoke the screen by typing the code 'SMRPUSPR' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

◆ User Profile Report

Report For

☒ All Users
☐ Selected

User Id

Report Format PDF
Report Output View

Printer At Client
Printer

Ok Exit

You can specify the following parameters:

Report For

You can generate the report based on the following user criteria. The following options are available for section:

- All Users
- Selected

User ID

Specify a valid User ID for which you want to generate the report from the adjoining option list, if you have selected 'Selected'.

5.14.2 Contents of the Report

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The following details are displayed in the header section:

Field Name	Field Description
Branch	Indicates Branch Code and Branch Name
Branch Date	Indicates Current Date of the Branch
User ID	Indicates User ID
Date & Time	Indicates the Date and Time when the report was generated
Module	Indicates module for which report is generated.

Body of the Report

The following details are displayed as body of the generated report:

Field Name	Field Description
Branch	Indicates branch code
User ID	Indicates User ID
User name	Indicates User name
Category	Indicates Category
Language	Indicates Language
Time Level	Indicates Time Level
Status	Indicates Status
Status Changed On	Indicates Status Changed On
Last Signed On	Indicates Last Signed On
Password Changed	Indicates Password Changed
Cumulative Invalid Logins	Indicates Cumulative Invalid Logins
Start Date	Indicates Start Date
End Date	Indicates End Date

Successive Invalid Logins	Indicates Successive Invalid Login
Max Input Limit	Indicates Maximum Input Limit
Max Authorization Limit	Indicates Maximum Authorization Limit
Max Online Authorization Limit	Indicates Maximum Online Authorization Limit
Roles Attached	Indicates ID and description of the roles attached for the User
Functions Allowed	Indicates ID and description of the functions allowed for the User
Functions Disallowed	Indicates ID and description of the functions disallowed for the User
Branches Allowed	Indicates branch code and name of the branches allowed
Account Class Allowed	Indicates the account class and description of the account classes allowed
Branches Allowed	Indicates ID and Name of the tills allowed
Tills Allowed	Indicates the code and description of the tills allowed
Products Allowed	Indicates the code and description of the product allowed

5.15 Role Profile Report

This section contains the following topics:

- [Section 5.15.1, "Generating Role Profile Report"](#)
- [Section 5.15.2, "Contents of the Report"](#)

5.15.1 Generating Role Profile Report

The Role Profile report provides details of the role profiles. You can invoke the screen by typing the code 'SMRROLPR' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

Role Profile Report window showing parameters for generating the report:

- Role Profile: ☐ All, ☒ Single
- Role:
- From Date:
- To Date:
- Report Format: PDF (dropdown)
- Report Output: View (dropdown)
- Printer At: Client (dropdown)
- Printer:

Buttons: Ok, Exit

You can specify the following parameters:

Role Profile

You can generate the report based on the following role criteria. The following options are available for section:

- All
- Single

Role

Specify a valid Role ID for which you want to generate the report from the adjoining option list, if you have selected 'Single'.

5.15.2 Contents of the Report

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The following details are displayed in the header section:

Field Name	Field Description
Branch	Indicates Branch Code and Branch Name
Branch Date	Indicates Current Date of the Branch
User ID	Indicates User ID
Date & Time	Indicates the Date and Time when the report was generated
Module	Indicates module for which report is generated.

Body of the Report

The following details are displayed as body of the generated report:

Field Name	Field Description
Role	Indicates Role ID
Function	Indicates Function name
Function Description	Indicates Function description
Branch Allowed	Indicates branches allowed for the role
Acc Class Allowed	Indicates account classes allowed for the role
Limit Currency	Indicates limit currency for the role
Input Limit	Indicates input limit for the role
Authorizer Limit	Indicates authorization limit for the role

5.16 User Role Summary Report

This section contains the following topics:

- [Section 5.16.1, "Generating Role Summary Report"](#)
- [Section 5.16.2, "Contents of the Report"](#)

5.16.1 Generating Role Summary Report

The User Role Summary report provides user role summary details. You can invoke the screen by typing the code 'SMRSUMRY' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

The screenshot shows a window titled "User Role Summary Report". It contains several sections for configuring the report:

- Status Report:** Includes "User Status" with radio buttons for "Enabled" (selected) and "Disabled".
- Role Option:** Includes radio buttons for "All" (selected) and "Single", a "Role Level" text field, "Report Format" (dropdown menu showing "PDF"), and "Report Output" (dropdown menu showing "View").
- Branch Option:** Includes radio buttons for "All" (selected) and "Single", a "Branch Code" text field, "Printer At" (dropdown menu showing "Client"), and a "Printer" text field.

At the bottom right, there are "Ok" and "Exit" buttons.

You can specify the following parameters:

Status Report

You can specify the following parameters

User Status

You can generate the report based on the following user status criteria. The following options are available for section:

- Enabled
- Disabled

Role Options

You can generate the report based on the following role criteria. The following options are available for section:

- All
- Single

Role Level

Specify a valid role level for which you want to generate the report from the adjoining option list, if you have selected 'Single'.

Branch Options

You can generate the report based on the following branch criteria. The following options are available for section:

- All
- Single

Branch Code

Specify a valid branch code for which you want to generate the report from the adjoining option list, if you have selected 'Single'.

5.16.2 Contents of the Report

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The following details are displayed in the header section:

Field Name	Field Description
Branch	Indicates Branch Code and Branch Name
Branch Date	Indicates Current Date of the Branch
User ID	Indicates User ID
Date & Time	Indicates the Date and Time when the report was generated
Module	Indicates module for which report is generated.

Body of the Report

The following details are displayed as body of the generated report:

Field Name	Field Description
Branch	Indicates Branch Code
Branch Name	Indicates Branch name
Role ID	Indicates Role ID
User ID	Indicates User ID
Status	Indicates Status
No of Users	This indicates the total number of users

5.17 User Entitlement Report

This section contains the following topics:

- [Section 5.17.1, "Generating User Entitlement Report"](#)
- [Section 5.17.2, "Contents of the Report"](#)

5.17.1 Generating User Entitlement Report

The User Entitlement report provides user entitlement details. You can invoke the screen by typing the code 'SMRUSREN' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

The screenshot shows a dialog box titled "User Entitlement Report". It contains several sections for configuring the report:

- User Entitlement:** Includes "User Status" with radio buttons for "Enabled" (selected), "Disabled", and "Both".
- Branch Options:** Includes radio buttons for "All" and "Single" (selected), a "Branch" text input field, "Report Format" (dropdown menu showing "PDF"), and "Report Output" (dropdown menu showing "View").
- User Options:** Includes radio buttons for "All" and "Single" (selected), a "User Id" text input field, "Printer At" (dropdown menu showing "Client"), and a "Printer" text input field.

At the bottom right, there are "Ok" and "Exit" buttons.

You can specify the following parameters:

User Entitlement

You can specify the following parameters

User Status

You can generate the report based on the following user status criteria. The following options are available for section:

- Enabled
- Disabled

Branch Options

You can generate the report based on the following branch criteria. The following options are available for section:

- All
- Single

Branch Code

Specify a valid branch code for which you want to generate the report from the adjoining option list, if you have selected 'Single'.

User Options

You can generate the report based on the following user criteria. The following options are available for section:

- All
- Single

User ID

Specify a valid user ID for which you want to generate the report from the adjoining option list, if you have selected 'Single'.

5.17.2 Contents of the Report

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The following details are displayed in the header section:

Field Name	Field Description
Branch	Indicates Branch Code and Branch Name
Branch Date	Indicates Current Date of the Branch
User ID	Indicates User ID
Date & Time	Indicates the Date and Time when the report was generated
Module	Indicates module for which report is generated.

Body of the Report

The following details are displayed as body of the generated report:

Field Name	Field Description
Home Branch	Indicates Home Branch

Branch Name	Indicates Branch Name
User ID	Indicates User ID
User Name	Indicates User Name
User Category	Indicates User Category
Created On	Indicates Created On date
Last Signed On	Indicates Last Signed On date
Password Changed On	Indicates Password Changed On date
Status	Indicates Status
Branch Allowed	Indicates Branch Allowed for user
Account Class Allowed	Indicates Account Class Allowed for user
GL Allowed	Indicates GL Allowed
Product Allowed	Indicates Product Allowed for user
Max Input Limit	Indicates Max Input Limit
Cumulative Invalid Login	Indicates Cumulative Invalid Login
No of Successive Login	Indicates No of Successive Login
Max Authorization Limit	Indicates Max Authorization Limit

6. Function ID Glossary

C

CLRU	3-2
CSDERMSG	3-9

S

SMDBANKP	2-2
SMDBRRES	2-11
SMDCHGTL	3-3
SMDCHPWD	2-10
SMDDPTMT	2-54
SMDFNDSCL	2-13
SMDHOTKY	3-10
SMDLNGCE	3-5
SMDMFALM	2-59
SMDPRCDE	2-56
SMDRLMNE	2-24
SMDROLDL	2-16
SMDSOPRM	3-7
SMDTXNST	3-8
SMDUSALR	2-55

SMDUSHOL	2-26
SMDUSRDF	2-29
SMRBASTA	5-11
SMRCONTL	5-13
SMREVNLO	5-15
SMRMCLOG	5-17
SMRNWUSR	5-19
SMRONSTA	5-10
SMRPEVLG	5-2
SMRPINST	5-9
SMRPUSPR	5-22
SMRPVLLG	5-3
SMRROLPR	5-25
SMRSUMRY	5-26
SMRUSREN	5-28
SMSBRNST	3-11
SMSMFALM	2-60
SMSUSHOL	2-26
SMSUSRAC	3-11