

Cross Border Payments User Guide  
**Oracle Banking Payments**  
Release 14.3.0.2.5

Part No. F10815\_01

Mar 2020

Oracle Banking Payments Cross Border User Guide  
Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway  
Goregaon (East)

Mumbai, Maharashtra 400 063

India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

[www.oracle.com/financialservices/](http://www.oracle.com/financialservices/)

Copyright © 2017, 2019, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

---

# 1. About this Manual

## 1.1 Introduction

This manual is designed to help you to quickly get familiar with the Cross border Payments module of Oracle Banking Payments. It takes you through the various stages in processing of a Cross border SWIFT Payment transaction and the associated maintenances.

You can further obtain information specific to a particular field by placing the cursor on the relevant field and striking <F1> on the keyboard.

## 1.2 Audience

This manual is intended for the following User/User Roles:

Role	Function
Back Office Clerks	Payments Transaction Input and Maintenance functions except Authorization.
Back Office Officers	Authorization of Payments Transactions, maintenance of static data specific to the BC module
Payments Product Managers	Payments Product definition functions excluding authorization. PM Query functions

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.





## 1.3 Organization

This manual is organized into the following chapters:

Chapter	Description
Chapter 1	<i>About this Manual</i> gives information on the intended audience. It also lists the various chapters covered in this User Manual.
Chapter 2	<i>Cross Border Processing</i> provides details on the maintenance activities required for Cross border Payments.
Chapter 3	<i>Transactions Input</i> provide transaction initiation of outward and STP processing of various Cross-border payments.
Chapter 4	<i>Function ID Glossary</i> has alphabetical listing of Function/Screen ID's used in the module with page references for quick navigation.

## 1.4 Glossary of Icons

This User Manual may refer to all or some of the following icons:

Icons	Function
	Exit
	Add row
	Delete row
	Option List



---

# Contents

<b>1. About this Manual .....</b>	<b>1-1</b>
1.1 Introduction.....	1-1
1.2 Audience.....	1-1
1.3 Organization .....	1-1
1.4 Glossary of Icons.....	1-2
<b>2. Cross Border Maintenances .....</b>	<b>2-1</b>
2.1 Correspondents Maintenances.....	2-2
2.1.1 Currency Correspondent .....	2-2
2.1.2 Currency Correspondent Rules .....	2-4
2.1.3 External Correspondent.....	2-7
2.1.4 Global Correspondent .....	2-9
2.2 PSD Preferences.....	2-12
2.3 Sender Receiver Agreement .....	2-12
2.3.1 Maintaining Sender Receiver Agreement.....	2-12
2.4 Special Instructions .....	2-14
2.4.1 Maintaining Special Instructions .....	2-15
2.5 Cover Preferences.....	2-16
2.5.1 Cover Suppression Rule.....	2-16
2.5.2 Cover Match Preferences.....	2-19
2.6 Message Enrichment.....	2-21
2.6.1 Message Enrich Rules.....	2-21
2.6.2 D to A Converter.....	2-25
2.7 Queue Rule .....	2-28
2.7.1 Cover Queue Rule.....	2-28
2.7.2 Message Queue Derivation Rule.....	2-31
2.7.3 Clearing Code.....	2-35
2.8 Reconciliation External Accounts .....	2-37
2.8.1 Maintaining Reconciliation External Accounts.....	2-37
2.9 MT 101 .....	2-40
2.9.1 MT 101 Parameters.....	2-40
2.9.2 MT Inbound Agreement.....	2-41
2.9.3 MT 101 Outbound Agreement.....	2-45
2.9.4 MT 101 Customer Identification.....	2-47
2.10 RMA /RMA + .....	2-49
2.10.1 RMA or RMA Plus Details .....	2-50
2.11 Alpha Code.....	2-54
2.12 Template.....	2-55
2.12.1 Template Summary .....	2-56
2.12.2 Amendable Fields of a Template.....	2-57
2.13 Standing Instruction.....	2-57
2.13.1 Standing Instruction Template.....	2-57
2.14 SWIFT Pricing .....	2-59
2.14.1 SWIFT Pricing Preferences.....	2-59
2.15 Hold Suppress Release Rule .....	2-64

2.15.1	<i>Hold Suppress Release Rule Definition</i>	2-64
2.15.2	<i>Message Hold Suppress Release Rule Preferences</i>	2-66
2.15.3	<i>Hold Suppress Release Restriction Preferences</i>	2-69
2.16	<i>Reverse Message Agreement</i>	2-71
2.16.1	<i>Reverse Message Agreement Maintenance</i>	2-71
2.17	<i>SWIFT MX Payments</i>	2-73
2.17.1	<i>SWIFT MX Static Preference</i>	2-73
2.17.2	<i>SWIFT MX Message Preference</i>	2-73
2.18	<i>CNH Payments</i>	2-75
2.18.1	<i>CNH Conversion</i>	2-75
2.18.2	<i>Viewing CNH Conversion Summary</i>	2-75
2.19	<i>SWIFT SRG Effective Date Maintenance</i>	2-75
2.19.1	<i>SWIFT SRG Effective Date Summary</i>	2-76
2.20	<i>SWIFT n99 Pricing</i>	2-77
2.20.1	<i>SWIFT n99 Pricing Preference</i>	2-77
2.20.2	<i>SWIFT n99 Pricing Preferences Summary</i>	2-79
<b>3.</b>	<b>Cross Border Transactions</b>	<b>3-1</b>
3.1	<i>Cross Border Outbound Transaction</i>	3-1
3.1.1	<i>Outbound Cross Border Payments Transaction Input</i>	3-1
3.1.2	<i>Outbound Cross Border Payments View</i>	3-24
3.1.3	<i>Outbound Multi Credit Transfer Consol Summary</i>	3-46
3.1.4	<i>Outbound Multi Credit Transfer Consol View Summary</i>	3-49
3.2	<i>Cross Border Inbound Transaction</i>	3-52
3.2.1	<i>Inbound Cross Border Payments Transaction Input</i>	3-52
3.2.2	<i>Inbound Cross Border Payments View</i>	3-66
3.2.3	<i>STP of Inbound Messages</i>	3-81
3.2.4	<i>Inbound Multi Credit Consol View Summary</i>	3-82
3.2.5	<i>Processing of MT 200</i>	3-83
3.2.6	<i>Processing Of MT 203</i>	3-83
3.2.7	<i>Processing of MT 204</i>	3-84
3.2.8	<i>Processing of MT 205</i>	3-84
3.2.9	<i>Cover Matching</i>	3-84
3.2.10	<i>Sanctions scanning of Inbound Messages (MT 900, MT 210)</i>	3-89
3.3	<i>Common Group Messages</i>	3-89
3.3.1	<i>Advice of Charges</i>	3-90
3.3.2	<i>Request for Payment of Charges</i>	3-92
3.3.3	<i>Request for Cancellation</i>	3-94
3.3.4	<i>Queries</i>	3-98
3.3.5	<i>Answers</i>	3-101
3.3.6	<i>Proprietary Message</i>	3-105
3.3.7	<i>Free Format Message</i>	3-106
3.3.8	<i>Inbound Common Group Messages</i>	3-114
3.3.9	<i>Network Character Validation for Outbound Common Group SWIFT messages</i>	3-
3.3.10	<i>Sanction Scanning of Outbound Common Group Messages</i>	3-115
3.3.11	<i>Sanction Scanning of Inbound Common Group Messages</i>	3-115
3.3.12	<i>Pick up logic for Common group messages</i>	3-116
3.4	<i>Charge Claim Maintenances and Processing</i>	3-116
3.5	<i>Charge Claim Maintenances</i>	3-117
3.5.1	<i>Charge Claim Default Preferences</i>	3-117

3.5.2	Inbound Claim Preferences .....	3-120
3.5.3	Outbound Claim Preferences .....	3-124
3.5.4	Narrative Maintenance .....	3-126
3.6	Charge Claim Processing .....	3-129
3.6.1	Outbound Charge Claim Processing .....	3-129
3.6.2	Outbound Charge Claim Queue .....	3-129
3.6.3	Charge Claim Out Details.....	3-130
3.6.4	Inbound Charge Claim Processing.....	3-134
3.6.5	Inbound Charge Claim Queue.....	3-134
3.6.6	Inbound Claim View.....	3-135
3.6.7	Charge Claim Based on MT940/MT950 .....	3-139
3.7	PSD2 Compliance .....	3-139
3.7.1	PSD2 Validations.....	3-139
3.8	MT 101 Processing.....	3-142
3.8.1	Outbound MT 101 Transaction Input.....	3-142
3.8.2	Outbound MT 101 View.....	3-152
3.8.3	Inbound MT 101 Processing.....	3-155
3.8.4	Inbound Cross Border MT 101 View .....	3-156
<b>4.</b>	<b>SWIFT gpi .....</b>	<b>4-1</b>
4.1	gpi Maintenances .....	4-1
4.1.1	SWIFT gpi Static Preferences .....	4-1
4.1.2	Outbound gpi Payment Receiver Agreement .....	4-5
4.1.3	Inbound gpi Payment Sender Agreement .....	4-8
4.1.4	SWIFT gpi Host Preferences.....	4-11
4.1.5	SWIFT gpi Directory .....	4-15
4.1.6	Flat File gpi Directory Upload .....	4-18
4.2	gCCT & gCOV Transaction Processing .....	4-18
4.2.1	Outbound gCCT Processing.....	4-18
4.2.2	Outbound gCOV processing (Debtor/ Instructing Agent) .....	4-22
4.2.3	Inbound gCCT processing.....	4-23
4.2.4	Inbound gCOV Processing .....	4-24
4.3	gCCT Confirmations - MT 199.....	4-25
4.3.1	Outbound gCCT Confirmations - MT 199 Generation .....	4-25
4.3.2	Inbound gCCT Confirmations - MT 199 Message Processing .....	4-29
4.4	gCOV Confirmations - MT 299 .....	4-30
4.4.1	Outbound gCOV Confirmations - MT 299 Message Generation .....	4-30
4.4.2	Inbound gCOV Confirmations MT 299 Message Processing .....	4-34
4.5	Notifications .....	4-35
4.6	gSRP Cancellation Processing.....	4-37
4.6.1	Outbound Cancellation Request Processing.....	4-37
4.6.2	Outbound Cancellation Response Processing .....	4-43
4.6.3	Inbound Cancellation Request Processing.....	4-45
4.6.4	Inbound Cancellation Request - Response Processing .....	4-49
4.7	Outbound Payments Pass-through – Cancellation Processing.....	4-52
4.7.1	Outbound Cancellation Request Initiation Processing .....	4-52
4.7.2	Outbound Cancellation Response Processing .....	4-56
4.7.3	Inbound Cancellation Request Processing.....	4-56
4.7.4	Inbound Cancellation Request - Response Processing .....	4-60
<b>5.</b>	<b>Function ID Glossary .....</b>	<b>5-1</b>

---

## 2. Cross Border Maintenances

The Cross-border (SWIFT) Payments module (product processor) of Oracle Banking Payments is a standalone product processor. Payments module provides out of the box support for processing inbound and outbound SWIFT Payments. This module helps you process funds transfer transactions between financial institutions based anywhere across the globe. Following fund transfers are supported:

- Inbound Cross Border Payment
- Outbound Cross Border Payment

The Cross-border product processor processes a SWIFT payment transaction initiated by an Operations user from the in-built user interface or by customers in the bank's Customer Channels like Internet banking or Mobile banking. The payment instructions initiated from the bank Channels are received by Oracle Banking Payments through ReST or SOAP based interfaces.

- System supports SWIFT gpi payments
- SWIFT gpi payments is enabled for inbound and Outbound customer transfer (MT 103)
- System supports Block 3 –Tags 111 & 121 population for Outbound customer transfer
- System supports generation & population of UETR - Unique End to End Transaction Reference based on IETF's RFC 4122 Version 4 of generation algorithm
- System supports STP of inbound MT103 message received with gpi header
- System supports inbound and Outbound MT199 gpi confirmation messages
- System supports upload of gpi directory

### **Key Features of Cross Border Product Processor**

- Supports Inbound, Outbound and pass-through Outbound Cross border SWIFT payments.
- Straight through processing of inbound and Outbound messages are supported.
- Outward Cross border payments can be initiated in one of the following ways:
  - UI
  - ReST services
  - SOAP services
  - Single Payment Services
  - Bulk File upload
- Support for exceptions processing. Any exception encountered during processing will move the transaction to the relevant dedicated exception queue.
- Cross-border transaction life-cycle processing will be supported

This chapter contains details of the following maintenances specific to Cross-border payments:

- Currency Correspondent
- Global Correspondent
- BIC Cutoff
- PSD Preferences
- Sender Receiver Agreement
- Special Instructions
- Cover Suppression Maintenance

- Message Enrichment Rules
- D to A Converter
- Cover Queue Rule Maintenance

## 2.1 Correspondents Maintenances

### 2.1.1 Currency Correspondent

You can specify currency correspondent account details in this screen. Currency correspondent Maintenance function is Host specific.

You can invoke the 'Currency Correspondent Maintenance' screen by typing 'PMDCYCOR' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

You can specify the following fields:

#### **Host Code**

The system displays the Host Code of the selected branch of the logged in user.

#### **Bank Code**

Select the Bank Code from the list of values displayed. Selected BIC Code is displayed in this field

#### **Currency**

Specify the currency. Alternatively, you can select the currency from the option list. The list displays all valid currencies maintained in the system.

#### **Primary Correspondent**

Check this box if this correspondent is the primary currency correspondent. There can be only one primary currency correspondent for the combination of Account type, Currency.

#### **Account Type**

Select the account type. The list displays the following values:

- Our- Account maintained with the correspondent input in the Bank Code field.
- Their- Account maintained by the correspondent input in the Bank Code field with the Processing bank (Vostro account)

## Account Number

Specify the account number associated with the correspondent input in the Bank Code field in the specified currency.

Alternatively, you can select the account number from the option list. The list displays all Nostro accounts for Account type OUR and valid normal accounts for account type THEIR. The account currency displayed in the list should be same as the currency specified.

## Primary Account

Check this box to indicate if the account is the Primary Account. User can add multiple accounts. But only one account can be marked as Primary Account. This indicates that the account marked as Primary account is the key account for the 'Host Code, Bank Code, Currency' combination maintained. MT 210 required?

Check this box to indicate if MT 210 is required to be sent to the Currency Correspondent in the scenarios where it is auto-generated like generation of Outbound MT 200/MT 201. Only if this check box is checked, the system would generate the MT210 as per the existing behaviour, else system would not generate MT 210.

### 2.1.1.1 Viewing Currency Correspondent Summary

You can invoke "Currency Correspondent Summary" screen by typing 'PMSCYCOR' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'Currency Correspondent Summary' application window. At the top, there is a search bar with 'Search', 'Advanced Search', 'Reset', and 'Clear All' buttons. Below the search bar, there is a 'Case Sensitive' checkbox. The main search area contains four fields: 'Authorization Status' (a dropdown menu), 'Record Status' (a dropdown menu), 'Bank Code' (a text field with a magnifying glass icon), and 'Currency' (a text field with a magnifying glass icon). Below the search fields, there is a table with columns: 'Authorization Status', 'Record Status', 'Host Code', 'Bank Code', 'Currency', and 'Primary Correspondent'. The table is currently empty. At the bottom right of the window, there is an 'Exit' button.

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Bank Code
- Currency

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria for the following

- Authorization Status
- Record Status
- Host Code
- Bank Code
- Currency
- Primary correspondent

## 2.1.2 Currency Correspondent Rules

- Support for more than one Currency correspondent for the same currency is now provided in Oracle Banking Payments.
- Derivation of specific Currency correspondent, out of the multiple correspondents, for the payment currency based on payment attributes like Source (Channel). For example, Loan IQ CAD payments may be routed via Bank of Montreal in Canada whereas the payments from Customer originated payments may be routed via Royal bank of Canada.
- The system now supports a new Rule maintenance for automatic derivation of a specific Currency correspondent for the currency of Outbound SWIFT payment.
- This new Rule maintenance called Currency Correspondent Rules, is on the lines of existing Rule maintenances like Network Rule derivation, Cross Border to RTGS Rule and so on.
- In the Currency Correspondent Rules maintenance, you can create and maintain a set of rules for deriving the Currency correspondent and the particular Nostro/Vostro account to be used for a particular currency of the payment.

You can invoke the “Currency Correspondent Rules Maintenance” screen by typing ‘PMDCYRLE’ in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click ‘New’ button on the Application toolbar.

Specify the following fields:

### **Host Code**

This field gets populated once you click on **New**.

**Transfer Currency**

Select the required currency from the LOV.

**Rule Name**

Specify the network resolution rule.

**Rule Expression**

The expression can be filled in the Expression Details multi block. On the click of Populate button, the expression gets built and displayed in this field.

**Network Code**

Specify the network code. Alternatively, you can select the network code from the option list.

---

**Note**

Network is resolved based on the condition which gets satisfied first on priority order

---

**Currency Correspondent**

Select the Currency Correspondent from the LOV.

**Primary Account**

Check this box to indicate the currency correspondent is a primary account.

**Nostro Account**

Select the Nostro Account from the LOV.

**Priority**

Specify the priority number for rule execution.

**Expression Details****Expression Section**

Check this box to enable the fields of this section.

**Scope**

Specify the scope assigned to the Left operand.

**LOP Type**

Select the type of Left operand. Choose between Constant and Parameter.

**LOP Operand**

Specify the LOP Operand value from list of values. The List of LOP Operand is as follows:

- TRANSFER\_TYPE
- TRANSFER\_AMOUNT
- SOURCE\_CODE
- SENDER
- INTERMEDIARY\_AGENT\_COUNTRY
- CUSTOMER\_SERVICE\_MODEL
- CUSTOMER\_ID
- CREDITOR\_AGENT\_COUNTRY
- BENEFICIARY\_INSTITUTION\_COUNTRY
- BENEFICIARY\_COUNTRY
- AGENT\_COUNTRY



- DAY\_OF\_WEEK
- BOOKING\_DAY

### Operator

Select the Operator details.

### ROP Type

Select the type of Right operand. Choose between Constant, Parameter and Expression.

### ROP Data Type

Select the type of Right operand Data. Choose between String, Date and Number.

### ROP Operand

Specify the ROP Operand value details.

### Scope

Specify the scope assigned to the ROP.

### Logical Operators

Select the logical operator. Choose among the following:

- And
- OR

### Populate

Click this button after specifying the expression details.

## 2.1.2.1 Viewing Currency Correspondent Rules Summary

You can view Currency Correspondent Rules Summary details in the “Currency Correspondent Rules Summary” screen. You can invoke the “Currency Correspondent Rules Summary” screen by typing ‘PMSCYRLE’ in the field at the top right corner of the application toolbar and clicking the adjoining arrow button.

The screenshot shows the 'Currency Correspondent Rules Summary' application window. The interface includes a search bar at the top with buttons for 'Search', 'Advanced Search', 'Reset', and 'Clear All'. Below the search bar, there is a 'Case Sensitive' checkbox and two dropdown menus for 'Authorization Status' and 'Record Status'. A table with columns 'Authorization Status', 'Record Status', 'Host Code', and 'Transfer Currency' is displayed below these controls. The table is currently empty. At the bottom right of the window is an 'Exit' button.

You can search using one or more of the following parameters:

- Authorization Status

- Record Status

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record or click the 'Details' button after selecting a record to view the detailed screen. You can also export the details of selected records to a file using 'Export' button.

### 2.1.3 External Correspondent

You can maintain the details of accounts serviced by the External Correspondents for MT 210 messaged through this screen.

MT 210 is supported for both own account transfers and bank transfers. If the account owner is available as the beneficiary institution in field 58 of the MT 202 sent, which is different from the currency correspondent, it is required to send MT 210 to the account owner notifying the transfer details. The external correspondent details can be maintained in this screen.

You can invoke the 'External Correspondent Detailed' screen by typing 'PMDEXCOR' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

You can specify the following details:

#### **Host Code**

System defaults the Host Code details on clicking the 'New' button.

#### **Account Owner**

Select the Account Owner BIC from the list of values. All the valid BIC's of the account Owners are listed here.

#### **Account Serving Institution**

Select the Account Serving Institution (ASI) BIC from the list of values. All the valid BIC's of the ASI are listed here.

## External Account

Specify the valid External Account Number. This is the Account number, the account owner is holding with the ASI External Account.

MT 210 generation is supported in the following cases for the outbound cross-border bank transfers MT202:

### Case 1

- Debit account is a Nostro Account or GL and the External correspondent maintenance PMDEXCOR is available.
- The maintenance is to be available with
  - Beneficiary Institution (field: 58) BIC/Account as Account Owner BIC/Account
  - Account with Institution BIC (field: 57) as ASI BIC.
- Receiver of MT210 will be Beneficiary Institution BIC in field 58 of MT202 (Account owner BIC)

### Case 2:

- If the payment is for the credit of a Nostro account and the message is forwarded to a receiver bank other than AWI. The following conditions are checked in this case:
  - Debit account is a Nostro account
  - Account with Institution BIC is a Nostro correspondent and MT
  - 210 is enabled in the Currency correspondent maintenance
  - Receiver BIC is different from AWI BIC.
  - External Account No of the Debit Nostro Account is populated in F58
- Receiver of MT210 will be Account with Institution BIC in field 57 of MT202.

### **Example:**

Bank XYZ is having the following Nostro accounts with the USD currency correspondents:

Currency Correspondents	Bank A	Bank B
Accounts with the Correspondents	AccountA1	AccountB1

- Bank XYZ sends MT 202 to Bank B for transferring funds from Account B1 to Account A1 held with Bank A. (In the outbound MT202, field 57 - Bank A and field 58 - Bank XYZ BIC indicating the account to be credited as Account A1. If multiple accounts are existing with Bank B, AccountB1 will be mentioned in field 53B.)
- In this case MT 210 will be generated with Bank A as receiver advising the transfer of funds to Account A1.

### **2.1.3.1 External Correspondent Summary**

You can view all the External Correspondents maintained here.

You can invoke the 'External Correspondent Summary' screen by typing 'PMSEXCOR' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button..

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Account Owner
- Account Serving Institution
- External Account
- Host Code

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.

## 2.1.4 Global Correspondent

You can maintain the correspondent relationship between any two banks in a specific currency in the Global correspondent screen.

You can invoke the 'Global correspondent Maintenance' screen by typing 'PMDGLCOR' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

You can specify the following fields:

#### Host Code

The system defaults the Host Code of the selected branch of the logged in user.

#### Host Description

Description of the Host code is displayed.

#### Bank Code Type

System defaults the bank code type as BIC. The options are - BIC and Clearing Code.

If the option is chosen as 'BIC', all the valid BIC codes are listed in the Bank Code list of values. If the option is chosen as 'Clearing Code', then it fetches all the clearing code mapped to the network from the ISDCTMEX screen.

In Bank code field, it lists all the valid clearing codes maintained in the ISDCTMEX screen.

---

#### Note

- When a BIC is not available, system picks the Clearing code based on the maintenance in ISDCTMEX for payment chain building
  - Conversion of clearing code to BIC is done
  - Clearing Code to BIC conversion is applicable only for the first party in the payment chain
- 

#### Bank Code

Specify the BIC code of the bank for which you need to maintain a Correspondent. Alternatively, you can select the BIC code from the option list. The list displays all valid BIC codes maintained in the system.

---

**Note**

For the 'Bank Code Type' - Clearing Code, list of values displays the clearing network code concatenated with member id

---

**Bank Name**

Bank name is defaulted on selecting the Bank Code.

**Currency**

Specify the currency. Alternatively, you can select the currency from the option list. The list displays all valid currencies maintained in the system.

**Correspondent Bank**

Select the correspondent BIC from the list of values displayed. This Correspondent Bank is linked to the Bank Code selected.

**Correspondent Name**

Correspondent name is defaulted on selecting the Correspondent Bank.

**2.1.4.1 Viewing Global Correspondent Summary**

You can invoke "Global Correspondent Summary" screen by typing 'PMSGLCOR' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'Global Correspondent Summary' application window. At the top, there is a search bar with options for 'Search', 'Advanced Search', 'Reset', and 'Clear All'. Below this, a 'Case Sensitive' checkbox is present. The main search area contains several input fields: 'Authorization Status' (a dropdown menu), 'Host Code' (a text field with a magnifying glass icon), 'Currency' (a text field with a magnifying glass icon), 'Record Status' (a dropdown menu), and 'Bank Code' (a text field with a magnifying glass icon). Below the search fields, there is a table with columns: 'Authorization Status', 'Record Status', 'Host Code', 'Bank Code', and 'Currency'. The table is currently empty. At the bottom right of the window, there is an 'Exit' button.

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Host Code
- Bank Code

- Currency

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record or select a record and click on 'Details' button to view the detailed maintenance screen. You can also export the details of selected records to a file using 'Export' button.

## **2.2 PSD Preferences**

### **Usage of this screen**

- You can define the preferences related to Payment Services Directive (PSD) for Outbound payments in this screen.
- On processing an Outbound cross-border transaction for a combination of sender and receiver and currencies involved, the system verifies whether a record is available in PSD preferences.
- If PSD preference is maintained, Charge type is updated as SHA in place of BEN or OUR for an Outbound transaction.
- Inbound Cross Border payment will not consider currency cutoff, if it is a PSD payment. Thus PSD inbound will be honored on the same day.
- New maintenance is provided to capture PSD preference for inbound Payment
- A PSD inbound PX transaction should be honoured on the same day, even if it is received after the currency cutoff.
- Hence, PSD check to be introduced for inbound Cross Border Payments before currency cut off check
- Currency Cut off check for inbound Cross Border Payments should be skipped, if payment is identified as 'PSD'
- Charge bearer option change currently supported for Outbound payment will continue. And, this is not supported for inbound payments.
- This is applicable for both Customer & Bank transfer messages.

## **2.3 Sender Receiver Agreement**

### **2.3.1 Maintaining Sender Receiver Agreement**

You can maintain Sender Receiver Agreement in this screen. This is used for capturing Bi-lateral agreement for exchanging MT 102/MT102+messages with a particular bank. Only MT 102 message type is supported through this screen.

You can invoke “Sender Receiver Agreement” screen by typing ‘PXDSRAGM’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Sender-Receiver Outbound Agreement Detailed

New Enter Query

Host Code \* Bank Name

Counterparty Bank \*

Transaction Currency \*

SWIFT Message Type \*

Consol Details

Transaction per Msg

Transaction Limit Amount

Consol Debit Accounting Code

Consol Credit Accounting Code

Consol Cutoff (HH:MM)

Maker	Date Time:	Mod No	Record Status
Checker	Date Time:		Authorization Status

Exit

Specify the following details.

### Host Code

System defaults the Host code of the selected branch.

### Bank Name

Specify the name of the bank.

### Counterparty Bank

Specify the Bank Code as the 1<sup>st</sup> 6 characters of a BIC code comprising 4 characters identifying the bank and the next 2 characters identifying the Country code. This can be maintained for a specific BIC.

### Transaction Currency

Select the transaction currency from the list of values displayed

### SWIFT Message Type

Select the SWIFT Message Type. You can select MT 102 for Consol

### Consol Details

#### Transactions per Msg

Specify the number of transactions allowed for Multi credit Customer Transfer - MT 102 message.

#### Transaction Limit Amount

Specify the Transaction limit for the consol transactions.

#### Consol Debit Accounting Code

Specify the Debit Accounting Code.

#### Consol Credit Accounting Code

Specify the Credit Accounting Code.



### Consol Cutoff (Hours)

Specify the hours for Consol Cutoff.

### Consol Cutoff (Minutes)

Specify the minutes for Console Cutoff.

#### 2.3.1.1 Viewing Sender-Receiver Agreement Summary

You can invoke “Sender-Receiver Agreement Summary” screen by typing ‘PXSSRAGM’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Sender-Receiver Agreement Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Counterparty Bank  Transaction Currency

SWIFT Message Type

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	Counterparty Bank	Transaction Currency	SWIFT Message Type	Host Code
----------------------	---------------	-------------------	----------------------	--------------------	-----------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Counterparty Bank
- Transaction Currency
- SWIFT Message Type

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria for the following

- Authorization Status
- Record Status
- Counterparty Bank
- Transaction Currency
- SWIFT Message Type
- Host Code

## 2.4 Special Instructions

### Usage of this screen

- You can specify the special instructions for any given account - Customer or Nostro account in the Special Instructions screen. If any special instructions are maintained for

the account, the transactions are moved to the business override queue. The instruction can be free format text.

- The authorized special instruction of an account is considered during transaction processing. The record is re-opened to maintain any new special instructions.
- Once the special instruction for the account has been processed, the same can be closed in the maintenance. The same record can be re-opened to maintain any new special instructions.

### 2.4.1 Maintaining Special Instructions

You can invoke the 'Special Instructions Maintenance' screen by typing 'PXDSIMNT' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

Special Instructions Maintenance

New Enter Query

Host Code \*

Branch 000

Account Number \*

Currency

Special Instructions \*

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Exit

You can specify the following fields:

#### **Host Code**

The system displays the Host Code by default when you select **New** or **Enter Query**.

#### **Branch**

The system displays the selected branch of the logged in user.

#### **Account Number**

Specify the account number for which the special instruction needs to be maintained. Alternatively, you can select the account number from the option list. The list displays all valid account numbers maintained in the system.

#### **Currency**

The system displays the currency of the selected account number.

#### **Special Instructions**

Specify the special instruction in free format text.

### 2.4.1.1 Viewing Special Instructions Summary

You can invoke “Special Instructions Summary” screen by typing ‘PXSSIMNT’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Special Instructions Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Branch  Account Number

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	Branch	Account Number	Currency	Special Instructions	Host Code
----------------------	---------------	--------	----------------	----------	----------------------	-----------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Branch
- Account number

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

- Authorization Status
- Record Status
- Branch
- Account Number
- Currency
- Special Instructions
- Host Code

## 2.5 Cover Preferences

### 2.5.1 Cover Suppression Rule

#### Usage of this screen

- You can define rules in this screen for the system to derive if the cover message needs to be suppressed for an Outbound customer payment message. This is branch specific function.
- All the transaction fields would be available as elements and rules can be defined to suppress the cover message for the transaction.

You can define the rule if the Outbound Cover Message to be suppressed or to be sent using this screen. If the rule defined is satisfied then the Cover Message is suppressed. While processing an outbound cross-border payment system sends out the message as direct & cover.

You can invoke the 'Cover Suppression Rule Detailed' screen by typing PMDCSPRL in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

You can specify the following fields:

### Host Code

The system displays the host code of the selected branch of logged in user.

### Rule Number

Specify the Rule Number.

### Rule Expression

Specify the Rule Expression. If the exception rules maintained are satisfied, then the payment is sent as 'Serial'.

### Expression Details

#### Expression Section

Specify the Expression Section details.

#### Scope

Specify the Scope details.

#### LOP Operand

Specify the attributes that can be used for condition builder. Alternatively, you can select the attributes from the option list. The list displays all valid attributes maintained in the system. List of LOP Operand is as follows:

- AWI\_BIC
- CUST\_COV\_PREF
- RECEIVER
- RECEIVER\_COUNTRY
- RECEIVER\_OF\_COVER
- SENDER\_COUNTRY
- SOURCE\_CODE
- TXN\_AMOUNT
- TXN\_CCY

### **Operator**

Select the standard operators to define conditions from the drop-down list. Following are the options available in the drop-down list:

- =
- <>
- >
- >=
- <
- <=
- +
- -
- /
- \*

### **ROP Type**

Select the ROP type. The values are Constant, Parameter and Expression.

### **ROP Data Type**

Select the ROP Data Type. The values are String, Date and Number.

### **ROP Operand**

You can select the attributes from the option list. The list displays all valid attributes maintained in the system.

### **Scope**

Specify the Scope details.

### **Logical Operators**

Select the standard logical operators to define conditions from the drop-down list. Following are the options available in the drop-down list:

- AND
- OR

### 2.5.1.1 Viewing Cover Suppression Summary

You can invoke “Cover Suppression Summary” screen by typing ‘PMSCSPRL’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Cover Suppression Rule Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Host Code

Records per page: 15 1 Of 1 Go Lock Columns: 0

Authorization Status	Record Status	Host Code
----------------------	---------------	-----------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Host Code

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record to view the detailed maintenance screen. You can also export the details of selected records to a file using 'Export' button.

### 2.5.2 Cover Match Preferences

This maintenance screen can be used to define payment preference for inbound payments, based on which the received date can be calculated.

You can invoke the 'Cover Match Preferences Detailed' screen by typing 'PMDCMPRF' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You can specify the following details:

#### **Host Code**

Displays the Host Code of the selected branch of the logged in user on clicking 'New'.

#### **Host Code Description**

Displays the description of the Host Code.

#### **Payment Preferences**

##### **Credit Value Basis for Inbound Payments**

System defaults the option as 'Payment Received Date' on clicking 'New'. You can also select the Credit value/ Received Date Basis from the drop-down values. The options are:

- Payment Received Date
- Cover Received Date
- Earliest of the Dates
- Latest of the Dates

---

#### **Note**

Received Date preference at PMDFLPRF, for the inbound payments, is considered with higher precedence, if maintained for a customer.

---

## 2.5.2.1 Cover Match Preferences Summary

You can invoke 'Cover Match Preferences Summary' screen by typing 'PMSMPRF' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Cover Match Preferences Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Host Code  Credit Value Basis for Inbound Payments

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	Host Code	Host Code Description	Credit Value Basis for Inbound Payments
----------------------	---------------	-----------	-----------------------	---

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Host Code
- Credit Value Basis for Inbound Payments

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.

## 2.6 Message Enrichment

### 2.6.1 Message Enrich Rules

You can enrich an inbound SWIFT message according to the rules specified for a message type in this screen before the processing of inbound message is initiated.



You can invoke “Message Enrich Rules Maintenance” screen by typing ‘PXDRLECH’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'Message Enrich Rules Maintenance' application window. It features a top navigation bar with a 'New Enter Query' button. The main content area is organized into several sections: a 'Message Type' section with input fields for 'Host Code \*' and 'Message Type', and an 'Exclusion' button; a 'Field Rules' section with input fields for 'Message Tag', 'Sequence', and 'Status'; and a table with columns for 'Priority', 'Condition', 'Action Elements', 'Parameter 1', and 'Parameter 2'. The bottom of the window contains a status bar with fields for 'Maker', 'Checker', 'Date Time', 'Mod No', 'Record Status', and 'Authorization Status', and an 'Exit' button.

Specify the following details

## **Message Type**

### **Host Code**

System defaults the Host Code of user’s logged in branch on clicking New button

### **Message Type**

Specify the type of the message, say, MT103. Alternatively, you can select the message type from the option list. The list displays all valid message types maintained in the system.

## **Field Rules**

### **Message Tag**

Specify the tag or field of the selected message type.

### **Sequence**

Displays the sequence of this tag in the message.

### **Status**

Displays the condition of the tag.

### **Priority**

Specify the priority of the enrichment condition.

**Condition**

Specify the enrichment condition for the message by using a combination of String function, Logical Operator and Operator.

**Action Elements**

Select one of the available enrichment functions for enriching the value in the selected message tag of the message type.

**Parameter 1**

Specify the parameter 1 value if expected by the selected enrichment function.

**Parameter 2**

Specify the parameter 2 value if expected by the selected enrichment function.

**String Functions**

Select the string function for constructing condition from the drop down list.

**Logical Operators**

Select the standard logical operators to define conditions from the drop-down list. Following are the options available in the drop-down list:

- AND
- OR
- NOT


**Operators**

Select the standard operators to define conditions from the drop-down list. Following are the options available in the drop-down list:

- =
- <>
- >
- >=
- <
- <=
- +
- -
- /
- \*

## **Exclusion Button**

Click on the 'Exclusion' button to invoke the following screen.



The screenshot shows a web application window titled 'Exclusion' with a close button (X) in the top right corner. The main area contains a form with the following elements:

- A label 'Message Type' followed by a text input field.
- A table with a single row and three columns: 'Sender BIC', 'Currency', and an empty column. The table has a header bar with navigation icons (back, forward, search) and a 'Go' button.
- A large empty text area below the table.
- At the bottom right, there are two buttons: 'Ok' and 'Cancel'.

Specify the following details

### **Message Type**

Displays the message type.

### **Sender BIC**

Specify the sender BIC. Alternatively you can select the sender BIC from the option list. The list displays all valid BICs maintained in the system.

### **Currency**

Specify the currency. Alternatively you can select the currency from the option list. The list displays all valid currencies maintained in the system.

### 2.6.1.1 Viewing Message Enrich Rules Summary

You can invoke “Message Enrich Rules Summary” screen by typing ‘PXSRLCH’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot displays the 'Message Enrich Rules Summary' application window. At the top, there is a search bar with buttons for 'Search', 'Advanced Search', 'Reset', and 'Clear All'. Below the search bar, there are filters for 'Case Sensitive', 'Authorization Status', 'Record Status', and 'Message Type'. A table below shows columns for 'Authorization Status', 'Record Status', 'Message Type', and 'Host Code'. The table is currently empty. At the bottom right, there is an 'Exit' button.

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Message Type

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

- Authorization Status
- Record Status
- Message Type
- Host Code

Double click a record to view the detailed maintenance screen. You can also export the details of selected records to a file using ‘Export’ button.

### 2.6.2 D to A Converter

You can enable translation of information of the parties involved in the payment from ‘D’ option (party identifier, name and addresses) to appropriate ‘A’ option (BIC codes).

This information is used to derive Receiver BIC during Payment Chain building or STP of an inbound message to convert the names and address information to the appropriate BIC code of the parties mentioned in the message.

You can invoke the 'D to A Maintenance' screen by typing 'PMDDAMNT' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

You can specify the following fields:

### Host Code

The system displays the host code of the selected branch of logged in user.

### Party Identifier

Specify the Party Identifier.

When the Party Identifier is mentioned, system will replace first line with new party identifier and the 4 lines of address with the BIC It is not mandatory to provide the party identifier line for conversion

### BIC Code

Specify the BIC codes. Alternatively, you can select the BIC code from the option list. The list displays all valid BIC codes maintained in the system.

### Address Line1

Specify the address line 1 maintained for the BIC code. This detail is compared with name and address received in the message to resolve the BIC Code. This line should match for successful conversion.

### Address Line2

Specify the address line 2 maintained for the BIC code. This detail is compared with name and address received in the message to resolve the BIC Code. This line should match for successful conversion.

### Address Line3

Specify the address line 3 maintained for the BIC code. This detail is compared with name and address received in the message to resolve the BIC Code. This line should match for successful conversion.

### Address Line4

Specify the address line 4 maintained for the BIC code. This detail is compared with name and address received in the message to resolve the BIC Code. This line should match for successful conversion.

### Address Line5

Specify the address line 5 maintained for the BIC code. This detail is compared with name and address received in the message to resolve the BIC Code. This line should match for successful conversion.

### BIC Code Description

The system displays the description (name of the entity) of the BIC codes.

### Record Type

This is populated by system as 'Manually Maintained 'or 'Learned Record'. Learned records are auto created as unauthorized records when the user repairs a message from Repair queue (for Outbound transactions) and edit from Inbound Browser (for Inbound messages) for D to A option.

---

#### Note

- All D2A records are applicable for both outbound payments and inbound payments.
  - The Learned records require authorization before it can be used further
  - On auto derivation of BIC from D to A, new Q as Auto Repair is inserted to View Queue action log
- 

## 2.6.2.1 Viewing D to A Converter Summary

You can invoke “D to A Converter Summary” screen by typing ‘PMSDAMNT’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

D to A Converter Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status [dropdown] Record Status [dropdown]

BIC Code [dropdown] Address Line 1 [text]

Record Type [dropdown] Address Line 2 [text]

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	BIC Code	BIC Code Description	Address Line 1	Address Line 2	Address Line 3	Address Line 4	Record Type	Host Code
----------------------	---------------	----------	----------------------	----------------	----------------	----------------	----------------	-------------	-----------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status

- BIC Code
- Address Line1
- Record Type

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria for the following

- Authorization Status
- Record Status
- BIC Code
- BIC Code Description
- Address Line1
- Address Line2
- Address Line3
- Address Line4
- Record Type
- Host Code

## 2.7 Queue Rule

This maintenance screen can be used to define rules if the inbound messages received are to be processed directly or if it requires a Cover Match.

This is a Host level maintenance done for the specific Message Types. According to the rules defined, inbound messages are processed directly or it is moved to a queue to where it checks for 'Cover Matching required'. All the inbound messages other than, MT 103 and MT 202 are handled through this screen.

### 2.7.1 Cover Queue Rule

You can invoke the 'Cover Queue Rule Maintenance' screen by typing 'PXDRSTP' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You can specify the following fields:

**Host Code**

The system displays the host code when you click **New** or **Enter Query**.

**Message Type**

Specify the Message type from the list of values for which the rule is defined if Cover match is required or not

**Field Name**

Specify the name of the field based on which the rule is executed.

**Field Type**

Select the required field type. Choose between the following:

- Text
- Number
- Date
- Blank

**Field Logic**

Specify the field logic.

**Error**


Click the Error link to specify any error messages.

**Show Rule**

Click the Show Rule link to specify or modify the Rule Maintenance parameters.

**2.7.1.1 Invoking Error Screen**

From the Cover Queue Rule Maintenance screen, click the Error link.



Error details of the error encountered in setting up the rules can be viewed here.

**Source**

Displays the source of error.

**Error**

Displays the error details.



### 2.7.1.2 Invoking Show Rule Screen

From the Cover Queue Rule Maintenance screen, click the Show Rule link.

The screenshot shows a 'Rule Maintenance' window with a title bar and a close button. The window contains several input fields and a list of actions. At the top right, there is a pagination indicator '1 of 1' with navigation arrows. The main area is divided into sections for 'Condition', 'Result', 'Queue Name', 'Status', and 'Reason'. The 'Priority\*' field is set to '1'. The 'Condition' field has four empty text boxes. The 'Result' field has five dropdown menus. The 'Queue Name' field has four empty text boxes. The 'Status' field has five dropdown menus. The 'Reason' field has four empty text boxes. On the right side, there is a list of actions: 'Cover Required' (checked), 'Suppress Message', 'Cover Required' (checked), 'Suppress Message', 'Cover Required' (checked), 'Suppress Message', 'Cover Required' (checked), 'Suppress Message', 'Cover Required' (checked), and 'Suppress Message'. At the bottom right, there are 'Ok' and 'Cancel' buttons.

You can specify the following fields:

#### Priority

The system specifies the priority by default.

#### Condition

Specify the Rule Condition.

#### Result

Select the required result. Choose among the following:

- True
- False

#### Queue Name

Specify the required Queue Name from the list of values.

#### Status

Specify the status of the message that should be set for the rule condition. Choose among the following:

- Repair
- Pending Cover Match
- Suppressed
- Unprocessed

#### Reason

Specify the reason code from the list of values for each rule condition, if applicable.

#### Cover Required

Check this box if cover is required for a particular rule condition.

#### Suppress Message

Check this box if message must be suppressed for a particular rule condition.

### 2.7.1.3 Cover Queue Rule Summary

You can invoke “Cover Queue Rule Summary” screen by typing ‘PXSRLSTP’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Cover Queue Rule Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Message Type  Host Code

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	Message Type	Host Code
----------------------	---------------	--------------	-----------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Message Type
- Host Code

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria for the following

- Authorization Status
- Record Status
- Message Type
- Host Code

Double click on the record or click ‘Details ‘button to view the detailed screen.

### 2.7.2 Message Queue Derivation Rule

You can define the new rules in the Message Queue Derivation Rule screen. Through this Rule maintenance screen, you can segregate the messages received in Inbound Message Browser and to move them to a designated Queue, based on the rules defined for MT 103 and MT 202.

You can invoke the 'Message Queue Derivation Rule' screen by typing 'PMDQURLE' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

The screenshot shows the 'Message Queue Derivation Rule' application window. At the top, there's a 'Save' button and two input fields: 'Host Code \* FINLAND' and 'Message Type \*'. Below these is a table with columns: Rule Name, Rule Expression, Queue Code, and Priority. The table has one row with checkboxes in the first two columns. Below the table is a 'Populate' button. At the bottom is a footer section with fields for Maker, Checker, Date Time, Mod No, Record Status, and Authorization Status, along with a 'Cancel' button.

Following are the conditions for straight through processing without cover match, for MT 103 and MT 202 messages:

- The Sender to have a correspondent relationship with receiving Bank
- The sender to have debit authority to debit the correspondent account, mentioned in field 55, 54 or 53

You can specify the following fields;

### Host Code

The system defaults the Host Code of user's logged in branch on clicking 'New' button.

### Message Type

Select the Message type from the list of values. Rules can be maintained, message type-wise. The resultant message queue can be an STP queue (SWIF), cover queue (COVR) or any other non-STP queue.

### Rule Name

Specify the Rule Name.

### Rule Expression

Specify the Rule Expression.

### Queue Code

Select the Transaction code from the LOV. The options available are:

- COV1
- COVR
- NONSTP

- SWIF

### **Priority**

Specify the rule priority.

### **Expression Details**

#### **Expression Section**

Specify the Expression Section.

#### **Scope**

Specify the scope assigned to the Left operand.

#### **LOP Operand**

User can select the LOP from list of values displayed pertaining to the Queue Code selected. The values listed in the LOV are factory shipped data. The options are listed as follows:

- AWI\_BIC
- AWI\_PARTY\_ID
- BENEFICIARY\_BIC
- BENEFICIARY\_INST\_BIC
- BENEFICIARY\_INST\_PARTY\_ID
- BENEFICIARY\_PARTY\_ID
- INTERMEDIARY\_BIC
- INTERMEDIARY\_PARTY\_ID
- ORDERING\_INSTITUTION\_BIC
- ORDERING\_INSTITUTION\_PATY\_ID
- OUR\_CORRESPONDENT\_BIC
- OUR\_CORRESPONDENT\_PARTY\_ID
- RECEIVER\_CORRESPONDENT\_PARTY\_ID
- SENDER
- SNDR\_TO\_RCVR\_INFO\_CODE1
- SNDR\_TO\_RCVR\_INFO\_CODE2
- SNDR\_TO\_RCVR\_INFO\_CODE3
- SNDR\_TO\_RCVR\_INFO\_CODE4
- SNDR\_TO\_RCVR\_INFO\_CODE5
- SNDR\_TO\_RCVR\_INFO\_CODE6
- THIRD\_REIMB\_INST\_BIC
- THIRD\_REIMB\_INST\_PARTY\_ID
- TRANSFER\_AMT
- TRANSFER\_CCY

#### **Operator**

Select the Operator details from the list of values displayed. Values available are - Greater Than, Less Than, Not Equal To, Equal To, Greater Than or Equal To, Less Than or Equal To.

#### **ROP Type**

Select the type of Right operand. Choose between Constant and Expression.

## ROP Data Type

Select the type of Right operand Data. Choose between String, Date and Number.

## ROP Operand

Select the Right operand value from the LOV based on the LOP Operand selected. Values pertaining to the respective LOP will be listed.

## Populate

Click this button after specifying the expression details.

### 2.7.2.1 Message Queue Derivation Rule Summary

You can invoke 'Message Queue Derivation Rule Summary' screen by typing 'PMSQURLE' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Message Queue Derivation Rule

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Host Code  Message Type

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	Host Code	Message Type
----------------------	---------------	-----------	--------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Host Code
- Message Type

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record or click the 'Details' button after selecting a record to view the detailed screen. You can also export the details of selected records to a file using 'Export' button

### 2.7.3 Clearing Code

You can invoke the 'Clearing Code Maintenance' screen by typing 'ISDCTMEX' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

Clearing Code Maintenance

New Enter Query

Country Code \*

Member ID/Clearing Code \*

Member ID/Clearing Code Description

Network Code \*

Network Description

Bank Name \*

Address 1 \*

Address 2

Address 3

Address 4

Own Clearing Code

Clearing Code Indicator Yes

Bank ID code

BIC Code Description

Customer Number

Country Name

Clearing Code Type

Clearing System Proprietary

Clearing system Code

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Exit

You can specify the following fields:

#### Country Code

Select the required code from the LOV.

#### Member ID/Clearing Code

Specify the Member Id/Clearing Code.

#### Member ID/Clearing Code Description

Specify the description of Member Id/Clearing Code.

#### Network Code

Select the required network code from the LOV.

#### Network Description

Specify the description of network.

#### Bank Name

Specify the name of the bank.

#### Address 1 -4

Specify the address of the bank in the lines specified.

#### Own Clearing Code

Specify the required code from the LOV.

### Clearing Code Indicator

Select the required clearing code indicator. The values are **Yes** and **No**.

### Bank ID code

Specify the required code from the LOV.

### BIC Code Description

Specify the description of the BIC Code.

### Customer Number

Select the Customer Number from the LOV.

### Country Name

Specify the name of the country.

### Clearing Code Type

Specify the Clearing Code Type.

### Clearing System Proprietary

Specify the Clearing System Proprietary details.

### Clearing system Code

Specify the clearing system code details.

## 2.7.3.1 Viewing Clearing Code Summary

You can invoke “Clearing Code Summary” screen by typing ‘ISSCTMEX’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Clearing Code Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Network Code  Member ID/Clearing Code

Country Code

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	Network Code	Member ID/Clearing Code	Country Code	Member ID/Clearing Code Description	Bank Na
----------------------	---------------	--------------	-------------------------	--------------	-------------------------------------	---------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Network Code
- Member ID/Clearing Code
- Country Code

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria for the following

- Authorization Status
- Record Status
- Network Code
- Member ID/Clearing Code
- Country Code
- Member ID/Clearing Code Description
- Bank Name
- Address 1
- Address 2
- Address 3
- Address 4
- Own Clearing Code
- Clearing Code Indicator
- Bank Id Code
- Customer Number

## 2.8 Reconciliation External Accounts

### 2.8.1 Maintaining Reconciliation External Accounts

You can use this screen to maintain Account relationship between two banks where the other Bank's External Account and its corresponding Account Details in User's Bank are defined. This maintenance represents the Nostro-Vostro account relationship between 2 banks.

You can invoke the 'Reconciliation External Accounts Maintenance' screen by typing PXDXTACC' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

Reconciliation External Accounts Maintenance

New Enter Query

Reconciliation Class \* External Account \*

External Entity \* Alternate External Account

Home Branch

1 Of 1 Go

Branch *	Account GL	Capture Start Date	

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Exit

You can specify the following fields:

#### Reconciliation Class

Specify the Reconciliation Class

#### External Account

Specify the External Account.



**Specify the External Entity.**

Specify the Alternate External Account. This is an optional field.

Specify the Home Branch. This is an optional field.

Select the Branch from the list of values. User can add multiple rows to include different branches.

Select the Account GL for the respective branch selected.

Specify the Start Date, from the which the details are effective.

When for a Receiver BIC, Reconciliation External Account is maintained, the external account will be populated in the F53B option in the message generated

You can invoke “Reconciliation External Accounts Summary” screen by typing ‘PXSXTACC’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- External Account
- External Entity
- Reconciliation Class

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

- Authorization Status
- Record Status
- External Account
- External Entity
- Reconciliation Class

In addition to the maintenances specific to Cross-border payments, the common maintenances given below are also used for processing –

- BIC Codes (ISSBICDE)
- Customer Summary (STSCIFCR)
- ECA - CIF Account Mapping (STDCRACC)
- Customer Service Model (PMDSRMDL)
- Customer Service Model Linkage (PMDCSMLK)
- Host Parameters (PMDHSTPR)
- Network Maintenance (PMDNWMNT)
- Network Preferences (PMDNWPRF)
- Network Currency Preferences (PMDNCPRF)
- Network Holidays (PMDNWHOL)
- Source Maintenance (PMDSORCE)
- Source Network (PMDSORNW)
- Pricing Code (PPDCMNT)
- Pricing Value (PPDVLMT)
- Payment Processing Cut off Time (PMDCTOFF)
- External Credit Approval System (PMDECAMT)
- Exchange Rate System (PMDERTMT)
- Sanction Check System (PMDSNCKM)
- Bank Redirection (PMDBKRED)
- Account Redirection (PMDACRED)
- Role (PMDROLDF)
- System Parameters (PMDSYSPM)
- User Maintenance (PMDUSRDF)

## 2.9 MT 101

### 2.9.1 MT 101 Parameters

You can invoke the 'MT 101 Parameters Maintenance' screen by typing 'PXD101PM' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

MT101 Parameters Maintenance

New Enter Query

Host Code \*

Sender / Receiver \*

Maximum Number of Incoming Transactions

Maximum Number of Outgoing Transactions

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Exit

Specify the following fields:

#### **Host Code**

This is auto- populated by the system once you click on **New**. The host code indicates the host code of the user's logged in.

#### **Sender / Receiver**

Specify or search and select a Bank from the list of values which can be either the Sender or Receiver of Inbound/Outbound MT 101. The value to be input or selected is a 6 digit bank identifier which is actually the first 6 digits of a BIC code. This bank identifier would refer to all of the bank's branches (BICs) in a country.

#### **Maximum Number of Inbound Transactions**

Specify the Maximum Number of Inbound Transactions allowed in an Inbound MT 101 from the Bank specified above.

#### **Maximum Number of Outbound Transactions**

Specify the Maximum Number of Outbound Transactions allowed in an Outbound MT 101 to the Bank specified above.

### 2.9.1.1 Viewing MT 101 Parameters Summary

You can invoke “MT 101 Parameters Summary” screen by typing ‘PXS101PM’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

MT101 Parameters Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Host Code  Sender / Receiver

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	Host Code	Sender / Receiver	Maximum Number of Incoming Transactions	Maximum Number of Outgoing Transactions
----------------------	---------------	-----------	-------------------	---	---

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Host Code
- Sender / Receiver

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria with the following details:

- Authorization Status
- Record Status
- Host Code
- Sender / Receiver
- Maximum Number of Inbound Transactions
- Maximum Number of Outbound Transactions

### 2.9.2 MT Inbound Agreement

You can define agreement maintenance for both the Party Type - ‘Ordering Customer’ and ‘Instructing Party’. The parameters maintained in this screen is validated on receiving an inbound MT101 where the receiving bank is acting as Account Servicing Institution.

For Instructing Party, you can capture relationship between an Instructing party BIC (non-FI BIC), one or more Sender bank, Customer number and one or more Account numbers of the Customer available in the system.

For Ordering Customer, you can capture relationship between a Customer Number and one or more Sender bank. If Party type is Ordering Customer, then Ordering customer in the multi block gets defaulted as the Ordering customer number and multiple accounts can be added.

You can invoke the 'MT Inbound Agreement' screen by typing 'PXD101IM' in the field at the top right corner of the application toolbar and clicking the adjoining arrow. Click 'New' button on the Application toolbar.

You can specify the following fields:

### Host Code

This is auto-populated by the system once you click on **New**. The host code indicates the host code of the user's current logged in branch.

### Host Description

System defaults the host description of the user's logged in branch Host.

### Party Identifier

You can select the customer ID of the Instructing Party or the ordering customer for whom the agreement is to be maintained. All valid customer IDs are listed for the field.

### Party Name

System defaults the Party Name, based on the Party Identifier selected.

### Party Type

Select the Party Type options from the drop-down values. System defaults the option as 'Ordering Customer'. The options are:

- Ordering Customer

- Instructing Party

**Start Date**

Start Date is a mandatory field. You can input current or future date as Start Date. This is the date from which the agreement becomes valid.

**End Date**

End Date is an optional field. If maintained, the agreement is not valid from End Date +1.

---

**Note**

Multiple open records with overlapping time period cannot be maintained.

---

**Cutoff Hour & Cutoff Minute**

Specify the Cutoff hour and minutes. The cutoff is checked against the received time of the inbound MT101 message. If the cutoff is passed, the requested execution date is moved ahead to next branch working day.

**Allowed Accounts**

Allowed Account grid can be used for maintaining the accounts for which the debit authority is available, depending on the party type - Instructing Party/Ordering Customer.

You can specify the following fields in the Allowed Accounts grid:

**Ordering Customer**

If the party type is ordering customer, this field is defaulted as the ordering customer maintained in the header.

If the party type is Instructing Party, then all valid customers will be listed for the field.

**Customer Name**

System defaults the Customer Name based on the Ordering Customer selected.

**Account**

All the valid accounts for Instructing Party/Ordering Customer, are listed. Select a valid account from the list of values.

**Account Description**

System defaults the description of the Account selected.

**Account Currency**

System defaults the Currency of the Account selected.

**Limit**

The amount limit up to which the account can be debited for a transaction can be maintained in this field. This is an optional field

The limit is considered in account currency. The validation is done only if a limit amount is provided. If no limit amount is maintained, the validation is skipped.

## **Allowed Senders**

### **Sender Institution Code**

You can select the Sender Institution code from the list of values. You can maintain 6/8/11 characters of BICs of allowed as Sender institutions from whom MT101 could be received on behalf of the Instructing Party/ordering customer.

### **Institution Name**

System defaults the Institution Name, based on the BIC selected as Sender Institution Code.

## **2.9.2.1 MT 101 Inbound Agreement Summary**

You can view all the MT 101 Inbound Agreements maintained, in this summary screen.

You can invoke 'MT 101 Inbound Agreement Summary' screen by typing 'PXS101IM' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button

MT 101 Inbound Agreement Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Host Code  Host Description

Party Identifier  Party Type

Start Date

Records per page: 15 1 Of 1 Go Lock Columns: 0

Authorization Status	Record Status	Host Code	Host Description	Party Identifier	Party Name	Party Type	Start Date	End Date	Cutoff Hour	Cutoff Minute
----------------------	---------------	-----------	------------------	------------------	------------	------------	------------	----------	-------------	---------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Host Code
- Host Description
- Party Identifier
- Party Type
- Start Date

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.

### 2.9.3 MT 101 Outbound Agreement

The validations for an outbound MT101 messages or the inbound MT101 messages forwarded to other banks are done based on the MT101 Outbound.

You can invoke 'MT 101 Outbound Agreement' screen by typing 'PXD101OM' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

MT 101 Outbound Agreement

New Enter Query

Host Code \* Host Description

Party Identification \* Party Name

Receiver Bank Code \* Receiver Bank Name

Start Date \* yyyy-MM-dd

End Date yyyy-MM-dd

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Exit

You can specify the following fields:

#### Host Code

This is auto-populated by the system once you click on **New**. The host code indicates the host code of the user's current logged in branch.

#### Host Description

System defaults the host description of the user's logged in branch Host.

#### Party Identification

You can select the customer ID of the ordering customer. All valid customer IDs are listed for the field.

#### Party Name

System defaults the Party Name, based on the Party Identifier selected.

#### Receiver Bank Code

All valid Receiver Bank Codes are listed in the list of values. Select the valid BIC from the list. You can maintain 6 / 8 / 11 characters of BICs and the receiver of Outbound MT101 is checked against the 6 / 8 / 11 character BIC's maintained. If no agreement is maintained, then Outbound MT101 moves to Business Override Queue.



### Receiver Bank Name

System defaults the Receiver Bank Name, based on the Receiver Bank Code selected.

### Start Date

Start Date is a mandatory field. You can input current or future date as Start Date. This is the date from which the agreement becomes valid.

### End Date

End Date is an optional field. If maintained, the agreement is not valid from End Date +1.

---

#### Note

Multiple open records with overlapping time period cannot be maintained.

---

### 2.9.3.1 MT 101 Outbound Agreement Summary

You can view all the MT 101 Outbound Agreements maintained, in this summary screen.

You can invoke 'MT 101 Outbound Agreement Summary' screen by typing 'PXS101OM' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button

MT 101 Outbound Agreement Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status

Record Status

Host Code

Party Identification

Receiver Bank Code

Start Date

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	Host Code	Party Identification	Receiver Bank Code	Start Date
----------------------	---------------	-----------	----------------------	--------------------	------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Host Code

- Party Identification
- Receiver Bank Code
- Start Date

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.

## 2.9.4 **MT 101 Customer Identification**

You can derive the customer ID received in 50a C/L option for Instructing party or F option of ordering customer through this maintenance screen. This maintenance is applicable for a valid customer in the payments system.

You can invoke 'MT 101 Customer Identification Maintenance' screen by typing 'PXD101CS' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'MT 101 Customer Identification Maintenance' application window. At the top, there's a title bar with standard window controls. Below it, a toolbar contains a 'New' button and an 'Enter Query' field. The main area is divided into several sections. The first section has two input fields: 'Customer No \*' (with a red asterisk indicating a required field) and 'Customer Name'. Below this is a section titled 'Identifier Codes' which includes a list box showing 'Customer BIC' and a 'Go' button. Another section titled 'Party Identifiers' also has a list box showing 'Party ID' and a 'Go' button. The bottom of the window features a status bar with fields for 'Maker', 'Checker', 'Date Time', 'Mod No', 'Record Status', and 'Authorization Status', and an 'Exit' button on the right.

You can specify the following fields:

### **Customer No**

Select the Customer number from the list of values. All the valid customer numbers are listed in the LOV.

### **Customer Name**

System defaults the Customer Name on selecting the customer number.

## **Identifiers Code**

In this grid, non-financial BIC's are listed in the Customer BIC and multiple BICs can be maintained against a single customer.

### **Customer BIC**

Select the BIC from the list of values. All valid Customer BICs are listed here.

If any of this BIC is received as instructing party in 50a option C, the customer ID is derived, based on this maintenance for applying the agreement preference.

## **Party Identifiers**

Party identifiers of length 35 or below can be maintained in this grid. This is used to derive the customer ID if in 50a.option L, is received for instructing party.

### **Party Identifier**

Specify the Party Identifier code in this field.

If the customer is ordering customer and the details are received in 50a F option, the customer ID is derived as below:

- If the party identifier is in the format (Code)(Country Code)(Identifier) format and code is CUST, then identifier is treated as the customer ID
- If the code is not CUST, then the identifier is matched with party identifiers maintained in the Customer Identification maintenance screen (PXD101CS) to derive the Customer ID.

---

### **Note**

If instructing party details are not present and only 50a. G or H option is received, then the customer will be derived from the account received.

---

## **2.9.4.1 MT 101 Customer Identification Summary**

You can view all the MT 101 customer identifications maintained, in this summary screen.

You can invoke 'MT 101 Customer Identification Summary' screen by typing 'PXS101CS' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Customer Name
- Customer No

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria

Double click a record or click the 'Details' button after selecting a record to view the detailed screen

## 2.10 RMA /RMA +

- RMA+ stands for the latest version of Relationship Management Application of SWIFT which maintains authorizations that specify relationship between two banks or SWIFT members for exchanging specific or all message types for a particular category of SWIFT FIN messages or InterAct request patterns or FileAct files.
- RMA+ details of a bank/institution are maintained in the RMA data store of SWIFT Alliance Access (SAA) server.
- RMA (predecessor of RMA+) referred to authorizations given by an institution to another for receiving any SWIFT messages.

## 2.10.1 RMA or RMA Plus Details

You can invoke the “RMA or RMA Plus Details Maintenance” screen by typing ‘PMDRMAUP’ in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Users having access to Branches would only be able to view the RMA/RMA+ authorization details. Only Head Office users would also be able to modify RMA/RMA+ authorization records or create new records. Click ‘New’ button on the Application toolbar.

You can specify the following fields:

### RMA Record Type

The system would indicate if this is a RMA or RMA+ authorization record based on the details of the uploaded or manually created RMA authorization record.

---

#### Note

If the uploaded RMA file has included or excluded Message Types in different Message categories, then this would be RMA+ record. If not, the record is an RMA record.

---

### Issuer

Select the required BIC of bank branch that has issued the authorization to receive All or particular message types (in case of RMA+) from the available list of values.

### RMA Type

Specify the RMA Type. Choose between Issued and Received from the drop down.

### Valid From Date

Specify the start date of validity of RMA authorization

### Correspondent

Select the BIC of bank branch, which has received the authorization from Issuer bank from the list of values.

## **RMA Status**

Select the status of the RMA from the drop down. The options are Enabled, Revoked, Deleted and Rejected.

---

### **Note**

Only 'Enabled' RMA authorizations are used for RMA validation.

---

## **Valid To Date**

Specify the End date of validity of RMA authorization.

## **Message Category Details Grid**

### **Message Category**

Select the required Message Category from the drop down.

### **Include/Exclude Flag**

If this is being created as RMA+ record, select the flag for each Message category indicating 'Include' or 'Exclude' of one or multiple or ALL Message Types (MTs) that are authorized by the Issuer bank.

## **Message Type Details**

### **Message Type**

If this is being created as RMA+ record, then specify a list of 'Included' or 'Excluded' the Message Types to be added for each Message Category.

---

### **Note**

- If All MTs within a Message Category are to be included then the Include/Exclude flag should indicate "Exclude" and no MTs should be selected in the Message Type Details grid. This would mean 'Exclude – Nothing' i.e. all MTs within the category are included in the RMA+ authorization.
- If All MTs within a Message Category are to be excluded then the Include/Exclude flag should indicate "Include" and no MTs should be displayed in the Message Type Details grid. This would mean 'Include – Nothing' i.e. none of the MTs within the category are included in the RMA+ authorization.
- The screen should not list any Message Category that is not allowed as part of the RMA+ authorizations issued by the Issuer bank.

As mentioned above, any modifications to existing authorizations would be allowed only from Head Office

- For the selected pair of Issuer and Correspondent BICs and RMA Type, the following attributes would be allowed to be changed –
  - RMA Status - Status can be changed to any of the available Options – Enabled, Revoked, Deleted and Rejected.

**Note:** In reality, RMA Status cannot be changed to any option as it depends on who is the Issuer BIC, current status and other factors. However, these status changes would actually happen in the RMA/RMA+ module of SAA and the Modification facility would only allow Ops users to manually replicate the status in this maintenance (if they cannot wait till the next RMA upload).

- Valid From Date – New (modified) date that is greater than existing 'Valid To' Date can be set.

- Valid To Date – New date that is greater than New 'Valid From' Date can be set.
- Deletion of existing Message category and/or Message types.
- Addition of new Message Category and/or Message Type along-with Include/Exclude indicator.

A new authorization would be possible to be created by copying an existing authorization and then modifying the same.

Modifications to existing authorizations as well as creation of new authorizations would need approval by another user or by the maker (if the branch and user supports Auto-authorization facility).

### **2.10.1.1 RMA/RMA+ Validation**

- In addition to the RMA/RMA+ validation for the Receiver of payment message (say, MT103), RMA/RMA+ validation is done for the Receiver of Cover (MT 202COV) if a Cover message is required to be sent to the currency correspondent, in addition to the MT 103 message. The same is applicable for MT 205 and MT 103+.
  - If the RMA/RMA+ validation for Receiver of Cover fails, then the Outbound transaction is sent to an exception queue.
  - RMA+ validation, if applicable, for Receiver of Cover is for sending out MT 202
- RMA/RMA+ validation is done for the following Transfer types –
  - Multi-Credit Customer Transfer – for determining the Receiver of MT 102/MT 102+.
  - Bank Transfer payments – for determining the Receiver of MT202/MT203, and Receiver of Cover (another MT 202) if applicable.
  - Bank Transfer for Own Account transfers – for verifying MT 200/MT 201 can be sent to the Receiver i.e. Currency Correspondent.
- For manually initiated Common Group Messages (MT 19x/MT 29x), the system performs RMA/RMA+ validation on the selected Receiver BIC.
- For a Charge Claim message (MT191) that is automatically generated for an inbound MT 103 message, the system perform RMA/RMA+ validation on the Receiver of MT 191 (Sender of inbound MT 103).

---

#### **Note**

If RMA+ validation fails, then MT 191 is still generated but with a new status called 'With-held' status. This status means that the message was generated but has been "held back" i.e. not "handed off" to EMS.

---

- MT 210 – After generation of MT 210 (Notice to Receiver) as part of processing Outbound MT 200/MT 201, the system performs an RMA/RMA+ validation for the Receiver of MT 210 i.e. the Currency Correspondent who is supposed to receive funds in the Nostro account from a Nostro account with another correspondent.

---

#### **Note**

If the RMA/RMA+ validation fails, then system does not send the message.

---

- MT 900/MT 910 – No RMA/RMA+ authorizations are required for sending or receiving Debit Advice (MT 900) or Credit Advice (MT 910).

#### 2.10.1.2 Viewing RMA or RMA Plus Details Summary

You can invoke “RMA or RMA Plus Details Summary” screen by typing ‘PMSRMAUP’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

[illegible]

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Issuer
- Correspondent
- Valid From Date
- Valid To Date
- RMA Type
- RMA Status

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria with the following details:

- Authorization Status
- Record Status
- Issuer
- Correspondent
- Valid From Date
- Valid To Date
- RMA Type
- RMA Record Type
- RMA Status



## 2.11 Alpha Code

You can invoke the 'Alpha Code Maintenance' screen by typing 'PXDALMNT' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

Alpha Code Maintenance

New Enter Query

Alpha Code \*

Description \*

Short Code

1 Of 1 Go

Identifier	Description	Bank Code	
------------	-------------	-----------	--

Maker Date Time: Mod No Record Status Exit

Specify the following fields:

### **Alpha Code**

Specify the Alpha Code.

### **Description**

Specify the Description.

### **Short Code**

Specify the Short Code.

### **Identifier**

Select the Identifier, that is required for the network.

### **Description**

Specify the Description.

### **Bank Code**

Specify the Bank Code

### 2.11.0.1 Alpha Code Summary

You can invoke the 'Alpha Code Summary' screen by typing 'PXSALMNT' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button.

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Alpha Code

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria with the following details:

- Authorization Status
- Record Status
- Alpha Code
- Description
- Short Code

## 2.12 Template

You can generate new template for Cross Border transactions using the 'Transaction Input Detailed Template' screen.

To invoke this screen type 'PXDOTTML" in the field at the top right corner of the Application Tool bar and clicking the adjoining arrow button

User can input all the details required for the transaction and save it as a Template by specifying a unique 'Template ID'. System does the format validation for the details input. Cross field validations are not done on saving the Template

- Transactions booked using a particular Template ID can be queried using 'Transaction Input Summary' screen (PXSOTONL) and 'View Summary' screen (PXSOVIEW)
- Templates created in Cross Border Transaction Template screen (PXDOTTML) can be authorized in 'Template Summary' (PQSTMPLQ) screen
- 6 Eye maker / checker concept is supported for Templates. Once a maker saves a template, checker Authorize the Template, post which the Verifier can verify it.

#### Note

- To understand the Field validations and functions of 'Cross Border Transaction Template' screen, refer to section - '3.1 - Cross Border Transaction Input'
- Templates created for Cross Border transactions can be viewed by specifying the Template ID in Template Summary Screen (PQSTMPLQ).

## 2.12.1 Template Summary

Templates created for Cross Border transactions can be viewed here by specifying the Template ID. This is the common Template Summary screen for other Payment transactions too.

To invoke this screen type 'PQSTEMPLQ' in the field at the top right corner of the Application Tool bar and clicking the adjoining arrow button.

Refer to *Payments\_Core User Guide section(2.13.14)* for more details.

## 2.12.2 Amendable Fields of a Template

While creating a transaction from a template, you can amend certain data that are defaulted from the template. The set of such amendable fields of a template is maintained at 'PMDTMAMD' screen.

Refer to *Payments\_Core User Guide section(2.6.43)* for more details.

## 2.13 Standing Instruction

You can create new Standing Instructions template, modify and authorize through Standing Instruction Template. System executes the SI automatically, based on the template/ instruction maintained. These are common for Cross Border/RTGS, ACH and Book Transfer Payments.

### 2.13.1 Standing Instruction Template

Standing Instruction Templates can be created through this screen. The Standing Instruction Template can be created with or without transfer amount input.

Mandatory validations done on enrich or save of a transaction will be done while saving the template. Any exception in the validations will throw error. If the amount is not available in the template or is zero, then the transfer amount related validations will be skipped

To invoke this screen type 'PXDOTSTM' in the field at the top right corner of the application tool bar and clicking the adjoining arrow button.

- Standing Instructions executed for the specific 'Template ID' created can be queried using 'Transaction Input Summary' screen (PXSOTONL) and 'View Summary' screen (PXSOVIEW)
- SI Templates created in this screen are to be maintained in Standing Instructions maintenance screen for auto SI execution on the dates specified in the maintenance.

#### Note

- To understand the Field validations and functions of 'Cross Border Standing Instruction Template' screen, refer to section - 'refer to section - '3.1 - Cross Border Transaction Input'
- Standing Instruction Templates created for Cross Border transactions can be viewed by specifying the Template ID in, Template Summary Screen(PMSSITMP).

### 2.13.1.1 Standing Instruction Template Summary

Standing Instruction Templates created for Cross Border transactions can be viewed here by specifying the Template ID. This is the common Template Summary screen for other Payment transactions too.

To invoke this screen type 'PMSSITMP' in the field at the top right corner of the Application Tool bar and clicking the adjoining arrow button.

And user can create Standing instructions and execute them through Standing Instruction Maintenance screen(PMDSIMNT) and execution log is available at Standing Instruction Execution screen(PMDSIECT).

For more details on Standing Instruction Maintenance and its execution screen details and respective summary screens, refer to Payments Core User Guide section - 2.6.35.

## 2.14 SWIFT Pricing

### 2.14.1 SWIFT Pricing Preferences

You can maintain pricing codes for SWIFT Transactions through this screen. This is a common screen for both Cross Border and RTGS payment types.

You can invoke the 'SWIFT Pricing Preferences Detailed' screen by typing 'PMDSWPRF' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

Specify the following details:

#### **Host Code**

System defaults the user's logged in Branch as Host Code on clicking New button

#### **Host Description**

System defaults the Description of the Host Code on clicking New button

#### **Network Code**

Select the Network Code from the list of values displayed. All valid Network codes maintained for the Host with payment type as X Border / RTGS are listed here.

#### **Network Description**

System defaults the Description of the Network Code selected

#### **Transaction Type**

Select the values from the drop-down. The options listed are- Incoming/ Outgoing. System defaults the option as 'Incoming'.

### **Transfer Currency**

Select the Transfer Currency from the list of values. All valid currencies are listed in the LOV.

---

#### **Note**

'AL' is the applicable code to indicate all currencies.

---

### **Bank Transfer Price Code**

Select the Bank Transfer Price Code from the list of values. The price codes applicable for the bank transfers can be captured in this field.

### **Default Price Code**

Select the Default Price Code from the list of values.

The Default Pricing Code captured here is, applicable for all Customer Transfers. When no pricing codes are defined in the grid (SHA/ BEN/ OUR pricing codes), system picks the Default Pricing Code defined in this field.

### **Transfer Type**

Select the Transfer Type from the drop-down values. The options listed are:

- Customer Transfer
- Customer Transfer with Cover

### **SHA Price Code**

Price code can be defined, specifically for the Charge Bearer Type 'SHA'. Select the pricing code from the list of values.

### **BEN Price Code**

Price code can be defined, specifically for the Charge Bearer Type 'BEN'. Select the pricing code from the list of values.

### **OUR Price Code**

Price code can be defined, specifically for the Charge Bearer Type 'OUR'. Select the pricing code from the list of values.

You cannot maintain 'OUR Price Code', if the transaction type is 'Incoming'. System validates the same on saving the details.

---

#### **Note**

- The price codes maintained in Network Currency Preferences (PMDNCPRF) is not applicable for cross-border/RTGS payments. System validates that, no price code is maintained for cross-border/RTGS networks from PMDNCPRF.
  - For inbound and pass through payments with the charge bearer option as 'OUR', the price code attached to the Outbound Claim Preferences will be considered.
- 

## **2.14.1.1 Charge Processing for Cross Border/ RTGS transactions**

- While processing cross-border/ RTGS transactions, system refers to the new the maintenance for price code pick up if internal charges are applicable.

- OUR charges is processed as follows:

Transaction Type	OUR option-charge processing changes	Claim Processing changes
Outgoing	<ul style="list-style-type: none"> <li>· Bank's own charges will be calculated and collected from the customer based on the price code maintained in PMDSWPRF for OUR charge bearer type (if not available, default price code)</li> <li>· No change in Receiver charge pick up</li> </ul>	<ul style="list-style-type: none"> <li>· There will not be any change in inbound claim processing related to outbound payments</li> </ul>



Incoming	<ul style="list-style-type: none"> <li>Charges will be calculated based on the Receiver charge code linked to Outbound Claim Preferences PXDSRIMT</li> <li>Price code can contain multiple components including tax components. Income/tax payable accounting will be done component-wise.</li> <li>If charge currencies can be different</li> <li>The debit amount will be calculated by converting the charge currencies to debit currency (transfer currency)</li> <li>While doing the price value pick up from PPDVLMNT, system will consider the customer as the customer ID linked to the Sender BIC. If no customer ID is linked, customer will be considered as 'ALL'</li> </ul>	<ul style="list-style-type: none"> <li>Charge/tax amount to be collected will be first recovered from 71 G amount, if available.</li> <li>If the computed amount is greater than 71G amount, the difference will be claimed by sending out MT 191 claim message. If the transaction is gpi enabled, then MT191 claim will be suppressed.</li> <li>If the claim payment is received in excess, the difference amount will be credited to income GL.Receiver charge accounting template linked in PMDNCPRF will be used for accounting.</li> <li>If the claim amount received is less, and the difference is within the tolerance maintained, then it will be expensed out. Existing accounting will be continued, i.e. accounting templates for debit /credit liquidation maintained in PMDNCPRF will be used. Expense GL maintained in Charge Claim Default preferences will be debited in DRLQ and Receivable GL from the same maintenance will be credited.</li> </ul>
----------	--	--

Pass through	Same as Incoming transaction type	Same as Incoming transaction type.
--------------	-----------------------------------	------------------------------------

### 2.14.1.2 SWIFT Pricing Preferences Summary

You can view the SWIFT Pricing preferences and pricing codes maintained through this summary screen.

You can invoke the 'SWIFT Pricing Preferences Summary' screen by typing 'PMSSWPRF' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. .

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Host Code
- Network Code
- Transaction Type
- Transfer Currency

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria

Double click a record to view the detailed maintenance screen. You can also export the details of selected records to a file using 'Export' button.

## 2.15 Hold Suppress Release Rule

### 2.15.1 Hold Suppress Release Rule Definition

You can maintain rules for Hold, Suppress or Release in the below screen. You can invoke the 'Hold Suppress Release Rule Definition' screen by typing 'PMDHSRLE' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click new button on the Application toolbar.

Multiple rule expressions can be maintained for Hold, Suppress, and Release of payment messages.

You can specify the following details:

#### **Rule Name**

Specify the name of the rule.

#### **Rule Description**

Specify the description of the rule to be defined.

#### **Rule Expression**

Specify the Rule Expression.

#### **Expression Details**

##### **Expression Section**

Specify the unique sequence number for the expression defined.

##### **Scope**

Specify the scope assigned to the Left operand.

##### **LOP Operand**

Select the Left Operand value from the List of values in the rule expression.

**Operator**

Select the Operator details. Choose among the following:

- Greater Than
- Less Than
- Not Equal To
- Equal To
- Greater Than Equal To
- Less Than or Equal To

**ROP Type**

Select the type of Right operand. Choose between Constant and Expression.

**ROP Data Type**

Select the type of Right operand Data. Choose between String and Number.

**ROP Operand**

Specify the Right operand value details.

**Scope**

Specify the scope assigned to the Right operand.

**Logical Operators**

Select the logical operator. Choose among the following:

- And
- OR

**Populate**

Click this button after specifying the expression details. On click of the 'Populate' button, the expression gets built and displayed in Rule expression field.

The following basic elements are available in the Expression builder for creating Rule Expression of a rule.

LOP Operand	ROP Operand
SOURCE_CODE	-
PROCESSING_BRANCH	-
CHANNEL_TYPE	C2B SWIFT MT101 Single Payment
TRANSFER_AMT	-

BANKING_PRIORITY	For SWIFT RTGS: FIN User Header 113 H (Highly Urgent) U (Urgent) N (Normal)
------------------	---

LOP Operand	ROP Operand
GPI_AGENT	TRUE FALSE
IS_RECEIVER_BIC_RESTRICTED	TRUE FALSE
IS_RECEIVER_BIC_COUNTRY_RESTRICTED	TRUE FALSE
IS_AWI_BIC_RESTRICTED	TRUE FALSE
IS_AWI_BIC_COUNTRY_RESTRICTED	TRUE FALSE
IS_SENDER_CORRES_BIC_RESTRICTED	TRUE FALSE
IS_SENDER_CORRES_BIC_COUNTRY_RESTRICTED	TRUE FALSE
IS_BENE_BIC_RESTRICTED	TRUE FALSE
IS_BENE_BIC_COUNTRY_RESTRICTED	TRUE FALSE

### 2.15.2 **Message Hold Suppress Release Rule Preferences**

You can link Hold, Suppress or Release rules maintained in Hold Suppress Release Rule Definition (PMDHSRLE) screen.

You can invoke the 'Message Hold Suppress Release Rule Preferences' screen by typing 'PMDHSRLP' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click new button on the Application toolbar

You can specify the following details:

### Host Code

Defaults the logged in branch host code.

### Network Code

Specify the Network code from the LOV. The LOV lists the network codes available for Cross Border and RTGS Payment Types.

### Transfer Currency

Specify the Transfer Currency from the LOV. The LOV lists all valid and authorized currencies.

### SWIFT Message Type

Specify the SWIFT Message Type from the LOV. The LOV lists the following message types:

- MT103
- MT202
- MT202COV
- MT200

### Hold Suppress Rule

#### Priority

Specify the Priority. The order of rule processing is based on the priority given here. Starting from 1 (Highest Priority).

#### Rule Name

Specify the Rule Name to be linked from the LOV. The LOV lists all the Message Hold/ Suppress/Release rules maintained in Hold Suppress Release Rule Definition (PMDHSRLE) screen.

---

**Note**

- Multiple Hold / Suppress rules can be linked with different priority.
  - With one Hold Rule more than one Release Rule can be linked.
- 

**Action**

Select the Action from the drop-down list. The drop-down contains following options:

- HOLD – If the Action is 'HOLD', the matching payment message status is 'Withheld'.
- SUPPRESS – If the Action is 'SUPPRESS', the matched payment message status is 'Suppressed'.

**Start Time & Expiry Time**

Specify the Start and Expiry Time. Evaluation of payment messages for matching Hold/ Suppress rules starts and ends at the specific time. Time always corresponds to the Application Server Date.

**View Rule**

Clicking on View Rule launches 'Hold Suppress Release Rule Definition' screen.

**Release Rule****Priority**

Specify the Priority. The order of rule processing is based on the priority given here. Starting from 1 (Highest Priority).

**Rule Name**

Specify the Rule Name to be linked from the LOV. The LOV lists all the Message Hold/ Suppress/Release rules maintained in Hold Suppress Release Rule Definition (PMDHSRLE) screen.

---

**Note**

- Multiple Hold / Suppress rules can be linked with different priority.
  - Multiple Release Rules can be linked for the same Hold Rule.
- 

**Start Time**

Specify the Start Time. Release of payment messages for matching 'Release' rules starts at the specified time. Time always corresponds to the Application Server Date.

**View Rule**

Clicking on View Rule launches 'Hold Suppress Release Rule Definition' screen.

The following mandatory checks are done on processing a Hold, Suppress or Release Rule:

- If there is no Hold/Suppress rules maintained for the Host Code, Network Code, Transfer Currency, SWIFT Message Type combination, the payment message can be successfully generated and handed off as per standard functionality.
- If any of the Hold/Suppress action rule condition is matched for the Host Code, Network Code, Transfer Currency, SWIFT Message Type combination based on the rule priority, then the system checks if message generation time is within rule Start and Expiry Time. The particular payment message is moved to the Outbound Message Browser (PMSOUTBR) with message status as 'Withheld' or 'Suppressed' as per the rule action maintained.

- If any Release rule maintained for the corresponding Hold Rule, the system initiates a new background process to pick up and release the messages that are marked as 'Withheld' and 'Authorized' at the specified release rule start time. Once the background process gets successful, then Message status is marked as 'Generated' and Release Time is updated in the Outbound Message Browser.

---

### Note

In case Hold Rule Expiry Time and Release Rule Start Time overlaps, Release Rule start time takes precedence over Hold Rule expiry time for the background process run

---

- If no Release rule is maintained for the corresponding Hold Rule, the system checks for rule expiry time. If expiry time is maintained, the background process picks up that expiry time and release the message in 'Withheld' and in 'Authorized' status. If expiry time is not maintained, release time gets updated on authorization of manual release.


## 2.15.3 Hold Suppress Release Restriction Preferences

You can maintain restricted country, currency and BIC code with an effective date.




You can invoke the 'Hold Suppress Release Restriction Preferences' screen by typing 'PMDHSRPF' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click new button on the Application toolbar.



Hold Suppress Release Restriction Preferences

Save

Host Code\*  Host Code Description

Country Restriction Currency Restriction BIC Code Restriction

1 Of 1 Go   

Country Code*	Country Name	Effective From Date*
AE 		YYYY-MM-DD 

Maker Date Time: Mod No Record Status  
Checker Date Time: Authorization Status

Cancel



Hold Suppress Release Restriction Preferences

Save

Host Code \*  Host Code Description

Country Restriction Currency Restriction BIC Code Restriction

1 Of 1 Go + -

<input checked="" type="checkbox"/>	Currency Code *	Currency Name	Effective From Date *
<input checked="" type="checkbox"/>	<input type="text"/>	<input type="text"/>	YYYY-MM-DD <input type="text"/>

Maker Date Time: Mod No Record Status  
Checker Date Time: Authorization Status

Cancel

Hold Suppress Release Restriction Preferences

Save

Host Code \*  Host Code Description

Country Restriction Currency Restriction BIC Code Restriction

1 Of 1 Go + -

<input checked="" type="checkbox"/>	BIC Code *	Bank Name	Effective From Date *
<input checked="" type="checkbox"/>	<input type="text"/>	<input type="text"/>	YYYY-MM-DD <input type="text"/>

Maker Date Time: Mod No Record Status  
Checker Date Time: Authorization Status

Cancel

You can specify the following details:

### Host Code

Defaults and displays the host code of the logged in user.

### Host Code Description

System defaults the description of the host code

### Country Code / Currency Code / BIC Code

Specify the Country Code/Currency Code/BIC Code which is to be restricted from the LOV.

## Country Name / Currency Name / Bank Name

Defaults the Country Name/Currency Name/Bank Name based on the selected Country/Currency/BIC Code.

## Effective From Date

Specify the Effective From date.

- In this screen, if a Country or Currency or BIC Code is maintained with an effective from date, then that particular Country or Currency or BIC Code is considered as 'RESTRICTED = 'TRUE' from that effective date for the respective payment transactions. If not, Country or Currency or BIC Code is considered as 'RESTRICTED = 'FALSE'.

---

### Note

- Country Code, Currency Code, BIC Code, Effective From Date fields are mandatory.
  - Duplicate records are not allowed.
- 

## 2.16 Reverse Message Agreement

### 2.16.1 Reverse Message Agreement Maintenance

You can maintain Reverse Message Agreement for specific customers with their debit accounts in this screen. A MT103 / 202 message with F53 containing this account, is processed as reverse message, resulting in a fresh outbound payment.

You can invoke Reverse Message Agreement Maintenance screen by typing 'PMDREVAG' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click new button on the Application toolbar.

Reverse Message Agreement Detailed

New Enter Query

Host Code \* Customer No

BIC Code \* Customer Name

BIC Name Account Description

Account Number \*

Account Currency

Limit Amount

Start Date \* dd-MM-yyyy

End Date dd-MM-yyyy

Maker Date Time Mod No Record Status

Checker Date Time Authorization Status Exit

You can specify the following fields in this screen.

### Host Code

The system displays the Host Code of the selected branch of the logged in user.

### BIC Code

Select the BIC Code from the list of values displayed. Selected BIC Code is displayed in this field. This the customer, who would send reverse message.

### BIC Name

The system defaults the name of the BIC which is selected in BIC Code field

### Account Number

Select the Account Number from the list of values displayed. This is the account that will be present in Field 53 of the reverse message.

### Account Currency

The system defaults the account currency based on the account number selected.  
LOV

### Limit Amount

You can specify the limit amount in this field. The reverse message up to this amount is auto processed. If the field is left blank, reverse message with any amount is auto processed

### Start Date

On New action, system defaults the current branch date in this field. You can modify the date to current date or future date

### End Date

You can specify the End date (greater than start date) up to which the agreement is valid. If the field is left blank, the agreement is considered as open ended.

### Customer No

System defaults the Customer number of the selected account number in this field

### Customer Name

System defaults the Customer name of the selected account number in this field

### Account Description

System defaults the account description of the selected account number.

## 2.16.1.1 Viewing Reverse Message Agreement Summary

You can invoke Reverse Message Agreement Summary screen by typing 'PMSREVAG' in the field at the top right corner of the Application tool bar and click search on the adjoining arrow button.

Reverse Message Agreement Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Account Number  BIC Code

Start Date  End Date

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	Account Number	BIC Code	Start Date	End Date	Host Code	Customer No
----------------------	---------------	----------------	----------	------------	----------	-----------	-------------

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Account Number
- BIC Code
- Start Date
- End Date

Once you have specified the search parameters, click 'Search' button. System displays the records that match the search criteria specified.

## 2.17 **SWIFT MX Payments**

SWIFT MX is the next generation SWIFT standard for international messaging that utilizes the XML format based on ISO20022 standard.

### 2.17.1 **SWIFT MX Static Preference**

SWIFT MX Static Preference screen defines bank level static preference for SWIFT MX messages. All the fields and data in this screen are factory shipped.

You can invoke SWIFT MX Static Preference screen by typing 'PXDMXST' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

SWIFT Message Type	MX Message Type	Message Preference
<input checked="" type="checkbox"/> MT 103	pacs.008	MT
<input type="checkbox"/> MT 202	pacs.009	MT
<input type="checkbox"/> MT 205	pacs.009	MT
<input type="checkbox"/> MT 202 Cov	pacs.009	MT
<input type="checkbox"/> MT 205 Cov	pacs.009	MT

Following grid is available in this screen.

All the fields and data in this grid are factory shipped. You can override the message

SWIFT Message Type	MX Message Type	Message Preference
MT103	pacs.008	MT
MT202	pacs.009	MT
MT205	pacs.009	MT
MT202 COV	pacs.009	MT
MT205 COV	pacs.009	MT

preference from the SWIFT MX Message Preference screen

### 2.17.2 **SWIFT MX Message Preference**

You can define SWIFT MX Message Preference at Host level in SWIFT MX Message

Preference screen.

You can invoke SWIFT MX Message Preference screen by typing 'PXDSWFMX' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click new button on the Application toolbar.

Swift Message Type	MX Message Type	Message Preference
MT 103	pacs.008	MX

You can specify the following fields in this screen.

### Host Code

On New action, the system displays the Host Code of the selected branch of the logged in user.

### Network Type

You can specify the Network code from the list of values displayed. System displays the Network codes maintained for the Payment types Cross border and RTGS at Host level in the LOV.

### SWIFT Message Type

System displays the SWIFT Message types configured in PXDMXST screen in this LOV. You can specify the SWIFT Message type from the list of values specified.

### MX Message Type

System displays the MX Message type configured in PXDMXST screen for the corresponding SWIFT Message Type selected.

### Message Preference

System displays the Message preference configured in PXDMXST screen for the corresponding SWIFT Message Type selected. You can modify this field. Value allowed in field are MX and MT.

## 2.17.2.1 Viewing SWIFT MX Message Preference Summary


You can invoke SWIFT Message Preference Summary screen by typing 'PXSSWFMX' in the field at the top right corner of the Application tool bar and click search on the adjoining arrow button

## 2.18 CNH Payments

### 2.18.1 CNH Conversion

CNH Conversion screen defines preference for CNH Currency conversion across host.

You can invoke CNH Conversion screen by typing 'PXDCNHCN' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.



You can specify the following fields in this screen

#### **Host Code**

On New action, the system displays the Host Code of the selected branch of the logged in user.

#### **CNH Conversion Required**

You can specify whether the CNH Currency Conversion is required for the host by selecting the values Yes/No in the dropdown.

### 2.18.2 Viewing CNH Conversion Summary

You can invoke CNH Conversion Summary screen by typing 'PXSCNHCN' in the field at the top right corner of the Application tool bar and click search on the adjoining arrow button

## 2.19 SWIFT SRG Effective Date Maintenance

You can invoke the 'SWIFT SRG Effective Date Detailed' screen by typing 'PXDSRGDT' in the field at the top right corner of the application toolbar and clicking on the adjoining arrow button. Click 'New' button on the Application toolbar.

Specify the following fields:

### **SRG Release Year**

This field is a mandatory field, pre-shipped with value 2019 and for each year going forward. You cannot modify this field as it's a non-modifiable field

### **Effective Date**

This is the Actual Effective date of the SRG release year and pre-shipped with value as 2019-11-16. System allows the date which belongs to the SRG Release Year. You should provide future value dates but not back value dates.

### **UETR pick up logic for 'n9x' messages:**

- System copies the UETR of the related transaction to Field 121 in block 3 of the 'n9x' messages if the SRG release year is 2019 and OBPM Application date is greater than or equal to SRG 2019 Effective date as maintained in 'PXDSRGDT' screen.
- If the OBPM Application date is lesser than the SRG 2019 Effective date, then the OBPM 14.2 functionality works in the case where 'n9x' gets generated without having the copy value of the UETR field. However, 'UETR', if available gets auto-populated in the respective 'n9x' screens..

## **2.19.1 SWIFT SRG Effective Date Summary**

You can view the SWIFT SRG Effective Date Summary details in the 'SWIFT SRG Effective Date Summary' screen. You can invoke the "SWIFT SRG Effective Date Summary" screen by typing 'PXSSRGDT' in the field at the top right corner of the application toolbar and clicking on the adjoining arrow button.

You can search using one or more of the following parameters:

- Authorization Status
- Record Status

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria

## 2.20 SWIFT n99 Pricing

### 2.20.1 SWIFT n99 Pricing Preference

You can maintain pricing codes for SWIFT MT n99 message generation through this screen. This is a common screen for both Cross Border and RTGS payment types. You can invoke the 'SWIFT n99 Pricing Preference' screen by typing 'PXDPRN99' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click New button on the Application toolbar



Actions allowed in this screen are:

- New
- Save
- Copy
- Print
- Enter Query
- Unlock
- Delete
- Authorize

You can specify the following details:

#### **Host Code**

System defaults the Host code of the selected branch on clicking 'New' button.

#### **Network Code**

Specify the network code. Alternatively, you can select the network code from the option list which displays all the Cross Border and RTGS type networks defined in the host

#### **Transfer Type**

Select the Transfer Type from the drop-down values. The options listed are:

- Outgoing
- Incoming

#### **Transfer Currency**

Specify the Transfer Currency. Alternatively, you can select the Transfer Currency from the option list which displays all the currencies defined for the selected network including '\*AL' wild card option for All currencies

#### **Message Type**

Select the Message Type from the drop-down values. The options listed are:

- MT 199
- MT 299

#### **Pricing Code**

Select the Pricing Code from the list of values, which fetches all the pricing codes defined in the host. You should maintain at least one pricing code

---

#### **Note**

The MT n99 message generation charging Pricing codes should belongs to type 'Fixed' [Fixed Amount; No Rate based/Slab based pricing code]

---

#### **Default**

Check this box to indicate the pricing code is the Default pricing code. There can be only one Default pricing code maintained.

## 2.20.2 SWIFT n99 Pricing Preferences Summary

You can invoke “SWIFT n99 Pricing Preferences Summary” screen by typing ‘PXSPRN99’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

SWIFT n99 Pricing Preference

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Host Code  Network Code

Transaction Type  Transfer Currency

Message Type

Records per page 15 1 Of 1 Lock Columns 0

Authorization Status	Record Status	Host Code	Network Code	Transaction Type	Transfer Currency	Message Type
----------------------	---------------	-----------	--------------	------------------	-------------------	--------------

Exit

From this summary screen, you can search for records with the following criteria.:

- Authorization Status
- Record Status
- Host Code
- Network code
- Transaction Type
- Transfer Currency
- Message Type

Once you have specified the search parameters. Click ‘Search’ button. The system displays the records that match the search criteria. Double click a record to view the detailed maintenance screen

## 3. Cross Border Transactions

You can perform below mentioned activities in the Oracle Banking Payments.

### 3.1 Cross Border Outbound Transaction

#### 3.1.1 Outbound Cross Border Payments Transaction Input

You can book an Outbound SWIFT payment by providing inputting the payment transaction in this screen. Some Transaction fields are applicable only to the specific transfer type (Customer / Bank transfer/ Bank transfer - Own Account).

You can invoke the 'Cross Border Outbound Transaction Input' screen by typing 'PXDOTONL' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

#### Allowed operations

Below mentioned operations are allowed in the Transaction input screen:

Operation	Description
New	You can input a new Transaction using this option.

Operation	Description
Delete	<p>You can delete unauthorized transactions from the system using this option.</p> <p>The count of the transaction is decremented against the image reference number if the transaction to be deleted is an Image transaction.</p> <p>Deletion of the transaction is not allowed if a transaction was authorized at least once.</p>
Unlock	<p>You can unlock an unauthorized transaction and change some of transaction details using this option. Amendment of an unauthorized transaction will not result in an increase of the version number. The latest version alone is modified. The party fields like 57, 56, 59 etc. can be modified. A new Transaction version is created if an authorized Transaction is amended.</p>
Enter Query	<p>This is a Query option for querying an unauthorized or authorized transaction in any Transaction status and viewing its details. Transaction can be queried by entering the Transaction Reference number.</p> <p>After the transaction details are loaded in the screen, any other applicable operation mentioned in this table can be performed.</p>
Copy	<p>You can create a Transaction using a template or copy details from a transaction using this option.</p> <p>The transaction or the template to be copied can be selected in the transaction summary screen or loaded in the Transaction Input screen. The copy option in the Transaction online copies user input transaction details/template details.</p>

Specify the following details.

#### **Transaction Branch Code**

Defaults and displays the current branch of the logged in user.

#### **Branch Name**

System defaults the transaction branch Name.

#### **Host Code**

Defaults and displays the host code of the logged in user.

#### **Host Code Description**

System defaults the description of the host code

#### **Source Code**

Specify the Source Code, via which the transaction is to be booked. You can select the Source code from the list of values. All valid source codes are listed.

#### **Source Code Description**

System defaults the description of the Source code selected

#### **Template ID**

This field is read only always.

---

**Note**

When a Cross Border transaction is created through a template via PQSTMPLQ then, the Template ID field from template is defaulted to identify that the transaction is created via template.

---

**Transaction Reference Number**

System displays auto-generated Transaction reference number. For more details on the format, refer the Payments Core User Guide.

---

**Note**

If the Accounting and Message preference in PMDSORCE is opted as Transaction Reference, then the data displayed on this field is populated in Field 20 of the SWIFT message generated on this transaction.

---

**Related Reference Number**

On clicking 'New', this field will be blank. You can specify the reference number manually, if required.

**Source Reference Number**

On clicking 'New', this field will be blank. You can specify the Source Reference Number manually.

---

**Note**

If the Accounting & Message preference in PMDSORCE is opted as Source Reference, then the data input on this field is populated in Field 20 of the SWIFT message generated on this transaction. If no data is input on this field, then Transaction Reference Number of this transaction is populated in Field 20.

---

**Transfer Type**

Select the transfer type of the transaction. Options available are as follows:

- Customer Transfer
- Bank Transfer
- Cover Transfer
- Bank Transfer Own A/c

**Network Code**

You can select the Cross Border Payments network from the list of values available. All valid Cross border & RTGS networks are listed.

**Network Code Description**

System defaults the description of the Network Code selected.

**gpi Agent**

This field is not editable and is disabled. This field has the drop-down values as - Yes/ No.

## Prefunded Payments

On checking 'Prefunded Payments', Debit Account Number gets defaulted, to the Prefunded GL maintained at Source.

## Multi-Credit Transfer

Select this check box to indicate that this transaction is part of a multi-credit transfer consol.

## Multi Credit Reference Number

Specify the Multi Credit Reference Number of an open multi-credit transfer consol of customer/bank transfers in which this transaction should included.

### 3.1.1.1 Main Tab

Click the Main tab in the 'Cross Border Outbound Transaction Input' screen.

**Main Pricing**

Instructed Currency Indicator:

**Payment Details**

Booking Date:   
Instruction Date:   
Activation Date:   
Transfer Currency:   
Transfer Amount:   
Debit Account:   
Debtor Name:   
Debit Account Currency:   
Debit Currency Name:   
Debit Amount:   
Exchange Rate:   
FX Reference Number:   
Customer Number:   
Customer Service Model:   
Charge Account Number:   
Charge Account Branch:   
Charge Account Currency:   
SSI Label:   
Credit Account:   
Creditor Name:   
Credit Account Currency:   
Credit Currency Name:   
Credit Value Date:   
Debit Value Date:   
Message Date:   
Remarks:   
Bank Operation Code:   
Banking Priority:   
Charge Whom:

**50: Ordering Customer**

Party Identifier:   
BIC / Name and Address 1:   
BIC Code Description:   
Address Line 2:   
Address Line 3:   
Address Line 4:

**52: Ordering Institution**

Party Identifier:   
BIC / Name and Address 1:   
BIC Code Description:   
Address Line 2:   
Address Line 3:   
Address Line 4:

**56: Intermediary Bank**

Party Identifier:   
Bank Identifier Code:   
BIC Code Description:   
Name and Address 1:   
Address Line 2:   
Address Line 3:   
Address Line 4:

**57: Account With Institution**

Party Identifier:   
Bank Identifier Code:   
BIC Code Description:   
Name and Address 1:   
Address Line 2:   
Address Line 3:   
Address Line 4:

**58: Beneficiary Institution**

Party Identifier:   
BIC / Name and Address 1:   
BIC Code Description:   
Address Line 2:   
Address Line 3:   
Address Line 4:

**59: Ultimate Beneficiary**

Account:   
BIC / Name and Address 1:   
BIC Code Description:   
Address Line 2:   
Address Line 3:   
Address Line 4:   
Country:

**Receiver Details**

Receiver:   
Receiver Description:   
Receiver Of Cover:   
Receiver of Cover Description:

Additional Details | UDF | IMIS | Message And Accounting Entries | Payment Chain

Maker ID:  Checker ID:  Authorization Status:   
Maker Date Stamp:  Checker Date Stamp:

Specify the following details.

## Instructed Currency Indicator

Select any of the two options:

- **Transfer Currency** - If the Instructed currency option is 'Transfer Currency' then the Instructed amount provided will be considered as the Transfer Amount.

- Debit Currency - If the option is 'Debit Currency', then the debit amount provided is to be input & Transfer amount is derived based on the Debit amount and transfer currency.

## **Payment Details**

### **Booking Date**

Booking date is read only field defaulted as the current logged in branch date.

### **Instruction Date**

Select the customer advised Value Date of the transaction using the adjoining calender widget.

### **Activation Date**

System retains the Activation Date input by the user. Also, Activation date will be an optional field. If the activation date is not provided, system will derive the same

Activation Date is calculated in the following way

- The required number of days are present between activation date and instruction date taking into consideration the settlement days, float days and holidays
- Activation date is not a back date
- Activation Date is not a branch holiday

You can correct the dates and retry, if the entered validation fails. Error message id displayed for the same.

---

#### **Note**

Future dated Cross Border transaction will be processed on the booking date if activation date derived post deducting currency settlement days is current date.

- If the payment request is received through web services, system will re-derive the activation date and will proceed with the payment.
- If the transaction is moved to Network cut off queue, it is possible to provide Activation Date and Instruction date while performing Carry Forward action.
- The 'Value Date change' action from Future Valued Queue allows providing a new Activation date & Instruction date
- For cross border transactions on Force release with a new instruction date, messages will be generated with new instruction date in field 32A.

---

## **Transfer Currency**

Specify the currency in which the payment needs to be made. Alternatively, you can select the currency from the option list. The list displays all valid currencies maintained in the system.

---

#### **Note**

- If Transfer Currency is specified as CNH in an outbound transaction, then system will check whether CNH Conversion is required at host level.
  - If CNH Conversion is maintained as yes in PXDCNHCHN, then transaction is created with the currency as CNH. In the Outgoing message generated, the transfer currency is converted to CNY.
  - If CNH Conversion is maintained as No in PXDCNHCHN, transaction is processed and message is generated with CNH currency as per current functionality.
-

**Transfer Amount**

You can input Transfer amount, if Instructed currency indicator is Transfer Currency. If it is Debit currency, then the transfer amount is derived based on the Debit amount and Transfer currency applying exchange rate.

**Debit Account**

Specify the debit account of the transaction. Alternatively, you can select the debit account from the option list. The list displays all valid accounts maintained in the system.

**Debtor Name**

System defaults the Name on selecting the Debit Account.

**Debit Account Currency**

The system displays the debit account currency based on the debit account selected. In case of Prefunded payment, where Debit happens on a GL, Debit Account Currency is considered same as Transfer Currency.

**Debit Currency Name**

System defaults account currency name based on the debit account number selected.

**Debit Amount**

Specify the Debit Amount for the transaction, if Instructed Currency Indicator is selected as Debit Currency. If it is selected as Transfer Currency, then this field is disabled and derived based on the Transfer currency, amount & Debit account currency.

**Exchange Rate**

The exchange rate is applicable for cross-currency transactions. The transaction is considered as cross-currency transaction if for an Outbound payment the debit account currency is different from the transfer currency.

**FX Reference**

Specify the foreign exchange reference.

**Customer Number**

The system defaults the Customer Number of the Debit Account selected.

**Charge Account Number**

Specify the Charge Account Number by selecting an account number from the LOV. Charge/ tax amounts are debited to this Charge Account Number. If Charge Account is not available charge amounts are debited to the transaction debit account

**Charge Account Branch**

The system defaults the Branch of the Charge Account selected

**Charge Account Currency**

The system defaults the Account Currency of the Charge Account selected

**SSI Label**

Select the required SSI label from the list of values. Valid SSI labels for the debit customer, network and currency is listed in the list of values.

**Enrich Button**

Click on Enrich button upon providing the Payment details and the valid account number/ Payment Identifier based on the Transfer Type selected. This is mandatory.



System defaults the debit/credit account details and payment chain building in the respective fields, based on the data entered.

---

**Note**

This list will be populated with valid SSI Labels, applicable for the customer and the Network. If Customer or Network details are not available, the fetch action of the list of values displays the information message to this effect. The list of values is queried based on the fields SSI Label, Beneficiary Bank ID, Beneficiary Account & Account IBAN.

---

**Credit Account**

Specify the credit account of the transaction. Alternatively, you can select the Credit account from the option list. The list displays all valid accounts maintained in the system.

**Creditor Name**

System defaults the Name on selecting the Credit Account.

**Credit Account Currency**

The system displays the credit account currency based on the credit account selected.

**Credit Currency Name**

System defaults account currency name based on the credit account number selected.

**Credit Value Date**

Credit Value Date is derived and displayed on clicking Enrich button. This is same as the Instruction date.

**Debit Value Date**

Debit Value Date is derived and displayed on clicking Enrich button. Activation Date is defaulted in this field, if Debit value date option at Network Preference is set as Activation Date. If the preference is Instruction date, then the Instruction date input above is copied on to this field.

**Message Date**

For Outbound transactions, the system computes the message date based on the credit value date and displays it here along with the cut-off time.

**Remarks**

Specify any Operations remark or additional info pertaining to this transaction.

**Bank Operation Code**

Select the bank operation code from the option list. Options available are as follows:

- CRED – Credit Transfer with No SWIFT Service Level
- CRTS – Credit Transfer for Test Purposes
- SPAY – Credit Transfer for SWIFT Pay Service Level
- SPRI – Credit Transfer for Priority Service Level
- SSTD – Credit Transfer for Standard Service Level

If no value is selected then system defaults this field value to “CRED”.

---

**Note**

This is applicable only for customer transfers.

---

### **Banking Priority**

Specify the priority of banking. Choose between Normal, Urgent and High.

### **Charge Whom**

Specify the charge bearer for the transaction. The list displays the following values:

- OUR
- BEN
- SHA

### **50:Ordering Customer**

The system displays the name and address of the customer ordering the transaction, based on the debit account selected.

This is applicable only for 'Customer Transfer' type of transaction. The ordering customer details including name and address are defaulted based on the debit account selected. However you can modify these details.

Chinese code words are supported for Name and address fields of Ordering Customer. Refer section 3.1.2.11 for details.

### **52:Ordering Institution**

Specify the details of the financial institution that has ordered for the payment to be initiated.

### **56: Intermediary Bank**

Specify the details of intermediary bank which is the correspondent bank of Account with institution.

You can capture below mentioned details of the intermediary bank here.

- Specify the correspondent account number in the first line starting with "/".
- Specify the bank identifier and bank code in the second and third lines. If the bank identifier is BIC then you can select the appropriate BIC code from the adjoining option list that displays all valid BICs maintained in the system.

You can also specify the Name and Address of the Intermediary bank instead of the BIC Code, in lines 4 to 7.

### **57: Account with Institution**

Specify the financial institution at which the beneficiary maintains their account. The beneficiary can be a retail/corporate in Customer Transfers or a Bank in case of Bank Transfers. Input is mandatory for 'Customer Transfer' type of transactions.

- Specify the correspondent account number in the first line starting with "/".
- Specify the bank identifier and bank code in the second and third lines. If the bank identifier is BIC then you can select the appropriate BIC code from the adjoining option list that displays all valid BICs maintained in the system.
- You can also specify the Name and Address of the Intermediary bank instead of the BIC Code, in lines 4 to 7.

---

#### **Note**

The clearing code and mask validation failure results in error.

If payment chain building fails as BIC could not be derived, then the transaction fails with that error code. The above validations are applicable to pass through transactions as well. There is no Clearing code validations specified for fields 53, 54 & 55 in SWIFT manual, though it is possible to send or receive the clearing identifier for these parties.

---

### 58: Beneficiary Institution

Specify the financial institution which is the ultimate recipient of the funds being transferred.

This is applicable only to Bank Transfers.

You can capture below mentioned details of the Beneficiary Institution here.

- Specify the account number in the first line starting with “/”
- Specify the BIC code in the second line. You can also select the appropriate BIC code from the adjoining option list that displays all valid BICs maintained in the system.
- You can also specify the Name and Address of the Beneficiary Institution instead of the BIC Code, in lines 3 to 5.

### 59: Ultimate Beneficiary

Specify the details of the Ultimate Beneficiary of the payment. This field is available only for ‘Customer Transfer’ type of transactions.

You can capture below mentioned details of the Beneficiary here.

- In Line 1, specify the customer beneficiary account number to which the transaction amount should be credited. You can specify the IBAN of the account. Alternatively, you may search and select the account number using LOV if the beneficiary account is maintained with the bank, which is the case in Inbound payments. This field is available only for ‘Customer Transfer’ type of transactions.
- Specify the Name and Address of the Beneficiary in lines 2 to 5. Chinese code words are supported for Name and address fields. Refer section 3.1.2.11 for details.
- Instead of the Name and Address, you can also specify the BIC code of the Beneficiary in line 2.
- IBAN validations is conditional mandatory for Cross Border Outbound Payments
  - If first 2 character of the Beneficiary Account number does not match IBAN ISO country code of the BIC (AWI BIC or the receiver BIC if AWI BIC not available), then the account number is treated as non IBAN.
  - IBAN validation is skipped in this case, even if IBAN is mandatory for the country code derived from the BIC.

#### For example,

Beneficiary account is maintained as /2121212121, IBAN validation will not be done even if it is required for the country derived from the BIC.

- Let the country derived from BIC is ‘DE’ and the Account also starts with ‘DE’. System verifies whether
  - IBAN check is required for country code DE
  - Whether there is a record available in IBAN Plus for the BIC with
  - IBAN ISO country code as ‘DE’
  - If yes, then IBAN format validation is done based on IBAN Structure applicable for DE.
- Let the country code derived from BIC is GB and the account number provided starts with ‘CH’
  - IBAN check is required for country code GB
  - Whether there is a record available in IBAN Plus for the BIC with
  - IBAN ISO country code as ‘CH’

- If yes, then IBAN format validation will be done based on IBAN Structure applicable for CH
- IBAN validation for ultimate beneficiary account is done by the system when BIC is present in tag 57(AWI) and IBAN check is set as required for AWI BIC's country. System fetches the ISO country code from BIC code (5th & 6th char).
- IBAN validation is done based on the data maintained in the existing IBAN Information Maintenance (ISDESBAN)
- If BIC code is not present in tag 57, system fetches the ISO country code from the receiver of the payment. If IBAN check is required for the receiver country then system validates IBAN for ultimate beneficiary account.
- These validations are applied on Customer & Bank Transfer transactions, both on Origination from the system & for pass through cases.

## **Receiver Details**

### **Receiver**

System derives the Receiver (bank) of the Outbound payment message as part of Payment chain building activity and populates the BIC code of this bank in this field.

This field is also populated on clicking Enrich button.

You may choose to override the system derived Receiver with a different BIC code and input the same over here. On save, system validates if a SWIFT message can be sent to the user specified Receiver BIC code.

### **Receiver Description**

System defaults the description of the Receiver selected.

### **Receiver of Cover**

System derives the Receiver of Cover (bank) of the Outbound payment message as part of Payment chain building activity if a Cover message is required to be sent in addition to the payment messages. The BIC code of this bank is populated in this field.

This field is also populated on clicking Enrich button.

- You may choose to override the system derived Receiver of Cover with a different BIC code and input the same over here. On save, system validates if the user specified Receiver of Cover is a currency correspondent and a SWIFT message can be sent to this BIC code.

### **Receiver of Cover Description**

System defaults the description of the Receiver of Cover selected.

## **3.1.1.2 Additional Details Tab**

You can capture additional information and view field values set by the system for the transaction.

You can invoke the 'Additional Details' sub-screen in Transaction Input by clicking the "Additional Details" link present at the bottom of the screen.

Specify the following details.

### **53: Sender Correspondent**

The system displays the Party Identifier, BIC code or details like Name and Address of the sender's correspondent through which the payment transaction should be routed. This value is populated after deriving the Payment chain as part of the processing. This BIC would be present in the Currency Correspondent maintenance for the Transfer currency.

---

#### **Note**

- If an account is present in 53B of the inbound customer transfer & bank transfer then system will debit account present in 53B and not from the currency correspondent maintenance.
  - The account must be a vostro account and not a nostro account
  - If system doesn't find a valid vostro account the inbound transaction will go to repair queue.
- 

### **54a: Receiver Correspondent**

The system displays the Party Identifier, BIC code or details like Name and Address of the branch of the receiver or another financial institution in which the funds are made available to the receiver. This value is populated after deriving the Payment chain as part of the

processing. This BIC would be present in the Global Correspondent maintenance for the Transfer currency.

### **55: Third Reimbursement Institution**

The system displays the BIC code or details like Name and Address of the receiver's branch, when the funds are made available to this branch through a financial institution other than that indicated in Field 53. This value is populated after deriving the Payment chain as part of the processing. This BIC would be present in the Global Correspondent maintenance for the Transfer currency.

### **13C: Time Indication Details**

Specify the standard time indication related to the processing of the payment instruction. You should input the standard Time indication code (placed between '/') followed by Time, a sign (+ or -) and the Offset from UTC. Alternatively, you can select the time indication code from the option list. The list displays all valid time indications maintained in the system, which are CLSTIME, RNCTIME and SNDTIME.

### **70: Remittance Information**

Specify the Remittance Information details from fields 1 to 4.

#### **72: Sender to Receiver Information**

This field specifies additional information for the Receiver or other party specified in the lines from 1 to 6.

---

#### **Note**

For the Outgoing Cross Border/RTGS transaction input screens, system lists the standard code words such as /ACC/, /INST/, /INT/ except the SWIFT code word /REC/ in the LOV field 72: "Sender to Receiver Information 1-6".

---

### **23E: Instruction Codes**

#### **Instruction Code 1 through to Instruction Code 6**

Specify a standard Instruction code in each field and then input additional information. Alternatively you can select the standard Instruction code type from the option list. The list displays all valid instruction codes maintained in the system.

### **71G: Receiver charges**

If Charge Whom field in the Preferences section of the Main tab has a value of "OUR" then you can specify the Receiver's charges in case of 'Customer Transfer' if they are required to be included in the Settlement amount.

### **71F: Sender Charges**

#### **Sender Charge Ccy 1 through to Sender Charge Ccy 6**

The system displays the charge currency of Sender's charges that are deducted from the Transfer amount by this bank (Sender) or by any of the previous banks in the payment chain. These charges are applicable in case of Customer Transfers and the Charge Whom field value selected is SHA or BEN.

## **Sender charge Amount 1 through to Sender Charge Amount 6**

The system displays the amount of Sender's charges.

In case of an Inbound Customer transfer message, each of the previous banks in the payment chain would have deducted charges from the Transfer amount and details of the same would be present in the message. The Charge currency and Charge amount of each of these charges would be populated in up to 6 sets of these fields in addition to the charges deducted by this bank

## **77B: Regulatory Reporting Details**

Specify the statutory and/or regulatory information required by the authorities in the country of receiver or sender. You should specify this information by specifying a regulatory code (placed between '/') followed by 2 character country code and followed by regulatory details. This information should be specified in up to 3 lines each containing 35 characters.

## **77T: Envelope Contents Details**

Specify the contents of the Envelope in the lines from 1 to 5.

---

### **Note**

- System supports generation of Outbound MT 103 Remit message. MT 103 Remit message would be generated if the below mentioned conditions are satisfied:
  - Tag 77T details are present
  - 'Remit Member' flag must be checked for both sender and receiver BIC
  - Tag 70 details are not present
- The system will throw error and the transaction is not saved in the below situations:
  - If tag 77T details & tag 70 details both are present
  - If tag 77T details are present but 'Remit Member' flag is unchecked for sender and/or receiver.
  - If tag 77T details are present and 'Remit Member' flag is checked for sender and/or receiver BIC but tag 70 details is also present

You can view Outbound MT 103 Remit message details on the Outbound Message Browser screen and on the Messages sub-screen of the Cross Border Outbound Payment Transaction view screen.

---

## **26 T:Transaction Type**

You can specify the applicable transaction type code for the transaction.

## **Message Suppression Preferences**

The message generation can be suppressed for the transaction by checking the appropriate preference flag:

### **Payment Message (with cover)**

The messages that get suppressed are MT 103 & Cover, MT 202 & Cover, MT 205 and MT 200.

### **Cover Message only**

The messages that get suppressed are MT 202COV and MT 205COV.

## Debit Confirmation

The message that gets suppressed is MT 900.

## Receive Notice

The message that gets suppressed is MT 210.

## Cover Details

### Process without cover

Check this box to indicate that the transaction will be processed by sending the message in serial manner.

## 72:Sender to Receiver Info for Cover Message

### Sender to Receiver Information (1-6)

The additional information for the Receiver of Cover or other party is passed via Sender to Receiver Info field.

Information provided in this field (Lines 1 -6) is sent in MT202 COV / MT 205 COV messages, if the customer transfer is processed with cover in the outbound Cross-border/RTGS screens.

---

### Note

Sender to Receiver Info for Cover Message is not applicable for payments originated via C2B files / MT 101

---

### 3.1.1.3 Sequence B - Cover Details Tab

You can invoke this screen by clicking Sequence B - Cover Details tab in the PXDOTONL screen. This screen is applicable only for Transfer Type 'Cover Transfer'.

The screenshot displays the 'Sequence B - Cover Details' screen with the following sections and fields:

- 50: Ordering Customer**
  - Party Identifier
  - BIC / Name and Address 1
  - Address Line 2
  - Address Line 3
  - Address Line 4
- 52: Ordering Institution**
  - Party Identifier
  - BIC / Name and Address 1
  - Address Line 2
  - Address Line 3
  - Address Line 4
- 72: Sender To Receiver Information**
  - Information 1
  - Information 2
  - Information 3
  - Information 4
  - Information 5
  - Information 6
- 59: Ultimate Beneficiary**
  - Account
  - BIC / Name and Address 1
  - Address Line 2
  - Address Line 3
  - Address Line 4
- 56: Intermediary Bank**
  - Party Identifier
  - Bank Identifier Code
  - BIC Name
  - Name and Address 1
  - Address Line 2
  - Address Line 3
  - Address Line 4
- 33: Currency/Instructed Amount**
  - Instructed Currency
  - Instructed Amount
- 57: Account With Institution**
  - Party Identifier
  - Bank Identifier Code
  - BIC Name
  - Name and Address 1
  - Address Line 2
  - Address Line 3
  - Address Line 4
- 70: Remittance Information**
  - Information 1
  - Information 2
  - Information 3
  - Information 4

An 'Exit' button is located at the bottom right of the screen.

For payment types other than Cover Transfer, if details are input in Sequence B sub screen, then no error is thrown. Instead, the details entered in Sequence B sub screen are made blank. The Sequence B details of Cover message are displayed based on the inputs in the




Sequence B sub screen. The field validations for each field are same as applicable as per SWIFT requirements.

#### 3.1.1.4 **UDF Tab**

Click the 'UDF' Section in the Transaction View screen to invoke this sub screen.

This sub-screen defaults values of UDF fields that are part of the UDF group specified for the 'Manual' source.



The screenshot shows a web-based application window titled "Fields". Inside the window, there is a section header "Fields" followed by a table. The table has two columns: "Field Label" and "Value". The table is currently empty. At the bottom right of the window, there are two buttons: "Ok" and "Cancel".

Specify the following details.

#### **Fields**

##### **Field Label**

The system displays all fields that are part of the associated UDF group.

##### **Value**

The system displays the default value, where exists for the UDF fields. You can change the default value or specify value for other fields (where default value does not exist)

### 3.1.1.5 **MIS Tab**

You can maintain the MIS information for the Transaction. If the MIS details are not entered for the Transaction the same is defaulted from the product maintenance. Click the 'MIS' link to invoke the 'MIS' sub-screen

The screenshot shows a web application window titled "MIS". At the top, there is a "Enter Query" section. It contains a text input field labeled "Transaction Reference no \*" and a "MIS Group" field with a "Default" button next to it. Below this, there are two main sections: "Transaction MIS" and "Composite MIS". Each section contains a table with multiple rows of input fields. At the bottom right of the window, there are "Ok" and "Exit" buttons.

Specify the following details

#### **Transaction Reference**

The system displays the transaction reference number of the transaction.

#### **MIS Group**

Specify the MIS group code. Alternatively, you can select the MIS group code from the option list. The list MIS group displays all valid MIS groups maintained in the system for different sources in the Source maintenance. By default, the MIS group linked to the 'Manual' source is populated while booking a transaction from this screen.

#### **Default button**

Click this button after selecting a MIS group different from the default MIS Group (which was populated) so that any default MIS values can be populated from to link to the Transaction MIS and Composite MIS classes.

#### **Transaction MIS**

The default MIS values for Transaction MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.

#### **Composite MIS**

The default MIS values for Composite MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.

### 3.1.1.6 Messaging and Accounting Entries

You can invoke the “Messaging and Accounting Entries” screen by clicking the “Messaging and Accounting Entries” tab in the transaction input screen

Message and Accounting Entries

Execute Query

Transaction Reference Number

Transaction Status

Queue Code

Message Details Accounting Entries

DCN Message Type SWIFT Message Type Message Status Direction Message Date Authorization Status Acknowledgement Status Media Receiver or Sender PDE Flag

DCN

Message Type

SWIFT Message Type

Message Status

Message

Cancel

Specify the Transaction Reference Number and click on Execute Query to obtain the Message details

By default, the following attributes of the **Message Details** tab are displayed.

- DCN
- Message Type
- SWIFT Message Type
- Message Status
- Direction
- Message Date
- Authorization Status
- Acknowledgement Status
- Media
- Receiver or Sender
- PDE Flag
- Suppressed

Following Message details are also displayed on clicking Execute Query button

- DCN
- Message Type
- SWIFT Message Type
- Message Status
- Message

---

**Note**

- If the message preference maintained at host level SWIFT Message Preference (PXDSWFMX) is MX, then outbound message is generated in SWIFT MX format. Otherwise outgoing message is generated in SWIFT MT format.
  - If the Message Preference is not maintained at Host level, then Bank level SWIFT MX Message Preference (PXDSWFMX) is considered for outbound message generation. If the message preference is MX, then outbound message is generated in SWIFT MX format. Otherwise outgoing message is generated in SWIFT MT format.
- 

### 3.1.1.7 Accounting Entries

Click the Accounting Entries tab and view the accounting entries for the transaction initiated.

The screenshot shows a web application window titled "Message and Accounting Entries". At the top, there is a section labeled "Execute Query" with three input fields: "Transaction Reference Number", "Transaction Status" (a dropdown menu), and "Queue Code" (a dropdown menu). Below this, there are two tabs: "Message Details" and "Accounting Entries", with the latter being the active tab. The main area of the window displays a table with the following columns: "Account Currency", "Transaction Amount", "Netting", "Offset Account", "Offset Account Branch", "Offset TRN Code", "Offset Amount Tag", "Offset Currency", "Offset Amount", "Offset Netting", and "Handoff Status". The table is currently empty. At the bottom right of the window, there is a "Cancel" button.

By default, the following attributes of the **Accounting Entries** tab are displayed:

- Event Code
- Transaction Date
- Value Date
- Account
- Account Branch
- TRN Code
- Dr/Cr.
- Amount Tag
- Account Currency
- Transaction Amount
- Netting
- Offset Account
- Offset Account Branch
- Offset TRN Code

- Offset Amount Tag
- Offset Currency
- Offset Amount
- Offset Netting
- Handoff Status

### 3.1.1.8 View Change Log

Click the View Change Log tab in Transaction Input screen and view the modified field values of the selected version number. The modified field values of the selected version against the previous version will be shown against the field names where field values got changed.

Below fields are displayed:

- Transaction Reference Number
- Version Number
- Mod Number
- Field Name
- Old Value
- New Value

---


#### **Note**

Authorization of Unauthorized Cross Border template is not allowed from this screen. Instead, the 'Authorize' user action of Template Summary can be used.

---

### 3.1.1.9 **Payment Chain**

You can view the Payment Chain details for the transaction in this screen. Click the “Payment Chain” link in the Transaction Input screen to invoke this sub-screen



The screenshot shows a window titled "Outbound Cross Border Payments Transaction Input". Inside, there's a table with the following headers: "Chain Order", "Bank Code", "RMA/RMA Plus", "Account Number", and "Field Number". The table body is empty. Above the table, there are navigation icons and a "Go" button. At the bottom right, there are "Ok" and "Cancel" buttons.

Displays the following details.

#### **Chain Order**

Specifies the order of banks/institutions in the payment chain

#### **Bank Code**

The system displays the BIC code of the bank/institution.

#### **RMA/RMA Plus**

The system displays if Sending bank has RMA/RMA Plus maintenance with the particular bank in the payment chain.

#### **Account Number**

The system displays the Nostro (mirror) /Vostro account number associated with the particular bank.

#### **Field Number**

The system displays the field number used internally to identify the position of the party in the Outbound SWIFT message. E.g “53” corresponds to field 53 in SWIFT message whereas “02” is used to identify the Receiver of the message

### 3.1.1.10 Pricing Tab

You can view the charge amount computed by the system for each of the Pricing components of the Pricing code linked to the network code of the transaction. Click the “Pricing” tab.

The screenshot shows the 'Transaction Input Detailed' window with the 'Pricing' tab selected. The window has a menu bar with options: New, Copy, Delete, Unlock, Print, Authorize, Reverse, Enter Query. Below the menu bar, there are several input fields: Transaction Branch Code, Host Code, Source Code (with a red asterisk and 'MANL' value), Network Code, Template ID, Transaction Reference Number (with a red asterisk), Related Reference Number, Source Reference Number, Transfer Type (with a red asterisk and a dropdown arrow), Multi Credit Reference Number, gpi Preferred, Prefunded Payments, and Multi-Credit Transfer. At the bottom left, there is a 'Main' button and a 'Pricing' button (highlighted in red). Below the input fields, there is a table with the following columns: Pricing Component, Pricing Currency, Pricing Amount, Waived, Debit Currency, and Debit Amount. The table is currently empty. At the bottom of the window, there is a status bar with links: Additional Details, UDF, MIS, Message And Accounting Entries, Payment Chain. On the right side of the status bar, there are fields for Maker Id, Checker ID, Authorization Status, and an Exit button.

For the Transaction initiated, system displays the fees/tax charged in this section.

#### Pricing Component

The system displays each Pricing component of the Pricing code from the Pricing Code maintenance.

#### Pricing Currency

The system displays the Pricing currency of each Pricing component of the Pricing code.

#### Pricing Amount

The system displays the calculated Charge amount for each Pricing component of the Pricing code.

#### Waived

The system displays if charges for any Pricing component are waived in the Pricing maintenance.

#### Debit Currency

The system displays the currency of the Charge account to be debited for the charges.

#### Debit Amount

The system displays the Charge amount for each Pricing component debited to the charge account in Debit currency. If the Pricing currency is different from the Debit currency the calculated charges are converted to the Debit currency and populated in this field.

### Enriching the Transaction before Save

Before Saving a manually booked transaction, you can manually trigger some of the processing steps mentioned in the table above, and thereby enrich the transaction. On saving the transaction followed by Authorization, the Outbound transaction is processed through the remaining processing Activities as mentioned above.

On clicking the Enrich button in the main tab of the Transaction input screen, the activities till Charge computation are performed. The Enrich option is especially useful when you would like to view the Payment chain determined by the system and change any of the parties including the Receiver and Currency Correspondent, if required, based on specific customer instructions for routing the payment.

### **Saving a Transaction**

You can save the transaction after specifying all of the mandatory fields.

On Save, system performs Transaction Validations. If any of the validations fails then system shows an error message on the screen detailing the error. You can then correct the error and click on Save button again. If all the validations are successful then the transaction is saved and a confirmation message is shown. At the bottom of the transaction screen, the Authorization Status is shown as 'Unauthorized', Transaction Status as 'Active' and the Maker ID and Maker Date stamp is displayed. The transaction is now pending authorization by a different user after which the transaction processing will begin.

### **Payment Instructions received through Channels**

For Outbound payment instructions received through Channels through ReST/SOAP services, system automatically creates a transaction and a Transaction Reference number. The transaction is auto-authorized. It is then processed through the activities as mentioned in the above table.

### **ReST/SOAP Services**

- SSI Label field is added in the request XML for Outbound payments of all payment types.
- If both Customer ID and SSI Label are present in the request, then system will validate whether SSI Label is applicable for the customer, Network & currency. If not, it will be moved to Settlement Review Queue for editing the SSI Label.
- If Customer ID is not present in the request and only SSI Label is present, Customer ID is derived from the debit Account and SSI Label validation will be done.
- Enrichment of the payment request will be done, by fetching the Beneficiary details based on the SSI Label. This will be done by the system before validating the transaction mandatory fields.

---

#### **Note**

If SSI label is provided for a transaction, then beneficiary/party details if present in the payment request will be overwritten by the SSI label details fetched except for field70/72 details.

- 
- If both the SSI Label and the Beneficiary Account (Ultimate Beneficiary/Beneficiary Institution) details are not passed, then the default instruction, if maintained for the Customer and Network, will be defaulted by system by fetching the corresponding SSI Label.

#### **3.1.1.11 Viewing Cross Border Outbound Transaction Summary**

You can view all the Outbound SWIFT transactions created in the Host of the selected branch of the logged in user. You can also view transactions that are present in various Operations (Exception) queues. However, you cannot perform any operations.



You can invoke “Cross Border Outbound Transaction Summary” screen by typing PXSOTONL in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The following operations are available in the transaction summary screen

Operation	Functions
Save	Helps you to save the search criteria for future use.
Refresh	Helps you to refresh the screen with the latest transaction details.
Reset	Clears the search results retaining the search criteria
Clear All	Clears the search results as well as the search criteria
Details	Selecting a particular transaction from the search results and clicking this menu displays the details of the transaction in the Transaction input screen.
Advanced Search	Helps to create advanced or complex search query using the search fields, logical operators and sort option of search results.

You can search using one or more of the following parameters.

- Transaction Reference Number
- Multi Credit Reference Number
- Source Reference Number
- Related Reference Number

- Network Code
- Source Code
- Authorization Status
- Template ID
- Booking Date
- Instruction Date
- Activation Date
- Transfer Currency
- Transaction Amount
- Transfer Type
- Maker ID
- Checker ID
- Branch Code
- Debit Account No
- Customer Number
- Customer Service Model
- Receiver BIC
- Account with Institution BIC
- Banking Priority
- gpi Enabled

In '**Advanced Search**' option, in the summary screen, in DATE fields, you can select date as 'Today' by clicking the button. This is applicable for all the Summary screens.

- Once calendar window opens, on top a button is displayed as "Today". On clicking, today's date gets selected.
- Based on this selection query gets executed. Once summary save is clicked, the query which is saved is with "today" and not with actual date.
- On execution, results are listed based on 'Today's date'. Once you have specified the search parameters. Click 'Search' button. The system displays the records that match the search criteria

Double click a record to view the detailed maintenance screen. You can also export the details of selected records to a file using 'Export' button.

### 3.1.2 **Outbound Cross Border Payments View**

You can view the complete details about the transaction, approvals from the system, Queue actions, and all the details pertaining to the transaction in this screen.

You can invoke “Outbound Cross Border Payments View” screen by typing ‘PXDOVIEW’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. .

Outbound Cross Border Payments View

Execute Query

Transaction Branch

Branch Name

Host Code

Host Code Description

Source Code

Source Code Description

Network Code

Network Code Description

Transfer Type

Transaction Reference Number\*

Related Reference Number

Source Reference Number

File Reference Number

Consolidation Reference Number

Multi Credit Reference Number

Payment Batch ID

Template ID

Branch Transfer Type

Multi-Credit Transfer

gpi Agent

Incoming gpi

UETR

PSD Handling Required

PSD Country Option

PSD Currency Option

Main Pricing

Instructed Currency Indicator

Transfer Currency

Payment Details

Booking Date

Original Instruction Date

Instruction Date

Activation Date

Transfer Currency

Transfer Currency Name

Transfer Amount

Debit Account

Debtor Name

Debit Account Currency

Debit Currency Name

Debit Amount

Sender Bank

Exchange Rate

FX Reference Number

Credit Account

Creditor Name

Credit Account Currency

Credit Currency Name

Credit Amount

SSI Label

Customer No

Customer Service Model

Charge Account Number

Charge Account Branch

Charge Account Currency

Debit Value Date

Credit Value Date

Message Date

Debit Entry Date

Credit Entry Date

Total Charge

Bank Operation Code

Banking Priority

Charge Whom

Charge Currency

Internal Remarks

Purpose Proprietary

50: Ordering Customer

Party Identifier

BIC / Name and Address 1

BIC Name

Address Line 2

Address Line 3

Address Line 4

52: Ordering Institution

Party Identifier

BIC / Name and Address 1

BIC Name

Address Line 2

Address Line 3

Address Line 4

56: Intermediary Bank

Party Identifier

Bank Identifier Code

BIC Name

Name and Address 1

Address Line 2

Address Line 3

Address Line 4

57: Account With Institution

Party Identifier

Bank Identifier Code

BIC Name

Name and Address 1

Address Line 2

Address Line 3

Address Line 4

58: Beneficiary Institution

Party Identifier

BIC / Name and Address 1

BIC Name

Address Line 2

Address Line 3

Address Line 4

59: Ultimate Beneficiary

Account

BIC / Name and Address 1

BIC Name

Address Line 2

Address Line 3

Address Line 4

Country

External System Status

Sanctions Check Status

Sanctions Check Reference

External Credit Approval Status

External Credit Approval Reference

External FX Status

External Rate Reference

View Queue

Transaction Status

Transaction Status

Debit Liquidation Status

Credit Liquidation Status

Prefunded Payments

Recall Status

Receiver Details

Receiver

Receiver Description

Receiver Of Cover

Receiver of Cover Description

Latest gCCT Confirmation Status

Status Code

Reason Code

Pending Queue Details

Queue Code

Sanction Seizure

Sanction Seizure

Cancellation Reason Details

Cancellation Request Reference

Cancellation Request Date

Narrative(79) Line 1

Cancellation Request Status

Cancellation Status

Additional Details

Sequence B - Cover Details

Accounting Entries

All Messages

Exception

gpi Confirmations

Recall Messages

View Queue Action

UDF

MIS

View Repair Log

Payment Chain

Maker Id

Checker Id

Authorization Status

Exit

Maker Date Stamp

Checker Date Stamp

- From this screen, click Enter Query. The Transaction Reference field gets enabled which opens an LOV screen.
- Click the Fetch button and select the required Transaction Reference Number for Query.
- Along with the transaction details in Main and Pricing tabs, you can also view the Status details for the following:
  - External System Status
  - Transaction Status
  - Latest gCCT Confirmation Status - displays Status Code, Reason Code with value from last MT199 received. The value for this is populated from the last received MT199 with Field 79 having Line 2(4c/4c)
  - Pending Queue Details
  - Sanction Seizure
  - Cancellation Reason Details (Details pertaining to the cancellation request for the transaction gets updated here)

### **View Queue**

This button launches the corresponding Queue screen, where the transaction is currently held. The Queue screen will be launched in query mode, listing this transaction alone.

- Click Execute Query to populate the details of the transaction in the Outbound Cross Border Payments View screen.

For more details on Main and Pricing tabs refer to 'PXDOTONL' screen details above.

### **Generation of Outbound Messages**

- The UETR (Unique End-to-End Transaction Reference) is generated for the outbound transaction, if the Transfer Type is, 'Customer Transfer (with/without cover) or Bank Transfer.
- Field 121 UETR in header block 3 is mandatory for outbound messages - 'MT 103, MT 103 STP, MT 103 REMIT, MT 202, MT 205, MT 202 COV and MT 205 COV'
- UETR of an MT 202 COV is same as the UETR of the underlying customer credit transfer

### 3.1.2.1 Additional Details Tab

You can invoke this screen by clicking 'Additional Details' tab in the PXDOVIEW screen.

The 'Additional Details' screen is a web-based form with a title bar and a close button (X). It is organized into three main columns of input fields:

- Left Column:**
  - 53: Sender Correspondent**
    - Party Identifier
    - BIC / Name and Address 1
    - BIC Code Description
    - Address Line 2
    - Address Line 3
    - Address Line 4
  - 13C: Time Indication Details**
    - CLS Time
    - Receive Time
    - Send Time
  - 23E: Instruction Codes**
    - Instruction Code 1
    - Instruction Code 2
    - Instruction Code 3
    - Instruction Code 4
    - Instruction Code 5
    - Instruction Code 6
  - 71G: Receiver Charges**
    - Currency
    - Amount
    - Amount Collected
  - 26T: Transaction Type**
    - Transaction Type
  - Message Suppression Preferences**
    - ☐ Payment Message(with cover)
    - ☐ Cover Message only
    - ☐ Debit Confirmation
    - ☐ Receive Notice
- Middle Column:**
  - 54a: Receiver Correspondent**
    - Party Identifier
    - BIC / Name and Address 1
    - BIC Code Description
    - Address Line 2
    - Address Line 3
    - Address Line 4
  - 70: Remittance Information**
    - Remittance Information 1
    - Remittance Information 2
    - Remittance Information 3
    - Remittance Information 4
  - 71F: Sender Charges**
    - Sender Charge Ccy 1
    - Sender Charge Amount 1
    - Sender Charge Ccy 2
    - Sender Charge Amount 2
    - Sender Charge Ccy 3
    - Sender Charge Amount 3
    - Sender Charge Ccy 4
    - Sender Charge Amount 4
    - Sender Charge Ccy 5
    - Sender Charge Amount 5
    - Sender Charge Ccy 6
    - Sender Charge Amount 6
  - Cover Details**
    - ☐ Process without cover
- Right Column:**
  - 55: Third Reimbursement Institution**
    - Party Identifier
    - BIC / Name and Address 1
    - BIC Code Description
    - Address Line 2
    - Address Line 3
    - Address Line 4
  - 72: Sender To Receiver Info**
    - Sender To Receiver Information 1
    - Sender To Receiver Information 2
    - Sender To Receiver Information 3
    - Sender To Receiver Information 4
    - Sender To Receiver Information 5
    - Sender To Receiver Information 6
  - 77B: Regulatory Reporting Details**
    - Regulatory Report 1
    - Regulatory Report 2
    - Regulatory Report 3
  - 77T: Envelope Contents Details**
    - Envelope Contents 1
    - Envelope Contents 2
    - Envelope Contents 3
    - Envelope Contents 4
    - Envelope Contents 5
  - 72: Sender To Receiver Info for Cover Message**
    - Sender To Receiver Information 1
    - Sender To Receiver Information 2
    - Sender To Receiver Information 3
    - Sender To Receiver Information 4
    - Sender To Receiver Information 5
    - Sender To Receiver Information 6

At the bottom right, there are 'Ok' and 'Exit' buttons.

For more details on the fields refer to section 3.1.1.2

### 3.1.2.2 Sequence B - Cover Details Tab

You can invoke this screen by clicking Sequence B - Cover Details tab in the PXDOVIEW screen. The details are updated to this screen based on input in PXDOTONL - Sequence B screen or via uploaded pass-through cover transfer and the same details are passed in the Cover message generated.



### 3.1.2.4 All Messages

You can invoke this screen by clicking 'All Messages' tab in the PXDOVIEW screen. For more details on the fields refer to section 3.1.1.5

Transaction Reference Number

1 Of 1 Go

DCN	Message Type	Message Format(MT/MX)	SWIFT Message Type	Swift MX Type	Direction	Value Date	Message Status
-----	--------------	-----------------------	--------------------	---------------	-----------	------------	----------------

Message Acknowledgement

Exit

### 3.1.2.5 Exceptions Tab

You can invoke this screen by clicking the 'Exception' tab in PXDOVIEW screen.

You can view the details of recall requests sent out and recall responses received for a Cross Border / RTGS transactions in the Exceptions tab.

Exception

Enter Query

Transaction Reference No

Recall Request

1 Of 1 Go

Recall Reference	Recall Received Date	Recall Message Type	Recall Reason Code	Recall Reason
------------------	----------------------	---------------------	--------------------	---------------

Recall Response

1 Of 1 Go

Response Reference	Response Date	Response Message Type	Response Reason Code	Response Status Code
--------------------	---------------	-----------------------	----------------------	----------------------

Exit

Recall Request and Recall Response grids are displayed in this screen. Following details are displayed in these grids:

**Transaction Reference Number**

System displays the Transaction Reference Number by default on clicking 'Exception' tab.

**Recall Request**

**Recall Reference**

System displays the Field 20 of outbound n92/gSRP request message sent.

**Recall Received Date**

System displays the date on which outbound n92/gSRP request message was sent.

**Recall Message Type**

System displays the MT Message type of outbound request message - MT 192/ MT 292/ MT 199/ API.

**Recall Reason Code**

System displays the Recall request Reason Code sent in the outbound n92/gSRP request message.

**Recall Reason**

System displays the Value sent along with Recall Reason Code.

**Recall Response**

**Response Reference**

System displays the Field 20 of n96/gSRP response message received.

**Response Date**

System displays the date on which n96/gSRP response message was received

**Response Message Type**

System displays the MT Message type of response message - MT 196/ MT 296/ MT 199.

**Response Reason Code**

System displays the Response reason Code received in n96/gSRP response message.

**Response Status Code**

System displays the Response Status Code received in n96/gSRP response message.

**3.1.2.6 gpi Confirmations**

gCCT confirmation messages received for an Outbound gCCT payment can be viewed from Outbound Cross Border Payments view screen (PXDOVIEW).



This screen has 'Tracker Confirmations', 'Our Confirmations' Tabs displaying gCCT/gCOV confirmations received from the tracker and gCCT/gCOV confirmations sent out by the bank branch (in case of pass through transactions).

The screenshot shows the 'Our Confirmations' tab selected. At the top, there is a 'Transaction Reference Number' input field. Below it, the 'Tracker Confirmations' tab is visible but inactive, and the 'Our Confirmations' tab is active. The main section is titled 'gCCT Confirmations' and contains a table with the following columns: Reference Number, Status Code, Reason Code, Status Originator BIC, Forwarded To BIC, Currency, Amount, and Exchange Rate. There are navigation controls (back, forward, search) and a 'Go' button above the table. Below the table, there is a 'Message' button. The bottom of the screen has an 'Exit' button.

The screenshot shows the 'Tracker Confirmations' tab selected. At the top, there is a 'Transaction Reference Number' input field. Below it, the 'Tracker Confirmations' tab is active, and the 'Our Confirmations' tab is inactive. The main section is titled 'gCCT Confirmations' and contains a table with the following columns: Reference Number, Message Date and Time, Status Code, Reason Code, Status Originator BIC, Forwarded To BIC, Currency, and Amount. There are navigation controls (back, forward, search) and a 'Go' button above the table. Below the table, there is a 'Message' button. The bottom of the screen has an 'Exit' button.

Following are the details listed under 'Tracker Confirmations' and 'Our Confirmations' tab in the screen:

**gCCT Confirmations:**

- Reference Number
- Message Date and Time

- Status Code
- Reason Code
- Status Originator BIC
- Forwarded To BIC
- Currency
- Amount
- Exchange Rate

**gCOV Confirmations:**

- Reference Number
- Status Code
- Reason Code
- Status Originator BIC
- Forwarded To BIC
- Currency
- Amount

**Message Button**

Click on 'Message' button, to view gCCT/gCOV confirmation message that was received or generated and sent out.

**3.1.2.7 Recall Messages**

You can view the recall request messages sent out, recall response messages received and gSRP alerts & status messages received from Tracker in this sub screen.

You can invoke this screen by clicking the 'Recall Messages' tab in PXDOVIEW screen. The tabs in this sub-screen are: Responses, Requests, Tracker Alerts.

## Responses Tab

You can view the Recall Response messages received in this tab. Click on 'Responses' tab in the Recall Messages sub-screen to invoke this screen.

The screenshot shows a web application window titled "Recall Messages". At the top, there is a search bar labeled "Transaction Reference No". Below it, there are three tabs: "Responses" (highlighted in red), "Requests", and "Tracker Alerts". A pagination bar shows "1 Of 1" with navigation arrows and a "Go" button. Below the tabs is a table with the following columns: "Reference Number", "Response Date", "Message Type", "Response Code", "Reason Code", "Originator BIC", and "Forwarded To Agent". The table is currently empty. At the bottom of the table area, there is a blue button labeled "Message". In the bottom right corner of the window, there is a green button labeled "Exit".

### Transaction Reference Number

System displays the Transaction Reference Number by default on clicking 'Recall Messages' tab.

### Reference Number

System displays the Field 20 of Response message.

### Response Date

System displays the date on which recall response message was received.

### Message Type

System displays the MT Message type of response - MT 196/ MT 296/ MT 199.

### Response Code

System displays the Response Status code received in the response message (Field 79 Line 1 , the first 4 Characters between '/')

### Reason Code

System displays the Response Reason code received in the response message (Field 79 Line 1 - 4 Character code after the Response Status code).

### Originator BIC

System displays the BIC received in the response message (Field 79-Line2).

### Forwarded To Agent

System displays the BIC of agent , for the recall request that is forwarded to next agent (Field 79 Line 2 - BIC followed by Originator BIC).

## Message Button

System displays the response message sent out in a new screen for the selected response record on clicking Message button.

## Requests Tab

You can view the Recall Response messages received in this tab. Click on 'Responses' tab in the Recall Messages sub-screen to invoke this screen.

The screenshot shows a web application window titled "Recall Messages". At the top, there is a text input field labeled "Transaction Reference No". Below this, there are three tabs: "Responses", "Requests" (which is highlighted in red), and "Tracker Alerts". Under the "Requests" tab, there is a table with the following columns: "Reference Number", "Request Date", "Message Type", "Reason Code", and "Reason". The table is currently empty. Below the table, there is a "Message" button. At the bottom right of the window, there is an "Exit" button. The window also features a standard toolbar with navigation icons and a "Go" button.

## Transaction Reference Number

System displays the Transaction Reference Number by default on clicking 'Recall Messages' tab.

## Reference Number

System displays the Field 20 of Outgoing n92/gSRP request message sent.

## Request Date

System displays the date on which Outgoing n92/gSRP request message sent.

## Message Type

System displays the MT Message type Outgoing n92/gSRP request message - MT 192/ MT 292/ MT 199/ API.

## Reason Code

System displays the Reason code sent in the Outgoing n92/gSRP request message (Field 79 Line 1 , the first 4 Characters between ' / ').

## Reason

System displays the Value sent along with Reason Code (Field 79 Line One – 4 Characters after Reason code).

## Message Button

System displays the request message sent out in a new screen for the selected recall request record on clicking Message button.

## Tracker Alerts

You can view the gSRP alerts and status messages received from tracker in this tab. Click on 'Tracker Alerts' tab in the Recall Messages sub-screen to invoke this screen.

The screenshot shows a web application window titled "Recall Messages". Inside, there is a "Transaction Reference Number" input field. Below it are three tabs: "Responses", "Requests", and "Tracker Alerts & Statuses" (which is highlighted in red). A "Go" button is next to the tabs. Below the tabs is a table with the following columns: "Reference Number", "Message Date", "Type", "Response Code", "gSRP Status Code", "Originator BIC", and "Forwarded To BIC". The table is currently empty. At the bottom of the window, there is a "Message" button and an "Exit" button.

### Transaction Reference Number

System displays the Transaction Reference Number by default on clicking 'Recall Messages' tab.

### Reference Number

System displays the Field 20 of the inbound gSRP Tracker Alert (or) Status Notification message [MT 199]

### Message Date

System displays the date on which Alert or Status Notification message was received.

### Type

System displays the following messages with values:

- Alert - if received message is a gSRP Alert message
- Status - if received message is a gSRP Status Notification

### Response Code

System displays the Response code received in the Incoming Alert (or) Status Notification message (Field 79 Line 1 – First four characters between '/')

### gSRP Status Code

System displays the Status/Reason code received in the Incoming Alert (or) Status Notification message (Field 79 Line1 – Four characters after Response code).

### Originator BIC

System displays the BIC value received in, Field 79 Line 2 – First 8 (or) 11 Characters.

### Forwarded To BIC

System displays the BIC value received in Field 79 Line 2 , following 'Originator BIC' and '/' of agent.

### Message Button

System displays the request message received in a new screen for the selected recall request record on clicking Message button.

#### 3.1.2.8 View Queue Action Log

You can view all the queue actions for the respective transaction initiated. You can invoke this screen by clicking the 'View Queue Action' tab in PXDOVIEW screen, where the Transaction Reference Number is auto populated and Queue movement related details are displayed.

View Queue Action Log

Execute Query

Transaction Reference Number \_\_\_\_\_ Network Code \_\_\_\_\_

1 Of 1 Go

Transaction Reference Number	Action	Remarks	Queue Code	Authorization Status	Maker Id	Maker Date Stamp
------------------------------	--------	---------	------------	----------------------	----------	------------------

View Request Message View Response Message Cancel

Following details are displayed:

- Transaction Reference Number
- Network Code
- Action
- Remarks
- Queue Code
- Authorization Status
- Maker ID
- Maker Date Stamp
- Checker ID
- Checker Date Stamp
- Queue Status
- Queue Reference No
- Primary External Status
- Secondary External Status

- External Reference Number

You can view the request sent and the corresponding response received for each row in Queue Action Log.

Also you can view the request sent to and the response received from external systems for the following:

- Sanction system
- External credit approval
- External Account Check
- External FX fetch
- External price fetch
- Accounting system

### 3.1.2.9 **UDF Tab**

You can invoke this screen by clicking UDF tab in the PXDOVIEW screen. For more details on the fields refer to section 3.1.1.3

UDF View

Enter Query

Transaction Reference Number \*

Fields

Field Label *	Field Value
<input type="checkbox"/>	

1 Of 1 Go

Exit

### 3.1.2.10 **MIS Tab**

You can invoke this screen by clicking MIS tab in the PXDOVIEW screen. For more details on the fields refer to section 3.1.1.4

### 3.1.2.11 View Repair Log

You can view all the Repair actions for the respective transaction initiated. You can invoke this screen by clicking the 'View Repair Log' tab in PXDOVIEW screen, where the Transaction Reference Number is auto populated and repaired data are displayed

Queue Reference No	Field Name	Old Value	Repaired Data	Error
--------------------	------------	-----------	---------------	-------


Following details are displayed:

- Queue Reference No
- Field Name
- Old Value
- Repaired Data
- Error



### 3.1.2.12 Payment Chain

You can invoke this screen by clicking Payment Chain tab in the PXDOVIEW screen. For more details on the fields refer to section 3.1.1.7



### 3.1.2.13 Chinese Codeword Changes

Chinese character conversion are supported for both Cross Border/RTGS transactions. Chinese Character Conversion changes are maintained as part of Host Parameters screen (PMDHSTPR).

Chinese Character conversion supports both Simple Chinese and Traditional Chinese.

- Static tables are provided for the CCC codes with Simplified Chinese and Traditional Chinese character conversion.
- Simplified Chinese or Traditional Chinese - System does a Chinese character replacement with CCC codes for outbound payment messages.
- For an inbound message, CCC codes are replaced with Chinese characters. The type of the character is defined by the Conversion preference at the host level.
- Chinese character replacement are applicable for the following list of fields /messages for both cross-border and RTGS:

C. MT 101, MT 102, MT 102 STP, MT 103, MT 103 STP, MT 103 REMIT, MT 110	D. Fields 50a & 59a
E. MT 202, MT 202 COV, MT 203, MT 205, MT 205 COV, MT 210	F. Field 58a G. Fields 50a & 59a if available as part of the message
H. MT 910	I. Field 50a

Following are the conditions in which the system does not translate the Chinese Character Conversion (CCC):

- Numbers consisting of more than four digits
  - Example: 59:50123 0224 1016
  - Translated content in traditional Chinese (refer to CCC table): '50123 ? ? '

- Translated content in simplified Chinese (refer to CCC table): ‘50123 俩堂’
- When having to quote a four-digit number in message formats, it is recommended to put it between brackets, i.e., “(“and “)” or between quotes, i.e., “”to trigger unintended conversion
  - Example:59:(0123) 2435 3883
  - Translated content in traditional Chinese (refer to CCC table): ‘(0123) ? ? ’
  - Translated content in simplified Chinese (refer to CCC table): ‘(0123) ? 环’
- A single CCC code is not allowed to span over 2 lines
- When a character other than a space is present between two CCC
  - Example:59:0123-5188 0221
  - Translated content in traditional Chinese (refer to CCC table):‘0123-5188 ? ’
  - Translated content in simplified Chinese (refer to CCC table): ‘0123-5188 仓’
- Use ‘ADD.’ to separate two set of CCC code present in the beneficiary field.
- Field format of 59 (Beneficiary Customer) with two sub-fields
  - [/34] optional account (sub-field 1)
  - 4\*35x Name and address (sub-field 2)
  - In sub-field 2, after indicating the CCC code of the beneficiary name, put ‘ADD.’ followed by a space character. Immediately after that, the CCC codes of the address can be specified. Combining a three character Chinese beneficiary name, followed by the address on the same line and the address continuation on the following line
  - Example:59:/123-123<CR>
  - 1728 0001 0059 ADD.0554 0079 1579<CR>
  - 6007 1004 0575 1630 4395 1129 5894
- Translated content in traditional Chinese (refer to CCC table):
  - Name: ? ? ?
  - Address: ? ? ? ? ? ? ? ? ?
- Combining a six character Chinese beneficiary name, which spans over more than one line, followed by address
  - Example:59:/123-124<CR>
  - 0674 1778 0006 1351 0005 0934 ADD.<CR>
  - 0554 0079 1579 6007 1004 0575 1630<CR>
  - 4395 1129 5894
- Translated content in traditional Chinese (refer to CCC table):
  - Name: 司徒上官三四
  - Address: 北京市西城區幸福大街
- Since field 50F has a structured code for name (line begins with ‘1/’) and address (line begins with ‘2/’)in narrative text field, SWIFT standard is followed, instead of using ‘ADD’ to separate the name and address information.
- Example of how to represent the Chinese name and address of the ordering customer in sub-field 2 of field 50F (Ordering Customer), using CCC codes:
  - :50F:/NIDN/A1231247<CR> (National Identity Number)
  - 1/0674 1778 0006 1351 0005 0934<CR>
  - 2/0554 0079 1579 6007 1004 0575<CR>
  - 2/1630 4395 1129 5894<CR>
  - 3/CN/0022 0948

- Translated content in traditional Chinese (refer to CCC table)
  - Name: 司徒上官三四
  - Address: 北京市西城區幸福大街中國

### 3.1.2.14 Outbound Transaction View Summary

You can invoke “Outbound Cross Border Payments View Summary” screen by typing ‘PXSOVIEW’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. .

The screenshot shows the 'View Summary' application window. At the top, there are tabs for 'Search', 'Advanced Search', 'Reset', and 'Clear All'. Below this is a 'Case Sensitive' checkbox. The main area is divided into three columns of search filters. The first column contains fields for various reference numbers and codes. The second column contains date and status fields. The third column contains fields for transfer type, branch, and account information. Below the filters is a table with 11 columns: Transaction Reference Number, Booking Date, Transfer Type, Multi Credit Reference Number, Instruction Date, Transaction Branch, Source Reference Number, Activation Date, Debtor Account Number, Related Reference Number, and Transaction Amount. The table is currently empty. At the bottom, there is a status bar with the text 'gpi Tracker Enquiry | Cancel Request | Generate MT n99' and an 'Exit' button.

From this summary screen, you can search for records with the following criteria.:

- Transaction Reference Number
- Multi Credit Reference Number
- Source Reference Number
- Related Reference Number
- File Reference Number
- UETR
- Payment Batch ID
- Network Code
- Source Code
- FX Reference Number
- Consolidation Reference Number
- SSI Label

- Booking Date
- Instruction Date
- Activation Date
- Transaction Currency
- Transaction Amount
- Transaction Status
- Banking Priority
- gpi Agent
- Recall Status
- Network Status
- Consol Status
- PSD Handling Required
- Transfer Type
- Transaction Branch
- Debtor Account Number
- Customer Number
- Customer Service Model
- Creditor Account Number
- Account with Institution BIC
- Receiver BIC
- Template ID
- Exception Queue
- Funding Status
- Prefunded Payments

---

#### Note

- Network Status - The options supported are Null, ACK Received and NACK Received. ACK/NACK received for the outbound customer payment message MT 103, can be searched here with the 'Network Status' search criteria
  - Funding Status - Search based on this criterion is applicable only for RTGS payments
- 

In '**Advanced Search**' option, in the summary screen, in DATE fields, you can select date as 'Today' by clicking the button. This is applicable for all the Summary screens.

- Once calendar window opens, on top a button is displayed as "Today". On click, today's date gets selected.
- Based on this selection query gets executed. Once summary save is clicked, the query which is saved is with "today" and not with actual date.
- On execution, results are listed based on 'Today's date'.

Once you have specified the search parameters. Click 'Search' button. The system displays the records that match the search criteria.

Double click a record to view the detailed maintenance screen.

The following operations are available in the Summary screen

Operation	Functions
gpi Tracker Enquiry	You can select a record and click this button to enquire the gpi Tracker for an Outbound transaction
Cancel Request	You can select a record and click this button to cancel the transaction. Existing processing will remain unchanged
Generate MT n99	<p>You can generate MT n99 by clicking this button.</p> <p>You can select a record and click on this button to get the New action enabled right to the PXDCMN99 screen in order to generate MT n99 for an Outbound transaction</p> <p>You can generate MT n99 for Outbound transactions, which is of 'Processed' transaction status, and payment message is handed-off only.</p>

### **3.1.2.15 Outbound Cross Border Cancellation Request**

You can input the cancellation requests for outbound cross border transactions in this screen.

You can invoke this screen by clicking 'Cancel Request' (PXDTRNCL) action button in the Outbound Cross Border Payments View Summary screen (PXSOVIEW).

To initiate a cancellation request for the Cross Border transaction, select a record in the PXSOVIEW screen and click on 'Cancel Request' action.

Following details gets defaulted on selecting the record and is not modifiable:

- Host code
- Source Code
- Cancellation Request Reference
- Source Reference Number (No value is displayed here)
- Requested Date

### Remarks

Specify the cancellation request input here, if any.

### Cancellation Reason details

#### **Narrative (79) Line 1**

Select the Narrative(79) from the list of values.

This field lists the Cancellation Reason Codes applicable for n92 SWIFT message. All the valid cancellation codes are listed here. You can also enter free text in this field.

#### **Narrative(79) Line 2-35**

Specify the Narrative in every lines from Line 2 - Line 35(if any). The maximum characters allowed for each line is 50.

#### **Copy of atleast the Mandatory Fields of the Original Message**

You can check this box to copy the Original Message, atleast the mandatory fields of the original message.

The following fields in the grid are defaulted with details of the book transaction selected for cancellation:

- Transaction Reference Number
- Transaction Status (Displays the status of the transaction)
- Network Code
- Cancellation Request Status (Drop down options are - 'Cancellation Requested' and 'Cancellation Rejected'. By defaults it is 'Null')
- Cancellation Status (Drop-down options are - 'Cancelled', 'Exception'. By default it is 'Null')
- Customer Number
- Customer Name
- UETR
- gpi Enabled
- Instruction Date
- Transfer Type
- Transfer Currency
- Transfer Amount
- Beneficiary Name
- Account with Institution
- Error Code – Displays the Error code for Rejected requests (or) requests marked as 'Exception'
- Error Description – Error Description for rejection / exception is displayed

Following are the validations, on saving the cancellation request:

- System checks whether a valid gSRP reason code is selected in field 'Narrative (79) Line 1' and if any of the selected transaction is 'gpi Enabled'. If there is no valid gSRP reason code selected, then the Save action is not allowed.
- For the transactions, for which the Cancellation Request Status is marked as 'Cancellation Rejected', on saving further validations are done, such as:
  - Previous cancellation request for the transaction is in unauthorized status
  - Transaction status is in Cancelled / Seized / Reversed/ Consolidated
  - Recall Status is not blank

On authorization of the cancellation request:

- For each transaction selected, below validations are done and transaction level cancellation request status are marked as 'Cancellation Rejected'
  - Transaction status is in Cancelled / Seized / Reversed/ Consolidated
  - Previous cancellation request status is 'Cancellation Requested'
- After successful validations, the cancellation request for successful transactions are logged into a module specific cancellation request table which is referred during outbound transaction processing.
  - Cancellation Request status is marked as 'Cancellation Requested'
  - Cancellation Request reference & request reason (Narrative Line1) are updated in the outbound transaction which can be viewed in the View Detail screen (PXDOVIEW)

### 3.1.3 Outbound Multi Credit Transfer Consol Summary

A consolidated batch of transactions can be manually liquidated at any time before the Cut-off time by a user of the branch where the transaction was created. This would be enabled through a separate screen called Outbound Consolidated Queue.

---

#### Note

This screen is applicable to MT 102, MT 201 and MT 203 consolidated batches that are pending liquidation.

---

You can invoke “Consol Summary” screen by typing ‘PXSCONSL’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You can search using one or more of the following parameters.

- Consol Transaction Reference
- Transaction Branch
- Receiver
- Settlement Currency
- Message Date
- Consol Amount
- Closure Status
- Multi Credit Reference Number

Once you have specified the search parameters. Click ‘Search’ button. The system displays the records that match the search criteria containing the following details.

- Consol Transaction Reference
- Transaction Branch
- Transfer Type



- Receiver
- Settlement Account
- Settlement Currency
- Settlement Value Date
- Message Date
- Consol Amount
- Consol Amount in Local Currency
- Consol Receiver Charge
- Consol Receiver Charge in Local Currency
- Consol Transaction Count
- Consol Transaction Limit
- Cutoff Time Maintained
- Actual Closure Time
- Closure Status
- Closure Mode
- Liquidation Status
- Autoclosure Trigger
- Mutli-Credit Reference Number
- Bank Operation Code
- Authorization Status

The following operations are available in the Summary screen

Operation	Functions
Close	You can close the consolidated batch and initiate Liquidation of the batch. Once Closed, no new child transactions can be added to that batch.
Cancel	You can select a batch and click this link to cancel the consolidated batch. Cancel is allowed on a consol, yet to be consolidated.
Approve	You can authorize the Close/ Cancel actions taken on a selected batch by the Maker.
Delink	You can delink individual transactions from the batch.

### 3.1.3.1 **Consol Close/ Cancel/ Approve**

The below screen is launched when you opts to Close / Cancel / Approve the consol from PXSCONSL

Transaction Consol Save

Consol Transaction Reference

Host Code	Transfer Type	Transaction Branch	Receiver	Settlement Account	Settlement Currency	Settlement Value Date
-----------	---------------	--------------------	----------	--------------------	---------------------	-----------------------

Ok Exit

You can click Ok to Close / Cancel / Approve the consol transaction. When Exit is clicked, no action is performed and the screen is shut.

### 3.1.3.2 **Delink Consol**

You can invoke this screen by clicking the *Delink* button in the 'Consol Summary screen (PXSCONSL) '.

View Consol

Consol Transaction Reference

Transaction reference no	Consol Linked Status
--------------------------	----------------------

Ok Exit

Select a record listed in Transaction Consol Summary screen and click on Delink button to launch this screen - 'View Consol '. You can view the record with the following details for the respective Consol Transaction Reference:

- Transaction Reference Number
- Consol Linked Status

You can modify the Consol Linked Status - to Linked/ Delinked and click on OK for the records that are not Closed/Liquidated.

### 3.1.4 Outbound Multi Credit Transfer Consol View Summary

You can invoke “Outbound Consol View Summary” screen by typing ‘PXSCONVW’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Outbound Consol View Summary

Search Advanced Search Reset Clear All

Case Sensitive

Consol Transaction Reference

Receiver

Message Date

Closure Status

Transaction Branch

Settlement Currency

Consol Amount

Multi Credit Reference Number

Records per page: 15 1 Of 1 Go Lock Columns 0

Consol Transaction Reference	Transfer Type	Transaction Branch	Receiver	Settlement Account	Settlement Currency	Settlement Value Date	Message Date	Consol Amount
------------------------------	---------------	--------------------	----------	--------------------	---------------------	-----------------------	--------------	---------------

View Message | Accounting Entries

Exit

You can search using one or more of the following parameters

- Consol Transaction Reference
- Transaction Branch
- Receiver
- Settlement Currency
- Message Date
- Consol Amount
- Closure Status
- Multi Credit Reference Number

Once you have specified the search parameters. Click ‘Search’ button. The system displays the records that match the search criteria containing the following details.

- Consol Transaction Reference
- Transfer Type
- Transaction Branch
- Receiver
- Settlement Account
- Settlement Currency
- Settlement Value Date

- Message Date
- Consol Amount
- Consol Amount in Local Currency
- Consol Receiver Charge
- Consol Receiver Charge in Local Currency
- Bank Operation Code
- Consol Transaction Count
- Consol Transaction Limit
- Cutoff Time Maintained
- Actual Closure Time
- Liquidation Status
- Closure Status
- Closure Mode
- Mutli-Credit Reference Number
- Autoclosure Trigger

The following operations are available in the Summary screen.

Operation	Functions
View Mes- sage	You can view all the generated messages for the selected batch, which would include the MT102/MT201/MT203 depending on the Transfer type.
Accounting Entries	You can view the generated consol Accounting Entries for the selected consolidated batch whose Consol Status is Closed.

#### 3.1.4.1 **View Message**

You can view all the generated messages for the selected batch, which would include the MT102/MT 201/MT 203 depending on the Transfer type

You can invoke the View Message screen by clicking on 'View Message' action button available at the left bottom in the 'Outbound Consol View Summary' screen (PXSCONVW).

Transaction Reference Number

1 Of 1

DCN	Message Type	SWIFT Message Type	Direction	Value Date	Message Status	Delivery Status	Authorization Status

Message

Exit

Select a record listed in the 'Outbound Console View Summary' screen and click on 'View Message' button. System defaults all the data for the Record selected. Refer Section 3.1.5.3 for the details on this Sub-screen

### 3.1.4.2 Accounting Entries

You can view the generated consol Accounting Entries for the selected consolidated batch whose Consol Status is Closed.

You can invoke the Accounting Entries screen by clicking on 'Accounting Entries' action button available at the left bottom in the 'Outbound Consol View Summary' screen (PXSCONVW)

Enter Query

Transaction Reference Number

Accounting Entries

1 Of 1

Event Code	Transaction Date	Value Date	Account	Account Branch	TRN Code	Dr/Cr	Amount Tag	Account Currency	Transaction Amount

Exit

Select a record listed in the 'Outbound Consol View Summary' screen and click on 'Accounting Entries' button. System defaults all the data for the Record selected. Refer Section 3.1.5.2 for the details on this Sub-screen.

## 3.2 Cross Border Inbound Transaction

### 3.2.1 Inbound Cross Border Payments Transaction Input

You can book an Inbound SWIFT payment by providing input for the payment transaction in this screen.

You can invoke the 'Inbound Cross Border Payments Transaction Input' screen by typing 'PXEDITONL' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

The screenshot shows the 'Inbound Cross Border Payments Transaction Input' screen. The top toolbar has 'New' and 'Enter Query' buttons. The main area is divided into several sections:

- Transaction Details:** Transaction Branch, Transaction Reference Number \*, Related Reference Number, Source Reference Number, Transfer Type \*, Network Code, Network Code Description.
- Payment Details:** Booking Date (YYYY-MM-DD), Instruction Date (YYYY-MM-DD), Activation Date (YYYY-MM-DD), Transfer Currency, Transfer Currency Name, Transfer Amount, Instructed Currency, Instructed Currency Name, Instructed Amount, Credit Account, Creditor Name, Credit Account Currency, Credit Amount, Exchange Rate, Sender BIC.
- 50: Ordering Customer:** Party Identifier, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, Address Line 4.
- 52: Ordering Institution:** Party Identifier, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, Address Line 4.
- 58: Beneficiary Institution:** Party Identifier, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, Address Line 4.
- 59: Ultimate Beneficiary:** Account, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, Address Line 4.
- Additional Details:** Customer Number, Customer Service Model, SSI Label, FX Reference Number, Debit Account, Debtor Name, Debit Account Currency, Debit Amount, Internal Remarks.
- Debit/Credit Details:** Debit Value Date (YYYY-MM-DD), Credit Value Date (YYYY-MM-DD), Bank Operation Code (CRED), Banking Priority (Normal), Charge Whom.
- Entry Dates:** Debit Entry Date (YYYY-MM-DD), Credit Entry Date (YYYY-MM-DD), Message Date (YYYY-MM-DD).

The bottom of the screen has a status bar with 'Maker ID', 'Checker ID', 'Authorization Status', and an 'Exit' button.

Specify the following details.

#### Transaction Branch Code

Defaults and displays the current user's logged in branch.

#### Branch Name

Displays the Branch Name

#### Host Code

Displays the host code of the logged in user.

#### Host Code Description

Displays the description of the Host code displayed

**Source Code**

Specify the Source Code, via which the transaction is to be booked.

**Source Code Description**

System displays the description of the Source code selected.

**Transaction Reference Number**

System displays auto-generated Transaction reference number. For more details on the format, refer the Payments Core User Guide.

**Related Reference Number**

On clicking 'New' this field will be blank. You can specify the Related Reference Number manually, if required.

**Source Reference Number**

Specify the Source Reference Number.

**Network Code**

You can select the Cross border network. All valid Cross border and RTGS networks are listed.

**Network Code Description**

System displays the description of the Network code selected.

**gpi Enabled**

This field is not editable and is disabled. This field has the values as - Yes/ No/Confirm.

**Inbound gpi**

Check this box to indicate the transparency between all the parties involved in payment chain, when the settlement is completed. This is an editable field.

**UETR**

UETR is Unique End to End Transaction Reference number. This is a reference number specific to the transaction which is used to track the transaction through the life cycle.

**Credit to GL**

Check this flag to receive inbound payments from other systems internal to the Bank, for which actual credit is processed by that system itself.

---

**Note**

It is not mandatory to have a credit account /customer for the transaction if credit to GL flag is checked. On enrich or save the system populates the credit account as the 'Intermediary Credit GL' maintained at the source.

---

**Template ID**

This field is read only always.

**Generate gpi confirmations**

Check this field to generate gpi confirmations. By Default, this flag is un-checked.

---

**Note**

- On click of 'Enrich' button, system performs additional validation on the UETR
- If 'Generate gpi confirmations' flag is checked (Y), you can input the UETR field.

- System checks if the UETR, as input by the user, is as per the standard format as defined by SWIFT.

UETR Format specification (36!x):

- The format of this field is xxxxxxxx-xxxx-4xxx-yxxx-xxxxxxxxxxxx where x is any hexadecimal character (lower case only) and y is one of 8, 9, a, or b.
- The UETR field is using the UUID specification (IETF's RFC 4122 <https://www.ietf.org/rfc/rfc4122.txt> - using version 4 of the generation algorithm), in lower case.

If any of the above validation fails for UETR, system gives an error message

- UETR input is available, if 'Generate gpi confirmations' flag is checked (Y).
- UETR input by the user is not as per the standard format. Please correct the same to proceed further.

### Generate gpi confirmations

This field indicates if Notice to Receive (MT210) message generation is required. By Default, this flag is un-checked.

### 3.2.1.1 Main Tab

Click the Main tab in the 'Cross Border Inbound Transaction Input' screen.

The screenshot shows the 'Main' tab of the 'Cross Border Inbound Transaction Input' screen. The interface is organized into several sections:

- Payment Details:** Includes fields for Booking Date, Instruction Date, Activation Date, Transfer Currency, Transfer Currency Name, Transfer Amount, Instructed Currency, Instructed Currency Name, Instructed Amount, Credit Account, Creditor Name, Credit Account Currency, Credit Amount, Exchange Rate, Sender Bank, Customer Number, SSI Label, FX Reference Number, Debit Account, Debtor Name, Debit Account Currency, and Debit Amount.
- 50: Ordering Customer:** Includes fields for Party Identifier, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, and Address Line 4.
- 52: Ordering Institution:** Includes fields for Party Identifier, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, and Address Line 4.
- 58: Beneficiary Institution:** Includes fields for Party Identifier, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, and Address Line 4.
- 59: Ultimate Beneficiary:** Includes fields for Account, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, and Address Line 4.
- Additional Fields:** Includes Debit Value Date, Credit Value Date, Bank Operation Code (set to CRED), Banking Priority (set to Normal), Charge Whom, Debit Entry Date, Credit Entry Date, and Message Date.
- Footer:** Includes 'Additional Details | UDF | MIS', 'Maker ID', 'Maker Date Stamp', 'Checker ID', 'Checker Date Stamp', 'Authorization Status', and an 'Exit' button.

Specify the following details.

### Payment Details

#### Booking Date

Booking date is selected as the current branch date.



**Instruction Date**

Select the customer advised Value Date of the transaction using the adjoining calendar widget.

**Activation Date**

Activation Date is a read only field. System derives the Activation date, based on the Instruction Date given and the Settlement Days maintained.

**Transfer Currency**

Specify the currency in which the payment needs to be made. Alternatively, you can select the currency from the option list. The list displays all valid currencies maintained in the system.

**Transfer Currency Name**

System defaults the name of the Transfer currency displayed.

**Transfer Amount**

Specify the Transfer amount.

**Instructed Currency**

Specify the currency instructed by the customer. Alternatively, you can select the currency from the option list. The list displays all valid currencies maintained in the system. This is optional field.

**Instructed Currency Name**

System defaults the description of the Instructed currency opted.

**Instructed Amount**

Specify the Instructed amount by the originator.

**Credit Account**

Specify the credit account, to which the amount is to be credited. Alternatively, you can select the Credit account from the list of values. You can select, both DDA and loan accounts from the list of values, as the Credit Account.

All open and authorized accounts maintained in External Customer Account (STDCRACC) and External Consumer Loan Account (STDCRCLN) are listed here.

---

**Note**

- Customer Status Validations and preferences are applied based on the Customer ID linked to Loan/ DDA Account
  - EAC check is skipped, if the Credit account is a Loan account
  - During initial validations, loan account check is done before account re-direction
  - Credit Account also gets populated on providing Account number in 59:Ultimate Beneficiary section. On clicking Enrich details gets populated
- 

**Creditor Name**

System defaults the account name of the Credit account selected.

**Credit Account Currency**

The system displays the credit account currency based on the credit account selected in the 59: Ultimate Beneficiary section.

**Credit Amount**

It is populated as the credit amount expressed in credit currency.

**Exchange Rate**

The exchange rate is applicable for cross-currency transactions. The transaction is considered as cross-currency transaction if for an inbound payment the debit account currency is different from the transfer currency.

**Sender Bank**

Specify the Sender Bank details, from where the payment is sent. Select the BIC of the Sender Bank from the list of values displayed.

**Customer Number**

System defaults the value of Customer Number on clicking Enrich, based on the Account selected in Ultimate Beneficiary section

**SSI Label**

Select the required SSI label from the list of values.

---

**Note**

This list will be populated with valid SSI Labels, applicable for the customer and the Network. If Customer or Network details are not available, the fetch action of the list of values displays the information message to this effect. The list of values is queried based on the fields SSI Label, Beneficiary Bank ID, Beneficiary Account & Account IBAN.

---

**FX Reference**

Specify the foreign exchange reference.

**Debit Account**

Specify the debit account of the transaction. Alternatively, you can select the debit account from the option list. The list displays all valid accounts maintained in the system.

**Debtor Name**

System defaults the name of the Debit account selected.

**Debit Account Currency**

The system displays the debit account currency based on the debit account selected.

**Debit Amount**

System defaults the Transfer Amount specified. On clicking Enrich, system calculates the Debit Amount based on the Exchange Rate specified and the Currency specified.

**Debit Value Date**

The system displays the Debit Value Date.

**Credit Value Date**

The system displays the Credit Value Date.

**Message Date**

For inbound transactions, the system computes the message date based on the credit value date.

**Bank Operation Code**

Select the bank operation code from the option list. Options available are as follows:

- CRED – Credit Transfer with No SWIFT Service Level
- CRTS – Credit Transfer for Test Purposes
- SPAY – Credit Transfer for SWIFT Pay Service Level

- SPRI – Credit Transfer for Priority Service Level
- SSTD – Credit Transfer for Standard Service Level

If no value is selected then system defaults this field value to “CRED”.

---

**Note**

This is applicable only for customer transfers.

---

**Banking Priority**

Specify the priority of banking. Choose between Normal, Urgent and High.

**Charge Whom**

Specify the charge bearer for the transaction. The list displays the following values:

- OUR
- BEN
- SHA

**Debit Entry Date**

The system computes the Debit Entry Date as the activation date.

**Credit Entry Date**

The system computes the Credit Entry Date as the activation date.

**Message Date**

For inbound transactions, the system computes the message date based on the credit value date and displays it here along with the cut-off time.

**50:Ordering Customer**

The system displays the name and address of the customer ordering the transaction, based on the debit account selected.

This is applicable only for ‘Customer Transfer’ type of transaction. The ordering customer details including name and address are defaulted based on the debit account selected. However you can modify these details.

**52:Ordering Institution**

Specify the details of the financial institution that has ordered for the payment to be initiated.

**58: Beneficiary Institution**

Specify the financial institution which is the ultimate recipient of the funds being transferred.

This is applicable only to Bank Transfers.

You can capture below mentioned details of the Beneficiary Institution here.

- Specify the account number in the first line starting with “/”
- Specify the BIC code in the second line. You can also select the appropriate BIC code from the adjoining option list that displays all valid BICs maintained in the system.
- You can also specify the Name and Address of the Beneficiary Institution instead of the BIC Code, in lines 3 to 5.

**59: Ultimate Beneficiary**

Specify the details of the Ultimate Beneficiary of the payment. This field is available only for ‘Customer Transfer’ type of transactions.

You can capture below mentioned details of the Beneficiary here.

- In Line 1, specify the customer beneficiary account number to which the transaction amount should be credited. You can specify the IBAN of the account. Alternatively, you may search and select the account number using LOV if the beneficiary account is maintained with the bank, which is the case in inbound payments. This field is available only for 'Customer Transfer' type of transactions.
- Specify the Name and Address of the Beneficiary in lines 2 to 5.
- Instead of the Name and Address, you can also specify the BIC code of the Beneficiary in line 2.

### Debit Value Date

System displays the activation date as Debit Value Date

### Credit Value Date

System displays the instruction date as Credit Value Date

### Message Date

The system computes the message date based on the credit value date and displays it here along with the cut-off time.

## 3.2.1.2 Additional Details Button

You can capture additional information and view field values set by the system for the transaction.

You can invoke the 'Additional Details' sub-screen in Transaction Input by clicking the "Additional Details" link present at the bottom of the screen.

Additional Details

53: Sender Correspondent

Party Identifier

BIC / Name and Address 1

BIC Code Description

Address Line 2

Address Line 3

Address Line 4

13C: Time Indication Details

CLS Time

Receive Time

Send Time

23E: Instruction Codes

Instruction Code 1

Instruction Code 2

Instruction Code 3

Instruction Code 4

Instruction Code 5

Instruction Code 6

71G: Receiver Charges

Currency

Amount

Amount Collected

26T: Transaction Type

Transaction Type

Message Suppression Preferences

Credit Confirmation

Charge Claim

54a: Receiver Correspondent

Party Identifier

BIC / Name and Address 1

BIC Code Description

Address Line 2

Address Line 3

Address Line 4

70: Remittance Information

Remittance Information 1

Remittance Information 2

Remittance Information 3

Remittance Information 4

71F: Sender Charges

Charge Currency 1

Charge Amount 1

Charge Currency 2

Charge Amount 2

Charge Currency 3

Charge Amount 3

Charge Currency 4

Charge Amount 4

Charge Currency 5

Charge Amount 5

Charge Currency 6

Charge Amount 6

77I: Envelope Contents Details

Envelope Contents 1

Envelope Contents 2

Envelope Contents 3

Envelope Contents 4

Envelope Contents 5

55: Third Reimbursement Institution

Party Identifier

BIC / Name and Address 1

BIC Code Description

Address Line 2

Address Line 3

Address Line 4

72: Sender To Receiver Info

Sender To Receiver Information 1

Sender To Receiver Information 2

Sender To Receiver Information 3

Sender To Receiver Information 4

Sender To Receiver Information 5

Sender To Receiver Information 6

77B: Regulatory Reporting Details

Regulatory Report 1

Regulatory Report 2

Regulatory Report 3

Ok Exit

Specify the following details.

### **53: Sender Correspondent**

The system displays the Party Identifier, BIC code or details like Name and Address of the sender's correspondent through which the payment transaction should be routed. This value is populated after deriving the Payment chain as part of the processing. This BIC would be present in the Currency Correspondent maintenance for the Transfer currency.

### **54a: Receiver Correspondent**

The system displays the Party Identifier, BIC code or details like Name and Address of the branch of the receiver or another financial institution in which the funds are made available to the receiver. This value is populated after deriving the Payment chain as part of the processing. This BIC would be present in the Global Correspondent maintenance for the Transfer currency.

### **55: Third Reimbursement Institution**

The system displays the BIC code or details like Name and Address of the receiver's branch, when the funds are made available to this branch through a financial institution other than that indicated in Field 53. This value is populated after deriving the Payment chain as part of the processing. This BIC would be present in the Global Correspondent maintenance for the Transfer currency.

### **13C: Time Indication Details**

Specify the standard time indication related to the processing of the payment instruction. You should input the standard Time indication code (placed between '/') followed by Time, a sign (+ or -) and the Offset from UTC. Alternatively, you can select the time indication code from the option list. The list displays all valid time indications maintained in the system, which are CLSTIME, RNCTIME and SNDDTIME.

### **70: Remittance Info**

Specify the Remittance Information details from fields 1 to 4.

#### **72: Sender to Receiver Information**

Displays the details of Sender to Receiver information comprising BIC or Name and Address

### **23E: Instruction Codes**

#### **Instruction Code 1 through to Instruction Code 6**

Specify a standard Instruction code in each field and then input additional information. Alternatively you can select the standard Instruction code type from the option list. The list displays all valid instruction codes maintained in the system.

### **71F: Sender Charges**

#### **Sender Charge Ccy 1 through to Sender Charge Ccy 6**

The system displays the charge currency of Sender's charges that are deducted from the Transfer amount by this bank (Sender) or by any of the previous banks in the payment chain. These charges are applicable in case of Customer Transfers and the Charge Whom field value selected is SHA or BEN.

#### **Sender charge Amount 1 through to Sender Charge Amount 6**

The system displays the amount of Sender's charges.

In case of an Inbound Customer transfer message, each of the previous banks in the payment chain would have deducted charges from the Transfer amount and details of the same would be present in the message. The Charge currency and Charge amount of each of these charges would be populated in up to 6 sets of these fields in addition to the charges deducted by this bank

### **77B: Regulatory Reporting Details**

Specify the statutory and/or regulatory information required by the authorities in the country of receiver or sender. You should specify this information by specifying a regulatory code (placed between '/') followed by 2 character country code and followed by regulatory details. This information should be specified in up to 3 lines each containing 35 characters.

### **71G: Receiver charges**

If Charge Whom field in the Preferences section of the Main tab has a value of "OUR" then you can specify the Receiver's charges in case of 'Customer Transfer' if they are required to be included in the Settlement amount.

#### **Currency**

Specify the charge currency.

#### **Amount**

Specify the charge amount due to the receiver.

#### **Amount Collected**

The system populates this field based on the Receiver charges specified.

### **26 T:Transaction Type**

#### **Transaction Type**

You can specify the transaction type code for the transaction.

### **77T: Envelope Contents Details**

Specify the contents of the Envelope in the lines from 1 to 5.

---

#### **Note**

System supports processing of Inbound MT 103 Remit message. MT 103 Remit message would be generated if the below mentioned conditions are satisfied:

- 'Remit Member' flag is checked for both sender and receiver BIC

Processing of MT103 Remit message is same as MT103 message. You can view the contents of an Inbound MT 103 Remit message received on the Inbound Message Browser screen and on the Messages sub-screen of the Cross Border Inbound Payment Transaction view screen.

---

### **Message Suppression Preferences**

The generation of messages can be suppressed at transaction level by selecting the appropriate preference flag:

#### **Credit Confirmation**

Select this flag to suppress MT 910. The message that gets suppressed is MT910.


#### **Charge Claim**

Select this flag, is message to suppress is MT191.

### 3.2.1.3 **UDF Tab**

Click the 'UDF' Section in the Transaction View screen to invoke this sub screen.

This sub-screen defaults values of UDF fields that are part of the UDF group specified for the 'Manual' source.



Field Label	Field Value
-------------	-------------

Specify the following details.

#### **Fields**

##### **Field Label**

The system displays all fields that are part of the associated UDF group.

##### **Value**

The system displays the default value, where exists for the UDF fields. You can change the default value or specify value for other fields (where default value does not exist).

### 3.2.1.4 MIS Tab

You can maintain the MIS information for the Transaction. If the MIS details are not entered for the Transaction the same is defaulted from the product maintenance. Click the 'MIS' link to invoke the 'MIS' sub-screen

The screenshot shows a web application window titled "MIS". At the top, there is a search bar labeled "Enter Query". Below this, there are two input fields: "Transaction Reference no \*" and "MIS Group". The "MIS Group" field has a "Default" button next to it. Below these fields, there are two sections: "Transaction MIS" and "Composite MIS". Each section contains a table with multiple rows and columns for data entry. At the bottom right of the window, there are "Ok" and "Exit" buttons.

Specify the following details

#### **Transaction Reference**

The system displays the transaction reference number of the transaction.

#### **MIS Group**

Specify the MIS group code. Alternatively, you can select the MIS group code from the option list. The list MIS group displays all valid MIS groups maintained in the system for different sources in the Source maintenance. By default, the MIS group linked to the 'Manual' source is populated while booking a transaction from this screen.

#### **Default button**

Click this button after selecting a MIS group different from the default MIS Group (which was populated) so that any default MIS values can be populated from to link to the Transaction MIS and Composite MIS classes.

#### **Transaction MIS**

The default MIS values for Transaction MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.

#### **Composite MIS**

The default MIS values for Composite MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.



### 3.2.1.5 Pricing Tab

You can view the charge amount computed by the system for each of the Pricing components of the Pricing code linked to the network code of the transaction. Click the 'Pricing' tab.

The screenshot shows the 'Inbound Cross Border Payments Transaction Input' window. The 'Pricing' tab is selected under the 'Main' section. The form contains various input fields for transaction details, including Transaction Branch Code, Branch Name, Host Code, Description, Source Code (marked with a red asterisk), Source Code Description, Transaction Reference Number (marked with a red asterisk), Related Reference Number, Source Reference Number, Transfer Type (dropdown menu, marked with a red asterisk), Network Code, Network Code Description, gpi Enabled (dropdown), Incoming gpi, UETR, Credit to GL, and Template ID. Below the form is a table with columns: Pricing Component, Pricing Currency, Pricing Amount, Waived, Debit Currency, and Debit Amount. The table is currently empty. At the bottom, there are fields for Maker ID, Maker Date Stamp, Checker ID, Checker Date Stamp, and Authorization Status, along with an 'Exit' button.

Specify the following details:

#### Pricing Component

The system displays each Pricing component of the Pricing code from the Pricing Code maintenance.

#### Pricing Currency

The system displays the Pricing currency of each Pricing component of the Pricing code.

#### Pricing Amount

The system displays the calculated Charge amount for each Pricing component of the Pricing code.

#### Waived

The system displays if charges for any Pricing component are waived in the Pricing maintenance.

#### Debit Currency

The system displays the currency of the Charge account to be debited for the charges.

#### Debit Amount

The system displays the Charge amount for each Pricing component debited to the charge account in Debit currency. If the Pricing currency is different from the Debit currency the calculated charges are converted to the Debit currency and populated in this field.

### 3.2.1.6 Sanction Scanning of Cover Messages

- Cover messages (MT202COV) is scanned irrespective of match found or not.
- Sanction request has separate fields to capture the original transaction (103) information received as part of the cover message
- Matching is performed only after the successful scanning of cover messages

### 3.2.1.7 Viewing Inbound Transaction Summary

You can view all the Inbound SWIFT transactions created in the Host of the selected branch of the logged in user. You can also view transactions that are present in various Operations (Exception) queues. However, you cannot perform any operations.

You can invoke “Inbound Cross Border Payments Transaction Summary” screen by typing ‘PXSITONL’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Inbound Cross Border Payments Transaction Summary

Search Advanced Search Reset Clear All

Case Sensitive

Transaction Reference Number

Related Reference Number

Source Reference Number

Multi Credit Reference Number

Network Code

Source Code

Authorization Status

Booking Date

Instruction Date

Activation Date

Transfer Currency

Transfer Amount

Transfer Type

Maker ID

Transaction Branch

Credit Account

Customer Number

Customer Service Model

Sender BIC

gpi Enabled

Checker ID

Records per page: 15 1 Of 1 Go Lock Columns 0

Transaction Reference Number	Booking Date	Transaction Branch	Related Reference Number	Instruction Date	Credit Account	Source Reference Number	Activation Date	Customer Number	Multi Credit Reference Number	Transfer C
------------------------------	--------------	--------------------	--------------------------	------------------	----------------	-------------------------	-----------------	-----------------	-------------------------------	------------

Exit

You can search using one or more of the following parameters.

- Transaction Reference Number
- Related Reference Number
- Source Reference Number
- Multi Credit Reference Number
- Network Code
- Source Code
- Authorization Status
- Booking Date
- Instruction Date
- Activation Date
- Transfer Currency
- Transfer Amount
- Transfer Type
- Maker ID

- Transaction Branch
- Credit Account
- Customer Number
- Customer Service Model
- Sender BIC
- gpi Enabled
- Checker ID

Once you have specified the search parameters. Click 'Search' button. The system displays the records that match the search criteria.

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.

### 3.2.2 Inbound Cross Border Payments View

You can invoke “Cross Border Inbound Transaction View” screen by typing ‘PXDIVIEW’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. .

The screenshot displays the 'Inbound Cross Border Payments View' application window. The interface includes a search bar at the top labeled 'Enter Query'. Below this, there are several sections for data entry and viewing:

- Payment Details:** Includes fields for Transaction Branch, Branch Name, Host Code, Host Code Description, Source Code, Source Code Description, Network Code, and Network Code Description.
- Transaction Reference Number \*:** A field for entering the transaction reference number.
- Related Reference Number:** A field for entering the related reference number.
- Source Reference Number:** A field for entering the source reference number.
- Consolidation Reference Number:** A field for entering the consolidation reference number.
- Multi Credit Reference Number:** A field for entering the multi credit reference number.
- Transfer Type:** A dropdown menu with 'Customer Transfer' selected.
- gpi Agent:** A dropdown menu.
- UETR:** A dropdown menu.
- PSD Country Option:** A dropdown menu.
- PSD Currency Option:** A dropdown menu.
- Generate gpi confirmations:** A checkbox.
- Generate Notice to Receive:** A checkbox.

The main content area is divided into several sections:

- 50: Ordering Customer:** Includes fields for Party Identifier, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, and Address Line 4.
- 52: Ordering Institution:** Includes fields for Party Identifier, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, and Address Line 4.
- 58: Beneficiary Institution:** Includes fields for Party Identifier, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, and Address Line 4.
- 59: Ultimate Beneficiary:** Includes fields for Account, BIC / Name and Address 1, BIC Code Description, Address Line 2, Address Line 3, and Address Line 4.
- External System Status:** Includes fields for Sanctions Check Status, Sanctions Check Reference, External Account Check Status, External Account Check Reference, External FX Status, and External Rate Reference.
- Transaction Status:** Includes fields for Transaction Status, DRLQ Status, CRLQ Status, and Recall Status.
- Pending Queue Details:** Includes a field for Exception Queue.
- Sanction Seizure:** Includes a field for Sanction Seizure.

At the bottom of the window, there is a navigation bar with links: 'Additional Details', 'Sequence B - Cover Details', 'Accounting Entries', 'All Messages', 'Exception', 'gpi Confirmations', 'Recall Messages', 'View Queue Action', 'UDF', 'MIS', and 'View Repair Log'. The bottom right corner has fields for 'Maker ID', 'Checker ID', 'Authorization Status', and an 'Exit' button.

- From this screen, click Enter Query. The Transaction Reference field to be queried/ specified in this field.
- Click the Fetch button and select the required value.
- Along with the transaction details, you can also view the Status details for the following:
  - External System Status
  - Transaction Status

- Pending Queue Details
- Sanction Seizure
- Click Execute Query to populate the details of the transaction in the Cross Border Inbound Transaction View screen.

### View Queue

This button launches the corresponding Queue screen, where the transaction is currently held. The Queue screen will be launched in query mode, listing this transaction alone.

#### Note

Based on the beneficiary account branch, payments are routed / booked in the respective transaction branch

Branch code is derived based on the beneficiary account number and is always belonging to the same host.

For more details on Main and Pricing tabs refer to 'PXEDITONL' screen details above.

### 3.2.2.1 Additional Details Tab

You can invoke this screen by clicking Additional Details tab in the PXDIVIEW screen. For more details on the fields refer to section 3.3.2.1

### 3.2.2.2 Sequence B - Cover Details Tab

You can invoke this screen by clicking Sequence B - Cover Details tab in the PXDIVIEW screen. This is applicable for Customer Transfer with Cover transfer type. The details are updated to this screen based on uploaded Inbound Cover message.

Sequence B - Cover Details

<b>50: Ordering Customer</b> Party Identifier BIC / Name and Address 1 Address Line 2 Address Line 3 Address Line 4	<b>55: Ultimate Beneficiary</b> Account BIC / Name and Address 1 Address Line 2 Address Line 3 Address Line 4	<b>57: Account With Institution</b> Party Identifier Bank Identifier Code BIC Name Name and Address 1 Address Line 2 Address Line 3 Address Line 4
<b>52: Ordering Institution</b> Party Identifier BIC / Name and Address 1 Address Line 2 Address Line 3 Address Line 4	<b>56: Intermediary Bank</b> Party Identifier Bank Identifier Code BIC Name Name and Address 1 Address Line 2 Address Line 3 Address Line 4	<b>70: Remittance Information</b> Information 1 Information 2 Information 3 Information 4
<b>72: Sender To Receiver Information</b> Information 1 Information 2 Information 3 Information 4 Information 5 Information 6	<b>33: Currency/Instructed Amount</b> Instructed Currency Instructed Amount	

Exit

### 3.2.2.3 Accounting Entries Tab

You can invoke this screen by clicking Accounting Entries tab in the PXDIVIEW screen. For more details on the fields refer to section 3.1.2.5

Accounting Entries

Enter Query

Transaction Reference Number

**Accounting Entries**

1 Of 1

Event Code	Transaction Date	Value Date	Account	Account Branch	TRN Code	Dr/Cr	Amount Tag	Account Currency

Accounting Details

Exit

#### Note

In the Inbound Cross Border Transaction Processing, posting the Debit Liquidation (DRLQ) entry immediately after resolving Processing Dates [After Repair field validations and after resolving Accounts & Dates] for Cross Border type payments, irrespective of whether the transaction is future dated or current dated.

### 3.2.2.4 All Messages Tab

You can invoke this screen by clicking All Messages tab in the PXDIVIEW screen. For more details on the fields refer to section 3.1.2.4

Transaction Reference Number

1 Of 1 Go

DCN	Message Type	SWIFT Message Type	Direction	Value Date	Message Status	Delivery Status
-----	--------------	--------------------	-----------	------------	----------------	-----------------

Message

Exit

### 3.2.2.5 Exceptions Tab

You can invoke this screen by clicking the 'Exception' tab in PXDIVIEW screen.

You can view the details of recall requests sent out and recall responses received for a Cross Border / RTGS transactions in the Exceptions tab.

The screenshot shows a window titled 'Exception' with a search bar 'Enter Query' and a field 'Transaction Reference No'. Below are two sections: 'Recall Request' and 'Recall Response'. Each section has a table with columns for reference, date, message type, reason code, and reason. The 'Recall Request' table has columns: Recall Reference, Recall Received Date, Recall Message Type, Recall Reason Code, Recall Reason. The 'Recall Response' table has columns: Response Reference, Response Date, Response Message Type, Response Status Code, Response Reason Code. Both tables show 1 of 1 records. An 'Exit' button is at the bottom right.

Recall Request and Recall Response grids are displayed in this screen. Following details are displayed in these grids:

#### **Transaction Reference Number**

System displays the Transaction Reference Number by default on clicking 'Exception' tab.

#### **Recall Request**

##### **Recall Reference**

System displays the Field 20 of inbound n92/gSRP request message.

##### **Recall Received Date**

System displays the date on which inbound n92/gSRP request message was received.

##### **Recall Message Type**

System displays the MT Message type of inbound request message - MT 192/ MT 292/ MT 199.

##### **Recall Reason Code**

System displays the Recall request Reason Code received in the inbound n92/gSRP request message.

##### **Recall Reason**

System displays the Value sent along with Recall Reason Code.



## **Recall Response**

### **Response Reference**

System displays the Field 20 of n96/gSRP response message sent.

### **Response Date**

System displays the date on which n96/gSRP response message was sent

### **Response Message Type**

System displays the MT Message type of response message - MT 196/ MT 296/ MT 199/ API.

### **Response Reason Code**

System displays the Response reason Code sent in n96/gSRP response message.

### **Response Status Code**

System displays the Response Status Code sent in n96/gSRP response message.

## **3.2.2.6 gpi Confirmations**

gCCT confirmation messages generated for an Inbound gCCT payment can be viewed from Inbound Cross Border Payments view screen (PXDIVIEW).

This screen has 'Tracker Confirmations', 'Our Confirmations' Tabs displaying gCCT/gCOV confirmations received from the tracker and gCCT/gCOV confirmations sent out by the bank branch (in case of pass through transactions).

The screenshot shows a web application window titled "gpi Confirmations". At the top, there is a "Transaction Reference Number" input field. Below it are two tabs: "Our Confirmations" (selected) and "Tracker Confirmations". Under the "Our Confirmations" tab, there is a section for "gCCT Confirmations" with a "Go" button and a table. The table has columns: Reference Number, Message Date and Time, Status Code, Reason Code, Status Originator BIC, Forwarded To BIC, Currency, and Amount. The table is currently empty. Below the table is a "Message" button. There is also a section for "gCOV Confirmations" with a similar "Go" button and an empty table, also with a "Message" button below it.

Following are the details listed under 'Tracker Confirmations' and 'Our Confirmations' tab in the screen:

**gCCT Confirmations:**

- Reference Number
- Message Date and Time
- Status Code
- Reason Code
- Status Originator BIC
- Forwarded To BIC
- Currency
- Amount
- Exchange Rate (Only for Our Confirmations)

**gCOV Confirmations**

- Reference Number
- Message Date and Time
- Status Code
- Reason Code
- Status Originator BIC
- Forwarded To BIC
- Currency
- Amount

### Message Button

Click on 'Message' button, to view gCCT/gCOV confirmation message that was received or generated and sent out.

### 3.2.2.7 Recall Messages

### 3.2.2.8 Recall Messages

You can view the recall request messages sent out, recall response messages received and gSRP alerts & status messages received from Tracker in this sub screen.

You can invoke this screen by clicking the 'Recall Messages' tab in PXDIVIEW screen. The tabs in this sub-screen are: Responses, Requests, Tracker Alerts.

### Responses Tab

You can view the Recall Response messages received in this tab. Click on 'Responses' tab in the Recall Messages sub-screen to invoke this screen.

The screenshot shows a web application window titled "Recall Messages". At the top, there is a text input field for "Transaction Reference No". Below this, there are three tabs: "Responses" (highlighted in red), "Requests", and "Tracker Alerts". A pagination bar shows "1 Of 1" with navigation arrows and a "Go" button. Below the tabs is a table with the following headers: "Reference Number", "Response Date", "Message Type", "Response Code", "Reason Code", "Originator BIC", and "Forwarded To Agent". The table body is currently empty. At the bottom of the table area, there is a blue button labeled "Message". In the bottom right corner of the window, there is a green button labeled "Exit".

### Transaction Reference Number

System displays the Transaction Reference Number by default on clicking 'Recall Messages' tab.

### Reference Number

System displays the Field 20 of Response message.

### Response Date

System displays the date on which recall response message is sent out.

### Message Type

System displays the MT Message type of response - MT 196/ MT 296/ MT 199.

**Response Code**

System displays the Response Status code sent in the response message (Field 79 Line 1, the first 4 Characters between '/')

**Reason Code**

System displays the Response Reason code sent in the response message (Field 79 Line 1 - 4 Character code after the Response Status code).

**Originator BIC**

System displays the own Branch BIC.

**Forwarded To Agent**

System displays the BIC of agent, if the inbound recall request is forwarded to next agent.

**Message Button**

System displays the response message sent out in a new screen for the selected response record on clicking Message button.

**Requests Tab**

You can view the Recall Response messages received in this tab. Click on 'Responses' tab in the Recall Messages sub-screen to invoke this screen.

The screenshot shows a web application window titled "Recall Messages". At the top, there is a text input field for "Transaction Reference No". Below it, there are three tabs: "Responses", "Requests" (which is highlighted in red), and "Tracker Alerts". A pagination bar shows "1 Of 1" with navigation arrows and a "Go" button. Below the tabs is a table with the following headers: "Reference Number", "Request Date", "Message Type", "Reason Code", and "Reason". The table is currently empty. At the bottom of the table area, there is a blue button labeled "Message". In the bottom right corner of the window, there is a green button labeled "Exit".

**Transaction Reference Number**

System displays the Transaction Reference Number by default on clicking 'Recall Messages' tab.

**Reference Number**

System displays the Field 20 of inbound n92/gSRP request message.

**Request Date**

System displays the date on which inbound n92/gSRP request message received.

### Message Type

System displays the MT Message type inbound n92/gSRP request message - MT 192/ MT 292/ MT 199.

### Reason Code

System displays the Recall Request Reason code received in the inbound n92/gSRP request message (Field 79 Line 1 , the first 4 Characters between ' / ').

### Reason

System displays the Value sent along with Reason Code (Field 79 Line One – 4 Characters after Reason code).

### Message Button

System displays the request message sent out in a new screen for the selected recall request record on clicking Message button.

### Tracker Alerts

You can view the gSRP alerts and status messages received from tracker in this tab. Click on 'Tracker Alerts' tab in the Recall Messages sub-screen to invoke this screen.

The screenshot shows the 'Recall Messages' sub-screen. At the top, there's a header bar with the title 'Recall Messages'. Below it, there's a search bar labeled 'Transaction Reference Number'. Under the search bar, there are three tabs: 'Responses', 'Requests', and 'Tracker Alerts' (which is highlighted in red). Below the tabs, there's a table with the following columns: 'Reference Number', 'Message Date', 'Response Code', 'gSRP Status Code', and 'Originator BIC'. The table is currently empty. At the bottom of the screen, there are two buttons: 'Message' and 'Exit'.

### Transaction Reference Number

System displays the Transaction Reference Number by default on clicking 'Recall Messages' tab.

### Reference Number

System displays the Field 20 of the inbound gSRP Tracker Alert message [MT 199].

### Message Date

System displays the date on which Alert or Status Notification message is received.

### Response Code

System displays the Alert Response code received in the Incoming gSRP Tracker Alert message (Field 79 Line 1 – First four characters between ' / ')

### **gSRP Status Code**

System displays the Status/Reason code received in the Incoming gSRP Tracker Alert message (Field 79 Line1 – Four characters after Response code).

### **Originator BIC**

System displays the BIC value received in, Field 79 Line 2.

### **Message Button**

System displays the request message received in a new screen for the selected recall request record on clicking Message button.

## **3.2.2.9 View Queue Action Log**

You can invoke this screen by clicking View Queue Action tab in the PXDIVIEW screen. For more details on the fields refer to section 3.1.5.4

View Queue Action Log

Execute Query

Transaction Reference Number \_\_\_\_\_ Network Code \_\_\_\_\_

1 Of 1 Go

Transaction Reference Number	Action	Remarks	Queue Code	Authorization Status	Maker Id	Maker Date Stamp
------------------------------	--------	---------	------------	----------------------	----------	------------------

View Request Message View Response Message Cancel

## **3.2.2.10 UDF Tab**

You can invoke this screen by clicking UDF tab in the PXDIVIEW screen. For more details on the fields refer to section 3.3.2.2

UDF View

Enter Query

Transaction Reference Number\*

Fields

1 Of 1

Go

<input type="checkbox"/>	Field Label *	Field Value
--------------------------	---------------	-------------

Exit

### 3.2.2.11 MIS Tab

You can invoke this screen by clicking MIS tab in the PXDIVIEW screen. For more details on the fields refer to section 3.3.2.3

[illegible]

### 3.2.2.12 View Repair Log

You can invoke this screen by clicking View Repair Log tab in the PXDIVIEW screen. For more details on the fields refer to section 3.1.5.7

View Repair Log

Enter Query

Transaction Reference Number

1 Of 1

Queue Reference No	Field Name	Old Value	Repaired Data	Error

Exit

### 3.2.2.13 Inbound MT 103/ MT 202 Processing

On upload of MT 103/ MT 202 messages for Transfer Type - Customer Transfer/Bank Transfer, following processes are done:

- Rule based enrichment of message details are done for message types, if maintenance is done in PXDRLECH.
- Parsing of message with D to A conversion and bank/account re-direction
- Moving the messages to STP Queue and derive the message queue as STP/Non-STP/ Cover based on STP rules maintained
- Release the STP messages & cover matched messages to payment processor.

### 3.2.2.14 Inbound Transaction View Summary

You can invoke "Inbound Cross Border Payments View Summary" screen by typing 'PXSIVIEW' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.





- Customer Number
- Debtor Account Number
- Receiver BIC
- Exception Queue
- PSD Handling Required

The following operations are available in the Summary screen

Operation	Functions
Generate MT n99	You can generate MT n99 by clicking this button. You can select a record and click on this button to get the New action enabled right to the PXDCMN99 screen in order to generate MT n99 for an Inbound transaction

Once you have specified the search parameters. Click 'Search' button. The system displays the records that match the search criteria.

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.

### 3.2.2.15 Credit Account Branch Based Routing Processing

Branch code and Host code for an Incoming SWIFT message is derived based on the Message Queue Mapping maintenance (MSDQMAP) as per existing functionality. Once the transaction type is resolved as an Incoming SWIFT payment, below processing changes gets applied:

- After performing the account resolution for an incoming SWIFT message, system derives the branch of the account number received in the field 59 of an incoming message.
- Based on the Account number received in the field 59 of an incoming message, system checks if the account received is a Multi-Currency/Normal Account, Loan Account or General Ledger.
- System matches the Account number received in field 59 with the below maintenances to resolve the Source Account branch.

Function ID	Function ID Description	Matching Field Name
STDCRACC	External Customer Account Input	Customer Account
STDCRCLN	External Consumer Loan Account	Loan Account Number
STDCRGLM	External Chart of Accounts	GL Code

If the General Ledger account received in Field 59, then the branch code is retained as the same code.

- If system is not able to match the account, then the account number received in Field 59 is matched with the below maintenances/field to resolve the Source Account branch.

Function ID	Function ID Description	Matching Field Name
STDCRACC	External Customer Account Input	Source Customer Account
STDCRCLN	External Consumer Loan Account	Source Loan Account

- If system is not able to match the account, then the account number received in Field 59 is matched with the below maintenances/field to resolve the Source Account branch.

Function ID	Function ID Description	Matching Field Name
STDCRACC	External Customer Account Input	IBAN Account
STDCRCLN	External Consumer Loan Account	IBAN Account

- If derived branch is different than the booking branch derived using the Message Queue Mapping Maintenance (MSDQMAP) screen, then derived branch gets updated as the transaction branch and transaction is routed to the derived branch.

---

#### Note

If system is not able to resolve the Credit Account based on the Account number received in the field 59 of an incoming message the transaction is moved to repair queue from Repair queue if you change the Account number present in the field 59 and repairs the transaction, then Source Account branch resolution logic is not applied on changed Account number.

---

### 3.2.3 STP of Inbound Messages

Inbound SWIFT payment and non-payment messages are received by the EMS module of Oracle Banking Payments and stored in the Inbound directory. The STP function then reads and processes the messages.

The system first resolves the source code of the transaction and routes it to a particular system (e.g. SWIF, COVR) or user defined queue based on the Cover Queue Rule maintenance. For messages routed to SWIF queue, the STP function then creates transactions of the following types for the payment messages:

- Inbound Customer Transfer
- Inbound Bank transfer
- Inbound Customer Transfer with Cover
- Outbound Customer Transfer (in case of Inbound Customer Transfer pass-through payment)
- Outbound Cover Transfer (in case of Inbound Cover Transfer pass-through payment)
- Outbound Bank Transfer (in case of Inbound Bank Transfer pass-through payment/ Inbound Bank Transfer for Own Accounts)

If the system is unable to resolve the Debit account, then the transaction is parked in Process Exception queue.

In case of any exceptions during the STP of an Inbound message, the message is marked with Process Status as 'Repair'.

---

#### Note

- When an inbound MT103/202 message is sent with a party identifier (which is a valid debit account in our books) in Field 53 and with a valid Reverse Message Agreement, then a fresh outbound payment is created.
  - If the agreement is not valid or when the start /end date/ limit amount is breached, then the transaction is parked in Business Override queue.
  - Since these messages are customer initiated, validations for Debit authority and Cover queue are skipped.
- 

### 3.2.4 Inbound Multi Credit Consol View Summary

You can invoke “Inbound Cross Border Payments Consol View Summary” screen by typing 'PXSCONIN' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. .

The screenshot shows the 'Inbound Cross Border Payments Consol View Summary' application window. The window has a title bar and a menu bar with 'Search', 'Advanced Search', 'Reset', and 'Clear All'. Below the menu bar is a 'Case Sensitive' section with search fields for 'Incoming Message Reference No', 'Transfer Type', and 'Sender'. Below the search fields is a table with columns: 'Consol Transaction Reference', 'Value Date', 'Incoming Message Reference No', 'Transaction Branch', 'Currency', 'Message Date', 'Sender', 'Account', and 'Consol Amount in Local Currency'. The table is currently empty. At the bottom of the window, there is an 'Accounting Entries' section and an 'Exit' button.

You can search using one or more of the following parameters.

- Inbound Message Reference No
- Sender
- Transfer Type

Once you have specified the search parameters. Click 'Search' button. The system displays the records that match the search criteria.

The following operations are available in the Summary screen

Operation	Functions
Accounting Entries	You can view the generated consol Accounting Entries for the selected consolidated batch.

### 3.2.4.1 Accounting Entries

You can view the generated consol Accounting Entries for the selected consolidated batch.

You can invoke the Accounting Entries screen by clicking on 'Accounting Entries' action button available at the left bottom in the 'Inbound Cross Border Payments Consol View Summary' screen (PXSCONIN)

Accounting Entries

Enter Query

Transaction Reference Number

Accounting Entries

1 Of 1

Go

Event Code	Transaction Date	Value Date	Account	Account Branch	TRN Code	Dr/Cr	Amount Tag	Account Currency	Transaction Amount
------------	------------------	------------	---------	----------------	----------	-------	------------	------------------	--------------------

Exit

Select a record listed in the 'Inbound Cross Border Payments Consol View Summary' screen and click on 'Accounting Entries' button. System defaults all the data for the Record selected.

### 3.2.5 Processing of MT 200

On receipt of an Inbound MT 200 message, a Transaction is booked with Transfer type as 'Bank Transfer'. An Outbound bank transfer message (i.e. MT 202) is generated as part of the message generation activity for this Transaction.

### 3.2.6 Processing Of MT 203

STP job splits Inbound MT 203 message into multiple MT 202 messages. Then these MT 202 messages are again picked up by another STP job for processing. MT 202 messages are processed as normal bank transfer as per the existing functionality.

STP job performs the below mentioned validations before splitting an MT 203 message:-

- The amount in field 19 must be equal to the sum of the amounts in all occurrences of field 32B.
- The currency code in the amount field 32B should be the same for all occurrences of this field in the message.
- The repetitive sequence must appear at least twice but not more than ten times.

- If field 56a is present in a transaction, then, field 57a should also be present.

### **3.2.7 Processing of MT 204**

Processing of MT 204 will be having the following steps:

- Initial format validations & parsing of the message
- Verify whether the agreement exists for the sender BIC (8/11)
- Field 72 codewords validation for sequence A
- If the validation fails the message is moved to Business Override queue
- Splitting the message into individual debit requests - A new Inbound MT204 Message Browser will be provided which lists the Mt 204 messages received. The individual debit requests received in each message can be viewed in the browser.
- Agreement validation at individual request level –MT 204 agreement validation is done for the allowed BIC and debit account combination received in 53a.
- If account is not specified in 53a, system debits the account linked to the debit institution BIC in the maintenance. If multiple accounts are found, the debit is done to the primary account.
- If the agreement is not available or if the limit validations fail, the debit record is logged in Business Override queue.
- Field 72 Codeword validation – For each record the codeword validation is done for Sequence B Field 72 codeword.
- Network Resolution – Networks of payment types Cross border, RTGS, Book Transfer and Fedwire are allowed. Based on the Network and payment type derived outbound credit transfers are booked.
- Sending the requests to respective payment processor if activation date is current date–
  - D2A conversion is part of the individual transaction processing
  - Processing cutoff validation will be at transaction level. Duplicate check will be part of individual transaction processing. Sanction scanning will be done as part of transaction processing.
  - Charging-Payments generated out of MT 204 is provided with a specific source code so that separate price values can be maintained for the source for each Network.
  - Field 72 details in sequence B is copied in outbound MT 202 generated. If field 72 is not present in sequence B, sequence A field 72 details will be copied. The codewords will further be validated during MT 202 processing.
- Sanction Scanning for future - Sanction scanning is at each debit request level. Sequence A details will be part of the sanctions request. In case of seizure of funds, account will be debited and Seizure GL will be credited.

### **3.2.8 Processing of MT 205**

STP process for Payments module supports upload of Inbound MT 205 message.

For an Inbound MT 205, a Transaction is booked in PX with Transfer type as 'Bank Transfer' and processed similar to an Inbound MT202 message.

### **3.2.9 Cover Matching**

Cover Matching is supported for MT103 with Cover messages of MT 202COV, MT 205COV or MT 910. Similarly, Cover matching is supported for MT 202 with another MT 202 as Cover message.

Based on the rule condition mentioned in the Cover Queue Rule maintenance, an Inbound payment message (MT103/MT 202) is routed to a 'COVR' queue. All payment messages in this queue await Cover matching. Inbound Cover messages are also routed to this queue based on the Cover queue rule condition.

A job tries to match the payment messages with the cover messages based on the following criteria for cover matching is

- Field 20 of MT103 = Field 21 of MT 202COV or MT 910
- Amount and Currency
- Value date

After Cover matching is done the payment message gets picked up for STP.

### **3.2.9.1 Cover matching of incoming MT103/MT202 using incoming MT940/950/942**

Cover Matching is supported for MT103 / MT 202 with MT940 / MT950 / MT942. Web service mode is supported for MT940 / MT950 / MT942 uploads.

On receiving new credit entries, system initiates the matching of the new entries with inbound MT103 messages pending for cover matching.

Account Owner Reference received for the credit entry is matched with the field 20 of the inbound MT103 received. If the reference is matched, currency and amount are verified. If all values are matching the inbound payment is marked as matched and can be released for further processing. The statement credit entry is also be marked as matched. Matched statement entries cannot be used for cover matching again.

Whenever cover matching (Auto/Manual) is done for an inbound payment received, the credit statement entries which are yet to be matched will be considered for matching.

The manual cover match in Inbound Message STP Queue allows selecting the pending credit statement entries of the same currency. In the Manual Match screen, the cover messages cannot be displayed for this case. Instead, system displays the message 'Account statement entry received' in message population field.

### **3.2.9.2 Statement Browser**

You can capture the statement entry details received for MT 940/950/942 in this screen.

You can invoke 'Statement Browser' screen by typing 'PMDSTBRW' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click 'New' button on the Application toolbar.

You can specify the following fields:

### **Internal Reference**

Specify the Internal Reference. This is a system generated reference for a statement received.

### **Statement Reference (20)**

Specify the Statement Reference received in the message (Tag 20).

### **Related Reference (20)**

Specify the Related Reference received in the message (Tag 21).

### **25a: Account**

Specify the external account number for the Nostro Account in the system.

### **Identifier Code**

Specify the Account Identifier as received in the statement.

### **28C: Statement Number & Sequence Number**

Specify the Statement and Sequence Number.

### **Host Code & Branch Code**

Host Code and Branch Code are derived from the system by finding the Nostro account number linked to the external system received from.

### **Source Reference Number**

Specify the Source Reference Number.

### **Received Date**

Specify the Received Date.

### **Sender**

Specify the sender BIC.

### **Message Type**



Specify the Message Type from the following:

- I MT940
- I MT950
- I MT942

**Our BIC**

Specify the BIC Code.

**Our Nostro**

Specify the Nostro account which is derived by the system using the External Account Maintenance (PXDXTACC) available for Nostro Accounts.

The detailed block have the following entry details pertaining to each statement entry:

**Internal Entry Reference**

Specify the Internal Entry Reference received.

**Value Date & Entry Date**

Specify the Value and Entry Date.

**Debit/Credit Mark**

Select the Debit/Credit Mark from the drop-down values. Choose from the following:

- Credit
- Debit
- Reversal of Credit
- Reversal of Debit

**Currency & Amount**

Specify the Currency Type and Amount which is derived from the Nostro Account.

**26T: Transaction Type**

Specify the Transaction Type.

**Reference for the Account Owner**

Specify the reference for the Account Owner.

**Reference of the Account Servicing Institution**

Specify reference for the Account Servicing Institution.

**Supplementary Details**

Specify additional details if any.

The following validations are done while receiving the statement details from the external system:

- Duplicate check: The combination of Statement Reference 20 and Sender BIC are not allowed to repeat.
- Whether Nostro account linkage is available for the account to which the statement is received.

If any of the above validations fail, the statement upload gets failed. On successful upload of the statement, the credit entries are moved to matching table, which then used for cover

matching and claim received matching.

### 3.2.9.3 Viewing Statement Browser Summary

You can invoke the 'Statement Browser Summary' screen by typing 'PMSSTBRW' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

The screenshot shows the 'Statement Browser Summary' application window. At the top, there is a search bar with 'PMSSTBRW' entered and a search icon. Below the search bar, there are several search criteria fields: 'Internal Reference', 'Related Reference (21)', '28C: Statement Number', 'Received Date', 'Our BIC', 'Statement Reference (20)', '25a: Account', 'Source Reference Number', and 'Our Nostro'. Each field has a dropdown arrow. Below the search criteria, there is a table with columns: 'Internal Reference', 'Statement Reference (20)', 'Related Reference (21)', '25a: Account', 'Identifier Code', '28C: Statement Number', 'Sequence Number', 'Sender', 'Received Date', and 'Source Ref'. The table is currently empty. At the bottom right of the window, there is a 'Exit' button.

You can search using one or more of the following parameters:

- Internal Reference
- Statement Reference (20)
- Related Reference (21)
- 25a: Account
- 28C: Statement Number
- Sender
- Received Date
- Source Reference Number
- Our BIC
- Our Nostro

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria for the following

- Internal Reference
- Statement Reference (20)
- Related Reference (21)
- 25a: Account
- Identifier Code
- 28C: Statement Number
- Sequence Number
- Sender
- Received Date
- Source Reference Number

- Host Code
- Message Type
- Our BIC

Our Nostro Sanctions scanning of Inbound Cover Messages (MT 202COV, MT 205COV, MT 910)

- On receipt of any Inbound Cover message the same is sanctioned before matching it with the underlying payment message
- On receiving an Approved response from Sanctions, the Inbound Cover message is suppressed (as per existing behaviour) and the matched payment message is processed further
- If any status other than Approved is received from Sanctions system then system moves the Inbound Cover message to the Sanctions queue
  - You would be able to take appropriate action on the message in the queue.
  - If Auto-cancellation is configured for a Reject response from Sanctions then the Inbound Cover message is auto-cancelled and the status of the matched payment message would remain in 'Repair' and not processed any further

### **3.2.10 Sanctions scanning of Inbound Messages (MT 900, MT 210)**

- On receipt of any Inbound Notification message like MT 900 and MT 210, system sends the actual received message to Sanctions System for scanning
  - This involves sending the actual SWIFT message embedded in the Sanctions request XML to Sanctions system as against the existing Sanctions request.
  - If the received message was repaired in the Inbound Message Browser then the repaired message is sent for Scanning
- On receiving an Approved response from Sanctions system, the Inbound Notification message is matched and linked to a matched payment transaction and processed further where applicable (e.g. MT 191 claim processing).
- If any status other than Approved is received from Sanctions system then system moves the Inbound Notification message to a Sanctions queue. This queue is similar to existing Sanction queue as described above
  - You can take appropriate action on the message in the queue similar to the existing functionality for payment transactions.

If Auto-cancellation has been configured for a Reject response from Sanctions then the Inbound Common Group message is auto-cancelled and not processed further.

## **3.3 Common Group Messages**

### **Outbound Common Group Messages**

These Common Group Messages screen are used to manually initiate outbound Common Group Messages. The following Common Group Messages like can be manually initiated from this screen:

- MT 190, MT 290 – Advice of charges
- MT 191, MT 291 – Request for charges
- MT 192, MT 292 – Request for cancellation
- MT 195, MT 295 – Queries
- MT 196, MT 296 – Answers
- MT 198, MT 298 – Proprietary Message

- MT 199, MT 299 – Free Format Message

This message types are exchanged between banks for investigations regarding payment messages and initiating non-value requests like cancellation.

Outbound messages gets generated and linked to the Original Transaction once its Sanctions scanned & Sanctions response is Success. Refer Section 3.3.11 for more details on Sanctions scanning for Outbound messages.

### 3.3.1 **Advice of Charges**

You can invoke “Advice of Charges” screen by typing ‘PXDCMN90’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Specify the following details.

#### **Branch Code**

Displays the selected branch of the logged-in user.

#### **Reference Number**

Displays the Reference Number by default.

#### **Receiver**

Specify the Receiver from the list of values.

#### **Receiver Name**

The system displays the name of the Receiver upon the selection of Receiver.

#### **SWIFT Message Type**

Specify the SWIFT Message Type from the list of values.

**Host Code**

Displays the Host code of the user's logged in branch.

**Related Reference**

Specify the Related Reference Number from the list of values.

**UETR**

Refer to UETR pick up logic for Common group messages section(3.3.13) for more details

**Account Identification(25)**

Specify the account from the list of values.

**Value Date, Currency, Amount (32)**

Specify the Value Date and amount and select the Currency from the list of values.

**Ordering Institution(52)**

Specify the Ordering Institution details.

**Details of Charges(71B)**

Specify the Details of Charges(71B) details.

**Sender to Receiver Information(72)**

Specify the Sender to Receiver Information(72) details.

**3.3.1.1 Viewing Advice of Charges Summary**

You can invoke "Advice of Charges Summary" screen by typing 'PXSCMN90' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Advice of Charges Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Branch Code  Host Code

Reference Number  Related Reference

Receiver  SWIFT Message Type

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	Branch Code	Host Code	Reference Number	Related Reference	Receiver	SWIFT Message Type
----------------------	---------------	-------------	-----------	------------------	-------------------	----------	--------------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Branch Code
- Host Code
- Reference Number

- Related Reference
- Receiver
- SWIFT Message Type

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.

### 3.3.2 Request for Payment of Charges

You can invoke "Request for Payment of Charges" screen by typing 'PXDCMN91' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'Request for Payment of Charges' application window. The window has a title bar with the text 'Request for Payment of Charges' and standard window controls (minimize, maximize, close). Below the title bar is a menu bar with 'New' and 'Enter Query'. The main area contains several input fields: 'Branch Code', 'Reference Number \*', 'Host', 'Receiver \*', 'Name of the Receiver', 'SWIFT Message Type \*', 'Related Ref(21) \*', 'UETR', 'Currency, Amount(32B) \*', 'Ordering Institution(52)', and 'Account with Institution(57)'. At the bottom, there is a status bar with fields for 'Maker', 'Checker', 'Date Time:', 'Mod No', 'Record Status', 'Authorization Status', and an 'Exit' button.

Specify the following details.

#### **Branch Code**

Displays the selected branch of the logged-in user.

#### **Host Code**

Displays the Host Code of the logged-in user.

#### **Reference Number**

Displays the Reference Number by default.

#### **Receiver**

Specify the Receiver from the list of values.

#### **Receiver Name**

The system displays the name of the Receiver upon the selection of Receiver.

**SWIFT Message Type**

Specify the SWIFT Message Type from the list of values.

**Related Reference(21)**

Specify the Related Reference Number from the list of values.

**UETR**

Refer to UETR pick up logic for Common group messages section(3.3.13) for more details

**Currency, Amount (32B)**

Specify the Currency and Amount from the list of values.

**Ordering Institution(52)**

Specify the Ordering Institution details.

**Account with Institution(57)**

Specify the Ordering Institution details.

**Details of Charges(71B)**

Specify the Details of Charges(71B) details.

**Sender to Receiver Information(72)**

Specify the Sender to Receiver Information(72) details.

**3.3.2.1 Viewing Request for Payment of Charges Summary**

You can invoke “Request for Payment of Charges Summary” screen by typing ‘PXSCMN91’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Branch Code
- Host

- Receiver
- SWIFT Message Type
- Reference No
- Related Ref(21)

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

### 3.3.3 Request for Cancellation

You can invoke "Request for Cancellation" screen by typing 'PXDCMN92' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'Request for Cancellation' application window. The window has a title bar 'Request for Cancellation' and a menu bar with 'New' and 'Enter Query'. The main area contains several input fields: 'Branch Code', 'Host Code', 'Reference Number \*', 'Receiver \*', 'Receiver Name', 'SWIFT Message Type \*', 'Related Ref(21) \*', 'UETR', and 'Narrative(79)'. There is an 'Enrich' button next to the 'UETR' field. Below these fields is a section titled '11S: MT and Date of the Original Message' containing 'MT Number \*', 'Date \* dd-MMM-yyyy', 'Session Number', and 'ISN'. At the bottom, there is a status bar with fields for 'Maker', 'Checker', 'Date Time:', 'Mod No', 'Record Status', 'Authorizati on Status', and an 'Exit' button.

You can generate a Cancellation request n92 message for a payment message sent earlier from this screen.

Specify the following details.

#### Branch Code

Displays the selected branch of the logged-in user.

#### Host Code

Displays the host code of the selected branch of the logged-in user.

#### Reference Number

Displays the reference number of the generated Common Group message when viewed in the Query mode.



**Receiver**

Specify or search and select the BIC code of the bank which is desired to be the Receiver of the generated Common Group message.

**Receiver Name**

Displays the name of the bank corresponding to the selected BIC.

**SWIFT Message Type**

Select the required Common Group message type. The available values for selection include the following:

- 192
- 292
- 992

**UETR**

Refer to UETR pick up logic for common group messages section(3.3.13) for more details

**Related Ref(21)**

Specify or search and select the transaction (contract) reference number of the associated customer or bank transfer transaction.

**11S: MT and Date of the Original Message**

Specify the following details of the original (referenced) outward/inward message.

**MT Number**

Specify the MT number of the original message e.g. 103, 202, 102 etc.

**Date**

Specify or select date (from calendar LOV) of original message

**Session Number**

Specify Session number (1st 4 digits from the last 10 digits in Block1 of ACK received) of original message

**ISN**

Specify ISN (last 6 digits from the last 10 characters in Block1 of ACK received) of original message.

**Narrative (79)**

Specify narrative text for describing the original message, or all transactions in the original multi-credit Customer/Bank transfer message that is being referenced by this Common Group message. Alternatively, this field can also be used for specifying free format text in case of MT199/MT299. This field can contain up to a 1750 characters.

**Copy of at least the Mandatory Fields of the Original Message**

Specify at least the mandatory fields of the original message that is being referenced by this Common Group message. This field can be input instead of 'Narrative 79' field but never both.

**Narrative Details****Narrative (79) Line 1**

For Narrative(79) field, in addition to the narrative text, two line formats are introduced

- Line1: Cancellation Reason)(Narrative)
- Line2-35: Narrative

This field is applicable for MT 192, MT 292, MT 992 cancellation messages both inbound and outbound.

Following are the Cancellation Reason codes supported:

Reason Code	Acronym	Usage
AGNT	Incorrect Agent	Agent in the payment
CURR	Incorrect Currency	Currency of the payment is incorrect.
CUST	Requested by Customer	Cancellation requested by the ordering customer
CUTA	Cancel upon Unable to Apply	Cancellation requested because an investigation request has been received and no remediation is possible
DUPL	Duplicate Payment	Payment is a duplicate of another payment
FRAD	Fraudulent Origin	Cancellation requested following a transaction that was originated fraudulently. The use of the Fraudulent Origin code should be governed by jurisdictions.
TECH	Technical Problem	Cancellation requested following technical problems resulting in an erroneous transaction
UPAY	Undue Payment	Payment is not justified

This field Narrative(79) Line 1 or copy of atleast the mandatory fields of the original message or both will be mandatorily present in the MT 192, MT 292 & MT 992 messages.

If Cancellation Reason is the only information in Narrative(79) Line 1 field, then a copy of atleast the mandatory fields of the original message must be present.

### 3.3.3.1 Viewing Request for Cancellation Summary

You can invoke “Request for Cancellation Summary” screen by typing ‘PXSCMN92’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Request for Cancellation Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Branch Code  Host Code

Reference Number  Receiver

SWIFT Message Type  Related Ref(21)

Records per page: 15 1 Of 1 Lock Columns: 0

Authorization Status	Record Status	Branch Code	Host Code	Reference Number	Receiver	SWIFT Message Type	Related Ref(21)
----------------------	---------------	-------------	-----------	------------------	----------	--------------------	-----------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Branch Code
- Host Code
- Reference Number
- Receiver
- SWIFT Message Type
- Related Ref(21)

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

Double click a record or click the ‘Details’ button after selecting a record to view the detailed screen. You can also export the details of selected records to a file using ‘Export’ button

### 3.3.4 Queries

You can invoke “Queries” screen by typing ‘PXDCMN95’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'Queries' application window. It has a title bar with 'Queries' and standard window controls. Below the title bar are two tabs: 'New' and 'Enter Query'. The 'Enter Query' tab is selected. The main area contains a form with the following fields and controls:

- Branch Code**: Text input field.
- Reference Number \***: Text input field.
- Host Code**: Text input field.
- Receiver \***: Text input field.
- Receiver Name**: Text input field.
- SWIFT Message Type \***: Text input field.
- Related Ref(21) \***: Text input field.
- Related Message**: Text input field.
- UETR**: Text input field.
- Enrich**: Button.
- 11A: MT and Date of the Original Message**: Section header.
- Option**: Dropdown menu.
- MT Number**: Text input field.
- Date**: Text input field with a date mask 'dd-MMM-yyyy'.
- Session Number**: Text input field.
- ISN**: Text input field.
- Narrative(77A)**: Large text area for narrative.

At the bottom of the window is a status bar with the following fields and controls:

- Maker**: Text input field.
- Checker**: Text input field.
- Date Time:**: Text input field.
- Mod No**: Text input field.
- Record Status**: Text input field.
- Authorization Status**: Text input field.
- Exit**: Button.

Specify the following details.

#### Branch Code

Displays the selected branch of the logged-in user.

#### Host Code

Displays the host code of the selected branch of the logged-in user.

#### Reference Number

Displays the Reference Number by default.

#### Receiver

Specify or search and select the BIC code of the bank which is desired to be the Receiver of the generated Common Group message.

#### Receiver Name

Displays the name of the bank corresponding to the selected BIC.

#### SWIFT Message Type

Select the required Common Group message type. The available values for selection include the following:

- 195
- 295
- 995

#### Related Ref(21)

Specify or search and select the transaction (contract) reference number of the associated customer or bank transfer transaction.

#### Related Message

Specify the related SWIFT message.

**UETR**

Refer to UETR pick up logic for Common group messages section(3.3.13) for more details

**Option**

Select 'R' or 'S' from the drop down.

**11 A: MT and Date of the Original Message**

Specify the following details of the original (referenced) outward/inward message.

**Option**

Select either "11S" or "11R" depending on whether original message being referred was sent or received.

**MT Number**

Specify the MT number of the original message e.g. 103, 202, 102 etc.

**Date**

Specify or select date (from calendar LOV) of original message

**Session Number**

Specify Session number (1st 4 digits from the last 10 digits in Block1 of ACK received) of original message

**ISN**

Specify ISN (last 6 digits from the last 10 characters in Block1 of ACK received) of original message.

**Queries (75)**

Specify or search and select (using LOV) a standard Query code. You can then input additional text or query following the selected Query code, You may specify up to 6 different queries in each of the 6 text boxes.

**Narrative (77A)**

Specify additional details about the Queries or Answers input in one of the above mentioned fields. The Narrative text can contain up to 700 characters.

**Narrative (79)**

Specify narrative text for describing the original message, or all transactions in the original multi-credit Customer/Bank transfer message that is being referenced by this Common Group message. Alternatively, this field can also be used for specifying free format text in case of MT199/MT299. This field can contain up to a 1750 characters.

**Copy of at least the Mandatory Fields of the Original Message**

Specify at least the mandatory fields of the original message that is being referenced by this Common Group message. This field can be input instead of 'Narrative 79' field but never both.

### 3.3.4.1 Viewing Queries Summary

You can invoke “Queries Summary” screen by typing ‘PXSCMN95’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Queries Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status

Branch Code

Receiver

Reference Number

Record Status

Host Code

SWIFT Message Type

Related Ref(21)

Records per page: 15 1 Of 1 Lock Columns: 0

Authorization Status	Record Status	Branch Code	Host Code	Receiver	SWIFT Message Type	Reference Number	Related Ref(21)
----------------------	---------------	-------------	-----------	----------	--------------------	------------------	-----------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Branch Code
- Host Code
- Receiver
- SWIFT Message Type
- Reference Number
- Related Ref(21)

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

Double click a record or click the ‘Details’ button after selecting a record to view the detailed screen.

### 3.3.5 Answers

You can invoke 'Answers' screen by typing 'PXDCMN96' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'Answers' application window. It features a title bar with the text 'Answers' and standard window controls. Below the title bar is a menu bar with 'New' and 'Enter Query'. The main content area is divided into several sections. The top section contains input fields for 'Branch Code', 'Reference Number \*', 'Host Code', 'Receiver \*', 'Receiver Name', and 'SWIFT Message Type \*'. There is also a 'Related Ref(21) \*' field and an 'Enrich' button. Below this is a section titled '11A: MT and Date of the Original Message' which includes a dropdown menu for 'Option', a text area for 'Narrative(77A)', and input fields for 'MT Number', 'Date' (with a date mask 'dd-MMM-yyyy'), 'Session Number', and 'ISN'. At the bottom of the window, there is a table with columns: 'Maker', 'Date Time:', 'Mod No', 'Record Status', 'Checker', 'Date Time:', 'Authorizati on Status', and an 'Exit' button.

Specify the following details.

#### **Branch Code**

Displays the selected branch of the logged-in user.

#### **Host Code**

Displays the host code of the selected branch of the logged-in user.

#### **Reference Number**

Displays the Reference Number by default.

#### **Receiver**

Specify or search and select the BIC code of the bank which is desired to be the Receiver of the generated Common Group message.

#### **Receiver Name**

Displays the name of the bank corresponding to the selected BIC.

#### **SWIFT Message Type**

Select the required Common Group message type. The available values for selection include the following:

- 196
- 296
- 996

#### **Related Ref(21)**

Specify or search and select the transaction (contract) reference number of the associated customer or bank transfer transaction.

#### **UETR**

Refer to UETR pick up logic for Common group messages section(3.3.12) for more details

### 11A: MT and Date of the Original Message

Specify the following details of the original (referenced) outward/inward message.

#### Option

Select either "11S" or "11R" depending on whether original message being referred was sent or received.

#### MT Number

Specify the MT number of the original message e.g. 103, 202, 102 etc.

#### Date

Specify or select date (from calendar LOV) of original message

#### Session Number

Specify Session number (1st 4 digits from the last 10 digits in Block1 of ACK received) of original message

#### ISN

Specify ISN (last 6 digits from the last 10 characters in Block1 of ACK received) of original message.

#### Answers (76)

Specify the answers if any in the text boxes.

For Answers(76) field, in addition to the narrative text, two line formats are introduced

- Line1: Answer Number)(Narrative1)(Narrative2)
- Lines2-6: (Narrative) or (Answer Number)(Narrative 1)(Narrative 2)

This field is applicable to MT 196, MT 296 & MT 996 Answers messages

As part of SWIFT 2018 changes, 2n is changed to 4c so that ISO reason codes can be incorporated in the answers

Answers contains one or more of the following codes

Reason Code	Acronym	Usage
CNCL	Cancelled As Per Request	Used when a requested cancellation is successful
PDCR	Pending Cancellation Request	Used when a requested cancellation is pending.
RJCR	Rejected Cancellation Request	Used when a requested cancellation has been rejected.

In the case if Answer indicates RJCR or PDCR, then Narrative1 may contain one or more of the following reason codes

Reason	Acronym	Usage
AC04	Closed Account Number	Account number specified has been closed on the receiver's books.



AGNT	Agent Decision	Reported when the cancellation cannot be accepted because of an agent refuses to cancel.
AM04	Insufficient Funds	Amount of funds available to cover specified message amount is insufficient.
ARDT	Already Returned	Cancellation not accepted as the transaction has already been returned.
ARPL	Awaiting Reply	A reply is expected from either the customer or the next agent.
CUST	Customer Decision	Reported when the cancellation cannot be accepted because of a customer decision.
INDM	Indemnity Requested	Indemnity is required before funds can be returned.
LEGL	Legal Decision	Reported when the cancellation cannot be accepted because of regulatory rules.
NOAS	No Answer From Customer	No response from beneficiary (to the cancellation request).
NOOR	No Original Transaction Received	Original transaction (subject to cancellation) never received.
PTNA	Past To Next Agent	Cancellation has been forwarded to the next agent in the payment chain.
RQDA	Requested Debit Authority	Authority is required by the Creditor to return the payment.

#### **Narrative (77A)**

Specify additional details about the Queries or Answers input in one of the above mentioned fields. The Narrative text can contain up to 700 characters.

#### **Narrative (79)**

Specify narrative text for describing the original message, or all transactions in the original multi-credit Customer/Bank transfer message that is being referenced by this Common Group message. Alternatively, this field can also be used for specifying free format text in case of MT199/MT299. This field can contain up to a 1750 characters.

#### **Copy of at least the Mandatory Fields of the Original Message**

Specify at least the mandatory fields of the original message that is being referenced by this Common Group message. This field can be input instead of 'Narrative 79' field but never both.

### 3.3.5.1 Viewing Answers Summary

You can invoke “Answers Summary” screen by typing ‘PXSCMN96’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Answers Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Branch Code  Host Code

Receiver  SWIFT Message Type

Reference Number  Related Ref(21)

Records per page: 15 1 Of 1 Go Lock Columns: 0

Authorization Status	Record Status	Branch Code	Host Code	Receiver	SWIFT Message Type	Reference Number	Related Ref(21)
----------------------	---------------	-------------	-----------	----------	--------------------	------------------	-----------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Branch Code
- Host Code
- Receiver
- SWIFT Message Type
- Reference Number
- Related Ref(21)

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria for the following:

- Authorization Status
- Record Status
- Branch Code
- Host Code
- Receiver
- SWIFT Message Type
- Reference Number
- Related Ref(21)

### 3.3.6 Proprietary Message

You can invoke “Proprietary Message” screen by typing ‘PXDCMN98’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Proprietary Message

New Enter Query

Branch Code

Reference Number \*

Host Code

Receiver \*

Receiver Name

SWIFT Message Type \*

Sub Message Type(12) \*

Narrative(77E) \*

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Exit

Specify the following details.

#### **Branch Code**

Displays the selected branch of the logged-in user.

#### **Host Code**

System defaults the Host code of the user's logged in branch.

#### **Reference Number**

Displays the Reference Number by default.

#### **Receiver**

Specify the Receiver from the list of values.

#### **Receiver Name**

The system displays the name of the Receiver upon the selection of Receiver.

#### **SWIFT Message Type**

Specify the SWIFT Message Type from the list of values.

#### **Sub Message Type(12)**

Specify the value for Sub Message Type(12).

#### **Narrative(77E)**

Specify the value for Narrative(77E)

#### **Allowed Character set and validation for n98 Proprietary messages:**

For inbound and outbound n98 proprietary message (MT198, MT 298 and MT998), field 77E, allows Z and X character sets.

- Special characters allowed in X character set  
— / - ? : ( ) . , ' +
- Special characters allowed in Z character set

- ., - ( ) / = ' + : ? ! " % & \* < > ; { @ # \_
- Other characters are not allowed, including the curly bracket '}'

### 3.3.6.1 Viewing Proprietary Message Summary

You can invoke “Proprietary Message Summary” screen by typing ‘PXSCMN98’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Branch Code
- Host Code
- Receiver
- SWIFT Message Type
- Reference Number

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

Double click a record or click the ‘Details’ button after selecting a record to view the detailed screen.

### 3.3.7 Free Format Message

You can invoke “Free Format Message” screen by typing ‘PXDCMN99’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Specify the following details.

### Processing Branch

Displays the selected branch of the logged-in user.

### Host Code

Displays the host code of the logged-in user.

### Reference Number

Displays the Reference Number by default.

#### 3.3.7.1 Main Tab

Click the Main tab in the 'Free Format Message' screen

Specify the following details.

### Related Ref(21)

Specify the related reference from the list of values.

### Receiver

Specify the Receiver from the list of values.

### Receiver Name

The system displays the name of the Receiver upon the selection of Receiver.

### SWIFT Message Type

Specify the SWIFT Message Type from the list of values.

### UETR

Refer to UETR pick up logic for Common group messages section(3.3.12) for more details

### Narrative(79)

Specify the value for Narrative(79)

### Transaction Details

Displays the Transaction details.

### Transaction Reference

Displays the Transaction Reference if the selected Related Ref is a transaction

### Transaction Type

Displays the Transaction Type/message direction value as either 'Incoming' / 'Outgoing' of the selected Related Ref

### Transfer Currency

Displays the Transfer Currency if the selected Related Ref is a transaction

### Original SWIFT Message Type

Displays the SWIFT Message Type of the selected Related Ref for which Free Format message needs to be generated

### Receiver

Displays the Receiver of the original message of Transaction type / Message direction as Outgoing

### Sender

Displays the Sender of the original message of Transaction type / Message direction as Incoming

### Network Code

Displays the Network code of the original Transaction /Message

## 3.3.7.2 Pricing Tab

Click the Pricing tab in the 'Free Format Message' screen

The screenshot shows the 'Free Format Message' application window. At the top, there's a title bar 'Free Format Message' and a menu bar with 'New' and 'Enter Query'. Below the menu bar, there are input fields for 'Processing Branch', 'Reference Number \*', 'Host Code', 'Charge Account', 'Pricing Code', and 'Charge Account Currency'. A 'Calculate' button is located below the 'Pricing Code' field. On the left, there are two tabs: 'Main' and 'Pricing', with 'Pricing' being the active tab. Below the input fields, there's a table with columns: 'Pricing Component', 'Pricing Currency', 'Pricing Amount', 'Waived', 'Debit Currency', and 'Debit Amount'. The table is currently empty. At the bottom of the window, there's a footer section with 'Accounting Entries | MIS' and a table with columns: 'Maker', 'Checker', 'Date Time:', 'Mod No', 'Record Status', and 'Authorization Status'. An 'Exit' button is located in the bottom right corner.

Specify the following details.

### Charge Account

Specify the Charge Account from the list of values which belongs to all valid customer accounts in the host

### Charge Currency

System defaults the charge currency of the provided Charge Account

### Pricing Code

Specify the Pricing Code from the list of values defined in the SWIFT MT n99 Pricing Maintenance (PXDPRN99) which matches the network code, selected transfer currency (or) \*AL transfer currency and transaction type of the 'Related Ref(21) selected' and the MT n99 SWIFT message type selected.

### Calculate

System enables this button on click of 'New' action. On click of this 'New' action, if the Charge Account and Pricing Code fields have values then system calculates the charge amount and displays the Pricing component details available under the Charge Amount block [ Refer the 'Processing Changes ' section for more details on charge amount calculation]

### Charge Amount block

System populates the values for the below fields on click of 'Calculate' button.

- Pricing Component – Displays the Components defined for the provided Pricing Code
- Pricing Currency – Displays the Currency of the each Pricing Component
- Pricing Amount – Displays the calculated charge amount
- Waived – System checks the Waiver flag by default
- Debit Amount – Displays the Equivalent amount which gets debited from Charge Account

### 3.3.7.3 Accounting Entries

Click the Accounting Entries screen in the 'Free Format Message' screen to view the charge accounting entries posted for the MT n99 message.

Event Code	Transaction Date	Value Date	Account	Account Branch	TRN Code	Dr/Cr	Amount Tag	Account Currency	Transaction Amount
									1

By default, the following attributes of the Accounting Entries screen are displayed:

- Event Code
- Transaction Date
- Value Date
- Account
- Account Branch
- TRN Code

- Dr/Cr.
- Amount Tag
- Account Currency
- Transaction Amount
- Netting
- Offset Account
- Offset Account Branch
- Offset TRN Code
- Offset Amount Tag
- Offset Currency
- Offset Amount
- Offset Netting
- Handoff Status

---

#### Note

System displays the MT n99 message reference number in the Reference number field of this Accounting Entries screen.

---

### 3.3.7.4 MIS Tab

Click the 'MIS' link to invoke the 'MIS' sub-screen to view the MIS details. MIS details of the Related Ref no is defaulted. . You are allowed to change the defaulted MIS value.

---

#### Note

System should not default the MIS details if Related ref number isn't available or not Cross border / RTGS a transaction reference number.

---

Specify the following details



### Transaction Reference

System displays the MT n99 message reference number in the Reference number field of this MIS Tab.

### MIS Group

Defaults the MIS group of the Related reference number,. Alternatively, you can select the MIS group code from the option list. The list MIS group displays all valid MIS groups maintained in the system for different sources in the Source maintenance. By default, the MIS group linked to the 'Manual' source is populated while booking a transaction from this screen.

### Default button

Click this button after selecting a MIS group different from the default MIS Group (which was populated) so that any default MIS values can be populated from to link to the Transaction MIS and Composite MIS classes.

### Transaction MIS

The default MIS values for Transaction MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.

### Composite MIS

The default MIS values for Composite MIS classes are populated for the MIS group. You can change one or more default MIS values or specify more MIS values. Alternatively, you can select MIS values from the option list.

### 3.3.7.5 MT n99 Generation Processing Changes

You can invoke the Free Format message screen (PXDCMN99) to generate MT n99 message for a Cross Border/RTGS transaction from the Cross Border/RTGS Inbound/Outbound View Summary screen using this 'Generate MT n99' button.

### 3.3.7.6 Free Format Message – Values Population Logic

On click of 'Generate MT n99 button', system launches the screen in 'New' operation mode and the N99 Reference Number gets generated and transaction details are auto populated as below:

MT n99 Field	Value Population Logic	Remarks
Related Ref(21)	Outbound Transactions – Transaction Reference Inbound Transactions – Source Reference Pass through Transactions – Transaction Reference	Field is disabled after defaulting
Processing Branch	Branch from which the message generation is initiated	Field is disabled after defaulting

SWIFT Message Type	MT 199 – If transfer type of transaction is 'Customer Transfer' MT 299 – If transfer type of transaction is 'Bank Transfer' (or) 'Bank Transfer for Own A/c' (or) 'Cover Transfer'	Field is disabled after defaulting
Receiver	For Outbound transactions – Receiver of the Original payment message sent out For Inbound transactions – Sender of the Original payment message received For Pass-through transactions – Receiver of the Original payment message sent out	Field is disabled after defaulting
Pricing Code	Default Pricing code will be defaulted from the MT n99 Pricing Preference maintenance based on the transaction's network code, transaction type, transfer currency and on the defaulted SWIFT message type. This defaulting will not be done if the transaction is a Prefunded-GL transaction	Defaulted Pricing Code can be changed
Charge Account	For Outbound transactions – Charge Account if available otherwise Debit Account For Inbound transactions – Credit Account For Pass-through transactions – No defaulting will be done This defaulting will not be done if the transaction is a Prefunded-GL transaction	Defaulted Charge Account can be changed

---

#### Note

- System implements the above logic if the PXDCMN99 screen launches from the Cross Border/RTGS Inbound/Outbound summary screens.
  - System doesn't allow you to change the Pricing Code, Charge Account, Calculated charge amount and Waiver flag during Unlock action.
-

### 3.3.7.7 Charges on Free Format Messages

- Charge Calculation:

On click of 'Calculate' button, if the Charge Account and Pricing Code fields have values then system calculates the charge amount. System does this charge amount calculation based on the Pricing Value maintenance. You need to maintain Pricing code value as a flat charge amount. If you maintain Pricing code type other than flat charge amount [E.g. Slab based / Rate base] then system calculates charge amount as Zero.

System considers the STANDARD MID rate in arriving the equivalent charge amount if the Pricing currency is different from the Charge account currency.

You can view the charge amount in the Pricing block. You are allowed to waive the charge component.

---

**Note**

System doesn't consider the Transaction Amount during charges amount calculation.

---

- Accounting Entries:

- System posts charge accounting entries on authorization of Free format messages input. During the accounting entries posting, system considers the Debit/Credit account pick up, transaction code of the charge component defined using the 'Accounting Code/Template' and displays it.
- System passes the posted Accounting entries to the Accounting System. You can view the accounting entries posted for the MT n99 message in the 'Accounting Entries' sub –screen.

Reference Number	Event Code	Debit / Credit Indicator	Account	Transaction Code	Amount
N99 Message Reference	DRLQ	Dr	Charge Account	Main Transaction Code	Charge Amount/ Equivalent amount
N99 Message Reference	DRLQ	Cr	Offset Account	Offset Transaction Code	Charge Amount

---

**Note**

- MT n99 message Sanctions screening remains as per the existing functionality
  - System doesn't provide any type of support for ECA check before posting charge accounting entries
-

### 3.3.7.8 Viewing Free Format Message Summary

You can invoke “Free Format Message Summary” screen by typing ‘PXSCMN99’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Free Format Message Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Branch Code  Host Code

Receiver  SWIFT Message Type

Reference Number  Related Ref(21)

Records per page 15 1 Of 1 Lock Columns 0

Authorization Status	Record Status	Branch Code	Host Code	Receiver	SWIFT Message Type	Reference Number	Related Ref(21)
----------------------	---------------	-------------	-----------	----------	--------------------	------------------	-----------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Branch Code
- Host Code
- Receiver
- SWIFT Message Type
- Reference No
- Related Ref(21)

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

Double click a record or click the ‘Details’ button after selecting a record to view the detailed screen.

### 3.3.8 Inbound Common Group Messages

Support is available to process the below Inbound Common group messages received from SWIFT and to link the same to the Original transaction reference based on the Related Reference Number

- MT 190, MT 290, MT 990 – Advice of charges
- MT 191, MT 291, MT 991 – Request for charges
- MT 192, MT 292, MT 992 – Request for cancellation
- MT 195, MT 295, MT 995 – Queries
- MT 196, MT 296, MT 996 – Answers
- MT 198, MT 298, MT 998 – Proprietary Message
- MT 199, MT 299, MT 999 – Free Format Message

Inbound messages gets uploaded once its Sanctions scanned & Sanctions response is Success. Refer Section 3.3.11 for more details on Sanctions scanning for Inbound messages.

### **3.3.9 Network Character Validation for Outbound Common Group SWIFT messages**

Since Outbound Common Group Messages are manually initiated by Operational users from the relevant screens for claims, advises or investigations; the system does not support automatic replacement of dis-allowed characters input by user.

- On saving a transaction in any Common Group Message screen, the system performs Network characters validation for the presence of dis-allowed characters as per the SWIFT “X” character set.
- Error message is displayed on failure of this validation, and the transaction is not saved unless the user corrects the error(s).

### **3.3.10 Sanction Scanning of Outbound Common Group Messages**

On authorization of any Common Group message Outbound transaction, system generates the Common Group message and initiates Sanction check.

The generated message is embedded in a message block of Sanctions request XML to Sanctions system.

On receiving an Approved response from Sanctions system, the Common Group message is generated and sent to SWIFT.

If any status other than Approved is received from Sanctions system then system moves the Common Group message transaction to the existing Sanctions queue.

- In the queue screen, a new column in the grid called “SWIFT Message Type” would have a value of the message type of the common group message. E.g. MT 195, MT 199. For payment transactions, this column would be empty. This would help in filtering or sorting on this column to view all Common Group message transactions.
- You would be able to take appropriate action on the transaction in the queue like in the case of payment transactions in the queue.
- If Auto-cancellation has been configured for a Reject response from Sanctions then the Common Group message transaction would be auto-cancelled similar to payment transaction.

### **3.3.11 Sanction Scanning of Inbound Common Group Messages**

On receipt of any Inbound Common Group message and subsequently matching it with a payment transaction, the system sends the actual received message to Sanctions system for scanning.

- This involves sending of the actual SWIFT message embedded in the Sanctions request XML to Sanctions system.
- If the received message was repaired in the Inbound Message Browser then the repaired message is sent for Scanning.

On receiving an Approved response from Sanctions system, the Inbound Common Group message is linked to the matched payment transaction and processed further when it is applicable (e.g. MT191 claim processing).

If any status other than Approved is received from Sanctions system then system moves the Inbound Common Group message to the Sanctions queue.

- In the queue screen, a new column in the grid called “SWIFT Message Type” would help in identifying Inbound Common Group message transactions, as described above.
- You can take up appropriate action on the message in the queue similar to the existing functionality for payment transactions.
- If Auto-cancellation has been configured for a Reject response from Sanctions then the Inbound Common Group message is auto-cancelled and not processed further.

### **3.3.12 Pick up logic for Common group messages**

If the UETR value is present in the related payment transaction (or message) reference(21) then on enrich or select of the related payment reference (or message reference), system populates this UETR field value in the corresponding common group messages screens.

This field is disabled.

For the messages i.e., MT190, MT191, MT192 (292/992), MT195 (295/995), MT196 (296/996), MT199 (299/999), system copies the UETR field value in the field 121 of the user header block 3.

For the n92, n96 messages (non-gSRP) generates through Outbound Cross Border Cancellation Request (PXDTRNCL), Inbound Cancellation Browser (PXSICLBR > PXDCLREQ) screens, system copies UETR value in the field 121 of the user header block 3 of the messages

#### **3.3.12.1 Auto generated MT191, MT199 (not related to gCCT confirmation/gSRP) messages**

System copies the UETR of the related payment transaction in the block 3 for the messages (MT 191, MT 199) which gets auto-generated as a result of the payment transaction processing as per existing functionality

#### **3.3.12.2 Incoming Browser(PMSINBRW)**

System parses the incoming ‘n9x’ messages which has ‘UETR’ in field 121 and displays in the incoming browser result column

## **3.4 Charge Claim Maintenances and Processing**

When an Inbound MT103 payment is received having Charge Whom field value as “OUR” and no charges are included in the Settlement amount (i.e. 71G is not present), after the payment is processed (transaction is Liquidated), system automatically generates a MT 191 Charge Claim message and sends it to the Sender of the MT 103.

Similarly, when an Outbound MT103 with Charge Whom specified as “OUR” with no 71G is sent then a MT 191 Charge Claim may be received later from the Receiver of MT103. The Inbound MT 191 is processed to send an Outbound MT 202 Charge payment/ Outbound MT 910. This is achieved in one of the two ways mentioned below.

- Auto-STP of Inbound MT 191 to generate and send MT 202
- Manual approval of Charge Claim leading to STP of Bank Transfer and generation of MT 202.

In the maintenance screen, you can capture the Customer Preferences to facilitate selection of customer account or a default GL in the field “Charge claim payment account”

- If the parameter is set to “Yes” then system prompts the user to select one of the two Account options – Customer account or Default GL.
  - If Default GL option is selected, then you must specify a GL code.

If the above mentioned parameter is set to “No” then in case of Auto STP Charge claim processing, system uses the GL specified in the Currency Correspondent maintenance for funding the Outbound Charge payment. This is as per current behaviour.

- In case of Manual charge claim processing, system allows you to select only GL as the debit account of Charge payment, which is as per current behaviour.

If this parameter is set to “Yes” and the Account option is selected as “Customer account” then in case of Auto STP Claim processing, system would debit the customer account, which was used in the underlying Outbound payment (sent earlier), for funding the Charge payment instead of the GL specified for the Currency Correspondent.

- In case of Manual charge claim processing, system would default this customer account as the debit account for the Charge payment.
- You would not be able to change this debit account for the Charge payment.

However, if this parameter is set to “Yes” and the Account option is selected as “Default GL” then system debits this GL for funding the Charge payment in case of Auto STP or Manual Claim processing.

- In case of Manual charge claim processing, you not be able to change this debit account to any other GL or account.

## 3.5 Charge Claim Maintenances

### 3.5.1 Charge Claim Default Preferences

System allows to maintain Default Claim preferences for Inbound and Outbound transactions here. You can invoke the ‘Default Preferences Detailed’ screen by typing ‘PXD191PF’ in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click ‘New’ button on the Application toolbar.

You can specify the following fields:

**Host Code**

The system displays the Host code when you click on **New**.

**Host Description**

Displays the description of the Host Code

**Transaction Currency**

Select the specific transaction currency from the LOV

**Inbound Claim Preferences****Charge Claim Limit Days**

Specify the maximum number of days after the value date of the customer/bank payment (sent earlier) that the MTn91 for charge claim can be received.

**Charge Claim GL**

Select the Charge Claim GL from the LOV. This is the GL code for debiting the amount of claimed charges that would be used when 'Charge to be Expensed' parameter in Customer Preferences is checked.

**Auto-reject true-duplicates**

A true duplicate claim is where the Sender BIC, Related Reference, Currency, Amount and 71B code are matching with an earlier claim received. Check this box, if a true duplicate inbound claim to be auto rejected.

If not checked, an inbound claim is parked in Inbound Claim queue for manual action by user.

---

**Note**

Auto reject true duplicate set at Inbound Claim preference is given preference. If Inbound Claim preference is not maintained for a sender BIC 11/8, Default Charge claim preference is considered to check if a true duplicate claim is to be auto rejected or not.

---

**Auto-reject if pre-paid**

An inbound claim is considered pre-paid, if while sending the message itself 71G is paid. Check this box to auto reject such pre-paid inbound claims.

If not checked, an inbound claim is parked in Inbound Claim queue for manual action by user..

---

**Note**

Auto reject pre-paid set at Inbound Claim preference is given preference. If Inbound Claim preference is not maintained for a sender BIC 11/8, Default Charge claim preference is considered to check if a pre-paid is to be auto rejected or not.

---

**Auto-reject Unmatched Claim**

Check this box to auto reject the non-matching claims.

**Outbound Claim Preferences****Receivable General Ledger**

Select the Receivable General Ledger from the LOV. GL code is required for passing (debit) accounting entries while sending out a Charge Claim payment for the claimed charges. Later,



when the Charge payment is received for the claim sent earlier then this GL is posted (credit) for claim.

#### **Expense General Ledger**

Select the GL from the LOV. When the claim amount received is less than the actual claim amount and if the difference has to be expensed out, the GL maintained in this field is debited.

#### **Default Receiver Price Code**

To populate the Receiver Price Code for inbound messages with charge option as 'OUR', Default Receiver Price code maintained is considered.

---

#### **Note**

Receiver Price Code set at Outbound Claim preference is given preference. If Outbound Claim preference is not maintained for a sender BIC 11/8, Default Receiver Price Code at Charge Claim Default preference is considered to calculate Receiver Price code

---

### **Inbound Charge Claim limits**

This can be captured as a rate and/or fixed amount maintained against payment amount slabs. It is mandatory to enter either rate or amount for each amount slab maintained. This Details section enables you to capture the parameters given below for a particular Sender of MT191.

#### **Payment Limit Amount**

Specify the specific limit amount for the payment. This is a mandatory field

#### **Limit Percentage**

Specify the Limit percentage

#### **Limit Amount**

Specify the limit amount

### **3.5.1.1 Charge Claim Default Preferences Summary**

You can invoke the 'Default Preferences Detailed Summary' screen by typing 'PXS191PF' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Host Code
- Transaction Currency

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria for the following

- Authorization Status
- Record Status
- Host Code
- Receivable General Ledger
- Transaction Currency
- Charge Claim Limit Days
- Charge Claim GL
- Host Description

### 3.5.2 Inbound Claim Preferences

System allows to maintain inbound claim sender preferences here. To invoke this screen type 'PXD191SR' in the field at the top right corner of the Application Tool bar and clicking the adjoining arrow button.

Specify the following fields

#### Host Code

On clicking 'New/Enter Query', Host Code of User's logged in branch will be defaulted.

#### Host Description

System defaults the description of the Host Code

#### Sender Bank Identifier

All the valid BIC codes are listed in the LOV. Select the BIC Code from the list. This is a mandatory field

#### Sender Bank Name

Bank name of the selected BIC code is displayed here

#### Currency

Select the currency from the LOV listed. This is a mandatory field

#### Start Date

Select the Start Date.

From this date the record is valid. Start Date is populated as the current date. You can modify the start date to a future date,

#### End Date

Select the End Date.

The record is valid till the specified End Date. End date cannot be blank

---

**Note**

When a new record is created, system will validate that there is no record in the table that overlaps the period defined.

System does not allow to Create multiple records without End Date

---

**Receiver Charge Amount(71G)**

Enter the Receiver Charge Amount in this field.

When an outbound payment is initiated with charge whom option as 'OUR', with receiver charges field, it will populate the charge maintained in this field for the transfer currency and Receiver BIC.

**Charge Claim Limit Days**

Specify the number of claim of limit days in this field. Beyond the specified limit days, charge claims received will be moved to Charge Claim queue.

**Charge Claim GL**

Select the Charge Claim GL from the LOV. GL maintained in this field is considered, when the charge claim amount is to be debited from Payable GL instead of customer account.

**Auto-reject true duplicates**

Check this box, if a true duplicate inbound claim is to be auto rejected. If not checked, an inbound claim is parked in Inbound Claim queue for manual action by user.

---

**Note**

True match check is performed only if code word is available as part of field, else inbound claim is moved to queue for the user to review.

---

**Auto-reject if pre-paid**

Check this box to auto reject the pre-paid inbound claims. If not checked, an inbound claim is parked in Inbound Claim queue for manual action by the user.

**Auto-reject Unmatched Claim**

Check this box to auto reject the non-matching claims.

**Charge Claim Limit Details**

This can be captured as a rate and/or fixed amount maintained against payment amount slabs. It is mandatory to enter either rate or amount for each amount slab maintained. This Details section enables you to capture the parameters given below for a particular Sender of MT 191.

**Payment Limit Amount**

Specify the specific limit amount for the payment. This is a mandatory field.

**Limit Percentage**

Specify the Limit percentage.

**Limit Amount**

Specify the limit amount.

---

**Note**

When Inbound claim preference record is not found, the same is fetched from 'Charge Claim Default Preferences' screen (PXD191PF).for a sender BIC.

---

### 3.5.2.1 Inbound Claim Preferences Summary

You can invoke "Inbound Claim Preferences Summary" screen by typing 'PXS191SR' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click 'New' button on the Application toolbar

The screenshot displays the 'Inbound Claim Preferences Summary' application window. At the top, there is a search bar with buttons for 'Search', 'Advanced Search', 'Reset', and 'Clear All'. Below the search bar, the 'Case Sensitive' checkbox is checked. The search filters include 'Authorization Status' (a dropdown menu), 'Record Status' (a dropdown menu), 'Host Code' (a text input field), 'Sender Bank Identifier' (a text input field), 'Currency' (a text input field), and 'Start Date' (a date picker). Below the filters, there is a table with the following columns: 'Authorization Status', 'Record Status', 'Host Code', 'Sender Bank Identifier', 'Currency', 'Start Date', 'End Date', 'Charge Claim GL', and 'Charge Claim Limit Days'. The table is currently empty. At the bottom right of the window, there is an 'Exit' button.

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Host Code
- Sender Bank Identifier
- Currency
- Start Date

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria for the following

- Authorization Status
- Record Status
- Host Code
- Sender Bank Identifier
- Currency
- Start Date
- End Date
- Charge Claim GL

- Charge Claim Limit Days

Double click a record to view the detailed maintenance screen.

### 3.5.3 Outbound Claim Preferences

The purpose of this maintenance screen is to validate and apply the receiver charges when an inbound payment is received with Charge whom option as 'OUR'.

To invoke this screen type 'PXDSRIMT' in the field at the top right corner of the Application Tool bar and clicking the adjoining arrow button.

Specify the following fields

#### Host Code

On clicking 'New/Enter Query', Host Code of User's logged in branch gets defaulted.

#### Host Description

System defaults the description of the Host Code

#### Paying Bank Identifier

All the valid BIC codes are listed in the LOV. Select the BIC Code from the list. This is a mandatory field

#### Paying Bank Name

Bank name of the selected BIC code is displayed here

#### Transaction Currency

Select the currency from the LOV listed. This is a mandatory field

#### Charge Claim Tolerance (In Percentage)

Specify the percentage of charge claim that is considered as tolerance.

This charge claim percentage is applied, when charge claim is received from the paying bank where the settlement amount is less than the claimed amount. If the received amount is within the tolerance percentage maintained, then the claim settlement will be auto processed

### Receiver Charge Price Code

Select the Receiver Charge Price Code from the list of values.

System validates the charge based on the Receiver Charge Code maintained for the currency, when an Inbound payment is initiated with charge whom option as 'OUR', with receiver charges in field 71G,

This is the only charge applicable for inbound/pass through transaction with charge whom option as 'OUR'

### 3.5.3.1 Outbound Claim Preferences Summary

You can invoke "Outbound Claim Preferences Summary" screen by typing 'PXSSRIMT' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click 'New' button on the Application toolbar

Authorization Status	Record Status	Transaction Currency	Paying Bank Identifier	Host Code	Paying Bank Name	Charge Claim Tolerance (in percentage)	Receiver Charge Price C
----------------------	---------------	----------------------	------------------------	-----------	------------------	--	-------------------------

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Transaction Currency
- Paying Bank Identifier
- Host Code
- Receiver Charge Price Code

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record or select a record and click on 'Details' button to view the detailed maintenance screen.

### 3.5.4 Narrative Maintenance

You can maintain the Advice Event code and its narrative tags for auto generation of MT 199 through this screen.

You can invoke 'MT 199 Narrative Maintenance' screen by typing 'PMDNR199' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click 'New' button on the Application toolbar.

The screenshot shows the 'MT199 Narrative Maintenance' application window. At the top, there's a title bar and a toolbar with 'New' and 'Enter Query' buttons. The main workspace is divided into several sections. On the left, there are three input fields labeled 'Host Code \*', 'Advice Event Code \*', and 'Narrative \*'. To the right of these, there are three more input fields: 'Host Description', 'Event Code Description', and 'Advice Date Format' (which is a dropdown menu showing 'MM/DD/YYYY'). Below the 'Narrative \*' field, there's a large empty text area. To the right of this text area is a table with two columns: 'Tag' and 'Description'. Above the table is a 'Populate' button. At the bottom of the window, there's a status bar with several fields: 'Maker', 'Checker', 'Date Time', 'Mod No', 'Record Status', 'Authorization Status', and an 'Exit' button.

You can specify the following details:

#### **Host Code**

On clicking 'New/Enter Query ', Host Code of User's logged in branch gets defaulted.

#### **Host Description**

System defaults the description of the Host Code.

#### **Advice Event Code**

Select the Advice Event Code from the list of values. All the valid advice event codes are listed here. The Advice Event Codes listed are:

- AGEDCLAIM
- CAPAMOUNT
- CCYDIF
- CODEWORD
- DUPLCLAIM



- NSTP
- PARTSETTLE
- PREPAID
- SHABEN
- SHORTRCVD
- TRUEDP
- UNMATCHED

### Event Code Description

System defaults the Event Code description, based on the Advice Event Code selected.

### Advice Date Format

Select the date format, in which the date is to be displayed in the message generated. The options listed are:

- MM/DD/YYYY (Default value)
- DD/MM/YYYY
- YYYYMMDD
- DD-MON-YYYY

### Narrative

You can enter the narratives in this field, with allowed message tags manually. You can provide all the allowed SWIFT characters here and up to length of 1700.

Also, you can auto populate the narratives, by selecting a tag and clicking 'Populate' button. The narratives populated can also be edited.

### Tag

Select the narrative tag from the list of values. All the valid tags pertaining to the advice event codes are listed here.

### Description

System defaults the description of the tag selected.

### Populate Button.

Click on 'Populate' button to auto populate the tags selected in the Narrative field.

---

### Note

- As the advice event codes are processed, MT 199 is auto-generated
  - MT 199 messages generated can be viewed in both Inbound and Outbound Claim view screens in the All Messages section. But the same cannot be viewed in Transaction View screen - All Messages tab
  - Sanction screening is not applicable for auto MT 199 messages generated
- 

Below are the Advice Event codes and Tags supported for each Advice Event Code:

Advice Event Code	Tags Supported
TRUEDUP / DUPCLAIM	OGLCLAIMREF
TRUEDUP/ DUPCLAIM	OGLCLAIMRECDDATE
TRUEDUP/ DUPCLAIM	OGLCLAIMPAIDDATE
TRUEDUP /DUPCLAIM	OGLCLAIMPAIDAMT
TRUEDUP /DUPCLAIM	-OGLCLAIMPAIDREF
PREPAID /CODEWORD	71GAMT

All	PAYMENTREF
All	TRNAMOUNT
All	TRNVALUE DATE
All	CLAIMAMOUNT
All	CLAIMREFERENCE
UNMATCHED	CLAIMRELATEDREF
All	CLAIMDATE
CAPAMOUNT,PARTSETTLE	PAIDCLAIMAMT
CAPAMOUNT,PARTSETTLE	CLAIMPAIDDATE
CAPAMOUNT,PARTSETTLE	CLAIMPAYMODE
CAPAMOUNT,PARTSETTLE	CLAIMPAYREF
CAPAMOUNT	CAPAMT
SHORTRCVD	RECDCLAIMAMT
SHORTRCVD	OUTCLAIMAMT
AGEDCLAIM	LIMITDAYS

### 3.5.4.1 Narrative Summary

You can view all the MT 199 Narratives maintained in this screen.

You can invoke 'MT 199 Narrative Summary' screen by typing 'PMSNR199' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click 'Search' button on the Application toolbar.

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Advice Event Code
- Host Code

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record or select a record and click on 'Details' button to view the detailed maintenance screen.

## **3.6 Charge Claim Processing**

### **3.6.1 Outbound Charge Claim Processing**

When outbound charge claim is being auto processed or the claim messages MT191/291/991 are being generated manually following process is followed.

- Sanction check
- Receivable Accounting for the claim amount
- Claim Message generation
- Logging the claim in Outbound Claim Queue

Claims that are processed with above verifications is either moved to further for claim settlement or when the verification criteria is not met, it is moved into manual queue/into queue process.

---

#### **Note**

When an inbound message is received from a sender holding a Vostro account, any claim amount computed for 'OUR' option is directly debited to Vostro account of Sender. MT191 claim generation is not applicable in this case.

---

### **3.6.2 Outbound Charge Claim Queue**

All the outbound charge claim message sent is logged in Outbound Charge Claim Queue. To invoke this screen type 'PQSCOCLQ' in the field at the top right corner of the Application Tool bar and clicking the adjoining arrow button.

Refer to *Exception Queue User manual section -2.1.24* for more details on this screen.



You can invoke the 'Charge Claim Out Details' screen by typing 'PXDCLMVW' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

You can specify the following fields:

### Reference Number

Specify the Reference Number.

### Host Code

The system displays the Host code when you click on **Enter Query**.

### Branch Code

The system displays the Branch Code.

### Original Transaction Details

Specify the Reference number and click on 'Execute Query'. System displays the following details:

- Transaction Reference Number
- Transaction Currency
- Original Transaction Type
- Receiver Charge Currency
- Receiver Charge Account

## **Charge Claim Details**

Specify the Reference number and click on 'Execute Query'. System displays the following details:

- Receiver
- Related Reference
- Claim Currency
- Claim Amount
- 71B: Charge Details
- Claim Type
- Status
- Charge Claim Network
- Claim Payment Status
- Total Claim Payment Amount
- Claim Receive Date Limit

Also in the grid, for the reference number entered, following details displayed (if any):

- Transaction Reference Number
- Claim Payment Message
- Claim Payment Currency
- Claim Payment Amount
- Sender
- Claim Receive Date
- Claim Payment Tag20
- Within Tolerance
- MT 199 Generated
- Claim Reference Number

On clicking 'Claim Payment Accounting', system displays the sub screen with Claim payment accounting details.

### 3.6.3.1 Out Claim Accounting

You can view the accounting entries for the outbound claim by clicking 'Out Claim Accounting' tab.

The screenshot shows the 'Outbound Charge Claim View' window with the 'Accounting Entries' tab selected. At the top, there is a search bar labeled 'Enter Query' and a text field for 'Transaction Reference Number'. Below this is a table header for 'Accounting Entries' with columns: Event Code, Transaction Date, Value Date, Account, Account Branch, TRN Code, Dr/Cr, Amount Tag, Account Currency, and Transaction Amount. The table body is currently empty. At the bottom of the window, there is an 'Accounting Details' section and an 'Exit' button.

### 3.6.3.2 Charge Claim Out Details Summary

You can invoke the 'Charge Claim Out Details Summary' screen by typing 'PXSCLMVW' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. .

The screenshot shows the 'Outbound Charge Claim View Summary' window. It features a search bar with options for 'Search', 'Advanced Search', 'Reset', and 'Clear All'. Below the search bar, there is a 'Case Sensitive' checkbox. The main area contains several input fields for search criteria: Transaction Reference no, Receiver, Claim Amount, Receiver Charge Amount, Claim Payment Status, Reference Number, Host Code, Status, Claim Currency, Receiver Charge Currency, and Total Claim Payment Amount. At the bottom, there is a table with columns: Transaction Reference no, Host Code, Receiver, Status, Claim Amount, Claim Currency, Receiver Charge Amount, Receiver Charge Currency, and Claim Pay. The table body is currently empty. The window also includes a 'Records per page' dropdown set to 15, a 'Go' button, and a 'Lock Columns' dropdown set to 0.

You can search using one or more of the following parameters:

- Transaction Reference Number

- Host Code
- Receiver
- Status
- Claim Amount
- Claim Currency
- Receiver Charge Amount
- Receiver Charge Currency
- Claim Payment Status
- Total Claim Payment Amount
- Reference Number

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria for the following

- Transaction Reference Number
- Host Code
- Receiver
- Status
- Claim Amount
- Claim Currency
- Receiver Charge Amount
- Receiver Charge Currency
- Claim Payment Status
- Total Claim Payment Amount
- Related Reference
- Reference Number

### **3.6.4 Inbound Charge Claim Processing**

On upload of any MT 191, MT 291 or MT 991, following process is followed.

- Sanction screening
- Matching with existing transactions
- Reject Type Validations
- Repair Type Validations
- Claim amount limit check
- Settlement through MT 202 / MT 910

Claims that is processed with above verifications is either moved to further for claim settlement or when the verification criteria is not met, it is moved into manual queue/into queue process.

### **3.6.5 Inbound Charge Claim Queue**

Any repair type validation failure is encountered while processing inbound claims, the claim is move to Inbound Charge Claim Queue.

To invoke this screen type 'PQSCLMQU' in the field at the top right corner of the Application Tool bar and clicking the adjoining arrow button.



Refer to *Exception Queues User manual section - 2.1.25*, for more details

Inbound Claim Queue

Search Advanced Search Reset Clear All

Case Sensitive

Queue Reference No Transaction Reference No Transaction Branch

Claim Amount Claim Currency Claim Status

Customer No Sender BIC Authorization Status

Claim Receive Date YYYYMMDD

Claim Reference Number

Records per page: 15 1 of 1 Lock Columns: 0

Queue Reference No	Transaction Reference No	Source Reference Number	Transaction Branch	Claim Amount	Claim Currency	Claim Status	Queue Code	Action	Latest Queue Sequence	Customer No	Customer Service Mode
--------------------	--------------------------	-------------------------	--------------------	--------------	----------------	--------------	------------	--------	-----------------------	-------------	-----------------------

Approve | Repair | Reject | Authorize | Delete | View Queue Action | View Claim Transaction

Exit

### 3.6.6 Inbound Claim View

Inbound Claim received is available in Inbound Claim View screen. You can view the Claim details, Claim status and Claim Settlement accounting entries here.

You can invoke “Inbound Claim View” screen by typing ‘PXDCHGCM’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button. Click ‘Query’ button on the Application toolbar. Alternatively, you can select a Charge Claim record in the Charge Claim Summary screen explained above, to view its details in this screen.

## **Charge Claim Details**

The system displays the following fields based on the MT191 message.

### **Reference No**

Displays the reference number (field 20) of the MT 191 message.

### **Message Date**

Displays the date on which the MT 191 message was sent.

### **Related Reference Number**

Displays the field 20 reference of the MT103 (Transaction Reference number) sent earlier.

### **Claim Currency**

Indicates the currency of claim amount.

### **DCN**

Displays the unique DCN number assigned by the system to the Inbound MT191.

### **Claim Amount**

Displays the amount claimed in the MT191.

### **Branch Code**

Displays the branch code of the identified processing branch of the MT191.

### **Sender**

Displays the BIC of Sender of MT191 message.

### **52: Ordering Institution**

Displays the Ordering Institution details if mentioned in the MT191 message.

### **57: Account With Institution**

Displays the Account with Institution details if mentioned in the message.

**71B: Charge Details**

Displays the Charge Details from the MT191 message.

**72: Sender To Receiver Info**

Indicates the sender to receiver details.

**Bank Transfer Details****Instruction Date**

Defaults the message date of the MT191 as the instruction date. This is editable and you can specify the current date or a future date.

**Transaction currency**

Defaults the currency of the Claimed amount in MT 191. This is editable and you can specify any other currency if required.

**Debit Account**

Defaults the GL code (if maintained) from the Currency Correspondent maintenance for the Sender of MT 191. This is editable and you can specify any GL code using the LOV.

**Transaction Amount**

Defaults the claimed amount in the MT 191 message. This is editable and you can specify a different amount.

**Charge Payment Sent**

Indicates whether the Charge Payment was sent or not.

**Generated Reference Number**

Displays the generated reference number of the Outbound Charge payment transaction after it is auto created on approval of this Charge Claim record.

The following operations are available in this screen

Operation	Functions
Unlock	Helps you to input or modify the values of editable fields of Charge Claim detail record and then save the record.
Authorize	You can authorize the modified or un-edited Charge Claim record so that system can auto-create the Bank Transfer transaction and process it.  Authorization should be done by a user different from the one who modified the Charge Claim record.
Enter Query	When you directly launch this details screen from the menu or using the Function Id then you can click this link to input a Charge Claim Reference number and view its details.'

### 3.6.6.1 Viewing Inbound Claim View Summary

You can invoke the 'Inbound Claim View Summary' screen by typing 'PXSCHGCM' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button.

The screenshot shows the 'Inbound Claim View Summary' application window. At the top, there is a title bar with the window name and standard OS controls. Below the title bar is a search bar with buttons for 'Search', 'Advanced Search', 'Reset', and 'Clear All'. The main area is titled 'Case Sensitive' and contains several search filters: 'Reference Number', 'Sender', 'Claim Amount', 'Authorization Status', 'Accounting Reference for 910', 'Related Reference Number', 'Claim Currency', 'Message Date' (with a date picker), and 'Status'. Below the filters is a table with columns: 'Reference Number', 'Related Reference Number', 'Sender', 'Claim Currency', 'Claim Amount', 'Message Date', 'Authorization Status', 'Status', and 'Accounting Reference'. The table is currently empty. At the bottom right of the window is an 'Exit' button.

You can search using one or more of the following parameters:

- Reference No
- Related Reference Number
- Sender
- Claim Currency
- Claim Amount
- Message Date
- Authorization Status
- Status
- Accounting Reference for 910

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria for the following

- Reference No
- Related Reference Number
- Sender
- Claim Currency
- Claim Amount
- Message Date
- Authorization Status
- Status
- Accounting Reference for 910

- Host Code

### 3.6.7 **Charge Claim Based on MT940/MT950**

Charge Claim settlement for Outbound charge claims (MT191) is supported with MT940 / MT950 messages.

On receiving new credit entries, the system initiates the matching of the outbound charge claims for which payment is not yet received.

Account Owner Reference received for the credit entry is matched with the field 21 of the outbound charge claim message sent. If the reference is matched, the claim payment gets processed.

- If the amount received is less than the claim sent, then tolerance is checked.
  - If the amount received is within the tolerance limit maintained for the sender BIC and the transaction currency then auto processing of the claim settlement can be done. The difference amount is expensed out.
  - If the difference is more than the tolerance allowed, accounting can be done for the received amount. The claim is outstanding.
  - The tolerance limit will be checked only if the claim received is less. If the claim received is more, the excess amount is credited to income GL by debiting Nostro account.

Whenever claim payment is processed, the corresponding statement entry is marked as matched.

The unmatched statement entries are listed along with MT202/MT910 in the Outbound Charge Claim Queue (PQSCOLQ) screen for manual match action.

- The received statement entry details are captured in Statement Browser (PMDSTBRW) screen. Refer Section 3.2.9.2 for more details on Statement Browser.

## 3.7 **PSD2 Compliance**

### 3.7.1 **PSD2 Validations**

This is applicable for both Cross Border and RTGS.

- System does the PSD2 compliance checks if PSD is applicable for the Host and the source. The below are the different scenarios handled in PSD2 check.
  - **Intra EU/EEA (BOTH LEGS IN)** – Both Sending and Receiving Payment Service Providers (PSPs) are in EU or EEA countries.
  - **ONE LEG OUT (Outbound)** – The Sending PSP is in EU/EEA country but the Receiving PSP is outside of EU/EEA regions
  - **ONE LEG OUT (Inbound)** – The Sending PSP is outside EU/EEA but the Receiving PSP (this bank) is within EU/EEA regions
- For each of the above listed scenarios there can be 4 different cases based on the payment currency and FX requirement:
  - Intra EU/EEA in EU/EEA currencies – no FX
  - Intra EU/EEA in EU/EEA currencies – with FX
  - Intra EU/EEA in non-EU/EEA currencies – no FX
  - Intra EU/EEA in non-EU/EEA currencies – with FX

Table given below summarizes the applicable PSD2 Compliance support in the system:

Payment Scenarios	Charges		Outbound payments - Execution time and Value dating *	Inbound payments - Value dating and Availability of funds	
	Charge options allowed	Charge Deduction			
INTRA EU/EEA Both Legs IN					
In EU/EEA currencies – no FX		<ul style="list-style-type: none"><li>• No deductions for BEN/ SHA the calculated charges will be waived For BEN/ SHA</li><li>• The option OUR will work the same way as the normal payment</li></ul>	Maximum execution D+1	<ul style="list-style-type: none"><li>• Credit to Beneficiary to be given with same value date on the day the payment is settled (by Clearing) or Cover matching happens (inbound SWIFT) and Received date is not considered.</li><li>• Even if current day is a holiday for Payment currency, inbound payment with current Value date to be processed today, provided Today is not a Branch holiday and no FX conversion required</li><li>• If FX conversion is required then Value date of credit to beneficiary to be next working day for both currencies.</li><li>• If current day is Branch holiday then inbound payment to be processed on next Branch working day but Credit given with payment value date.</li><li>• If inbound payment was stuck overnight in Sanctions queue or rolled forward from any other queue, on the day it is re-processed, Credit to be back valued.</li></ul>	
In EU/EEA currencies – with FX					
In Non-EU/EEA currencies –no FX		<ul style="list-style-type: none"><li>• Outbound payments -SHA</li><li>• For pass through / inbound payments charge option will be retained as is</li><li>• Applicable for SWIFT/RTGS</li></ul>	Similar to normal transaction-deductions allowed		Not Applicable
In Non-EU/EEA currencies – with FX			Similar to normal transaction-deductions allowed		Not Applicable
One Leg Out (Outbound payments) Receiving Bank Outside EU/EEA					

In EU/EEA currencies – no FX	<ul style="list-style-type: none"><li>• Charge option can be OUR, SHA or BEN.</li><li>• Charge option in the payment request will be retained.</li><li>• Applicable only to SWIFT payments</li></ul>		Maximum execution D+1	Not Applicable
In EU/EEA currencies – with FX				Not Applicable
In Non-EU/EEA currencies –no FX				Not Applicable
In Non-EU/EEA currencies – with FX				Not Applicable
<b>One Leg Out (inbound payments) Sending bank outside EU/EEA</b>				
In EU/EEA currencies – no FX	<ul style="list-style-type: none"><li>• Charge option can be OUR, SHA or BEN.</li><li>• Charge option in the payment request will be retained.</li><li>• Applicable only to SWIFT payments</li></ul>		Not Applicable	Same as Intra EU/EEA- BOTH LEGS IN
In EU/EEA currencies – with FX				
In Non-EU/EEA currencies –no FX				
In Non-EU/EEA currencies – with FX				Not Applicable

#### Note

- The Maximum Execution time in days i.e. the Max. time by which the Receiver of an Outbound payment (who may also be the AWI/Beneficiary bank) gets settlement of the payment amount (i.e. funds credited to Receiver's Nostro account) would be D+1 days, where
  - Payer's (Debtor's) account is debited with value date D (after the payment instruction is received from payer).
  - D is a working day for processing Branch and also the Activation date for the transaction.
  - D+1 day (Value date) is a working day for the processing Branch and for Payment Currency and Debit Account Currency (if different) or the Clearing Network (in case of RTGS).
- Debit Value date derived is the MT 103 32A date, Cover Value date, whichever is the latest.
- Credit Value date is replaced with the new date, if provided by the External FX system.

#### 3.7.1.1 PSD2 Changes for Corporate BICs are part of the Payment Chain

- Currently, the originating bank country for PSD check is determined as below:
  - If field 52 exists, derive the originating country as the ordering institution country
  - If 52 is not available then check field 72 for BIC with code as INS
  - If both field 52 and 72 INS details are not available derive from sender BIC
- It is possible that the resultant BIC in the chain is a corporate BIC. For corporate BICs, the BEI Indicator flag in ISTM\_BIC\_TYPE\_CODE table will be 'Y'.

- In such cases, the BIC which comes next in the chain as the ordering institution will be considered by the system to determine the originating country.

## 3.8 MT 101 Processing

The system supports processing of inbound MT 101 and initiation of Outbound MT 101 message.

### 3.8.1 Outbound MT 101 Transaction Input

You can invoke the 'Outbound Cross Border MT 101 Transaction Input' screen by typing 'PXDMT101' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

The screenshot shows the 'Outbound Cross Border MT101 Transaction Input' window. It features a top toolbar with 'New' and 'Enter Query' buttons. The main area is divided into three columns of input fields:

- Left Column:** Reference Number\*, Customer Number\*, Receiver\*, Message Index/Total\*.
- Middle Column:** Host Code, Customer Name, Receiver Name, Branch Code, Source Code\*.
- Right Column:** Requested Execution Date\* (format: yyyy-MM-dd), Customer Specified Reference, Authorization, Source Reference Number.

Below these are three sections for party information:

- 50: Instructing Party:** Tag Option (dropdown), Bank Identifier Code, Party Identifier.
- 52: Account Servicing Institution:** Tag Option (dropdown), Clearing Code, Party Identifier, Bank Identifier Code.
- 50: Ordering Customer:** Tag Option (dropdown), Account Number, Bank Identifier Code, Code, Country Code, Identifier, Address.

At the bottom, there is a table with columns: Transaction Reference, FIX Deal Reference, Transaction Currency, Transaction Amount, Exchange Rate, Ordered Currency, Ordered Amount, and Other Details. Below the table are fields for Maker, Checker, Date Time, Mod No, Record Status, and Authorization Status. An 'Exit' button is in the bottom right corner.

Specify the following fields:

#### Reference Number

This is auto-generated by the system once you click on **New**.

#### Host Code

The system displays the host code of the logged in user.

#### Requested Execution Date

The date on which the transaction is required to be executed by the bank. This date cannot be back date. Should be current or future date.

#### Customer Number

Specify the Customer Number of the customer for which batch of MT101 transactions need to be created. Search and select from the list of available customers.

#### Customer Name

The system displays the customer name once you specify the customer number.



**Customer Specified Reference**

Specify the customer specified reference details.

**Receiver**

Specify the required Receiver bank of Outbound MT 101, which would also be the Account Servicing financial institution of the customer account from where payments are required to be made as per the MT101 requests. Search and select from the list of available banks.

**Receiver Name**

The system indicates the name of the Receiver bank once you specify the receiver BIC Code.

**Authorization**

Specify details of additional security provisions, for example, a digital signature, between the ordering customer/instructing party and the Receiver.

**Branch Code**

System defaults the Branch Code on clicking the New button

**Source Reference Number**

Specify the Source Reference Number.

**Source Code**

Specify the Source Code, via which the transaction is to be booked.

**Sequence A Queue Code**

This field indicates the exception queue in which the transaction is currently present and awaiting manual action for further processing.

**Message Index/Total**

This field chains different MT 101 messages by specifying the sequence number of a particular message in the total number of messages being sent to the Receiver. Specify a numeric value in the sub-field 1 of this field to indicate the sequence of this MT 101 batch (message) and a value in sub-field 2 to indicate the total number of MT 101 batches that are planned to be booked. However, if only one MT 101 batch and hence only one MT 101 message is required to be sent to the Receiver for the specified customer then specify "1" in both sub-fields.

**50: Instructing Party**

If the Instructing Party is applicable and is the same for all individual transactions in this MT 101 batch then details of the same can be specified in these fields. Else, the Instructing party details will need to be specified for individual transactions where applicable.

**Tag Option**

Select the required tag option. The available options are C and L.

**Bank Identifier Code**

Specify or search and select the required BIC of the Instructing party from the list of values if the Tag option selected is 'C'.

**Party Identifier**

Specify the non-BIC identifier details of the Instructing party if the Tag option selected is 'L'.

**52: Account Servicing Institution**

If the Account Servicing Institution (ASI) is different than the Receiver of MT101 and is the same for all individual transactions in this MT101 batch then details of the same can be specified in

these fields. Else, the ASI details could be specified for individual transactions where it is different from the Receiver of MT101.

**Tag Option**

Select the required tag option. The available options are A and C.

**Clearing Code**

Specify or search and select the clearing code identifier of the Account Servicing Institution (ASI) from the list of values.

**Party Identifier**

Specify the Clearing code of the ASI.

**Bank Identifier Code**

If tag option is selected as 'A', then specify or search and select the required BIC of the ASI from the list of values.

**50: Ordering Customer**

If the Ordering Customer is the same for all individual transactions in this MT 101 batch then details of the same can be specified in these fields. Else, the Ordering Customer details will need to be specified for each individual transaction.

**Tag Option**

Select the required tag option. The options are F, G and H.

**Account Number**

If tag option is selected as 'G' or 'H' then specify the account number of the ordering customer's account at the ASI.

**Bank Identifier Code**

If tag option is selected as 'G' then specify the BIC of the ordering customer from the list of values.

**Code**

If tag option is selected as 'F' and Party Identifier needs to be specified using an Identifier code and Country code then specify or search and select the required Identifier code from the list of values.

**Country Code**

If tag option is selected as 'F' and Party Identifier needs to be specified using an Identifier code and Country code then specify or search and select the required country code from the list of values.

**Identifier**

Specify the party identifier as per the selected Identifier code.

**Address**

If tag option is selected as 'F' or 'H' then specify the name and address of the ordering customer in 4 lines of up to 35 characters each. If tag option 'F' is selected, you can specify name, address lines, and/or any of the following allowed details - date of birth, place of birth, country and town, customer identification number, national identity number and additional information to complete details given in one of the preceding 3 lines.

Given below are two of the different possible combinations of details that can be input in 4 lines of this Address field when tag option 'F' is selected.

Example1:  
1/SMITH JOHN

2/299, PARK AVENUE  
3/US/NEW YORK, NY 10017

Example 2:  
1/PHILIPS MARK  
4/19720830  
5/BE/BRUSSELS

Given below are details of the fields of the individual transactions in the MT101 batch. Click on the plus sign at the top of the individual transactions grid to add a record for a transaction in the grid.

#### **Transaction Reference**

Transaction Reference is read only field and is generated automatically by the system on save.

#### **F/X Deal Reference**

Specify the FX Deal Reference of the FX transaction between the ordering customer and the ASI if FX conversion was done to arrive at the transaction amount.

#### **Transaction Currency**

Specify the currency of the transaction amount

#### **Transaction Amount**

Enter the amount of the transaction that needs to be transferred to the beneficiary.

#### **Exchange Rate**

Specify the exchange rate that was used to perform FX conversion to arrive at the transaction amount.

#### **Ordered Currency**

Select the specify Currency from the list of value, in which currency, the amount is to be ordered

#### **Ordered Amount**

Specify theOriginal ordered amount of the transaction.

#### **Other Details**

Click the Other Details button for the transaction to specify other details like Instruction Codes, Charge Account Details, Beneficiary details and so on.

---

#### **Note**

- Field 21F is an optional field for MT 101. When 21F value is available will be considered as the FX reference for the payment transaction created for inbound message.
  - If External FX rate is applicable, system will send this reference in the FX fetch request.
-

### 3.8.1.1 Sequence B-Other Details

On clicking the Other Details button in the transaction record, the Other details screen is launched..

You can specify the following fields for the transaction in this screen:

#### **23E: Instruction Codes**

##### **Instruction Code 1 - 4**

Specify a standard Instruction code in each field and then input additional information preceded by “/”.

#### **Charge Account Details**

##### **Details of Charge**

Select any of the following Charge Whom types. This is mandatory field.

- OUR
- BEN
- SHA

##### **Charge Account**

Specify the charge account number if it is required to be different from the Debit account.

#### **50: Instructing Party**

##### **Tag Option**

Select the required tag option. The options are C and L.

**Bank Identifier Code**

If tag option is selected as 'G' then specify the BIC of the ordering customer from the list of values.

**Party Identifier**

Specify the Clearing code of the ASI.

**50: Ordering Customer**

Specify Ordering Customer details for each transaction if the same are not specified in the header section of the screen.

**Tag Option**

Select the required tag option. The options are F,G and H.

**Account Number**

Specify the account number of the ordering customer.

**Bank Identifier Code**

If tag option is selected as 'G' then specify the BIC of the ordering customer from the list of values.

**Code**

If tag option is selected as 'F' and Party Identifier needs to be specified using an Identifier code and Country code then specify or search and select the required Identifier code from the list of values.

**Country Code**

If tag option is selected as 'F' and Party Identifier needs to be specified using an Identifier code and Country code then specify or search and select the required country code from the list of values.

**Identifier**

Specify the party identifier as per the selected Identifier code.

**Address**

If tag option is selected as 'F' or 'H' then specify the name and address of the ordering customer in 4 lines of up to 35 characters each. If tag option 'F' is selected, you can specify name, address lines, and/or any of the following allowed details - date of birth, place of birth, country and town, customer identification number, national identity number and additional information to complete details given in one of the preceding 3 lines.

Given below are two of the different possible combinations of details that can be input in 4 lines of this Address field when tag option 'F' is selected.

Example1:

1/SMITH JOHN  
2/299, PARK AVENUE  
3/US/NEW YORK, NY 10017

Example 2:

1/PHILIPS MARK  
4/19720830  
5/BE/BRUSSELS

## **52: Account Service Institution**

Specify details of the Account Servicing Institution (ASI) for any transaction only if it is different from the Receiver and the same is not specified in the header section of the screen.

### **Tag Option**

Select the required tag option. The options are A and C.

### **Clearing Code**

Specify or search and select the clearing code identifier of the Account Servicing Institution (ASI) from the list of values.

### **Party Identifier**

Specify the Clearing code of the ASI.

### **Bank Identifier Code**

If tag option is selected as 'C' then specify the BIC of the ordering customer from the list of values.

## **56: Intermediary Bank**

### **Tag Option**

Select the required tag options. The options are A, C and D.

### **Clearing Code I**

Specify or search and select the clearing code identifier from the list of values.

### **Party Identifier**

Specify the Clearing code of the Intermediary bank.

### **Bank Identifier Code**

If the tag option is selected as 'A' then specify or search and select the BIC of the Intermediary bank from the list of values.

### **Address**

If the tag option is selected as 'D' then specify the name and address of the Intermediary Bank.

## **57: Account With Institution**

### **Tag Option**

Select the required tag options. The options are A, C and D.

### **Clearing Code**

Specify or search and select the clearing code identifier from the list of values.

### **Party Identifier**

Specify the Clearing code of the Intermediary bank.

### **Bank Identifier Code**

If the tag option is selected as 'A' then specify or search and select the BIC of the Intermediary bank from the list of values.

### **Address**

If the tag option is selected as 'D' then specify the name and address of the Intermediary Bank.

## **70: Remittance Information**

### **Remittance Information 1 - 4**

Specify the remittance details provided by the customer and specific to the transaction in the 4 lines up to 35 characters per line.

## **59: Ultimate Beneficiary**

### **Tag Option**

Select the required tag option. The available options are A and F as well as 'No Letter Option'.

### **Account Number**

Specify the account number of the Beneficiary.

### **Bank Identifier Code**

If the tag option is selected as 'A' then specify the BIC of the Beneficiary from the list of values.

### **Address**

Specify the name and address of the Beneficiary in the 4 lines provided up to 35 characters per line.

If tag option 'F' is selected, you can specify name, address lines, and/or country and town, of the Beneficiary in the 4 lines of this Address field. Given below are two of the different possible combinations of details that can be input in these 4 lines when tag option 'F' is selected.

Example1:

1/SMITH JOHN  
2/299, PARK AVENUE  
3/US/NEW YORK, NY 10017

Example 2:

1/DEPT OF PROMOTION OF SPICY FISH  
1/CENTER FOR INTERNATIONALISATION  
1/OF COMMERCE AND BUSINESS  
3/CN

## **77B: Regulatory Reporting Details**

Specify the statutory and/or regulatory information required by the authorities in the country of receiver or sender /originating customer.

### **Code**

When the residence of either the ordering customer or the beneficiary customer is to be identified, one of the following codes should be input or selected from the list of values.

- BENEFRES
- ORDERRES

### **Country**

In addition to the Code, specify or search and select the Country code of the ordering customer or the beneficiary customer from the list of values.

### **Regulatory Report 1 - 3**

Specify the required details of the regulatory information specific to the transaction in 3 lines with up to 35 characters in each line. This information can also be input without specifying the Code and Country.

### 3.8.1.2 Outbound MT 101 processing / Inbound Message Processing as a Forwarding Agent

- For Outbound MT 101/ Forwarding Agent processing, MT Outbound Agreement is considered. Based on the Instructing party / ordering party details received, the processing level is decided:

Sl. No.	Step Processing	Processing level	Processing Details
1	Existence of valid agreement for the party ID/Receiver BIC with start time end time check	Message/Transaction	1. Open and authorized MT101 Outbound Agreement record is available for the party ID/Sender BIC. Party ID will be the customer ID of the instructing party if present, else the Ordering Customer ID. Sender BIC can be maintained as 11/8/6 places. System will first check for a valid record for 11 digit BIC, then if not found for 8/6 digit BICs in that order. 2.Valid record with start and end time check.
2	Sanction check FA / Outbound MT 101	Transaction	Sanction check as part of MT 101 processor.
3	Generate MT 101		

Seizure accounting will not be applicable for outbound MT 101



### 3.8.1.3 Viewing Outbound MT 101 Transaction Summary

You can invoke “Outbound Cross Border MT 101 Transaction Summary” screen by typing ‘PXSMT101’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Outbound Cross Border MT101 Transaction Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Reference Number  Host Code

Customer Number  Receiver

Customer Specified Reference  Message Index/Total

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	Reference Number	Host Code	Customer Number	Receiver	Customer Specified Reference	Requested Execution Date	Message Index/Tot
----------------------	---------------	------------------	-----------	-----------------	----------	------------------------------	--------------------------	-------------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Reference Number
- Host Code
- Customer Number
- Receiver
- Customer Specified Reference
- Message Index/Total

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

Double click a record or click the ‘Details’ button after selecting a record to view the detailed screen. You can also export the details of selected records to a file using ‘Export’ button.

### 3.8.2 Outbound MT 101 View

You can invoke “Outbound Cross Border MT 101 View” screen by typing ‘PXD101VW’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Outbound Cross Border MT101 View

Enter Query

Reference Number \*  
Customer Number \*  
Receiver \*  
Message Index/Total \*

Host Code  
Customer Name  
Receiver Name  
Branch Code  
Source Code \*

Requested Execution Date \* YYYYMM/DD  
Customer Specified Reference  
Authorization  
Source Reference Number  
Sequence A Queue Code

50: Instructing Party  
Tag Option  
Bank Identifier Code  
Party Identifier

52: Account Servicing Institution  
Tag Option  
Clearing Code  
Party Identifier  
Bank Identifier Code

50: Ordering Customer  
Tag Option  
Account Number  
Bank Identifier Code  
Code  
Country Code  
Identifier  
Address

1 Of 1

Transaction Reference	FIX Deal Reference	Transaction Currency	Transaction Amount	Exchange Rate	Ordered Currency	Ordered Amount	Queue Code
-----------------------	--------------------	----------------------	--------------------	---------------	------------------	----------------	------------

All Messages | Sequence A-View Queue Action | Sequence B-View Queue Action | Sequence B-Other Details

Maker  
Checker

Date Time  
Date Time

Mod No

Record Status  
Authorization Status

Exit

The fields in this screen are similar to the Section 3.8.1, "Outbound MT 101 Transaction Input". Specify the valid Reference Number and Message Index/Total values and click on execute Query button.

System defaults the value for all the fields for the Reference number specified. Also one can click on All Messages tab to view the Message details for that respective Reference Number.

#### 3.8.2.1 All Messages

You can invoke this screen by clicking 'All Messages' tab in the PXD101VW screen. All Messages tab is provided to view the Message details for that respective Reference Number. For more details on the fields refer to Section 3.1.1.6, "Messaging and Accounting Entries".

All Messages

Transaction Reference Number

1 Of 1

DCN	Message Type	SWIFT Message Type	Direction	Value Date	Message Status	Delivery Status
-----	--------------	--------------------	-----------	------------	----------------	-----------------

Message

Exit

#### 3.8.2.2 Sequence A & B-View Queue Action

You can view all the queue actions for the respective transaction initiated.

When you click on Sequence A - View Queue Action, you can view the details of all manual or system actions taken on the Sequence A in different exception queues as part of processing along with the request and response messages.

Similarly, on clicking the button Sequence B - View Queue Action, you can view the details of all manual / system actions taken on the selected Sequence B transaction in different exception queues as part of processing along with the request and response messages. Only one Sequence B transaction should be selected for viewing the queue actions.

You can invoke this screen by clicking the 'View Queue Action' tab in PXD101VW screen, where the Transaction Reference Number is auto populated and Queue movement related details are displayed.

Following details are displayed:

- Transaction Reference Number
- Network Code
- Action
- Remarks
- Queue Code
- Authorization Status
- Maker ID
- Maker Date Stamp
- Checker ID
- Checker Date Stamp
- Queue Status
- Queue Reference No
- Primary External Status
- Secondary External Status
- External Reference Number
- Cancel Reason Code
- Cancel Reason Description

You can view the request sent and the corresponding response received for each row in Queue Action Log.

### 3.8.2.3 Outbound MT 101 View Summary

You can invoke “Outbound Cross Border MT 101 View Summary” screen by typing ‘PXS101VW’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button

Outbound Cross Border MT101 View Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Reference Number  Host Code

Customer Number  Receiver

Customer Specified Reference  Message Index/Total

Records per page: 15 1 Of 1 Go Lock Columns: 0

Authorization Status	Record Status	Reference Number	Host Code	Customer Number	Receiver	Customer Specified Reference	Requested Execution Date
----------------------	---------------	------------------	-----------	-----------------	----------	------------------------------	--------------------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Reference Number
- Host Code
- Customer Number
- Receiver
- Customer Specified Reference
- Message Index/Total

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria

Double click a record or click the ‘Details’ button after selecting a record to view the detailed screen. You can also export the details of selected records to a file using ‘Export’ button.

### 3.8.3 Inbound MT 101 Processing

- While processing MT101 message, if field 52 in sequence A or B is having a BIC which is not a valid branch BIC for the Host, then such transactions are marked for forwarding to respective banks as mentioned in the field.
- The rest of the transactions are processed as the receiving bank acting as Account Servicing institution.

#### Inbound MT101 processing as Account Servicing Institution

- In the inbound MT101, the party details 50a instructing party can have C or L options. Ordering Customer supports F.G or H option.

The party details can be present in sequence A or sequence B. Based on the presence of the party details, the agreement verification level will be determined as below:

<b>50a:Sequence A</b>	C/L	C/L & F/G/H	-	F/G/H	F/G/H	-
<b>50a:Sequence B</b>	F/G/H	-	F/G/H	-	C/L	C/L & F/G/H
	Transaction	Message	Transaction	Message	Transaction	Transaction

Based on the Instructing party / ordering party details received, the processing level is decided. Inbound MT101 processing will have the below processing steps:

1	Existence of valid agreement for the party ID/ Sender BIC with start time end time check	Message/Transaction	<p>1. Open and authorized MT101 Inbound Agreement record is available for the party ID. Party ID will be the customer ID of the instructing party if present, else the Ordering Customer ID. Sender BIC is an allowed BIC which can be maintained as 11/8/6 places (with XXXXX marked for the rest of the digits if less than 11). System will first check for a valid record for 11 digit BIC, then if not found for 8/6 digit BICs in that order.</p> <p>2. Valid record with start and end time check</p> <p>3. Debit authority exists for the debit account</p>
2	Cutoff time check	Message/Transaction	Whether the message is received within the cutoff time specified for the record for a current dated record. If cutoff time is over requested execution date will be moved to next branch working day

3	Transaction Amount Limit check	Transaction	Whether the transfer amount / equivalent amount is within the transaction limit maintained
5	Future Value check	Message/Transaction	If the requested execution date, which is considered as the activation date) is in future.
6	Sanction check (Future dated ASI /FA)	Transaction	Sanction check as part of MT101 processor.
7	Resolve Network & send payment to payment processor	Transaction	
8	Sanction Check (ASI)	Payment Processor	Sanction check as part of transaction processing in the payment processor.

- If the validations are done at message level, there will be only single (Sequence A level) record pending in Exception Queue.
- If transaction amount limit check fails for only a few transactions within a message and the transactions are cancelled from BO queue, system will skip those transactions from further processing.
- The sanctions rejected/seized records will be skipped from further processing.
- If seizure accounting is applicable for the Sanction System maintenance, Seizure accounting will be done debiting the customer account and crediting to seizure GL.

### **3.8.3.1 FX Handling for Inbound MT 101**

- FX details validations with external FX system are applicable for all cross currency transaction requests (debit currency <> credit currency) received, provided external FX rate fetch is applicable.
- FX validations with external system is applicable even if exchange rate is available in the request.
- The following details received in MT101 are used to populate the corresponding fields in outbound transaction:
  - Field 32B currency / amount (Non-zero)-Transfer currency / Transfer amount
  - Field 36 - Exchange Rate
  - Field 21F - FX reference
  - Field 33B amount - Debit Amount, provided 32B is having zero amount and 23E is received as EQUI
- If 23E field is received as EQUI and if both 32B (with non-zero amount) and 33B are present, 32B amount is considered as transfer amount. Debit Account currency & debit amount derived by system and is validated with 33B currency & amount received in MT101 message.

If 23E field is received as EQUI and if 32B field is having zero amount, then 33B amount is considered as debit amount. Account currency is validated with 33B currency.

### **3.8.4 Inbound Cross Border MT 101 View**

You can view the uploaded MT 101 messages through this screen. This screen lists all the messages received with the same sender's reference and the transactions in each message.

You can invoke the 'Inbound Cross Border MT 101 View' screen by typing 'PMDINRFT' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'Enter Query' button.

Specify the following fields:

### Consol Reference Number

Specify a valid Consol Reference Number and click on Execute Query button

System defaults the value of the following fields on specifying the valid Consol Reference Number:

- Host Code
- Reference No
- Sender BIC
- Message Receipt Time
- Message Cutoff Time
- Received Index
- Total Index
- Transaction Status
- Sender's Reference(20)
- Customer Specified Reference (21R)
- Message Index (28D).
- Message Total (28D)
- Instructing Party (50)

- Ordering Customer 1 - 5 (50)
- Account Servicing Institution 1 - 2 (52)
- Sending Institution 1 - 2 (51A)
- Requested Execution Date (30)
- Authorisation (25)
- Customer Number
- Customer Account Number
- Transaction Status
- Our Bank Role
- Branch Code
- Host Code

Grid 2 displays the following details:

- F/X Deal Reference (21F)
- Instruction Code 1 - 6 (23E)
- Currency (32B)
- Transaction Amount (32B)
- Instructing Party (50)
- Ordering Customer 1 -5 (50)
- Account Servicing Institution 1 - 2 (52)
- Intermediary 1 - 5 (56)
- Account With Institution 1 - 5 (57)
- Beneficiary 1-5 (59)
- Remittance Information 1-4(70)
- Regulatory Reporting 1-3(77B)
- Currency(33B)
- Original Ordered Amount (33B)
- Details of Charges (71A)
- Charges Account (25A)
- Exchange Rate (36)
- Customer Number
- Customer Account Number
- Receiver
- Transaction Status
- Our Bank Role
- Repair Reason

#### **3.8.4.1 Detailed View**

You can view the MT 101 uploaded message details in this screen. You can invoke this screen, by clicking the 'Detailed View' action button in PMDINRFT screen.

In this screen, transactions are segregated and consolidated based on whether the bank acts as ASI or Forwarding Agent. For FA transactions the transactions will be grouped based on the receiver BIC.



The consol details are listed in the first grid and the related transactions are displayed in the second grid.

MT101 Upload-Detailed View

Execute Query

Consol Reference Number

Host Code

Sender BIC

Sender's Reference

Consol Details

1 Of 1

Go

☐ Our Bank Role

Consol Reference Number

Account Servicing Institution 1 (52)

Instructing Party (50)

Ordering Customer 1 (50)

Ordering Customer 2 (50)

Ordering Customer 3 (50)

Ordering Customer 4 (50)

Ordering Customer 5 (50)

Transaction Details

1 Of 1

Go

☐ Generated Reference

Payment Type

Transaction Reference Number

F/X Deal Reference (21F)

Instruction Code 1 (23E)

Instruction Code 2 (23E)

Instruction Code 3 (23E)

Instruction Code 4 (23E)

Instruction Code 5 (23E)

Instruc

Cancel

### 3.8.4.2 SWIFT MT 101 Inbound Summary

You can invoke “SWIFT MT 101 Inbound Summary” screen by typing ‘PMSINRFT’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Inbound Cross Border MT101 View Summary

Search Advanced Search Reset Clear All

Case Sensitive

Reference Number Consol Reference Number

Transaction Status Sender BIC

Total Index Received Index

Records per page 15 1 Of 1 Go Lock Columns 0

Reference Number	Consol Reference Number	Transaction Status	Sender BIC	Total Index	Received Index
------------------	-------------------------	--------------------	------------	-------------	----------------

Exit

You can search using one or more of the following parameters.

- Reference Number
- Consol Reference Number
- Transaction Status
- Sender BIC
- Total Index
- Received Index

Once you have specified the search parameters. Click ‘Search’ button. The system displays the records that match the search criteria.

### 4.1 gpi Maintenances

This section contains all the maintenances pertaining to gpi. All the gpi Maintenances are applicable for the payment types - Cross Border/ RTGS.

Following are the required maintenances for gpi:

- SWIFT gpi Static Preferences (PXDGPISIT)
- Outbound gpi Payment Receiver Agreement (PXDSROAG)
- Inbound gpi Payment Sender Agreement (PXDSRIAG)
- SWIFT gpi Host Preferences Detailed (PXDGPIPF)
- SWIFT gpi Directory Detailed (PMDGPIDR)
- Flat File gpi Directory Upload Detailed (PMDGPIUP)
- Customer Preferences Detailed (PMDFLPRF) - Refer to Payments Core User manual.

#### 4.1.1 SWIFT gpi Static Preferences

This is a factory shipped data listing gpi Message Type, gpi service identification mapping, gCCT/ gCOV status codes and reason codes and can be modified by the user.

You can invoke the 'SWIFT gpi Static Preferences' screen by typing 'PXDGPIS' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

**SWIFT gpi Static Preferences**

Unlock

---

**gpi Message Type and Service ID Mapping**

Message Type	Service ID
<input checked="" type="checkbox"/> gCCT	001
<input type="checkbox"/> gCOV	001
<input type="checkbox"/> gSRP	002

---

**gpi Confirmation Status Code**

Payment Processing Status	gCCT/gCOV Confirmation Status Code	gCCT/gCOV Confirmation Status Description
<input checked="" type="checkbox"/> INPROGRESS	ACSP	Settlement in Progress
<input type="checkbox"/> PROCESSED	ACSC	Settlement Completed
<input type="checkbox"/> REJECTED	RJCT	Rejected

---

**gCCT Reason Code**

Payment Processing Status	gCCT Reason Code	Reason Description
<input checked="" type="checkbox"/> FWDTOGPI	G000	Payment transferred to gpi agent
<input type="checkbox"/> FWDTONONGPI	G001	Payment transferred to non-gpi agent
<input type="checkbox"/> PENDINGCOVER	G004	Credit pending for funds
<input type="checkbox"/> PENDINGCREDIT	G002	Credit may not be confirmed same day

---

**gCOV Reason Code**

Payment Processing Status	gCOV Reason Code	Reason Description
<input checked="" type="checkbox"/> FWDTOGPI	G000	Payment transferred to gpi agent
<input type="checkbox"/> FWDTONONGPI	G001	Payment transferred to non-gpi agent
<input type="checkbox"/> PENDINGCREDIT	G002	Credit may not be confirmed same day
<input type="checkbox"/> PENDINGDOCS	G003	Credit pending documents or additional information

Maker: SYSTEM      Date Time: 05-SEP-2018 18:40:41      Mod No: 1      Record Status: Open  
 Checker:      Date Time:      Authorization Status: Authorized      **Exit**

Actions allowed in this screen are:

- Save
- Enter Query
- Unlock
- Authorize

Following are the grids available in this screen:

### **gpi Message Type and Service ID Mapping**

All the fields and data in this grid are factory shipped. You can change the values in the 'Service ID' field only.

gpi Message Type	Service ID
gCCT	001
gCOV	001
gSRP	002

### **gpi Confirmation Status Code**

All the fields and data in this grid are factory shipped. You can change the values in the 'gCCT/gCOV Confirmation Status Code' field only.

<b>Payment Processing Status</b>	<b>gCCT/gCOV Confirmation Status Code</b>	<b>gCCT/gCOV Confirmation Status Description</b>
INPROGRESS	ACSP	Settlement in Progress
PROCESSED	ACSC	Settlement Completed
REJECTED	RJCT	Rejected

### **gCCT Reason Code**

All the fields and data in this grid are factory shipped. You can change the values in the 'gCCT Reason Code' field only.

<b>Payment Processing Status</b>	<b>gCCT Reason Code</b>	<b>Reason Description</b>
FWDTOGPI	G000	Payment transferred to gpi agent
FWDTONONGPI	G001	Payment transferred to non-gpi agent
PENDINGCREDIT	G002	Credit may not be confirmed same day
PENDINGDOCS	G003	Credit pending documents or additional information
PENDINGCOVER	G004	Credit pending for funds

### **gCOV Reason Code**

All the fields and data in this grid are factory shipped. You can change the values in the 'gCOV Reason Code' field only.

<b>Payment Processing Status</b>	<b>gCOV Reason Code</b>	<b>Reason Description</b>
FWDTOGPI	G000	Payment transferred to gpi agent
FWDTONONGPI	G001	Payment transferred to non-gpi agent
PENDINGCREDIT	G002	Credit may not be confirmed same day
PENDINGDOCS	G003	Credit pending documents or additional information

### **gSRP Response Code**

All the fields and data in this grid are factory shipped. You can change the values in the 'Response Code' field only.

<b>Response Status</b>	<b>Response Code</b>	<b>Description</b>
ACCEPTED	CNCL	Cancelled
INTERIM	PDCR	Pending
REJECTED	RJCR	Rejected

### **gSRP Request Reason Code**

All the fields and data in this grid are factory shipped. You can add/remove Reason codes and Description.

Reason Code	Description
AGNT	Incorrect Agent
AMNT	Incorrect Amount
COVR	Cover Cancelled or Returned
CURR	Incorrect Currency
CUST	Requested By Customer
CUTA	Cancel Upon Unable To Apply
DUPL	Duplicate Payment
FRAD	Fraudulent Origin
TECH	Technical Problem
UPAY	Undue Payment
AM09	Amount is not the amount agreed or expected

- The following MT messages uses the 'AM09' request reason code
  - gSPR FIN Based: MT 192, MT199
  - gSRP API Based
  - MT 292, MT 992
- The 'AM09' request reason code has impact on the below function id

Screen Title	Function ID	Display Type (Field 79, as currently)	As per existing validation
Outbound Cross Border Payment Transaction Cancellation Request	PXDTRNCL	LOV	/4!c/
Request for Cancellation	PXDCMN92	Free Text	/4!c/[additional information]

---

#### Note

You need to maintain status code 'ACCC', cancellation request reason codes 'AM09' values in the existing gpi static preferences screen (PXDGPST) as these are not pre-shipped

---

### gSRP Response Reason Code for Interim

All the fields and data in this grid are factory shipped. You can add/remove Reason codes and Description

Reason Code	Description
AC04	Account number specified has been closed on the receiver's books.
AGNT	Reported when the cancellation cannot be accepted because an agent refuses to cancel.
AM04	Amount of funds available to cover specified message amount is insufficient.
ARDT	Cancellation not accepted as the transaction has already been returned.
CUST	Reported when the cancellation cannot be accepted because of a customer's decision (Creditor).
INDM	Cancellation Indemnity Required.
LEGL	Reported when the cancellation cannot be accepted for regulatory reasons.
NOAS	No response from beneficiary (to the cancellation request).
NOOR	Original transaction (subject to cancellation) never received.

#### **gSRP Response Reason Code for Reject**

All the fields and data in this grid are factory shipped. You can add/remove Reason codes and Description

Reason Code	Description
INDM	Cancellation Indemnity Required
PTNA	Past To Next Agent when the cancellation has been forwarded to the next agent in the payment chain.
RQDA	Requested Debit Authority when authority is required by the creditor to return the payment.

#### **4.1.2 Outbound gpi Payment Receiver Agreement**

You can maintain the Outbound payment -receiver agreement through this screen.

You can invoke 'Outbound gpi Payment Receiver Agreement' screen by typing 'PXDSROAG' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Actions allowed in this screen are:

- New
- Save
- Copy
- Enter Query
- Unlock
- Delete
- Authorize

You can specify the following details:

#### Host Code

System defaults the Host code of the selected branch on clicking '**New**' button.

#### Host Code Description

System defaults the Description of the host Code displayed.

#### gpi Participant ID

Select the gpi Participant ID from the list of values. All valid gpi Participant IDs from the gpi directory are listed here.

#### Participant Name

System defaults the Participant Name on selecting the gpi Participant ID.

#### Transaction Currency

System defaults the Transaction Currency on selecting the gpi Participant ID.

#### gpi Transfer Type

Select the Transfer Types from the drop-down values. The values are:



- gCCT
- gCOV

---

**Note**

gCCT represents MT103 and gCOV represents MT202COV/205COV

---

**gpi OUT Details****gpi Receiver Charge**

Specify the Receiver Charge. This is an input field and is picked up for 71G, in case of 'OUR' Charges.

**gpi Cutoff Days**

Specify the Cutoff days. This indicates number of Settlement days required for outbound payments.

---

**Note**

Cutoff days processing calculation logic is same as SWIFT payments (Outbound BIC Cutoff Detailed (PXDCYCOF))

---

**gpi OUT Cutoff (HH:MM)**

Specify the OUT Cutoff time. This is an user input field. Hour Field accepts value between '0' and '23'. Minutes field accepts value between '0' and '59'. This is maintained in Host Zone.

If this is breached , then Outbound gpi payments will move to Network Cutoff Queue. If this maintenance is not available, then cutoff time at gpi directory is checked.

#### 4.1.2.1 Outbound gpi Payment Receiver Agreement Summary

You can invoke 'Outbound gpi Payment Receiver Agreement Summary' screen by typing 'PXSSROAG' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Outbound gpi Payment Receiver Agreement Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

gpi Transfer Type  Host Code

gpi Participant ID

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	gpi Transfer Type	Host Code	Transaction currency	gpi Participant ID	gpi OUT Cutoff (HH)	gpi OUT Cutoff (MM)	gpi Receiver Charge
----------------------	---------------	-------------------	-----------	----------------------	--------------------	---------------------	---------------------	---------------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- gpi Transfer Type
- Host Code
- gpi Participant ID

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.

#### 4.1.3 Inbound gpi Payment Sender Agreement

You can maintain the Inbound payment -sender agreement through this screen.

You can invoke 'Inbound gpi Payment Sender Agreement' screen by typing 'PXDSRIAG' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Actions allowed in this screen are:

- New
- Save
- Copy
- Enter Query
- Unlock
- Delete
- Authorize

You can specify the following details:

#### Host Code

System defaults the Host code of the selected branch on clicking '**New**' button.

#### Host Code Description

System defaults the Description of the host Code displayed.

#### gpi Participant ID

Select the gpi Participant ID from the list of values. All valid gpi Participant IDs from the gpi directory are listed here.

#### Participant Name

System defaults the Participant Name on selecting the gpi Participant ID.

#### Transaction Currency

System defaults the Transaction Currency on selecting the gpi Participant ID.

#### gpi Transfer Type

Select the Transfer Types from the dropdown values. The values are:

- gCCT
- gCOV

---

**Note**

gCCT represents MT103 and gCOV represents MT202COV/205COV

---

**gpi Details****gpi Cutoff Days**

Specify the Cutoff days. This indicates number of Settlement days required for inbound payments.

---

**Note**

Cutoff days processing calculation logic is same as SWIFT payments (Inbound BIC Cutoff Detailed (PXDINCOF))

---

**gpi IN Cutoff (HH:MM)**

Specify the IN Cutoff time. This is an user input field. Hour Field accepts value between '0' and '23'. Minutes field accepts value between '0' and '59'. This is maintained in Host Zone.

If this is breached, then inbound gpi payments will move to Network Cutoff Queue. If this maintenance is not available, then cutoff time at gpi directory for Receiver BIC is referred.

#### 4.1.3.1 Inbound gpi Payment Sender Agreement Summary

You can invoke 'Inbound gpi Payment Sender Agreement Summary' screen by typing 'PXSSRIAG' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

Inbound gpi Payment Sender Agreement Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

gpi Transfer Type  gpi Participant ID

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	gpi Transfer Type	gpi Participant ID	gpi IN Cutoff (HH)	gpi IN Cutoff (MM)	Host Code	Transaction currency	gpi Cutoff days
----------------------	---------------	-------------------	--------------------	--------------------	--------------------	-----------	----------------------	-----------------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- gpi Transfer Type
- gpi Participant ID

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.

#### 4.1.4 SWIFT gpi Host Preferences

You can maintain the Host preferences for SWIFT gpi in this screen.

You can invoke 'SWIFT gpi Host Preferences' screen by typing 'PXDGPIPF' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

SWIFT gpi Host Preferences Detailed

Save

Host Code \* FINLAND  
Host Description Payment Host for FINLAND

☐ gpi Processing Enabled

Tracker BIC Details  
gpi Tracker BIC \*

Tracker Interaction Type  
gpi Confirmation  
gSRP Request  
gSRP Response

gSRP Recall-Response Days  
Recall Days  
Response Days

Maker	Date Time:	Mod No	Record Status
Checker	Date Time:		Authorization Status

Cancel

Actions allowed in this screen are:

- New
- Save
- Copy
- Enter Query
- Unlock
- Delete
- Authorize

You can specify the following details:

### Host Code

gpi Preferences are maintained at Host level. System defaults the host code of the logged in user.

### Host Code Description

System defaults the description of the host Code displayed.

### gpi Processing Enabled

This flag, when checked, indicates that it is a bank preference for processing SWIFT payments (Outbound and Inbound) as gpi payments.

System applies gpi payments processor logic, only when the flag is checked. If not checked, it is processed as normal SWIFT payments.

This flag is unchecked by default.

---

**Note**

If the 'gpi processing enabled' flag sets to 'N' then system allows to maintain 'gpi Tracker BIC' and gpi Confirmation needs to be selected , allowed value is 'FIN'.

---

**Tracker BIC Details****gpi Tracker BIC**

Specify the gpi Tracker BIC. This field supports Alpha Numeric values and character length supported is between 8 and 11. Else error is thrown.

**Tracker Interaction Type****gpi Confirmation**

Select the Interactions types from the drop-down values. The options listed are - 'FIN Based/ API Based'.

**gSRP Request**

Select the Request Message types from the drop-down values. The options listed are - 'MT 192/ MT 199/ API Based'.

**gSRP Response**

Select the Response Message types from the drop-down values. The options listed are - 'MT 196/ MT 199/ API Based'.

**gSRP Recall-Response Days****Recall Days**

Specify the number of days with in which the recall request should be initiated. This field accepts only Numerical values in the range - 1 to 999.

**Response Days**

Specify the number of days with in which the Response request to be received. This field accepts only Numerical values in the range - 1 to 99.

#### 4.1.4.1 **SWIFT gpi Host Preferences Summary**

You can invoke 'SWIFT gpi Host Preferences Summary' screen by typing 'PXSGPIPF' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

SWIFT gpi Host Preferences Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status  Record Status

Records per page 15 1 Of 1 Go Lock Columns 0

Authorization Status	Record Status	gpi Tracker BIC	Host Code
----------------------	---------------	-----------------	-----------

Exit

You can search using one or more of the following parameters:

- Authorization Status
- Record Status

Once you have specified the search parameters, click 'Search' button. The system displays the records that match the search criteria.

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.



## 4.1.5 SWIFT gpi Directory

You can invoke the 'SWIFT gpi Directory Maintenance' screen by typing 'PMDGPIDR' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. You can query the records uploaded.

SWIFT gpi Directory Detailed

Enter Query

Participant ID \* Participant Name

ID Type Cutoff Day

Platform Local Time Zone

Service Identification Act As Intermediary

Service Name

Country Code

Currency Code \* Reachable Through \*

Channel Type \*

Cutoff Time

Maker Date Time: Mod No Record Status

Checker Date Time: Authorization Status

Exit

You can specify the following fields:

### **Participant ID**

Participant's routing ID, reachable for receiving gpi payments is captured in this field.

### **Participant Name**

Participant's Institution's name is displayed in this field.

### **ID Type**

System defaults the ID Type for the Participant ID entered

### **Cutoff Day**

Cutoff Days gets defaulted on clicking Execute Query button

Cutoff Day is used for "illiquid" currencies, where the participant cannot obtain settlement of the payment on the same day or next day because there is no spot market for buying this currency.

### **Platform**

Platform gets defaulted on clicking Execute Query button

The platform that distinguishes the gpi directory from other directories in the SWIFTRef Reach Plus distribution.

### **Local Time Zone**

The time zone of the participant gets defaulted on entering the Participant ID and clicking Execute Query button

### **Service Identification**

System defaults the value for Service Identification field on clicking Execute Query button (for example, the value of field 111 in block 3 of the gpi MT 103).

**Act As Intermediary**

Systems defaults the value on entering the Participant ID and clicking Execute Query button.

“Y” (Yes) or “N” (No) flag specifying whether the participant acts as the gpi Intermediary Agent for gpi payments in a given currency and over a given REACHABLE THROUGH channel.

“Y” indicates that the participant will forward Inbound MT 103s payments coming from a gpi participant through this channel and in this currency to an upcoming gpi participant, per the gpi business rules.

**Service Name**

Systems defaults the Service Name on entering the Participant ID and clicking Execute Query button

**Reachable Through**

Specify the channel through which the participant is reachable for gpi payment instructions for one of its gpi currencies.

**Country Code**

Specify the participant's two-character ISO country code.

**Channel Type**

Specify the type of the REACHABLE THROUGH channel.

**Currency Code**

Specify the valid Currency Code.

The three-character ISO currency, accepted in field 32A of Inbound gpi MT 103 payments by the PARTICIPANT ID, or by the gpi intermediary (if any) where the participant can be reached for this currency.

**Cutoff Time**

System defaults the Cutoff Time for the Participant ID entered. This indicates the Participant's public gpi cut-off time for gpi payments in this currency.

### 4.1.5.1 Viewing SWIFT gpi Directory Summary

You can invoke “SWIFT gpi Directory Summary” screen by typing ‘PMSGPIDR’ in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'SWIFT gpi Directory Summary' application window. At the top, there is a search bar with buttons for 'Search', 'Advanced Search', 'Reset', and 'Clear All'. Below this, a 'Case Sensitive' checkbox is present. The main search area contains several input fields: 'Authorization Status' (a dropdown menu), 'Record Status' (a dropdown menu), 'Participant ID' (a text field with a magnifying glass icon), 'Currency Code' (a text field with a magnifying glass icon), 'Channel Type' (a text field with a magnifying glass icon), and 'Reachable Through' (a text field with a magnifying glass icon). Below the search fields, there is a pagination bar showing 'Records per page' set to 15, and navigation buttons for 'Previous', 'First', '1 Of 1', 'Next', and 'Go'. To the right of the pagination bar is a 'Lock Columns' dropdown set to 0. Below the pagination bar is a table header with the following columns: 'Authorization Status', 'Record Status', 'Participant ID', 'Participant Name', 'ID Type', 'Platform', 'Service Identification', 'Service Name', 'Country Code', 'Currency Code', and 'Channel Type'. The table body is currently empty. At the bottom right of the window is an 'Exit' button.

You can search using one or more of the following parameters:

- Authorization Status
- Record Status
- Participant ID
- Currency Code
- Channel Type
- Reachable Through

Once you have specified the search parameters, click ‘Search’ button. The system displays the records that match the search criteria.

- Authorization Status
- Record Status
- Participant ID
- Participant Name
- ID Type
- Platform
- Service Identification
- Service Name
- Country Code
- Currency Code
- Channel Type
- Reachable Through
- Cutoff Day

- Local Time Zone

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.

#### 4.1.6 **Flat File gpi Directory Upload**

User can upload gpi file through this screen by specifying a valid file path and file name.

You can invoke the 'Flat File gpi Directory Upload' screen by typing 'PMDGPIUP' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. Click 'New' button on the Application toolbar.

You can specify the following fields:

##### **File Name**

Specify the name of the file to be uploaded

##### **File Path**

Specify the path in the server where the file is uploaded.

Click on upload button to Upload the file to the specified File Path.

## 4.2 **gCCT & gCOV Transaction Processing**

### 4.2.1 **Outbound gCCT Processing**

- **gpi enabled Transaction:**

At transaction level, changes will be done to check the below validation when the transfer type is selected as 'Customer Transfer' for 'Cross Border'/'RTGS' payment types.

- System checks if 'gpi Processing Enabled' flag is set to 'Y' at host level (Function ID: PXDGPIPF). If Yes, system applies gpi payments processor logic. If No, it gets processed as normal SWIFT payments.
- If 'gpi Processing Enabled' flag is set to 'Y', then system checks Sender BIC (Processing branch BIC – Default BIC (11-character) linked in Branch Core Parameters screen (STDCRBRN)) and Transfer Currency combination is present in SWIFT gpi Directory (Function ID: PMDGPIDR).
- If 'Yes', then the transaction is stamped as 'gpi enabled' and will be processed as a SWIFT gpi transaction.

- If 'No', then the 'gpi enabled' flag is set as 'No' and the transaction gets processed as normal SWIFT transaction.

- **Currency Cutoff Time Check:**

For 'gpi enabled' transactions,

- If Receiver BIC, Currency is identified as gpi agent, system checks if receiver agreement is present in the new screen (PXDSROAG) for Outbound gpi agreement,
- If present, currency BIC cut-off time is considered from here.
- If not, cutoff time is taken from the gpi directory for the Receiver BIC, Currency combination.
- If the transaction passed this cut-off time, then the transaction is moved to Network cut-off queue.
- If Receiver BIC, Currency is not a gpi agent, then the existing Outbound BIC Cutoff processing is applied.

### **Cutoff Time Calculation Changes:**

For Outbound Cross Border gpi payments (gCCT/gCOV)

- Cutoff time check is done considering the date and time together.
- If time zone is present in gpi directory, system picks up the given cutoff time (example, 1400) from gpi directory and offset time is taken from the time zone
- If time zone is not present in gpi directory, system picks up the given cutoff time (example, 1400) and the offset time (0900) from the gpi directory
- Cutoff time of the gpi participant in gpi directory is converted to host time zone.
- If host date and time on the processing date is ahead of converted date and time, transaction moves to network cutoff queue. Refer the below example,

US Bank processing JPY payment				
Host Date	Host Time (0930)	gpi Participant Cutoff Time (BNKAAQKJXXX, Japan)	gpi Participant Time Zone	Cutoff Days
19-Sep-18	UTC-0700	1400+0900	GMT+0900, Tokyo	D-1

Transaction Input Details			Cut off Time Conversion		
Book-ing Date	Instruction Date (32A Credit Value date)	Activation Date Adjusted After subtracting Settlement Days (Cutoff Days) (Message Date)	Activation Date Adjusted After adding Settlement Days (Cut-off Days)	Conversion to Host Time Zone	Processed on Activation Date
19-Sep-18	20-Sep-18	19-Sep-18	20-Sep-18	2200 hours on 19-Sep-18	Yes

- **MT 103 - Block 3 Fields Population:**

For 'gpi enabled' transactions,

- Field 111 is populated with service id '001' in FIN Block 3 of MT103 message.
- System automatically picks up the service id based on the maintenance done in the screen (PXDGPST) for the message type gCCT.
- MT 103 - Field 57A Population:

For gpi enabled 'Cross Border' payment transactions,

- Field 57A will be populated even if Account with Institution is same as that of Receiver of Outbound payment message.

---

**Note**

For 'RTGS' payment transactions irrespective of gpi enabled or not, population of 57A field is based on the PMI guidelines.

---

- MT 103 - Field 71G – Receiver's Charge - Population:

For 'gpi enabled' transactions,

- If the Receiver is a gpi agent (Receiver BIC, Currency combination record found in gpi Directory) and Charge option is 'OUR', then the receiver's charge amount is picked-up from the gpi Outbound Receiver agreement (PXDSROAG) maintenance and the same gets populated in the field 71G of MT 103 message.

**Pass-through Payments Processing:**

Following are the changes required to process Pass-through payments:

- **'Inbound gpi' checkbox**

–

–

For outbound (pass-thru) payments,

Set 'Incoming gpi' flag based on (111:001) at transaction level	Check 'gpi processing enabled' flag at host level (PXDGPPIF)	Check if Processing branch 11-Character BIC/Transfer currency is present in gpi Directory (PMDGPIDR)	Set 'gpi agent' at transaction level
Yes	Yes	Yes	Yes
No	Yes	No	No
Yes	No	Skipped	No
No	No	Skipped	No

- System initially checks if 'gpi processing enabled' flag is set to 'Y' at host level (PXDGPPIF) and if it finds the setup then system checks the gpi directory (PMDGPIDR) to verify if the processing branch BIC/Transfer currency is gpi agent or not.
  - System sets the field 'gpi Agent' to 'Yes' if the processing branch 11-Character BIC/Transfer currency is present in gpi Directory 'PMDGPIDR' and sets to 'No' if processing branch/Transfer currency is not present in gpi Directory 'PMDGPIDR' (or) 'gpi processing enabled' flag is 'No'
- System performs the following if 'gpi Agent' value is 'Yes'

- Generates MT199 gCCT confirmation with Field 111:001, 121:UETR of the related transaction in block 3
  - RMA+ validation should not be performed for Tracker BIC
- System performs the following if 'gpi Agent' value is 'No'
    - Generates MT199 gCCT confirmation with Field 121: UETR of the related transaction in block 3
    - Copying of Field 111:001 into block 3 of
    - MT199 gCCT confirmation message should not be performed if the related transaction contains Field 111:001
    - Performs RMA+ validation for the gpi Tracker BIC to check if this BIC is the Receiver of gCCT MT199, If the matching RMA+ record for the Tracker BIC founds success , then system designates this BIC as the Receiver of gCCT MT199.If RMA+ validation fails for Tracker BIC, then system generates blank MT199 gCCT message with a 'Repair' status.

### **Charge Option OUR:**

For 'gpi enabled' transactions, where 71A is 'OUR'

- If 71G charges is equal to or more than calculated charges, then system deducts for the calculated charges/tax and post receiver charge entries as per current functionality.
- If 71G is less than calculated charges,
  - System suppresses generation of MT191 charge claim advice for gpi payments. A validation is available to not to trigger or send MT191 charge claim messages either automatically or manually when the gpi Service Identifier is present in the Inbound MT 103 and if at host level preference 'gpi processing enabled' is set as 'Y'.
  - System automatically expenses out for the amount shortfall irrespective of the claim tolerance if any maintained for the Sender of the MT103 message.
  - Existing accounting is continued, i.e. accounting templates for debit /credit liquidation maintained in PMDNCPRF will be used. Expense GL maintained in Charge Claim Default preferences is debited in DRLQ and Receivable GL from the same maintenance is credited.
- MT 103 - Field 71F – Sender's Charges Population:

For 'gpi enabled' transactions,

- In case 'Charge Option' is SHA, Field 71F in the gCCT MT103 message is populated with charges in the order as they are received from the first bank in the chain to the last bank in the chain. Even if 'zero' deducts, system adds own charges as 'zero'.

---

### **Note**

Field 71F to be populated for 'Charge Option' -SHA only for passthrough cases.

---

### **Sample:**

- :71F:EUR8,00
- :71F:USD5,00
- :71F:EUR0,00

## 4.2.2 Outbound gCOV processing (Debtor/ Instructing Agent)

- **gCOV Transaction:**

If the 'gpi Enabled' customer transfer is done through cover method, the cover message will be treated as gCOV message for 'Cross Border'/'RTGS' payment types.

- Block 3 gpi tags '111' will be populated with value '001'. System automatically picks up the service id based on the maintenance done in the screen (PXDGPISIT) for the message type gCOV

- **Currency Cut-off Time Check:**

- In case of gCOV cover method (as part of gCCT processing), system considers only the gCCT leg currency cut-off time for processing Outbound payments. (i.e. System will not check the receiver cutoff time for the Receiver of Cover).

## Pass Through gCOV Processing (Reimbursement Agent)

Following are the changes required to process Pass-through payments:

- **'Inbound gpi' checkbox**

- 'Inbound gpi' check box is set to 'Y' if an Inbound payment (MT202COV/MT205COV) has gpi tags (111:001) and is resulting in an Outbound payment (gpi/non-gpi).
- 'Inbound gpi' check box is set to 'N' if an Inbound non-gpi payment resulting in an Outbound payment(gpi/non-gpi).

- **'gpi enabled' Check:**

- System first checks if 'gpi Processing Enabled' flag is set to 'Y' at host level (Function ID: PXDGPIPF). If Yes, system applies gpi payments processor logic. If No, it is processed as normal SWIFT payments.
- If 'gpi Processing Enabled' flag is set to 'Y', then system will check
- Sender BIC (Processing branch BIC – Default BIC (11-character) linked in Branch Core Parameters screen (STDCRBRN)) and Transfer Currency combination is present in SWIFT gpi Directory (Function ID: PMDGPIDR).
- If 'Yes', then the transaction is stamped as 'gpi enabled' and is processed as a SWIFT gpi transaction.
- System populates gpi tags '111' with value '001' and '121' with same UETR as the underlying Inbound gCOV in FIN block 3 of MT202COV/205COV.
- If 'No', then the 'gpi enabled' flag is set as 'No' and the transaction is processed as normal SWIFT transaction.
- System performs validations and processing as applicable for Outbound 'gpi enabled' transactions as detailed in previous section.

- **Currency Cut-off Time Check:**

- Below validations are done when Inbound cover message resulting in an Outbound gCOV,
  - If Receiver of MT202COV/205COV BIC, CCY is identified as gpi agent as per gpi directory then system will check if Outbound gpi payment receiver agreement is present in the new screen (PXDSROAG),
  - If present, Outbound cut-off time is considered from here.
  - If not, Outbound cut-off time is taken from the gpi directory for the Receiver BIC, Currency combination.
  - If the transaction passed this cut-off time, then the transaction moves to Network cut-off queue.

- **MT 202COV/MT 205 COV - Fields 52A, 57A Population: \_**



For gpi enabled 'Cross Border' payments, changes will be done to populate Field 57A even if AWI is same as that of Receiver of the message. Field 52A, as applicable (Ordering Institution), 58A (Beneficiary Institution) will be populated in the gCOV MT202COV/ MT205COV message generated.

- Field 52A: In case of pass thru, 52A is added if in the Inbound MT COV this field is absent
- Field 57A is populated even if AWI is same as that of Receiver of Outbound cover payment message.

### 4.2.3 Inbound gCCT processing

The Outbound Mt199 gCCT confirmation generation functionality remains same as below

System performs the following during the incoming MT 103 payment message processing

Set 'Incoming gpi' flag based on (111:001) at transaction level	Check 'gpi processing enabled' flag at host level (PXDGPIPF)	Check if Processing branch 11-Character BIC/Transfer currency is present in gpi Directory(PMDGPIDR)	Set 'gpi agent' at transaction level
Yes	Yes	Yes	Yes
No	Yes	No	No
Yes	No	Skipped	No
No	No	Skipped	No

Set 'Incoming gpi' flag based on (111:001) at transaction level	Check 'gpi processing enabled' flag at host level (PXDGPIPF)	Check if Processing branch 11-Character BIC/Transfer currency is present in gpi Directoy (PMDGPIDR)	Set 'gpi agent' flag at transaction level
No	Yes	Yes	Yes
Yes	Yes	No	No

If the 'gpi Agent' sets to 'No' as per above tables functionality, then system generates MT199 gCCT confirmation messages (without Field 111) after RMA+ validation for Tracker BIC as explained above in the Outbound (pass-through) section

System sets 'gpi Agent' to 'Yes' if the processing branch BIC/transfer currency is present in gpi directory.

System performs the below operations when 'Incoming gpi flag' is 'No'

- Network Cutoff Time Check is done as for normal SWIFT incoming payments from the Inbound BIC Cutoff time (PXDINCOF)
- MT199 gets triggered automatically when the '71A' is 'OUR' and 71G is lesser than the calculated charges. This can be triggered manually without any restriction
- Generates gCCT confirmation message with 111:001 (RMA+ validation not required)

#### **Network Cutoff Time Check:**

- For 'gpi Enabled' = 'Yes'

- Sender BIC (11-Character BIC as received in the Block 2 of the Inbound MT message) is considered from the new screen (PXDSRIAG) for Inbound gpi payments sender agreement, if present.
- If not present, cutoff time is taken from the gpi directory for the Processing branch BIC (11-Character BIC as received in Block1 of the Inbound MT message), Transfer Currency combination.
- If not found as in step (2), cutoff time is taken from the gpi directory for the Processing branch BIC (11-Character BIC maintained as default BIC in STDCRBRN), Transfer Currency combination.
- If the gpi transaction passed this cut-off time, then the transaction moves to Network Cutoff queue.

### **Charge Option OUR:**

For 'gpi enabled' transactions, where 71A is 'OUR'

- If 71G charges is equal to or more than calculated charges, then system deducts for the calculated charges/tax and post receiver charge entries as per current functionality.
- If 71G is less than calculated charges,
  - System suppresses generation of MT191 charge claim advice for gpi payments. A validation is added to not to trigger or send MT191 charge claim messages either automatically or manually when the gpi Service Identifier is present in the Inbound MT 103 and if at host level preference 'gpi processing enabled' is set as 'Y'.
  - System automatically expenses out for the amount shortfall irrespective of the claim tolerance if any maintained for the Sender of the MT103 message.
  - Existing accounting is continued, i.e. accounting templates for debit /credit liquidation maintained in PMDNCPRF is used.
  - Expense GL maintained in Charge Claim Default preferences is debited in DRLQ and Receivable GL from the same maintenance is credited.

## **4.2.4 Inbound gCOV Processing**

MT299 gCOV confirmation message gets generated for all statuses(//ACSC, //ACSP, //RJCT) for the below specific case

- When the Incoming gpi is 'N' and gpi agent is 'Y'
  - 111:001 gets copied to Block 3 of the message
  - RMA+ validation is not performed for Tracker BIC
  - Network Cutoff Time Check is done as for normal SWIFT incoming payments from the Inbound BIC Cutoff time (PXDINCOF)

System does not generates MT299 gCOV confirmation message when Incoming gpi is 'Y' and gpi agent is 'N'

### **Network Cutoff Time Check:**

- **For 'gpi Enabled' = 'Yes'**
  - Sender BIC (11-Character BIC as received in the Block 2 of the inbound MT message) is considered from the screen (PXDSRIAG) for inbound gpi payments sender agreement, if present.
  - If not present, cutoff time is taken from the gpi directory for the Processing branch BIC (11-Character BIC as received in Block1 of the inbound MT message), Transfer Currency combination.

- If not found as in step (2), cutoff time is taken from the gpi directory for the Processing branch BIC (11-Character BIC maintained as default BIC in STDCRBRN), Transfer Currency combination.
- If the gpi transaction passed this cut-off time, then the transaction moves to Network Cutoff queue.

## **Incoming gCOV Payments**

### **Outbound MT299 gCOV confirmation generation**

- System performs the following to set 'gpi Agent' to 'Yes' or 'No' during the process of incoming COV messages

Set 'Incoming gpi' flag based on (111:001) at transaction level	Check 'gpi processing enabled' flag at host level (PXDGPIPF)	Check if Processing branch 11-Character BIC/ Transfer currency is present in gpi Directory (PMDGPIDR)	Set 'gpi agent' flat at transaction level
No	Yes	Yes	Yes
Yes	Yes	No	No

- If gpi Agent is 'No' and 'incoming gpi' is 'Y' then system should not generate MT299 gCOV confirmation message
- System sets 'gpi Agent' to 'Yes' if processing branch BIC/transfer currency is present in gpi directory.
- System performs below operations as per existing functionality when the 'incoming gpi flag' is 'N'
  - Network Cutoff Time Check is done as for normal SWIFT incoming payments from the Inbound BIC Cutoff time (PXDINCOF)
  - Generates gCOV confirmation message with 111:001 (RMA+ validation not required) for all statuses.

## **4.3 gCCT Confirmations - MT 199**

### **4.3.1 Outbound gCCT Confirmations - MT 199 Generation**

Below are the additional changes to MT199 gCCT confirmation messages generation after processing of inbound or pass through gCCT payments by the gpi bank

- System generates gCCT MT199 confirmation message for final credit confirmation (//ACCC), Intermediate status confirmation (//ACSP/G002/G003/G004) and for final reject status (//RJCT) as shown below when the processing branch is non-gpi agent
- Below changes are supported when the processing branch is gpi agent as per existing functionality

---

**Note**

System do not generate MT199gCCT confirmations if 'Generate gpi confirmations' value is unchecked (set to 'N').

Inbound transactions initiated either manually through UI or through SOAP/Rest service, 'Generate gpi confirmations' tag will always be set to 'N' (if not indicated).

Inbound Transactions uploaded through SWIFT EMS, system will generate gpi confirmations as per current support and 'Generate gpi confirmations' field value will always be set to 'Y' (checked).

---

---

**Note**

In case Transaction Status 'Seized', 'Suppressed' system does not generate MT199 gpi confirmations.

---

Trans- action Type	Processing status	Message generated	Status Code/ Rea- son Code	Date & Time details	Pay- ment Process- ing Sta- tus [PXDG- PIST]	In Prog- ress Codes – gCCT [PXDG- PIST]
--------------------------	----------------------	----------------------	--	---------------------------	--	--

Incoming	Processed & credited to beneficiary's account	On accounting completion	ACCC	Credit value date & current time	PRO-CESSED	NA
	Moved to cover match queue (new STP queue for Inbound Messages)	By EOD, transaction is pending in cover match queue	ACSP/G004	Message generation Date & time	INPROGRESS	PENDING-COVER
	If the transaction is on hold for further documents (HOLD option in field 23 E)	By EOD, transaction is pending in Business Override queue	ACSP/G003	Message generation Date & time	INPROGRESS	PENDINGDOCUMENTS
	Pending by EOD in process exceptions queues( including Warehouse queue)	By EOD, transaction is pending in any exception queue	ACSP/G002	Message generation Date & time	INPROGRESS	PENDING-CREDIT
	Cancelled from any exception queue	On cancellation	RJCT	Message generation Date & time	REJECTED	NA

Pass through as SWIFT	Outbound payment Processed & forwarded as a gpi message. Message generation Suppressed	FIN message / FIN Copy service gpi message is sent out (FIN Compatible MI)	ACSP/ G000	Message generation Date & time	NA	NA
	Outbound payment Processed & forwarded to a non-gpi agent. Message generation Suppressed	On completion of pass-through payment(on FIN/FIN Compatible MI)	ACSP/ G001	Message generation Date & time	NA	NA
	Moved to cover match queue (new STP queue for Inbound Messages)	By EOD, transaction is pending in cover match queue	ACSP/ G004	Message generation Date & time	INPROG RESS	PENDING-COVER
	If the transaction is on hold for further documents (HOLD option in field 23E)	By EOD, transaction is pending in Business Override queue	ACSP/ G003	Message generation Date & time	INPROG RESS	PENDINGDOCUMENTS
	Pending by EOD in process exceptions queues (including Warehouse queue)	By EOD, transaction is pending in any exception queue	ACSP/ G002	Message generation Date & time	INPROG RESS	PENDING-CREDIT
	Cancelled from any exception queue)	On cancellation	RJCT	Message generation Date & time	REJECTED	NA

SWIFT gpi Tracker generates gCCT confirmations to gpi agents automatically in case of ACSP/G000 and ACSP/G001, based on content of transferred MT 103 or MT 202/5 COV on FIN network.

- Tracker BIC address is referred from the gpi Host preferences maintenance (PXDGPIPF).
- System picks up the confirmation Status code based on the maintenance done in the screen (PXDGPISIT) for the message type gCCT/gCOV.
- System picks up the confirmation Reason code based on the maintenance done in the screen (PXDGPISIT) for the message type gCCT when the payment processing status is 'INPROGRESS'.

---

**Note**

- MT199 gCCT confirmation messages generated has Service identification populated in field 111 of Block 3 with value (001) and field 121 with same UETR based on the Inbound gCCT message.
  - There will not be any Sanctions Check Validation done for the gpi Confirmation messagesgpi agent field has two options as –Yes/No and confirm is no longer available
- 

#### **4.3.2 Inbound gCCT Confirmations - MT 199 Message Processing**

For FIN based Tracker Interaction type, Inbound MT199 gCCT confirmation message is uploaded to daily Message In data store and linked to the original Outbound gCCT MT103 payment.

- Matching criteria is as follows – From Block 3
  - 121:UETR of gCCT MT103 = 121:UETR of MT199 gCCT confirmation
- After successful match, the message is parsed and the same is stored to show them at the Outbound transaction view screen.

##### **4.3.2.1 Inbound gpi Confirmations Summary**

You can view all inbound gpi confirmations (MT 199/MT 299) received with match status 'Pending Match', 'Matched' in this screen.

You can invoke the 'Inbound gpi Confirmations Summary' screen by typing 'PXSIGPCN' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button. .

You can search using one or more of the following parameters.

- Branch Code
- Transfer Type
- Transaction Reference Number
- Activation Date
- gpi Confirmation Message Reference Number
- SWIFT Message Type
- Status (Pending Match/ Match)

Once you have specified the search parameters. Click 'Search' button. The system displays the records that match the search criteria.

Double click a record or click the 'Details' button after selecting a record to view the detailed screen.

## 4.4 gCOV Confirmations - MT 299

### 4.4.1 Outbound gCOV Confirmations - MT 299 Message Generation

The gCOV MT299 confirmation message is generated with fields 20,21,79. The Outbound MT299 gCOV confirmation message will be automatically linked to the pass-thru or original Inbound gCOV transaction.



---

**Note**

System will not generate MT299gCOV confirmations if 'Generate gpi confirmations' value is unchecked (set to 'N').

Inbound transactions initiated either manually through UI or through SOAP/Rest service, 'Generate gpi confirmations' tag will always be set to 'N' (if not indicated).

Inbound Transactions uploaded through SWIFT EMS, system will generate gpi confirmations as per current support and 'Generate gpi confirmations' field value will always be set to 'Y' (checked).

- 
- BIC address to send MT 299 confirmation to Tracker is referred from the gpi Host preferences maintenance (PXDGPIPF). System will not perform RMA/RMA+ validation on the Tracker BIC.
  - Fields 20 (Transaction Reference), 21 (gCOV reference of F20 of MT202COV/ MT205COV) and 79.
  - Block 3 of the FIN message has gpi tags 111:001, 121: UETR of gCOV.
  - Field 79 of the status confirmation message MT299 , populates the following details:

**Format specification of gCOV Confirmation:**

- Line 1 //date and time
- Line 2 //status code [/reason code]
- Line 3 //status originator (BIC)/ forwarded to (BIC)]
- Line 4 //currency and amount

**Line 1**

- //date and time
- //1601121515+1300

**Date & Time Format:**

Date in YYMMDD format and Time in HHMM and the time zone (of Host) in which "time" is expressed is to be identified by means of the offset (positive or negative) against the UTC.

---

**Note**

Time offset HH will be <=13 and MM will be <=59

---

**Line 2**

- //status code [/reason code]

gCOV confirmation messages by Intermediary Reimbursement /Last Reimbursement Agent

---

**Note**

In case Transaction Status 'Seized', 'Suppressed' system will not generate MT299 gpi confirmations.

---

Transaction Type	Processing status	Message generated	Status Code/ Reason Code	Date & Time details	Payment Processing Status [PXDGP-IST]	In-progress Codes – gCOV [PXDGP-IST]
Incoming	For the below scenarios, apply this validation before gpi confirmation generation: Check transaction level 'gpi' agent as 'Yes' & 'Incoming gpi' set as 'Yes' OR 'gpi agent' flag as 'Yes' & Incoming gpi set as 'No'					
	Processed & credited to instructed agent's account [MT 910 generated]	On accounting completion	ACSC	Credit value date & current time	PROCESSED	NA
	Pending by EOD in process exceptions queues (Including warehouse queue)	EOD job	ACSP/ G002	Message generation Date & time	INPROGRESS	PENDING CREDIT
	Cancelled from any exception queue	On Cancellation	RJCT	Message generation Date & time	REJECTED	NA

Outgoing (Pass through as SWIFT/other network messages)	COV Pro-cessed & forwarded as a gpi message to gpi agent. Message generation Suppressed	FIN mes-sage/FIN Copy ser-vice gpi message is sent out	ACSP/ G000	Message genera-tion Date & time		
	COV Pro-cessed & forwarded as a gpi message to non-gpi agent. Mes-sage genera-tion Suppressed	FIN mes-sage/FIN Copy ser-vice gpi message is sent out	ACSP/ G001	Message genera-tion Date & time		
	COV trans- action is pending by EOD in pro-cess excep-tions( including warehouse queue)	EOD job	ACSP/ G002	Message genera-tion Date & time		INPRO GRESS
	If the trans- action is cancelled from any exception queue	On can- cellation	RJCT	Message genera-tion Date & time		REJEC TED

The Tracker generates gCCT/gCOV confirmations to gpi agents automatically in case of ACSP/G000 and ACSP/G001, based on content of transferred MT 103 or MT 202/5 COV on FIN network.

- gCOV confirmation messages by gCOV Instructed Agent

### Line 3

<u>Transaction Type</u>	<u>Processing status</u>	<u>Message generated</u>	<u>Status Code</u>	<u>Date &amp; Time details</u>	<u>Payment Processing Status [PXDG-PIST]</u>	<u>In-progress Codes-gCOV [PXDG-PIST]</u>
	<u>On successful cover matching of a gCCT transaction with gCOV</u>	<u>On successful cover match</u>	<u>ACSC</u>	<u>Cover match Date &amp; time</u>	<u>PRO-CESSED</u>	<u>NA</u>

- //status originator (BIC)/[ forwarded to (BIC)]

### Status Originator field:

This contains the BIC code of the gpi bank that provided the status in the gCOV Confirmation (standard MT representation for identifier code: 4!a2!a2!c[3!c]), optionally followed by the identifier (BIC) of the financial institution to which the gCOV leg was transferred.

### Forwarded-to agent field:

This field informs recipients of gCOV confirmations to which agent the gCOV leg was transferred to.

\*\*Presence of this field is mandatory when confirmation status is ACSP/G000

- Example: //GPIBBICXXXX/GPICBICXXX

### Line 4

//currency and amount

- Currency includes currency used in field 32A of gCOV leg with format 3!a
- Amount includes amount used in field 32A of gCOV leg with format 15d
- For ACSC, RJCT, ACSP/G002 and ACSP/G003, the "gCOV leg" to consider is the Inbound one for the currency field value.
- For ACSP/G000 and ACSP/G001, the "gCOV leg" is the Outbound one for the currency field value

---

### **Note**

There will not be any Sanctions Check validation done for the gpi Confirmation messages

---

## **4.4.2 Inbound gCOV Confirmations MT 299 Message Processing**

For FIN based Tracker Interaction type,

Inbound MT299 gCOV confirmation message is uploaded to daily Message In data store and linked to the original outbound gCOV MT202COV/MT205COV payment.

- Matching criteria is as follows – Block 3
  - 121: UETR of gCOV MT202COV/MT205COV = 121:UETR of M299 gCOV confirmation

Inbound MT299 gCOV confirmation message is linked to an inbound gCCT payment at gCOV instructed agent.

- Matching with an inbound gCCT transaction in any processing status (waiting for Cover match / In Progress / Processed)
  - 121: UETR of gCCT MT103 = 121: UETR of M299 gCOV confirmation

#### 4.4.2.1 Inbound gpi Confirmations Summary

You can view all inbound gpi confirmations (MT 199/MT 299) received with match status 'Pending Match', 'Matched' in this screen.

You can invoke the 'Inbound gpi Confirmations Summary' screen by typing 'PXSIGPCN' in the field at the top right corner of the application toolbar and clicking the adjoining arrow button.

For more details on the screen and its fields, refer to section 4.3.2.1

## 4.5 Notifications

For every inbound gpi confirmation message (MT 199 gCCT), notification is triggered (for debtor), if the 'gpi Processing Enable' flag is checked at Host Level.

## **gCCT Instructing Agent**

Based on the gpi Notification Preferences maintained at Customer level (PMDFLPRF), the following notifications are generated:

- When 'On Interim Confirmation' flag is checked, system auto generates notification to debtor and an Interim Confirmation message is received.
- When 'On Final Confirmation' flag is checked, system auto generates notification to debtor and Final Confirmation message is received.

### **Identifying Interim/ Final Confirmations**

Status Code in the received MT 199 is mapped with 'Payment Processing Status' in gpi Status Preferences screen (PXDGPST). Notifications are generated in the following conditions:

- System generates Interim confirmation notifications, if the derived 'Payment Processing Status' is "INPROGRESS".
- System generates Final confirmation notifications, if the derived 'Payment Processing Status' is "PROCESSED" or "REJECTED".

System will parse the below contents as received in the gpi confirmation and populate it in the new tags to generate notification

- Line 1 //date and time
- Line 2 //status code [/reason code]
- Line 3 //status originator (BIC)/[ forwarded to (BIC)]
- Line 4 //currency and amount
- [Line 5 //EXCH//original CCY/target CCY/exchange rate applied if FX transparency]
- [Following lines //any deducts by status originator(s)]
- The new XML listed will be under 'gpiConfirmInfo' XML node
- gCCT Instructed Bank

<b>MT199 Field 79 Details</b>		<b><u>New XML Tags</u></b>	<b><u>XML Data Types</u></b>
Line 1	date and time	<CreDtTm>	ISODateTime
Line 2	status code [/reason code]	<StatusCd> <ReasonCd>	Max10Text Max10Text
Line 3	status originator (BIC)/[ forwarded to (BIC)]	<Originator> <Forwarded>	String String
Line 4	currency and amount	<InstdAmt> <Ccy>	Decimal String
Line 5	EXCH//original CCY/target CCY/exchange rate applied	<XchgRateInfo> <OriginalCcy> <TargetCcy> <RateTyp> <XchgRt> </XchgRateInfo>	String String String Decimal
	[Following lines //any deducts by status originator(s)]	<SndrChgAmtInfo> <Ccy>	Decimal String
	Gpi Enabled	<isGpi>	String
	UETR	<UETR>	String

- The credit notification will have the tags - 'gpi Enabled Flag' and 'UETR'
- The notifications further can be triggered through the modes - SMS/ E-Mail.

## 4.6 **gSRP Cancellation Processing**

### 4.6.1 **Outbound Cancellation Request Processing**

#### 4.6.1.1 **Cancellation Job**

- After successfully accepting a cancellation request for an outbound transaction, the cancellation request is logged in a module specific request table
- Cancellation requests logged in module specific tables are checked during key processing steps of outbound transaction processing.
  - Before Sanctions Check
  - Before ECA Check
  - Before Accounting
  - Before Message generation [For Cross Border/RTGS]
- Based on the transaction status, payment type, transfer type, the cancellation processing is done.

#### 4.6.1.2 **Non- Dispatched/ Unprocessed Payments**

##### **Transaction Status – Future Valued**

- .If the transaction status is in 'Future Valued' – in 'Warehouse Queue', then the cancellation processing is done as below.
  - Transaction is moved out of Warehouse queue and transaction cancellation processing is initiated
  - Cancellation status of Cancellation request is marked as 'Cancelled'

---

##### **Note**

As per the current cancellation processing, Sanction check is done on cancellation of a transaction from Future Valued queue based on Sanctions preferences.

---

##### **Transaction Status – Exception**

- If the transaction status is 'Exception', then whether the transaction is in an Internal queue or not, is checked
- If the transaction is in an Internal exception queue and queue authorization status is authorized, then the following actions are taken on the transaction
  - Transaction is moved out of the queue
  - Cancellation processing for the transaction is initiated
  - Cancellation status of Cancellation request is marked as 'Cancelled'
  - ECA Reversal Request is sent out if ECA Check was applicable and transaction is in Network Cutoff queue
  - FX Reversal Request is sent out if External Exchange Rate was applicable and transaction is in Network Cutoff queue
  - FX Unwind request is logged, if FX Reference is present

List of internal queues considered are

- Settlement Review
- Transaction Repair

- Processing Exception
- Business Override
- Authorization Limit 1
- Authorization Limit 2
- Processing Cutoff
- Exchange Rate
- Network Cutoff
- If the transaction is in an external queue and the last queue action authorization status is 'Unauthorized', then based on the user action cancellation processing happens.

User Action	System Action
Delete	<p>System checks if any cancellation request is pending for the transaction. If any cancellation request is found, then the following actions are taken on the transaction.</p> <ul style="list-style-type: none"> <li>• Transaction is moved out of the internal queue</li> <li>• Cancellation processing for the transaction is initiated</li> <li>• Cancellation Status</li> <li>• of Cancellation request is be marked as 'Cancelled'</li> <li>• ECA Reversal request is sent out if ECA check was applicable</li> <li>• FX Reversal Request is sent out if External Exchange rate was applicable</li> <li>• FX Unwind Request is logged if FX reference is present</li> </ul>
Authorize	<p>No changes are done to the existing processing. In case, the transaction is moving out of the queue, the cancellation request check introduced in key processing steps, are done in the cancellation processing.</p>

List of internal queues that will be considered

- Settlement Review
- Transaction Repair
- Processing Exception
- Business Override
- Processing Cutoff
- Exchange Rate
- Network Cutoff
- If the transaction is in any external queue [Sanction Check, ECA, External Exchange Rate, External Pricing], then the cancellation processing is done once the transaction is out of the external queue
- The cancellation request check introduced in key processing steps of outbound transaction processing does cancellation as mentioned below

Processing Step	System Action
-----------------	---------------



Before Sanctions Check	<ul style="list-style-type: none"> <li>• Cancellation processing for the transaction is initiated.</li> <li>• Cancellation status of Cancellation request is marked as 'Cancelled'.</li> </ul>
Before ECA Check	<ul style="list-style-type: none"> <li>• Cancellation processing for the transaction is initiated.</li> <li>• Cancellation status of Cancellation request is marked as 'Cancelled'.</li> <li>• FX Cancellation Request message is sent to External system if External exchange rate was applicable.</li> </ul>
Before Accounting	<ul style="list-style-type: none"> <li>• Cancellation processing for the transaction is initiated.</li> <li>• Cancellation status of Cancellation request is marked as 'Cancelled'.</li> <li>• FX Cancellation Request message is sent to External system if External exchange rate was applicable.</li> <li>• ECA Reversal Request is sent out.</li> </ul>
Before Dispatch / Message generation	<ul style="list-style-type: none"> <li>• Cancellation processing for the transaction is initiated.</li> <li>• Cancellation status of Cancellation request is marked as 'Cancelled'.</li> <li>• Reversal accounting entries is sent to accounting system.</li> </ul>

- In the external queues, certain queue actions are not allowed, and additional processing is done for few actions if a cancellation request is found for a transaction.

User Action	System Action	Queues
Carry Forward	This action is not allowed. An error message is shown to user that a cancellation request is registered for the transaction	Sanctions Check, ECA, Exchange Rate
Cancel	Additional processing is done. Cancellation status is marked as 'Exception'. Error Code & Error reason is captured.	Sanctions Check, ECA, Exchange Rate, External Pricing

#### 4.6.1.3 Dispatched/ Processed Payments

If the transaction is already dispatched (or) payment message is generated successfully, then the cancellation processing is done based on the payment type.

##### Cross Border Payment Type

- If the payment message generation is suppressed, the cancellation processing is done as below
  - Cancellation processing for the transaction is initiated
  - Cancellation status of Cancellation request is marked as 'Cancelled'
  - Reversal accounting entries are posted and sent to accounting system

- If the Transfer Type is 'Bank Transfer Own A/c', the cancellation processing is done as below
  - Cancellation status of Cancellation request is marked as 'Exception'. Error code & error reasons are updated
- The acknowledgement status of the payment message is checked
- If the acknowledgement status is pending from SWIFT, then the system waits for the acknowledgment message. Once the acknowledgement is received, system does the cancellation processing based on the acknowledgment status

Acknowledgment Status	System Action
ACK	1. Recall Status of transaction is marked as 'Recall Requested' 2. Cancellation status of cancellation request is marked as 'Cancelled' 3. Initiate a MT Recall Request
NACK	1. Cancellation processing for the transaction is initiated 2. Cancellation status of cancellation request is marked as 'Cancelled'. 3. Reversal accounting entries are sent to accounting system. 4. Payment message status is marked as 'Suppressed'

---

#### Note

For Customer transfer with cover transaction, the acknowledgement status of the customer transfer only is checked.

---

#### RTGS Payment Type

- The acknowledgement status of the payment message sent out is checked.
- If the acknowledgement status is pending, then the system waits for the acknowledgment message from SWIFT. Once the acknowledgement is received, system does the cancellation processing based on the acknowledgement status and on the 'Sender Notification Required' flag at Network Preference maintenance (PMDNWPRF).
  - If the 'Sender Notification Required' flag is un-checked at the network preference level, the cancellation processing will be done based on the acknowledgement status

Acknowledgment Status	System Action
-----------------------	---------------

ACK	1. Recall Status of the transaction is marked as 'Recall Requested' 2. Cancellation status of Cancellation request is marked as 'Cancelled' 3. A MT recall request is initiated
NACK	1. Cancellation processing for the transaction is initiated 2. Cancellation status of Cancellation request is marked as 'Cancelled' 3. Reversal accounting entries are sent to accounting system 4. Payment message status is marked as 'Suppressed'

- If the 'Sender Notification Required' flag is checked at the network preference level, the cancellation processing is done based on the RTGS network acknowledgement status.

Network Acknowledgment Status	System Action
ACK – MT 012	1. Recall Status of the transaction is marked as 'Recall Requested' 2. Cancellation Processing status is marked as 'Cancelled' 3. A MT recall request is initiated
NACK – MT 019	1. Cancellation processing for the transaction is initiated 2. Cancellation status is marked as 'Cancelled'. 3. Reversal accounting entries are sent to accounting system. 4. Payment message status are marked as 'Suppressed'

---

#### Note

- Payment message status is marked as 'Suppressed' to restrict users from repairing and resending the message from Outbound message browser
  - Upon successful cancellation processing, the transaction status is marked as 'Cancelled'
-

#### **4.6.1.4 MT n92 / gSRP Request Message Generation**

##### **MT n92 message generation**

If the outbound transaction is identified as 'non-gpi' message, then system automatically generates MT 192/MT 292 as per standard format.

- Message type is MT 192 if the outbound transaction type is customer transfer type. It is MT 292 if the outbound transaction type is bank transfer type
- Receiver of the message is populated same as the receiver of the original outbound transaction payment message
- Field 20 sender reference number is populated with cancellation request reference
- Field 21 related reference number is populated with outbound transaction reference
- Field 11S with the outbound payment message type and message date
- Field 79 with the 'Narrative (79) Line 1' field, Narrative lines 2 to 35 field values if given by user
- Copy of the original payment message is populated if the flag 'Copy of at least the Mandatory Fields of the Original Message' is checked

---

##### **Note**

As per the existing functionality, the optional fields also gets populated.

---

##### **gSRP Request message generation**

If the outbound transaction is identified as 'gpi' message, then system generates gSRP request as MT 192 message or MT 199 message based on the 'gSRP Request Message Type' gpi Host preference (PXDGPIPF).

- Message type is MT 192 if the 'gSRP Request Message Type' selected is 192 It is MT 199 if the preference is selected as MT 199.
- Receiver of the message is Tracker BIC (TRCKCHZZ) value populated in gpi Host preference (PXDGPIPF)
- Field 111 is populated with the service type identifier (002) value maintained for gSRP in gpi Static Preference maintenance.
- Field 121 is populated with the UETR of the outbound transaction
- Field 20 sender reference number is populated with cancellation request reference
- Field 21 related reference number is populated with outbound transaction reference
- Field 11S with the outbound payment message type and message date if the 'gSRP Request message type' is MT 192.
- Field 79 with the 'Narrative (79) Line 1' value given by user in the Transaction Cancellation request message.

##### **RMA/RMA+ Validation**

- RMA/RMA+ validation is done for gSRP request messages also. Validation is done based on the gSRP request message type, Branch default BIC, Tracker BIC and message generation date
  - Cancellation status is marked as 'Exception'. Error code & error reason gets updated.
  - No gSRP request is generated

## **Sanction Check**

gSRP request messages undergoes Sanctions Check processing. The processing is same as done for the normal MT n92/MT n99 messages.

---

### **Note**

- For Customer transfer with cover transaction, the gSRP/MT n92 request message is generated only for the customer transfer
  - The successfully generated request messages can be viewed from the 'Recall Messages' screen of Outbound Cross Border Payments View (PXDOVIEW)
- 

## **Recall Request Log**

After successful generation of MT n92/gSRP Request message, the recall request is logged for the Outbound transaction.

- Recall Reference – Field 20 of n92/gSRP request
- Recall Date – Date on which n92/gSRP request sent out
- Recall Reason Code – Reason Code selected for n92/gSRP request
- Recall Reason – Value given in 'Narrative (79) Line 1' field after the Reason code by user.

### **4.6.2 Outbound Cancellation Response Processing**

- MT n96 messages received from SWIFT is treated as Cancellation Response messages and these messages are classified as gSRP Response or non-gSRP response messages.
- SWIFT gpi Tracker sends gSRP status notifications and alerts as MT 199 messages. So, MT 199 messages are also be checked for Cancellation response processing.

#### **4.6.2.1 gSRP Response Message Processing**

- Changes are done to parse and do the STP of the Inbound MT 196/MT 199 messages.
- If the message has Field 111 service type identifier, then the message is considered as gSRP response message. The response message is matched with the original outbound gSRP request message and outbound transaction. The matching criteria is as follows
  - UETR of Inbound gSRP with UETR of the Outbound transaction/Outbound gSRP request
- The Field 79 line 1 is checked for the response code ['/' followed by 4 characters]. Based on the reason code, the response message processing happens

<b>Response Code</b>	<b>System Action</b>
PDCR	Recall response is logged against original outbound transaction
CNCL	1. Recall response is logged against original outbound transaction 2. Recall status of transaction is updated as 'Accepted'

RJCR	1. Recall response is logged against original outbound transaction 2. Recall status of transaction is updated as 'Rejected'
------	--

- The Recall response is logged against the original outbound transaction and is shown under 'Responses' tab of 'Recall Messages' screen.

---

#### Note

Field 79 Line 1 starts with '/' in gCCT confirmation message - MT 199.

---

### 4.6.2.2 Tracker gSRP Status Notification & gSRP Alerts

- If the Field 79 Line 1 of the MT 199 message contains the reason code '/PDCR/' and followed by any of the response codes, the message is treated as gSRP Status notification message.
  - S000 (=valid gSRP request received by Tracker)
  - S001 (=gCCT UETR registered in network cancellation list)
  - S002 (=gSRP network stop occurred on related UETR)
  - S003 (=gSRP Tracker forwarded request to processing/last gpi agent)
  - S004 (=Tracker received network delivery acknowledgement (UACK) of gSRP request forwarded to processing/last gpi agent, response pending.)
- If the Field 79 Line 1 of the MT 199 message contains the reason code '/RJCR/' and followed by the response codes /FRNA/, then the message is treated as gSRP alert.
  - /RJCR/FRNA (gSRP request does not relate to a gpi payment)
- The status notifications and alerts are logged under recall response against outbound payment transaction and are shown under Tracker Alerts & Status Notifications tab of 'Recall Messages' screen

### 4.6.2.3 MT n96 Response Processing

- The Inbound MT n96 message is matched with the original outbound transaction. The matching criteria is as follows
  - Field 21 of the MT 196 with the outbound cancellation request reference.
- The Field 79 line 1 is checked for the response code ['/ followed by 4 characters]. Based on the reason code, the response message processing happens

Response Code	System Action
PDCR	Recall response is logged against original outbound transaction
CNCL	1. Recall response is logged against original outbound transaction 2. Recall Status of transaction is updated as 'Accepted'
RJCR	1. Recall response will be logged against original outbound transaction 2. Recall Status of transaction is updated as 'Rejected'

- If the Inbound n96 message doesn't have any response code, then the Recall status of transaction is not updated. The Recall response is logged against the original outbound transaction and is shown under 'Responses' tab of 'Recall Message' screen

#### **4.6.2.4 Recall Response Log**

- The recall response messages after successful match with original outbound transaction, the response is logged against outbound transaction and is shown in the 'Exception' tab under 'Recall Response'.
  - Response Reference – Field 20 of n96/gSRP Response/Alert/Status notifications
  - Response Date – Date on which n96/gSRP Response/Alert/Status notification sent out
  - Response Message Type – Message type of response message [MT 196/MT 296/MT 199]
  - Response Code – Response Status code received in first 4 characters in Field 76 Line 1 of MT n96/Field 79 Line 1 of MT 199
  - Recall Reason – Reason code received after the Response status code in Field 76 Line 1 of MT n96/Field 79 Line 1 of MT 199

#### **4.6.3 Inbound Cancellation Request Processing**

- All incoming cancellation request messages (MT n92) is parsed and is classified as gSRP request message (or) a non-gSRP request message.
  - If the incoming MT 192 message is having a value '002' in Field 111 and a UETR value in Field 121, then the message is treated as a gSRP request message.
- After successfully parsing and classifying the incoming cancellation request message, the message is populated into the newly introduced 'Inbound Cancellation Browser' with the Process Status as 'Unprocessed'. The gSRP flag value is populated as 'Yes' if the cancellation request message is a gSRP request message

##### **4.6.3.1 Matching with Inbound Payments**

- The incoming cancellation request message is matched with an Inbound Cross Border / RTGS transaction based on the Incoming SWIFT Payment view (PSDIVIEW) tables. Matching criteria for gSRP request and non-gSRP request is as follows:
  - For gSRP requests, Field 121 UETR of Incoming message is matched with the UETR of the Inbound transaction
  - For non-gSRP MT n92 requests, Field 21 of the incoming message with the Inbound transaction source reference and sender of the MT n92 request with the Inbound transaction sender bank value
- Once the Incoming MT n92/gSRP request message is successfully matched, then system does below things
  - Process Status value is updated as 'Matched' in the Inbound Cancellation Browser.
  - Queue action log is populated with action as 'MATCH' along with maker/checker ids asl SYSTEM and maker/checker timestamps against the Cancellation Request message
  - A recall request record is logged to show under 'Exception' screen of Inbound Transaction view screen.
- If the matched Inbound transaction status is in Progress (or) transaction status is Exception and in any external queue, the cancellation request is logged in a cross border inbound queue cancellation request table which is referred during inbound processing key steps. The list of external queues considered are
  - Sanction Check
  - EAC

- External Exchange Rate
- External Pricing
- Cancellation processing for an Inbound transaction is done based on the transaction status and queue code

#### **4.6.3.2 Processed Payments**

##### **Transaction Status – Processed**

- If the transaction status is in 'Processed', then
  - Recall Status at transaction is updated as 'Recall Requested'
  - Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'
  - Transaction is moved to the Inbound Cancellation Request queue
  - Transaction Status is updated as 'Processed', last queue code as '##' and Current status as 'Pending' in the Inbound Cancellation Request queue
  - Queue action is logged for transaction moving to Inbound Cancellation Request queue

##### **Transaction Status – Seized / Cancelled**

- 
- If the transaction status is -seized/ cancelled, then
  - Recall Status at transaction is updated as 'Recall Requested'
  - Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'
  - Transaction is moved to the Inbound Cancellation Request queue
  - Transaction Status is updated with the current transaction status, last queue code as '##' and Current status as 'Pending' in the Inbound Cancellation Request queue
  - Queue action is logged for transaction moving to Inbound Cancellation Request queue

#### **4.6.3.3 Unprocessed Payments**

##### **Transaction in STP Queue**

If the transaction status is in STP Queue, then the system waits for the auto cover match to happen (or) for the manual user action.

##### **Transaction Status – Future Valued**

- 
- If the transaction status is 'Future Valued' – in 'Warehouse Queue', then.
  - Recall Status at transaction is updated as 'Recall Requested'
  - Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'
  - Transaction is moved out of the Future Dated queue and Transaction is moved to the Inbound Cancellation Request queue
  - Transaction Status is updated as the 'Future Valued', last queue code as 'FV' and Current status as 'Pending' in the Inbound Cancellation Request queue
  - Queue action is logged for transaction moving out of the Future Dated and for moving to Inbound Cancellation Request queue.



## **Transaction Status – Exception / In Progress**

- If the transaction status is 'Exception', then whether the transaction is in an Internal queue or not is checked.
- If the transaction is in an Internal exception queue and the last queue action authorization status is 'Authorized', then the following actions are taken on the transaction
  - Recall Status at transaction is updated as 'Recall Requested'
  - Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'
  - Transaction is moved of the internal queue and is moved to the Inbound Cancellation Request queue
  - Transaction Status is updated as 'Exception', last queue code as the Internal queue code and Current status as 'Pending' in the Inbound Cancellation Request queue
  - Queue action is logged for transaction moving out of the internal queue and for moving to Inbound Cancellation Request queue

List of internal queues considered are

- Settlement Review
  - Transaction Repair
  - Processing Exception
  - Business Override
  - Authorization Limit 1
  - Authorization Limit 2
  - Exchange Rate
  - Network Cutoff
- If the transaction is in an Internal exception queue and the last queue action authorization status is 'Unauthorized', then based on the user action cancellation processing happens

User Action	System Action
Delete	<p>System checks if any cancellation request is pending for the transaction. If any cancellation request found, then the following actions are taken on the transaction.</p> <ul style="list-style-type: none"><li>• Recall Status at transaction is updated as 'Recall Requested'</li><li>• Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'</li><li>• Transaction is moved of the internal queue and is moved to the Inbound Cancellation Request queue</li><li>• Transaction Status is updated as 'Exception', last queue code as the Internal queue code and Current status as 'Pending' in the Inbound Cancellation Request queue</li><li>• Queue action is logged for transaction moving out of the internal queue and for moving to Inbound Cancellation Request queue</li></ul>
Authorize	<p>No changes are done to the existing processing. In case, the transaction is moving out the queue, the cancellation request check introduced in key processing steps does the cancellation processing.</p>

List of internal queues that will be considered as follows

- Settlement Review
- Transaction Repair
- Processing Exception
- Business Override
- Processing Cutoff
- Exchange Rate
- Network Cutoff
- If the transaction is in any external queue, then the cancellation processing is done once the transaction is out of the external queue
- The cancellation request check introduced in key processing steps of inbound transaction processing does cancellation processing as mentioned below

Processing Step	System Action
Before Sanctions Check	<ul style="list-style-type: none"> <li>• Recall Status at transaction is updated as 'Recall Requested'</li> <li>• Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'</li> <li>• Transaction is moved to the Inbound Cancellation Request queue</li> <li>• Transaction Status is updated as 'In Progress', last queue code as 'SC' and Current status as 'Pending' in the Inbound Cancellation Request queue</li> <li>• Queue action is logged for moving to Inbound Cancellation Request queue</li> </ul>
Before Exchange Rate/FX Check	<ul style="list-style-type: none"> <li>• Recall Status at transaction is updated as 'Recall Requested'</li> <li>• Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'</li> <li>• Transaction is moved to the Inbound Cancellation Request Queue</li> <li>• Transaction Status is updated as 'In Progress', last queue code as 'SC' and Current status as 'Pending' in the Inbound Cancellation Request queue</li> <li>• Queue action is logged for moving to Inbound Cancellation Request queue</li> </ul>
Before EAC Check	<ul style="list-style-type: none"> <li>• Recall Status at transaction is updated as 'Recall Requested'</li> <li>• Process Status at Inbound Cancellation Browser will be updated as 'Transaction Locked'</li> <li>• Transaction is moved to the Inbound Cancellation Request queue</li> <li>• Transaction Status is updated as 'In Progress', last queue code as 'EA' and Current status as 'Pending' in the Inbound Cancellation Request queue</li> <li>• Queue action is logged for moving to Inbound Cancellation Request queue</li> </ul>

Before Accounting	<ul style="list-style-type: none"> <li>Recall Status at transaction is updated as 'Recall Requested'</li> <li>Process Status at Inbound Cancellation Browser will be updated as 'Transaction Locked'</li> <li>Transaction is moved to the Inbound Cancellation Request queue</li> <li>Transaction Status is updated as 'In Progress', last queue code as 'EA' and Current status as 'Pending' in the Inbound Cancellation Request queue</li> <li>Queue action is logged for moving to Inbound Cancellation Request queue</li> </ul>
Before Mes-saging	<ul style="list-style-type: none"> <li>Recall Status at transaction is updated as 'Recall Requested'</li> <li>Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'</li> <li>Transaction is moved to the Inbound Cancellation Request queue</li> <li>Transaction Status is updated as 'In Progress', last queue code as 'EA' and Current status as 'Pending' in the Inbound Cancellation Request queue</li> <li>Queue action is logged for moving to Inbound Cancellation Request queue</li> </ul>

- In the external queues, the 'Carry Forward' action is not allowed if a cancellation request is found for a transaction

User Action	System Action	Queues
Carry Forward	This action is not allowed. An error message is shown to user that a cancellation request is registered for the transaction	Sanctions Check, EAC, Exchange Rate

#### 4.6.4 Inbound Cancellation Request - Response Processing

All the Inbound Cancellation requests – both matched with an Inbound Transaction / Transaction in STP queue as well as Unmatched are logged into the Cancellation queue

##### 4.6.4.1 Cancellation Response Processing

Based on the user action selected in the Inbound Cancellation Request queue and based on the current transaction status, last queue code / action combination, the cancellation response processing is done.

##### Interim Response

- On authorization of the Interim action, the system does the below listed processing steps
  - A gSRP Response message is generated if the recall request is a gSRP request message. Otherwise, a non-gSRP MT n96 response message is generated
  - A Recall response is logged to show in the Inbound Transaction view – Under Exception – screen
  - Queue action is logged for the Interim action against the transaction reference

The details of the gSRP response message / non-gpi MT n96 response message are explained in the following section

## **Accept**

- On authorization of the Accept action, the following changes will be done
  - A gSRP Response message is generated if the recall request is a gSRP request message. Otherwise, a non-gSRP MT n96 response message is generated
  - A gCCT reject response message is generated if the recall request is a gSRP request and last queue code is not blank
  - Inbound Cancellation queue level Current Status field is updated as 'Accepted'
  - Last Response action at Cancellation browser is updated as 'Accepted'
  - Recall status at transaction is updated as 'Accepted'.
  - Recall response is logged to show in the Inbound Transaction view – Under Exception – screen
  - Transaction is moved out of the cancellation request queue
  - Queue action is logged for the 'Accepted' action at the transaction level
  - Cancellation processing for the transaction initiated if the transaction status is not Processed / Cancelled / Seized [i.e. Transaction Status is 'In Progress']

---

### **Note**

Upon successful cancellation processing, the transaction status is marked as 'Cancelled'

---

## **Reject**

On authorization of the Reject action, the following changes are done

- A gSRP Response message if the recall request is a gSRP request message is generated. Otherwise, a non-gSRP MT n96 response message is generated.
- Inbound Cancellation queue level Current Status field is updated as 'Rejected'
- Last Response action at Cancellation browser is updated as 'Rejected'
- Recall status at transaction is updated as 'Rejected'.
- Recall response is logged to show in the Inbound Transaction view – Under Exception – screen
- Transaction is moved out of the queue
- Queue action is logged for the 'Reject' action at the transaction level
- If the transaction has not been processed [Last queue code is not blank],
  - Transaction is reprocessed same as future valued transaction processing done on the value date. During reprocessing, FX Request is not resent if Reject action was taken on same day.
  - Value date/Activation date is re-derived

### **4.6.4.2 gSRP Response Message**

If the inbound transaction is 'gpi Enabled', then system generates gSRP response as MT 196 message or MT 199 message based on the 'gSRP Response Message Type' preference in gpi Host preference (PXDGPPIPF).

- Message type is MT 196 if the 'gSRP Response Message Type' selected is MT 196. It is MT 199 if the preference is selected as MT 199.
- Receiver of the message is Tracker BIC (TRCKCHZZ) value populated in gpi Host preference (PXDGPPIPF)

- Field 111 is populated with the service type identifier (002) value maintained for gSRP in gpi Static Preference maintenance.
- Field 121 is populated with the UETR of the inbound cancellation request message
- Field 20 sender reference number is populated with cancellation response reference generated in Cancellation response screen
- Field 21 related reference number is populated with inbound recall reference (Field 20).
- 
- MT 196 Field 76 Line 1 / MT 199 Field 79 Line 1 is populated with the 'Answers (76) Line 1' field value given by user in the Cancellation response screen.
- MT 196 Field 76 Line 2 / MT 199 Field 79 Line 2 is populated with the Branch default BIC.

#### **RMA/RMA+ Validation**

- RMA/RMA+ validation is done for gSRP response messages also. Validation is done based on the gSRP response message type, Branch default BIC, Tracker BIC and message generation date. If RMA/RMA+ validation fails, then an error message is shown to the user and the gSRP response message is not generated

#### **Sanction Check**

- gSRP response messages undergoes Sanctions Check processing. The processing is same as done for the normal MT n96/MT n99 messages

#### **4.6.4.3 Non-gSRP Response Message**

For non-gpi transactions, System generates MT 196 message or MT 299 message based on the MT n92 message received.

- Message type is MT 196 if the cancellation request message received is MT 192. It is MT 296 if the Inbound cancellation request message is MT 292
- Receiver of the message is the Sender of the MT n92 message
- Field 20 sender reference number is populated with cancellation response reference generated in Cancellation response screen
- Field 21 related reference number is populated with inbound recall reference (Field 20)
- Field 76 is populated with the 'Answers (76) Line 1' field, 'Answers (76) Line 2-35' values given by user in the Cancellation response screen
- Field 77A is populated with the values given by user in the 'Narrative 77A' field
- Field 79 is populated with the values given by user in the 'Narrative 77A' field.
- Copy of the original inbound recall message is populated if the flag "Copy of at least the Mandatory Fields of the Original Message" is checked

#### **4.6.4.4 Interim gSRP Response Message at EOD**

- For Inbound gSRP Cancellation requests, System generates an Interim response message at EOD if there is no action taken by the user on the cancellation request message received date [In Inbound Cancellation Browser]
  - Message type is MT 196 if the 'gSRP Response Message Type' selected is MT 196. It is MT 199 if the preference is selected as MT 199
  - Receiver of the message is Tracker BIC (TRCKCHZZ) value populated in gpi Host preference (PXDGPIPF)
  - Field 111 is populated with the service type identifier (002) value maintained for gSRP in gpi Static Preference maintenance

- Field 121 is populated with the UETR of the incoming cancellation request message
- Field 20 sender reference number is populated with a newly generated reference number
- Field 21 related reference number is populated with incoming recall reference (Field 20)
- MT 196 Field 76 Line 1 (or) MT 199 Field 79 Line 1 is populated with Response status as 'PDCR' and reason code as 'RQDA'

---

**Note**

The Auto job 'PQDPRQUE' – 'Job Code for Process Exception MT199 transaction' generates the Interim gSRP response message at EOD. This job should be configured to run at a pre-defined time daily.

---

#### **4.6.4.5 Recall Response Log**

- The recall response is logged as below.
  - Response Reference – Field 20 of n96/gSRP Response message sent out
  - Response Date – Date on which n96/gSRP Response message sent out
  - Response Code – Response Status code sent in first 4 characters in Field 76 Line 1 of MT n96/Field 79 Line 1 of MT 199
  - Recall Reason – Reason code sent after the Response status code in Field 76 Line 1 of MT n96/Field 79 Line 1 of MT 199

## **4.7 Outbound Payments Pass-through – Cancellation Processing**

### **4.7.1 Outbound Cancellation Request Initiation Processing**

- Cancellation/Recall request initiation for Outbound pass-through transactions is same as the Cancellation request initiation for Outbound Cross Border/RTGS transactions initiated by our bank. User can initiate the cancellation requests from the Outbound Cross Border Transaction View Summary (PXSOVIEW) by selecting the transactions and using 'Cancel Request' action
- The cancellation processing for outbound pass-through transactions are done on the transaction status, current exception queue.

#### **4.7.1.1 Unprocessed Payments**

##### **Transaction Status – Future Dated**

If the transaction is in 'Future Dated' – in 'Warehouse Queue', then the transaction booking date will be checked.

- If the transaction booking date is same as cancellation request date, then the following process happens
  - Transaction is moved out of Warehouse queue and transaction cancellation processing is initiated
  - Cancellation status is marked as 'Cancelled'
  - Return GL entries gets posted
  - A gpi confirmation message with status code 'RJCT' is generated if the transaction is gpi-enabled.

- If the transaction booking date is not the same as cancellation request date, the transaction is sent for Sanctions. The cancellation processing is based on response received from Sanctions system.

### **Transaction Status – Exception**

- If the transaction status is 'Exception', then whether the transaction is in an Internal queue or not is checked.
- If the transaction is in an Internal exception queue and the last queue action authorization status is 'authorized', then the following actions are taken on the transaction
  - 
  - Transaction is moved out of the queue and transaction cancellation processing is initiated
  - Cancellation status is marked as 'Cancelled'
  - FX Reversal Request is sent out if External Exchange Rate was applicable and if the payment is moved out of Network Cutoff queue
  - Return GL entries gets posted
  - A gpi confirmation message with status code 'RJCT' is generated if the transaction is gpi-enabled.

List of internal queues considered are

- Settlement Review
- Transaction Repair
- Processing Exception
- Business Override
- Authorization Limit 1
- Authorization Limit 2
- Processing Cutoff
- Exchange Rate
- Network Cutoff
- In the internal queues, changes are done for the 'Delete' action to check if any pending cancellation request is available for the outbound pass-through transaction in the module specific cancellation request table. If any pending cancellation request found, then the following actions are taken on the transaction.
  - Transaction is moved out of the internal queue and transaction cancellation processing is initiated
  - Cancellation status is marked as 'Cancelled'
  - ECA Reversal Request is sent out if ECA Check was applicable and transaction is in Network Cutoff queue
  - FX Reversal Request is sent out if External Exchange Rate was applicable and transaction is in Network Cutoff queue
  - Return GL entries gets posted
  - A gpi confirmation message with status code 'RJCT' is generated if the transaction is gpi Enabled

List of internal queues that are considered

- Settlement Review
- Transaction Repair

- Processing Exception
- Business Override
- Processing Cutoff
- Exchange Rate
- Network Cutoff
- If the transaction is in any external queue [Sanction Check, ECA, External Exchange Rate, External Pricing], then the cancellation processing is done once the transaction is out of the external queue.
- The cancellation request check introduced in key processing steps of outbound transaction processing does cancellation as mentioned below

#### 4.7.1.2 Processed Payments

Process- ing Step	System Action
Before Sanctions Check	<ul style="list-style-type: none"> <li>• Transaction status is marked as 'Cancelled'</li> <li>• Cancellation status is marked as 'Cancelled'</li> <li>• Return GL entries gets posted</li> <li>• A gpi confirmation message with status code 'RJCT' is generated if the transaction is gpi-enabled</li> </ul>
Before ECA Check	<ul style="list-style-type: none"> <li>• Transaction status is marked as 'Cancelled'</li> <li>• Cancellation status is marked as 'Cancelled'</li> <li>• FX Cancellation Request message is sent to External system if External exchange rate was applicable</li> <li>• Return GL entries gets posted</li> <li>• A gpi confirmation message with status code 'RJCT' is generated if the transaction is gpi-enabled</li> </ul>
Before Accounting	<ul style="list-style-type: none"> <li>• Transaction status is marked as 'Cancelled'</li> <li>• Cancellation status is marked as 'Cancelled'.</li> <li>• FX Cancellation Request message is sent to External system if External exchange rate was applicable</li> <li>• ECA Reversal Request is sent out if ECA was applicable</li> <li>• Return GL entries gets posted</li> <li>• A gpi confirmation message with status code 'RJCT' is generated if the transaction is gpi-enabled</li> </ul>
Before Dis- patch / Message generation	<ul style="list-style-type: none"> <li>• Transaction is marked as 'Cancelled'</li> <li>• Cancellation status is marked as 'Cancelled'</li> <li>• Reversal accounting entries is sent to accounting system</li> <li>• Return GL entries gets posted</li> <li>• A gpi confirmation message with status code 'RJCT' is generated if the transaction is gpi-enabled</li> </ul>

If the payment message has been generated successfully and sent out, then the cancellation processing is done based on the payment type and acknowledgement from SWIFT / RTGS network.

#### **Cross Border Payment Type**

- The acknowledgement status of the payment message sent out is checked.



- If the acknowledgment status is pending, then the system waits for the acknowledgment message from SWIFT. Once the acknowledgment is received, system does the cancellation processing based on the status

Acknowledgment Status	System Action
ACK	<ul style="list-style-type: none"> <li>• Initiate a MT recall request</li> <li>• Cancellation Request status is marked as 'Cancelled'</li> <li>• Recall Status at transaction level is marked as 'Recall Requested'</li> </ul>
NACK	<ul style="list-style-type: none"> <li>• Cancellation processing for the transaction is initiated</li> <li>• Cancellation status is marked as 'Cancelled'</li> <li>• Reversal accounting entries is sent to accounting system</li> <li>• Payment message status is marked as 'Suppressed'</li> <li>• Return GL entries gets posted</li> <li>• A gpi confirmation message with status code 'RJCT' is generated if the transaction is gpi-enabled</li> </ul>

#### RTGS Payment Type

- The acknowledgement status of the payment message sent out is checked.
- If the acknowledgement status is pending, then the system waits for the acknowledgment message from SWIFT
- Once the acknowledgement is received, system does the cancellation processing based on the acknowledgement status and on the 'Sender Notification Required' flag at Network Preference maintenance (PMDNWPRF).
  - If the 'Sender Notification Required' flag is un-checked at the network preference level, the cancellation processing is done based on the acknowledgement status.

Acknowledgment Status	System Action
ACK	<ul style="list-style-type: none"> <li>• Initiate a MT recall request</li> <li>• Cancellation Request status is marked as 'Cancelled'</li> <li>• Recall Status at transaction level is marked as 'Recall Requested'</li> </ul>
NACK	<ul style="list-style-type: none"> <li>• Cancellation processing for the transaction is initiated</li> <li>• Cancellation status is marked as 'Cancelled'</li> <li>• Reversal accounting entries is sent to accounting system</li> <li>• Payment message status is marked as 'Suppressed'</li> <li>• Return GL entries gets posted</li> <li>• A gpi confirmation message with status code 'RJCT' is generated if the transaction is gpi-enabled</li> </ul>

- If the 'Sender Notification Required' flag is checked at the network preference level, the cancellation processing is done based on the RTGS network acknowledgement status

<b>Network Acknowledgment Status</b>	<b>System Action</b>
ACK – MT 012	<ul style="list-style-type: none"> <li>• Initiate a MT recall request</li> <li>• Cancellation Request status is marked as 'Cancelled'</li> </ul> Recall Status at transaction level is marked as 'Recall Requested'
NACK – MT 019	<ul style="list-style-type: none"> <li>• Cancellation processing for the transaction is initiated</li> <li>• Cancellation status is marked as 'Cancelled'</li> <li>• Reversal accounting entries is sent to accounting system</li> <li>• Payment message status is marked as 'Suppressed'</li> <li>• Return GL entries gets posted</li> <li>• A gpi confirmation message with status code 'RJCT' is generated if the transaction is gpi-enabled</li> </ul>

---

#### **Note**

Message generation processing and Recall request processing is same as mentioned in section MT n92 / gSRP Request Message Generation.

---

#### **4.7.1.3 MT n92/ gSRP Request Message Generation**

Message generation processing and Recall request processing is same as mentioned in section MT n92 / gSRP Request Message Generation (4.6.1.4)

#### **4.7.2 Outbound Cancellation Response Processing**

Cancellation response processing is same as mentioned in section Outbound Cancellation Response Processing (4.6.2)

#### **4.7.3 Inbound Cancellation Request Processing**

All Inbound cancellation request messages (MT n92) are parsed and is matched with an Inbound transaction. If there is no match found, then the cancellation request is matched with an Outbound pass-through payment.

##### **4.7.3.1 Matching with Outbound Pass-through Payments**

- The classification of gSRP request and Non-gSRP request are done based on the message type and Block 3 fields 111 & 121 as mentioned in section 4.6.3.1
- When the incoming MT n92/gSRP message is not matched with any Inbound Cross Border/RTGS transaction, then the matching is done against Outbound Cross Border/RTGS pass-through payments based on the Inbound SWIFT Payments view tables. Matching criteria used for gSRP request and non-gSRP messages are different

- For gSRP requests, Field 121 UETR of incoming message is matched with the UETR of the Outbound pass-through transaction.
- For non-gSRP MT n92 requests, Field 21 of the incoming message with the Outbound pass-through transaction source reference and sender of the MT n92 request with the Outbound pass-through transaction sender bank field value
- Once the Incoming MT n92/gSRP request message is successfully matched, then system does the below things.
  - Process Status value is updated as 'Matched' in the Inbound Cancellation Browser.
  - Queue action log is populated with action as 'MATCH' along with maker/checker ids as SYSTEM and maker/checker timestamps against the Cancellation Request message.
  - A recall request record is logged to show under 'Exception' screen of outbound Transaction view screen.
- Cancellation processing of an Outbound pass-through transaction is done based on its transaction status and current queue

#### **4.7.3.2 Processed Payments**

##### **Transaction Status – Processed**

- If the transaction status is in 'Processed', then
  - Recall Status at transaction is updated as 'Recall Requested'
  - Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'
  - Transaction is moved to the Inbound Cancellation Request queue
  - Transaction Status is updated as 'Processed', last queue code as '##' and Current status as 'Pending' in the Inbound Cancellation Request queue
  - Queue action is logged for transaction moving to Inbound Cancellation Request queue

##### **Transaction Status – Cancelled / Seized**

- If the transaction status is in any of the above listed statuses, then
  - Recall Status at transaction is updated as 'Recall Requested'
  - Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'
  - Transaction is moved to the Inbound Cancellation Request queue
  - Transaction Status is updated with the current transaction status, last queue code as '##' and Current status as 'Pending' in the Inbound Cancellation Request queue
  - Queue action is logged for transaction moving to Inbound Cancellation Request queue

#### **4.7.3.3 Unprocessed Payments**

##### **Transaction in STP Queue**

If the transaction status is in STP Queue, then the system waits for the auto cover match to happen (or) for the manual user action.

##### **Transaction Status – Future Valued**

- If the transaction status is 'Future Valued' – in 'Warehouse Queue', then.
  - Recall Status at transaction is updated as 'Recall Requested'

- Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'
- Transaction is moved of the Future Valued queue and
- Transaction is moved to the Inbound Cancellation Request queue
- Transaction Status is updated as the 'Future Valued', last queue code as 'FV' and Current status as 'Pending' in the Inbound Cancellation Request queue
- Queue action is logged for transaction moving out of the Future Dated and for moving to Inbound Cancellation Request queue.

### **Transaction Status – Exception / In Progress**

- If the transaction status is 'Exception', then whether the transaction is in an Internal queue (or) not is checked.
- If the transaction is in an Internal exception queue and the last queue action authorization status is 'Authorized', then the following actions are taken on the transaction
  - Recall Status at transaction is updated as 'Recall Requested'
  - Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'
  - Transaction is moved of the internal queue and is moved to the Inbound Cancellation Request queue
  - Transaction Status is updated as 'Exception', last queue code as the Internal queue code and Current status as 'Pending' in the Inbound Cancellation Request queue
  - Queue action is logged for transaction moving out of the internal queue and for moving to Inbound Cancellation Request queue

List of internal queues considered are

- Settlement Review
- Transaction Repair
- Processing Exception
- Business Override
- Authorization Limit 1
- Authorization Limit 2
- Exchange Rate
- Processing Cutoff
- Network Cutoff
- If the transaction is in an Internal exception queue and the last queue action authorization status is 'Unauthorized', then based on the user action cancellation processing happens

User Action	System Action
-------------	---------------

Delete	<p>System checks if any cancellation request is pending for the transaction. If any cancellation request found, then the following actions are taken on the transaction.</p> <ul style="list-style-type: none"> <li>Recall Status at transaction is updated as 'Recall Requested'</li> <li>Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'</li> <li>Transaction is moved of the internal queue and is moved to the Inbound Cancellation Request queue</li> <li>Transaction Status is updated as 'Exception', last queue code as the Internal queue code and Current status as 'Pending' in the Inbound Cancellation Request queue</li> <li>Queue action is logged for transaction moving out of the internal queue and for moving to Inbound Cancellation Request queue</li> </ul>
Authorize	No changes is done to the existing processing. In case, the transaction is moving out the queue, the cancellation request check introduced in key processing steps does the cancellation processing.

List of internal queues that will be considered as follows

- Settlement Review
- Transaction Repair
- Processing Exception
- Business Override
- Processing Cutoff
- Exchange Rate
- Network Cutoff
- If the transaction is in any external queue, then the cancellation processing is done once the transaction is out of the external queue
- The cancellation request check introduced in key processing steps of outbound transaction processing does cancellation processing as mentioned below

Processing Step	System Action
Before Sanctions Check	<ul style="list-style-type: none"> <li>Recall Status at transaction is updated as 'Recall Requested'</li> <li>Process Status at Inbound Cancellation Browser is updated as 'Transaction Locked'</li> <li>Transaction is moved to the Inbound Cancellation Request queue</li> <li>Transaction Status is updated as 'In Progress', last queue code as 'SC' and Current status as 'Pending' in the Inbound Cancellation Request queue</li> <li>Queue action is logged for moving to Inbound Cancellation Request queue</li> </ul>

Before EAC Check	<ul style="list-style-type: none"> <li>Recall Status at transaction is updated as 'Recall Requested'</li> <li>Process Status at Inbound Cancellation Browser will be updated as 'Transaction Locked'</li> <li>Transaction is moved to the Inbound Cancellation Request queue</li> <li>Transaction Status is updated as 'In Progress', last queue code as 'EA' and Current status as 'Pending' in the Inbound Cancellation Request queue</li> <li>Queue action is logged for moving to Inbound Cancellation Request queue</li> </ul>
Before Accounting	<ul style="list-style-type: none"> <li>Recall Status at transaction is updated as 'Recall Requested'</li> <li>Process Status at Inbound Cancellation Browser will be updated as 'Transaction Locked'</li> <li>Transaction is moved to the Inbound Cancellation Request queue</li> <li>Transaction Status is updated as 'In Progress', last queue code as 'EA' and Current status as 'Pending' in the Inbound Cancellation Request queue</li> <li>Queue action is logged for moving to Inbound Cancellation Request queue</li> </ul>

- In the external queues, the 'Carry Forward' action is not allowed if a cancellation request is found for a transaction

User Action	System Action	Queues
Carry Forward	This action is not allowed. An error message is shown to user that a cancellation request is registered for the transaction	Sanctions Check, EAC, External Exchange Rate

#### 4.7.4 **Inbound Cancellation Request - Response Processing**

Based on the user action selected in Inbound Cancellation Request queue and on the transaction status/last queue code/action combination, the Cancellation Response processing is done.

##### 4.7.4.1 **Cancellation Response Processing**

###### **Interim Response**

On authorization of the Interim action, the system does the below listed processing steps

- A gSRP Response message is generated if the recall request is a gSRP request message. Otherwise, a non-gSRP MT n96 response message is generated.
- A Recall response is logged to show in the Outbound Transaction view – Under Exception – screen
- Queue action is logged for the Interim action against the transaction reference

###### **Accept**

On authorization of the Accept action, the following changes are done

- A gSRP Response message is generated if the recall request is a gSRP request message. Otherwise, a non-gSRP MT n96 response message is generated.
- A gCCT reject response message is generated if the recall request is a gSRP request and last queue code is not blank

- Current Status at Inbound Cancellation queue is updated as 'Accepted'
- Last Response action at Cancellation browser is updated as 'Accepted'
- Recall status at transaction is updated as 'Accepted'.
- Recall response is logged to show in the Outbound Transaction view – Under Exception – screen
- Transaction is moved out of the cancellation request queue
- Queue action is logged for the 'Accepted' action at the transaction level
- Cancellation processing for the transaction is initiated if the transaction status is not processed

### **Reject**

On authorization of the Reject action, the following changes are done

- A gSRP Response message if the recall request is a gSRP request message is generated. Otherwise, a non-gSRP MT n96 response message is generated.
- Current Status at Inbound Cancellation queue level is updated as 'Rejected'
- Last Response action at Cancellation browser is updated as 'Rejected'
- Recall status at transaction is updated as 'Rejected'.
- Recall response is logged to show in the Outbound Transaction view – Under Exception – screen
- Transaction is moved out of the queue
- Queue action is logged for the 'Reject' action at the transaction level
- If the transaction has not been processed [Last queue code is not blank],
  - Transaction is reprocessed same as future valued transaction processing done on the value date. During reprocessing, FX Request will not be resent if Reject action was taken on same day.
  - Value date/Activation date is rederived

#### **4.7.4.2 gSRP Response Message**

The gSRP message generation logic is same as mentioned in section gSRP Response Message(4.6.4.2)

#### **4.7.4.3 Non - gSRP Response Message**

The non-gSRP message generation logic is same as mentioned in section Non-gSRP Response Message(4.6.4.3)

#### **4.7.4.4 Interim gSRP Response Message at EOD**

The Interim gSRP response message generation logic is same as mentioned in section Interim gSRP Response Message at EOD (4.6.4.4)

## 5. Function ID Glossary

### I

ISDCTMEX .....2-35  
ISSCTMEX .....2-36

### P

PBDOTTML .....2-55  
PMDCMPRF .....2-20  
PMDCRSTR .....2-55  
PMD CSPRL .....2-17  
PMDCYRLE .....2-4  
PMDEXCOR .....2-7  
PMDFLPRF .....4-36  
PMDGLCOR .....2-10  
PMDGPIDR .....4-15, 4-22  
PMDGPIUP .....4-18  
PMDHSTPR .....3-39  
PMDINRFT .....3-157, 3-158  
PMDNOTVW .....3-50  
PMDNR199 .....3-126  
PMDQURLE .....2-32  
PMDRMAUP .....2-50  
PMDSIECT .....2-58  
PMDSIMNT .....2-58  
PMDSWPRF .....2-59  
PMDTMAMD .....2-57  
PMSCMPRF .....2-21  
PMSCSPRL .....2-19  
PMSCYCOR .....2-3  
PMSCYRLE .....2-6  
PMSDAMNT .....2-27  
PMSEXCOR .....2-9  
PMSGLCOR .....2-11  
PMSGPIDR .....4-17  
PMSNR199 .....3-128  
PMSQURLE .....2-34  
PMSRMAUP .....2-53  
PMSSITMP .....2-58  
PMSSWPRF .....2-63  
PQSCLMQU .....3-129, 3-134  
PQSOVRQU .....3-50  
PQSTMPLQ .....2-57  
PXD101CS .....2-47  
PXD101IM .....2-42  
PXD101OM .....2-45  
PXD101PM .....2-40  
PXD101VW .....3-152, 3-153

PXD191PF .....3-117  
PXD191SR .....3-120  
PXDALMNT .....2-54  
PXDCLMVW .....3-131  
PXDCMN90 .....3-90  
PXDCMN91 .....3-92  
PXDCMN92 .....3-94  
PXDCMN95 .....3-98  
PXDCMN96 .....3-101  
PXDCMN98 .....3-105  
PXDCMN99 .....3-106  
PXDCONSV .....3-48  
PXDCSPRL .....2-28  
PXDCYCOR .....2-2  
PXDDAMNT .....2-26  
PXDGPIPF .....4-12  
PXDGPIST .....4-2, 4-36  
PXDITONL .....3-52  
PXDIVIEW .....3-66  
PXDMT101 .....3-142  
PXDOTONL .....3-1  
PXDOTTML .....2-55  
PXDOVIEW .....3-25  
PXDRLECH .....2-22  
PXDSIMNT .....2-15  
PXDSRAGM .....2-13  
PXDSRIAG .....4-9  
PXDSRIMT .....3-124  
PXDSROAG .....4-6  
PXDXTACC .....2-37  
PXS101CS .....2-49  
PXS101IM .....2-44  
PXS101OM .....2-46  
PXS101PM .....2-41  
PXS101VW .....3-154  
PXS191PF .....3-119  
PXS191SR .....3-123  
PXSALMNT .....2-54  
PXSCLMVW .....3-133  
PXSCMN90 .....3-91  
PXSCMN91 .....3-93  
PXSCMN92 .....3-97  
PXSCMN95 .....3-100  
PXSCMN96 .....3-104  
PXSCMN98 .....3-106  
PXSCMN99 .....3-114



PXSCONIN .....3-82, 3-83  
 PXSCONSL .....3-46, 3-48  
 PXSCONVW ..3-49, 3-50, 3-51  
 PXSGPIPF .....4-14  
 PXSIGPCN .....4-30, 4-35  
 PXSITONL .....3-64  
 PXSIVIEW .....3-78  
 PXSMT101 .....3-151  
 PXSOTONL .....3-23

PXSOVIEW ..... 3-41  
 PXSRLCH ..... 2-25  
 PXSRLSTP ..... 2-31  
 PXSSIMNT ..... 2-16  
 PXSSRIMT ..... 3-125  
 PXSSROAG ..... 4-8, 4-11  
 PXSUISIC ..... 2-14  
 PXSXTACC ..... 2-38