

Oracle® Banking Digital Experience Cloud Service

Regionalization Guide for Payments



Release 25.1.1.0.0
G46581-01
October 2025

ORACLE®

Copyright © 2015, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Purpose	i
Audience	i
Documentation Accessibility	i
Critical Patches	i
Diversity and Inclusion	ii
Conventions	ii
Related Resources	ii
Screenshot Disclaimer	ii
Acronyms and Abbreviations	ii

1 Introduction

2 Adding a local Region

2.1 Addition of new Region	1
----------------------------	---

3 Adding a local Network

4 Configuration of Components

4.1 Defining Components	1
4.2 Defining Feature Functions	2
4.3 Component Mapping	2

Index

List of Figures

2-1	<u>DIGX_RG_REGION table</u>	<u>1</u>
2-2	<u>System Configuration</u>	<u>2</u>
3-1	<u>DIGX_RG_NETWORK table</u>	<u>1</u>
3-2	<u>DIGX_RG_NETWORK_CURRENCIES_MAP table</u>	<u>2</u>
3-3	<u>Payment Screen</u>	<u>3</u>
4-1	<u>DIGX_RG_COMPONENT table</u>	<u>1</u>
4-2	<u>Feature Functions Status</u>	<u>2</u>
4-3	<u>DIGX_RG_FEATUREFUNCTION_COMPONENT_MAPPING table</u>	<u>3</u>
4-4	<u>DIGX_RG_NETWORK_COMPONENT_MAPPING table</u>	<u>4</u>
4-5	<u>DIGX_RG_COMPONENT_VALUE_MAPPING table</u>	<u>4</u>

Preface

- [Purpose](#)
- [Audience](#)
- [Documentation Accessibility](#)
- [Critical Patches](#)
- [Diversity and Inclusion](#)
- [Conventions](#)
- [Related Resources](#)
- [Screenshot Disclaimer](#)
- [Acronyms and Abbreviations](#)

Purpose

This guide is designed to help acquaint you with the Oracle Banking application. This guide provides answers to specific features and procedures that the user need to be aware of the module to function successfully.

Audience

This document is intended for the following audience:

- Customers
- Partners

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customer access to and use of Oracle support services will be pursuant to the terms and conditions specified in their Oracle order for the applicable services.

Critical Patches

Oracle advises customers to get all their security vulnerability information from the Oracle Critical Patch Update Advisory, which is available at [Critical Patches, Security Alerts and](#)

[Bulletins](#). All critical patches should be applied in a timely manner to ensure effective security, as strongly recommended by [Oracle Software Security Assurance](#).

Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees, customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Related Resources

For more information on any related features, refer to the following documents:

- Oracle Banking Digital Experience Installation Manuals
- Oracle Banking Digital Experience Licensing Manuals

Screenshot Disclaimer

Personal information used in the interface or documents is dummy and does not exist in the real world. It is only for reference purposes; actual screens that appear in the application may vary based on selected browser, theme, and mobile devices.

Acronyms and Abbreviations

The list of the acronyms and abbreviations used in this guide are as follows:

Table 1 Acronyms and Abbreviations

Abbreviation	Description
OBDX	Oracle Banking Digital Experience

1

Introduction

The purpose of this document is to guide an implementation team through the steps required to do regionalization of a network.

Out of the box the base product supports the following transaction types:

1. Domestic Payments such as Sepa Credit Transfer, Sepa Instant Transfer when the payment processor is Oracle Banking Payments.
2. Crossborder Payments such as SWIFT, or NAC when the payment processor is Oracle Banking Payments.

The screen can be configured for other transaction types with the help of regionalization.

2

Adding a local Region

- [Addition of new Region](#)

This topic provides the systematic instructions to configure the region.

2.1 Addition of new Region

This topic provides the systematic instructions to configure the region.

Region of the entity can be configured, and networks can be mapped for that particular region. One entity can have only one region.

1. New regions are added to the `DIGX_RG_REGION` table during configuration.

Note

For the purpose of illustration only, SEPA Region configurations have been taken as a sample in screenshots in all the steps that will follow.

Screenshots are for illustrative purposes only. Content should not be replicated.

Figure 2-1 `DIGX_RG_REGION` table

ID	NAME	STATUS	ENABLED	VERSION
1	SEPA	SEPA	ACTIVE Y	1

Table 2-1 `DIGX_RG_REGION` table

Column Name	Significance
ID	Unique identifier for the region of the entity. Implementers can choose any value of their choice. We recommend keeping this value restricted to alphabets only.
NAME	The name of the region
STATUS	Represents the Status of the region. The possible values can be: <ul style="list-style-type: none">• ACTIVE• INACTIVE• DELETED
ENABLED	Represents whether the Region is enabled or not
VERSION	Represent the version of the object

After completing the steps, the configured region will appear in the **System Configuration** screen's **Region** drop-down (Navigation: from **Menu**, click **Configuration**, and then click **Continue**, and then select the entity as **Bank Details**).

The screenshot below shows where it will appear.

Figure 2-2 System Configuration

The screenshot displays the 'System Configuration' interface. At the top, there is a 'Select Host' dropdown menu showing 'Oracle FLEXCUBE Universal Banking 14.5.0.0.0'. Below this, the 'Entity' is set to 'UBS OBPM 14.4 HEL' and the 'Branch' is selected. A list of configuration categories is shown on the left, each with a checkmark: 'Bank Details', 'Host Details', 'Bank Details', 'SMTP', 'Third Party Configuration', and 'Dynamic Module'. The 'Bank Details' category is selected. On the right, several configuration fields are visible: 'Bank Code' (text input with '000'), 'Local Currency' (dropdown with 'Great Britain Pound'), 'Region' (dropdown with 'INDIA' selected and a list of options including 'INDIA', 'USA', and 'SEPA'), 'Date Format', and 'Time Format'. The 'Region' dropdown is open, showing the list of options.

2. Select the preferred region from the drop-down and save the configuration.
The region is gets added.

3

Adding a local Network

This topic provides the systematic instructions to add network to the region.

1. The networks of the added region needs to be configured.
2. The networks for the particular region can be added in DIGX_RG_NETWORK table.

Note

For the purpose of illustration only, SEPA network configurations have been taken as a sample.

Screenshots are for illustrative purposes only. Content should not be replicated.

Figure 3-1 DIGX_RG_NETWORK table

ID	NAME	CHARGES_REQUIRED	REGION_ID	TRANSACTION_TYPE	ENABLED	DESCRIPTION	DEFAULT_VALUE	TASK_CODE	QUESTIONNAIRE_SUPPORTED	DOCUMENT_SUPPORTED
1	SEPA CREDIT	Y	SEPA	DOMESTIC	Y	Credit within 1-2 business days, available on working days. Low Charges (SEPA Credit Transfer)	Y	PC_F_SEPA_CREDIT	N	N
2	SEPA Instant Credit	Y	SEPA	DOMESTIC	Y	Credit within seconds, available 24/7. Transfer up to €100,000. Higher Charges (SEPA Instant Credit)	N	PC_F_SEPA_INSTANT_CREDIT	N	N
3	SEPA SWIFT	Y	SEPA	CROSSBORDER	Y	SWIFT	N	PC_F_SWIFT	N	N
4	SEPA BIC	Y	SEPA	CROSSBORDER	Y	BIC	N	PC_F_BIC	N	N
5	SEPA Bank Details	Y	SEPA	CROSSBORDER	Y	BANK DETAILS	N	PC_F_BANK_DETAILS	N	N

Table 3-1 DIGX_RG_NETWORK table

Column Name	Significance
ID	Unique identifier for the network of the region. Implementers can choose any value of their choice.
NAME	The name of the network
CHARGES_REQUIRED	Indicates whether charges are enabled or not for that particular network
REGION_ID	Represents the Region of the network. The region_id and id of the newly added region should be same
TRANSACTION_TYPE	Represent the transaction type of the network.
ENABLED	Represent whether network is enabled or not.
DESCRIPTION	Represents the Description of the network. This value would be shown in the Payments screen dropdown while initiating payments
DEFAULT_VALUE	Represents the default value of the network. Only one network of a particular region can have DEFAULT_VALUE='Y'. Default network for the newly created payee would be the one whose default_value is Y. Keeping one network as default network is mandatory for each transaction type.
TASK_CODE	Task Code, for which entries have been made in DIGX_CM_TASK

Table 3-1 (Cont.) DIGX_RG_NETWORK table

Column Name	Significance
QUESTIONNAIRE_SUPP RTED	Once we set this field value as Y, the questions appear in compliance popup. This is applicable for CROSSBORDER transaction type.
DOCUMENT_SUPPORTED	OBDEX supports configuring a list of mandatory/non-mandatory documents. Once we set this field value as Y, the list will show up on the screen. This is applicable for CROSSBORDER transaction type only.

3. Maintain network currencies in the DIGX_RG_NETWORK_CURRENCIES_MAP table.

Figure 3-2 DIGX_RG_NETWORK_CURRENCIES_MAP table

	NETWORK_ID	CURRENCY	MIN_AMOUNT	MAX_AMOUNT
1	SEPACREDIT	EUR	0	999999999.99
2	SWI	USD	0	999999999.99
3	SWI	GBP	0	999999999.99
4	SWI	EUR	0	999999999.99
5	SWI	SGD	0	999999999.99
6	SWI	INR	0	999999999.99
7	SWI	CHZ	0	999999999.99
8	SWI	YEN	0	999999999.99
9	NAC	USD	0	999999999.99
10	NAC	GBP	0	999999999.99
11	NAC	EUR	0	999999999.99
12	NAC	SGD	0	999999999.99
13	NAC	INR	0	999999999.99
14	NAC	CHZ	0	999999999.99
15	NAC	YEN	0	999999999.99
16	SPE	USD	0	999999999.99
17	SPE	GBP	0	999999999.99
18	SPE	EUR	0	999999999.99
19	SPE	SGD	0	999999999.99
20	SPE	INR	0	999999999.99
21	SPE	CHZ	0	999999999.99
22	SPE	YEN	0	999999999.99

4. The configured networks will be shown in the **Network** drop-down list.
A screenshot of the **Network** drop-down list on the **Payments** screen is provided below.

Figure 3-3 Payment Screen

The screenshot displays a section of a payment screen. At the top, there is a checkbox labeled "Use Forex Deal". Below this is a dropdown menu titled "Network Type" with "NEFT" selected. The dropdown menu is open, showing three options: "NEFT", "RTGS", and "IMPS". Below the dropdown menu, the text "Fees & Charges" is partially visible.

4

Configuration of Components

- [Defining Components](#)
This topic provides the systematic instructions for defining the components used in initiating payments and adding payees.
- [Defining Feature Functions](#)
This topic provides the systematic instructions to define feature fuctions.
- [Component Mapping](#)
This topic provides the systematic instructions for component mapping.

4.1 Defining Components

This topic provides the systematic instructions for defining the components used in initiating payments and adding payees.

It represents the fields which would be displayed on screen while initiating payments or Adding Payee. You can configure Regex, minimum, and maximum lengths for component fields.

- To edit or add components, use the DIGX_RG_COMPONENT table.

Note

Ensure you make the necessary UI changes when adding a new component.

Figure 4-1 DIGX_RG_COMPONENT table

ID	GROUP_ID	FIELD_NAME	REQUIRED	ED...	REGEX	MIN_LENGTH	MAX_LENGTH	DATA_TYPE
7	PAYEE_IBAN	Payee... IBAN	Y	Y	[a-zA-Z_0-9]	15	34 (null)	
8	PAYEE_ACCOUNT	Payee... Account Number	Y	N	[a-zA-Z_0-9]	(null)	(null) (null)	
9	PAY_NOW	(null) Pay Now	Y	Y	[a-zA-Z_0-9]	(null)	(null) (null)	
10	PAY_LATER	(null) Pay Later	Y	Y	[a-zA-Z_0-9]	(null)	(null) (null)	
11	RECURRING	(null) Recurring	Y	Y	[a-zA-Z_0-9]	(null)	(null) (null)	ENUM
12	TRANSFER_FREQUENCIES	(null) Select Frequency	Y	Y	[a-zA-Z_0-9]	(null)	(null) (null)	
13	RECURRING_WITH_NOW	(null) Also Transfer T...	Y	Y	[a-zA-Z_0-9]	(null)	(null) (null)	
14	ACCOUNT_NAME	(null) Account Name	Y	Y	[a-zA-Z_0-9]	10	105 (null)	
15	VERIFICATION_OF_ACCOUNT	(null) Verification of	N	N	[a-zA-Z_0-9]	(null)	(null) (null)	

Table 4-1 DIGX_RG_COMPONENT table

Column Name	Significance
ID	Unique identifier for the component.

Table 4-1 (Cont.) DIGX_RG_COMPONENT table

Column Name	Significance
GROUP_ID	<p>The group of the components. The components belonging to same category can have same group id.</p> <div> <p>Note</p> <p>Planned for future implementation, not in current scope</p> </div>
FIELD_NAME	The name of the component
REQUIRED	Indicates whether the value for the field is required or not
EDITABLE	Indicates whether the component can be edited or not. (Note-Planned for future implementation, not in current scope)
REGEX	Indicates the regex of the fields in case of input
MIN_LENGTH	Indicates the minimum length of the fields in case of input fields
MAX_LENGTH	Indicates the maximum length of the fields in case of input fields
DATA_TYPE	<p>The data type can be LOV (List of values), ENUM or null.</p> <p>In case the data type of component is LOV, the value for that list can be configured in <code>DIGX_RG_COMPONENT_VALUE_MAPPING</code> table.</p>

4.2 Defining Feature Functions

This topic provides the systematic instructions to define feature functions.

Regions are mapped to Feature Functions, which in turn are mapped to the relevant components.

1. Map common components to the feature function.
2. Set the status to ACTIVE, INACTIVE, or DELETED.

Figure 4-2 Feature Functions Status

ID	NAME	STATUS	ENABLED	VERSION
1 DOMESTIC_PAYMENT	Domestic Payments	ACTIVE	Y	1
2 CROSSBORDER_PAYMENT	Cross Border Payments	ACTIVE	Y	1

4.3 Component Mapping

This topic provides the systematic instructions for component mapping.

1. If the fields which are region-specific, that are needs to be visible to all networks in the region.
 - To manage these common components, do mapped them in the `DIGX_RG_FEATUREFUNCTION_COMPONENT_MAPPING` table.

Figure 4-3 DIGX_RG_FEATUREFUNCTION_COMPONENT_MAPPING table

FEATUREFUNCTION_ID	COMPONENT_ID	REGION_ID	ENABLED
1 DOMESTIC_PAYMENT	BANK_CODE_LOOKUP	SEPA	N
2 DOMESTIC_PAYMENT	BANK_CODE_VERIFY	SEPA	N
3 DOMESTIC_PAYMENT	BANK_CODE_READONLY	SEPA	Y
4 DOMESTIC_PAYMENT	BANK_CODE_NOVERIFY	SEPA	N
5 DOMESTIC_PAYMENT	BANK_NAME	SEPA	N
6 DOMESTIC_PAYMENT	BRANCH	SEPA	Y
7 DOMESTIC_PAYMENT	PAYEE_ACCOUNT	SEPA	N
8 DOMESTIC_PAYMENT	PAYEE_IBAN	SEPA	Y
9 DOMESTIC_PAYMENT	ACCOUNT_NAME	SEPA	Y
10 DOMESTIC_PAYMENT	VERIFICATION_OF_ACCOUNT	SEPA	N
11 DOMESTIC_PAYMENT	PAYEE_AVATAR	SEPA	Y
12 DOMESTIC_PAYMENT	PAYEE_NICKNAME	SEPA	Y
13 DOMESTIC_PAYMENT	PAYEE_ADDRESS	SEPA	N
14 DOMESTIC_PAYMENT	PAYEE_EMAIL	SEPA	Y
15 DOMESTIC_PAYMENT	TRANSFER_AMOUNT	SEPA	Y
16 DOMESTIC_PAYMENT	VIEW_LIMIT	SEPA	Y
17 DOMESTIC_PAYMENT	SHOW_EXCHANGE_RATE	SEPA	Y
18 DOMESTIC_PAYMENT	USE_DEALS	SEPA	Y
19 DOMESTIC_PAYMENT	NOTE	SEPA	Y

- If a new region is added, implementer needs to add the corresponding mapping in DIGX_RG_FEATUREFUNCTION_COMPONENT_MAPPING table.
- Upon adding a new region, map it in the DIGX_RG_FEATUREFUNCTION_COMPONENT_MAPPING table.

Table 4-2 DIGX_RG_FEATUREFUNCTION_COMPONENT_MAPPING table

Column Name	Significance
FEATUREFUNCTION_ID	The id of the feature function.
COMPONENT_ID	The id of the component
REGION_ID	Represents the Region of the network. The region_id and id of the newly added region should be same
ENABLED	Represent whether network is enabled or not.

- If a field is network-based, it will only be visible to its specific network within the region.
 - Map these components in the DIGX_RG_NETWORK_COMPONENT_MAPPING table.

Figure 4-4 DIGX_RG_NETWORK_COMPONENT_MAPPING table

	NETWORK_ID	COMPONENT_ID
1	SEPACREDIT	ACCOUNT_TYPE_SEPA
2	SEPACREDIT	CHARGES_ACCOUNT
3	SEPACREDIT	CUSTOMER_REFERENCE
4	SEPACREDIT	PAYMENT_DETAILS
5	SEPACREDIT	PAYMENT_PURPOSE
6	SEPACREDIT	PAY_LATER
7	SEPACREDIT	PAY_NOW
8	SEPACREDIT	RECURRING
9	SEPACREDIT	RECURRING_WITH_NOW
10	SEPACREDIT	SHOW_CHARGES
11	SEPACREDIT	TRANSFER_FREQUENCIES
12	SWI	CHARGES_ACCOUNT
13	SWI	COMPLIANCE_QUESTIONS
14	SWI	CORRESPONDENCE_CHARGES
15	SWI	CUSTOMER_REFERENCE
16	SWI	LOW_VALUE
17	SWI	PAYMENT_DETAILS
18	SWI	PAYMENT_PURPOSE
19	SWI	PAY_LATER
20	SWI	PAY_NOW
21	SWI	RECURRING
22	SWI	RECURRING_WITH_NOW
23	SWI	SHOW_CHARGES
24	SWI	TRANSFER_FREQUENCIES
25	SWI	UPLOAD_DOCUMENTS

5. If a component's data type is a List Of Values (LOV), configure list values in the DIGX_RG_COMPONENT_VALUE_MAPPING table.

Figure 4-5 DIGX_RG_COMPONENT_VALUE_MAPPING table

	COMPONENT_ID	CODE	DESCRIPTION
1	ACCOUNT_TYPE_IN	CURRENT	Current
2	ACCOUNT_TYPE_IN	SAVINGS	Savings
3	ACCOUNT_TYPE_IN	OVERDRAFT	Overdraft
4	ACCOUNT_TYPE_IN	CASH_CREDIT	Cash Credit
5	ACCOUNT_TYPE_IN	LOAN_ACCOUNT	Loan Account
6	ACCOUNT_TYPE_IN	NRE	NRE

Index

A

Adding a local Network, [1](#)
Addition of new Region, [1](#)

C

Component Mapping, [2](#)

D

Defining Components, [1](#)
Defining Feature Functions, [2](#)

I

Introduction, [1](#)