

Oracle[®] Process Manufacturing Laboratory Management

Release11.0

PartNo.A69849-01

ORACLE[®]

Enabling the Information Age™

Oracle® Process Manufacturing Laboratory Management

Part No. A69849-01

Copyright © 1999, Oracle Corporation. All rights reserved.

Primary Authors: R. Persen

The Programs (which include both the software and documentation) contain proprietary information of Oracle Corporation; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent and other intellectual property law. Reverse engineering of the Programs is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. Oracle Corporation does not warrant that this document is error free. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Oracle Corporation.

If this Program is delivered to a U.S. Government Agency of the Department of Defense, then it is delivered with Restricted Rights and the following legend is applicable:

Restricted Rights Legend Programs delivered subject to the DOD FAR Supplement are 'commercial computer software' and use, duplication and disclosure of the Programs shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement. Otherwise, Programs delivered subject to the Federal Acquisition Regulations are 'restricted computer software' and use, duplication and disclosure of the Programs shall be subject to the restrictions in FAR 52.227-14, Rights in Data -- General, including Alternate III (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be licensee's responsibility to take all appropriate fail-safe, back up, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and Oracle disclaims liability for any damages caused by such use of the Programs.

Oracle is a registered trademark of Oracle Corporation. All other product or company names mentioned are used for identification purposes only and may be trademarks of their respective owners.

Contents

Send Us Your Comments	1
Reader's Comment Form.....	1
Laboratory Management Preface	3
Laboratory Management Welcome	3
About Laboratory Management.....	3
Audience for Laboratory Management.....	3
Conventions	4
Do Not Use Database Tools to Modify Oracle Applications Data	6
Information Sources Related Laboratory Management.....	6
Online Documentation.....	6
Other Information Sources	7
Other Sources.....	9
Training	9
About Oracle.....	9
Thank You.....	10
Laboratory Management Prerequisites	11
Laboratory Management Prerequisites Overview	11
Laboratory Management Setup	13
Defining Laboratory Types.....	13
Find Laboratory Types	15
Laboratory Types - What to Do Next.....	15
Technical Parameters - Overview.....	16
Setting Up Technical Parameters	18
Find Technical Parameters	22
Setting Up Technical Parameter Sequences	23
Entering Item Technical Data.....	25
Find Item Technical Data	29
Laboratory Formulas	31
Laboratory Formulas Overview.....	31
Entering Laboratory Formula Information	33

Using the Laboratory Formulas Special Menu	35
Find Laboratory Formulas.....	36
Entering Formula Ingredients.....	37
Using the Ingredients Special Menu	39
Entering Formula By-Products.....	40
Using the By-Product Special Menu.....	42
Entering Additional Formula Information	43
Downloading a Production Formula to Laboratory	45
Listing Experimental Items	46
Uploading a Laboratory Formula to Production.....	47
Displaying Ingredient Technical Parameters	48
Finding Product Technical Parameters	49
Selecting Item Technical Data	50
Scaling Ingredient and Product Quantities.....	51
Calculating a Theoretical Laboratory Yield.....	53
Laboratory Spreadsheet	55
Laboratory Spreadsheet Overview.....	55
Using the Laboratory Spreadsheet Form.....	58
Saving the Laboratory Spreadsheet.....	61
Retrieving the Laboratory Spreadsheet.....	62
Displaying Calculation Errors.....	63
Searching for and Replacing Laboratory Ingredients	65
Laboratory Ingredient Search and Replace - Overview.....	65
Using Ingredient Search and Replace	66
Replacing Ingredients in a Formula	68
Using the Ingredient Search and Replace Special Menu.....	69
Laboratory Management Example Scenario	71
Laboratory Management - Example Scenario Overview.....	71
Appendixes	75
Laboratory Management Navigator Paths.....	75
Setting Laboratory Management Profile Options	77
Glossary	79
Index	81

If you would like a reply, please give your name, address, and telephone number below:

Please send your comments to:

Oracle Corporation
Oracle Process Manufacturing Documentation
500 Oracle Parkway
Redwood City, CA 94065
U.S.A.
Fax: (650) 506-7200

Thank you for helping us improve our documentation.

Laboratory Management Preface

Laboratory Management Welcome

Welcome to *Oracle Process Manufacturing Laboratory Management*.

This user's guide includes the information you need to work with Laboratory Management effectively.

This preface explains how this user's guide is organized and introduces other sources of information that can help you.

About Laboratory Management

This guide contains overviews as well as task and reference information about Laboratory Management. This guide includes the following chapters:

- Laboratory Management Prerequisites
- Laboratory Management Setup
- Laboratory Formulas
- Laboratory Spreadsheet
- Searching for and Replacing Laboratory Ingredients
- Laboratory Management Example Scenario

Audience for Laboratory Management

This guide assumes that you have a working knowledge of your business area's processes and tools. It also assumes that you are familiar with Laboratory Management. If you have never used Laboratory Management, we suggest you attend one or more of the Oracle Process Manufacturing training classes available through World Wide Education. For more information about Laboratory Management and Oracle training see *Other Information Sources*.

This guide also assumes that you are familiar with the Oracle Applications graphical user interface. To learn more about Oracle Applications graphical user interface, read the *Oracle Applications User's Guide*.

Conventions

Bolded Text

Buttons, fields, keys, menus, and selections are bolded in procedures only. For example: To access the next form click **OK**. Otherwise, references to these features appear in regular type.

Additional Menu Options

Only nonstandard menu options are discussed. Standard menu bar options (such as Save) are not discussed. These standard options are described in the Oracle Applications User's Guide. Only menu options unique to the use of the specific form are discussed.

Field References

References to fields within procedures are in bold type. References within the body of this guide appear in regular type.

Keyboard Mapping

Some keyboards have an Enter key, while some have Return key. All references to this key appear as Enter.

Required Fields

The word "Required" appears as the last word in the field descriptions of all required fields. When the field is required contingent on the entry in another field, or only in specific situations, "Required if..." is the last sentence of the field description.

Fields Reserved for Future Use

Fields with no current processing implications are referenced by the statement, "This field is not currently used" or "Reserved for future use" is shown. Do not use these fields for your own reference data, because there are plans to link future functionality to these fields. Fields intended for informational use only are referenced by the statement, "This field is for informational purposes only."

Pending/Completed Transactions

Discussions about processing transactions that use the words 'pending' and 'completed' refer to the status of a transaction. Pending and completed do not refer to the database tables that are updated as a result of transactions (for example, some completed transactions are stored in the Pending Transactions table).

Procedures

Each chapter contains a procedure with numbered steps. Any actions which are subordinate to a step are assigned letters.

Note: You can customize your Oracle Application, therefore, all procedures are suggestive only. Navigate to forms and between responsibilities in a way that works best for your particular setup. Also note that fields may appear on your screen in a different order than they are discussed in this guideonline help.

Oracle Process Manufacturing Glossaries

A module-specific glossary is included.

Use of Word "Character"

The word "character" means an alphanumeric character. Characters that are numeric or alphabetic only are referenced specifically.

Note: Depending on your system security profile, you may not have access to all of the forms and functions described in this guide. If you do not see a menu option described in this guide, and you want access to it, contact your System Administrator.

Do Not Use Database Tools to Modify Oracle Applications Data

Because Oracle Applications tables are interrelated, any change you make using Oracle Applications can update many tables at once. If you modify the Oracle Applications data using anything other than Oracle Applications, you could change a row in one table without making corresponding changes in related tables. If your tables are synchronized with each other, you risk retrieving erroneous information and receiving unpredictable results throughout Oracle Applications.

When you use Oracle Applications to modify your data, Oracle Applications automatically checks that your changes are valid. Oracle Applications also track who changes information. If you enter information into database tables using database tools, you could store invalid information. You also lose the ability to track who has changed your information because SQL*Plus and other database tools do not keep a record of changes.

Consequently, we strongly recommend that you never use SQL*Plus or any other tool to modify Oracle Applications data unless otherwise instructed by Oracle Support Services.

Information Sources Related Laboratory Management

You can choose from many sources of information, including documentation, training, and support services, to increase your knowledge and understanding Laboratory Management.

Online Documentation

All Oracle Applications documentation is available online on CD-ROM, except for technical reference manuals.

All user's guides are available in HTML and paper. Technical reference manuals are available in paper only. Other documentation is available in paper and sometimes PDF format.

The content of the documentation remains the same from format to format. Slight formatting differences could occur due to publication standards, but such differences do not affect content. For example, page numbers are included in paper, but are not included in HTML.

The HTML documentation is available from all Oracle Applications windows. Each window is programmed to start your web browser and open a specific, context-sensitive section. Once any section of the HTML documentation is open, you can navigate freely throughout all Oracle Applications documentation. The HTML documentation also ships with Oracle Information Navigator (if your national language supports this tool) which enables you to search for words and phrases throughout the documentation set.

Other Information Sources

Laboratory Management shares business and setup information with other Oracle products. The following Oracle Applications guides might be useful when you are setting up and using Laboratory Management.

- **Oracle Applications User's Guide**
This guide explains how to enter data, query, run reports, and navigate using the graphical user interface (GUI) available with this release. This guide also includes information on setting user profiles, as well as running and reviewing reports and concurrent processes.
- **Oracle Applications Flexfields Guide**
This guide provides flexfields planning, setup and reference information for the implementation team, as well as for users responsible for the ongoing maintenance of Oracle Applications product data. This manual also provides information on creating custom reports on flexfields data.
- **Oracle Workflow**
This guide provides information about the Oracle Workflow product. It provides guidance and assistance for automating and routing information of any type according to business rules.
- **Oracle Applications System Administrators Guide**
This guide provides planning and reference information for the Oracle Applications System administrator. It contains information on how to define security, customize menus and online help text, and manage processing.

Oracle Process Manufacturing Guides

The following is a list of the documentation in each product group of OPM release 11.0.

System Administration and Technical Reference

- *Oracle Process Manufacturing Implementation Guide*
- *Oracle Process Manufacturing Technical Reference Manuals*

OPM Inventory Control

- *Oracle Process Manufacturing Inventory Management User's Guide*
- *Oracle Process Manufacturing Physical Inventory User's Guide*
- *Oracle Process Manufacturing EC Intrastat User's Guide*

OPM Process Execution

- *Oracle Process Manufacturing Production Management User's Guide*
- *Oracle Process Manufacturing Process Operations Control User's Guide*

OPM Product Development

- *Oracle Process Manufacturing Formula Management User's Guide*
- *Oracle Process Manufacturing Laboratory Management User's Guide*
- *Oracle Process Manufacturing Quality Management User's Guide*

OPM Logistics

- *Oracle Process Manufacturing Order Fulfillment User's Guide*
- *Oracle Process Manufacturing Purchasing User's Guide*

OPM Process Planning

- *Oracle Process Manufacturing Forecasting User's Guide*
- *Oracle Process Manufacturing Capacity Planning User's Guide*
- *Oracle Process Manufacturing MPS/MRP User's Guide*

OPM Financials

- *Oracle Process Manufacturing Cost Management User's Guide*
- *Oracle Process Manufacturing Manufacturing Accounting Controller User's Guide*
- *Oracle Process Manufacturing Accounting Setup User's Guide*
- *Oracle Process Manufacturing and Oracle Financials Integration*
- *Oracle Process Manufacturing and Oracle Financials Implementation Guide*

Other Sources

Training

We offer a complete set of formal training courses to help you and your staff master Laboratory Management and reach full productivity quickly. We organize these courses into functional learning paths, so you take only those courses appropriate to your job's area of responsibility.

You have a choice of educational environments. You can attend courses offered by Oracle Education Services at any one of our many Education Centers, or you can arrange for our trainers to teach at your facility. In addition, Oracle training professionals can tailor standard courses or develop custom courses to meet your needs. For example, you may want to use your organization structure, terminology, and data as examples in a customized training session delivered at your own facility.

About Oracle

Oracle Corporation develops and markets an integrated line of software products for database management, applications development, decision support, and office automation, as well as Oracle Applications, an integrated suite of more than 45 software modules for financial management, supply chain management, manufacturing, project systems, human resources, sales and service management.

Oracle products are available for mainframes, minicomputers, personal computers, network computers and personal digital assistants, allowing organizations to integrate different computers, different operating systems, different networks, and even different database management systems, into a single, unified computing and information resource.

Oracle is the world's leading supplier of software for information management, and the world's second largest software company. Oracle offers its database, tools, and applications products, along with related consulting, education and support services in over 140 countries around the world.

Thank You

Thank you for choosing Laboratory Management and this user's guide. We value your comments and feedback. At the beginning of this guide is a Reader's Comment Form you can use to explain what you like or dislike about the Laboratory Management user's guide. Mail your comments to the following address or call us directly at (650) 506-7000.

Oracle Applications Documentation Manager
Oracle Corporation
500 Oracle Parkway
Redwood Shores, CA 94065
U.S.A.

Laboratory Management Prerequisites

Laboratory Management Prerequisites Overview

The OPM Laboratory Management module improves product consistency and reduces the costs associated with creating and modifying formulas. It is integrated with the OPM Quality Management module and interacts with the OPM Formula Management module. You can characterize and simulate the properties of formula ingredients and their effects on formulas. This capability has a major impact on improving the cost and yield performance of your production runs.

The OPM Laboratory Management module supports multiple laboratory types across the enterprise. The laboratory type provides a collection of technical parameters that are grouped together for your convenience.

Certain data must be set up in other OPM modules as a prerequisite to using the Laboratory Management (LM) module.

This section describes:

- Setting up the System Administrator module
- Setting up the Inventory Management module
- Setting up the Quality Management module

Setting Up the System Administrator Module

The following data must be set up in the System module before you can use the Laboratory Management module. This is usually done by your System Administrator.

Setting Up Profile Values

This involves checking and if necessary resetting any of the Default Values for Profile Names that affect Laboratory Management.

Setting Up Unit of Measure Types

This involves defining categories of units of measure, such as mass, volume, or count.

Setting Up Units of Measure

This involves defining units of measure. When you define a new unit of measure, you specify:

- the unit of measure (UOM) type to which it belongs (for example, mass, volume, or count)
- a conversion factor to convert the new unit of measure to the reference unit of measure (the first unit of measure defined for that UOM type).

For additional details, see also *Oracle Process Manufacturing (OPM) System Administration* user's guide.

Setting Up the Inventory Management Module

Items must be set up in the Inventory Management module before you can use Lab.

Setting Up Items in Inventory Management

This involves setting up the items which will be the ingredients, products, and by-products in your lab formulas.

If you have experimental items which you want to use in Lab, but prevent from being used in the Formula Management and Production Management modules, you should select the Experimental check box on the Items form.

For additional details, see also *OPM Inventory Management* user's guide.

Setting Up the Quality Management Module

Units must be set up in the Quality Management module before you can use Lab.

Setting Up Units of Measure

This involves setting up the units of measure which most of the technical parameters in the Lab module use.

Setting Up Assays, Specifications and Results

You can have technical parameter values default to the most recent quality results for the item. In order to implement this behavior, you will need to define: an organization, a specific assay, an item/location specification and enter sample results for the organization.

For additional details, see also the *OPM Quality Management* user's guide.

Laboratory Management Setup

Defining Laboratory Types

After meeting the prerequisites for setup in other modules, the next step in setting up the Laboratory Management module is to define laboratory types. Laboratory types are used to group technical parameters (those properties of items that will be studied and calculated).

Most organizations manufacture a variety of similar products, which are often grouped into product lines or families. The same technical parameters are likely to be relevant to the products within a product family and to the ingredients used to manufacture those products. For example, viscosity is likely to be relevant to all lubricants.

For each item, you can enter and calculate data for the technical parameters associated with a laboratory type.

Laboratory Types Form - Procedure

To define laboratory types:

1. Navigate to the **Laboratory Types** form.
2. Complete the fields as described in the Fields topic.
3. Save the form.

Laboratory Types Form - Fields

Laboratory Type

Enter a code for the laboratory type you are defining. If you have already set up a default laboratory type, that code will default into the field. Ultimately, a laboratory type will group together a collection of technical parameters. Required.

Active

Indicates whether the laboratory type is active or inactive:

- Select the Active box to indicate the laboratory type is active.
- Clear the Active box to indicate the laboratory type is inactive.

Description

Enter a description of the laboratory type. Required.

Shared Laboratory Type

For informational purposes only.

Find Laboratory Types

There are several options for locating a record and populating a form. The List of Values option displays a dialog box with the appropriate records. The Query Find option displays a separate block called the Find form, where you enter search criteria.

Find Laboratory Types - Procedure

To find a laboratory type:

1. Choose **Find** from the Query menu.
2. Complete the appropriate fields as described in the Find Laboratory Types Fields topic.
3. Click **Find**.

Find Laboratory Types - Fields

Laboratory Type

Enter a code for the laboratory type to find.

Active

- Select Active to indicate the desired laboratory type is active.
- Select Inactive to indicate the desired laboratory type is inactive.

Shared Laboratory Type

Enter the Shared Laboratory Type to find.

Marked for Deletion

- Select Yes to find laboratories marked for deletion.
- Select No to find laboratories not marked for deletion.

Laboratory Types - What to Do Next

After you define laboratory types, you should navigate to the Personal Profile Values form in the System Administration module to set up a User Value for the OPM Default Lab Type Profile Name. See also Oracle Process Manufacturing Implementation Guide for information on how to do this.

This laboratory type will default into the laboratory type field on each form where you can enter a laboratory type. It will be the only laboratory type the user can use on the Laboratory Spreadsheet.

Technical Parameters - Overview

The second step in setting up the Laboratory Management module is to define technical parameters using the Technical Parameters form.

Technical parameters are those characteristics of items which you want to measure and calculate. There are several types of technical parameters.

For example, a gravimetric technical parameter for percent solids by weight (w/w) would be Weight %.

For each type of technical parameter, you specify certain constraints on the data that can be entered for that parameter, such as the minimum and maximum values.

Using Expressions in Entry of Technical Parameters

The following lists functions that are supported for defining expressions, and the operators you must use:

- Addition (+)
- Subtraction (-)
- Multiplication (*)
- Division (/)
- Exponentiation (^)
- Square Root (SQRT)
- Common Logarithm (LOG)
- Natural Logarithm (LN)

For example, if you are defining a technical parameter which is calculated by multiplying two other technical parameters, PARM_1 and PARM_2, you would enter the following:

`(PARM_1) * (PARM_2)`

To take the square root of PARM_1, enter the following:

`SQRT (PARM_1)`

To raise PARM_1 to the third power, enter the following:

`(PARM_1) ^ 3`

You cannot put spaces (blanks) in the name of a technical parameter that you use in an expression. For example, (PARM 1) * (PARM 2) will not be calculated. Keep this in mind when naming technical parameters.

Using Fixed Expressions in Technical Parameters

Certain technical parameters are fixed expressions that can be summed up for all ingredients in a formula. This is called a formula rollup. The following table displays the calculations used for each of the listed Technical Parameter types.

Technical Parameter Type	Calculation
Weight Percent	$[(\sum t_i * w_i) - (\sum t_j * w_j)] / [(\sum w_i) - (\sum w_j)]$
Volume Percent	$[(\sum t_i * v_i) - (\sum t_j * v_j)] / [(\sum v_i) - (\sum v_j)]$
Specific Gravity	$[(\sum t_i * v_i) - (\sum t_j * v_j)] / [(\sum v_i) - (\sum v_j)]$
Cost	$(\sum t_i * I_i) - (\sum t_j * I_j)$
Equivalent Weight	$[(\sum T_i) - (\sum T_j)] / [(\sum T_i / t_i) - (\sum T_j / t_j)]$
Quantity/Unit	$(\sum t_i * I_i) - (\sum t_j * I_j)$

where:

- Σ is summation over "i" ingredients or "j" by-products
- t_i is the value of the technical parameter for the "i-th" ingredient
- t_j is the value of the technical parameter for the "j-th" by-product
- w_i is the weight of the "i-th" ingredient in the base unit of measure for mass
- w_j is the weight of the "j-th" by-product in the base unit of measure for mass
- v_i is the volume of the "i-th" ingredient in the base unit of measure for volume
- v_j is the volume of the "j-th" by-product in the base unit of measure for volume
- I_i is the quantity of the "i-th" ingredient in its primary inventory unit of measure
- I_j is the quantity of the "j-th" by-product in its primary inventory unit of measure
- T_i is the quantity of the "i-th" ingredient in the units specified for the technical parameter
- T_j is the quantity of the "j-th" by-product in the units specified for the technical parameter

Setting Up Technical Parameters

Expressions are user-defined equations that use mathematical operators and previously defined technical parameters.

For example: a technical parameter could be defined as a percent (%) solvent, with each ingredient in a formula contributing a differing portion of its weight to a product as solvent. You can use the Technical Parameters form to set up various quantitative relationships between individual parameters. The OPM Laboratory Management module finds the weight of solvent contributed by each ingredient and calculates the sum of these contributions. After determining the total formula weight, OPM expresses the ratio of percent solvent for each product.

In addition to the technical parameters that you define on the Technical Parameters form, OPM automatically creates a technical parameter for density when you define a laboratory type. The Laboratory Management module uses this density technical parameter for conversions from mass units of measure to and from volume units of measure. It does not use the item-specific unit of measure conversions set up on the Item Lot/Sublot Std Conversion form. It does, however, use the regular unit of measure conversions in Laboratory Formulas. Therefore, be sure to enter data for the DENSITY technical parameter for all items in which mass to volume or volume to mass conversions need to be performed.

Caution: If this parameter is not set properly, spreadsheet calculations will not be accurate.

The name of the "density" technical parameter is specified by the value of the LMSDENSITY variable in Profile Values. This allows you to change the name.

Technical Parameters Form - Procedure

To set up technical parameters:

1. Navigate to the **Technical Parameters** form.
2. Complete the fields as described in the Fields topic.
3. Save the form.

Technical Parameters Form - Fields

Laboratory Type

Enter the code of the laboratory type for which you are defining this technical parameter. Required.

Parameter Name

Enter the name of the technical parameter. Required.

Description

Enter a brief statement about what the technical parameter represents. Required.

Organization

(Quality Control Assay Link) If you are linking this technical parameter to a QC assay, enter the organization code for which the assay has been defined. Otherwise, leave this field blank.

Note: The assay must be defined with your organization code. Global assays cannot be used.

Assay

(Quality Control Assay Link) If you are linking this technical parameter to a QC assay, enter the name of the QC assay to which you are linking this technical parameter. Otherwise, leave this field blank.

Data Type

Select one of the following codes to define the type of data associated with this technical parameter: You will then need to supply the appropriate required information listed.

Note: Boolean has no unit of measure assigned. With the exception of specific gravity and equivalent weight, the unit of measure you enter is validated against the units entered in the QC module, and not against the units entered in the System module. The QC units of measure are for notational purposes only. OPM does not use these units in calculations. The units for specific gravity and equivalent weight, however, are validated against the System units of measure and are used in calculations.

Type	Required Information
Character	Enter the minimum and maximum valid character strings (based on ASCII sort sequence) and maximum length.
Numeric	Enter the Unit of Measure in the Unit field. Enter the minimum and maximum valid values in Numeric Range fields. Enter the number of significant digits required in the Significant Digits field.
Validation List	Enter the Unit of Measure in the Unit field. Enter a list of valid values in the Validation List fields.
Boolean	No additional definition is required.
Expression	Enter the Unit of Measure in the Unit field. Enter the mathematical expression for calculating the technical parameter in the Expression field.

Type	Required Information
	See also Using Expressions in Entry of Technical Parameters and Using Fixed Expressions in Technical Parameters.
Weight %	Enter the Unit of Measure in the Unit field. Enter the minimum and maximum valid values in Numeric Range fields. Enter the number of significant digits required in the Significant Digits field.
Volume %	Enter the Unit of Measure in the Unit field. Enter the minimum and maximum valid values in Numeric Range fields. Enter the number of significant digits required in the Significant Digits field.
Specific Gravity	Enter the Unit of Measure in the Unit field. Enter the minimum and maximum valid values in Numeric Range fields. Enter the number of significant digits required in the Significant Digits field.
Cost	Enter the Unit of Measure in the Unit field. Enter the minimum and maximum valid values in Numeric Range fields. Enter the number of significant digits required in the Significant Digits field.
Equivalent Weight	Enter the Unit of Measure in the Unit field. Enter the minimum and maximum valid values in Numeric Range fields. Enter the number of significant digits required in the Significant Digits field.
Quantity Per Unit	Enter the Unit of Measure in the Unit field. Enter the minimum and maximum valid values in Numeric Range fields. Enter the number of significant digits required in the Significant Digits field.

Unit

Enter the unit of measure in which the technical parameter is quantified. Technical parameters for specific gravity and equivalent weight use the units of measure set up on the Unit of Measure form in the System module. All other technical parameters use the units of measure set up on the Units form in the Quality Control module. With the exception of equivalent weight, this unit of measure is *not* used in any calculations.

Note: The data type specified for the technical parameter determines which of the fields listed below will display.

Numeric Range

Enter the lower limit of the range in the left field and the upper limit of the range in the right field.

Significant Digits

Enter the number of significant digits to display for numeric expressions and calculations.

Validation List

(Validation List Data Type only)

Enter a list of valid characteristics for this parameter type.

Find Technical Parameters

There are several options for locating a record and populating a form. The List of Values option displays a dialog box with the appropriate records. The Query Find option displays a separate block called the Find form, where you enter search criteria.

Find Technical Parameters - Procedure

To find a technical parameters:

1. Choose **Find** from the Query menu.
2. Complete the appropriate fields as described in the Find Technical Parameters - Fields topic.
3. Click **Find**.

Find Technical Parameters - Fields

Laboratory Type

Enter the code of the type of laboratory to find.

Parameter Name

Enter the name of the technical parameter to find.

Quality Control Spec Org

Enter the quality control specifying organization to find.

Quality Control Assay Name

Enter the name of the quality control assay to find.

Data Type

Enter one of the following data types to find:

- Character
- Numeric
- Validation List
- Boolean
- Expression
- Weight %
- Volume %
- Specific Gravity
- Cost
- Equivalent Weight
- Quantity Per Unit

Marked for Deletion

- Select **Yes** to find technical parameters marked for deletion.
- Select **No** to find technical parameters not marked for deletion.

Setting Up Technical Parameter Sequences

After you have entered the technical parameters for a laboratory type, you must specify the order in which they will be displayed on other forms. You specify the technical parameter sequence on the Technical Parameter Sequences form.

Expression type technical parameters that refer to other technical parameters must come after the technical parameters they reference in the sequence. For example, if PARM_3 is calculated by multiplying PARM_1 by PARM_2, PARM_3 must come *after* PARM_1 and PARM_2 in the technical parameter sequence.

By default, the DENSITY technical parameter (or its equivalent) is 1. You should not change this.

Technical Parameter Sequences - Procedure

To set up Technical Parameter Sequences:

1. Navigate to the **Technical Parameter Sequences** form.
2. Complete the fields as described in the Fields topic.
3. Save the form.

Technical Parameter Sequences - Fields

Laboratory Type

Enter the laboratory type for which you are defining the technical parameter sequence. Your default laboratory type from the operator master table defaults. Required.

Parameter

Enter the code for a technical parameter associated with the laboratory type you entered. For example, enter GMW for gram molecular weight.

Sort

Enter a number between 1 and 9999 (inclusive) to determine where in the list of technical parameters this parameter will be displayed. When entering technical parameter data, the technical parameters will be displayed in numerical order based on the number entered in this field.

The numbers do not have to be sequential. For example, you could enter 10, 20, 30, and so forth to accommodate for the future addition of technical parameters.

Quality Control

If the Quality Control check box is selected, the technical parameter is linked to a Quality Control assay.

If the Quality Control check box is not selected, the technical parameter is not linked to a Quality Control assay.

Note: For more information on linking assays to the Quality Control module, see also *Oracle Process Manufacturing Quality Management*.

Description

This field displays a brief statement about what the technical parameter represents. The description is entered from the QC Assay Test Description.

Entering Item Technical Data

Once you have specified your technical parameter sequence, you are ready to enter the technical parameter data. The data are the technical parameter values for your items. You do this on the Item Technical Data form.

Typically you will use Weight %, Volume %, Specific Gravity, Cost, Equivalent Weight, and Quantity per Unit for items which are raw materials or by-products.

Specifying the Set of Technical Parameters to Use

When you enter an item which is a product of one or more laboratory formulas in OPM, you will be asked to specify the formula for which you are editing (or viewing) the item technical data. Since the item is a product in formulas, its technical parameter values are calculated from those formulas. The calculated values may be different in each formula. Therefore, you must indicate which set of technical parameter values (from which formula) to use.

For example, suppose you make orange juice from concentrate, using two different formulas, each of which uses a different concentrate. You then use that orange juice in another formula to make a sweetened orange juice drink. The characteristics of the unsweetened orange juice (that is, the technical parameter values) may be different depending on which formula you used to make it. When you enter the unsweetened orange juice as an ingredient in the formula to make the sweetened orange juice drink, you must specify whether to use the technical parameter values from the first unsweetened orange juice formula or from the second unsweetened orange juice formula.

Entering Density for Raw Materials

The Laboratory Management module uses the DENSITY technical parameter for unit of measure conversions. You should be sure to enter values for this technical parameter for all your raw materials.

Note: If you get a unit of measure conversion error on the spreadsheet, check that you entered density information for all of your raw materials.

The density values should be entered as a ratio between the base (or reference) unit of measure (UOM) for the mass UOM type and the base unit of measure for the volume UOM type.

The base unit of measure for each UOM type is the first unit of measure set up for that UOM type. For example, if the base unit of measure for mass is kilograms and the base unit of measure for volume is liters, enter the density in kilograms per liter rather than pounds per gallon.

You can determine which units of measure are the base units for mass and volume by entering an item-specific UOM conversion between mass and volume on the Item Lot/Sublot Std Conversion form. The units displayed

beneath the word Conversion are the base units that are used for mass and volume.

Item Technical Data Form - Procedure

Note: Calculated values for a product are not saved to the item technical data table until you bring up the formula on the Laboratory Spreadsheet and update technical parameters from the Special menu. These values are not visible on this form and are not available for use in other formulas (if that product is an ingredient in other formulas) update. If you need to enter item technical data for products, be aware that if you recalculate those technical parameter values on the spreadsheet and update technical parameters from the Special menu, the data that you entered on the Item Tech Data form will be overwritten.

To define technical data for items:

1. Navigate to the **Item Technical Data** form.
2. Complete the fields as described in the Fields topic.
3. Save the form.

Item Technical Data - Fields

Laboratory Type

Enter the laboratory type for which you are entering item technical parameter data. You can enter data only for the technical parameters associated with this laboratory type. This will default to the Personal Profile User Value entered for the GEMMS Default Lab Type in the System Administration module. Required.

Item

Enter the code of the item for which you are entering technical parameter data. Required.

Lot

If you are entering technical parameter data for a specific lot, enter the lot code.

Sublot

If you are entering technical parameter data for a specific subplot, enter the subplot code.

Laboratory Formula

This field is only displayed if the item is a product in a formula, since the item technical data may be different depending on which formula is used to produce the item. Enter the name of the formula for which you are editing or viewing item technical data.

Version

This field is only displayed if the item is a product in a formula, since the item technical data may be different depending on which formula version is used to produce the item. Enter the version number of the formula for which you are editing or viewing item technical data.

Item Unit of Measure

The unit in which the technical parameter value is expressed is displayed. You cannot edit this field.

Parameter

The name of each technical parameter defined for the laboratory type is displayed. You cannot edit this field.

Value

Enter the value for each technical parameter.

You cannot edit this field if the technical parameter value is calculated by the system. For example, if the value is an expression (the check box is selected in the Calculate field) or if it is derived from a QC assay (the check box is selected in the Quality Control field) you will not be able to edit this field.

The value you enter must satisfy the validation criteria displayed at the bottom of the form if entering a numeric value. Otherwise it must be in the List of Values if the Validation List method was selected as the data type.

Unit

Displays the unit of measure in which the technical parameter is quantified. Technical parameters for specific gravity and equivalent weight use the units of measure set up on the Unit of Measure form in the System module. All other technical parameters use the units of measure set up on the Units form in the Quality Control module. With the exception of equivalent weight, this unit of measure is *not* used in any calculations.

Quality Control

The check box is selected if the technical parameter value comes from a QC assay.

The check box is clear if the technical parameter values does not come from a QC assay.

Data Type

The number identifying the type of technical parameter (for example, numeric, weight percent) is displayed. You cannot edit this field.

Calculate

The check box is selected if the technical parameter value is calculated by the program.

The check box is clear if the technical parameter value is not calculated by the program.

Range

This field displays the range entered for the parameter selected.

Significant Digits

This field displays the number of significant figures that the technical parameter value can have.

Find Item Technical Data

There are several options for locating a record and populating a form. The List of Values option displays a dialog box with the appropriate records. The Query Find option displays a separate block called the Find form, where you enter search criteria.

Find Item Technical Data- Procedure

To find an item's technical data:

1. Choose **Find** from the Query menu.
2. Complete the appropriate fields as described in the Find Item Technical Data Fields topic.
3. Click **Find**.

Find Item Technical Data - Fields

Laboratory Type

Enter the laboratory type to find.

Item

Enter the item to find.

Lot

Enter the lot to find.

Sublot

Enter the subplot to find.

Laboratory Formula

Enter the laboratory formula to find.

Version

Enter the laboratory formula version to find.

Marked for Deletion

- Select Yes to find item technical data marked for deletion.
- Select No to find item technical data not marked for deletion.

Laboratory Formulas

Laboratory Formulas Overview

Laboratory formulas and the forms on which they are set up are identical in format to formulas in the Formula Management module. Laboratory formulas, however, cannot be used as the basis of a batch in the Production Management module. These formulas do not have effectivity records associated with them. Laboratory formulas may contain experimental items.

You can create a laboratory formula by entering the information on the laboratory formula forms manually or you can download a formula from Formula Management.

You can also upload a laboratory formula to Formula Management to be used in Production. You can only upload a laboratory formula that does not contain any experimental items. Experimental items are available to all modules except Formula Management and Production Management. This safeguard prevents you from using an experimental item in a bona fide production batch. You can also check whether a laboratory formula contains any experimental items.

You should use the Formula Management module to define the formulas that drive your manufacturing process. See also *Oracle Process Manufacturing Formula Management*.

Copying Laboratory Formulas to Formula Management

When you upload a laboratory formula to Formula Management, the formula may or may not be created with an effectivity record, depending on the setting of the LMSEFF_ON_UPLOAD variable in Profile Values.

Note: Query the LMSEFF_ON_UPLOAD variable. If it is set to 0, the formula will be uploaded without an effectivity record. If it is set to 1, the Maintain Effectivities form will be displayed each time you upload a laboratory formula. The organization code on this form defaults to your default organization. You can change the organization code to any of the organizations for which you have permissions or you can leave it blank to enable this effectivity for all organizations.

Displaying Technical Parameter Values

While working with a formula, you can display the technical parameter values for the ingredients and products. You access this capability from the Laboratory Formula Ingredients form.

The product technical data displayed on the Product Technical Parameters form is retrieved from the database. It is not calculated when you enter the form as it is on the Laboratory Spreadsheet. Therefore, you can only display product technical data once it has been saved to the database from the Laboratory Spreadsheet form.

Entering Laboratory Formula Information

Use the Laboratory Formulas form to enter header and product information about the laboratory formula.

Laboratory Formulas Form - Procedure

To enter header and product information for a laboratory formula.

1. Navigate to the **Laboratory Formulas** form.
2. Select the **By-products** button to access the **Laboratory Formula By-products** form.
3. Select the **Ingredients** button to access the **Laboratory Formula Ingredients** form.
4. Complete the fields as described in the Fields topic.
5. Save the form.

Note: You can use Attachments with this form. See *Oracle Applications* for detailed information on attachments and folders.

Note: You can define Descriptive Flexfields for this form. A Descriptive Flexfield looks like a box within square brackets ([]). See the *Oracle Applications Flexfields Guide* for detailed information.

Laboratory Formulas Form - Fields

Formula

Enter the code for the laboratory formula you are adding or editing.
Required.

Version

Enter the laboratory formula's version number. A laboratory formula is uniquely identified by the combination of formula code and version number. Required.

Description

Enter a description of the laboratory formula/version. This description is displayed on lookups. Required.

Comments

Enter any comments associated with the laboratory formula and version. These comments appear on this form only.

Formula Class

If you have set up formula classes and you want to associate this laboratory formula with a formula class, enter the code for the formula class.

Scaling Allowed

Specify whether scaling is allowed. Scaling allows the proportional increase or decrease of ingredient and product quantities.

- Select the Scaling Allowed check box if scaling is allowed.
- Clear the Scaling Allowed check box if no scaling is not allowed.

Required.

Inactive

Specify whether this formula is active or inactive:

- Select the Inactive check box if the formula is inactive.
- Clear the Inactive check box if the formula is active.

Required.

Seq

This field displays the line number for each product line. This field cannot be edited.

Item

Enter the code for each item produced by this laboratory formula. If the laboratory formula code you entered is the same as an item code, that item code will display as the default in this field. Required.

Description

The item description of the product defaults from the item master table.

Quantity

Enter the quantity of the product that this laboratory formula yields.

Required.

UOM

Enter the unit of measure in which this quantity is expressed. Required.

Products

Displays the number of products associated with this formula

By-products

Displays the number of by-products associated with this formula.

Ingredients

Displays the number of ingredients associated with this formula.

Using the Laboratory Formulas Special Menu

The following options are available on the Laboratory Formulas Special Menu:

Additional Information

With the cursor placed on a product line, this menu choice accesses the Additional Information box. This allows you to enter additional information, such as scale type and release type, for each product line.

Scale

Accesses the Scale Formula box, which allows you to scale the quantities of the ingredients, products, and by-products in the formula.

Theoretical Yield

Accesses the Calculate Theoretical Yield box, which allows calculation of the product quantities based on the ingredient quantities and a yield factor.

Download Formula

Accesses the Download Product Formula to Laboratory dialog box, which allows you to copy a formula from the Formula Management module to the Laboratory Management module.

List Experimental Items

Accesses the List Experimental Items dialog box, which displays any experimental items in the laboratory formula.

Upload Laboratory Formula

Accesses the Upload Laboratory Formula to Production dialog box, which allows you to copy a formula from the Laboratory Management module to the Formula Management module.

Find Laboratory Formulas

There are several options for locating a record and populating a form. The List of Values option displays a dialog box with the appropriate records. The Query Find option displays a separate block called the Find form, where you enter search criteria.

Find Laboratory Formulas - Procedure

To find laboratory formulas:

1. Choose **Find** from the **Query** menu.
2. Complete the fields as described in the Find Laboratory Formulas - Fields topic.
3. Click **Find**.

Find Laboratory Formulas - Fields

Formula

Enter the formula name to find.

Version

Enter the version of the formula to find.

Product

Enter the product for which you want to find a formula.

Formula Class

Enter the code for the formula class to find.

Scaling Allowed

- Select Yes to find formulas that allow scaling.
- Select No to find formulas that do not allow scaling.

Inactive

- Select No to indicate the desired formula is active.
- Select Yes to indicate the desired formula is inactive.

Marked for Deletion

- Select Yes to find formulas marked for deletion.
- Select No to find formulas not marked for deletion.

Entering Formula Ingredients

Use the Laboratory Formula Ingredients form to enter ingredients and ingredient quantities for a laboratory formula.

By-products button

Accesses the Laboratory Formula By-products form.

Products button

Accesses the Laboratory Formulas form.

Formula Ingredients Dialog Box - Procedure

Note: The first two product lines, and the number of products, by-products, and ingredients in the formula are displayed at the bottom of the form. These fields cannot be edited.

To enter formula ingredients and ingredient quantities for a laboratory formula:

1. Navigate to the **Formula Ingredients** dialog box.
2. Complete the fields as described in the Fields topic.
3. Save the dialog box.

Formula Ingredients Dialog Box - Fields and Buttons

Formula

The laboratory formula code is displayed. This field cannot be edited.

Version

The version number of the laboratory formula is displayed. This field cannot be edited.

Seq

This field displays the line number for each ingredient line. This field cannot be edited.

Item

Enter the item codes of the ingredients in this laboratory formula. If you enter an item that is a product of more than one other laboratory formula, the Item Technical Data Selection dialog box will be displayed.

Description

The item description of the ingredients defaults from the item master table. This field cannot be edited.

Quantity

Enter the quantity of each ingredient used in the laboratory formula.
Required if you entered an ingredient.

UOM

Enter the unit of measure in which this quantity is expressed in the next field. The item's inventory unit of measure is the default.

Required.

Using the Ingredients Special Menu

The following options are available on the Ingredients Special Menu:

Additional Information

If the cursor is on an ingredient line, this menu choice accesses the Additional Information dialog box, which allows you to enter additional information, such as scale type and release type, for each ingredient line. This is described in detail later in this chapter.

Scale

Accesses the Scale Formula dialog box, which allows you to scale the quantities of the ingredients, products, and by-products in the formula. This dialog box is described later in this chapter.

Theoretical Yield

Accesses the Calculate Theoretic Yield dialog box, which allows calculation of the product quantities based on the ingredient quantities and a yield factor. This dialog box is described later in this chapter.

Ingredient Technical Parameters

Accesses the Ingredient Technical Parameters form, which displays the technical parameter values for the highlighted ingredient.

Product Technical Parameters

Accesses the Product Technical Parameters form, which displays the technical parameter values for the highlighted product. You must position the cursor on a product line at the bottom of the Laboratory Formula Ingredients form before selecting this menu option.

Technical Data Selection

Accesses the Item Technical Data Selection dialog box. If an ingredient in your formula is a product of other formulas (that is, if the item is an intermediate), you use this dialog box to specify the formula from which to get the item's technical parameter values.

Download Formula

Accesses the Download Product Formula to Laboratory dialog box, which allows you to copy a formula from the Formula Management module to the Laboratory Management module.

List Experimental Items

Accesses the List Experimental Items dialog box, which displays any experimental items in the laboratory formula.

Upload Laboratory Formula

Accesses the Upload Laboratory Formula to Production dialog box, which allows you to copy a formula from the Laboratory Management module to the Formula Management module.

Entering Formula By-Products

By-products are items produced by a formula. They differ from products in that you do not plan your production to make by-products, and you cannot cost by-products.

Formula By-Products Dialog Box - Procedure

Note: The first two product lines, and the number of products, by-products, and ingredients in the formula are displayed at the bottom of the form. These fields cannot be edited.

To enter formula ingredients and ingredient quantities for a laboratory formula:

1. Navigate to the **Formula By-products** dialog box.
2. You can select the **Ingredients** button to access the **Laboratory Formula Ingredients** form and select the **Products** button to return to the **Laboratory Formulas** form.
3. Complete the fields as described in the Fields topic.
4. Save the dialog box.

Formula By-Products Dialog Box- Fields

Formula

The laboratory formula code is displayed. This field cannot be edited.

Version

The version number of the laboratory formula is displayed. This field cannot be edited.

Seq

The line number for each by-product line is displayed. This field cannot be edited.

Item

Enter the item codes of the by-products produced by this laboratory formula.

Description

The item description of the by-products defaults from the item master table. This field cannot be edited.

Quantity

Enter the quantity of each by-product produced by the laboratory formula. Required if you entered a by-product.

UOM

Enter the unit of measure in which this quantity is expressed in the next field. The item's inventory unit of measure is the default.

Required if you entered a by-product.

Using the By-Product Special Menu

The following options are available on the By-Products Special Menu:

Additional Information

If the cursor is on a by-product line, this menu choice accesses the Additional Information dialog box, which allows you to enter additional information, such as scale type and release type, for each by-product line. This is described in detail later in this chapter.

Scale

Accesses the Scale Formula dialog box, which allows you to scale the quantities of the ingredients, products, and by-products in the formula. This dialog box is described later in this chapter.

Theoretical Yield

Accesses the Calculate Theoretic Yield dialog box, which allows calculation of the product quantities based on the ingredient quantities and a yield factor. This dialog box is described later in this chapter.

Entering Additional Formula Information

Most of the information on the Additional Information form is not directly relevant to the Laboratory module, but may be relevant if you copy a laboratory formula to the Formula Management module and use it as the basis for production batches. You can add additional information for any line in a laboratory formula (product, ingredient, or by-product). You must be on the appropriate form to select a line (that is, to select a product you must be on the Laboratory Formulas form, to select an ingredient you must be on the Laboratory Formula Ingredients form, and to select a by-product you must be on the Laboratory Formula By-products form).

Additional Information Dialog Box - Procedure

1. Navigate to the **Additional Information** dialog box.
2. Place the cursor on the desired line to which you wish to add additional information.
3. Complete the fields as described in the Fields topic.
4. Save the dialog box.

Additional Information Dialog Box - Fields

Item

The code of the item on the line you selected displays from the previous screen. This field cannot be edited.

Description

The description of the item on the line you selected displays from the previous screen. This field cannot be edited.

Quantity

The quantity of the item on the line you selected displays from the previous screen. This field cannot be edited.

Scrap Factor

Enter the scrap factor for this formula item, expressed as a percentage (for example, 5% is entered as 5). The value entered should represent the anticipated amount of ingredient loss during manufacturing.

This field works in conjunction with the Required Quantity field. When the scrap factor percentage is entered, the required quantity will automatically be calculated using the following algorithm:

$$\text{required_qty} = \text{formula_qty} + (\text{formula_qty} * (\text{scrap_factor} \% 100))$$

Required Quantity

Enter the ingredient quantity required for manufacturing. The value entered should represent the amount of an ingredient needed to manufacture a given product. This includes the scrap, the amount of anticipated ingredient loss during manufacturing.

This field works in conjunction with the Scrap Factor field. When the required quantity is entered, the scrap factor value will be automatically calculated using the following algorithm:

$$\text{scrap_factor\%} = (\text{required_quantity} / \text{formula_qty}) - 1$$

Scale Type

If scaling was enabled on the Laboratory Formulas form, specify the scale type for this formula line item.

Select one of the following:

- Fixed Quantity if the quantity of this item will not change when the formula is scaled.
- Linear Scaling if the item is scaled when the formula is scaled.

Release Type

Select one of the following release types for each ingredient line:

- Automatic Release - when the ingredient line will be released for production when a batch that uses this formula is released.
- Manual Release - when the ingredient line must be released individually in a batch that uses this formula.
- Incremental Release - when the ingredient line will be released in steps based on the entries made using Partial Certification.

See also the Partial Certification and Backflushing section in *Oracle Process Manufacturing Formula Management* for more information. If you do not set this flag, the lines default to automatic release.

Phantom Type

Select one of the following options:

- Not a Phantom
- Automatic Generation - if you want the system to generate a dependent phantom batch and production ID number to associate the related batches.
- Manual Generation - if you want to explode each phantom ingredient by selecting the Create Phantom menu option.

Rework Type

For informational purposes only.

Select one of the following options:

- Not Rework
- Default Batch Quantity

Cost Allocation

Displays the fraction of costs allocated to the selected product.

Downloading a Production Formula to Laboratory

Use the Download Formula to Laboratory dialog box to copy a formula from the Formula Management module to the Laboratory Management module. Once you have copied the formula to a laboratory formula, you can alter it to see how the alterations affect the values of the technical parameters for the product.

If there are any ingredients in the formula which are products of more than one other laboratory formulas, the Item Technical Data Selection dialog box will display after you select **Accept**.

Download Production Formula to Laboratory Dialog Box - Procedure

To download a production formula to the laboratory module:

1. Navigate to the **Download Production Formula to Laboratory** dialog box.
2. Complete the fields as described in the Fields topic.
3. Save the dialog box.

Download Production Formula to Laboratory Dialog Box - Fields

Production Formula

Enter the code that identifies the Formula Management formula that is to be copied to the Laboratory Management module.

Version

Enter the version number of the Formula Management formula which is to be copied to the Laboratory Management module.

Description

The description derived from the item description of the product. This cannot be edited.

Laboratory Formula

Enter the code that will identify the formula in the Laboratory Management module.

Version

Note: You must enter a new version number. You cannot overwrite an existing Formula Management formula version. This field defaults to one number higher than the highest existing formula version, or to 1 if this formula does not already exist.

Enter the version number which will identify the formula in the Laboratory Management module.

Listing Experimental Items

The List Experimental Items dialog box lists all of the items in a laboratory formula which are marked as experimental on the Items form. It is also displayed automatically if you try to upload a laboratory formula containing experimental items to the Formula Management module. You cannot edit any of the fields on this form.

List Experimental Items Form - Procedure

To list experimental items:

1. Navigate to the **List Experimental Items** form.
2. Complete the fields as described in the Fields topic.
3. The form displays a list of each experimental item in the laboratory formula.

List Experimental Items Form - Fields

Laboratory Formula

The code identifying the laboratory formula is displayed.

Laboratory Version

The version number of the laboratory formula is displayed.

Experimental Items

The code and description of each experimental item is displayed.

Uploading a Laboratory Formula to Production

Use the Upload Laboratory Formula to Production dialog box to copy a formula from the Laboratory Management module to the Formula Management module. You cannot overwrite an existing Formula Management formula/version. A new version of the formula will be created.

Depending on the setting of the LM\$EFF_ON_UPLOAD variable in Profile Options, you may be prompted to enter an effectivity record when you upload the formula. Otherwise, the formula is created without an effectivity record and cannot be used until one is created.

Upload Laboratory Formula to Production Dialog Box - Procedure

To upload a laboratory formula to production:

1. Navigate to the **Upload Laboratory Formula to Production** dialog box.
2. Complete the fields as described in the Fields topic. Click **OK**.
3. You will be advised that a new formula has been added to the database. Click **OK**.

Upload Laboratory Formula to Production Form - Fields

Laboratory Formula

Enter the code that identifies the laboratory formula to be copied to the Formula Management module. Required.

Version

Enter the version number of the laboratory formula to be copied to the Formula Management module. Required.

Production Formula

Enter the code that will identify the formula in the Formula Management module. Required.

Description

Enter a description of the formula as you wish it to appear in the Formula Management module. Required.

Version

Note: You must enter a new version number. You cannot overwrite an existing Formula Management formula version. This field defaults to one number higher than the highest existing formula version or to 1 if the formula does not already exist.

Enter the version number that will identify the formula in the Formula Management module. Required.

Displaying Ingredient Technical Parameters

The Ingredient Technical Parameters form displays the values of the technical parameters for the highlighted ingredient. Only technical parameters for which values have been entered or calculated for the ingredient are displayed. None of the fields on this form can be edited.

Note: To edit the item technical parameter values, you must use either the Item Technical Data form or the Laboratory Spreadsheet.

Ingredient Technical Parameters Form - Procedure

To display ingredient technical parameters:

1. Navigate to the **Ingredient Technical Parameters** form.
2. Select the desired ingredient and complete the fields as described in the Fields topic.
3. Click **OK**.

Ingredient Technical Parameters - Fields

Ingredient

The code for the ingredient is displayed.

Laboratory Type

The code for the current laboratory type is displayed.

Parameter

The name of the technical parameter is displayed.

Value

The value of the technical parameter for the ingredient is displayed.

UOM

The unit of measure in which the technical parameter value is expressed is displayed.

Finding Product Technical Parameters

Access the Product Technical Parameters form by highlighting a product on the bottom.

The Product Technical Parameters form displays the values of the technical parameters for a product in a laboratory formula. The product technical data displayed here is retrieved from the database; it is not calculated when you enter the form as it is on the Laboratory Spreadsheet, and it cannot be edited. Therefore, you can only display product technical data once it has been saved to the database. This is done either by having the Laboratory Spreadsheet calculate the product technical data and then selecting Update Technical Parameters from the Special menu on the Laboratory Spreadsheet, or by entering the data on the Item Technical Data form.

Find Technical Parameters Dialog Box - Procedure

To find product technical parameters:

1. Navigate to the **Find Technical Parameters** dialog box.
2. Select the product and complete the fields as described in the Fields topic.
3. Click **OK**.

Find Technical Parameters Dialog Box - Fields

Product

The code for the product is displayed.

Laboratory Type

The code for the current laboratory type is displayed.

Parameters

The name of the technical parameter is displayed.

Value

The value of the technical parameter for the product is displayed.

UOM

The unit of measure in which the technical parameter value is expressed is displayed.

Selecting Item Technical Data

The Item Technical Data Selection dialog box is displayed each time an intermediate is added to a laboratory formula. An intermediate is an item that is a product in more than one laboratory formula. This can occur in the following circumstances:

- Entering a new laboratory formula
- Adding an ingredient to an existing laboratory formula
- Adding a laboratory formula using Ingredient Search and Replace
- Downloading a formula from the Formula Management module
- Adding an ingredient on the Laboratory Spreadsheet

Since a product (intermediate) can have different technical parameter values depending on which formula is used to produce it, you must indicate which formula to use to get the item's technical parameter values. These values can then be used to calculate the values of the product technical parameters in the formula in which the item is an ingredient.

Item Technical Data Selection Dialog Box - Procedure

To select item technical data:

1. Navigate to the **Item Technical Data Selection** dialog box.
2. Complete the fields as described in the Fields topic.
3. Click **OK**.

Item Technical Data Selection Dialog Box - Fields

Ingredient

The code for the intermediate is displayed. You cannot edit this field.

Laboratory Formula

Enter the name of the formula from which you want to get the item's technical parameter values.

Version

Enter the formula version number from which you want to get the item's technical parameter values.

Scaling Ingredient and Product Quantities

Access the Laboratory Scale dialog box by selecting Scale from the Special menu on the Laboratory Formulas, Laboratory Formula Ingredients, or Laboratory Formula By-products form.

Use the Scale Formula dialog box to scale ingredient and product quantities in a laboratory formula. Scaling is the proportional increase or decrease of ingredient, product, and by-product quantities in a formula.

When you enter the dialog box, you are in percent-scaling mode. In this mode, you specify a percentage by which item quantities are to be scaled. You can switch to item quantity mode by placing the cursor on the Item Quantity field and press Enter. In item quantity mode, you specify the quantity for a specific item, and the rest of the formula is scaled accordingly.

Scale Formula Dialog Box - Procedure

1. Navigate to the **Scale Formula** dialog box.
2. Click the **Percent** option button to scale the laboratory formula by a percent, or click the **Item Quantity** option button to scale the laboratory formula by a specified quantity. Complete the fields as described in the Fields topic.
3. Click **OK**.

Scale Formula Dialog Box - Fields

Factor

(Scaling by Percent only) Enter the percent value by which you wish to scale the item. A positive factor indicates a scale-up. A negative factor indicates a scale-down.

For example, if you choose to scale up by 200%, you would enter a Factor of 200. This would yield two-times the original quantity plus the original quantity. An initial quantity of 100g scaled up 200% would yield $(100g + 2(100g))$ or 300g. If you choose to scale down 100g by 20%, you would enter a Factor of -20. This would yield $(100g - 0.2(100g))$ or 80g.

Line

The Seq line number brought forward from the previously displayed dialog box. This field cannot be edited.

Item

The item you are using as the basis for scaling brought forward from the previously displayed dialog box. This field cannot be edited.

Description

The description of the item you are using as the basis for scaling is displayed. This field cannot be edited.

Old Quantity

The quantity before scaling (that is, the quantity indicated on the previous form) is displayed. This field cannot be edited.

New Quantity

(Scaling by Item Quantity only) Enter the new quantity for this item. The system calculates the percent difference between the old quantity and the new quantity and scales the rest of the laboratory formula accordingly.

Calculating a Theoretical Laboratory Yield

You can access the Calculate Theoretical Laboratory Yield dialog box from the Special menu on the Laboratory Formulas, Laboratory Formula Ingredients, or Laboratory Formula By-products forms.

Use the Calculate Theoretical Laboratory Yield dialog box to enter the percent yield for the laboratory formula. For a thorough discussion of theoretical yield, see also *Oracle Process Manufacturing Formula Management* user's guide.

If the laboratory formula yields 100 percent, you can still use this dialog box to have the program calculate the product quantity for you, or to check to determine that you have added correctly. Simply use 100 percent as the yield percent.

Calculate Theoretical Laboratory Yield Dialog Box - Procedure

To calculate a theoretical yield:

1. Navigate to the **Calculate Theoretical Laboratory Yield** dialog box.
2. Complete the fields as described in the Fields topic.
3. Click **OK**.

Calculate Theoretical Laboratory Yield Form - Fields

Yield Percent

Enter the percentage of ingredient quantities yielded in the product quantity. The program will add the ingredient quantities, taking unit of measure conversions into account, and multiply the sum of the ingredient quantities by this percentage.

Note: The Yield Percent used to calculate the product quantity is not stored. You may wish to note it in an ingredient comment.

Laboratory Spreadsheet

Laboratory Spreadsheet Overview

The Laboratory Spreadsheet displays each ingredient, product, and by-product in a formula with the quantity and technical parameter values for each. The Laboratory Spreadsheet lets you manage ingredients and by-products, and the quantities and technical parameter values for each ingredient and by-product. Product technical parameter values are only calculated for the first product in a formula.

Laboratory Spreadsheet - Navigation

The Laboratory Spreadsheet is comprised of several panels. After you enter the Laboratory Formula and formula Version that you want to display, the cursor is placed in the Ingredients panel. You can navigate to and from the Ingredients panel and the Technical Parameters panel using the Tab key, or you can just click in the desired field.

When you enter the Laboratory Spreadsheet, the Products panel is displayed below the Ingredients panel.

Use the drop-down list box to display:

- Products - displays the Item, Quantity, and Unit of Measure (UOM) for each product. Technical parameters are displayed to the right of each product.
- By-products - displays the Item, Quantity, and Unit of Measure (UOM) for each by-product. Technical parameters are displayed to the right of each by-product.
- Extended Information - displays the description of the ingredient on the line on which the cursor is positioned. If the cursor is positioned on a technical parameter calculated from an expression, the expression is displayed below the ingredient description.

Laboratory Spreadsheet - Making Changes to Formulas

Caution: Making changes to the formula on the spreadsheet does not automatically change the formula as it is stored in the database. If you make changes to the items or the item quantities on the spreadsheet, and later retrieve the formula on the Laboratory Formulas form, you will *not* see the changes you have made. This is true even if you saved the spreadsheet, because the spreadsheet itself is saved to a table, and the laboratory formula table in the database is not updated. This prevents you from accidentally making permanent changes to the laboratory formula by trying "what if" scenarios on the spreadsheet.

Laboratory Spreadsheet - Using the Update Formula Command

Note: You must select Update Formula before you exit the spreadsheet.

Use the Update Formula command if you want the formula changes you make on the spreadsheet to be saved to the formula in the database.

1. Begin with the desired changes displayed on the spreadsheet.
2. From the **Special** menu, select **Update Formula**.

Caution: If you make changes on the spreadsheet, save it, exit, and then retrieve the spreadsheet for the formula, even though the changes you made will be visible on the Laboratory Spreadsheet form, the formula will not be updated with those changes when you select Update Formula.

Laboratory Spreadsheet - Using the Update Technical Parameters Command

Note: You must select Update Technical Parameters before you exit the spreadsheet.

Use the Update Technical Parameters command if you want the formula changes you make on the spreadsheet to be saved to the formula in the database.

1. Begin with the desired changes displayed on the spreadsheet.
2. From the **Special** menu, select **Update Technical Parameters**.

Caution: If you make changes on the spreadsheet, save it, exit, and then retrieve the spreadsheet for the formula, even though the changes you made will be visible on the Laboratory Spreadsheet form, the formula will not be updated with those changes when you select Update Technical Parameters.

Laboratory Spreadsheet - Calculation Errors

For technical parameters which are calculated from expressions the Laboratory Spreadsheet displays a string of question marks (?) or asterisks (*) if the application can not calculate a value.

A string of question marks (?????) indicates that a compilation error occurred (for example, the value of a variable used in the expression could not be found, or the syntax of the expression is incorrect).

A string of asterisks (*****) indicates that the expression could not be calculated for mathematical reasons (for example, division by zero). To display additional information, select Calculation Errors from the Special menu.

Using the Laboratory Spreadsheet Form

Use the Laboratory Spreadsheet to view and edit laboratory formulas and the technical parameter values of the items in the formula, and to display the effects that changes to ingredient values have on the product values.

Laboratory Spreadsheet Form - Procedure

To use the laboratory spreadsheet:

1. Navigate to the **Laboratory Spreadsheet** form.
2. To display the next series of Technical Parameters not displayed, click **Next**.
3. To display the previous set of Technical Parameters displayed after using the Next button, click **Previous**.
4. To recalculate the values displayed on the spreadsheet, click **Recalculate**.
5. Complete the fields as described in the Fields topic.

Laboratory Spreadsheet Form - Fields

Laboratory Type

Your current laboratory type is displayed. You cannot edit this field.

Laboratory Formula

Enter the code for the laboratory formula for which you want to calculate the spreadsheet.

Version

Enter the number of the version of the laboratory formula for which you want to calculate the spreadsheet.

Description

This field displays the description of the laboratory formula/version.

Item

The code for each ingredient in the formula is displayed. You can add, change, or delete ingredients.

Quantity

The quantity of each item in the formula is displayed. You can change quantities if desired.

UOM

The unit of measure in which the quantity is expressed is displayed. You can change the unit of measure if desired.

(technical parameter-1 . . .technical parameter-N)

Columns are labeled with the names of each of the technical parameters for the laboratory type. The value of each technical parameter for each item is displayed. You can change the technical parameter values for ingredients, then recalculate to determine the affect on the product's technical parameters.

Products

The code for the product of the formula is displayed. The quantity and technical parameter values for the product are displayed on the same line.

By-products

(This is only displayed if you select By-Products from the drop-down menu.) The code for each by-product in the formula is displayed. The quantity and technical parameter values for each by-product are displayed on the same line as the by-product.

Description

(This is only displayed if you select Extended Information from the Special menu.) The description of the ingredient on the line on which the cursor is positioned is displayed.

Expression

(This is only displayed if you select Extended Information from the Special menu.) If the cursor is in a column for a technical parameter which is of type Expression, the expression used to calculate the technical parameter value is displayed in this field.

Laboratory Spreadsheet Form - Special Menu

List Experimental Items

Displays the List Experimental Items dialog box, which displays any items on the spreadsheet which are marked as experimental on the Items form.

Save Spreadsheet

Accesses the Save Spreadsheet dialog box, which allows you to save the spreadsheet to a table.

Retrieve Spreadsheet

Accesses the Retrieve Spreadsheet dialog box, which allows you to retrieve a spreadsheet that you saved to a table.

Update Formula

Updates the formula in the database with any changes you made to items or item quantities on the spreadsheet.

Update Technical Parameters

Updates the technical parameter values in the database with the values entered or calculated on the spreadsheet.

Calculation Errors

Displays the Display Calculation Errors form, which provides information about any calculation errors on the spreadsheet.

Saving the Laboratory Spreadsheet

Use the Save Spreadsheet dialog box to save a spreadsheet to a table.

Save Spreadsheet Dialog Box- Procedure

To save a laboratory spreadsheet:

1. Navigate to the **Save Spreadsheet** dialog box.
2. Complete the fields as described in the Fields topic.
3. Click **OK**.

Save Spreadsheet Dialog Box - Fields

Name

Enter the name for which you want to save the spreadsheet.

Retrieving the Laboratory Spreadsheet

Use the Retrieve Spreadsheet Data dialog box to retrieve a spreadsheet that you saved to a table.

Retrieve Spreadsheet Data Dialog Box - Procedure

To retrieve a laboratory spreadsheet:

1. Navigate to the **Retrieve Spreadsheet** form.
2. Complete the fields as described in the Fields topic.
3. Save the form.

Retrieve Spreadsheet Data Dialog Box - Fields

Name

Enter the name to be used to identify the spreadsheet has been saved.

Displaying Calculation Errors

The Display Calculation Errors form displays information about any errors which OPM encountered in performing calculations on the Laboratory Spreadsheet.

Display Calculation Errors Dialog Box - Procedure

To display calculation errors:

1. From the **Special** menu, choose **Display Calculation Errors**.
2. Select **Product**, **Ingredient**, or **By-product** from the drop-down list box.
3. Complete the fields as described in the Fields topic.
4. Click **OK**.

Display Calculation Errors Dialog Box - Fields

Item

Product - displays the item code of the product for which an error occurred in calculating the values of a technical parameter.

Ingredient - displays the item code of the ingredient for which an error occurred in calculating the values of a technical parameter.

By-product - displays the item code for the by-product for which an error occurred in calculating the values of a technical parameter

Technical Parameter

This field displays the code for the technical parameter for which an error occurred in calculating its value.

Error Code

This field displays a description of the calculation error.

Expression

This field displays the expression in which the error occurred. A caret (^) will point to the approximate location in the expression where the error occurred.

Searching for and Replacing Laboratory Ingredients

Laboratory Ingredient Search and Replace - Overview

The Laboratory Ingredient Search and Replace function allows you to search for each laboratory formula version that contains a specified ingredient, and to create a new formula version in which the specified ingredient is replaced by another ingredient.

There are several reasons you may want to replace one ingredient with another. For example, a comparable ingredient may be available at a lower cost, an alternate ingredient may possess superior qualities, or you may want to replace a hazardous ingredient with a safer one.

In addition to replacing the ingredient, you can also specify a factor by which the new ingredient quantity will be scaled. For example, if the new ingredient is twice as potent as the old ingredient, you can enter a scale factor of 0.5, which will cause the quantity of the new ingredient in the new formula version to be half of the quantity of the old ingredient in the old formula version.

Note that the ingredient search and replace process does not actually replace the old ingredient with the new one in existing formulas. Instead, it creates a new formula version containing the new ingredient instead of the old ingredient. The old formula version will still exist and can still be used. The new version number will be one higher than the highest existing version number.

Using Ingredient Search and Replace

Use Ingredient Search and Replace to change an ingredient in one, all, or a range of formulas. You may want to change an ingredient if the original ingredient is unavailable or if environmental factors prescribe that you use a different ingredient (for example, to satisfy regulatory requirements). Ingredient Search and Replace consists of two stages. At the Ingredient Search and Replace dialog box, you enter the search and replace criteria: the old and new ingredients, and the formula selection criteria. The Ingredient Search and Replace form displays the formulas that meet the specified search criteria. This enables you to enter the quantity for the new ingredient and create a new formula version.

Ingredient Search and Replace Dialog Box - Procedure

To search for and replace ingredients:

1. Navigate to the **Ingredient Search and Replace** dialog box.
2. Complete the fields as described in the Fields topic.
3. Click **OK**.
4. You will automatically navigate to the **Ingredient Search and Replace** form.

Ingredient Search and Replace Dialog Box - Fields

Old Ingredient

Enter the item code for the ingredient to be replaced. Required.

New Ingredient

Enter the item code for the new ingredient to replace the ingredient entered in the Old Ingredient field. If the new ingredient is a product in more than one laboratory formula, the Item Technical Data Selection dialog box is displayed. Required.

Scaling Factor

Enter a factor by which the old ingredient quantity should be scaled to determine the new ingredient quantity. For example, if you want to use half as much of the new ingredient as you used of the old ingredient, enter 0.5. Leave this defaulted to 1.0 if you want the same quantity of the new ingredient as of the old ingredient. Required.

Formula

To search:

- all formulas containing the specified ingredient, leave the From and To fields next to Formula blank.
- a single formula for the specified ingredient, enter the Formula name in both the From field and the To field.
- a range of formulas for the specified ingredient, enter the starting Formula in the From field and the ending Formula in the To field. Required.

Version

To search:

- all versions of formulas containing the specified ingredient, leave the From and To fields next to Version blank.
- a single version for the specified ingredient, enter the starting Version in the From field and the ending Version in the To field.
- a range of versions for the specified ingredient, enter the starting Version in the From field and the ending Version in the To field.

Replacing Ingredients in a Formula

This form is displayed after you complete the Ingredient Search and Replace dialog box and click OK.

This form displays each of the formulas and versions found to contain the old ingredient. You can replace the old ingredient in some or all of the displayed formula versions. You can also specify the quantity of the new ingredient in each formula version.

Ingredient Search and Replace Form- Procedure

To replace old ingredients found in a search:

1. Navigate to the **Ingredient Search and Replace** form.
2. Mark the Old Formulas in which you want to replace the New Ingredient by selecting the check box beneath Select.
3. From the **Action** menu select **Save** to create the new formula versions.

Ingredient Search and Replace Form - Fields

Old Ingredient

The code and description of the ingredient being replaced is displayed. You cannot edit this field.

New Ingredient

The code and description of the new ingredient is displayed. You cannot edit this field.

Scaling Factor

The scaling factor you entered on the Ingredient Search and Replace dialog box is displayed. The old ingredient quantities are multiplied by this factor to give the new ingredient quantities. You cannot edit this field.

Candidates

This field displays the number of formula versions which contain the old ingredient and meet the criteria specified on the Ingredient Search and Replace dialog box (that is, the number of formula versions displayed on this form). You cannot edit this field.

Selected

This field displays the number of formula versions currently selected. You cannot directly edit this field.

Select

Select each check box next to the Old Formula version in which you want to substitute the New Ingredient.

Clear each check box next to the Old Formula in which you do not want to substitute the New Ingredient.

Note: New formula versions will be created based only on those formula versions marked with an X in the Select column when you select Save from the Action menu.

Old Formula

The code for the formula in which the ingredient will be replaced is displayed. You cannot edit this field.

(Old Ingredient) Version

The number of the existing version containing the old ingredient is displayed. You cannot edit this field.

(Old Ingredient) Line

The line in the existing formula version which contains the old ingredient is displayed. You cannot edit this field.

(Old Ingredient) Quantity

The quantity of the old ingredient in the existing formula version is displayed. You cannot edit this field.

(Old Ingredient) UOM

The unit of measure for the Old Ingredient. You cannot edit this field.

(New Ingredient) Quantity

The quantity of the new ingredient in the new formula version is displayed. This defaults to the old ingredient quantity multiplied by the scaling factor.

(New Ingredient) UOM

The unit of measure in which the quantity is expressed. This defaults to the unit of measure for the Old Ingredient. You cannot edit this field.

(New Ingredient) Version

The version of the New Ingredient. This field updates when you save your work.

Using the Ingredient Search and Replace Special Menu

Select or clear all displayed formula versions from the Ingredient Search and Replace form Special Menu using:

Set All

To select all displayed formula versions.

Clear All

To deselect all displayed formula versions.

Laboratory Management Example Scenario

Laboratory Management - Example Scenario Overview

This section presents a hypothetical scenario using the Laboratory Management module. It is designed to illustrate most of the functions available in Laboratory Management. You may not need to use all of the steps illustrated here in your business.

Laboratory Management - Scenario

Imagine that you wish to make a sweetened orange juice drink from unsweetened orange juice and sugar. The unsweetened orange juice is made by mixing orange juice concentrate with water.

You need to make the sweetened orange juice drink using a new, experimental sweetener that you are testing. Here is how you could proceed.

Laboratory Management - Create Experimental Item

In the Inventory Control module, enter the experimental sweetener on the Items form. Make sure that you select the Experimental check box. This will prevent the sweetener from accidentally being used in bona fide production batches.

Laboratory Management - Define Laboratory Type

Define a Laboratory type on the Laboratory Type form. Laboratory types are used to group the technical parameters that you measure and calculate. You may want to set up a laboratory type for beverages and a laboratory type for food, or a laboratory type for fruit beverages and a different laboratory type for other types of beverages. This choice depends on what you manufacture and what types of characteristics are relevant for your products. You can only work with one laboratory type at a time, and you can only work with the technical parameters assigned to that laboratory type. In this scenario, we will use a laboratory type for beverages.

Laboratory Management - Specify Default User Laboratory Type

Enter the code for the beverage laboratory type in the Default Laboratory field in the OPM System Administration module for each of the users who will be working primarily with this laboratory type.

Laboratory Management - Define Technical Parameters

Define all of the technical parameters for the beverage laboratory type. You should define a technical parameter for each characteristic of the ingredients and products in your beverage formulas which you want to measure and enter in the Laboratory Management module. For example, you may want to define a technical parameter for percent solids by weight.

Laboratory Management - Define Technical Parameter Sequence

Once you have defined the technical parameters for the laboratory type, set up the technical parameter sequence on the Technical Parameter Sequences form. This determines the sequence in which the technical parameters will be displayed. The only rules to keep in mind are the following:

- The Density technical parameter must be set at the number 1.
- If you have any expression technical parameters that reference other technical parameters, the referenced technical parameters must precede the expression technical parameter in the sequence.

Laboratory Management - Enter Technical Parameter Data for Items

Enter the values of the technical parameters for the items in your orange juice formulas on the Item Technical Data form. Enter data for your raw materials and by-products using the expression, weight %, volume %, specific gravity, cost, equivalent weight, or quantity/unit technical parameter types since you will want to calculate the values for your products.

Laboratory Management - Download Formula for Intermediate to Laboratory

Download your formula or formulas for the unsweetened orange juice from the Formula Management module to the Laboratory Management module using the Download Production Formula to Laboratory dialog box.

Laboratory Management - Calculate Technical Parameter Values for Intermediate on Spreadsheet

Bring up each formula for the unsweetened orange juice (using each orange juice concentrate) on the Laboratory Spreadsheet. The spreadsheet will calculate the values of the technical parameters for the products, and the values for any expression technical parameters you have defined. Select Update Technical Parameters from the Special menu

on the Laboratory Spreadsheet to save the calculated values to the database.

Laboratory Management - Download Formula for Finished Product to Laboratory

Now download your formulas for the sweetened orange juice drink. Since these formulas contain the unsweetened orange juice as an ingredient, you will have to specify, for each sweetened orange juice formula, which unsweetened orange juice formula to use to get the technical parameter values for the unsweetened orange juice. The Item Technical Data Selection box will automatically display for this.

Laboratory Management - Experiment with the Formula on the Laboratory Spreadsheet

Bring up a formula for the sweetened orange juice drink on the Laboratory Spreadsheet. The values for expression technical parameters, and the values of expression, weight %, volume %, specific gravity, cost, equivalent weight, or quantity/unit technical parameter types are calculated. You can now substitute the experimental sweetener for the sugar in the formula and recalculate the technical parameter values by selecting the Recalculate button on the Laboratory Spreadsheet. You can experiment with changing the formula until you get the technical parameter values you want. When you have a formula you are happy with, select Update Formula from the Special menu.

Laboratory Management - Upload Formula to Formula Management Module

When you decide to use the new formula in production, upload the formula to the Formula Management module by selecting Upload Laboratory Formula from the Special menu on the Laboratory Formulas form.

Appendixes

Laboratory Management Navigator Paths

Although your System Administrator may have customized your Navigator, typical navigation paths are described in the following tables. In some cases, there is more than one way to navigate to a form. These tables provide the most typical default path.

Form	Path
Additional Information	OPM Product Development > Laboratory Mgmt > Laboratory Formulas > Special > Additional Information
Calculate Theoretical Yield	OPM Product Development > Laboratory Mgmt > Laboratory Formulas > Special > Theoretical Yield
Display Calculation Errors	OPM Product Development > Laboratory Mgmt > Spreadsheet > Special > Calculation Errors
Download Production Formula to Laboratory	OPM Product Development > Laboratory Mgmt > Laboratory Formulas > Special > Download Formula
Find Item Technical Data	OPM Product Development > Laboratory Mgmt > Setup > Item Technical Data > Query > Find..
Find Laboratory Formulas	OPM Product Development > Laboratory Mgmt > Laboratory Formulas > Query > Find..
Find Laboratory Types	OPM Product Development > Laboratory Mgmt > Setup > Laboratory Types > Query > Find..
Find Technical Parameters	OPM Product Development > Laboratory Mgmt > Setup > Technical Parameters > Query > Find..
Formula By-Products	OPM Product Development > Laboratory Mgmt > Laboratory Formulas > By-Products

Form	Path
Formula Ingredients	OPM Product Development > Laboratory Mgmt > Laboratory Formulas > Ingredients
Ingredient Search and Replace	OPM Product Development > Laboratory Mgmt > Item Search/Replace
Ingredient Technical Parameters	OPM Product Development > Laboratory Mgmt > Laboratory Formulas > Special > Ingredient Technical Parameters
Items	OPM Product Development > Laboratory Mgmt > Setup > Items
Item Technical Data	OPM Product Development > Laboratory Mgmt > Setup > Item Technical Data
Item Technical Data Selection	OPM Product Development > Laboratory Mgmt > Laboratory Formulas > Technical Data Selection
Laboratory Formulas	OPM Product Development > Laboratory Mgmt > Laboratory Formulas
Laboratory Spreadsheet	OPM Product Development > Laboratory Mgmt > Spreadsheet
Laboratory Types	OPM Product Development > Laboratory Mgmt > Setup > Laboratory Types
List Experimental Items	OPM Product Development > Laboratory Mgmt > Spreadsheet > Special > List Experimental Items
Retrieve Spreadsheet	OPM Product Development > Laboratory Mgmt > Spreadsheet > Special > Retrieve Spreadsheet
Save Spreadsheet	OPM Product Development > Laboratory Mgmt > Special > Save Spreadsheet
Scale Formula	OPM Product Development > Laboratory Mgmt > Laboratory Formulas > Special > Scale
Technical Parameter Sequences	OPM Product Development > Laboratory Mgmt > Setup > Tech Parameter Seq
Technical Parameters	OPM Product Development > Laboratory Mgmt > Setup > Technical Parameters
Upload Laboratory Formula to Production	OPM Product Development > Laboratory Mgmt > Laboratory Formulas > Special > Upload Laboratory Formula

Setting Laboratory Management Profile Options

During your implementation, you set a value for selected profile options to specify how your Laboratory Management application controls access to and processes data. Laboratory Management uses the listed profile options:

- LMSDENSITY
- LMSEFF_ON_UPLOAD
- LMSUOM_MASS_TYPE
- LMSUOM_VOLUME_TYPE

You can set up these profile options when you set up other applications prior to your Laboratory Management implementation. Refer to the other product user's guides for more details on how these products use these profile options.

Your System Administrator sets user profile options at one or more of the following levels: Site, Application, Responsibility, and User. Use the Personal Profile Options window to view or set your profile options at the user level. You can consult the *Oracle Process Manufacturing Implementation Guide* for a complete description of the profile options listed. Consult your *Oracle Applications System Administrator's Guide* for a list of profile options common to all Oracle Applications.

Glossary

Boolean

A logical combinatorial system that represents symbolically the relationships between entities. Typical logical operators are: AND, OR, and NOT. The term "boolean" refers to a system of logical thought developed by the English mathematician and computer pioneer, George Boole (1815-64). In boolean searching, an "and" operator between two words or other values (for example, "pear AND apple") means one is searching for information containing both of the words or values, not just one of them. An "or" operator between two words or other values (for example, "pear OR apple") means one is searching for information containing either of the words.

Density

The quantity of a material per unit volume. In general, density is $\text{weight}/\text{volume}$.

Equivalent Weight

The mass of a substance esp. in grams that combines with or is chemically equivalent to eight grams of oxygen or one gram of hydrogen: the atomic or molecular weight divided by the (total positive ionic) valence.

Exponentiation

The act or process of raising a quantity to a power.

Gravimetric

Of or relating to measurement by weight.

Specific Gravity

The ratio of the density of a substance to the density of some other substance (usually pure water) taken as a standard when both densities are obtained by weighing in air (at standard temperature and pressure).

Index

A

Additional Information dialog box
43

B

by-products 40

C

Calculate Theoretical Laboratory
Yield dialog box 53

D

density, role in unit of measure
conversions 18
Display Calculation Errors dialog
box 63
Download Production Formula to
Laboratory dialog box 45
downloading production formulas 45

E

experimental items, formula 46

F

Find
Item Technical Data 29
Laboratory Formulas 36
Laboratory Types 15
Technical Parameters 22, 49
formula
by-products 40
information 43

Formula By-Products dialog box 40
formula ingredient entry 37
Formula Ingredients dialog box 37

I

ingredient entry 37
ingredient replacement 68
ingredient scaling 51
ingredient search and replace
general discussion 65
Ingredient Search and Replace
dialog box 66
Ingredient Search and Replace form
68
ingredient substitution 66
Ingredient Technical Parameters
form 48
Item Technical Data form 25
Item Technical Data Selection dialog
box 50

L

Laboratory Formula By-Products
form 33
Laboratory Formula Ingredients form
33
laboratory formulas
copying to Formula Management
module 31
creating 31
displaying technical parameter
values 32
general discussion 31
products 33
Laboratory Formulas form 33
Laboratory Spreadsheet form 58
laboratory types, setup 13

List Experimental Items form 46

P

percent yield calculation 53
prerequisites
 entering Items 12
 Inventory Management module 12
 QC module 12
production formulas, downloading
 procedure 45
Profile Values, setup 11

R

Retrieve Spreadsheet dialog box 62

S

Save Spreadsheet dialog box 61
Scale Formula dialog box 51
scale type 44
scaling
 ingredients 51
 product quantities 34, 51
setup
 general discussion 11
 in other modules 11
 laboratory types 13
 Profile Values 11
Special menu 35, 39, 42, 59, 69
spreadsheet
 calculation errors 57, 63
 general description 55
 how to save and name 61
 navigation issues 55
 retrieving a spreadsheet 62
 updating technical parameter
 values 56
 updating the laboratory formula 56

T

Technical Parameter Sequence form
 23
technical parameters
 data entry 25
 density 23, 25
 displaying values for ingredients
 48
 displaying values for products 49
 displaying values in formulas 32

explanation 16
expressions 16
formula rollups 17
selecting data 50
sequence 23
Technical Parameters form 18

U

units of measure definition 11
Upload Laboratory Formula to
 Production dialog box 47
uploading formulas 31, 47
Using Laboratory Management 71

Y

yield, theoretical 53