

Oracle® Collaboration Suite

Release Notes

Release 2 (9.0.4.1) for AIX-Based Systems

Part No. B12205-02

July 2004

Oracle Collaboration Suite Release Notes, Release 2 (9.0.4.1) for AIX-Based Systems

Part No. B12205-02

Copyright © 2003, 2004, Oracle. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Contents

Send Us Your Comments	ix
Preface	xi
Audience	xi
Organization	xi
Related Documentation	xii
Conventions	xiii
Documentation Accessibility	xvi
1 Suite-Level Issues	
1.1 What's New?	1-1
1.2 Known Limitations and Workarounds	1-1
1.2.1 Cannot Enable RAC with a Pre-seeded Information Storage Database	1-2
1.2.2 Errors Occur in Oracle Collaboration Suite if Portal is Not Installed	1-2
1.2.3 Oracle Collaboration Suite Web Client	1-2
1.2.3.1 Web Client may not Work on Korean Locale	1-2
1.2.3.2 Failure to Automatically Register the Files Portlet	1-2
1.2.3.3 Broken Images on UNIX	1-3
1.2.3.4 Broken Link on Collaboration Suite Welcome Page	1-4
1.2.4 Oracle <i>9i</i> AS Web Cache Start Failure	1-4
1.2.5 Oracle Enterprise Manager for Oracle Email Not Invoked	1-5
1.2.6 Database is Not Being Registered	1-5
1.2.7 Database Configuration Assistant Error	1-5
1.2.8 Single Sign-On Photograph Registration	1-5
1.2.9 Create or Edit User Information in Delegated Administration Service	1-5
1.2.10 File Not Found Error Occurs During Execution of the root.sh Script	1-5
1.2.11 Welcome Page iSupport Link	1-6
1.2.12 Port Number Changes When Upgrade Assistant is Executed	1-6
1.2.13 Configure Oracle Collaboration Suite Components with SSL	1-7
1.2.14 Upgrade	1-7
1.2.15 Oracle Collaboration Suite Quick Installation Guide for AIX-Based Systems	1-7
1.3 Known Bugs in 9.0.4.1	1-7
1.4 Known Bugs in 9.0.4.2	1-10

2 Globalization

2.1	What's New?	2-1
2.2	Known Limitations and Workarounds	2-1
2.2.1	Language Support for Installation	2-1
2.2.2	Bidirectional Support for Arabic	2-2
2.2.3	Language Support for the Web Conferencing Document Converter	2-2
2.2.4	Host Name Translation Error in Web Conferencing	2-2
2.2.5	Character Sets for Infrastructure and Information Store Databases	2-2
2.2.6	International User IDs	2-2

3 Oracle Calendar

3.1	Oracle Calendar Server	3-1
3.1.1	What's New	3-1
3.1.2	Known Limitations and Workarounds in 9.0.4.1	3-3
3.1.3	Known Limitations and Workarounds in 9.0.4.2	3-3
3.1.4	New and Updated Server Parameters	3-5
3.1.4.1	New Parameters in the unison.ini File	3-5
3.1.4.2	Updated Parameters in the unison.ini File	3-12
3.1.4.3	Updated UNIX Environment Variables	3-20
3.1.5	Documentation Errata	3-20
3.2	Oracle Calendar Administrator	3-21
3.2.1	What's New	3-22
3.2.2	Known Limitations and Workarounds	3-22
3.3	Oracle Calendar SDK	3-22
3.3.1	What's New	3-22
3.3.2	Known Limitations and Workarounds	3-23
3.4	Oracle Calendar Application System	3-23
3.4.1	Oracle Calendar Web Client	3-23
3.4.1.1	What's New	3-23
3.4.1.2	Known Limitations and Workarounds	3-24
3.4.1.3	Document Errata	3-26
3.4.2	Oracle Calendar Web Services	3-26
3.4.2.1	What's New	3-27
3.4.2.2	Known Limitations and Workarounds	3-27
3.4.3	Oracle Sync Server	3-27
3.4.3.1	What's New	3-27
3.4.3.2	Known Limitations and Workarounds	3-27
3.4.3.3	Device-Related Issues	3-27
3.5	Oracle Connector for Outlook	3-30
3.5.1	What's New	3-31
3.5.2	Known Limitations and Workarounds	3-32
3.5.3	Configuration Parameters	3-32
3.6	Oracle Calendar Desktop Clients	3-38
3.6.1	Oracle Calendar Desktop Client for Windows	3-38
3.6.1.1	What's New	3-38
3.6.1.2	Known Limitations and Workarounds	3-39
3.6.2	Oracle Calendar Desktop Client for Macintosh	3-39

3.6.2.1	What's New	3-40
3.6.2.2	Known Limitations and Workarounds	3-41
3.6.3	Oracle Calendar Desktop Client for Linux	3-41
3.6.3.1	What's New	3-42
3.6.3.2	Known Limitations and Workarounds	3-42
3.6.4	Oracle Calendar Desktop Client for Solaris	3-43
3.6.4.1	What's New	3-43
3.6.4.2	Known Limitations and Workarounds	3-43
3.7	Oracle Calendar Sync Clients.....	3-44
3.7.1	Oracle Calendar Sync for Palm for Windows.....	3-44
3.7.1.1	What's New	3-44
3.7.1.2	Known Limitations and Workarounds	3-45
3.7.2	Oracle Calendar Sync for Palm for Macintosh	3-45
3.7.2.1	What's New	3-45
3.7.2.2	Known Limitations and Workarounds	3-45
3.7.3	Oracle Calendar Sync for Pocket PC.....	3-46
3.7.3.1	What's New	3-46
3.7.3.2	Known Limitations and Workarounds	3-46
3.8	Client Coexistence Behavior	3-47

4 Oracle Email

4.1	What's New?.....	4-1
4.2	Known Issues.....	4-2
4.2.1	JDK 1.4.2 for Web Client	4-2
4.2.2	NNTP Server Manual Upgrade	4-2
4.2.3	TargetDN Attribute	4-2
4.2.4	Oracle Text.....	4-2
4.3	Known Bugs.....	4-3
4.3.1	Oracle Email Administration	4-3
4.3.1.1	Email Component Issue and Database Listener	4-4
4.3.2	Oracle Email Migration Tool.....	4-5
4.3.3	Servers	4-6
4.3.4	Oracle Webmail.....	4-8
4.4	Documentation Errata	4-10
4.4.1	Oracle Email Administrator's Guide	4-10
4.4.1.1	Prevent Service Denial Attack Default Anti-Spam Parameters.....	4-10
4.4.1.2	Table 9-5: List Server Parameters	4-11
4.4.2	Oracle Email Migration Tool Guide.....	4-11
4.4.2.1	References to Oracle Collaboration Suite Documentation	4-11
4.4.2.2	Chapter 2: Requirements Before Migration.....	4-11
4.4.2.3	Chapter 3: Migration Tasks	4-12
4.4.2.4	Appendix C	4-12
4.4.3	Oracle Email Application Developer's Guide	4-13
4.4.3.1	Chapter 2: Java API Reference	4-13
4.4.3.2	Directory Management Code Examples	4-14
4.4.4	Oracle Email Java API Reference.....	4-14
4.4.4.1	Oracle Folder Add ACI Method.....	4-14

5 Oracle Files

5.1	What's New	5-1
5.1.1	Workflow Configuration Enhancements	5-1
5.1.2	Oracle Files Web UI and Oracle FileSync Client Available in Russian.....	5-1
5.1.3	Creating Custom Workflows	5-1
5.1.4	Branding the Oracle Files User Interface.....	5-2
5.1.5	Improved Domain Controller Reliability After Computer Failure	5-2
5.1.6	Automatic User Provisioning	5-2
5.1.7	Additional Oracle Files Features	5-3
5.2	Certification and System Requirements	5-3
5.2.1	Client Certifications.....	5-3
5.2.1.1	SMB.....	5-3
5.2.1.2	Web Browsers (for Web User Interface and Enterprise Manager Web Site)	5-4
5.2.1.3	FTP Clients.....	5-5
5.2.1.4	AFP	5-5
5.2.1.5	NFS Client Support	5-5
5.2.1.6	WebDAV: Web Folders.....	5-5
5.2.1.7	WebDAV: Oracle FileSync Client.....	5-7
5.3	Deprecations	5-7
5.4	General Issues.....	5-7
5.4.1	Logging Out From Portal Page Does Not Log Users Out of Oracle Files	5-7
5.4.2	Error Occurs on Creation of Workspaces.....	5-7
5.4.3	Content From the Archive is Moved to BFILE Storage By Default.....	5-8
5.4.4	Mapping Web Folders in Windows XP	5-8
5.4.5	Saving HTML Files Using Internet Explorer	5-8
5.4.6	Using Enterprise Manager to Add a New Node.....	5-8
5.4.7	Popup Blockers Can Cause Problems in the Oracle Files UI	5-8
5.4.8	Outlook Express Breaks Oracle Files URLs That Contain Multibyte Characters.....	5-9
5.4.9	Standby Database Limitations	5-9
5.5	Configuration Issues.....	5-9
5.5.1	Workflow Issues.....	5-9
5.5.1.1	Building Custom Workflows	5-9
5.5.1.2	LDAP Packages.....	5-10
5.5.1.3	Multiple Instances	5-10
5.5.1.4	Provisioning Users Into Oracle Workflow.....	5-10
5.5.2	Oracle Text Issues	5-11
5.5.3	Caching Issues.....	5-11
5.6	Oracle Internet Directory Issues	5-11
5.6.1	User Provisioning Failure.....	5-11
5.7	Globalization Support Issues	5-11
5.7.1	Error When Saving Documents with Multibyte Filenames in Internet Explorer....	5-11
5.7.2	Jagged Bold/Italic Fonts	5-12
5.7.3	Character Set Limitations	5-12
5.8	Known Bugs.....	5-12

6 Oracle Ultra Search

6.1	What's New	6-1
-----	------------------	-----

6.2	Ultra Search Welcome Page.....	6-2
6.3	Default Ultra Search Instance.....	6-2
6.4	Document Relevancy Boosting Limitations.....	6-2
6.5	Translations for Complete Sample Query Application.....	6-2
6.6	Dynamic Page Indexing Control	6-3
6.7	Cookie Support.....	6-3
6.8	Crawler Cache Deletion Control.....	6-3
6.9	Set the Environment to use the INSO filter.....	6-3
6.10	Known Bugs.....	6-4
7	Oracle Voicemail & Fax	
7.1	What's New?.....	7-1
7.2	Known Limitations and Workarounds.....	7-2
8	Oracle Web Conferencing	
8.1	What's New?.....	8-1
8.2	Known Limitations and Workarounds.....	8-1
8.2.1	Database Service Name Limitation.....	8-1
8.2.1.1	Installation	8-1
8.2.1.2	Post-Installation	8-2
8.2.2	Installation and Configuration Issues.....	8-4
8.2.2.1	Clean Reinstallation and Deinstallation.....	8-4
8.2.2.2	Creating the OC4J RTC Application as Part of the Real-Time Collaboration Core Components Instance 8-7	
8.2.2.3	Oracle HTTP Server Configuration	8-7
8.2.2.4	Turning Off Image Compression for PNG Files in OracleAS Web Cache.....	8-8
8.2.2.5	Configuring E-Mailed Usage Reports	8-8
8.2.2.6	Uploading the Demo When Using a Custom Database	8-9
8.2.3	User Management Issues.....	8-9
8.2.4	Allowing Pop-Up Window Display.....	8-11
8.2.5	Known Bugs	8-11
9	Wireless	
9.1	Getting Started.....	9-1
9.2	What's New?.....	9-1
9.2.1	Over the Air Provisioning (OTA).....	9-1
9.2.2	Real Time Browser Access from Any Mobile Device	9-2
9.2.3	Ubiquitous Voice Access	9-2
9.2.4	Instant Access Through Async from SMS or Email.....	9-3
9.2.5	Multi-Channel Alerts and Notifications.....	9-3
9.2.6	Presence Availability Management	9-3
9.3	Oracle Hosted Voice Gateway	9-3
9.4	Known Limitations and Workarounds.....	9-3
9.4.1	Wireless SMS Notification Issue.....	9-3
9.4.2	Contact Rule Switcher Portlet Failure.....	9-3
9.4.3	Increase Wireless Email Timeout Parameter	9-4

9.4.4	Multiple Copies of Messages Generated	9-4
9.4.5	Return-to-Portal URL Configuration	9-4
9.4.6	Wireless Calendar	9-5
9.4.7	Wireless Files	9-5
9.4.8	Wireless Status Displayed as Down.....	9-5
9.4.9	Multibyte Characters and Wireless Notifications	9-5
9.4.10	Registering Oracle Portal Provider for Wireless Web Tool and Wireless Customization Fails 9-5	
9.4.11	Generic Single Sign-On Errors if Using Microsoft Internet Explorer.....	9-6
9.4.12	Oracle Wireless Process Status Unavailable for Multiple ORACLE_HOMEs with External Repository 9-6	
9.4.13	Multibyte Usernames in Jabber Not Supported.....	9-7
9.5	Using Wireless and Voice	9-7
9.5.1	Access Information	9-7
9.5.2	ASK Commands to Access Collaboration Suite from SMS, Email, or 2-way Pager ..	9-7
9.5.2.1	Calendar	9-7
9.5.2.2	Address Book	9-8
9.5.2.3	Mail	9-8
9.5.2.4	Fax.....	9-8
9.5.2.5	Directory	9-9
9.5.2.6	Short Messaging.....	9-9
9.5.2.7	Instant Messaging.....	9-9
9.5.2.8	Files	9-10
9.6	Documentation Errata	9-10
9.6.1	Calendar Server.....	9-10
9.6.2	Wireless Configuration Assistant Display	9-11
9.6.3	Configuring Oracle Wireless to Enable Messaging	9-11
9.6.4	Online Help Display	9-11
9.6.5	Nuance Voice Web Service Gateway	9-12
9.6.6	Speechgenie Gateway	9-12

Send Us Your Comments

Oracle Collaboration Suite Release Notes, Release 2 (9.0.4.1) for AIX-Based Systems

Part No. B12205-02

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, please indicate the title and part number of the documentation and the chapter, section, and page number (if available). You can send comments to us in the following ways:

- Electronic mail: ocsdocs_us@oracle.com
- FAX: (650) 633-3836 Attn: Oracle Collaboration Suite Documentation Manager
- Postal service:

Oracle Corporation
Oracle Collaboration Suite Documentation Manager
500 Oracle Parkway, Mailstop 2op5
Redwood Shores, CA 94065
USA

If you would like a reply, please give your name, address, telephone number, and electronic mail address (optional).

If you have problems with the software, please contact your local Oracle Support Services.

Preface

This preface contains the following topics.

- [Audience](#)
- [Organization](#)
- [Related Documentation](#)
- [Conventions](#)
- [Documentation Accessibility](#)

Note: These release notes are accurate to the best of our knowledge at the time of publication. You can access the latest information on the Oracle Technology Network at <http://otn.oracle.com>.

Audience

This document is intended for persons installing, configuring, or using Oracle Collaboration Suite for AIX-based systems.

Organization

This document devotes separate chapters to post-release issues involving each of the components of Oracle Collaboration Suite. Issues that apply to these components collectively are addressed in chapters 1 and 2. The chapter organization is as follows:

Chapter 1, "Suite-Level Issues"

Chapter 2, "Globalization"

Chapter 3, "Oracle Calendar"

Chapter 4, "Oracle Email"

Chapter 5, "Oracle Files"

Chapter 6, "Oracle Ultra Search"

Chapter 7, "Oracle Voicemail & Fax"

Chapter 8, "Oracle Web Conferencing"

Chapter 9, "Wireless"

Related Documentation

For more information, see these Oracle resources:

- *Oracle Collaboration Suite Installation and Configuration Guide*
- *Oracle Collaboration Suite Quick Installation Guide*
- *Oracle Calendar Administrator's Guide*
- *Oracle Email Administrator's Guide*
- *Oracle Email Application Developer's Guide*
- *Oracle Email Migration Tool Guide*
- *Oracle Collaboration Suite Using Voicemail & Fax*
- *Oracle Web Conferencing Administrator's Guide*
- *Oracle Files Administrator's Guide*
- *Oracle Files Planning Guide*
- *Oracle Ultra Search User's Guide*
- *Oracle Voicemail & Fax Administrator's Guide*
- *Oracle9iAS Wireless Administrator's Guide*

Printed documentation is available for sale in the Oracle Store at

<http://oraclestore.oracle.com/>

To download free release notes, installation documentation, white papers, or other collateral, visit the Oracle Technology Network (OTN). You must register online before using OTN; registration is free and can be done at

<http://otn.oracle.com/membership/>

If you already have a username and password for OTN, then you can go directly to the documentation section of the OTN Web site at

<http://otn.oracle.com/documentation/>

Conventions

This section describes the conventions used in the text and code examples of this documentation set. It describes:

- Conventions in Text
- Conventions in Code Examples
- Conventions for Windows Operating Systems

Conventions in Text

We use various conventions in text to help you more quickly identify special terms. The following table describes those conventions and provides examples of their use.

Convention	Meaning	Example
Bold	Bold typeface indicates terms that are defined in the text or terms that appear in a glossary, or both.	When you specify this clause, you create an index-organized table .
<i>Italic</i>	Italic typeface indicates book titles or emphasis.	<i>Oracle10i Database Concepts</i> Ensure that the recovery catalog and target database do not reside on the same disk.
UPPERCASE monospace (fixed-width) font	Uppercase monospace typeface indicates elements supplied by the system. Such elements include parameters, privileges, datatypes, RMAN keywords, SQL keywords, SQL*Plus or utility commands, packages and methods, as well as system-supplied column names, database objects and structures, usernames, and roles.	You can specify this clause only for a NUMBER column. You can back up the database by using the BACKUP command. Query the TABLE_NAME column in the USER_TABLES data dictionary view. Use the DBMS_STATS.GENERATE_STATS procedure.
lowercase monospace (fixed-width) font	Lowercase monospace typeface indicates executables, filenames, directory names, and sample user-supplied elements. Such elements include computer and database names, net service names, and connect identifiers, as well as user-supplied database objects and structures, column names, packages and classes, usernames and roles, program units, and parameter values. Note: Some programmatic elements use a mixture of UPPERCASE and lowercase. Enter these elements as shown.	The password is specified in the orapwd file. Back up the datafiles and control files in the /disk1/oracle/dbs directory. The department_id, department_name, and location_id columns are in the hr.departments table. Set the QUERY_REWRITE_ENABLED initialization parameter to true. Connect as oe user. The JRepUtil class implements these methods.
<i>lowercase italic monospace (fixed-width) font</i>	Lowercase italic monospace font represents placeholders or variables.	You can specify the <i>parallel_clause</i> <i>Run Uold_release.SQL</i> where <i>old_release</i> refers to the release you installed prior to upgrading.
Text within angle brackets < >	Angle brackets represent variables in the Oracle Calendar sections of this document.	Enter the <hostname>, <port>.

Conventions in Code Examples

Code examples illustrate SQL, PL/SQL, SQL*Plus, or other command-line statements. They are displayed in a monospace (fixed-width) font and separated from normal text as shown in this example:

```
SELECT username FROM dba_users WHERE username = 'MIGRATE';
```

The following table describes typographic conventions used in code examples and provides examples of their use.

Convention	Meaning	Example
[]	Brackets enclose one or more optional items. Do not enter the brackets.	DECIMAL (<i>digits</i> [, <i>precision</i>])
{ }	Braces enclose two or more items, one of which is required. Do not enter the braces.	{ENABLE DISABLE}
	A vertical bar represents a choice of two or more options within brackets or braces. Enter one of the options. Do not enter the vertical bar.	{ENABLE DISABLE} [COMPRESS NOCOMPRESS]
...	Horizontal ellipsis points indicate either: <ul style="list-style-type: none"> That we have omitted parts of the code that are not directly related to the example That you can repeat a portion of the code 	CREATE TABLE ... AS subquery; SELECT col1, col2, ... , coln FROM employees;
.	Vertical ellipsis points indicate that we have omitted several lines of code not directly related to the example.	SQL> SELECT NAME FROM V\$DATAFILE; NAME ----- /fsl/dbs/tbs_01.db /fsl/dbs/tbs_02.dbf . . . /fsl/dbs/tbs_09.dbf 9 rows selected.
Other notation	You must enter symbols other than brackets, braces, vertical bars, and ellipsis points as shown.	acctbal NUMBER(11,2); acct CONSTANT NUMBER(4) := 3;
<i>Italics</i>	Italicized text indicates placeholders or variables for which you must supply particular values.	CONNECT SYSTEM/ <i>system_password</i> DB_NAME = <i>database_name</i>

Convention	Meaning	Example
UPPERCASE	Uppercase typeface indicates elements supplied by the system. We show these terms in uppercase in order to distinguish them from terms you define. Unless terms appear in brackets, enter them in the order and with the spelling shown. However, because these terms are not case sensitive, you can enter them in lowercase.	<i>SELECT last_name, employee_id FROM employees;</i> <i>SELECT * FROM USER_TABLES;</i> <i>DROP TABLE hr.employees;</i>
lowercase	Lowercase typeface indicates programmatic elements that you supply. For example, lowercase indicates names of tables, columns, or files. Note: Some programmatic elements use a mixture of UPPERCASE and lowercase. Enter these elements as shown.	<i>SELECT last_name, employee_id FROM employees;</i> <i>sqlplus hr/hr</i> <i>CREATE USER mjones IDENTIFIED BY ty3MU9;</i>
Text within angle brackets < >	Angle brackets represent variables in the Oracle Calendar sections of this document. Enter the <hostname>, <port>.	<i>;%\$ORACLE_HOME/bin/ldapmodify -h <host> -p <port> -D cn=orcladmin -w <password> -f index.ldif</i>

Conventions for Windows Operating Systems

The following table describes conventions for Windows operating systems and provides examples of their use.

Convention	Meaning	Example
Choose Start >	How to start a program.	To start the Database Configuration Assistant, choose Start > Programs > Oracle - HOME_NAME > Configuration and Migration Tools > Database Configuration Assistant.
File and directory names	File and directory names are not case sensitive. The following special characters are not allowed: left angle bracket (<), right angle bracket (>), colon (:), double quotation marks ("), slash (/), pipe (), and dash (-). The special character backslash (\) is treated as an element separator, even when it appears in quotes. If the file name begins with \\, then Windows assumes it uses the Universal Naming Convention.	<i>c:\winnt\"system32</i> is the same as <i>C:\WINNT\SYSTEM32</i>
C:\>	Represents the Windows command prompt of the current hard disk drive. The escape character in a command prompt is the caret (^). Your prompt reflects the subdirectory in which you are working. Referred to as the command prompt in this manual.	<i>C:\oracle\oradata></i>

Convention	Meaning	Example
Special characters	The backslash (\) special character is sometimes required as an escape character for the double quotation mark (") special character at the Windows command prompt. Parentheses and the single quotation mark (') do not require an escape character. Refer to your Windows operating system documentation for more information on escape and special characters.	<pre>C:\>exp scott/tiger TABLES=emp QUERY=\"WHERE job='SALESMAN' and sal<1600\" C:\>imp SYSTEM/password FROMUSER=scott TABLES=(emp, dept)</pre>
<i>HOME_NAME</i>	Represents the Oracle home name. The home name can be up to 16 alphanumeric characters. The only special character allowed in the home name is the underscore.	<pre>C:\> net start OracleHOME_ NAMETNSListener</pre>
<i>ORACLE_HOME</i> and <i>ORACLE_BASE</i>	<p>In releases prior to Oracle8i release 8.1.3, when you installed Oracle components, all subdirectories were located under a top level <i>ORACLE_HOME</i> directory. For Windows NT, the default location was <code>C:\orant</code>.</p> <p>This release complies with Optimal Flexible Architecture (OFA) guidelines. All subdirectories are not under a top level <i>ORACLE_HOME</i> directory. There is a top level directory called <i>ORACLE_BASE</i> that by default is <code>C:\oracle</code>. If you install the latest Oracle release on a computer with no other Oracle software installed, then the default setting for the first Oracle home directory is <code>C:\oracle\orann</code>, where <i>nn</i> is the latest release number. The Oracle home directory is located directly under <i>ORACLE_BASE</i>.</p> <p>All directory path examples in this guide follow OFA conventions.</p> <p>Refer to <i>Oracle10i Database Platform Guide</i> for Windows for additional information about OFA compliances and for information about installing Oracle products in non-OFA compliant directories.</p>	Go to the <i>ORACLE_BASE\ORACLE_HOME\rdms\admin</i> directory.

Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible, with good usability, to the disabled community. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to

facilitate access by the disabled community. Standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For additional information, visit the Oracle Accessibility Program Web site at

<http://www.oracle.com/accessibility/>

Accessibility of Code Examples in Documentation JAWS, a Windows screen reader, may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, JAWS may not always read a line of text that consists solely of a bracket or brace.

Suite-Level Issues

This chapter summarizes release note issues that affect all components of Oracle Collaboration Suite versions 9.0.4.1 and Patch Set 1 (9.0.4.2).

The following sections are included in the chapter:

- [What's New?](#)
- [Known Limitations and Workarounds](#)
- [Known Bugs in 9.0.4.1](#)
- [Known Bugs in 9.0.4.2](#)

1.1 What's New?

Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0) is now available. This patch contains many important bug fixes, as well as new product features. To obtain the patch, go to Oracle MetaLink at <http://metalink.oracle.com>.

For information about the new features and bugs fixed in this patch, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

1.2 Known Limitations and Workarounds

This section describes the following known limitations and workarounds for Oracle Collaboration Suite Release 2 (9.0.4.1).

- [Cannot Enable RAC with a Pre-seeded Information Storage Database](#)
- [Errors Occur in Oracle Collaboration Suite if Portal is Not Installed](#)
- [Oracle Collaboration Suite Web Client](#)
- [Oracle Enterprise Manager for Oracle Email Not Invoked](#)
- [Database is Not Being Registered](#)
- [Database Configuration Assistant Error](#)
- [Single Sign-On Photograph Registration](#)
- [Create or Edit User Information in Delegated Administration Service](#)
- [File Not Found Error Occurs During Execution of the root.sh Script](#)
- [Welcome Page iSupport Link](#)
- [Port Number Changes When Upgrade Assistant is Executed](#)
- [Configure Oracle Collaboration Suite Components with SSL](#)

- [Upgrade](#)
- [Oracle Collaboration Suite Quick Installation Guide for AIX-Based Systems](#)

1.2.1 Cannot Enable RAC with a Pre-seeded Information Storage Database

Currently, Oracle Real Application Clusters (RAC) cannot be enabled with a pre-seeded Oracle Collaboration Suite Release 2 information storage database.

Workaround: Install a 9.2.0.1 custom RAC enabled database from the Oracle9i Release 2 (9.2.0.1) database CD-ROM and apply the 9.2.0.3 patch set.

See Also: Bug 3098122 for more information on this issue

1.2.2 Errors Occur in Oracle Collaboration Suite if Portal is Not Installed

During the Oracle Collaboration Suite middle tier installation, the Oracle Universal Installer (OUI) lets you decide whether or not to configure Portal. While Portal is an optional component of Oracle Collaboration Suite, failure to configure Portal on at least one middle tier results in some broken links in the Web client. For example, an error occurs if you:

- Click Log on to Oracle Collaboration Suite in the "End-User Login" section of the default welcome page (`index.html`).
- Click the Return to Portal global link in web applications, such as Oracle Email and Oracle Files.

Oracle Corporation recommends configuring Portal on at least one Oracle Collaboration Suite middle tier. Portal provides a convenient launch pad for accessing Oracle Collaboration Suite web applications.

Note: Configuring Portal is a required prerequisite of configuring the Oracle Collaboration Suite Web client.

If you choose not to configure Portal as part of your installation, you can find the direct entry point URLs for various web applications, such as Oracle Email, Oracle Files, and Oracle Calendar in the following file:

```
$ORACLE_  
HOME/webclient/classes/oracle/collabsuite/webclient/resources/we  
bclient.properties
```

1.2.3 Oracle Collaboration Suite Web Client

This section describes Oracle Collaboration Suite Web Client issues.

1.2.3.1 Web Client may not Work on Korean Locale

The Web client may not work if you are using Internet Explorer on Korean Windows 2000.

1.2.3.2 Failure to Automatically Register the Files Portlet

After installing the Oracle Files middle tier, the Oracle Files domain is not started by default. Because of this the Web Client configuration assistant might not be able to contact the Files portlet during the Web Client configuration, causing the automatic registration of the Files portlet to fail.

1.2.3.2.1 If Oracle Files and the Web Client are Configured on Different Hosts If Oracle Files and the Web Client are configured on different hosts, be sure to start the Oracle Files domain before you configure the Web Client.

See Also: "Start All Necessary Processes" in the Configuring Oracle Files chapter of the *Oracle Collaboration Suite Installation and Configuration Guide* for more information

1.2.3.2.2 If Oracle Files and the Web Client are Configured on the Same Host If Oracle Files and the Web Client are configured on the same host during the same installation, automatic registration of the Files portlet will fail.

Workaround:

1. Start the Oracle Files domain. Refer to the section called "Start All Necessary Processes" in the Oracle Files chapter of the *Oracle Collaboration Suite Installation and Configuration Guide* for more information.
2. Verify that the URL for Oracle Files are correctly set in the `$ORACLE_HOME/webclient/classes/oracle/collabsuite/webclient/resources/webclient.properties` file.
3. Re-run the Web Client configuration assistant from the command line:

```
$ORACLE_HOME/webclient/bin/webclient_installer.sh
```

1.2.3.3 Broken Images on UNIX

The Web Client uses Oracle UIX (User Interface XML) technology to generate web pages. UIX dynamically generates many images, such as buttons and tabs, appearing throughout the UI. Due to limitations in Java 2 Standard Edition (J2SE) prior to version 1.4, UIX requires an X server process to generate dynamic images on UNIX platforms.

To locate the X server, the UIX runtime relies on the value of the `DISPLAY` environment variable. If the Web Client is running on a UNIX host, and some of the images in the UI appear broken or inconsistent, the problem may be that the value of the `DISPLAY` environment variable for the Web Client process is set incorrectly.

A common symptom of this problem is that instead of the rounded, beige buttons, UI pages are rendered using native browser buttons.

To verify the value of the `DISPLAY` environment variable for the Web Client process, open the `$ORACLE_HOME/opmn/conf/opmn.conf` file in a text editor, and locate the entry for the instance called `\OC4J_Portal\`:

```
<oc4j maxRetry="3" instanceName="OC4J_Portal" gid="OC4J_Portal" numProcs="1">
  <environment>
    <prop name="DISPLAY" value="your-host-name:0.0" />
  </environment>
</oc4j>
```

The value of the `DISPLAY` property should reference a running X server.

Note: During installation, the Oracle Universal Installer automatically populates the value of the DISPLAY property in `opmn.xml` using the value of the DISPLAY environment variable detected during the installation session. If you are running the Oracle Universal Installer remotely, such as from a desktop PC with X emulation software (such as Hummingbird Exceed), this auto-detected value will be incorrect, because it will reference a remote X server that is not guaranteed to be available. The safest approach is to create an X server on the middle tier host and reference it in the DISPLAY property. Consult your UNIX documentation on how to start an X server on your platform.

1.2.3.4 Broken Link on Collaboration Suite Welcome Page

In the Collaboration Suite welcome page at `http://host:port/`, the link in the End-User Login portlet only functions on the host where Oracle Portal is configured. On other middle tier hosts, the link is broken.

1.2.4 Oracle9iAS Web Cache Start Failure

When starting Oracle9iAS Web Cache, you may see the following error:

```
Error: No matching CACHE element found in webcache.xml for current hostname and
ORACLE_HOME. Cache Server failed to start
```

If you see this error, some parameters in `webcache.xml` may be pointing to symbolic links rather than actual paths.

To find out whether `webcache.xml` parameters point to symbolic links, perform the following steps:

1. Navigate to `$ORACLE_HOME/webcache` and open `webcache.xml`.
2. Check the path specified for the `ORACLEHOME` parameter.
3. At the command line, use the `ls -l` command to see whether the top-level directory is a symbolic link. For example, if the value for `ORACLEHOME` is `/home/test/csr2mt`, type the following command:

```
ls -l /home
```

If the directory is a symbolic link, you will see notation similar to the following:

```
test -> /private/test
```

4. If the `webcache.xml` parameters do point to symbolic links, update all paths in this file to use the actual path instead of the symbolic link. For example, change all instances of `/home/test/csr2mt` to `/private/test/csr2mt`.

Note: Back up the file before editing. Since paths are listed for multiple parameters in `webcache.xml`, make sure that you replace all occurrences.

5. Save `webcache.xml`.
6. Restart Oracle9iAS Web Cache:

```
$ORACLE_HOME/webcache/bin/webcachectl stop
```

```
$ORACLE_HOME/webcache/bin/webcachectl start
```

7. Restart OPMN:

```
$ORACLE_HOME/opmn/bin/opmnctl stopall
$ORACLE_HOME/opmn/bin/opmnctl startall
```

1.2.5 Oracle Enterprise Manager for Oracle Email Not Invoked

Oracle Enterprise Manager for Oracle Email is not invoked during the installation of Oracle Collaboration Suite Release 2 infrastructure.

Workaround:

Perform the following steps on the infrastructure and the middle tier:

1. Set ORACLE_HOME.
2. Run the `$ORACLE_HOME/oes/bin/install_umemd.sh` script.
3. Restart Oracle Enterprise Manager:

```
emctl start
```

1.2.6 Database is Not Being Registered

When running the database configuration assistant (DBCA) as a standalone, the database is not being registered.

Workaround: Register the database using a user DN that is a member of the Oracle Directory Manager `OracleDBCreators` group, or the `cn=orcladmin` user DN.

1.2.7 Database Configuration Assistant Error

When the database configuration assistant (DBCA) is invoked from the Oracle Universal Installer or the command line, the following error occurs:

```
Open Wallet Failed
```

Workaround: None, you can ignore this error message.

1.2.8 Single Sign-On Photograph Registration

The current release does not permit a photograph of a single sign-on user to be uploaded.

1.2.9 Create or Edit User Information in Delegated Administration Service

When clicking Create or Edit in the Resource Access Information section on the user creation and editing screens, the previously entered user data in the other fields on the screen is lost.

Workaround: Re-enter the user data after the resource access information is created or edited.

1.2.10 File Not Found Error Occurs During Execution of the root.sh Script

When executing the `root.sh` script, you may receive an error message stating that the `$ORACLE_HOME/rdbms/filemap` file could not be found. This occurs because an attempt has been made to remove a file that does not exist.

Workaround: None, you can ignore this error message.

1.2.11 Welcome Page iSupport Link

The on the infrastructure and middle tier, where the Web Client is installed, perform the following:

Edit the `ORACLE_HOME/Apache/Apache/htdocs/index.html` file by replacing the URL:

```
http://gsi.oraclecorp.com/OA_HTML/ibulogin.jsp
```

with

```
http://www.oracle.com/support/metalink/index.html
```

1.2.12 Port Number Changes When Upgrade Assistant is Executed

When the upgrade assistant is executed, the port numbers for the following applications change:

- Oracle Calendar
- Oracle Email
- Oracle Files
- Oracle Web Conferencing
- Oracle9iAS Wireless and Voice

Workaround:

Prior to running web client installer from the command line, manually reset the port number for each application in the `ORACLE_HOME/webclient/classes/oracle/collabsuite/webclient/resources/webclient.properties` file.

In the `webclient.properties` file, enter the appropriate port number in the URL associated with each of the following entry points:

- mail.help.url
- files.help.url
- calendar.help.url
- imeeting.help.url
- search.help.url
- wireless.help.url
- mail
- calendar
- files
- search
- wireless
- portal
- imeeting
- mail.provider
- files.provider
- search.provider

- wireless.provider
- webclient.provider
- imeeting.provider
- calendar.provider

1.2.13 Configure Oracle Collaboration Suite Components with SSL

See the following documentation for information on configuring Oracle Collaboration Suite components with SSL:

- Security Web Providers document on the Oracle*9i*AS Portal Web site at the following URL: <http://portalstudio.oracle.com>
- "Manually Setting Up HTTPS with mod_osso on the Middle Tier" in Chapter 6 of the Oracle Collaboration Suite Installation and Configuration Guide
- "Installing Oracle Collaboration Suite" in the Oracle Collaboration Suite Installation and Configuration Guide
- Section 5.6, "Configuring Ports and Network Connectivity" and Section 5.7, "Configuring SSL" in Chapter 6 "Sample Deployments" of the Oracle Web Conferencing Administrator's Guide

1.2.14 Upgrade

Oracle Collaboration Suite release 9.0.3.1.0 is released on AIX 4.3.3 only. Oracle Collaboration Suite release 9.0.4.0.0 was the first release of Oracle Collaboration Suite on AIX 5L. Because AIX 4.3.3 and AIX 5L are not binary compatible, upgrade of Oracle Collaboration Suite release 9.0.3.1.0 on AIX 4.3.3 to Oracle Collaboration Suite release 9.0.4.0.0, or Oracle Collaboration Suite release 9.0.4.1.0 on AIX 5L is not supported.

1.2.15 Oracle Collaboration Suite Quick Installation Guide for AIX-Based Systems

Even though the document title does not include it, the *Oracle Collaboration Suite Quick Installation Guide release 2 (9.0.4) for hp-ux PA-RISC (64-bit), Linux x86, and Solaris Operating Environment (SPARC 32-bit)* is for AIX-Based Systems, also.

1.3 Known Bugs in 9.0.4.1

[Table 1–1](#) lists the known suite-level bugs in Oracle Collaboration Suite 9.0.4.1.

Table 1–1 Known Suite-Level Bugs

Bug No.	Description
2425455	<p>The following only applies to AIX users:</p> <p>If high availability cluster multi-processing (HACMP) was previously installed, and the system is running as single node, NetCA hangs and returns the following error during the information storage installation:</p> <pre>java.lang.ArrayIndexOutOfBoundsException: 15 at oracle.net.ca.CmdlineArgs.parseArgs(CmdlineArgs.java) at oracle.net.ca.NetCA.<init>(NetCA.java) at oracle.net.ca.NetCA.main(NetCA.java)</pre> <p>If this occurs, stop the NetCA process.</p> <p>Workaround: Perform the following prior to installing the information storage:</p> <p>As root user, rename the following files:</p> <pre># cd /etc/objrepos # mv HACMPadapter HACMPadapter.bk # mv HACMPnode HACMPnode.bk</pre>
2499191	<p>The Oracle Email umbackend.tar file in the Oracle Collaboration Suite 9.0.4.1 release is only in English</p> <p>Workaround: Contact your Oracle support representative to obtain the patch. Refer to bug number 3156779.</p>
2499206	<p>The Oracle Email umconfig.sh script is only in English</p>
3050374	<p>In Internet Explorer, the single sign-on authentication throws an error for HTTPS links</p> <p>Workaround:</p> <ol style="list-style-type: none"> 1. Use two host names, one for the infrastructure and one for the middle tier. 2. Obtain a second host name that is mapped to the same IP address in DNS. 3. For the infrastructure, change all the host names entries to the second host name. 4. Change all the host names in the OHS configuration. 5. Re-register the mod_ossso partner applications in the middle tier to pick up the changed single sign-on server name.
3116499	<p>Intermittent installation problem results in an "Out of memory" error for the dcmctl updateconfig file</p> <p>Workaround: Increase the JVM memory</p>

Table 1–1 (Cont.) Known Suite-Level Bugs

Bug No.	Description
3118140	<p>The following error occurs when editing a user entry by changing only the password field.</p> <p>"Invalid Number Format for attribute : Employee Number"</p> <p>Workaround:</p> <p>To configure the employee number field to be alphabetical, perform the following steps:</p> <ol style="list-style-type: none"> 1. Log into DAS as a user with DAS configuration privileges such as orcladmin. 2. Click the Configuration tab. 3. Click the User Entry tab. 4. Click the Next button on the lower right corner. 5. In the attribute configuration table, select the attribute employee number row. 6. Choose Single Line Text from the dropdown list in the UI Type column. 7. Click Next in all subsequent windows, and click Finish.
3129911	<p>Compilation error in the WK_CRW package body.</p> <p>Workaround:</p> <ol style="list-style-type: none"> 1. Log in to the database as sys. 2. Enter the following SQL commands: <ul style="list-style-type: none"> SQL> grant select on SYS.DBMS_LOCK_ALLOCATED to WKSYS; SQL>alter package wksys.wk_crw compile body; SQL> alter package wksys.wk_snapshot compile body;
3151836	<p>When installing Oracle Collaboration Suite on a machine with a large memory, the Oracle Universal Installer displays an error message</p> <p>Workaround: Ignore the error message and continue installation</p>
3204943	<p>The NLS_LANG must be set to AMERICAN_AMERICA.UTF8 to backup and restore multibyte messages and folders</p>
3207537	<p>An Oracle Internet Directory Delegated Administration Services error occurs on Simplified Chinese locale.</p> <p>Workaround:</p> <p>Uncomment the following line from ORACLE_HOME\Apache\Apache\conf\httpd.conf:</p> <pre>include "ORACLE_HOME\Apache\Apache\conf\mod_osso.conf"</pre> <p>Restart the HTTP Server through Oracle Enterprise Manager.</p>

Table 1–1 (Cont.) Known Suite-Level Bugs

Bug No.	Description
3376394	<p>When viewing the status of a transaction created and recorded in Oracle Enterprise Manager (for example, logging into and out of Calendar) the transaction status shows "down." The following error message appears:</p> <pre data-bbox="683 380 971 407">NullPointerException</pre> <p>Performing the following workaround before creating a transaction prevents this error from occurring: For web applications that use ASCII-based character sets or UTF-8, add the flag <code>-DUrlTiming.CharacterConversion=0</code> to the <code>agentJavaDefines</code> variable in the agent's <code>emd.properties</code> file.</p>

1.4 Known Bugs in 9.0.4.2

Table 1–2 lists the known suite-level bugs in Oracle Collaboration Suite Release 2 (9.0.4.2) Patch Set 1.

Table 1–2 Known Bugs in Release 2 (9.0.4.2) Patch Set 1

Bug No.	Description
3376394	<p>As described in Oracle Enterprise Manager Managing Oracle Collaboration Suite, you can monitor your Oracle Collaboration Suite components using the Oracle Enterprise Manager Grid Control Console. However, if you create a Web Application target in the Grid Control Console and create business transactions to monitor the availability of your Oracle Calendar applications, you may run into the following problem. When viewing the status of a transaction (for example, a transaction that logs in and out of Oracle Calendar) the transaction status indicates that the Web Application is "down." When viewing the error, the following message appears:</p> <pre data-bbox="683 1182 971 1209">NullPointerException</pre> <p>This problem often appears for Web Applications that use ASCII-based character sets or UTF-8. To fix this problem:</p> <ol data-bbox="683 1287 1349 1371" style="list-style-type: none"> 1. Use a text editor to open the following file in the home directory of the Management Agent that is monitoring the Oracle Calendar Web Application: <pre data-bbox="732 1381 1235 1409">\$ORACLE_HOME/sysman/config/emd.properties</pre> 2. Locate the <code>agentJavaDefines</code> variable in the <code>emd.properties</code> file. <p data-bbox="732 1482 870 1509">For example:</p> <pre data-bbox="732 1524 1357 1577">agentJavaDefines=-Doracle.dms.refresh.wait.time=100 0 -DUrlTiming.UseJSSE=true</pre> 3. Add the following parameter to the <code>agentJavaDefines</code> variable: <pre data-bbox="732 1654 1138 1682">-DUrlTiming.CharacterConversion=0</pre> <p data-bbox="732 1692 870 1719">For example:</p> <pre data-bbox="732 1734 1357 1818">agentJavaDefines=-Doracle.dms.refresh.wait.time=100 0 -DUrlTiming.UseJSSE=true -DUrlTiming.CharacterConversion=0</pre> 4. Save and close the <code>emd.properties</code> file. 5. Restart the Management Agent.

Table 1–2 (Cont.) Known Bugs in Release 2 (9.0.4.2) Patch Set 1

Bug No.	Description
3695814	<p>The <code>files.jar</code> file is incorrect in Oracle Collaboration Suite release 9.0.4.2 for AIX-based systems.</p> <p>Workaround: There is a mandatory patch to be applied after applying patch set 9.0.4.2 in the middle tier. Contact your Oracle support representative to obtain the patch. Refer to bug number 3695814.</p>

Globalization

This chapter summarizes issues associated with multi-language support.

The following sections are included in the chapter:

- [What's New?](#)
- [Known Limitations and Workarounds](#)

2.1 What's New?

Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0) includes important bug fixes and support for new language translations in Hungarian, Russian, Czech, and Romanian. To obtain the patch, go to Oracle MetaLink at <http://metalink.oracle.com>.

For information about the new language support and bugs fixed in this patch, see the *Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0) Readme*.

2.2 Known Limitations and Workarounds

This section describes known limitations associated with multi-language support.

- [Language Support for Installation](#)
- [Bidirectional Support for Arabic](#)
- [Language Support for the Web Conferencing Document Converter](#)
- [Host Name Translation Error in Web Conferencing](#)
- [Character Sets for Infrastructure and Information Store Databases](#)
- [International User IDs](#)

2.2.1 Language Support for Installation

During installation, the product language selection list determines which languages are installed. Oracle Corporation recommends that you choose the same languages for the infrastructure that you choose for the middle tier. Note that languages cannot be added or removed after installation.

Note: Reinstalling a language that is already installed corrupts the repository. If, for example, the single sign-on server already supports Japanese, do not reinstall this language.

2.2.2 Bidirectional Support for Arabic

Only Internet Explorer 5.5 and above support bidirectional Arabic language user interfaces on Oracle Collaboration Suite.

2.2.3 Language Support for the Web Conferencing Document Converter

To enable language support for the Web Conferencing Document Converter, you must enable the corresponding language option in Microsoft Office. Options can be set by selecting:

Start > Programs > Microsoft Office Tools > Microsoft Office Language Options

2.2.4 Host Name Translation Error in Web Conferencing

Under Oracle Web Conferencing Configuration, the translation of Host Name should refer to a host machine rather than a host person.

2.2.5 Character Sets for Infrastructure and Information Store Databases

Oracle Corporation recommends using Unicode UTF8 as the database character set for the Oracle Collaboration Suite infrastructure and information store. Using Unicode ensures that different languages and encodings are handled properly in a global collaboration environment. Unicode UTF8 is installed by default in the infrastructure and information storage databases.

Other character sets are supported when you upgrade existing infrastructure and storage databases to Oracle Collaboration Suite Release 2. Another supported option for the information store is to create a custom database that uses a specific character set.

2.2.6 International User IDs

Oracle Collaboration Suite supports international non-ASCII user IDs with certain exceptions:

- Neither Oracle Workflow nor Oracle Files WebDAV (Web Folders) supports international user IDs.
- The mail administration Web interface cannot be used to create mail accounts for international user IDs. Instead, use the command-line tool `oesucr` as follows:

1. Prepare the user record file `nonascii.txt` using UTF-8 encoding:

```
mail=testuser1@us.oracle.com
orclmailquota=400000000
baseuserdn=cn=[non-ascii userid here],cn=users,o=oracle,dc=com
```

2. Execute `oesucr`:

```
oesucr nonascii.txt -encoding=UTF-8
```

Oracle Calendar

This chapter describes new features and known limitations of the components of Oracle Calendar.

- [Oracle Calendar Server](#)
- [Oracle Calendar Administrator](#)
- [Oracle Calendar SDK](#)
- [Oracle Calendar Application System](#)
- [Oracle Connector for Outlook](#)
- [Oracle Calendar Desktop Clients](#)
- [Oracle Calendar Sync Clients](#)
- [Client Coexistence Behavior](#)

3.1 Oracle Calendar Server

This section contains the following topics:

- [What's New](#)
- [Known Limitations and Workarounds in 9.0.4.1](#)
- [Known Limitations and Workarounds in 9.0.4.2](#)
- [New and Updated Server Parameters](#)
- [Documentation Errata](#)

3.1.1 What's New

This section lists new features in the Oracle Calendar server, Release 9.0.4.1.

Performance and Scalability

- Multiple server instances on a single computer (UNIX)
- Multiple Corporate-Wide Services daemons/services
- Multiple Lock Manager daemons/services
- Small transaction optimization
- Store attachments outside of event database

High Availability

- Run `unidbfix` in check mode 24 x 7, while server is up
- Run `unidbfix` concurrently on different nodes
- Start and stop nodes while the server is running
- Run `unidbfix` repairs on a stopped node
- Allow sign-in during backups

Enhanced Administration Capabilities

- Delegate administration rights
- Major upgrade of Web-based Calendar Administrator
- New look and feel
- Manage users, resources, event calendars, groups, nodes and servers
- Remote start/stop server capability
- Utilities for controlling more attributes:
 - `uniuser` (user directory attributes, reminders, user settings, inactive accounts)
 - `uniadminrights` (admin rights)
 - `uniaccessrights` (access rights, including designate rights)
 - `unigroup` (groups)
- Single-user restore
- Transfer of event ownership when deleting users
- `uniical` utility to replace `unicpin/unicpout` for import/export

Directory Support

- Dynamic LDAP groups
- OpenLDAP
- LDAP support for non-password-based authentication like GSSAPI and SASL
- Reduce the number of accesses required to the directory
- The LDAP libraries are "SSL enabled" for all platforms

Other Enhancements (Client Support Required)

- Remote designates
- Replication of groups across nodes
- Control double-booking on a per-resource basis
- Automatic confirmed reply for booked resources (resource approval)

More new features are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.1.2 Known Limitations and Workarounds in 9.0.4.1

This section describes known limitations and their workarounds for release 9.0.4.1 of the Oracle Calendar server.

- **Threading:** Threading is not supported for AIX-based systems.
- **Corrupted ini files:** When the Oracle Calendar server is installed in multi-byte languages, the `category.ini` and `categorytype.ini` files are corrupted. To fix this issue, copy `category.ini.sbs` to `category.ini` and copy `categorytype.ini.sbs` to `categorytype.ini`. (3016058)

This has been fixed in release 9.0.4.2.

- **Missing man pages:** The unix man pages do not exist for the following utilities: `unirestore`, `unioidconf` and `unistrconv`. However, documentation is available for these utilities in "Appendix F, Calendar Server Utilities" in the *Oracle Calendar Reference Manual*. (3052252)

This has been fixed in release 9.0.4.2.

- **Restarting a calendar node:** If you stop a calendar node using the Calendar Administrator, you will not be able to restart the node using the Calendar Administrator. Workaround: Use `unistart` to restart. (2892695)

This has been fixed in release 9.0.4.2.

- **Oracle Calendar server host name:** The host name of the calendar server (not including the domain name) cannot be longer than 24 characters. (3004315)
Workaround: Use the IP address instead of the hostname.

- **Enabling Oracle Single Sign On (SSO):** After upgrading from Release 1 to Release 2, SSO will be disabled on the Middle Tier. To enable SSO, do the following:

1. Comment out the following line in the `$ORACLE_HOME/Apache/Apache/conf/mod_osso.conf` file:

```
# LoadModule osso_module libexec/mod_osso.so
```

2. Restart the Oracle HTTP server on the middle tier:

```
dcmdctl stop -ct ohs
dcmdctl start -ct ohs
```

To set up HTTPS with `mod_osso` on the middle tier follow the steps outlined in the "Setting Up HTTPS with `mod_osso` on the Middle Tier" section in the *Oracle Collaboration Suite Release 2 (9.0.4) Installation and Configuration Guide*.

- **Converting the calendar database:** If you attempt to convert your calendar database using the `unil2bendian` and `unib2lendian` utilities, your attachments will not be accessible. (3520530)

This has been fixed in release 9.0.4.2.

See Also: [Section 3.1.5, "Documentation Errata"](#)

3.1.3 Known Limitations and Workarounds in 9.0.4.2

This section describes known limitations and their workarounds for release 9.0.4.2 of the Oracle Calendar server.

- **Passwords on the command line:** Oracle does not recommend that you use the password options for the command line utilities that are shipped with the Oracle

Calendar server. The reason for this is that supplying the password on the command line is not considered to be secure. (3372778)

Oracle recommends that you use one of the following secure methods to run the command line utilities:

- Run the utilities from the command line without the password option, then enter the passwords when prompted.
- Run the utilities from within a script and use file redirection to supply any passwords.
- **Web Conferencing Join URL:** If the value of the `unison.ini` parameter `[CONFERENCING]url` is changed, the Join button for any previously created Web conferences will no longer point to the correct Web Conferencing server.

Workaround: Set the value of the `unison.ini` parameter

`[CONFERENCING]baseurl_join` to the base URL of the correct server.

- **Resource configuration can lead to invalid resource bookings:** Resources configured as "First Come First Serve" automatically accept reservation requests (invitations) from users who have no viewing rights for the resource. This can result in double-booking the resource if one of these users reserves the resource for a time period during which it has already been reserved.

This occurs because the resource configuration is contradictory. It is not possible for the server to properly enforce the "First come, First serve" setting of the resource if the user has no viewing rights to the resource. The server can either accept the invitation and double-book the resource or refuse the invitation (not allow the conflict) and reveal the availability of the resource. Currently, the Oracle Calendar server emphasizes security and allows the double-booking so as not to reveal the availability of the resource to users who have no viewing rights. (2964522)

Workaround: Any users who have the rights to invite a "First Come, First Serve" resource should have their viewing rights to the resource set to at least "View Times."

- **Increase in memory requirements:** The default value of the `[DB]db_pages` parameter was increased from 8 to 24 to improve performance. As a result, there is an increase in memory requirements of 128 KB per client session when compared to the Oracle Calendar server 9.0.4.

Calendar servers where virtual memory paging is very high but CPU and database I/O capacity are not fully utilized could benefit from setting the `db_pages` parameter to a lower value such as 8 or 16.

- **Indexing the "middleName" attribute:** In some circumstances, Oracle Connector for Outlook may need to query the Oracle Internet Directory server to resolve a given contact. If the contact entry has a `middleName` attribute, this operation might fail since that attribute is not indexed, and therefore cannot be used in a search operation. (3400279)

To resolve this issue you need to index the `middleName` attribute. First, however, verify whether or not the `middleName` attribute is already indexed.

1. Set the `<ORACLE_HOME>` environment variable if it is not already set.
2. Run the following command:

```
% $ORACLE_HOME/bin/ldapsearch -h <host> -p <port> -D
cn=orcladmin -w <password> -b "cn=catalogs" -s base
"objectclass=*" | grep -i "middleName"
```

If you see a line that says "orclindexedattribute: middleName", then the attribute is already indexed and you do not need to apply the following procedure.

To index the middleName attribute:

1. Open a text editor and type the following lines:

```
dn: cn=catalogs
changetype: modify
add: orclindexedattribute
orclindexedattribute: middleName
```

2. Save the file as `index.ldif`.
3. Run the `ldapmodify` command as follows.

```
% $ORACLE_HOME/bin/ldapmodify -h <host> -p <port> -D
cn=orcladmin -w <password> -f index.ldif
```

You can safely ignore any "Type or value already exists" error messages.

- **Coexistence of release 9.0.4.2 and 9.0.4.1 servers:** If you have release 9.0.4.2 servers coexisting with 9.0.4.1 servers, you may encounter problems when removing users from the release 9.0.4.2 server. Consider the following scenario:

User A exists on the release 9.0.4.2 server Alpha. Users B and C exist on the release 9.0.4.1 server Beta. User A creates a meeting with attachments and invites users B and C. If user A is then deleted from server Alpha, users on server Beta will still see user A listed as a user on server Alpha.

This is due to a known issue of 9.0.4.1 (bug 3104747) where a user is not properly deleted in a 9.0.4.1 server's list of replicated users on connected nodes. Although users are properly deleted, from other nodes they are still seen as remote users. Although the problem is fixed in release 9.0.4.2, it still exists in release 9.0.4.1 and will be encountered in this particular coexistence scenario.

- **Coexistence of release 9.0.3 and 9.0.4 servers:** In an environment where Release 9.0.3 Calendar servers are coexisting with 9.0.4 servers, 9.0.3 users cannot see 9.0.4 resources. (3061350)

To fix this, add the following parameters to the `unison.ini` file of the 9.0.3 server:

```
ENG
dac_itemselect = FALSE
dac_itemenum = FALSE
```

3.1.4 New and Updated Server Parameters

This section describes new and updated parameters for the Oracle Calendar server and contains the following topics.

- [New Parameters in the unison.ini File](#)
- [Updated Parameters in the unison.ini File](#)
- [Updated UNIX Environment Variables](#)

3.1.4.1 New Parameters in the unison.ini File

[Table 3–1](#) lists the new parameters added to the `unison.ini` file.

Table 3–1 *New parameters added to the unison.ini file*

Section	Parameter	Description
[CLIENT]	oc_minsendreceiverate	Controlling the Rate of Oracle Connector for Outlook Refreshes
	searchorder_user	Specifying Client Application Search Methods
[CONFERENCING]	baseurl_join	Redirecting Web Conferencing URLs
	disablenotification	Disabling Web Conferencing Notification
[DAS]	dir_connectmodel	Specifying the Directory Server Connection Model
[ENG]	dir_enableldappersonsearch	Enabling Access to LDAP Directories
	maxattendees	Limiting the Number of Meeting Attendees
	ocas_sessionexpiry	Setting Time Limits for Oracle Calendar Application System Sessions
[LDAP]	attr_alias	Specifying the LDAP Attribute for Alias
	attr_assistant	Specifying the LDAP Attribute for Assistant Name
	attr_assistantphone	Specifying the LDAP Attribute for Assistant Phone Number
	attr_department	Specifying the LDAP Attribute for Department
	attr_displayname	Specifying the LDAP Attribute for Display Name
	attr_homephone2	Specifying the LDAP Attribute for Alternate Home Phone Number
	attr_managerdn	Specifying the LDAP Attribute for Manager
	attr_notes	Specifying the LDAP Attribute for Notes
	attr_officeaddress	Specifying the LDAP Attribute for Business Address: Street
	attr_officecity	Specifying the LDAP Attribute for Business Address: City
	attr_officename	Specifying the LDAP Attribute for Business Address: Building
	attr_officepostalcode	Specifying the LDAP Attribute for Business Address: Postal Code
	attr_officestate	Specifying the LDAP Attribute for Business Address: State
	attr_pager	Specifying the LDAP Attribute for Pager
	attr_phone2	Specifying the LDAP Attribute for Alternate Business Phone

Controlling the Rate of Oracle Connector for Outlook Refreshes

Parameter: `oc_minsendreceiverate`

Section: [CLIENT]

Description: Specifies the minimum number of minutes before the next automatic call to the server to check for new agenda entries. This is used by Oracle Connector for Outlook only.

Accepted values: Any positive integer

Default value: 15

Specifying Client Application Search Methods

Parameter: `searchorder_user`

Section: [CLIENT]

Description: Specifies to the client which search methods to use and in what order when trying to find a calendar user account.

Accepted values: A comma delimited list of search methods enclosed in curly braces. The currently recognized search methods are: X400, USERID, EMAIL.

Default values: At installation, if e-mail is mapped to user ID then the default value is set to {USERID, X400}. Otherwise there is no default set.

Redirecting Web Conferencing URLs

Parameter: `baseurl_join`

Section: [CONFERENCING]

Description: Specifies the base URL to use to replace the base URL of the join URL provided by Web Conferencing when a meeting is created.

See Also: [CONFERENCING]url in the *Oracle Calendar Reference Manual*

Accepted values: A base URL of the following format:

Protocol: HTTP or HTTPS

Hostname: <hostname value> (default = localhost)

Port: <port value> (HTTP default = 80, HTTPS default = 443)

If a path is supplied, it is ignored.

Example:

HTTP://localhost:80/

HTTPS://myhost.com:7815/

Default value: None

Disabling Web Conferencing Notification

Parameter: `disablenotification`

Section: [CONFERENCING]

Description: Specifies whether or not Web Conferencing sends e-mail notifications of changes made to meetings by Calendar client applications. This parameter applies to Oracle Connector for Outlook only.

Accepted values:

TRUE (Disables notification)

FALSE (Enables notification)

Default value: FALSE

Specifying the Directory Server Connection Model

Parameter: `dir_connectmodel`

Section: [DAS]

Description: Specifies the directory server connection model. In the persistent connection model, the directory server connection is established at startup and terminated at shutdown. In the on-demand connection model, the directory server connection is established for a transaction that requires directory access and is terminated at the end of the transaction.

Accepted values:

`persistent`

`ondemand`

Default value: `persistent`

Enabling Access to LDAP Directories

Parameter: `dir_enableldappersonsearch`

Section: [ENG]

Description: Enables or disables access to non-calendar users stored in an LDAP directory. To minimize the number of hits to the LDAP directory server in environments where all the LDAP users are provisioned for Oracle Calendar, set this parameter to FALSE.

Accepted values

TRUE (Enables access to the LDAP directory)

FALSE (Disables access to the LDAP directory)

Default value: TRUE

Limiting the Number of Meeting Attendees

Parameter: `maxattendees`

Section: [ENG]

Description: Specifies the maximum number of attendees an event can have. This parameter does not apply to holidays, the `unimvuser` utility, or replication.

A value of 0 indicates that no limit should be enforced by the server.

Accepted values: Any positive integer or 0.

Default value: 5000

Setting Time Limits for Oracle Calendar Application System Sessions

Parameter: `ocas_sessionexpiry`

Section: [ENG]

Description: Specifies the amount of time, in minutes, before the connection between Oracle Calendar Application System and Oracle Calendar server is terminated. The

actual expiry is set within plus or minus 30% of this value. This implies that, with a default setting of 2160 minutes (36 hours), the actual expiry will be within 1 or 2 days of the connection being established. A value of 0 indicates that no limit should be enforced by the server.

Note: Client applications are not affected by this connection loss.

Accepted values: Any positive integer or 0.

Default value: 2160 (36 hours)

Specifying the LDAP Attribute for Assistant Phone Number

Parameter: `attr_assistantphone`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the ASSISTANT-PHONE attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: None

Specifying the LDAP Attribute for Alias

Parameter: `attr_alias`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the ALIAS attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: `uid`

Specifying the LDAP Attribute for Assistant Name

Parameter: `attr_assistant`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the ASSISTANT attribute.

See Also: [LDAP]`attr_assistantphone` in [Specifying the LDAP Attribute for Assistant Phone Number](#)

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: None

Specifying the LDAP Attribute for Department

Parameter: `attr_department`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the DEPARTMENT attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: departmentnumber

Specifying the LDAP Attribute for Display Name

Parameter: attr_displayname

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the DISPLAYNAME attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value:

displayname (for Oracle Internet Directory)

"" (for LDAP directory servers)

Specifying the LDAP Attribute for Alternate Home Phone Number

Parameter: attr_homephone2

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the HOMEPHONE2 attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: None

Specifying the LDAP Attribute for Manager

Parameter: attr_managerdn

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for a user's managerdn attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value:

manager (for Oracle Internet Directory)

"" (for LDAP directory servers)

Specifying the LDAP Attribute for Notes

Parameter: attr_notes

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the notes attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: None

Specifying the LDAP Attribute for Business Address: Street

Parameter: `attr_officeaddress`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the OFFICE-ADDRESS attribute.

See Also:

[LDAP] `attr_officocity` in [Specifying the LDAP Attribute for Business Address: City](#)

[LDAP] `attr_officepostalcode` in [Specifying the LDAP Attribute for Business Address: Postal Code](#)

[LDAP] `attr_officestate` in [Specifying the LDAP Attribute for Business Address: State](#)

[LDAP] `attr_country` in the *Oracle Calendar Reference Manual*

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: `street`

Specifying the LDAP Attribute for Business Address: City

Parameter: `attr_officocity`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the OFFICE-CITY attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: `1` (lowercase L)

Specifying the LDAP Attribute for Business Address: Building

Parameter: `attr_officename`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the OFFICE-BUILDING attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: `physicalDeliveryOfficeName`

Specifying the LDAP Attribute for Business Address: Postal Code

Parameter: `attr_officepostalcode`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the OFFICE-POSTALCODE attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: postalcode

Specifying the LDAP Attribute for Business Address: State

Parameter: attr_officestate

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the OFFICE-STATE attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: st

Specifying the LDAP Attribute for Pager

Parameter: attr_pager

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the PAGER attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: pager

Specifying the LDAP Attribute for Alternate Business Phone

Parameter: attr_phone2

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the secondary business telephone number "PHONE2" attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: None

3.1.4.2 Updated Parameters in the unison.ini File

Table 3–2 lists and describes the updated parameters in the unison.ini file.

Table 3–2 Parameters updated in release 9.0.4.2

Section	Parameter	Description	Changes made
[CWS]	mailhdrtoname	Enabling Name Display in E-Mail Headers	The description has been modified.
	noreqsleep	Setting CWS Waiting Time	The description has been modified.
	noreqsleep_replication	Setting CWS Waiting Time for Replication Requests	The description has been modified.
	smsnotifymsgfile	N/A	This parameter has been obsoleted.
[DAS]	dir_connection	N/A	This parameter has been obsoleted.

Table 3–2 (Cont.) Parameters updated in release 9.0.4.2

Section	Parameter	Description	Changes made
[DB]	db_pages	Specifying the Number of Pages for the Database Cache	The default value has been changed from 8 to 24.
[ENCRYPTION]	default	Specifying the Default Encryption Method	The default value has been changed from none to cs-light.
[ENG]	allowresourceconflict	Allowing Resource Conflicts	The description has been modified.
	gal_refreshinterval	Refreshing the Global Address List	The default value has been changed from 7200 to 21600.
	itemextinfo-maxsize	Storing Web Client Preferences	This parameter is now published.
	sss_cachesize	Specifying the Size of the Server-Side Security Records Cache	The default value has been changed from 101 to maxsession * 100.
	sss_cacheexpiredelay	N/A	This parameter has been renamed to sss_expiredelay.
	sss_expiredelay	Specifying the Expiry Delay for the Server-Side Security Records Cache	This parameter has been renamed from sss_cacheexpiredelay.
[LDAP]	attr_address	Specifying the LDAP Attribute for User Address	The description has been modified.
	attr_employeeid	Specifying the LDAP Attribute for Employee ID	The default value has been changed from None to +++.
	attr_fax	Specifying the LDAP Attribute for Fax Number	This parameter is now published.
	attr_homephone	Specifying the LDAP Attribute for Home Phone Number	This parameter is now published.
	attr_initials	Specifying the LDAP Attribute for User Initials	The default value has been changed from initials to middlename.
	attr_jobtitle	Specifying the LDAP Attribute for Job Title	This parameter is now published.
	attr_orgunit1	Specifying the LDAP Attribute for Organizational Unit	This parameter is now published.
	attr_phone	Specifying the LDAP Attribute for Business Phone Number	This parameter is now published.
	attr_timezone	Specifying the LDAP Attribute for Time Zone	This parameter is now published.
	usealtexclusionfilter	N/A	This parameter has been obsoleted.
LIMITS	autocontrol	Specifying the Minimum Interval for Checks for New Agenda Entries	There was an error in the documentation of this parameter.
	resourceconflicts	Allowing Resource Double-booking	The description has been modified.
	userlist_login	Enabling Browsing at Log In	The default value was changed from TRUE to FALSE.
UTL	ca_maxsearchresult	Limiting the Number of Search Results	The default value has been changed from 100 to 200.

Enabling Name Display in E-Mail Headers

Parameter: mailhdrtoname

Section: [CWS]

Description: Determines whether or not to include names along with addresses in the e-mail address fields ("From:", "To:" and "Reply-To") of the mail header. While addresses are constructed using ASCII characters (and hence present no display problem for mail readers), names may contain non-ASCII characters. In cases where the mail reader is unable to display the non-ASCII characters properly, remove the names from the address field altogether.

Accepted values:

TRUE (Include names)

FALSE (Do not include names)

Default value: TRUE

Setting CWS Waiting Time

Parameter: `noreqsleep`

Section: [CWS]

Description: Specifies the number of seconds the Corporate-Wide Services daemon/service waits (sleeps) when there is no work to do. This setting affects how often certain operations, such as server-side reminders and replication, are done. A low value may slow down the `uniengd` but reduces any delays in processing reminders and Web conferencing replication requests.

If no replication requests remain in the CWS replication queue, the number of seconds to wait before checking for new replication requests will be the greater of `noreqsleep` and `noreqsleep_replication`.

Accepted values: A positive integer

Default value: 15

Setting CWS Waiting Time for Replication Requests

Parameter: `noreqsleep_replication`

Section: [CWS]

Description: Specifies the number of seconds the Corporate-Wide Services daemon/service waits (sleeps) when there are no replication requests in the queue. This setting affects how often certain operations, such as remote user replication, are done. A low value may slow down the `uniengd` but reduces any delays in processing reminders and Web conferencing replication requests.

If no replication requests remain in the CWS replication queue, the number of seconds to wait before checking for new replication requests will be the greater of `noreqsleep` and `noreqsleep_replication`.

Accepted values: A positive integer

Default value: 15

Specifying the Number of Pages for the Database Cache

Parameter: `db_pages`

Section: [DB]

Description: Specifies the number of pages for the database cache. The greater the value, the greater the amount of memory used and the better the performance. As the number increases beyond a certain point, the returns on performance enhancement diminish.

Accepted values: A positive integer

Default value: 24

Specifying the Default Encryption Method

Parameter: `default`

Section: [ENCRYPTION]

Description: Specifies the default encryption method the calendar server uses for clients.

Accepted values: Any method in the list specified by the [ENCRYPTION] supported parameter.

Default value: cs-light

Allowing Resource Conflicts

Parameter: allowresourceconflict

Section: [ENG]

Description: Specifies whether the server allows double-booking of resources. This parameter should always be set with the same value as the [LIMITS] resourceconflicts parameter.

If this parameter is set to FALSE, each resource either allows or disallows conflicts based on its ALLOW-CONFLICT attribute. If the ALLOW-CONFLICT attribute is set to FALSE, no conflict will be allowed.

If this parameter is set to TRUE, the server allows all resources to be double-booked. In this case, the ALLOW-CONFLICT resource attribute is ignored.

See Also: [LIMITS] resourceconflicts in [Allowing Resource Double-booking](#)

Accepted values:

TRUE (Allow double-bookings)

FALSE (Do not allow double-bookings)

Default value : FALSE

Refreshing the Global Address List

Parameter: gal_refreshinterval

Section: [ENG]

Description: Specifies the time interval in seconds between each refresh of the Global Address List (GAL). Searches for entries in the GAL are a drain on performance and frequently done. To improve performance, the search results are cached and reused by the server.

To make sure that the cache is updated, the CWS periodically (see [CWS] galsyncinterval) sends requests to the server to update the result set. The result set is only rebuilt if it was invalidated (if, for example, a new node was added to the network) or if the current revision is older than the value of the parameter gal_refreshinterval. The parameter [CWS] galsyncinterval is used to configure the interval between each refresh.

Accepted values: A positive integer

Default value: 21600 (6 hours)

Storing Web Client Preferences

Parameter: itemextinfomaxsize

Section: [ENG]

Description: Specifies the maximum length of the `itemextinfo` attribute used by the Web client to store calendar account preferences.

Accepted values: A positive integer larger than 1500

Default value: None

Specifying the Size of the Server-Side Security Records Cache

Parameter: `sss_cachesize`

Section: [ENG]

Description: Specifies the number of read access record entries in the cache. The server uses these records to determine whether a user has the right to read calendar data he does not own. This cache is used to speed up reading the security access records by the server for handling the server-side security. There is one cache per user session.

See Also: [ENG] `sss_expiredelay` in [Specifying the Expiry Delay for the Server-Side Security Records Cache](#)

Accepted values:

0 (Disables the cache)

A positive integer less than 1000003

Default value: `maxsession * 100`

Specifying the Expiry Delay for the Server-Side Security Records Cache

Parameter: `sss_expiredelay`

Section: [ENG]

Description: Specifies the number of seconds an entry is kept in the cache before it expires.

See Also: [ENG] `sss_cachesize` in [Specifying the Size of the Server-Side Security Records Cache](#)

Accepted values: A positive integer

Default value: 900

Specifying the LDAP Attribute for User Address

Parameter: `attr_address`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the calendar user address attribute `LOC`.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value:

`postalAddress` (for Oracle Calendar standalone)

`homePostalAddress` (for Oracle Collaboration Suite)

Specifying the LDAP Attribute for Employee ID

Parameter: `attr_employeeid`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the "EMPL-ID" attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: employeenumber

Specifying the LDAP Attribute for Fax Number

Parameter: attr_fax

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the FAX attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: facsimileTelephoneNumber

Specifying the LDAP Attribute for Home Phone Number

Parameter: attr_homephone

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the HOMEPHONE attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: None

Specifying the LDAP Attribute for User Initials

Parameter: attr_initials

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the initials "I" attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: middlename

Specifying the LDAP Attribute for Job Title

Parameter: attr_jobtitle

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the job title "jt" attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: None

Specifying the LDAP Attribute for Organizational Unit

Parameter: `attr_orgunit1`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the OU1 attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: `ou`

Specifying the LDAP Attribute for Business Phone Number

Parameter: `attr_phone`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the business telephone number "PHONE" attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: `phone`

Specifying the LDAP Attribute for Time Zone

Parameter: `attr_timezone`

Section: [LDAP]

Description: Specifies the attribute name that the LDAP directory server uses for the time zone attribute.

Accepted values: Any attribute name defined in the LDAP directory server schema. If "" is used, this attribute will not be read nor written.

Default value: `None`

Specifying the Minimum Interval for Checks for New Agenda Entries

Parameter: `autocontrol`

Section: [LIMITS]

Description: Specifies the minimum number of minutes that a user can set as the interval between agenda refresh calls to the server (that is, between each check for new agenda entries).

If this value is less than `[ENG]maxsessions/60`, the value of `[ENG]maxsessions/60` takes precedence, to a maximum value of 45. For example, if `autocontrol = 15` and `[ENG]maxsessions = 1200`, no refresh occurs before 20 (i.e. $1200/60$) minutes has elapsed.

See Also: `[ENG]maxsessions`, `[CLIENT]minrefreshrate` in the *Oracle Calendar Reference Manual*

Accepted values: Any positive integer up to the value of $(2^{16}-1)$

Default value: `15`

Allowing Resource Double-booking

Parameter: `resourceconflicts`

Section: [LIMITS]

Description: Specifies whether the client allows users to double-book resources. In release 5.4 and older where resource conflicts is a server wide setting, this parameter should always be set with the same value as the [ENG] `allowresourceconflict` parameter. This applies to the Oracle Calendar Desktop clients and the Oracle Calendar Web client.

If a per-resource conflict option is required and older clients are in use, set this parameter to `TRUE` so that the clients allow the double-booking but the server blocks it if the resource does not allow conflicts. This allows for per-resource configuration, however, the older clients may not gracefully handle the errors returned by the server enforcement.

See Also: [ENG] `allowresourceconflict` in [Allowing Resource Conflicts](#)

Accepted values:

`TRUE` (Allow double-bookings)

`FALSE` (Do not allow double-bookings)

Default value: `TRUE`

Enabling Browsing at Log In

Parameter: `userlist_login`

Section: [LIMITS]

Description: Specifies whether or not to show a list of matching users when more than one fits the specified sign-in credentials.

Accepted values:

`TRUE` (Displays the list of matching users)

`FALSE` (Do not display the list)

Default value: `FALSE`

Limiting the Number of Search Results

Parameter: `ca_maxsearchresult`

Section: [UTL]

Description: Specifies the maximum number of entries (users, resources and event calendars) that the LDAP directory will return to the Calendar Administrator that made a search request. This parameter applies only to the Calendar Administrator.

This parameter can be set to a higher value than the [LIMITS] `maxsearchresult` parameter because much fewer users will be using the Calendar Administrator.

See Also: [LIMITS] `maxsearchresult` in the *Oracle Calendar Reference Manual*

Accepted values: Any positive integer up to the value of $(2^{32}-1)$

Default value: 200 (List only 200 entries at a time)

3.1.4.3 Updated UNIX Environment Variables

The accepted value of the UNIX environment variable `CTSYS_IPC_PATH` was updated. This variable specifies the path where the IPC will be created in UNIX. The accepted value for this variable is a valid path with a maximum length of 50 characters. There is no default value.

3.1.5 Documentation Errata

- UNIX man pages:** Some updates were made subsequent to the generation of the Calendar server UNIX man pages. For the most current information on the Calendar server utilities, please refer to "Appendix F, Calendar Server Utilities" in the *Oracle Calendar Reference Manual*.

This has been fixed in release 9.0.4.2.

- Uniuser utility:** The documentation for the `-s` option of the `uniuser` utility states that you can specify more than one section. This is incorrect. The `-s` option accepts a single section only. (3406721)
- Parameter definitions:** The documentation for the `[LIMITS]autocontrol` and `[CLIENT]minrefreshrate` parameters refer to the `lck_users` parameter. This parameter is obsolete and has been replaced by the `[ENG]maxsessions` parameter. (3500967)
- Unib2lendian and unil2bendian utilities:** The procedure for migrating a node from one machine to another with these utilities has been changed. Use the following procedure instead.

- Stop the calendar server on both machines. Do not restart either server until instructed to later in this procedure.
- If you are moving the node from a calendar server on a big-endian machine to a calendar server on a little-endian machine, run `unib2lendian` on the target node.

```
unib2lendian -n 45
```

The converted copy of the node can be found in the `$ORACLE_HOME/ocal/db/nodes/<N#>/perm_conv` directory, where `<N#>` is the value of the name parameter in the `unison.ini` section corresponding to the target node.

- If you are moving the node from a calendar server on a little-endian machine to a calendar server on a big-endian machine, run `unil2bendian` on the target node.

```
unil2bendian -n 45
```

The converted copy of the node can be found in the `$ORACLE_HOME/ocal/db/nodes/<N#>/perm_conv` directory, where `<N#>` is the value of the name parameter in the `unison.ini` section corresponding to the target node.

- Copy the section corresponding to the target node in the old host's `$ORACLE_HOME/ocal/misc/unison.ini` file to the `unison.ini` file on the new host. For example:

```
[45]
name = N1
version = A.02.50
```

Delete this section from the `unison.ini` file on the old host.

5. Copy all *.dat files in the perm_conv directory of the old host to the \$ORACLE_HOME/ocal/db/nodes/<N#>/perm directory on the new host.
6. Copy the \$ORACLE_HOME/ocal/db/nodes/<N#>/streams directory from the old host to the new host.
7. On the new host, copy the \$ORACLE_HOME/ocal/db/nodes/nempty/perm/unison.dbd and \$ORACLE_HOME/ocal/db/nodes/nempty/perm/vista.ctb files into the \$ORACLE_HOME/ocal/db/nodes/<N#>/perm directory.
8. If the target node is part of a node network, you **MUST** update the network information before restarting the calendar server.

Caution: Failure to carry out this step may result in data loss and/or database corruption.

First, stop all calendar servers in the node network.

Use `unidbfix` to export the information in the `remotenode.dat` file to EACH and EVERY node's `remotenode.ini` file. For example, if the network were to consist of nodes 30, 35, 40, 45 and 50:

```
% unidbfix -export -n 30
% unidbfix -export -n 35
% unidbfix -export -n 40
% unidbfix -export -n 45
% unidbfix -export -n 50
```

Remember that `unidbfix` must be run on each node's local host.

Edit the `$ORACLE_HOME/ocal/db/nodes/<Nx>/perm/remotenode.ini` file for each node in the network, and change the host name associated with node 45.

If moving to a little-endian Unix host, run `uniclean` on node 45 to ensure that file ownership and permissions for the copied files are set correctly.

Run `unidbfix -k` on node 45 to create key files.

Use `unidbfix -import` to update the `remotenode.dat` file with the new information in the `remotenode.ini` files.

```
% unidbfix -import -n 30
% unidbfix -import -n 35
% unidbfix -import -n 40
% unidbfix -import -n 45
% unidbfix -import -n 50
```

This also rebuilds the key files for each node.

Update the `$ORACLE_HOME/ocal/misc/nodes.ini` file to reflect the change in host names for node 45.

9. Restart all calendar servers.

3.2 Oracle Calendar Administrator

This section contains the following topics:

- [What's New](#)
- [Known Limitations and Workarounds](#)

3.2.1 What's New

There are new features of the Calendar Administrator in Oracle Collaboration Suite Release 2 (9.0.4.2). For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.2.2 Known Limitations and Workarounds

- **Problems with the security certificate:** When you open a secure connection to the Oracle Calendar Administrator your browser may warn you that it cannot verify the authenticity of the certificate. This occurs because the Oracle HTTP Server includes a default certificate that doesn't come from a recognized Certification Authority.

Do one of the following:

- Replace the default certificate on the Oracle HTTP Server with an authentic certificate from a recognized Certificate Authority.
 - You can safely ignore the warning. Despite the fact that the default certificate cannot be verified, the connection still provides strong encryption.
- **Do not change SYSOP account preferences:** If you change the preferences of the SYSOP account in the Calendar Administrator, the account stops working. If you have already changed the preferences and encountered this problem, reset the SYSOP preferences to the default values. (3470302)

Workaround: Do not change the SYSOP account preferences. However, if you need to use the Calendar Administrator with different preferences, use a user account that has administrative rights.

3.3 Oracle Calendar SDK

This section covers these topics:

- [What's New](#)
- [Known Limitations and Workarounds](#)

3.3.1 What's New

This section lists the new features in Oracle Calendar SDK, Release 9.0.4.1.

- Task operations (VTODO objects)
- Contact operations (VCARD objects)
- Corresponding Java classes with JNI (Java native interface)
- Remote designate operations
- Connection pooling

The inclusion of Java classes facilitates Java implementations that were previously implemented by third parties.

Connection pooling adds configuration options for the connection model used by the SDK. This greatly enhances resource usage and efficiency when implementing various applications (especially Web-based and multi-threaded environments), and promotes reuse of existing connections.

Old CAPI event functions have been superseded by newer CSDK functions. Customers already using the CAPI functions need to run the utility `uni fhconv` on the server if they depend on any of the following iCalendar properties:

- X-* (any X- property)
- SEQUENCE
- RESOURCES
- RELATED-TO
- CONTACT
- URL
- ATTENDEE where the attendee is a non-calendar user (invited only by their e-mail address)

3.3.2 Known Limitations and Workarounds

[Table 3–3](#) lists known limitations and workarounds of the Oracle Calendar SDK.

Table 3–3 Oracle Calendar SDK Known Issues

Bug Number	Description	Release
3235601	Explicitly specifying the default port number in the hostname (for example, <code>host_name.com:5730</code>) can cause the connection pool feature to perform extra, unnecessary connection calls, resulting in slower performance.	9.0.4.2
3410145	Tasks cannot be created without a UID (unlike events).	9.0.4.2
3412387	The SDK does not include filters for detecting malicious HTML input from users. It is recommended that applications built using the SDK apply their own filters to such data before displaying it in a Web browser.	9.0.4.2
3467299	<code>CSDK_FLAG_FETCH_LOCALTIMES</code> is ignored when fetching tasks.	9.0.4.2

3.4 Oracle Calendar Application System

This section contains release note information on these products:

- [Oracle Calendar Web Client](#)
- [Oracle Calendar Web Services](#)
- [Oracle Sync Server](#)

3.4.1 Oracle Calendar Web Client

This section covers these topics:

- [What's New](#)
- [Known Limitations and Workarounds](#)
- [Document Errata](#)

3.4.1.1 What's New

This section lists new features in the Oracle Calendar Web client, Release 9.0.4.1.

- The new Scheduler provides an efficient way to find out when multiple users and Resources are available for meetings; the resource-scheduling mechanism allows

hierarchical searches and automatic workflow for resources requiring designate approval. Users can also view details about people or resources.

- The "Show time as free" feature allows users to accept invitations to meetings while remaining available for other invitations.
- Support for Oracle Web Conferencing; users can join and create Web conferences from the Web client.
- New designate functionality, including support for:
 - Resource designates
 - Event calendar designates
 - Remote designates
- Changes made to notification and wireless preferences are applied to calendar desktop clients.
- Ability to set default reminder settings for meetings, Daily Notes and Day Events.
- Support for 24-hour meetings.
- A link to the Calendar Administrator from the global toolbar (for users with server administration rights).
- Ability for users to set the hours displayed in the daily or weekly view.
- Support for additional languages, including Danish, Dutch, English, Finnish, French, German, Greek, Italian, Japanese, Korean, Norwegian, Brazilian Portuguese, Portuguese, Swedish, Spanish, Simplified Chinese, Traditional Chinese and Turkish.

More new features are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.4.1.2 Known Limitations and Workarounds

[Table 3–4](#) lists known limitations and workarounds for the Oracle Calendar Web client. Issues only associated with release 9.0.4.1 have been fixed in release 9.0.4.2.

Table 3–4 Oracle Calendar Web Client Known Issues

Bug Number	Description	Release
2861543, 2981030, 2847384	Netscape/Mozilla issues: <ul style="list-style-type: none"> ■ Netscape 6.2: To print an agenda properly, the margin size must be set to one inch under Web client Display Preferences. ■ Netscape 6.x: The "Return to Previous" link in some error pages does not work. This is a Netscape issue. ■ Mozilla 1.x: Users may experience display problems and erratic behavior. 	9.0.4.1, 9.0.4.2
2973763	After uploading an attachment to the server, if the user closes the browser window instead of clicking OK , the file will remain in the server's temporary directory.	9.0.4.1, 9.0.4.2
2980094	When a user tries to set a reminder lead time greater than the server's maximum allowed value, the lead time is automatically reset to the server's maximum value without warning.	9.0.4.1

Table 3–4 (Cont.) Oracle Calendar Web Client Known Issues

Bug Number	Description	Release
2982922	To redirect the Oracle Calendar Web client, add the following statement to \$ORACLE_HOME/ocas/conf/ocal.conf: <pre><Location /calendar> Redirect permanent /calendar \ http://<host>:<port>/ocas-bin/ocas.fcgi?sub=web </Location></pre>	9.0.4.1, 9.0.4.2
2983094	When viewing someone's agenda with full viewing rights and attempting to open an attachment to a meeting, a security violation error message appears.	9.0.4.1
N/A	Establishing a master node connection: When a slave node is unavailable, the Oracle Calendar application system may have difficulties establishing a connection to the master node. Workaround: Set <code>openallnodes = FALSE</code> in the [Connectionconfig] section of <code>ocas.conf</code> .	9.0.4.1, 9.0.4.2
N/A	Multiple installations of the Oracle Calendar Web client: Each Web client installation only supports calendar server nodes with common settings. To support a calendar server node with different settings, you must install another instance of the Web client.	9.0.4.1, 9.0.4.2
N/A	Upgrade issue: Blank lines in <code>ocas.conf</code> and <code>ocwc.conf</code> in R2 installations are removed by the Upgrade Assistant. To preserve them, replace them with "#" prior to running the Assistant.	9.0.4.1, 9.0.4.2
3124001, 3124416, 3130293, 3149970	Unexpected behavior may occur when using Safari 1.0 for the Mac. For example: <ul style="list-style-type: none"> ■ When viewing People and Resources in an event, the top bar in the page may be cut off. ■ When creating a Web conference in certain languages, some fields overlap. ■ After logging out, a user can use Safari's Back button to view pages and perform actions in the Web client. Another user can even start a new instance of Safari, log in, and see the previous user's inbox. This only occurs with Safari in Oracle Collaboration Suite installations. Workaround: Choose the Reset Safari menu command after logging out. 	9.0.4.2
3124113	When searching for a resource using the name field, only the first word in the resource name can be used. For example, you cannot find the resource "Conference Room Saturn" by searching for "Saturn", but you can find it by searching for "Conference".	9.0.4.2
3130430	When creating a repeating event whose first instance is on a holiday, the first instance may not get included even though its date is displayed under the General tab. To make sure the event takes place on the holiday (if that is what you want), select the Holidays check box in the Repeating tab.	9.0.4.2
3166664	When editing access rights, if you click Information for users that have the maximum number of characters in their information fields, data in some fields may get truncated.	9.0.4.2
3228340	Remote users added to a meeting from a group do not have the remote designation "(R)" next to their name.	9.0.4.2
3264669	Users should be aware that HTML attachments can contain malicious code that, when executed, can compromise their systems. Currently, if a user chooses to open such an HTML attachment, code can be executed without the user being warned first.	9.0.4.2
3309327	If a user opens an entry in the agenda of a user that is on a different node, and if that entry has an attachment, the attachment may start downloading automatically.	9.0.4.2
3319437	In a standalone installation with multiple servers, if a user has the same user name on each server, the user will only be able to sign in to the first server listed.	9.0.4.2

Table 3–4 (Cont.) Oracle Calendar Web Client Known Issues

Bug Number	Description	Release
3327839	In a standalone installation, if you edit <code>ocwc.conf</code> to remove banners, some fields will overlap in the Resources tab of the Scheduler.	9.0.4.2
3380822	In Collaboration Suite installations, a standalone-specific parameter, <code>MAX_LOGIN_ATTEMPTS</code> , was causing error messages to be written to the log files. This parameter is no longer included in new Collaboration Suite installations. However, if you upgrade from a previous version of Collaboration Suite, the parameter will still be present in <code>ocwc.conf</code> and should be commented out as follows: [admin] # Default: max_login_attempts = 5	9.0.4.2
3394379	In some languages, the time format (12H or 24H) in the top row of the Scheduler does not match the user's preference and is different from the tool tip that appears.	9.0.4.2
3418803	In Weekly View, the week number is not always properly updated when using the date picker to change dates.	9.0.4.2
3422539	Unexpected behavior may occur when using Mozilla 0.99 or Netscape 6 with the Web client. For example, in the Details page, when you add and remove an attachment from an event, an unnecessary scroll bar appears and then remains.	9.0.4.2
3425668	File attachments with very long names cannot be downloaded, and the names are truncated. Workaround: Use the desktop client to download the attachment, or avoid using long attachment names.	9.0.4.2
3434130, 3440396	Some attachment types, such as <code>doc</code> and <code>xls</code> files, cannot be downloaded using Internet Explorer with an HTTPS connection. This is a Web Cache issue, and does not occur in standalone installations of Oracle Calendar.	9.0.4.2
3443491	When creating a new event, searching for a resource using an e-mail address only works if you specify that your search applies to users instead of resources. For example, in the New Meeting page, click the People & Resources tab, enter the resource's e-mail address, select Users (not Resources) from the drop-down list and click Find . The resource will be found.	9.0.4.2
3464654	If you are using the Daily Planner view in standard mode, and you switch to accessible mode and back again, the Daily List view is displayed. This can make it difficult to know which mode you are working in. To know for sure, just check the Accessible/Standard Agenda icon on the Calendar toolbar. For example, if you are in Standard mode, the Accessible Agenda icon (used to switch to Accessible mode) is displayed.	9.0.4.2

3.4.1.3 Document Errata

This section describes known issues in the Oracle Calendar Web client online Help.

- **Device settings in standalone:** When using the Web client in standalone mode, you can edit the following device setting preferences, which are not described in the Help:
 - Notification of entries in plain text format or as notes in your calendar display on your mobile phone.
 - Mobile device alarm
 - Preferred service center number

3.4.2 Oracle Calendar Web Services

This section covers these topics:

- [What's New](#)

- [Known Limitations and Workarounds](#)

3.4.2.1 What's New

This is the first release of Oracle Calendar Web services, the newest component of Oracle Calendar. Oracle Calendar Web services allows applications to retrieve, through common XML queries, calendar data for display in any portal, client application or backend server. Developers can use the Oracle Calendar Web services toolkit, included with Oracle Calendar, to build Web services applications and create SOAP queries.

New features of Oracle Calendar Web services are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.4.2.2 Known Limitations and Workarounds

Version 9.0.4.2 of Oracle Calendar Web services contains the following known issue:

- Users' default settings for reminders are not applied when events are created. (3210841)

3.4.3 Oracle Sync Server

This section contains the following topics:

- [What's New](#)
- [Known Limitations and Workarounds](#)
- [Device-Related Issues](#)

3.4.3.1 What's New

Oracle Sync Server is a new component of Oracle Calendar that allows you to synchronize data with any SyncML-compliant device using a standard Hypertext Transfer Protocol (HTTP) connection. Sync Server uses SyncML, the open standard for synchronization backed by the Open Mobile Alliance. With a SyncML-compliant device and Oracle Sync Server, you can synchronize calendar data, to-do lists, contact information and other relevant data across multiple networks, platforms and devices.

New features of Oracle Sync Server are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.4.3.2 Known Limitations and Workarounds

[Table 3–5](#) lists general issues and their workarounds for Oracle Sync Server.

Table 3–5 Oracle Sync Server Known Issues

Bug Number	Description	Release
2990309	If you modify several instances of a repeating event on a device and then synchronize, the first modified instance will be synchronized to the server, but the rest will be left unchanged.	9.0.4.2
3003919	You cannot delete any fields from Address Book entries.	9.0.4.2

3.4.3.3 Device-Related Issues

This section describes issues encountered by Oracle Sync Server due to the behavior of the Sync-ML client software used with the following devices.

Note: The issues described in this section apply to versions 9.0.4.1 and 9.0.4.2 of Oracle Sync Server. However, support for some devices was only added in version 9.0.4.2. See the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)* for the list of newly supported devices.

- **Nokia 3650:**

- The Sync-ML client always assigns a due date for tasks. When tasks with no due date on the server are synchronized to the device, they will be given the current date as the due date. (2870062)
- Task priorities are mapped between the device and server as follows:

Device	Server
High	1
Normal	2
Low	3-9, A-Z

(2842037)

- Unable to synchronize tasks created using the Oracle Calendar desktop client with the phone device. Phones that synchronize tasks and events using the same phone database MUST use ". /Calendar" as the server URI. However, phones that synchronize them separately MUST use ". /Calendar /Events" and ". /Calendar /Tasks" as the respective URIs for the device's events and tasks databases. (2956318)
- **Nokia 3650 and 92xx:**
 - Changes to an entry's Access Level on the server are not synchronized to the device. However, a new entry's Access Level will be correctly synchronized from the server to the device the first time. (2839895)
 - Unable to synchronize Business and Home addresses from the Oracle Calendar desktop client to the phone device. (2839242)
 - E-mail addresses synchronized from the server to the device get reversed; that is, E-mail address 1 becomes E-mail Address 2, and vice versa. (2839795)
- **Nokia 3650, Nokia 7650, Nokia 92xx, Sony Ericsson T68i:** The "completed" property for tasks is not supported. Tasks marked as completed on the server cannot be marked as completed on the device. (2909625)
- **Nokia 6820:**
 - Tasks on the server with a priority of 4 or lower are mapped to the device as having "Med" priority instead of "Low." (3461199)
 - Modifying a "BDAY" and then synchronizing causes device failure. (3461205)
- **All Nokia Devices, Sony Ericsson P800 and P900:** These devices do not allow you to change their time zones. If you are travelling across time zones, it is best to avoid synchronizing until you return. However, if you must synchronize, only do so if your account on the Oracle Calendar server remains set to the same time zone as your device.
- **Nokia 92xx**

- Unable to synchronize with the Nokia 9290 phone device when `KeepAlive=ON` (default value set by the Collaboration Suite installation). (2862018)
- After synchronizing your Address Book with the Nokia 9290 phone device, invalid characters are inserted in the Company and Department fields. (3051312)
- **Sony Ericsson P900:** You must install firmware R4A06 on the Sony Ericsson P900 before you can use the device with Oracle Sync Server.
- **Ericsson R520m, T39, T68, Sony Ericsson T68i, T610, T616, Siemens M55, S55:** When travelling, it is recommended that you set your device to the same time zone as your Calendar account before synchronizing.
- **Ericsson R520m, T39, T68, Sony Ericsson T68i, T610, T616:**
 - **Missing resource names:** When the `attendeesindetails` parameter on the server is set to "short," resource names and statuses in event details are not synchronized to a device. This is because truncated resource names are not meaningful to users. Resources are only added to event details when `attendeesindetails` is set to `full`. (2922093)
 - **Missing dash in phone number:** The device does not store formatted phone numbers. All non-numeric characters other than "#" are removed when phone numbers are stored on the device. (2845256)
 - **Missing or modified e-mail addresses:** The device can store one e-mail address for a contact, while the server can store two. If a contact's e-mail address is modified on the device and synchronized to the server, it is possible that the wrong address on the server will be updated. This is because there is no way at this time for the server to detect which address is supposed to be updated.
 - **Missing organization field:** The device can store one organization field for a contact, while the server can store two. If a contact's organization field is modified on the device and synchronized to the server, the information in both server fields is discarded in favor of the field synchronized from the device.
 - **Contact's full name becomes a last name:** The correct way to enter contact names on the device is "Lastname, Firstname". Names entered on, or synchronized to, the device without a comma will be stored on the device as last names only. (2844373)
- **Ericsson T39, T68, R520m:** Task synchronization is not supported. (2909625)
- **Ericsson R520m:**
 - The Ericsson r520m has a limit of 150 characters in its event details field. Attendee information that exceeds 150 characters is not added to the details field. It is best to use the default server parameter of `AddAttendeesInDetails = short` with this phone. (2862247)
 - When you create an untimed event using the device, the Daylight Savings time change can cause it to be displayed as a meeting with a duration of 1 minute on the Oracle Calendar desktop client. (2864097)
- **Ericsson T68i:**
 - When a contact's e-mail address is modified using the phone device and contains special characters, it appears to be corrupt on the Oracle Calendar desktop client. This occurs because the phone device does not return the EMAIL vcard property in the appropriate format. (2844777)

- **Siemens M55, S55:**
 - Memos created on the device synchronize as daily notes on the server. (Other phone devices synchronize memos as day events.) (2962661).
 - Yearly recurring events created on the phone are not synchronized to the server. (3470799)
 - Contact categories are not synchronized. (3476387)
 - Home fax number is synchronized to the device as home phone number. (3476497)
- **All Blackberry devices with Consilient2:**
 - When an instance of a recurring meeting is deleted by a desktop client or the Web client, and a synchronization is done, the instance is not deleted from the device. (3434445)
 - When a new meeting is synchronized to devices, the "Organizer:" and "Accepted:" fields only appear on attendees' devices, not the organizer's. (3377935)
 - When a new meeting containing a subject but no notes is synchronized to a device, the Subject field is duplicated in the Notes field of the device. (3377928)
 - Day events are synchronized to Blackberry 6710 devices as regular events lasting 24 hours and starting at 3:00 a.m. (3377875)
 - Accented characters are sometimes dropped when synchronizing to devices. (3376236)
- **Devices using the Synthesis SyncML client:**
 - Categories do not synchronize from Palm devices. (3446621)
 - Contact addresses synchronize from the server to Palm devices, but not from Palm devices to the server. (3485688)
 - Fax numbers synchronize from the server to Palm devices as "Other", and not at all from Palm devices to the server. (3485974)
 - Some new fields supported by Palm devices and Oracle Sync Server are not yet supported by Synthesis and do not get synchronized. Specifically, "Home Address," "Web Site," and "Birthday" are not synchronized. (3410091)
 - Monthly and yearly recurring events are not synchronized. (3480022, 3480037, 3482934)
 - E-mail addresses and phone numbers synchronized to PocketPC devices may get reversed; for example, E-mail address 1 may become E-mail address 2, Phone number 1 may become Phone number 2, and vice versa. (3413363)

3.5 Oracle Connector for Outlook

This section contains these topics:

- [What's New](#)
- [Known Limitations and Workarounds](#)
- [Configuration Parameters](#)

3.5.1 What's New

This section lists new features in Oracle Connector for Outlook, Release 9.0.4.2.

- Out of Office Assistant and Server-side e-mail rules.
- View mail server quota usage.
- New e-mail, voice mail and wireless preferences.
- Ability to recover e-mail deleted from one or more folders for a specified period of time.
- Schedule and join Oracle Web conferences through Microsoft Outlook.
- New enhanced resource scheduling functionality.
- Prompt for language choices when upgrading from a previous version using the /Lang command-line switch.
- Assign delegate access to remote node users.
- Access to complete (Calendar and non-Calendar) user directory backing the Calendar server.
- Ability to resolve names against Oracle Internet Directory distribution lists.
- Reduction in number of IMAP4 and calendar API commands issued to implement frequently performed Microsoft Outlook operations.
- Master Node Configuration to auto-detect Calendar server account.
- Local Mailbox Caching - ability to use a local copy of IMAP4 e-mail while working online.
- Ability to configure folder count refreshes.
- Ability to control whether the delegate name appears as "on behalf of" the folder's owner when sending messages.
- Ability to automatically notify the Calendar owner when a delegate adds a meeting to the owner's Calendar.
- Optimizations to the Outlook Advanced Search functionality when looking for e-mail recipients, meeting organizers and attendees.
- Support for additional languages, including Danish, Dutch, English, Finnish, French, German, Greek, Italian, Japanese, Korean, Norwegian, Brazilian Portuguese, Portuguese, Swedish, Spanish, Simplified Chinese, Traditional Chinese and Turkish.
- Sender's e-mail address is not included when doing a Reply to All.
- Users are warned and prevented from sending e-mail messages larger than the maximum size allowed by the SMTP server.
- Outlook can perform other tasks while sending large e-mail messages.
- Non-delivery reports include the reason for failure of the SMTP server.
- Ability to send and read S/MIME encrypted e-mail messages with Entrust Express (6.0, 6.1 and 6.1 SP 1) digital certificates.

More new features are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.5.2 Known Limitations and Workarounds

Table 3–6 lists and describes general issues and workarounds for Oracle Connector for Outlook.

Table 3–6 Known Limitations and Workarounds in Oracle Connector for Outlook

Bug No.	Description	Release
3117194	Custom folder views using the Group By option are not supported. Suggested workaround: Set the Group By field to none.	9.0.4.1
3117097	To specify a person using the Outlook Client-Side Rules Wizard, you must provide both the user's display name and e-mail address separated by a semi-colon in order to have the rules trigger on messages received from that person.	9.0.4.1 and 9.0.4.2
2932027	Synchronizing the Pocket Outlook 2002 Inbox using ActiveSync 3.5 with Outlook 2000 will result in unresolved items.	9.0.4.1 and 9.0.4.2
3505475	Subfolders for contacts under the Outlook Today - <user name> tree cannot be created.	9.0.4.1 and 9.0.4.2
N/A	When using an IMAP4 server that does not support authenticating via Simple Authentication and Security Level (SASL), such as Oracle Email Server, it is recommended that you enforce Secure Sockets Layer (SSL) for all connections to your IMAP4 server to avoid sending passwords in clear text. Consult your e-mail server documentation for more information. For details on setting up Oracle Connector for Outlook server connections with SSL, see the Oracle Connector for Outlook online help.	9.0.4.1 and 9.0.4.2
N/A	<p>Oracle Connector for Outlook does not change the core functionality of Microsoft Outlook/Exchange, however, the following are some examples of Outlook features that are not supported in this release.</p> <ul style="list-style-type: none"> ■ Oracle Connector for Outlook does not support Transport Neutral Encapsulation Format (TNEF) in e-mail messages, or <code>winmail.dat</code> attachments sent by Microsoft e-mail clients. (3117510) ■ Microsoft POP3 service provider: Oracle Connector for Outlook cannot be installed in the same profile as Microsoft's POP3 service provider. 	9.0.4.1 and 9.0.4.2

3.5.3 Configuration Parameters

This section documents the Oracle Connector for Outlook parameters found in the `[Outlook_Connector]` section of `$ORACLE_HOME/ocal/misc/unison.ini`. These parameters are used to control the behavior of Oracle Connector for Outlook from the server side and must be maintained by the Calendar server administrator.

Enabling Attendee Annotations

Parameter: `allow-attendee-annotations`

Description: Allows attendees to add personal annotations to Calendar entries. Personal annotations can only be viewed by the attendee who created them.

Default value: `TRUE`

Accepted values:

- `TRUE` = Enables attendee annotations
- `FALSE` = Disables attendee annotations

Enabling Idle Refreshes for Calendar

Parameter: `allow-idle-refresh-calendar`

Description: Enables idle refreshes of the Calendar folder

Default value: TRUE

Accepted values:

- TRUE = Enables idle refreshes
- FALSE = Disables idle refreshes

Enabling Idle Refreshes for Contacts

Parameter: **allow-idle-refresh-contacts**

Description: Enables idle refreshes of the Contacts folder

Default value: TRUE

Accepted values:

- TRUE = Enables idle refreshes
- FALSE = Disables idle refreshes

Enabling Idle Refreshes for Journals

Parameter: **allow-idle-refresh-journal**

Description: Enables idle refreshes of the Journal folder

Default value: TRUE

Accepted values:

- TRUE = Enables idle refreshes
- FALSE = Disables idle refreshes

Enabling Idle Refreshes for Notes

Parameter: **allow-idle-refresh-notes**

Description: Enables idle refreshes of the Notes folder

Default value: TRUE

Accepted values:

- TRUE = Enables idle refreshes
- FALSE = Disables idle refreshes

Enabling Idle Refreshes for Tasks

Parameter: **allow-idle-refresh-tasks**

Description: Enables idle refreshes of the Tasks folder

Default value: TRUE

Accepted values:

- TRUE = Enables idle refreshes
- FALSE = Disables idle refreshes

Enabling Batch Lookups

Parameter: **batch-mailaddress-lookup**

Description: Enables Oracle Connector for Outlook to load information of multiple resources and users at one time.

Note: This parameter only applies to pre-9.0.4 Oracle Calendar servers.

Default value: TRUE

Accepted values:

- TRUE = Enables multiple lookups at one time
- FALSE = Disables multiple lookups at one time

Configuring Delegate "Reply To" Behavior

Parameter: **delegate-reply-to**

Description: Sets who receives e-mail responses from attendees of calendar entries created by a delegate

Default value: 0

Accepted values:

- 0 = E-mail response is sent to the entry owner
- 1 = E-mail response is sent to the delegate
- 2 = E-mail response is sent to both the delegate and entry owner

Disabling the Directory API Features

Parameter: **disable-newdirapi**

Description: Disables the features provided by the Directory API (GAL, resolve groups, and resource scheduler).

Default value: FALSE

Accepted values:

- TRUE = Disables Directory API features
- FALSE = Enables Directory API features

Disabling the Ability to Resolve Groups

Parameter: **disable-groups**

Description: Disables the ability to resolve groups

Default value: FALSE

Accepted values:

- TRUE = Disables the ability to resolve groups
- FALSE = Enables the ability to resolve groups

Setting a Time Range for Retrieval of Past Calendar Data

Parameter: **eventselectbegin**

Description: Sets the number of days in the past to query the server for Calendar event-related data.

Note: If offline synchronization of the Calendar folder is enabled, the synchronization time range will take precedence over this parameter setting.

Default value: 180

Accepted values: Any number of days greater than zero

Setting a Time Range for Retrieval of Future Calendar Data

Parameter: **eventselectend**

Description: Sets the number of days in the future to query the server for Calendar event-related data

Note: If offline synchronization of the Calendar folder is enabled, the synchronization time range will take precedence over this parameter setting.

Default value: 1825 (approximately five years)

Accepted values: Any number of days greater than zero.

Setting a Time Range for Retrieval of Past Notes

Parameter: **notesselectbegin**

Description: Sets the number of days in the past to query the server for Notes

Default value: 0 (This will retrieve all notes from the past.)

Accepted values: Any number of days

Setting a Time Range for Retrieval of Future Notes

Parameter: **notesselectend**

Description: Sets the number of days in the future to query the server for Notes

Default value: 0 (This will retrieve all notes from the future.)

Accepted values: Any number of days

Setting a Time Range for Retrieval of Past Journal Entries

Parameter: **journalselectbegin**

Description: Sets the number of days in the past to query the server for Journal entries

Note: If offline synchronization of the Journal folder is enabled, the synchronization time range set will take precedence over this parameter setting.

Default value: 30

Accepted values: Any number of days. To retrieve all journal entries from the past, set the value to 0.

Setting a Time Range for Retrieval of Future Journal Entries

Parameter: **journalselectend**

Description: Sets the number of days in the future to query the server for Journal entries. Note: If offline synchronization of the Journal folder is enabled, the synchronization time range set will take precedence over this parameter setting.

Default value: 0 (This will retrieve all journal entries in the future.)

Accepted values: Any number of days

Enabling Loading of the Global Address List

Parameter: **load-gal**

Description: Sets whether Oracle Connector for Outlook should load the GAL from the Calendar server

Default value: TRUE

Accepted values:

- TRUE = Oracle Connector for Outlook will load the GAL.
- FALSE = Oracle Connector for Outlook will not load the GAL.

Refreshing the Global Address List

Parameter: **gal-minimal-lifetime-days**

Description: Sets how often the Global Address List (GAL) is automatically refreshed by Oracle Connector for Outlook

Default value: 7

Accepted values: Any number of days. If 0 is used, the GAL is refreshed every time the user logs on.

Enabling Support for Journals

Parameter: **journaltracking**

Description: Enables support for the journal features of Outlook within Oracle Connector for Outlook.

Default value: TRUE

Accepted values:

- TRUE = Enables journal features
- FALSE = Disables journal features

Configuring the File Name for Multiple Attachments

Parameter: **mime-attachment-filename**

Description: Sets the name and extension of the attachment that appears in the Oracle Calendar desktop client when entries created using Oracle Connector for Outlook include multiple attachments

Default value: `mime-encoded-attachment.eml`

Accepted values: *Any file name.any file extension*

Enabling Multi-Day Events

Parameter: **multi-day-event**

Description: Enables users to create day events that span more than 24 hours

Default value: TRUE

Accepted values:

- TRUE = Allows creation of multi-day events.
- FALSE = Does not allow creation of events spanning more than 24 hours. If a user attempts to create such an event, an error message is displayed.

Enabling Multi-Day Meetings

Parameter: **multi-day-meeting**

Description: Enables users to create meetings that span more than 24 hours

Default value: TRUE

Accepted values:

- TRUE = Allows creation of multi-day meetings.
- FALSE = Does not allow creation of meetings spanning more than 24 hours. If a user attempts to create such a meeting, an error message is displayed.

Enforcing the Server's Name Format

Parameter: **enforce-name-format**

Description: Enforces the server's name format

Default value: FALSE

Accepted values:

- TRUE = The name format set on the server is how names are displayed in Oracle Connector for Outlook. Users are not given an option to change the name format.
- FALSE = Users can set the name format of their choice.

Setting a Name Format

Parameter: **name-format**

Description: Sets the name format used by Oracle Connector for Outlook. This value only needs to be set if the server's name format is enforced.

See Also: [Enforcing the Server's Name Format](#)

Default value: None

Accepted values:

- 1 = First name Last name
- 2 = Last name, First name
- 3 = Last name First name

Enabling Other Users to View Journal Entries

Parameter: **show-otheruserfolder-journal**

Description: Enables users to view other users' Journal folders

Default value: FALSE

Accepted values:

- TRUE = The Journal folder is available from the Open Other User's Folder drop-down list.
- FALSE = The Journal folder is not available from the Open Other User's Folder drop-down list.

Enabling Other Users to View Notes

Parameter: **show-otheruserfolder-sticky**

Description: Enables users to view other users' Notes folders

Default value: FALSE

Accepted values:

- TRUE = The Notes folder is available from the Open Other User's Folder drop-down list.
- FALSE = The Notes folder is not available from the Open Other User's Folder drop-down list.

Saving Rich Text Comments

Parameter: **storertf**

Description: Sets whether Oracle Connector for Outlook supports saving rich text comments for meetings, journals, notes, contacts and tasks

Default value: TRUE

Accepted values:

- TRUE = Enables saving of rich text comments
- FALSE = Disables saving of rich text comments

3.6 Oracle Calendar Desktop Clients

This section contains release note information on these products:

- [Oracle Calendar Desktop Client for Windows](#)
- [Oracle Calendar Desktop Client for Macintosh](#)
- [Oracle Calendar Desktop Client for Linux](#)
- [Oracle Calendar Desktop Client for Solaris](#)

3.6.1 Oracle Calendar Desktop Client for Windows

This section contains these topics:

- [What's New](#)
- [Known Limitations and Workarounds](#)

3.6.1.1 What's New

This section lists new features in the Oracle Calendar desktop client for Windows, Release 9.0.4.1.

- Support for e-mail to remote resources
- Ability to access remote groups
- Enhanced user interface for the Agenda search

- Support for meetings greater than 24 hours
- Perform conflict checking on a per resource basis*
- Improved address book: Ability to create a repeating note entry from a birthday or anniversary date, ability to launch an e-mail application from an address book entry's e-mail address, ability to launch the browser from an address book entry's URL.
- Support passwords longer than 15 characters*
- Enhanced resource scheduling*
- The "Show time as free" feature — allows users to accept invitations to meetings while remaining available for other invitations.*
- Support for German and Japanese
 - * Requires Oracle Calendar server 9.0.4

More new features are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.6.1.2 Known Limitations and Workarounds

[Table 3–7](#) lists and describes known limitations and workarounds for the Oracle Calendar desktop client for Windows.

Table 3–7 Known Limitations and Workarounds in the Oracle Calendar Desktop Client

Bug Number	Description	Release
N/A	The Japanese version of the Oracle Calendar desktop client for Windows does not support Address Book functionality.	9.0.4.1 and 9.0.4.2
3360991	You cannot create entries if you open a group view of an event calendar as a designate.	9.0.4.2
3173797	In certain scenarios, modifying a meeting's end time by typing it in the End time field will not work. Workaround: Use the up and down arrows to modify the time or change the duration of the meeting.	9.0.4.2
3443027	If the Address Book functionality is disabled and the online and offline passwords are different, users will encounter an error when attempting to download to existing offline files. Workaround: Set the online and offline passwords to be the same.	9.0.4.2
2859449	When attempting to import an iCalendar file to an external calendar product such as Microsoft Outlook, only the first entry in the file is imported correctly. To work around this issue, you should export/import your Agenda data in vCalendar format instead.	9.0.4.1
2836621	Importing .vcs files from some programs may not work properly	9.0.4.1

3.6.2 Oracle Calendar Desktop Client for Macintosh

This section contains these topics:

- [What's New](#)
- [Known Limitations and Workarounds](#)

3.6.2.1 What's New

This section lists new features in the Oracle Calendar desktop client for Macintosh, Release 9.0.4.1.

- Support for GSSAPI Kerberos
- Better encryption in off-line database
- Daily Notes and Day Events now support details and attachments.
- Open a Group View containing the agendas of the people invited to a particular meeting by pressing the CTRL key while clicking on a meeting and selecting Open Group View.
- The redesigned Event Editor lets you quickly create and edit events within a single dialog box. With this new organization, adding an additional date to your meeting is now achieved with a single click. The number of attendees for confirmed and unconfirmed meetings can be viewed. The Repeating Meeting dialog has also been redesigned to simplify the process of creating repeating meetings.
- All user preferences are now centralized and organized in a new Preferences dialog. With this dialog, users can modify the defaults of all configurable preferences related to settings for their Agenda display, In-tray display, Entry defaults, Scheduling choices, off-line set up, Address Book organization, and a number of General preferences including date, time zone, and startup settings.
- With the new on-line Address Book, you can now manage all your Address Book Entries from one location, and create categories to make your contact management easier than ever before.
- A new installer allows users to easily install the application. A pre-configuration file is provided for silent installation.
- The redesigned toolbars, updated default color schemes, and reorganized menus give Oracle Calendar a new look and feel.
- Customize meeting colors according to any scheme, to fit your desktop or preference.
- You can save the state of your windows at any time so that Oracle Calendar opens in exactly the state you choose.
- E-mail notification of events now includes the title of the event in the subject field.
- When you modify or delete instances of a repeating meeting, only affected instances will be listed in the mail message.
- When you modify or delete instances of a repeating meeting, by default only invitees for the affected instances will be notified by e-mail.
- Reminders are now available via e-mail and wireless.
- Support for meetings greater than 24 hours.
- Perform conflict checking on a per resource basis.*
- Improved address book: Ability to create a repeating note entry from a birthday or anniversary date, ability to launch an e-mail application from an address book entry's e-mail address, ability to launch the browser from an address book entry's URL.
- Support passwords longer than 15 characters.*
- The "Show time as free" feature allows users to accept invitations to meetings while remaining available for other invitations.*

* Requires Oracle Calendar server 9.0.4

More new features are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.6.2.2 Known Limitations and Workarounds

[Table 3–8](#) lists and describes general issues and their workarounds for the Oracle Calendar desktop client for Macintosh.

Table 3–8 Known Limitations and Workarounds for in Oracle Calendar Desktop Client

Bug Number	Description	Release
2864235	After configuring a master-node server for a specific user, the user name displayed in the Sign-in dialog is that of the previously signed-on user instead of the indicated user.	9.0.4.1 and 9.0.4.2
2871974	Attempting to sign-in to the application with a valid password containing a Euro character will fail.	9.0.4.1 and 9.0.4.2
2872763	The pop-up notification for new entries feature does not work.	9.0.4.1 and 9.0.4.2
2893976	When switching back and forth between Oracle Calendar desktop client for Macintosh and other applications, the Oracle Calendar windows appear in the foreground but remain grayed out as though they were still in the background.	9.0.4.1 and 9.0.4.2
2842273	When you click Print from the New Group dialog when there is no default printer set up on your system, a message is displayed asking if you wish to set up a printer. Clicking Cancel yields the following unexpected error: Module: <CST_ManageGroupsDlog.cpp>, Label: 125, Service error: 0x31002.	9.0.4.1 and 9.0.4.2
2830426, 2879849	Address Book categories do not function correctly.	9.0.4.1 and 9.0.4.2
2874952, 2892366	The Duplicate Meeting functionality may cause some unexpected behavior.	9.0.4.1 and 9.0.4.2
2884158, 2884186	In the event editor, the Apply to All functionality may not work correctly for all selections.	9.0.4.1 and 9.0.4.2
2922180	You cannot import iCal files while offline.	9.0.4.1 and 9.0.4.2
N/A	Oracle Calendar Sync for Palm 9.0.4.2 must be used when synchronizing with Oracle Calendar desktop client for Macintosh 9.0.4.2.	9.0.4.2
3406309	Designates for event calendars are not fully supported.	9.0.4.2
3024063	Leaving the application running in the background for extended periods of time may cause unexpected behavior.	9.0.4.2
3320119	Working offline when using Norton AntiVirus 8 with the autoscan feature enabled may result in unexpected behavior.	9.0.4.2
3349358	When selecting a mail application from the General Preferences tab, Ext. Applications option, you cannot select an executable file.	9.0.4.2
3410441	Resource numbers are limited to 10 characters.	9.0.4.2
3364063	When creating a duplicate meeting the Conflicts Found dialog box does not appear.	9.0.4.2

3.6.3 Oracle Calendar Desktop Client for Linux

This section contains these topics:

- [What's New](#)

- [Known Limitations and Workarounds](#)

3.6.3.1 What's New

This section lists new features in the Oracle Calendar desktop client for Linux, Release 9.0.4.1.

- Open a Group View containing the agendas of the people invited to a particular meeting by right-clicking on a meeting and selecting Open Group View.
- Use the startup preferences to choose when you would like your In-tray to be displayed.
- With the new on-line Address Book, you can now manage all your Address Book Entries from one location and create categories to make your contact management easier than ever before.
- View number of attendees for confirmed and unconfirmed meetings.
- A new installer allows users to easily install the application. A pre-configuration file is provided for silent installation.
- Support for meetings greater than 24 hours.
- Perform conflict checking on a per resource basis.*
- Improved address book: Ability to create a repeating note entry from a birthday or anniversary date, ability to launch an e-mail application from an address book entry's e-mail address, ability to launch the browser from an address book entry's URL.
- Support passwords longer than 15 characters.*
- Enhanced resource scheduling.*
- The "Show time as free" feature allows users to accept invitations to meetings while remaining available for other invitations.*

* Requires Oracle Calendar server 9.0.4

More new features are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.6.3.2 Known Limitations and Workarounds

[Table 3–9](#) lists and describes general issues and workarounds for the Oracle Calendar desktop client for Linux.

Table 3–9 Known Limitations and Workarounds in the Oracle Calendar Desktop Client

Bug No.	Description	Release
2836729	Changes you make to Address Book Folders preferences will remain in effect for the current session only. They are not properly saved.	9.0.4.1
31179497	Selecting "Download Only" from the Reconcile, Cancel, Download Only dialog box will erase any changes you have made in your off-line Agenda. You will not be warned that any changes that you make while offline will be lost.	9.0.4.1
2847503	Importing iCalendar files offline may not work properly.	9.0.4.1 and 9.0.4.2

Table 3–9 (Cont.) Known Limitations and Workarounds in the Oracle Calendar Desktop Client

Bug No.	Description	Release
N/A	You should not run concurrent copies of Oracle Calendar from one UNIX account.	9.0.4.1 and 9.0.4.2
3410449	Resource numbers are limited to 10 characters.	9.0.4.2
3397537	When attempting to create an event with more than the maximum attendees allowed the "Operation refused by the server" error is displayed and the event editor closes.	9.0.4.2

3.6.4 Oracle Calendar Desktop Client for Solaris

- [What's New](#)
- [Known Limitations and Workarounds](#)

3.6.4.1 What's New

This section lists new features in Oracle Calendar desktop client for Solaris, Release 9.0.4.1.

- Open a Group View containing the agendas of the people invited to a particular meeting by right-clicking on a meeting and selecting Open Group View.
- Use the startup preferences to choose when you would like your In-tray to be displayed.
- With the new on-line Address Book, you can now manage all your Address Book Entries from one location and create categories to make your contact management easier than ever before.
- View number of attendees for confirmed and unconfirmed meetings.
- A new installer allows users to easily install the application. A pre-configuration file is provided for silent installation.
- Support for meetings greater than 24 hours.
- Perform conflict checking on a per resource basis.*
- Improved address book: Ability to create a repeating note entry from a birthday or anniversary date, ability to launch an e-mail application from an address book entry's e-mail address, ability to launch the browser from an address book entry's URL.
- Support passwords longer than 15 characters.*
- Enhanced resource scheduling.*
- The "Show time as free" feature allows users to accept invitations to meetings while remaining available for other invitations.*

* Requires Oracle Calendar server 9.0.4

More new features are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.6.4.2 Known Limitations and Workarounds

[Table 3–10](#) lists and describes general issues and workarounds for Oracle Calendar desktop client for Solaris.

Table 3–10 Known limitations and workarounds in the Oracle Calendar Desktop Client

Bug No.	Description	Release
2836729	Changes you make to Address Book Folders preferences will remain in effect for the current session only. They are not properly saved.	9.0.4.1
31179497	Selecting "Download Only" from the Reconcile, Cancel, Download Only dialog box will erase any changes you have made in your off-line Agenda. You will not be warned that any changes that you make while offline will be lost.	9.0.4.1
2847503	Importing iCalendar files offline may not work properly.	9.0.4.1 and 9.0.4.2
N/A	You should not run concurrent copies of Oracle Calendar from one Unix account.	9.0.4.1 and 9.0.4.2
3410449	Resource numbers are limited to 10 characters.	9.0.4.2
3397537	When attempting to create an event with more than the maximum attendees allowed the "Operation refused by the server" error is displayed and the event editor closes.	9.0.4.2

3.7 Oracle Calendar Sync Clients

This section contains release note information on these products:

- [Oracle Calendar Sync for Palm for Windows](#)
- [Oracle Calendar Sync for Palm for Macintosh](#)
- [Oracle Calendar Sync for Pocket PC](#)

3.7.1 Oracle Calendar Sync for Palm for Windows

This section contains these topics:

- [What's New](#)
- [Known Limitations and Workarounds](#)

3.7.1.1 What's New

This section lists new features in Oracle Calendar Sync for Palm for Windows, Release 9.0.4.1.

- Support for Oracle Web Conferencing details in events
- Ability to choose whether or not to synchronize refused events to your device
- Support for synchronizing and filtering contact categories
- Support for synchronizing attendees and their statuses to the device
- Ability to change your attendance status from the device and synchronize it back to the server
- Ability to configure which rules to use during a modify conflict on a per data type basis
- Enhanced support for recurrence rule on personal events
- Support for German and Japanese

More new features are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.7.1.2 Known Limitations and Workarounds

[Table 3–11](#) lists and describes general issues and workarounds for Oracle Calendar Sync for Palm for Windows.

Table 3–11 *Known Limitations and Workarounds in Oracle Calendar Sync for Palm for Windows*

Bug No.	Description	Release
2851814	When modifying the same contact with a desktop client and the Palm device, and the rules setting is set to replace the mobile device item with the calendar server item, some fields may not be synchronized correctly.	9.0.4.1 and 9.0.4.2
2842611	Notes, Alarms and Access Levels modified on the device may not get synchronized with the server. If you are using the Calendar server v5.4, Details may not get synchronized either.	9.0.4.1 and 9.0.4.2
3209769	A deleted instance of a repeating entry cannot be synchronized.	9.0.4.1 and 9.0.4.2

[Table 3–12](#) lists and describes device-related issues and workarounds for Oracle Calendar Sync for Palm for Windows.

Table 3–12 *Device-Related Issues in Oracle Calendar Sync for Palm for Windows*

Bug No.	Description	Release
2872048	When upgrading, InstallShield returns random characters when reading an empty value from the registry instead of returning an error.	9.0.4.1 and 9.0.4.2
2842124	Recurring meetings which span the Daylight Savings time change may not be synchronized correctly. Several instances before or after the time change may have incorrect end times.	9.0.4.1 and 9.0.4.2
3065498	Your operating system's regional settings must be the same as the Palm device's language.	9.0.4.1 and 9.0.4.2

3.7.2 Oracle Calendar Sync for Palm for Macintosh

This section contains these topics:

- [What's New](#)
- [Known Limitations and Workarounds](#)

3.7.2.1 What's New

This section lists new features in Oracle Calendar Sync for Palm for Macintosh, Release 9.0.4.1.

- Support for ACE
- Support for Mac OS X

More new features are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.7.2.2 Known Limitations and Workarounds

[Table 3–13](#) describes general issues and workarounds for Oracle Calendar Sync for Palm for Macintosh.

Table 3–13 Known Limitations and Workarounds in Oracle Calendar Sync for Palm for Macintosh

Bug No.	Description	Release
N/A	You cannot synchronize the Palm organizer's Repeating Entries. You can, however, synchronize calendar server Repeating Entries.	9.0.4.1 and 9.0.4.2
N/A	The "Hand-held overwrites Macintosh" feature is not available.	9.0.4.1 and 9.0.4.2
N/A	If you change a timed Event to an untimed Event, or vice versa, on your Palm organizer, the change will not appear in the calendar application.	9.0.4.1 and 9.0.4.2
N/A	Oracle Calendar Sync for Palm only fully supports English-language synchronization.	9.0.4.1 and 9.0.4.2
N/A	Oracle Calendar Sync for Palm does not present a list of possible matches for duplicated names. To avoid this problem, enter as much unique user information as possible (For example, organization unit).	9.0.4.1 and 9.0.4.2
N/A	The Palm organizer does not support different time zones. Make sure the Palm organizer time zone corresponds to the calendar application's.	9.0.4.1 and 9.0.4.2

3.7.3 Oracle Calendar Sync for Pocket PC

This section contains these topics:

- [What's New](#)
- [Known Limitations and Workarounds](#)

3.7.3.1 What's New

This section lists new features in Oracle Calendar Sync for Pocket PC, Release 9.0.4.1.

- Support for Oracle Web Conferencing details in events
- Ability to choose whether or not to synchronize refused events to your device
- Support for synchronizing and filtering contact categories
- Support for synchronizing attendees and their statuses to the device
- Ability to change your attendance status from the device and synchronize it back to the server
- Ability to configure which rules to use during a modify conflict on a per data type basis
- Enhanced support for recurrence rule on personal events
- Support for German and Japanese

More new features are included in Oracle Collaboration Suite 9.0.4.2. For information on these new features, see the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

3.7.3.2 Known Limitations and Workarounds

[Table 3–14](#) describes general issues and workarounds for Oracle Calendar Sync for Pocket PC.

Table 3–14 *Known Issues and Workarounds in Oracle Calendar Sync for Pocket PC*

Bug No.	Description	Release
2851814	When modifying the same contact with a desktop client and the Palm device, and the rules setting is set to replace the mobile device item with the calendar server item, some fields may not be synchronized correctly.	9.0.4.1 and 9.0.4.2
2842611	Notes, Alarms and Access Levels modified on the device may not get synchronized with the server. If you are using the Calendar server v5.4, Details may not get synchronized either.	9.0.4.1 and 9.0.4.2
3209769	A deleted instance of a repeating entry cannot be synchronized.	9.0.4.1 and 9.0.4.2

[Table 3–15](#) describes device-related issues and workarounds for Oracle Calendar Sync for Pocket PC.

Table 3–15 *Device-Related Issues in Oracle Calendar Sync for Pocket PC*

Bug No.	Description	Release
2872048	When upgrading, InstallShield returns random characters when reading an empty value from the registry instead of returning an error.	9.0.4.1 and 9.0.4.2
2842124	Recurring meetings which span the Daylight Savings time change may not be synchronized correctly. Several instances before or after the time change may have incorrect end times.	9.0.4.1 and 9.0.4.2
3065498	Your operating system's regional settings must be the same as the Palm device's language.	9.0.4.1 and 9.0.4.2

3.8 Client Coexistence Behavior

This section describes coexistence issues between Oracle Connector for Outlook and the Oracle Calendar desktop clients.

- Using a Calendar desktop client, adding an occurrence to a repeating event causes the event to get duplicated in Oracle Connector for Outlook.
- Using Oracle Connector for Outlook, deleting an entry without sending a cancellation results in that entry showing as declined in the Calendar desktop clients.

This chapter summarizes release note issues associated with Oracle Email.

The following sections are included in the chapter:

- [What's New?](#)
- [Known Issues](#)
- [Known Bugs](#)
- [Documentation Errata](#)

4.1 What's New?

Release 2 of the Oracle Collaboration Suite e-mail product ships with restricted use licenses for the Oracle9i Application Server 9.0.2.3 and the Oracle9i Database 9.2.0.3. Several enhancements have been made to all components of the mail solution to improve performance and functionality. New features include:

- Improved virus scanning and protection, including an administration tool for quarantining messages suspected of virus infection in large stores; hands-off scanning of mail stores by third party anti-virus knowledge bases; and better virus scanning control for inbound and outbound mail.
- Per-user mail store backup and recovery, allowing backup and restoration of individual users' mail folders, private address book entries, and server-side rules.
- Network News Transfer Protocol (NNTP) server for news articles that can be used out of the box, accessed and posted through standard clients, and used to archive Oracle Email public distribution lists.
- Migration Tool support for Novell GroupWise, version 6.0, and Samsung Contact, version 7.1 (formerly HP OpenMail).
- Additional features for the Oracle Connector for Outlook, including:
 - Delegated management of mail, allowing a user to assign someone else to temporarily manage one's mail
 - Additional server-side rules, including the popular "out of office" assistant
 - Support for message annotation
 - Flashback recovery of mail, allowing users to quickly recover deleted mail messages.

4.2 Known Issues

This section describes Oracle Email known issues.

4.2.1 JDK 1.4.2 for Web Client

JDK 1.4.1 or above must be used with Oracle Webmail to support GB18030 (Simplified Chinese PRC standard) encoding.

4.2.2 NNTP Server Manual Upgrade

The NNTP Server upgrade requires no manual steps.

4.2.3 TargetDN Attribute

The `targetdn` attribute must be cataloged manually. If this attribute is not cataloged, the user rename operation fail.

Workaround:

Enter the following command:

```
$ORACLE_HOME/ldap/bin/catalog.sh -connect infrastructure_connectstr -add -attr targetdn
```

See Also: Search Oracle *MetaLink* for bug number 3049817 for more information at

<http://metalink.oracle.com>

4.2.4 Oracle Text

The text index for e-mail body searching is created with the Oracle Text BASIC_LEXER, which supports English and most western European languages that use white space delimited words. For other languages that are not supported by Oracle Text BASIC_LEXER, e-mail body search does not work.

Workaround:

1. Enter the following SQL prompt:

```
alter table es_imt_msgbody add (cset VARCHAR2(20) default 'JAAUTO');
```

2. Choose a lexer for e-mail indexing.

Supported lexers are:

- CHINESE_VGRAM_LEXER
 - CHINESE_LEXER
 - JAPANESE_VGRAM_LEXER
 - JAPANESE_LEXER, KOREAN_LEXER
 - KOREAN_MORPH_LEXER
3. As database user `es_mail`, drop the existing index `es_ot_ix_search` file. This unindexes previously indexed e-mails.
 4. Recreate the index `es_ot_ix_search` file with the lexer chosen in step 2. This causes all previously indexed e-mails to be re-indexed using the new lexer.
 5. Determine whether tablespace `esoratext` exists.

6. Run the following SQL commands as database user `es_mail` to recreate the index:

```
@ execute
CTX_DDL.CREATE_PREFERENCE('my_lexer', 'LEXER_NAME');

Create charset filter preference
@ execute
CTX_DDL.CREATE_PREFERENCE('my_charset_preference', 'CHARSET_FILTER');
@ execute
CTX_DDL.SET_ATTRIBUTE('my_charset_preference', 'charset', 'chosen_charset');
chosen_char_set : Globalization support name of source character set.

DROP INDEX es_ot_ix_search;

CREATE INDEX es_ot_ix_search ON es_int_msgbody(text)
      indextype IS ctxsys.context
      parameters ('DATASTORE es_search_dsprof
FILTER          MY_CHARSET_PREFERENCE
SECTION GROUP  es_search_sec_group
STORAGE        oratextstore
LEXER          my_lexer
CHARSET COLUMN cset') ;
```

7. Replace the following entries:

- `my_lexer` with a unique name
- `LEXER_NAME` with the name of the chosen lexer
- `my_charset_preference` with an unique name
- `chosen_charset` with the name of the source character set

See Also: Search Oracle *MetaLink* for bug number 2981864 for more information at

<http://metalink.oracle.com>

4.3 Known Bugs

This section describes Oracle Email known bugs.

4.3.1 Oracle Email Administration

Table 4–1 lists known bugs for Oracle Email Administration.

Table 4–1 Oracle Email Administration Known Bugs

Bug No.	Description
3236819	The parameter value labels for the Prevent Service Denial Attack parameter on the Policy page under the Administration tab are mislabeled. The parameter value currently labeled connection(s) refers to Spam Flood Interval. The parameter value currently labeled message(s) refers to Spam Maximum Flood Count.

Table 4–1 (Cont.) Oracle Email Administration Known Bugs

Bug No.	Description
3117825	<p>OESCTL command displays a message</p> <p>The following message displays when performing the <code>oesctl show targets</code>, <code>oesctl startup</code>, <code>oesctl shutdown</code> commands:</p> <p>Admin not using default pool</p> <p>This message can be ignored.</p>
3029078	Administrator online help is missing.
2978639	<p>If the mail store configuration for first mail store fails, the <code>orclguest</code> user is not provisioned for e-mail</p> <p>Workaround:</p> <p>To provision the <code>orclguest</code> account for e-mail, invoke the following script:</p> <pre>\$ORACLE_HOME/oes/bin/createEmailAccount.sh domain_name</pre> <p>where:</p> <ul style="list-style-type: none"> ■ <code>\$ORACLE_HOME</code> is the middle tier Oracle home ■ <code>domain_name</code> is the e-mail domain
2882795	System rules for message delivery can be invoked more than once for a message, if the message delivery fails during the first delivery attempt and delivery is tried again.
2349530	You cannot install more than one e-mail middle tier on one machine
2883242	When enabling the distribution list synchronization option from administration pages, the list of objectclass names must contain the <code>groupofuniqueNames</code> or <code>groupofNames</code> explicitly, even if the definitions objectclasses are inherited.

4.3.1.1 Email Component Issue and Database Listener

You need to configure the database listener to use `extproc32` for external procedure agent callout, as follows:

1. Modify the Information Storage `listener.ora` file, as follows:
 - a. Set the program parameter to `extproc32` instead of `extproc` as follows:

```
(program = extproc32)
```
 - b. Add the following line:

```
(ENVS="EXTPROC_DLLS=/lib32")
```
2. Set the `LIBPATH` environment variable, as follows:
 - For the Bourne, Bash, or Korn shell:

```
$ export LIBPATH=$ORACLE_HOME/lib32
```
 - For the C shell:

```
$ setenv LIBPATH $ORACLE_HOME/lib32
```
3. Restart the listener.

4.3.2 Oracle Email Migration Tool

Table 4–2 lists known bugs for Oracle Email Migration.

Table 4–2 Oracle Email Migration Tool Known Bugs

Bug No.	Description
2598308	The index is not available in the Help system. Keyword searches for help are not possible. Help content is available.
2841542	Migration tool throws OutofMemoryException while migrating users. Workaround: <ol style="list-style-type: none"> 1. Edit the <code>migrate.cmd/migrate.sh</code> script. 2. Set the Minimum Heap (-Xms) to the Max available heap size. 3. Edit the <code>esmigration.config</code> file in the <code>\$ORACLE_HOME/oes/migration/config</code> directory. 4. Set <code>oracle.mail.migration.num_of_threads</code> to a lower value.

Table 4–3 lists known bugs for the Microsoft Exchange plug-in.

Table 4–3 Microsoft Exchange Plug-in Known Bugs

Bug No.	Description
2775294	After migration, contents of multi-part or signed messages are shown as a text attachment
2775252	Messages with a MIME-type of multi-part or mixed that include multi-part or digest message parts are not migrated.
2760551	After migration, multi-part and parallel messages are broken
2516725	The Microsoft plug-in does not extract a shared folder from the Microsoft Exchange server if the shared folder does not have an owner, or if the default permission for that folder is not defined. Workaround: Verify that all folders have owners and the default permission defined before migrating them into the Oracle Email (See bug 2516792).
2558661	The Microsoft plug-in fails to extract messages with embedded OLE objects.

Table 4–4 lists known bugs for the Lotus Domino R5 plug-in.

Table 4–4 Lotus Domino R5 Plug-in Known Bugs

Bug No.	Description
2632809	Unable to open some attachments using Netscape 4.x after MBOX based migration with NLS messages. Workaround: View using Netscape 7.0 or Outlook Express.
2558661, 2827041	Embedded images and Notes Rich Text Format are not migrated from Lotus (for Interpersonal messages only).
2775294, 2760551	Format information is lost for multi-part and parallel and multi-part and signed message types.
2991346	A few Traditional Chinese messages where the original character set is UTF-8 are not migrated properly.

Table 4–4 (Cont.) Lotus Domino R5 Plug-in Known Bugs

Bug No.	Description
2926772	During mailbox extraction, a "No Message File for Product=OES" message is logged.

Table 4–5 lists known bugs for the Novell GroupWise plug-in.

Table 4–5 Novell GroupWise Plug-in Known Bugs

Bug No.	Description
2938463	Remainder note mail items are not extracted from the mailbox.
8469032	Creation Date is extracted instead of the Received Date
2950698	Multibyte attachment names are not correct after migration (for interpersonal message types).
2801219	The GroupWise plug-in does not extract Korean attachment names properly.
2794199	HTML body parts are not migrated properly for interpersonal message types

Table 4–6 lists known bugs for the Samsung plug-in.

Table 4–6 Samsung Plug-in Known Bugs

Bug No.	Description
2950501	Messages composed using non-standard clients may have corrupted headers
2921831, 2921810, 2921793, 2921793, 2921763, 2921608	A few migrated messages are not properly displayed using Netscape 4.7x Workaround: View the messages using Netscape 7.0 or Outlook Express.
2850889	Interserver messages after migration appear as extra attachments in Outlook Express Workaround: Set <code>INET_INLINE_FNAME_ALLOWED=FALSE</code> in the <code>general.cfg</code> file in <code>/var/opt/openmail/sys</code> on the source Samsung Contact server before MBOX generation. If <code>FALSE</code> , all the inline body parts do not have <code>filename=</code> in the Content-Disposition line even if a file name exists.

4.3.3 Servers

Table 4–7 lists known bugs for the IMAP server.

Table 4–7 IMAP Server Known Bugs

Bug No.	Description
2990674	The IMAP sort command does not work correctly on wireless profile folders

Table 4–8 lists known bugs for the list server.

Table 4–8 List Server Known Bugs

Bug No.	Description
2977691	Messages sent to the parent of nested external distribution lists are not archived for the child external list
2675017	Data returned by a PL/SQL function for a mail-merge tab is not translated into the character set of the e-mail into which the data is inserted
2637279	If an alias is made a member of a mailing list and an e-mail with mail-merge tags is sent to such a list, then the mail-merge will be incorrect for the alias recipient. All other normal users are unaffected

Table 4–9 lists known bugs for the NNTP server.

Table 4–9 NNTP Server Known Bugs

Bug No.	Description
2992003	The <code>es.nntp.in.clients.total</code> statistic is not being collected The following statistics are not getting collected for the following NNTP Inbound and Outbound servers. NNTP_IN <code>.es.nntp.in.clients.total = 0</code> <code>.ES_SPS.ctab.usedall = 0</code> <code>.ES_SPS.socket.currload = 0</code> <code>.um.admin.log.discard = 0</code> NNTP_OUT <code>.es.nntp.out.threads = 0</code> <code>.es.nntp.out.traffic.errors = 0</code> <code>.es.nntp.out.traffic.rejects = 0</code> <code>.um.admin.log.discard = 0</code>
3023652	The outbound server core dumps when an NNTP peer does not respond with a 200 response code during the initial connection
3028400	Message expiration for newsgroups and archived messages does not occur
2988909	The anti-spam parameter Reject Connections from Host Domain(s) is not recognized by the NNTP Inbound server
2991982	Articles containing a <code>Distribution</code> header value set for rejection are accepted. Only messages containing a <code>Distribution</code> header are affected
2982508	The <code>oespr</code> utility does not allow multiple outbound peers for a group to be set. The peer name is replaced with the new value instead of appending the new value, so that a newsgroup can be fed to one peer only

Table 4–10 lists known bugs for the virus scrubber.

Table 4–10 Virus Scrubber Known Bugs

Bug No.	Description
2990786	External filter names cannot contain spaces

Table 4–10 (Cont.) Virus Scrubber Known Bugs

Bug No.	Description
2988901	<p>The anti-virus pre-scan filter for the virus scrubber remains inactive when applied through the Oracle Webmail client administration pages.</p> <p>Workaround:</p> <ol style="list-style-type: none"> 1. Navigate to the Oracle Enterprise Manager Unified Messaging page. 2. Select Virus Scrubber then Default Settings. 3. Enable the Pre-scan parameter.

4.3.4 Oracle Webmail

Table 4–11 lists known bugs for Oracle Webmail.

Table 4–11 Oracle Webmail Known Bugs

Bug No.	Description
3032404	Oracle Webmail does not display Arabic folder names properly
3118921, 3064349, 3039842, 3034705, 302786, 3027902	English appears in Oracle Webmail when reading some languages
3118633, 2435583	Sorting in Oracle Webmail is according to ASCII character set
3118765, 2958984	Oracle Webmail may have issues when dealing with certain character set encoding (KO18-U and HZ-GB-22312)
2468357, 2468378	Oracle Webmail may have issues when dealing with UTF-7 encoded messages
2478206	Oracle Email users cannot log into Oracle Webmail if the users have multibyte characters in their user IDs
2759549	European characters are not displayed correctly
3119310	<p>The invite command does not work if it is executed after other list commands</p> <p>Workaround: After logging in to Oracle Webmail, execute the invite command before executing any other list command. If you executed list commands prior to the invite command, log out Oracle Webmail and log in again.</p>

Table 4–11 (Cont.) Oracle Webmail Known Bugs

Bug No.	Description
3041649	<p>Runtime error occurs in French</p> <p>Workaround:</p> <ol style="list-style-type: none"> 1. Edit the following file: \$MIDTIER_HOME/j2ee/OC4J_UM/applications/UMClientApp/um_client/templates/messge_list.uix 2. Change the following <pre>function validateFolder () { if (gotofolderform.folder.value == "") { alert ('<rawText xmlns:data="http://xmlns.oracle.com/cabo/marlin" data:text="HaveListPrivsImage@mailNLS"/>'); return (false); } else { return (true); } } </pre> To <pre>function validateFolder () { if (gotofolderform.folder.value == "") { alert ("<rawText xmlns:data="http://xmlns.oracle.com/cabo/marlin" data:text="HaveListPrivsImage@mailNLS"/>"); return (false); } else { return (true); } } </pre> 3. Restart OC4J_UM.
3027912	The message date does not display in the Message List view if the middle tier is installed in ZH locale (Simplified Chinese)
3093934	The Oracle Email portlet fails if OJMA encryption is set to True
3101018	Selecting a folder from the drop down list in the Message List page does not work. On Linux only.

Table 4–11 (Cont.) Oracle Webmail Known Bugs

Bug No.	Description
3478904	<p>Address lines are truncated prematurely in the Message List view.</p> <p>Workaround: The degree of truncation of addresses in the Message List view can be customized by the administrator of the product after installation.</p> <p>To customize the number of characters displayed before truncation, the <code>message_list.uix</code> page (located in the <code>\$ORACLE_HOME/j2ee/OC4J_UM/applications/UMClientApp/um_client/templates</code> directory) can be modified by changing the following lines:</p> <pre data-bbox="683 569 1360 680"><defaulting> <dataObject select="personal:20" data:source="from" /> <dataObject select="address:20" data:source="from" /> </defaulting></pre> <p>The numbers following <code>personal</code> and <code>address</code> indicate how many characters to display before truncation occurs. In the preceding example, the first 20 characters are displayed, followed by an ellipsis (. . .). By editing this number, the number of characters displayed can be altered.</p> <p>Note: changes to this file do not require restarting the <code>OC4J_UM</code> instance.</p>

4.4 Documentation Errata

This section describes documentation issues in the following documentation:

- [Section 4.4.1, "Oracle Email Administrator's Guide"](#)
- [Section 4.4.2, "Oracle Email Migration Tool Guide"](#)
- [Section 4.4.3, "Oracle Email Application Developer's Guide"](#)
- [Section 4.4.4, "Oracle Email Java API Reference"](#)

4.4.1 Oracle Email Administrator's Guide

This section describes documentation issues in the Oracle Email Administrator's Guide

4.4.1.1 Prevent Service Denial Attack Default Anti-Spam Parameters

The parameter values for Prevent Service Denial Attack are:

- **Spam Maximum Flood Count:** The number of e-mail messages plus the number of connection requests from this host within a time interval that is considered to be flooding (Default value = 10000)
- **Spam Flood Interval:** The time interval, in minutes, is used in conjunction with Spam Maximum Flood Count to determine whether a host is spamming (Default value = 10)

See Also: [Bug 3236819](#) in [Table 4–1, "Oracle Email Administration Known Bugs"](#)

4.4.1.2 Table 9-5: List Server Parameters

The PL/SQL Timeout default value is 10 minutes.

4.4.2 Oracle Email Migration Tool Guide

This section describes documentation issues in the Oracle Email Migration Tool Guide

4.4.2.1 References to Oracle Collaboration Suite Documentation

The *Oracle Collaboration Suite Configuration Handbook* has been renamed to the *Oracle Collaboration Suite Quick Installation Guide*.

For references to the *Oracle Collaboration Suite Configuration and Planning Guide*, see the *Oracle Collaboration Suite Installation and Configuration Guide*

4.4.2.2 Chapter 2: Requirements Before Migration

- Preparing for a Novell GroupWise Migration:
 - Novell Client Version 4.81 or higher should be installed on the machine where the Migration Tool is installed.
- Choosing the Migration Option:
 - Microsoft Exchange 5.0 and Microsoft Exchange 5.5 do not support Public Alias Migration from this Version.
- Preparing for a Microsoft Exchange Migration:
 1. Create a profile.
 2. Check whether the Outlook Client is installed in Corporate or Work Group Mode.

To check the mode in which the Outlook Client is installed:

- Open Microsoft Outlook.
- Click **About Outlook** under the Help option.
 - If it is in Corporate or Working group, change nothing.
 - If it is in Internet Mail Only Option, change the configuration from IMO to Corporate or Working Group Mode.
- To change the configuration of Microsoft Outlook from IMO to Corporate or Work Group mode:
 1. Click **Tools** on the Microsoft Outlook menu bar.
 2. Select **Options > Mail Format > Reconfigure**.
 3. Follow the wizard and select **Corporate** or **Working Mode**.

Note: Explicitly install the Microsoft Outlook 2000 client in **Corporate** mode option if there are failures.

- After installation:
 1. Click **Start > Control Panel > Mail**.
 2. Click **Show profiles**.
 3. Click **Add**.

4. Enter the appropriate information.
5. Check whether the primary Windows NT account (used profile creation) has the Service Admin or Admin role on the Exchange Server system. If not, add the NT user to the service admin accounts list using the Microsoft Exchange Administrator program.
6. Stop and start the Exchange services to make permissions given take effect.
7. Check if the Exchange Administrator program is installed on the system.

4.4.2.3 Chapter 3: Migration Tasks

- If a forward slash (/) is present in a folder name, the Oracle Email Migration Tool replaces it with an underscore (_) and prefixes the folder with `Renamed_`.

For example, if the original folder is named `Sales/March`, the name becomes `Renamed_Sales_March`.

- To install the Oracle Email Migration Tool:

`ORACLE_HOME` can be any directory on the machine from which the Oracle Email Migration Tool runs. It need not be a proper Oracle installed directory.

Create a directory `oes/migration` under the set `ORACLE_HOME`.

- Migrating Distribution Lists

Distribution lists are only created as SMTP distribution lists on Oracle. These can be converted to list server lists using the Oracle Webmail client administration pages.

See Also: *Oracle Email Administrator's Guide* for more information on SMTP distribution lists and list server lists

4.4.2.4 Appendix C

`Userlistgen` generates the `users.xml` file for IMAP-based migration where the passwords are protected. This file is used by the Migration Tool for loading users.

1. Run `userlistgen.sh` (for Solaris) and `userlistgen.cmd` (for Windows) from `$ORACLE_HOME/oes/migration/bin`.

```
./userlistgen.sh
```

The Oracle Email Migration Tool reads the following parameters from Standard input. To terminate, press **Enter** twice.

```
sourceimapuserid=test1 sourceimappasswd=welcome1 targetimapuserid=test1
targetimapuserpasswd=welcome1 quota=50 sourceimapuserid=....
```

Once this is complete, the `users.xml` file has to be copied to the required directory from where the Oracle Email Migration Tool will read it.

```
./userlistgen.sh file=<name>
```

The Oracle Email Migration Tool reads the file (in the `users.xml` format supported by the Oracle Email Migration Tool) and the output file is generated in the same directory with the passwords in the `users.xml` file protected.

The following is an input file example:

```
userlist
user sourceimapuserid="test1" sourceimappasswd="welcome1"
targetimapuserid="test1"
```

```
targetimappasswd="welcome1" quota="10" /
/userlist
```

4.4.3 Oracle Email Application Developer's Guide

This section describes documentation issues in the Oracle Email Application Developer's Guide

4.4.3.1 Chapter 2: Java API Reference

Directory Management API: Directory Components

Before a caller can access any of the directory components, the caller must authenticate with the LDAP directory using the `oracle.mail.OESContext` class. Once authenticated, the instance of `oracle.mail.OESContext` representing a trusted session must be passed to all of the directory APIs. There are two ways of authenticating: in the middle tier Oracle home and by providing the user credentials.

Authentication in the Middle Tier Oracle Home

In this authentication model, the application must be deployed on a middle tier host.

The `ORACLE_HOME/oes/jazn/jazn-data.xml` file must be modified as described below. `ORACLE_HOME` is the Oracle home path in the middle tier host

1. Back up the original `ORACLE_HOME/oes/jazn/jazn-data.xml` file.
2. Open `ORACLE_HOME/oes/jazn/jazn-data.xml`.
3. Go to the end of the file.
4. Before the `</jazn-policy>` tag, add the following lines.

```
<grant>
  <grantee>
    <codesource>
      <url>file:%JARFILE_NAME%</url>
    </codesource>
  </grantee>
  <permissions>
    <permission>
      <class>oracle.security.jazn.JAZNPermission</class>
      <name>logon</name>
    </permission>
  </permissions>
</grant>
```

where:

`%JARFILE_NAME%` is the absolute path of the application jar file.

An example of authenticating as an application with the debug option turned off follows:

```
OESContext oesctx = new OESContext(DirectoryConstants.DS_CALLERTYPE_APP, false);
//Authenticate to the directory
oesctx.authenticate(null, oracle_home); //oracle_home is the oracle home path on
the middle tier host
```

Authentication Providing Super User Credentials

In this authentication model, the application must provide Oracle Internet Directory super user credentials (credential of `cn=orcladmin` or `cn=umadmin, cn=EmailServerContainer, cn=Products, cn=OracleContext`)

An example of authenticating as an application passing super user credentials with the debug option turned off follows:

```
OESContext oesctx = new OESContext(DirectoryConstants.DS_CALLERTYPE_APP, false);  
//Authenticate to the directory  
oesctx.authenticate(username, password, ldaphost, ldapport); //username - super  
user dn, password - super  
user password, ldaphost - OID host name, ldapport - OID port number
```

4.4.3.2 Directory Management Code Examples

To run these examples, the CLASSPATH environment variable must include the following:

```
jndi.jar, ldap.jar, providerutil.jar, classes12.zip, $ORACLE_  
HOME/jlib/repository.jar, $ORACLE_HOME/jlib/esldap.jar, $ORACLE_  
HOME/jlib/escommon.jar, $ORACLE_HOME/jlib/ojmisc.jar, $ORACLE_  
HOME/j2ee/home/jazn.jar
```

The `$ORACLE_HOME/oes/jazn/jazn-data.xml` file must be edited as described above.

4.4.4 Oracle Email Java API Reference

This section describes documentation issues in the Oracle Email Java API Reference

4.4.4.1 Oracle Folder Add ACI Method

`OracleFolder` `addACI` method supports the following ACI in Oracle Collaboration Suite, Release 2:

`a - administer`: Enables ACIs to be set and deleted on folders that are owned by other users.

This chapter summarizes release note issues associated with Oracle Files.

The following sections are included in the chapter:

- [What's New](#)
- [Certification and System Requirements](#)
- [Deprecations](#)
- [General Issues](#)
- [Configuration Issues](#)
- [Oracle Internet Directory Issues](#)
- [Globalization Support Issues](#)
- [Known Bugs](#)

5.1 What's New

The following features are new for Oracle Files Release 2.

5.1.1 Workflow Configuration Enhancements

The Oracle Workflow configuration process for adding additional languages has been simplified.

This feature is available in Oracle Collaboration Suite Release 2 (9.0.4.1). If you have Oracle Collaboration Suite Release 2 (9.0.4.0), download and apply Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0) in order to obtain this feature.

5.1.2 Oracle Files Web UI and Oracle FileSync Client Available in Russian

In addition to the nine new languages supported by Oracle Collaboration Suite for Release 2, the Oracle Files Web user interface and the Oracle FileSync user interface have been translated into Russian.

This feature is available in Oracle Collaboration Suite Release 2 (9.0.4.1). If you have Oracle Collaboration Suite Release 2 (9.0.4.0), download and apply Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0) in order to obtain this feature.

5.1.3 Creating Custom Workflows

Oracle Files comes with a default workflow process. Additionally, with this release you can now define a custom workflow process in Oracle Workflow, then register it

with Oracle Files. You can design and register any number of custom workflow processes.

Also new for this release, you can now define an action to be performed when a workflow process is approved, such as moving or copying files to a specified location, versioning the files, or deleting the files.

See Also: *Oracle Files Administrator's Guide* for information on how to design and register custom workflows for use in Oracle Files

5.1.4 Branding the Oracle Files User Interface

Some organizations have "look and feel" standards, such as the requirement to use a particular company logo or color scheme. The Oracle Files Web interface can be customized to match those standards.

System Administrators can make the following customizations to the Oracle Files Web interface:

- Oracle Files Web interface colors can be altered
- Oracle Files Web interface fonts can be changed
- Particular Oracle Files Web interface images (such as the Oracle Files logo) can be modified or replaced
- The title bar for the Oracle Files Web interface can be altered

See Also: *Oracle Files Administrator's Guide* for more information on custom branding

5.1.5 Improved Domain Controller Reliability After Computer Failure

The domain controller is an important component of the Oracle Files domain.

In Oracle Collaboration Suite Release 1, the domain could not be easily shut down, started, monitored, or configured in the following situations (although the domain would continue to run):

1. If the primary database listener in a RAC configuration failed.
2. If the computer on which the domain controller was running failed.

The first problem was due to the domain controller using a derived JDBC thin driver URL for communication between the domain controller and the database. To handle this problem, you can now specify a database URL in the `registry.xml` file. This can then be used to specify a JDBC thick driver URL, which supports Transparent Application Failover (TAF).

To handle the second problem, you can now migrate the domain controller to another middle-tier host.

See Also: *Oracle Files Administrator's Guide* for more information on migrating the domain controller

5.1.6 Automatic User Provisioning

In Oracle Files Release 1, users created in Oracle Internet Directory were automatically provisioned in Oracle Files every 24 hours. Shortening this interval required a series of manual steps.

For the current release, the interval has been reduced to 15 minutes. Additionally, users created in Oracle Internet Directory are automatically provisioned in Oracle Files when they log in to Oracle Files for the first time through the Web interface.

5.1.7 Additional Oracle Files Features

The following new Oracle Files features are available if you download and apply Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0):

- Enhancements to User Lookup
- Enable/Disable Workspace Creation feature
- Support for Oracle Database 10g Release 1
- OmniPortlet support

For information about these features, refer to the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

5.2 Certification and System Requirements

Oracle Files requires one of the following Oracle database versions:

- Oracle Collaboration Suite Release 2 Information Storage database, with 9.2.0.4 (or later) database patch set
- External 9.2.0.4 (or later) version of the Oracle database

In addition, Oracle Files requires a 9.0.2.3 Oracle*iAS* infrastructure.

5.2.1 Client Certifications

The following client software has been tested and certified for the various protocol servers offered by Oracle Files. Higher operating system and application service pack and minor version number releases are supported.

5.2.1.1 SMB

1. Microsoft Windows NT 4.0 Workstation Service Pack 6a with:

Microsoft Office 2000 Service Pack 3, including:

- Microsoft Word 2000
- Microsoft Excel 2000
- Microsoft PowerPoint 2000
- Microsoft FrontPage 2000

2. Microsoft Windows 2000 Professional Service Pack 3 with:

- Microsoft Office 2000 Service Pack 3, including:

- Microsoft Word 2000
- Microsoft Excel 2000
- Microsoft PowerPoint 2000
- Microsoft FrontPage 2000

- Microsoft Office XP Service Pack 2, including:

- Microsoft Word 2002

- Microsoft Excel 2002
 - Microsoft PowerPoint 2002
 - Microsoft FrontPage 2002
 - Microsoft Visio 2000, 2002
 - Microsoft Project 2000, 2002
 - Adobe Acrobat 5.0
3. Microsoft Windows XP Professional Service Pack 1 with:
- Microsoft Office 2000 Service Release 1, including:
 - Microsoft Word 2000
 - Microsoft Excel 2000
 - Microsoft PowerPoint 2000
 - Microsoft FrontPage 2000
 - Microsoft Office XP Service Pack 2, including:
 - Microsoft Word 2002
 - Microsoft Excel 2002
 - Microsoft PowerPoint 2002
 - Microsoft FrontPage 2002
 - Microsoft Office 2003 Professional, including:
 - Microsoft Word 2003
 - Microsoft Excel 2003
 - Microsoft PowerPoint 2003
 - Microsoft FrontPage 2003
 - Microsoft Visio 2000, 2002, 2003
 - Microsoft Project 2000, 2002, 2003
 - Adobe Acrobat 5.0

5.2.1.2 Web Browsers (for Web User Interface and Enterprise Manager Web Site)

1. Microsoft Windows
- Netscape Communicator 7.x
 - Microsoft Internet Explorer 5.5 Service Pack 2
 - Microsoft Internet Explorer 6.02 Service Pack 1
 - Mozilla 1.2.1, 1.1
2. Macintosh
- Mac OS 9.1
 - Microsoft Internet Explorer 5.1: Certified for English only. Not certified for other languages due to a published Microsoft Internet Explorer bug.
 - Mac OS X version 10.3

- Microsoft Internet Explorer 5.2: Certified for English only. Not certified for other languages due to a published Microsoft Internet Explorer bug.
- Netscape Communicator 7.1
- Mozilla 1.6

3. Linux

- Netscape Communicator 7.x
- Mozilla 1.2.1, 1.1

4. UNIX

- Mozilla 1.2.1, 1.1

5.2.1.3 FTP Clients

1. Microsoft Windows

- OnNet FTP 4.0
- WS_FTP Pro 7.6
- Cute FTP Pro 3.0
- Hummingbird 7.0

2. UNIX

- Command line ftp Solaris 2.8, 2.9

3. Macintosh OS X.2

- Transmit 2.5.1

5.2.1.4 AFP

Mac OS X.2 with Microsoft Office Mac X, including:

- Microsoft Word for Mac OS X
- Microsoft Excel for Mac OS X
- Microsoft PowerPoint for Mac OS X

5.2.1.5 NFS Client Support

1. Microsoft Windows

- Hummingbird NFS Maestro 6.0 (Windows NT)
- Hummingbird NFS Maestro 7.0 (Windows NT/2000)
- OnNet 7.0 (Windows 2000 only)

2. UNIX

- Solaris 2.8 and 2.9
- Linux Advanced Server 2.1, Kernel 2.4.9-e.16
- Linux Red Hat 8.0

5.2.1.6 WebDAV: Web Folders

1. Microsoft Windows XP Professional Service Pack 1

- Microsoft Office XP Service Pack 2, with Microsoft Internet Explorer 6.02 Service Pack 1 and MSDAIIPP.DLL version 10.145.3914.17 with:
 - Microsoft Word 2002
 - Microsoft Excel 2002
 - Microsoft PowerPoint 2002
 - Microsoft FrontPage 2002
 - Microsoft Visio 2002
 - Microsoft Project 2002
 - Adobe Acrobat 5.0
 - Microsoft Office 2000 Service Release 1, with Microsoft Internet Explorer 6.02 Service Pack 1 and MSDAIIPP.DLL version 8.103.5219.0 with:
 - Microsoft Word 2002
 - Microsoft Excel 2002
 - Microsoft PowerPoint 2002
 - Microsoft Visio 2002
 - Microsoft Project 2002
 - Adobe Acrobat 5.0
 - Microsoft Office 2003 Professional, with Microsoft Internet Explorer 6.02 Service Pack 1 and MSDAIIPP.DLL version 11.0.5510.0 with:
 - Microsoft Word 2003
 - Microsoft Excel 2003
 - Microsoft PowerPoint 2003
 - Microsoft Visio 2003
 - Microsoft Project 2003
2. Microsoft Windows 2000 Professional Service Pack 3
- Microsoft Office XP Service Pack 2, with Microsoft Internet Explorer 6.02 Service Pack 1 and MSDAIIPP.DLL version 10.145.3914.17 with:
 - Microsoft Word 2002
 - Microsoft Excel 2002
 - Microsoft PowerPoint 2002
 - Microsoft FrontPage 2002
 - Microsoft Visio 2002
 - Microsoft Project 2002
 - Adobe Acrobat 5.0
 - Microsoft Office 2000 Service Pack 3, with Microsoft Internet Explorer 5.5 Service pack 2 and MSDAIIPP.DLL version 8.103.3521.0 with:
 - Microsoft Word 2002
 - Microsoft Excel 2002
 - Microsoft PowerPoint 2002

- Microsoft Visio 2002
 - Microsoft Project 2002
 - Adobe Acrobat 5.0
3. Microsoft Windows NT 4.0 Workstation Service Pack 6a with:
Microsoft Office 2000 Service Pack 3, with Microsoft Internet Explorer 5.5 Service Pack 2 and MSDAIPP.DLL version 8.103.3521.0 with:
- Microsoft Word 2002
 - Microsoft Excel 2002
 - Microsoft PowerPoint 2002
 - Microsoft FrontPage 2002

5.2.1.7 WebDAV: Oracle FileSync Client

1. Microsoft Windows XP Professional Service Pack 1
2. Microsoft Windows 2000 Professional Service Pack 3
3. Microsoft Windows NT Workstation Service Pack 6
4. Microsoft Windows 98

5.3 Deprecations

AppleTalk Filing Protocol (AFP) will not be supported in future releases of Oracle Files. In future releases, Macintosh users will be able use SMB or WebDAV.

5.4 General Issues

This section describes general operations and administration issues you should be aware of before using Oracle Files. The bugs referred to are described in more detail in [Section 5.8, "Known Bugs"](#) on page 5-12.

5.4.1 Logging Out From Portal Page Does Not Log Users Out of Oracle Files

Using Oracle9iAS Single Sign-On to log out from an application other than Oracle Files will leave users still logged in to Oracle Files. For example, if a user clicks the **Return to Portal** link in the Oracle Files Web interface, then logs out from the Oracle Collaboration Suite Portal page, the user will still be logged in to Oracle Files.

To ensure that they are logged out of Oracle Files, users should explicitly click **Logout** from the Oracle Files Web interface. Logging out from the Oracle Files Web interface will log the user out of both Oracle Files and any other SSO-enabled application.

5.4.2 Error Occurs on Creation of Workspaces

If a valid SMTP server is not specified during Oracle Files configuration, or a user has a null or invalid e-mail address, any Oracle Files operation that involves an e-mail notification will fail, including Workspace creation.

Since the Subscriber Administrator's password is sent to the Subscriber Administrator by e-mail, the Subscriber Administrator will not be able to perform any administrative tasks if a valid SMTP server is not specified during configuration. For example, the Subscriber Administrator will not be able to manage users, quota, or categories, specify Subscriber settings, or restore files.

See bug 2520112 for more information about this issue.

5.4.3 Content From the Archive is Moved to BFILE Storage By Default

Content that has been deleted from Trash is moved to the Archive. By default, Oracle Files then moves all content from the Archive into BFILE storage.

Some administrators may want to temporarily disable BFILE storage while they formulate an archival strategy and arrange for adequate disk space. To disable BFILE storage, you must ensure that the following two agents are not initially started by the node:

- FilesArchiveFileToBFileAgentConfiguration
- FilesDelayedArchiveFileToBFileAgentConfiguration

To do this, use the Oracle Enterprise Manager Web site to update the node configuration that is used by the node that runs these agents.

See Also: *Oracle Files Administrator's Guide* for more information about BFILES and editing node configurations

5.4.4 Mapping Web Folders in Windows XP

When creating a Web Folders mapping in Windows XP, you must specify the port explicitly, even if you are using port 80. For example:

```
http://foo.acme.com:80/files/content
```

If you do not specify a port number, Windows XP may use the File System Redirector, which is not supported for use with the Oracle Files WebDAV server.

5.4.5 Saving HTML Files Using Internet Explorer

If you open an HTML file from the Oracle Files Web UI using Internet Explorer, and then choose **File > Save As** to download the content, the file will be saved as type **Web Page, complete** by default. If you save the file as this file type, any relative links in the HTML file will be re-written as absolute links due to the default behavior of Internet Explorer.

If you do not want to see this behavior, choose another file type (such as **Web Page, HTML only**) from the Save As dialog box before saving. Alternatively, if you right-click the file from the Browse Files page and choose **Save Target As**, you will not see this behavior.

5.4.6 Using Enterprise Manager to Add a New Node

When using Enterprise Manager to add a new Node (Files home page -> Node Configurations -> Create/CreateLike), remove the `-XX:+OverrideDefaultLibThread` option from the default Java Command. If you do not, you cannot start the new node.

5.4.7 Popup Blockers Can Cause Problems in the Oracle Files UI

If you have a popup blocker installed in your browser, such as the popup blocker in the Google toolbar, it may interfere with some features in the Oracle Files Web interface. For example, the Flashlight Lookup icon and the Calendar Lookup icon that allow you to choose criteria in the Advanced Search page may not function.

Because of this, you should disable popup blockers. For example, to disable the Google popup blocker, click **Options** on the toolbar, deselect **Popup Blocker**, and click **OK**.

5.4.8 Outlook Express Breaks Oracle Files URLs That Contain Multibyte Characters

Due to a known Microsoft bug, if you are using Outlooks Express 5.5 or 6.0, URLs that appear in e-mail notifications sent by Oracle Files are corrupted if the URL contains multibyte characters. To avoid this behavior, use a different e-mail client.

5.4.9 Standby Database Limitations

Because logical standby databases do not currently support all Oracle datatypes, Oracle Files does not support logical standby databases. If you need to use a standby database for disaster recovery, use a physical standby database.

5.5 Configuration Issues

This section describes issues related to configuring Oracle Files.

5.5.1 Workflow Issues

This section discusses configuration issues with Oracle Workflow.

5.5.1.1 Building Custom Workflows

In order to build custom workflows, you need to use Oracle Workflow Builder on a Windows NT, 2000, or XP system. You can download Oracle Workflow Builder from the Oracle Technology Network (OTN). To do this, follow these steps:

1. Point a Web browser at <http://otn.oracle.com>.
2. Navigate to the Oracle Collaboration Suite Downloads page.
3. Follow the instructions on this page to download Oracle Workflow Builder. The version you want is the **Oracle Workflow Embedded Release 2.6.2 for Microsoft Windows 98/NT/2000/XP**.

See Also:

- *Oracle Workflow Guide* for information about building custom workflows
- *Oracle Files Administrator's Guide* for information about Oracle Files-specific requirements for custom workflows

After you have created a custom workflow, you need to make it available to Oracle Files by loading the custom workflow into the Workflow schema. To do this, save the custom workflow as a `.wft` file, copy it to the middle-tier computer where the workflow schema resides, and load the `.wft` file using `wfload`:

```
$ORACLE_HOME/bin/wfload -u workflow_schema_name/workflow_schema_password@database_
URL workflow_file_location/workflow_file_name
```

For example:

```
$ORACLE_HOME/bin/wfload -u OWF_MGR/MY_PASSWORD@myhost.us.oracle.com/private
/oracle/MyCustomWorkflow.wft
```

See Also: *Oracle Files Administrator's Guide* for information about registering a custom workflow with Oracle Files

5.5.1.2 LDAP Packages

If you are using an external Oracle 9.2.0.4 database, or if you have upgraded your Oracle Collaboration Suite information storage database, you need to confirm that the Catalog for the LDAP PL/SQL API has been loaded in this database.

To confirm the presence or absence of the Catalog, run the following SQL*Plus command as the SYS user on the database tier:

```
DESC DBMS_LDAP
```

If no such package exists, run the `catldap.sql` script that is present in `$ORACLE_HOME/rdbms/admin` as the SYS user on the database tier. This creates the catalog in the database.

Caution: Make sure that you run `catldap.sql` in the Oracle home of the database; do not run the script from the middle tier or infrastructure Oracle homes.

5.5.1.3 Multiple Instances

You cannot use the same Oracle Workflow schema to support two different Oracle Files domains. If you have multiple Oracle Files domains being used by the same database instance, you must have different Oracle Workflow schemas (as is the case with Oracle Files schemas).

During configuration, you may want to choose an Oracle Workflow schema name different from the default value of `OWF_MGR` to ensure that you are not reusing an existing Oracle Workflow schema.

5.5.1.4 Provisioning Users Into Oracle Workflow

As new Oracle Files users are created in Oracle Internet Directory, run the following SQL*Plus commands to provision the new users into Oracle Workflow:

```
set serveroutput on size 1000000
declare
  ret_code boolean;
begin
  ret_code := wf_ldap.synch_changes();
  if (ret_code) then
    dbms_output.put_line('WF_LDAP.Synch_Changes successful');
  else
    dbms_output.put_line('WF_LDAP.Synch_Changes failed. Please try again');
  end if;
exception
  when others then
    dbms_output.put_line('Exception encountered : ' || sqlerrm);
end;
/
```

Note: It is recommended that you create a `DBMS_JOB` that will automatically run `wf_ldap.synch_changes()` at regular intervals.

5.5.2 Oracle Text Issues

After upgrading an existing Oracle Files domain, you must manually sync the existing IFS_TEXT index.

See Also: *Appendix A, Oracle Text Reference* in the *Oracle Files Administrator's Guide* for more information

5.5.3 Caching Issues

Using Oracle9iAS Web Cache to cache any content located under /files/content is prevented due to a variety of security issues.

5.6 Oracle Internet Directory Issues

This section covers Oracle Internet Directory issues specific to Oracle Files.

See Also: *Oracle Internet Directory Release Notes* at <http://otn.oracle.com/documentation>, for complete information on all known issues.

5.6.1 User Provisioning Failure

Sometimes, users created in Oracle Internet Directory fail to be provisioned in Oracle Files, or you may be unable to add newly provisioned users to Oracle Files Workspaces.

If these problems occur, they are likely due to a failure to set required user attributes in Oracle Internet Directory. The following Oracle Internet Directory user attributes must be non-null for all users:

- sn
- givenName
- mail
- username

The username attribute is specified by the `orclCommonNicknameAttribute` in the Subscriber's OracleContext.

See Also: *Oracle Internet Directory Administrator's Guide* for more information on viewing the `orclCommonNicknameAttribute`

5.7 Globalization Support Issues

Here are some issues relevant to Oracle Files Globalization Support, formerly known as National Language Support (NLS).

5.7.1 Error When Saving Documents with Multibyte Filenames in Internet Explorer

When using the **Save As** command in Internet Explorer to save documents with multibyte filenames, the filename in the Save As dialog appears corrupted.

To fix this, enable the **Always send URLs as UTF-8** option in Internet Explorer:

1. Select **Tools > Internet Options**.
2. Select the **Advanced** tab.

3. Check the **Always send URLs as UTF-8** option.
4. Click **OK**.

5.7.2 Jagged Bold/Italic Fonts

When running in Japanese, Simplified Chinese, Traditional Chinese, and Korean environments, bold or italicized fonts in the Configuration Assistants appear jagged, and are difficult to read.

This issue is caused by problems in the 1.3.1_02b version of the JDK, and can be resolved by moving to JDK 1.3.1_04. This problem will be fixed in future releases of Oracle Files.

See bug 2377003 and base bug 2220343 for more information.

5.7.3 Character Set Limitations

Oracle Files does not support AL32UTF-8 databases for Asian languages, because Oracle Text does not support Chinese, Japanese, and Korean lexers on AL32UTF-8 databases. On such databases, Chinese, Japanese, and Korean documents will not be indexed or searchable. UTF-8 is the recommended character set for Unicode-based file systems. See also bug 2391425.

5.8 Known Bugs

The following bugs are known to exist in this Oracle Files release. Workarounds are given when appropriate. The known bugs are grouped in tables by the following processes or components:

- [Table 5–1, "Oracle Files Configuration Bugs"](#)
- [Table 5–2, "Oracle Files Administration Bugs"](#)
- [Table 5–3, "Generic Oracle Files Bugs"](#)
- [Table 5–4, "Oracle Files HTTP/WebDAV Bugs"](#)
- [Table 5–5, "Oracle Files NFS Bugs"](#)
- [Table 5–6, "Oracle Files AFP Bugs"](#)
- [Table 5–7, "Oracle Files Windows / SMB / Print Services Bugs"](#)
- [Table 5–8, "Oracle FileSync Bugs"](#)

[Table 5–1](#) lists Oracle Files configuration bugs.

Table 5–1 Oracle Files Configuration Bugs

Bug No.	Description	Action
2944440	<p>Oracle Workflow does not use SSL-enabled Oracle Internet Directory.</p> <p>Although Oracle Files can work with an SSL-enabled Oracle Internet Directory instance, Oracle Workflow will only work with the non-SSL port.</p>	Irrespective of whether Oracle Files is configured to work with the SSL-enabled Oracle Internet Directory port, Oracle Workflow must be configured to work with the non-SSL Oracle Internet Directory port.
2961091	<p>Arabic is not available in Oracle Workflow.</p> <p>In this version, Oracle Workflow does not package Arabic in the Workflow product. This is an Oracle Workflow limitation.</p>	None.

Table 5–1 (Cont.) Oracle Files Configuration Bugs

Bug No.	Description	Action
2851941	<p>The Oracle Files Configuration Assistant cannot be run against a load-balanced multi-node RAC DB.</p> <p>The Oracle Files Configuration Assistant will not work if you are using a multi-node RAC Database and are using a load-balanced port.</p>	<p>During RAC configuration, set up a database server port that is not load balanced. Then, run the Oracle Files Configuration Assistant against this port.</p>
2960519	<p>Re-use of the Oracle Files schema configured and set up with the same middle tier will cause problems with Agents.</p> <p>If you run the Oracle Files Configuration Assistant more than once in the same Oracle home, against the same Oracle Files domain and schema, the Agents in the local node will become deactivated if the following are true:</p> <ul style="list-style-type: none"> ■ The middle tier already had a node (before you ran the Oracle Files Configuration Assistant a second time), with all the Agents set to run in it. ■ While running the Oracle Files Configuration Assistant the second time, you selected the Run Agents checkbox. 	<p>You may see this problem if you need to run the Oracle Files Configuration Assistant a second time due to failures during the post-upgrade process.</p> <p>You can avoid this behavior by not selecting the Run Agents checkbox in the Node Configuration screen of the Oracle Files Configuration Assistant.</p> <p>Alternatively, if you have already run the Oracle Files Configuration Assistant more than once and your Agents have become deactivated, you can solve the problem by going to the Oracle Enterprise Manager Web site and setting all the Agents to "Active" for the affected node. You must activate each Agent individually.</p>
2520112	<p>Error occurs on creation of Workspaces when there is a problem in a user's e-mail address.</p> <p>If a valid SMTP server is not specified, or a user has a null or invalid e-mail address, any Oracle Files operation that involves an e-mail notification will fail.</p>	<ol style="list-style-type: none"> 1. Ensure a valid SMTP server is specified in the FilesBaseServerConfiguration parameter: IFS.SERVER.APPLICATION.UIX.SmtServer 2. Ensure that users have valid non-null e-mail addresses.
2391425	<p>NLS: IFSCONFIG fails in Japanese environment on AL32UTF8 database.</p> <p>Oracle Text does not support Japanese lexer on AL32UTF8 databases; hence Oracle Files does not support AL32UTF8 databases for Asian languages.</p>	<p>Use UTF8 for the database instead of AL32UTF8.</p> <p>Alternatively, you can upgrade your database to Oracle Database 10g. You must download and apply Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0) to enable Oracle Database 10g support in Oracle Files.</p>
3124801	<p>Oracle Files Release 2 installs an extra documentation directory.</p> <p>Oracle Files shipped with the following outdated directory:</p> <p>\$ORACLE_HOME/ifs/files/doc/</p> <p>The information in this directory is old and is not meant to be used.</p>	<p>Do not refer to the documents under this directory. Instead, refer to the documents on the Oracle Collaboration Suite Documentation CD, or on the Oracle Technology Network (OTN) at http://otn.oracle.com.</p>

Table 5–1 (Cont.) Oracle Files Configuration Bugs

Bug No.	Description	Action
3214142	<p>Java Command for regular nodes needs to be changed.</p> <p>The current Java Command for Oracle Files regular nodes includes the following argument: -XX:+OverrideDefaultLibthread</p> <p>This argument should be removed. Retaining this argument can cause problems.</p>	<p>Download and apply Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0) to stop this argument appearing by default in new node configurations.</p> <p>To remove this argument from existing node configurations, perform the following steps:</p> <ol style="list-style-type: none"> 1. Log into the Oracle Enterprise Manager Web site on any middle-tier computer and navigate to the Node Configurations page. 2. For each regular node configuration, remove -XX:+OverrideDefaultLibthread from the Java Command property and click OK. 3. Restart each regular node. <p>See Also: <i>Oracle Files Administrator's Guide</i> for more information about changing node configurations and restarting regular nodes.</p>
3114881	<p>Help not translated for Russian.</p> <p>Even though the Oracle Files Web interface has been translated into Russian, translated help files are not displayed.</p>	<p>Download and apply Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0).</p>
3016906	<p>Oracle Files configuration against Windows 64-bit Oracle9i Database Server 9.2 database fails.</p> <p>The database is missing the ctshx executable that is required to enable Oracle Text on the schema.</p>	<p>There are two possible solutions:</p> <ol style="list-style-type: none"> 1. If you get an error message during Oracle Files configuration saying "Oracle Text Verification Failed," click OK to create a schema without Oracle Text enabled. 2. Build your own ctshx executable. For more information, see OTN at http://otn.oracle.com/products/text/htdocs/FilterServer.htm
3313333	<p>Oracle Workflow help is not configured by default.</p> <p>For Oracle Workflow Release 2.6.2 and earlier, the help must be manually configured.</p>	<p>First, unzip the help files:</p> <ol style="list-style-type: none"> 1. Navigate to \$ORACLE_HOME/wf. 2. Unzip wfdoc262.zip to the \$ORACLE_HOME/wf directory. Help files will be extracted to the /doc/us directory. <p>Next, configure the OA_DOC virtual directory:</p> <ol style="list-style-type: none"> 1. Navigate to \$ORACLE_HOME/apache/apache/conf. 2. Open httpd.conf for editing. 3. In the Alias section, add the following line: Alias /OA_DOC/ "\$ORACLE_HOME/wf/doc/" Note: Substitute an absolute path for \$ORACLE_HOME. 4. Restart the Oracle HTTP Server. See the <i>Oracle Files Administrator's Guide</i> for information about how to do this.

Table 5–1 (Cont.) Oracle Files Configuration Bugs

Bug No.	Description	Action
3130775	<p>Post upgrade, clicking on the Oracle Files domain renders a blank page.</p> <p>A blank page appears after clicking the upgraded Oracle Files domain name link.</p>	<p>Download and apply Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0). Alternatively, you can follow these steps:</p> <ol style="list-style-type: none"> 1. Copy the <code>files.jar</code> file (located in <code>\$ORACLE_HOME/ifs/files/lib</code>) to the following directory: <code>\$ORACLE_HOME/sysman/webapps/emd/WEB-INF/lib</code> 2. Copy the file <code>jewt4.jar</code> (located in <code>\$ORACLE_HOME/jlib/</code>) to the following directory: <code>\$ORACLE_HOME/sysman/webapps/emd/WEB-INF/lib/</code> 3. Rename the file from <code>jewt4.jar</code> to <code>jewt.jar</code>.
2960325, 2615650	<p>Set up a workaround to use the Oracle9iAS Web Cache port instead of the http or https port for Netscape or Mozilla.</p> <p>Users may get the following error when trying to access a page in Oracle Files using Netscape or Mozilla:</p> <p>"Oracle SSO Warning - Unable to process request. Either the requested URL was not specified in terms of a fully-qualified hostname or OHS single sign-on is incorrectly configured. Please notify your administrator."</p> <p>This error is caused by the browser being unable to determine the port number for Web Cache. This error does not appear for Microsoft Internet Explorer users.</p>	<p>If you encounter this problem, explicitly set the Web Cache URLs in the list of Partner applications:</p> <ol style="list-style-type: none"> 1. Using a Web browser, go to: <code>http://infra_host:port/pls/orasso/orasso.home</code> 2. Log in as the <code>orcladmin</code> user. 3. Click SSO Server Administration. 4. Click Administer Partner Applications. 5. Click the pencil icon next to the Oracle Files middle tier. 6. Specify the following for Home URL, Success URL, and Logout URL: Home URL: <code>http://mid_tier_host:web_cache_port</code> Success URL: <code>http://mid_tier_host:web_cache_port/osso_login_success</code> Logout URL: <code>http://mid_tier_host:web_cache_port/osso_logout_success</code> Note: If you are using SSL, specify the Web Cache SSL port and substitute <code>https</code> for <code>http</code>. 7. Click Apply and then Ok to save the changes.

Table 5–2 lists Oracle Files administration bugs.

Table 5–2 Oracle Files Administration Bugs

Bug No.	Description	Action
2867479	<p>User authentication occasionally fails when accessing Oracle Files.</p> <p>This error message occurs in configurations that use a load balancer for multiple Oracle Internet Directory servers. The error occurs when a user tries to log in to the domain after a certain period (equal to the connection timeout period on the load balancer) of inactivity on the middle tier against the Oracle Internet Directory server. The problem is more likely to happen if there are very few users on the system. The greater the number of active users, the less likely the problem will occur, because the level of interaction between the middle tiers and Oracle Internet Directory automatically increases, which ensures that the connection between the middle tier and Oracle Internet Directory does not time out.</p>	The user can retry the operation, which should generally work. Alternatively, increase the connection timeout period on the load balancer that is used to connect to the Oracle Internet Directory servers.
2408925	<p>Oracle Enterprise Manager allows illegal characters for service name.</p> <p>Service Configuration objects that have ';' embedded in their names will cause problems.</p>	Do not use ';' in service names.
2746006	<p>Cannot stop the Oracle Files domain if the Oracle Files schema password is changed.</p> <p>The schema password for Oracle Files is required in order to be able to start or stop a domain.</p>	Do not change the schema password for a running Oracle Files instance.
2852809	<p>Need to restart the Oracle Files domain any time the default Subscriber is changed on the LDAP server.</p> <p>If the default Subscriber is changed in Oracle Internet Directory after the Oracle Files domain has been started, users in the new default Subscriber will be created with user names of the format <i>username@subscribername</i>.</p>	Restart the domain, and delete the old default subscriber from Oracle Files after changing the default Subscriber in Oracle Internet Directory.
2629614	<p>User's first name is not getting synchronized from Oracle Internet Directory into Oracle Files.</p> <p>The user's first name is not synchronized when the user is auto-provisioned, or by the OID Synchronization Agent.</p>	Download and apply Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0).

Table 5–3 lists generic Oracle Files bugs.

Table 5–3 Generic Oracle Files Bugs

Bug No.	Description	Action
2414889	<p>Searches don't exclude AFP resource forks.</p> <p>It is possible for Oracle Files Advanced Searches to include AFP resource forks in search results. Any actions performed on these files will result in an error.</p>	Ignore these files in the search results.

Table 5–3 (Cont.) Generic Oracle Files Bugs

Bug No.	Description	Action
3200325	<p>Oracle Collaboration Suite Search only supports exact matches on User Name for Oracle Files content.</p> <p>Oracle Collaboration Suite Search for Oracle Files ignores the content of the User Name field if the value provided does not match a valid Oracle Files user.</p>	Provide an exact match in the Oracle Collaboration Suite Search User Name field when searching Oracle Files content. Do not use wildcards.
2518871	<p>Files with multibyte file names that were zipped with the Oracle Files Zip feature must be unzipped with a utility that supports UTF8.</p> <p>If you use the Zip feature in the Oracle Files Web user interface to zip a file or set of files that have multibyte file names, you cannot use WinZip to unzip the file because WinZip does not support UTF8.</p>	Unzip the file using either the Unzip feature in the Oracle Files Web user interface, or use the JAR utility to unzip the file locally.
3078486	<p>Users with punctuation in their passwords may have problems.</p> <p>If Oracle Files users have punctuation in their passwords (for example, ';' '%' '#'), these users may not be able to enable protocol access in Oracle Files. In addition, these users may be unable to change their SSO passwords using the Oracle Files Web UI.</p>	<p>To solve this problem, choose one of the following options:</p> <p>Option 1</p> <ol style="list-style-type: none"> 1. Ensure that the following service configuration property is set to <code>FALSE</code> in the service configuration that you are using: <code>IFS.SERVICE.CaseSensitiveAuthentication</code> <p>See Also: <i>Oracle Files Administrator's Guide</i> for more information about viewing and setting service configuration parameters</p> <ol style="list-style-type: none"> 2. If any of the affected users existed in Oracle Internet Directory before Oracle Files was installed, reset their passwords using Oracle Internet Directory tools. You can reset the password to the same value, or you can choose a different value. <p>Option 2</p> <p>If you want to use case-sensitive authentication, you should not permit users to include punctuation in their passwords. Use Oracle Internet Directory tools to change the passwords of existing users that have punctuation in their passwords.</p>
2988862	<p>Users whose names begin with a number get an error when clicking the My Public Files tab in the Oracle Files Web interface.</p> <p>If a user's name begins with a number, such as 123user, that user cannot access their public files through the My Public Files tab in the Oracle Files Web interface.</p>	<p>Users whose names begin with a number can access their public files through another protocol, such as WebDAV, or by navigating to their public folder from the All Public Files tab in the Oracle Files Web interface.</p> <p>To access public files through the All Public Files tab, follow these steps:</p> <ol style="list-style-type: none"> 1. Click All Public Files. 2. Click Users. 3. Click the Users folder that corresponds to the number at the start of the user name (for example, Users-1). 4. Click the user's public folder (for example, 123user-Public).

Table 5–4 lists Oracle Files HTTP/WebDAV bugs.

Table 5–4 Oracle Files HTTP/WebDAV Bugs

Bug No.	Description	Action
2393968, 2386806, 2337719	<p>URLS with '#,' '%,' or ';' in them do not work.</p> <p>URLs that have these characters embedded will cause problems.</p>	Do not use '#,' '%,' or ';' in URLs.
2955251	<p>Cannot connect to Oracle Files through WebDAV cookie-less client.</p> <p>If multiple Oracle Files middle tiers are fronted by a load balancer that relies on cookies to load balance requests, WebDAV clients that do not store cookies will not be able to access that Oracle Files instance via the load balancer.</p>	Configure the load balancer to use IP addresses instead of cookies for load balancing.
2614217	<p>Uploading a document via Netscape returns an Oracle SSO warning error.</p> <p>When the Oracle Collaboration Suite middle tier is configured, it registers with the Single Sign-On server using the Oracle HTTP Server port. It is incorrect to register the HTTP Server port if Oracle9iAS Web Cache is configured.</p>	<p>For mod_ossso to work correctly, the Single Sign-On registration for this middle tier must be corrected manually.</p> <p>See Also: <i>Oracle9i Application Server Administrator's Guide</i> for detailed information on how changes in hostname and port affect Oracle9iAS, and specifically how mod_ossso and Oracle9iAS Single Sign-On Server may be affected</p>
2697262	<p>WebDAV drag-and-drop download can result in 0-byte file.</p> <p>Dragging a file from a Web Folder on Oracle Files to the local PC file system can result in a 0-byte file if the file is locked by another user on Oracle Files. This appears to be caused by MSDAIPP.DLL version 8.103.2402.</p>	<p>Upgrade Internet Explorer to the latest Service Pack.</p> <p>Ensure the client environment conforms to the supported configuration listed in Client Certifications for WebDAV: Web Folders.</p>
3006494	<p>Cannot create multiple Web Folder mappings that use different user credentials on the same client computer.</p> <p>Because of a Web Folders limitation, Oracle Files does not support logging in to Web Folders as different users from the same Windows client. Web Folders caches user credentials, so if you first create a Web Folders mapping as user1, and then create a second mapping as user2, after user1's connection is disconnected, user2 will be able to access user1's content.</p>	<p>Do not create Web Folder mappings that use different user accounts from the same client computer.</p> <p>Alternatively, you can restart the Windows client.</p>

Table 5–4 (Cont.) Oracle Files HTTP/WebDAV Bugs

Bug No.	Description	Action
3225450	<p>Cannot authenticate through WebDAV if Oracle Files is configured to run using https.</p> <p>If you have set up Oracle Files to run using https, Web Folders cannot be used due to authentication problems. This is caused by a default security check that prevents the ability to authenticate using basic authentication.</p>	<p>Download and apply Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0).</p> <p>Alternatively, you can follow these steps:</p> <ol style="list-style-type: none"> 1. Log in to the Oracle Enterprise Manager Web site and navigate to the Server Configurations page. 2. Set the following <code>DavServer Configuration</code> property to <code>TRUE</code>: <code>IFS.SERVER.PROTOCOL.DAV.IfsServer.Auth.CearText.Accept</code> 3. Restart <code>OC4J_ifs_files</code> and reload the DAV server on each middle-tier host. <p>See Also: <i>Oracle Files Administrator's Guide</i> for more information about setting server configuration parameters, reloading servers, and restarting the OC4J instance</p>
3103878	<p>In the Oracle Files Web interface, right-clicking a > 30 character multibyte filename and choosing "Save Target As" corrupts the filename.</p> <p>This is a known issue with the Microsoft operating system. Oracle is currently working on a resolution. Please contact Oracle Support for an update on the resolution to this issue.</p>	<p>Use shorter filenames, manually type in the correct filename, or use Web Folders.</p>

Table 5–5 lists Oracle Files NFS bugs.

Table 5–5 Oracle Files NFS Bugs

Bug No.	Description	Action
1749601	<p>Unable to <code>chgrp</code> in Oracle Files NFS.</p> <p>A <code>chgrp</code> does not have any effect on mode for a file.</p>	<p>None. The security model is different and this has no impact.</p>
1749621	<p>Unable to <code>chmod</code> in Oracle Files NFS.</p> <p>A <code>chmod</code> does not have any effect on mode for a file.</p>	<p>None. The security model is different and this has no impact.</p>
1750049	<p>Mode attributes cannot be set.</p> <p>Cannot change the permission mode bits through Oracle Files NFS.</p>	<p>None. The security model is different and this has no impact.</p>
1749778	<p>Links cannot be created using Oracle Files NFS.</p> <p>No links (symbolic, soft, or hard) can be created in Oracle Files NFS.</p>	<p>None. The security model is different and this has no impact.</p>
2333774	<p>Cannot copy files or folders where a non-standard ASCII character is the first character in the name.</p> <p>Folders and files that have non-standard ASCII characters as the first character cannot be copied using NFS Maestro.</p>	<p>Use other NFS clients; this problem appears to be a Maestro limitation.</p>

Table 5–6 lists Oracle Files AFP bugs.

Table 5–6 Oracle Files AFP Bugs

Bug No.	Description	Action
1990453	<p>File Encrypt fails when using Mac OS Finder to encrypt files on Oracle Files (mounted as AFP volume).</p> <p>The Mac OS File > Encrypt utility creates temporary files containing * in their names. However, Oracle Files does not allow filenames to contain an asterisk.</p>	Do not try to encrypt a file from a Mac. Instead, encrypt the file locally, on the Mac, and then copy the encrypted file to Oracle Files through AFP.
2380571	<p>Size of Mac file does not take into account size of resource fork.</p> <p>The resource fork is not being included in size computations; thus, the size of the document may not be accurate.</p>	None.
2994830	<p>Making a file non-versioned in the Oracle Files Web interface can cause the file to vanish.</p> <p>Documents in the Oracle Files application can be versioned using the Web interface. If a Macintosh user is logged in using AFP and viewing a folder with a versioned file, the file is visible but read-only. If a user logs in to the Web interface and changes this file so that it is now NOT versioned (by deleting all saved versions), the file viewed by the AFP user may vanish from the Macintosh client folder listing.</p>	<p>The workaround is for the Macintosh user to log out and log back in to AFP.</p> <p>This will refresh the folder listing.</p>
2719007	<p>The default protocol character set logic is applied globally.</p> <p>The AFP server protocol (or, "command") encoding is a constant value that is applied globally for the server. Every user session that connects to the AFP server uses the same encoding; there is no way to override this encoding on a per-user or per-session basis. If there are AFP clients (Macintosh clients) that need to connect to the AFP server with a different encoding, they will not be able to do so unless the AFP server encoding is changed accordingly.</p>	The workaround so that multiple clients with differing encodings can use the AFP server together is to run multiple AFP servers. To do this, use multiple middle-tier computers, each running an AFP server with the desired encoding. The AFP server encoding is specified in the property <code>IFS.SERVER.PROTOCOL.AFP.Encoding</code> .
2994813	<p>Cannot open documents under or upload into AllPublic/Users/...</p> <p>The AFP server for the Oracle Files application allows Macintosh clients to mount either the "user's home directory" or the "AllPublic" directory as network volumes. The AllPublic volume has a limitation where files under the "Users" folder inside the AllPublic volume cannot be opened reliably, and new files cannot be uploaded into the "Users" folder. Files and folders can be listed, however, and files can be copied to the local disk.</p>	To open files, copy them to the local disk first, then open them. To upload files, use the "user's home directory" mountpoint (volume) instead of the AllPublic volume.

Table 5–6 (Cont.) Oracle Files AFP Bugs

Bug No.	Description	Action
2995643	<p>Microsoft PowerPoint files with long names cannot be saved directly.</p> <p>PowerPoint files with file names longer than 31 characters appear truncated when you try to save using AFP. For example:</p> <p>long_long_long_long_lo?5A0B.ppt</p> <p>The user will be able to open the PowerPoint file and copy it to the local hard disk, just like any other file. Once opened in PowerPoint, however, if the user makes changes to the file and issues a "Save" command, an error will be displayed: "Error accessing file <i>filename</i>." The changes will not be saved and the original file that was opened will be deleted (moved to the Trash and renamed "PowerPoint Temp 0" or similar).</p>	<p>If you want to save changes and keep the file, issue a "Save As" command, either by choosing the command from the menu or toolbar, or by clicking "Yes" in the dialog box that is displayed when the file is closed. Choose a different name for the saved file. Once you do so, the new file will be saved correctly.</p>
2463376	<p>Finder does not refresh folder listing.</p> <p>When the contents of a folder is updated by adding, removing, or modifying files, the AFP finder does not refresh the folder listing.</p>	<p>Log out and log back in to work around this problem.</p>

Table 5–7 lists Oracle Files Windows/SMB/Print Services bugs.

Table 5–7 Oracle Files Windows / SMB / Print Services Bugs

Bug No.	Description	Action
1113581	<p>Cannot delete or rename versioned files in SMB.</p> <p>Attempts to delete or rename a versioned file in SMB result in a failure message indicating that all or part of the file may be locked. Certain applications, such as Microsoft Word and Microsoft Excel, save their work by deleting old versions of the document. Because this would cause a loss of data attributes and compromise the versioning features of Oracle Files, the Oracle Files SMB server does not allow deletion or renaming of versioned files.</p>	<p>Use the Web interface to delete the file.</p>
2472522	<p>Windows generates multiple print jobs.</p> <p>Certain versions of Windows create multiple print jobs in Oracle Files when the user requests to print a single document. These extra print jobs have no content, and will not result in paper use. They will, however, show up in the queue for a short period of time. The correct document will still be printed.</p>	<p>None.</p>

Table 5–7 (Cont.) Oracle Files Windows / SMB / Print Services Bugs

Bug No.	Description	Action
2344972	<p>Cannot print to printer that is restricted by username and password.</p> <p>When connecting to a printer from Windows NT/2000, the user is not prompted for a user name and password. If the share is restricted by a user name and password, then the user will not be able to print.</p>	<p>There are two courses of action:</p> <ol style="list-style-type: none"> 1. Before mounting the printer, map a network drive to a file share on the same server. When the user is prompted for the user name and password, enter the same user name and password that will subsequently be used for accessing the printer. 2. Before mounting the printer, open a DOS prompt and enter: <pre>> net use \\server_name\printer_name password /USER:user_name</pre> <p>Then mount the printer, using the exact same name for the printer share.</p>
2424896	<p>Server property for enabling printing does not appear in SMB Server Configuration.</p> <p>In order to enable printing via SMB, the Oracle Files administrator must set a property to specifically enable the sharing of printers. This property will not be listed automatically as one of the SMB server configuration properties.</p>	<p>The Oracle Files administrator must manually add the <code>IFS.SERVER.PROTOCOL.SMB.EnablePrinting</code> property and set its value to <code>TRUE</code>.</p>
2890902	<p>Files lose metadata when they are copied between folders using SMB.</p> <p>Copying a file from Windows using a network drive mapped to the Oracle Files SMB server will only copy the contents of the file. Oracle Files metadata, such as categories, will not be copied. This is a limitation of the Windows operating system. The Windows operating system does not handle Oracle Files metadata, and therefore does not copy this metadata when copying a file.</p> <p>Under some circumstances, a file cut and paste operation in Windows Explorer will result in a file move rather than a file copy. Oracle Files metadata is maintained when a file move is performed.</p>	<p>The Oracle Files Web interface should be used to copy files that have metadata. Copying a file using the Oracle Files Web interface will maintain the file's metadata.</p>
2995548	<p>Users may need to manually cancel blank jobs after printing.</p> <p>Some Windows clients may add blank print jobs ahead of the actual print job when a user prints to Oracle Files Print Services. These jobs may get "stuck" in the queue.</p>	<p>Users must double click on the printer icon and manually cancel the blank print jobs if their document is not getting printed.</p>
3020371	<p>Cannot list SMB mountpoints with Hummingbird NFS client.</p> <p>When a computer has the Hummingbird NFS client installed, the computer will attempt to use NFS when told to connect to a server that supports both NFS and SMB. When a user clicks Start > Run and types <code>\\server_name</code>, the Hummingbird NFS client will display the NFS mountpoints in the window that comes up. SMB mountpoints and printers will not be displayed.</p>	<p>There are many possible workarounds for this issue:</p> <ol style="list-style-type: none"> 1. Mount the SMB mountpoints and printers directly, using the Map Network Drive dialog or the Add Printer Wizard. 2. Disable the NFS server on the computer that is running the SMB server. 3. Uninstall the Hummingbird NFS client on the computers that need to list SMB mountpoints on a server.

Table 5–7 (Cont.) Oracle Files Windows / SMB / Print Services Bugs

Bug No.	Description	Action
3008391	<p>Users may not be able to add printers through the Add Printer Wizard.</p> <p>When a user adds a printer through the Add Printer Wizard from Windows clients, they may get the error "Printer cannot be found."</p>	<p>Do not use the Add Printer Wizard to add a printer. Instead, click Start > Run. Then, type <code>\\server_name</code> and press Enter.</p> <p>In the window that appears, double-click the printer you wish to add.</p>
3027080	<p>Programs that use DOS 8.3 file names will not work with long file names.</p> <p>Programs that use DOS 8.3 file names will not work against the SMB server because the SMB server does not support translating long file names into the short DOS 8.3 format file names. Examples of such programs are DOS edit, the Windows image accessory, and the Windows Paint accessory. These programs require file names in DOS 8.3 format. They also require each directory in the path to be an 8.3 directory name.</p>	<p>Rename the file to the DOS 8.3 format for filenames. If necessary, move the file to another directory so that the path does not contain any directories with long filenames.</p>
3027564	<p>When editing a PowerPoint file, the modified date may not get updated on NT.</p> <p>When editing a Microsoft PowerPoint file on Windows NT, the modified date for the file may not get updated when the file is saved.</p>	<p>Make sure that the current Windows NT service pack has been installed. If the problem persists, save the file to the local drive and copy the file to the SMB mapped drive.</p>
3108043	<p>The LogAllCommands server configuration parameter must be manually added and set to True in order to see complete SMB log information.</p> <p>The SMB server has a configuration parameter which allows additional information to be logged in the log file. This information, which consists of the SMB server commands that are being executed, can be used to debug problems in the SMB server.</p>	<p>Using the Oracle Enterprise Manager Web Site, add the <code>IFS.SERVICE.PROTOCOL.SMB.LogAllCommands</code> parameter to the <code>SmbServerConfiguration</code>. Set the value to <code>TRUE</code> in order to see the SMB commands in the log file.</p> <p>See Also: <i>Oracle Files Administrator's Guide</i> for more information about adding server configuration parameters</p>

Table 5–8 lists Oracle FileSync bugs.

Table 5–8 Oracle FileSync Bugs

Bug No.	Description	Action
2374879	<p>Server-side folders with the percent (%) character in their names are not synchronized.</p> <p>Folders and files that have '%' embedded in their names will not be synchronized during the sync process.</p>	<p>Do not use '%' in folder names if you want to use Oracle FileSync for file synchronization.</p>
3037418, 3436884	<p>There is no Arabic or Romanian selection available in the list of installation languages for Oracle FileSync.</p> <p>Oracle FileSync can be installed on an Arabic or Romanian computer and will function in Arabic and Romanian. However, the installation process will not display Arabic or Romanian.</p>	<p>Install Oracle FileSync in another language, then switch the locale to Arabic or Romanian.</p> <p>Note: The Romanian language is not available for Oracle FileSync unless you have downloaded and applied Oracle Collaboration Suite Release 2 Patch Set 1 (9.0.4.2.0).</p>

Oracle Ultra Search

This chapter summarizes release note issues associated with Oracle Ultra Search.

The following sections are included in the chapter:

- [What's New](#)
- [Ultra Search Welcome Page](#)
- [Default Ultra Search Instance](#)
- [Document Relevancy Boosting Limitations](#)
- [Translations for Complete Sample Query Application](#)
- [Dynamic Page Indexing Control](#)
- [Cookie Support](#)
- [Crawler Cache Deletion Control](#)
- [Set the Environment to use the INSO filter](#)
- [Known Bugs](#)

6.1 What's New

Oracle Ultra Search is a high-level search component supplied with the Oracle Collaboration Suite that you can use to search across other Oracle Collaboration Suite components, corporate Web servers, databases, mail servers, file servers, and Oracle9iAS Portal instances. It uses information you provide to crawl through the various disparate repositories of information in your company searching for documents according to your search criteria. Oracle Ultra Search searches over 150 proprietary document types.

This release of Ultra Search includes the following features:

- Support for new attribute types, including date ranges and list-of-values (LOV)
- Improved Query APIs and new support for JSP tags
- Integration with 9iASPortal - native crawling of Portal instances
- The Crawler Extensibility API - this is a Java API to adapt the Ultra Search crawler to index and search data sources
- Relevance boosting - this adjusts the ranking of search results
- Display URL support - this renders the results of database crawls in a Web screen

See Also: *Oracle Ultra Search User's Guide*

6.2 Ultra Search Welcome Page

The Ultra Search welcome page is now at the following location:

`http://host:port/ultrasearch/welcome/`

In previous releases, it was at the following location:

`http://host:port/ultrasearch/`

6.3 Default Ultra Search Instance

The Ultra Search installer creates a default Ultra Search instance based on the default Ultra Search test user, so users can test Ultra Search functionality based on the default instance after installation.

The default instance name is `WK_INST`. It is created based on the database user `WK_TEST`. In other words, `WK_TEST` is the instance administrator for `WK_INST`. The default user password is `WK_TEST`.

For security purposes, `WK_TEST` is locked after the installation. You must login to the database as `DBA` role, unlock the user, then change the password. (The password expires after the installation.) Make sure to update the cached schema password using the administration tool **Edit Instance** page after you change the password in the database.

The default instance is also used by the Ultra Search sample application. You must update the `data-sources.xml` file, as described in the 'Configuring the Middle Tier Component' section of the Oracle Ultra Search User's Guide.

6.4 Document Relevancy Boosting Limitations

You can override the search results and influence the order that documents are ranked in the query result list with document relevancy boosting. This can promote important documents to higher scores and make them easier to find.

Relevancy boosting has the following limitations:

Comparison of the user's query against the boosted queries uses exact string match. This means that the comparison is case-sensitive and space-aware. Therefore, a document with a boosted score for "Ultra Search" is not boosted when user enters "ultrasearch".

Relevancy boosting requires that the query application pass in the search term in the Query API `getResult()` method call. The sample applications are designed to pass the basic search terms as the boost term. Advanced search criteria based on search attributes are ignored.

6.5 Translations for Complete Sample Query Application

The Ultra Search Complete Sample Query Application is translated into the same set of languages supported in Oracle Collaboration Suite Release 2.

See Also: *Oracle Collaboration Suite Installation and Configuration Guide* for the list of languages

6.6 Dynamic Page Indexing Control

For Web data sources, there is a new option to index or not index dynamic pages. The default value is Yes, so dynamic URLs are crawled and indexed.

For data sources already crawled with this option, setting Index Dynamic Page to No and recrawling the data source removes all dynamic URLs from the index.

Some dynamic pages appear as multiple search hits for the same page, and you may not want them all indexed. Other dynamic pages are each different and need to be indexed. You must distinguish between these two kinds of dynamic pages. In general, dynamic pages that only change in menu expansion without affecting its contents should not be indexed. Consider the following three URLs:

```
http://itweb.oraclecorp.com/aboutit/network/npe/standards/naming_convention.html
```

```
http://itweb.oraclecorp.com/aboutit/network/npe/standards/naming_
convention.html?nsdnv=14z1
```

```
http://itweb.oraclecorp.com/aboutit/network/npe/standards/naming_
convention.html?nsdnv=14
```

The question mark (?) in the URL indicates that the rest of the strings are input parameters. The duplicate hits are essentially the same page with different side menu expansion. Ideally, the same query should yield only one hit:

```
http://itweb.oraclecorp.com/aboutit/network/npe/standards/naming_convention.html
```

Dynamic page index control applies to the whole data source. So, if a Web site has both kinds of dynamic pages, then you need to define them separately as two data sources in order to control the indexing of those dynamic pages.

6.7 Cookie Support

If you register authentication information for a data source, then the Ultra Search administration tool automatically turns on cookie support. You can override this and turn cookies support off.

6.8 Crawler Cache Deletion Control

During crawling, documents are stored in the cache directory. Every time the preset size is reached, crawling stops and indexing starts. In previous releases, the cache file was always deleted when indexing was done. You can now specify not to delete the cache file when indexing is done. This option applies to all data sources. The default is to delete the cache file after indexing.

6.9 Set the Environment to use the INSO filter

The Ultra Search crawler uses the Oracle Text INSO filter `ctxhx`, which requires that your shared library path environment variable contain the `$ORACLE_HOME/ctx/lib/` path. Without that, filtering fails for any binary document.

At installation, the Oracle Installer automatically sets the variable to include `$ORACLE_HOME/ctx/lib/`. However, if, after the installation, you restart the database, then you must manually set your shared library path environment variable to include `$ORACLE_HOME/ctx/lib/` before starting the Oracle process. You must restart the database to pick up the new value for filtering to work.

For example, on UNIX set the `LIBPATH` environment variable to include `$ORACLE_HOME/ctx/lib`, and on Windows set the `$PATH` environment variable to include `$ORACLE_HOME/bin`.

6.10 Known Bugs

Table 6–1 lists known bugs for Oracle Ultra Search.

Table 6–1 Oracle Ultra Search Known Bugs

Bug Number	Description	Action
2881313	<p>Web Provider Error</p> <p>This error is received when registering the Ultra Search portlet.</p>	<p>For the latest information on this bug, contact your Oracle Support Representative.</p> <p>Update <code>\$ORACLE_HOME/j2ee/OC4J_Portal/applications/jpdk/jpdk/WEB-INF/services.xml</code>.</p> <p>Change the value of option <code>key=FileProviderGroupMgr.dir</code> so that the full path of the directory is specified, without using the <code>\$ORACLE_HOME</code> environment variable.</p>
3483945	<p>The WKPROXY user does not have the super-user privilege.</p> <p>When using the WK_INST instance created during installation, scheduling and running a job work properly. However, if the instance is recreated or a new instance is created, scheduling does not work.</p>	<p>For the instance to work properly, apply the following workaround.</p> <p>Grant WKPROXY the super-user privilege, as follows:</p> <ol style="list-style-type: none"> 1. Log in to the Ultra Search Admin page as the <code>orcladmin</code> user using the following URL, where <code>midtierhost</code> is the mid-tier hostname and <code>port</code> is the port number: <pre>http://midtierhost:port/ultrasearch/admin_sso/index.jsp</pre> 2. Click the Users tab. 3. Click the Super-Users tab. 4. Grant WKPROXY the super-user role, as follows: <p>For User Type, select Database User.</p> <p>For Username, type WKPROXY.</p> <p>Log in to the Infrastructure database as <code>WKSYS</code> user, and execute the following SQL statements, where <code>your_instance_name</code> is the existing instance name and <code>ji_id</code> is the job id obtained from the previous select statement:</p> <pre>exec wk_adm.use_instance(your_instance_name) select ji_id from wk\$job_info where ji_type=1; exec wk_job.disable_job(ji_id) exec wk_job.enable_job(ji_id)</pre> <p>Note: Every job for the instance needs to be disabled and enabled.</p> <p>Resume the schedule, as follows:</p> <ol style="list-style-type: none"> 1. Click the Schedule tab. 2. Click the schedule with status Fail. 3. Click Resume Schedule.

Oracle Voicemail & Fax

This chapter summarizes release note issues associated with Oracle Voicemail & Fax. The following sections are included in the chapter:

- [What's New?](#)
- [Known Limitations and Workarounds](#)

7.1 What's New?

Oracle continues to enhance Oracle Voicemail & Fax capabilities with features that make communicating and collaborating more efficient and productive. In Oracle Collaboration Suite Release 2 (9.0.4.1.0), Oracle Voicemail & Fax has added the following features:

- Directory access through the telephone

The voice mail application in Release 2 includes the ability to address messages to users without the need to know their phone numbers. Unique to Oracle, this directory allows callers to search for and address messages to users at a single site or the complete list of global voice mail users.
- Re-recorded and streamlined menu prompts

Release 2 provides completely re-recorded menus streamlined for quick access to new voice mail messages and easier navigation throughout the telephone menus.
- Access to voice mail preferences through Outlook
- Oracle Voicemail and Fax preferences are now integrated into the Oracle Connector for Outlook, enabling users to change their password, activate greetings, and select languages without leaving their primary work environment.
- Supported Languages:
 - Arabic
 - Chinese - China
 - Chinese - Taiwan
 - Danish
 - Dutch
 - English - American
 - English - British
 - Finnish

- French
- German
- Greek
- Italian
- Japanese
- Korean
- Norwegian
- Portuguese
- Portuguese - Brazilian
- Spanish
- Swedish
- Turkish

In Oracle Collaboration Suite Release 2 (9.0.4.2.0), Oracle Voicemail & Fax has added default playback controls and additional language support. For more information on these new features, see *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)*.

7.2 Known Limitations and Workarounds

[Table 7-1](#) describes the known bugs for Oracle Voicemail & Fax.

Table 7-1 Voicemail & Fax Known Bugs

Bug No.	Description
3554986	<p>The Configuration Assistant for the rmid and rmiregistry update fails during installation of Oracle Voicemail & Fax Release 2 Patch Set 1 (9.0.4.2.0) if the Oracle Voicemail & Fax processes have never been started. This error occurs, for example, if you are installing the Oracle Voicemail & Fax Release 2 (9.0.4.1.0), immediately followed by the patch set.</p> <p>Workaround:</p> <p>You can ignore this update failure.</p>
3554963	<p>The Configuration Assistant for the rmid and rmiregistry throws a Windows 2000 application error during installation of Oracle Voicemail & Fax Release 2 Patch Set 1 (9.0.4.2.0). This error occurs if the Windows Resource Kit is installed after the NetMerge software.</p> <p>Workaround:</p> <p>Edit the PATH environment variable, and make sure the path to the Windows Resource Kit is specified before the NetMerge path.</p>

Table 7–1 (Cont.) Voicemail & Fax Known Bugs

Bug No.	Description
3527787	<p>After creating a new mail user, you get a confirmation page that has a Search MailUser and a Create MailUser button. These buttons do not work.</p> <p>Workaround:</p> <p>To search for a MailUser:</p> <ol style="list-style-type: none"> 1. Click the Administration tab, then click the User subtab. 2. Under Voice/Fax User Management, click Add User. 3. Select an installation. 4. Select the domain. 5. Click Search MailUser. <p>To create a MailUser:</p> <ol style="list-style-type: none"> 1. Click the Administration tab, then click the User subtab. 2. Under E-mail User Management, click Add User.
3462443	<p>If an error occurs while the routing process hands off to an auto-attendant service, the message that gets logged is incorrect.</p>
3455629	<p>Documentation of secure SMDI Monitor deployment and how to prevent non-local host connections to SMDI Monitor is missing.</p>
3448087	<p>The International Number Prefix List scheme does not correctly convert some local phone numbers, that include additional digits, into the international phone number format.</p> <p>Workaround:</p> <p>The International Number Prefix List scheme takes the local phone number, as is, and appends it to a fixed number (consisting, typically, of the international access code, area code, and prefix). If the user's local phone number includes a digit that is not in the user's international phone number, create the user's account with the extra digit.</p>
3440787	<p>The Voicemail processes are not deleting the temporary files in the Temp container.</p>
3437014	<p>The entries for ReadChunkSize and WriteChunkSize in the NetMerge symbol table are incorrect.</p> <p>Workaround:</p> <p>Use Notepad to edit C:\Documents and Settings\Program Files\Dialogic\CTMedia\Symbols\ctmssym.tbl. In the lines for Container_ORCL_ReadChunkSize and Container_ORCL_WriteChunkSize, add two tabs between the symbol name and the symbol number.</p>
3412677	<p>NetMerge logging set to trace level or higher will capture sensitive data.</p> <p>Workaround:</p> <p>Do not leave NetMerge logging at trace level or higher for extended periods of time. Once the logs are created, they should be carefully managed.</p>

Table 7-1 (Cont.) Voicemail & Fax Known Bugs

Bug No.	Description
3412623	<p>When the UM account is created, it is granted a privilege (JAVAUSERPRIV) that is not required by Oracle Voicemail & Fax.</p> <p>Workaround:</p> <p>Complete the following steps for each mail store to revoke the privilege:</p> <ol style="list-style-type: none"> 1. Log in as SYSTEM. 2. Execute the commands: <pre> REVOKE JAVAUSERPRIV FROM UM; CALL DBMS_JAVA.revoke_permission('PUBLIC', 'java.net.SocketPermission', '*', 'read,write');</pre>
3407951	Empty or corrupt faxes are delivered.
3327772	<p>Metric data is not sent to the Enterprise Manager repository if the OVF system clock is not synchronized with the OVF metrics database.</p> <p>Workaround:</p> <p>Set the OVF system time to be 0-5 minutes faster than the system time of the OVF metrics database.</p>
3285787	There is untranslated Hungarian text on the Voice/Fax Preferences page.
3278384	For Korean, the voice mail prompts for the 31st day of the month are incorrectly pronounced.
3220773	<p>Silent installation fails.</p> <p>Workaround:</p> <ol style="list-style-type: none"> 1. Make sure that <code>ias_core_top.rsp</code> contains the correct values. 2. Run the following command: <pre> full_path\setup.exe -silent -response full_path\ias_core_top.rsp</pre> 3. Go to the <code>ORACLE_HOME\um\scripts</code> directory and run the <code>findmailstores.bat</code> file. 4. Reboot the system, then continue with the configuration.
3178808	When it is refreshed, the Advanced Queuing Message Waiting Indicator (AQWMI) process does not reload the database connection information.
3131415	The "Mail store selection" and "End of installation" pages are not translated.
3070115	During the upgrade to Oracle Collaboration Suite Release 2, the Oracle Enterprise Manager target settings for Oracle Voicemail & Fax were not correctly upgraded.
3070186	After Oracle Voicemail & Fax is upgraded, an internal error occurs when the recording application is started.
3061500	During the upgrade to Oracle Collaboration Suite Release 2, the Oracle Enterprise Manager target settings for Oracle Voicemail & Fax were not correctly upgraded.

Table 7-1 (Cont.) Voicemail & Fax Known Bugs

Bug No.	Description
2947219	Upgrading from CTMedia 2.1 to NetMerge 3.0 is not supported. You must perform a new installation of NetMerge 3.0 and Oracle Voicemail & Fax.
2805349	No vacation greeting reminder is played.
2580875	MWI requests may be processed out of order.
2209971	After shutting down a Windows-based Oracle Voicemail & Fax process, its Windows service may continue to report that it is running.
1682964	Some error messages may not allow user interrupts.

Oracle Web Conferencing

This chapter summarizes release note issues associated with Oracle Web Conferencing. The following sections are included in the chapter:

- [What's New?](#)
- [Known Limitations and Workarounds](#)

8.1 What's New?

There are a number of new features for Oracle Web Conferencing in the 9.0.4.1 release and 9.0.4.2 patch set. See the *Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0)* for details about all new features.

8.2 Known Limitations and Workarounds

The following sections describe the following known limitations and any appropriate workarounds for Oracle Web Conferencing:

- [Database Service Name Limitation](#)
- [Installation and Configuration Issues](#)
- [User Management Issues](#)
- [Allowing Pop-Up Window Display](#)
- [Known Bugs](#)

8.2.1 Database Service Name Limitation

Oracle Web Conferencing versions 2.0.4.2 and below shipped with Oracle Collaboration Suite prior to the 9.0.4.2 patchset requirement that database connections be specified using a SID. This is due to reliance on an older JDBC connect string format. The version of Web Conferencing (2.0.4.3) that ships with the OCS 9.0.4.2 patchset supports a manual process for configuring Web Conferencing to use connect strings that depend on service names. However, the OCS 9.0.4.2 patchset installer still requires the use of a SID for database connection at install time. Following are the instructions for configuring Web Conferencing to use service names and other advance connect strings (such as multiple listener support for RAC).

8.2.1.1 Installation

The Web Conferencing database must be accessible via SID during patchset installation, because the installer does not support the new service name feature. For

RAC configurations, configure Web Conferencing to point directly to the SID of one RAC instance during install.

8.2.1.2 Post-Installation

Once the patchset has been successfully applied to a particular Web Conferencing instance, the instance can be manually reconfigured to connect to the Web Conferencing database using service names, multiple listeners, etc.

1. Shutdown all Web Conferencing components in the current instance:

```
$ORACLE_HOME/imeeting/bin/imtctl stop
$ORACLE_HOME/dcm/bin/dcmctl stop -co OC4J_imeeting -v
```

2. Make a copy of the `$ORACLE_HOME/imeeting/conf/imtinit.conf` file. You can revert to this file if edits you make below cause problems.
3. Edit `$ORACLE_HOME/imeeting/conf/imtinit.conf` to specify the full JDBC connect string.

WARNING: Edits to the `imtinit.conf` file are NOT generally supported. However, this process requires editing the file directly. Do not change any other settings in the file.

Sample contents of the `imtinit.conf` file:

```
#Wed Oct 22 01:34:42 PDT 2003
oracle.imt.database.sid=imtdb1
oracle.imt.instancename=ocsmid1.ocsmid.host
oracle.imt.schema.password.encrypted=27250A0179786675780C0272534812
oracle.imt.database.hostname=ocsdb.host
oracle.imt.database.port=1521
oracle.imt.schema.name=rtc_app
oracle.rtc.instance.version=2.0.4.3.0
```

Notice that in the default configuration, connection information for the Web Conferencing database is specified in terms of `hostname`, `port`, and `sid`. Web Conferencing 2.0.4.3 adds support for a new property called `oracle.imt.database.jdbc.connect`. When this property is present, all of the other database connect properties (`oracle.imt.database.hostname`, `oracle.imt.database.port`, and `oracle.imt.database.sid`) are ignored even if they are present. Add the following property to `imtinit.conf`:

```
oracle.imt.database.jdbc.connect=FULL_JDBC_CONNECT_STRING
```

The value given for `FULL_JDBC_CONNECT_STRING` will be used to establish connections to the Web Conferencing repository without any modification or validation. This means that the value can be ANY valid JDBC 9.0.1.4 connect string. Note that unlike `tnsnames.ora` entries, the entire connect string **MUST** be specified on a single line in this file.

An example of the recommended JDBC connect syntax is shown below. Substitute appropriate `HOST`, `PORT`, and `SERVICE_NAME` values.

```
oracle.imt.database.jdbc.connect=jdbc:oracle:thin:@(DESCRIPTION=(ADDRESS_
LIST=(ADDRESS=(PROTOCOL=TCP)(HOST=ocsdb.host)(PORT=1521)))(CONNECT_
DATA=(SERVICE_NAME=imtdb1.ocsdb.host)))
```

Following is an example with multiple listeners specified by IP address:

```
oracle.imt.database.jdbc.connect=jdbc:oracle:thin:@(DESCRIPTION=(ADDRESS_
LIST=(ADDRESS=(PROTOCOL=TCP)(HOST=192.168.20.5)(PORT=1521))(ADDRESS=(PROTOCOL=T
CP)(HOST=192.168.20.6)(PORT=1521)))(CONNECT_DATA=(SERVICE_
NAME=imtdb1.ocsdb.host)))
```

Oracle recommends that you leave the old database connect settings intact. They will be ignored but some commands may still expect them to exist for validation purposes.

4. Restart ALL Web Conferencing components in the current instance.

```
$ORACLE_HOME/imeeting/bin/imtctl start
$ORACLE_HOME/dcm/bin/dcmctl start -co OC4J_imeeting
```

5. Verify that the Web Conferencing components connected to the database using the new connect string. First, enter the following:

■ **Unix or Linux:**

```
grep "Database Connection Info" $ORACLE_HOME/imeeting/logs/imtcontrol/*.xml
```

■ **Windows:**

```
find "Database Connection Info" %ORACLE_HOME%\logs\imtcontrol\*.xml
```

View the contents of the files you find. Older files should contain entries like the following:

```
<record timestamp="2003-10-22T02:02:16.811-07:00" time-local="true"
severity="config" source-path="oracle.imt.application.db"
source="SrvDBConnProvider"><message>Database Connection Info:
jdbc:oracle:thin:@ocsdb.host:1521:imtdb1 (Schema rtc_app)</message>
```

The newest log file (created when you executed `imtctl start`) should contain an entry with the new JDBC syntax:

```
<record timestamp="2003-10-23T02:21:27.994-07:00" time-local="true"
severity="config" source-path="oracle.imt.application.db"
source="SrvDBConnProvider"><message>Database Connection Info:
jdbc:oracle:thin:@(DESCRIPTION=(ADDRESS_
LIST=(ADDRESS=(PROTOCOL=TCP)(HOST=ocsdb.host)(PORT=1521)))(CONNECT_
DATA=(SERVICE_NAME=imtdb1.ocsdb.host)))(Schema rtc_app)</message>
```

Do the same check of the `OC4J_imeeting` logs:

■ **Unix or Linux:**

```
grep "Database Connection Info" $ORACLE_
HOME/imeeting/logs/application/*.xml
```

■ **Windows:**

```
find "Database Connection Info" %ORACLE_HOME%\logs\application\*.xml
```

If the new logfiles still contain the old connect string syntax, then recheck the previous steps to make sure that you specified the correct property, edited the correct file, and restarted all Web Conferencing components. You can also check your Web Conferencing version to ensure that you are using 2.0.4.3 or newer:

```
$ORACLE_HOME/imeeting/bin/imtctl versions
```

If the log files show that Web Conferencing is using the new connect string, then you have completed all steps successfully.

8.2.2 Installation and Configuration Issues

Note: This section is included for users who have installed the 9.0.4.1.0 release and have encountered problems completing the installation. If you have successfully installed the patch set, you do not need to follow these instructions. Further, the schema for Oracle Web Conferencing and the tablespaces for Web Conferencing in the repository have changed with the patch set, and the following instructions will not work.

Oracle Web Conferencing installation could fail due to incorrect inputs that cannot be validated and, hence, cannot be prevented during installation. Installation could fail during the configuration phase due to a variety of reasons. This section addresses how to recover from some of these failures and manually configure Oracle Web Conferencing.

Installation of Oracle Web Conferencing assumes that the Web Conferencing host machine is freely accessible on all ports for all traffic from users' computers trying to access Web Conferencing. For most enterprises, this translates to the Web Conferencing server machines on the intranet without any internal firewalls. If your installation does not fall into this category, you might not be able to access Web Conferencing immediately at the end of installation without further post-installation configuration.

See Also: *Oracle Web Conferencing Administrator's Guide* for information on how to configure Oracle Web Conferencing for various other cases

Follow the post-installation steps for the most common configurations required for enabling e-mail invites to conferences and other basic functionality listed in the *Oracle Collaboration Suite Installation and Configuration Guide*.

8.2.2.1 Clean Reinstallation and Deinstallation

Reinstallation and deinstallation of Oracle Web Conferencing is not supported in this release. In most cases you will need to restart the installation after restoring the installation environment to the exact state it was in before the installation was started, so that the new attempt is a clean new installation.

This section does not discuss how to clean up the Oracle Collaboration Suite installation. However, you might need to remove the Real-Time Collaboration repository in some cases. To do so, you will need to delete all Real-Time Collaboration objects from the database, including the RTC tablespaces.

8.2.2.1.1 Removing the RTC Repository from the Database You might need to remove the Real-Time Collaboration repository in some cases. To do so, you will need to delete all Real-Time Collaboration objects from the database, including the RTC tablespaces.

See Also: *Oracle Database Administrator's Guide* for information on executing some of these commands for your particular database

1. Log in to the database as `SYSTEM` user or user with similar privileges.
2. Alter the system to disallow access to the database by `RTC` and `RTC_APP` users, so that those users may start no new sessions.

3. Discontinue all sessions by RTC and RTC_APP users.
4. Drop RTC_APP followed by RTC:
 - Drop user RTC and RTC_APP, including all the database objects owned by them
 - Drop tablespaces RTC_DATA, RTC_INDEX, RTC_BIG_DATA, and RTC_LARGE_DATA and the data files used for those tablespaces. Depending on how the RTC repository was created, you will have either RTC_BIG_DATA or RTC_LARGE_DATA present in the database. If both are present, drop both.

8.2.2.1.2 Manual Recovery or Reinstallation Oracle Web Conferencing needs to use the Oracle Real-Time Collaboration (RTC) repository residing in an Oracle9i (9.2 or later) database. This database may be a customer database, or it can be the Oracle Collaboration Suite 9.0.4.1.0 information store database in which the RTC repository is already seeded at the time the information store is installed. Each of the following cases requires slightly different steps to make the RTC repository available.

- *The installation fails against a customer database*—If the installation fails before you create the repository, you might need to edit the `install_schema.cmd` script to substitute correct values for the Oracle home and the SID of the database to which you plan to connect for the RTC repository.

Issue the following command (all one line):

```
$ORACLE_HOME/imeeting/install/db/install_schema.sh connect_string_for_database
SYSTEM_user_password rtc rtc_password rtc_app rtc_app_password RTC_DATA RTC_
LARGE_DATA RTC_INDEX directory_for_tablespaces
```

The `directory_for_tablespaces` above is the directory on the database host where the datafiles for tablespaces will be created, typically the `oradata/instance_name` subdirectory in the Oracle home on the database host.

Example:

```
/private/i902/midm72/imeeting/install/db/install_schema.sh
(description=(address=(host=crmdev07.us.oracle.com) (protocol=tcp) (port=1521))
(connect_data=(sid=ia902dbd))) manager rtc rtc rtc_app rtc_app
RTC_DATA RTC_LARGE_DATA RTC_INDEX /u04/DBs/iA902DBD/oradata
```

- *The installation fails against the Oracle Collaboration Suite information store*—If the installation is interrupted before reaching the RTC repository dialogs, you might need to edit the scripts used here to substitute appropriate values for Oracle home.

1. Issue the following command:

```
$ORACLE_HOME/imeeting/install/db/unlock_int_schema.sh connect_string_for_
information_store_database SYSTEM_password rtc rtc_app
```

Example:

```
/private/i902/midm71/imeeting/install/db/unlock_schema.sh
(description=(address=(host=isunaaa17.us.oracle.com) (protocol=tcp)
(port=1521)) (connect_data=(sid=infom7))) manager rtc rtc_app
```

2. Next, issue the following command:

```
$ORACLE_HOME/imeeting/install/db/change_passwd_int_schema.sh connect_
string_for_information_store_database SYSTEM_password rtc rtc_password rtc_
app rtc_app_password_of_your_choice
```

Example:

```
/private/i902/midm71/imeeting/install/db/change_passwd_imt_schema.sh
(description=(address=(host=isunaaa17.us.oracle.com)(protocol=tcp)
(port=1521))(connect_data=(sid=infom7))) manager rtc rtc rtc_app rtc_
app
```

3. The RTC repository must be available for use for the following step to succeed. If the installation is interrupted before reaching the configuration phase, you might need to edit the `imtctl` script to substitute appropriate values for your Oracle home.
 - Edit the `$ORACLE_HOME/imeeting/conf/imtint.conf` file and make sure it has a valid value for `oracle.imt.instancename`. It should be `ORACLE_HOME_name.fully_qualified_host_name_for_the_middle_tier`. For example, `orahome1.bigsun1.mycompany.com`.
 - Issue the following command:

```
$ORACLE_HOME/imeeting/bin/imtctl updateDatabaseInfo -dbsid SID_for_the
RTC_repository_database -dbhost host_name_for_RTC_repository_database
-dbport port_for_the_RTC_repository_database -dbschema rtc_app
-dbpassword rtc_app_password
```

4. For the Real-Time Collaboration Core Components instance, issue the following command (on one line):

```
$ORACLE_HOME/imeeting/bin/imtctl addInstance -installtype midtier
-instancename oracle_home_name.host_name.domain_name
-hostname host_name.domain_name
-imthome $ORACLE_HOME/imeeting
-mxport any_available_port_between_1025-49151
-webhost Host_name_used_by_OHS
-webport Oracle_HTTP_Server_or_Web_Cache_listen_port
-websslport Oracle_HTTP_Swerver_or_Web_Cache_SSL_listen_port
-ldaphost OCS_infrastructure_OID_hostname
-ldapport OCS_infrastructure_OID_port
-oc4jname OC4J_imeeting
-imtpm_httpport any_available_port_between_1025-49151
-appname imeeting
-em_integrate true|false
```

For `-webport` and `-websslport`, use the Web Cache port if Web Cache is enabled.

Setting the `-em_integrate` option to **true** allows integration with the Enterprise Management website for displaying the status of Oracle Web Conferencing.

Example:

```
$ORACLE_HOME/imeeting/bin/imtctl addInstance -installtype midtier
-instancename midm71.isunaaa18.us.oracle.com -hostname
isunaaa18.us.oracle.com -imthome $ORACLE_HOME/imeeting -mxport 2400
-webport 80 -websslport 443 -ldaphost isunaaa17.us.oracle.com -ldapport
4032 -oc4jname OC4J_imeeting -imtpm_httpport 2402 -appname imeeting -em_
integrate true
```

5. For the Document Conversion Server and Voice Conversion Server, issue the following commands (on one line):

```
$ORACLE_HOME/imeeting/bin/imtctl.sh addInstance
```

```
-installtype voice|converter
-instancename oracle_home_name.host_name.domain_name
-hostname host_name.domain_name
-imthome $ORACLE_HOME/imeeting
-orclhome $ORACLE_HOME
-voice_httpport any_available_port_between_1025-49151
-impmp_httpport any_available_port_between_1025-49151
-appname imeeting
```

Entering **voice** for `-installtype` issues the command for the Voice Conversion Server, **converter** issues the command for the Document Conversion Server.

Example:

```
$ORACLE_HOME/imeeting/bin/imtctl.sh addInstance -installtype voice
-instancename ocs7dv1.st-avenet-02.us.oracle.com -hostname
st-avenet-02.us.oracle.com -imthome $ORACLE_HOME/imeeting -orclhome
$ORACLE_HOME -voice_httpport 2042 -impmp_httpport 2403 -appname imeeting
```

8.2.2.2 Creating the OC4J RTC Application as Part of the Real-Time Collaboration Core Components Instance

This step is to be done *only* on the Core Components instance host. If the installation is interrupted or fails before proper creation of the files or scripts involved, you might need to edit the files and scripts involved to appropriately substitute the values for the Oracle home. Additional files used by this script are located in the same directory as the script.

Set the environment variables as follows:

```
ORACLE_HOME=the_Oracle_Home
LIBPATH=$ORACLE_HOME/lib32
```

Then execute:

```
$ORACLE_HOME/imeeting/install/oui/deployIMT.sh
```

Note: Before issuing the above command, verify that the `$ORACLE_HOME/j2ee/deploy.ini` file exists. The `$ORACLE_HOME/j2ee/deploy.ini` file might have been backed up by the installer as `%ORACLE_HOME%/j2ee/deploy.ini.some_number.bak`. Make a copy of it and save it as `$ORACLE_HOME/j2ee/deploy.ini`.

8.2.2.3 Oracle HTTP Server Configuration

All of the following modifications are to the `mod_osso.conf` file in the Web Conferencing Oracle home.

Note: Oracle Corporation recommends setting `OssosIPCheck` to `off` in `mod_oss.conf`.

Enabling Download Functionality for HTTPS Deployments

If your deployment uses HTTPS, you must edit the `mod_osso.conf` file in order to enable downloading of the Web Conferencing Console, logs, documents stored in your conference materials area, and recordings.

For the Web Conferencing Console:

```
<Location /imtapp/res>
    OsoSendCacheHeaders off
<\Location>
```

For logs:

```
<Location /imtapp/logs>
    OsoSendCacheHeaders off
    require valid-user
    AuthType Basic
<\Location>
```

For materials:

```
<Location /imtapp/app>
    OsoSendCacheHeaders off
<\Location>
```

For recordings:

```
<Location /imtapp/console>
    OsoSendCacheHeaders off
<\Location>
```

8.2.2.4 Turning Off Image Compression for PNG Files in OracleAS Web Cache

Users with Internet Explorer 5.5 might find that images are missing from documents they are viewing from the Web Conferencing Application or during Document Presentation mode in a conference. To prevent this, turn off image compression for PNG files in OracleAS Web Cache.

To turn off image compression:

1. Access the OracleAS Web Cache administrator pages for the installation of Oracle9iAS. By default, it is at `http://apache_web_host:4000/webcacheadmin`.
2. Log in as the administrator. The default value for username and password is `administrator`.
3. In the post-login page, you will see the **Administration** section on the left. Scroll down and locate the **General Configuration** section. In that section, under Cacheability Rules, click **Compression**.
4. Select the radio button for the rule that contains a reference to the compression of PNG images. It is the second set of rules in the default installation.
5. Click **Change Selector Association**.
6. In the window that pops up, click the rule that refers to the compression of the PNG images.
7. Click **Remove Association**. The pop-up window closes.
8. Click **Apply Changes** on the main page.
9. Click **Restart**. This causes the changes to take effect.

8.2.2.5 Configuring E-Mailed Usage Reports

Chapter 5 of the *Oracle Web Conferencing Administrator's Guide* explains the `imtreport` script that is used to set up Oracle Web Conferencing reports. To configure report options, you edit variables at the top of the report script.

Edit the `imtreport` script as follows to configure usage reports to be e-mailed to recipients.

- Change the `export IMT_USE_BI_CLASSES` line in `imtreport` to `export IMT_USE_REPORT_CLASSES`. Failure to edit this line results in a `NoClassDefFound` error
- Set the `SITE_ID` parameter to a specific site ID or 100 for all sites. Setting it to an empty string results in the following error: `TODAYSDATE is an invalid identifier`
- Remove any spaces after the commas in the comma-separated list of recipients. Failure to do so results in the e-mailing of the report to the first person in the list of recipients only.
- Set the `DISPLAY` variable at the top of `imtjvm`. Failure to do so results in the following error: `Problem with constructor javax.swing.plaf.FontUIResource...`

8.2.2.6 Uploading the Demo When Using a Custom Database

The following exception occurs while the RTC configuration assistant "Create Oracle Real-Time Collaboration Repository" is running during installation, if you choose to install the Web Conferencing schema on a custom database:

```
Connected.
```

```
Connected.
```

```
Importing seeded demo conferences
```

```
LRM-00116: syntax error at 'address' following '('IMP-00022: failed to process parameters, type 'IMP HELP=Y' for help
```

```
IMP-00000: Import terminated unsuccessfully
```

You can safely ignore this exception. After installation, follow the steps below to upload the demo.

1. Make sure the Oracle database import utility, `$ORACLE_HOME/bin/imp`, is available in the Oracle home for the database on the host you are using for the Real-Time Collaboration repository.
2. Copy the `$ORACLE_HOME/imeeting/install/db/imtseed.dmp` file from the Oracle home from any Real-Time Collaboration Core Components to the database host.
3. Issue the following command on the database host from the shell:

```
$ORACLE_HOME={database_oracle_home};export ORACLE_HOME
$PATH=$PATH:$ORACLE_HOME/bin;export PATH
imp RTC_ACCT_NAME/password_for_schema_rtc@database_connect_string
file=imtseed.dmp ignore=y commit=y buffer=40960000 grants=n indexes=n show=n
touser=$RTC_ACCT_NAME fromuser=rtc
```

8.2.3 User Management Issues

Oracle Web Conferencing uses Oracle Internet Directory for user management. For performance reasons, Oracle Web Conferencing maintains a local copy of the following user attributes:

- User Name: The name the user types when logging in. This attribute is set by the Oracle Internet Directory administrator.
- User GUID: Global Unique Identifier. This is an internal field not visible to users
- First Name
- Middle Name
- Last Name
- E-mail Address

In the 9.0.4.1 release and earlier, there was no synchronization between the user data in Oracle Internet Directory and the RTC Repository. In the 9.0.4.2 patch set, this issue is resolved. The following table lists some scenarios in which you might encounter problems if you do not install the 9.0.4.2 patch set. The simplest solution to these issues is to install the patch set.

There are certain situations in which one change affects multiple attributes. For example, when Oracle Internet Directory is configured such that the user name is mapped to an e-mail address, the change of an employee’s last name could result in changes to the e-mail address, last name, and user name. In such cases, the fixes from all applicable scenarios should be applied.

[Table 8–1](#) lists workarounds for user management issues if the 9.0.4.2 patch set is not applies.

Table 8–1 Workarounds for User Management Issues if 9.0.4.2 Patch Set is Not Applied

Issue	Cause	Example with Workaround
User gets an error when logging in to Oracle Web Conferencing	User’s User Name (login name) was updated in the Oracle Internet Directory; Oracle Web Conferencing contains user’s old GUID	<p>Old User Name: JANE.DOE@ORACLE.COM</p> <p>New User Name: JANE.YOUNG@ORACLE.COM</p> <p>Fix: Run the following SQL statements while connected to the RTC Repository as <code>rtc_app</code> account:</p> <pre>SQL> update rtc_users set user_name = 'JANE.YOUNG@ORACLE.COM' where user_name = 'JANE.DOE@ORACLE.COM'; SQL> commit;</pre>
User’s first name appears incorrectly	User’s first name was updated in the Oracle Internet Directory; Oracle Web Conferencing contains user’s old first name	<p>Old First Name: Jane</p> <p>New First Name: Jane2</p> <p>Fix: Run the following SQL statements while connected to RTC Repository as <code>rtc_app</code> account:</p> <pre>SQL> update rtc_persons set first_name = 'Jane2' where person_id in (select person_id from rtc_ users where user_name = 'JANE.DOE@ORACLE.COM'); SQL> commit;</pre>

Table 8–1 (Cont.) Workarounds for User Management Issues if 9.0.4.2 Patch Set is Not Applied

Issue	Cause	Example with Workaround
User's last name appears incorrectly	User's last name was updated in the Oracle Internet Directory; Oracle Web Conferencing contains user's old first name	<p>Old Last Name: Doe</p> <p>New First Name: Young</p> <p>Fix: Run the following SQL statements while connected to RTC Repository as <code>rtc_app</code> account:</p> <pre>SQL> update rtc_persons set last_name = 'Young' where person_id in (select person_id from rtc_ users where user_name = 'JANE.DOE@ORACLE.COM'); SQL> commit;</pre>
User does not receive conference invitations through email	User's e-mail address was updated in the Oracle Internet Directory; Oracle Web Conferencing contains user's old first name	<p>Old E-mail: JANE.DOE@ORACLE.COM</p> <p>New E-mail: JANE.YOUNG@ORACLE.COM</p> <p>Fix: Run the following SQL statements while connected to RTC Repository as <code>rtc_app</code> account:</p> <pre>SQL> update rtc_persons set email_address = 'JANE.YOUNG@ORACLE.COM' where person_id in (select person_id from rtc_ users where user_name = 'JANE.DOE@ORACLE.COM'); SQL> commit;</pre>
User previously logged in to Oracle Web Conferencing, but can no longer do so.	Existing user account was deleted and then recreated in the Oracle Internet Directory; Oracle Web Conferencing contains the user's original GUID from his earlier login	<p>Fix: Run the following SQL statements while connected to the RTC Repository as <code>rtc_app</code> account:</p> <pre>SQL> delete from rtc_persons where person_id in (select person_id from rtc_ users where user_name = 'JANE.DOE@ORACLE.COM'); SQL> delete from rtc_users Where user_name = 'JANE.DOE@ORACLE.COM'; SQL> commit;</pre>

8.2.4 Allowing Pop-Up Window Display

Some Oracle Web Conferencing tasks, such as entering a conference or playing back recorded conferences, display pop-up windows such as dialog boxes during the task. If you have pop-up window blockers, the pop-up window is suppressed and so you cannot perform the task.

It is best to allow display of pop-up windows while you are using Oracle Web Conferencing.

8.2.5 Known Bugs

[Table 8–2](#) lists known issues with the 9.0.4.1 release of Oracle Web Conferencing.

Table 8–2 Oracle Web Conferencing Known Bugs

Bug No.	Description	Workaround
2898506	If using the Oracle Calendar, users should not schedule meetings through the Oracle Web Conferencing Schedule tab, but through the Calendar tool.	To suppress the Schedule tab, enter the following command on the Oracle Web Conferencing middle tier: <pre>\$ORACLE_HOME/imeeting/bin/imtctl setProperty -system true -pname IsCalendarOCSInstalled -pvalue true</pre>
3019653	The date does not display properly when Arabic is selected (date displays in the format for the Web Conferencing system locale).	None
3033626	When Oracle Collaboration Suite Release 2 is installed, some of the Web Conferencing (Real-Time Collaboration) configuration assistants are run during installation, even if the user chooses not to configure Oracle Web Conferencing. The configuration assistants report failure to complete.	Apply patch set 9.0.4.2, which fixes this issue
3095910	Some English strings appear in the Web Conferences portlet of Oracle Collaboration Suite when Korean is selected.	None
3116499	During installation, an out of memory error occurs when the <code>dcmtl updateconfig</code> command is executed.	Increase memory in Java Virtual Machine
3117475	Site=0 has no authentication key.	Apply patch set 9.0.4.2, which fixes this issue
3124505	iMeeting appears in the Oracle Enterprise Manager middle tier site, but the page does not display.	Stop and restart the Oracle Enterprise Manager Web site
3133297	After upgrading from Oracle Collaboration Suite release 1 to Oracle Collaboration Suite release 2, users cannot start a Web conference from the portlet in the Oracle Collaboration Suite home page.	<ol style="list-style-type: none"> Go to <code>\$ORACLE_HOME/imeeting/bin</code>. Enter: <code>./imtctl</code>. Enter: <pre>setProperty -pname "ApacheWebPort" -pvalue "port_ number"</pre> <p>If you are running the Oracle Application Server Web Cache, use the Web Cache port number. Otherwise, use the Oracle HTTP Server port number.</p> Restart OC4J for Oracle Web Conferencing. <p>See the <i>Oracle Web Conferencing Administrator's Guide</i> for more details about setting port properties and restarting OC4J.</p>
3263919	An error occurs when the user launches the demo if the Oracle Web Conferencing schema has been installed on a custom database.	See Section 8.2.2.6, "Uploading the Demo When Using a Custom Database" for more information.

Table 8–2 (Cont.) Oracle Web Conferencing Known Bugs

Bug No.	Description	Workaround
3425113	Sometimes a user when a user logs in and tries to create a or join a conference, an error message saying "Your session has expired" will appear even though the user has just logged in.	Either the user's system clock is set incorrectly, or the system clock for the machine hosting the Web Conferencing instance is set incorrectly, usually to more than 10 hours earlier than the current time. Reset the clock for the Web Conferencing instance and/or the user's machine.
3482112	When using Netscape, if the browser language is set to Japanese [ja], users cannot join a conference because the pop-up window is truncated and the Cancel and Continue buttons do not appear.	If using Netscape, set the browser language to English. In Netscape, choose Edit > Preferences > Navigator > Languages and select English/United States [en-US].
3502330	When using Netscape to start an instant conference, characters in the pop-up window can be garbled if the language is set to anything other than English, and the Cancel button may not work.	If using Netscape, set the browser language to English. In Netscape, choose Edit > Preferences > Navigator > Languages and select English/United States [en-US].
3509491	If you are using load balancers (LBRs), sometimes when you play back a conference, the playback crashes soon after it starts.	Conference playback uses session objects stored on the Real-Time Collaboration core component server to identify the user ID and site ID. If your load balancer sends users to different Web Conferencing servers during a single session, the session information needed by play back is not available. Make sure your load balancer is set so that it always routes each user to the same Real-Time Collaboration server during a single session. That is, if user 1 is routed to server A, he should continue to go to A for this session, while user 2 can be routed to server B for her session. A "session" begins as you log in to Web Conferencing, and ends when you log out.

This chapter summarizes release note issues associated with the OracleAS Wireless component of Oracle Collaboration Suite. Topics include:

- [Section 9.1, "Getting Started"](#)
- [Section 9.2, "What's New?"](#)
- [Section 9.3, "Oracle Hosted Voice Gateway"](#)
- [Section 9.4, "Known Limitations and Workarounds"](#)
- [Section 9.5, "Using Wireless and Voice"](#)
- [Section 9.6, "Documentation Errata"](#)

9.1 Getting Started

This patch (the Wireless component release number of this patch is 9.0.3.2.0) can be applied to either Oracle Collaboration Suite Release 2 (9.0.4.0.0) or Oracle Collaboration Suite Release 2 (9.0.4.1.0). The corresponding Wireless versions in those releases are 9.0.3.0.0 and 9.0.3.1.0 respectively.

For information on bugs fixed in this release, and other important information, see Oracle Collaboration Suite Readme Release 2 Patch Set 1 (9.0.4.2.0).

9.2 What's New?

This release of Wireless includes many new and enhanced features; here are some of the highlights:

9.2.1 Over the Air Provisioning (OTA)

OTA is a newly supported feature in this patch set. It can be enabled or disabled by configuring the system.properties file. By default, the feature is disabled.

Enable OTA and configure the required carrier and device information as follows:

1. Use a text editor to modify the system.properties file located in the \$ORACLE_HOME/wireless/server/classes/oracle/panama/core/admin directory. Set the value of useOTA to true.
2. Modify the carriers.xml and devices.xml files located in the \$ORACLE_HOME/j2ee/OC4J_Portal/applications/marconi/marconi-web/WEB-INF directory to configure the information for carriers and devices according to the examples contained in each xml file.

3. Modify the default values for the following settings in the owi.properties file:
 - bookmarks
 - MMSC
 - email
 - syncML
 - WAP

Note: The bookmarks setting has two default values: Google and Yahoo!. For OTA provisioning, you must change both the bookmarks setting name and the URL values to those for Oracle Collaboration Suite.

If you want only one bookmark, you must comment out both the bookmark.1.name and bookmark.1.URL values (which are used for the Yahoo! bookmark).

Online Help for the OTA feature is not included in this release; it will be included in the next release.

4. Restart the middle tier to apply the changes.

9.2.2 Real Time Browser Access from Any Mobile Device

Oracle Wireless and Voice provides highly-optimized wireless access to collaboration information from any mobile device with browser capabilities. Here are some of the tasks employees can perform from a browser on a mobile device:

- Access, reply, or forward their email and voicemail
- View, modify, cancel, or change status of their appointments
- Perform lookups in corporate directory or personal address book
- Browse Oracle Files and select a file to fax

Collaboration Suite wireless applications are highly optimized for mobile browsers of varying capabilities and devices of different form factors allowing most effective and user-friendly experience. For example, the Mobile Inbox feature provides faster, personalized access to mail by allowing users to create a virtual inbox to receive only urgent mail, mail from the last 24 hours, only voicemails, only fax messages, or mail from selected senders.

9.2.3 Ubiquitous Voice Access

Employees can now retrieve and reply to Oracle Email, manage appointments, or call someone from their address book through voice from any phone. To get voice access to Oracle Collaboration Suite, employees call a Voice Gateway from the phone and interact with a spoken interface. The Oracle Collaboration Suite voice-enabled applications respond to both voice and touch tone commands, and run on any VoiceXML gateway (that works with Oracle) with speaker-independent speech recognition.

9.2.4 Instant Access Through Async from SMS or Email

In this release, employees can also access Oracle Collaboration Suite through Async from SMS, 2-way pager, or any e-mail client. Employees can send simple Async commands through SMS or e-mail to pull in their appointments for the day, to modify or cancel a meeting, to look up employee information in a corporate directory or personal address book, or browse a files catalog to select a file to fax or send by email.

For example, a user can send an Async command "cal" through SMS to pull in all appointments for the day, or "search joe harris" to look up Joe Harris in the corporate directory.

9.2.5 Multi-Channel Alerts and Notifications

Oracle Collaboration Suite keeps your employees notified—when they receive specific Email or voice-mail, when important events are added or updated in their calendar, when they are invited to a web conference, or as a reminder for important meetings and web conferences. A unique benefit to employees is the freedom to specify which channel they want to receive these notifications: SMS, MMS, Email, voice alert, 2-way pager, or Fax.

9.2.6 Presence Availability Management

Oracle Collaboration Suite availability management capabilities puts users in control by allowing them to create their own profiles that define where they are during the day and how they want to be notified at this location. Employee availability information is published through the corporate directory so that anyone with appropriate privileges can determine the best method to contact an employee at any given moment in time.

9.3 Oracle Hosted Voice Gateway

The included out-of-the-box applications and custom-built voice applications can immediately be accessed through voice devices after Oracle Collaboration Suite Wireless installation and configuration by using the Oracle hosted voice gateway. Visit mservice.oracle.com for detailed instructions.

9.4 Known Limitations and Workarounds

This section lists Known Limitations to this release.

9.4.1 Wireless SMS Notification Issue

A problem has been reported regarding Wireless SMS Notification (bug #3314271). If you are experiencing this problem, you must apply a one-off patch available from MetaLink (ARU number is 5790915).

9.4.2 Contact Rule Switcher Portlet Failure

The Contact Rule Switcher Portlet fails when the Web Client and Wireless middle tiers are installed on different machines. There are two ways to fix this problem:

- Install both the Web Client and Wireless on the same middle tier.

OR

- save the `webclient.properties.template` file as `webclient.properties` and correctly configure the entries for Wireless.

9.4.3 Increase Wireless Email Timeout Parameter

To avoid intermittent login failures due to timeout errors, increase the value of the timeout parameter. To increase the timeout value, follow these steps:

1. Start the Wireless Webtool.
2. Go to Content Manager.
3. Go to Mail.
4. Go to Service Input Parameters.
5. Change the timeout value from 2000 to 10000.
6. Restart `OC4J_Wireless`.

9.4.4 Multiple Copies of Messages Generated

As reported in bug #3174307, upgrading (or patching) your Oracle Collaboration Suite R1 instance may cause the following symptoms to occur for some users:

- After upgrade, users may no longer see the old rules they have set on the Wireless & Voice setting for receiving notifications (that is, voicemails, urgent messages, messages from certain people, and so on), but these rules may still be in effect. Since they are no longer shown in the list in the interface, there is no way to modify or remove these old rules.
- Users may start receiving multiple copies of notifications after upgrade. Duplicate notifications can occur if after the Oracle Collaboration Suite instance upgrade, users create new sets of rules which are the same as their old rules (which are no longer shown). In this case, the system ends up with two sets of rules being effective for users, resulting in multiple notifications received by users.

To fix this issue, users that experience this problem should visit the Wireless & Voice Setting page on the Oracle Collaboration Suite homepage (once) after upgrading (patching). Visiting the Wireless & Voice page will automatically turn off and remove the old set of rules belonging to the user.

9.4.5 Return-to-Portal URL Configuration

If you plan to have your users access the Oracle Wireless & Voice setup wizard directly, without going through the Oracle Collaboration Suite Portal home page first, you must explicitly specify where users should navigate once they have completed the Oracle Wireless & Voice wizard. By default, if you access the wizard from Portal, you are returned to the Portal home page. If you do not access the wizard from Portal, you must specify the return-to URL of your choice in the `Oracle_Home/webclient/classes/oracle/collabsuite/webclient/resources/webclient.properties` file.

For example: `portal=http://my.company.com/homepage`

The default value is set to:

`portal=http://portal_host:portal_port/pls/portal/PORTAL.wwsec_app_priv.login`

9.4.6 Wireless Calendar

In this release, users cannot create new Wireless Calendar entries through the voice interface.

9.4.7 Wireless Files

Multibyte usernames are not supported in this release.

9.4.8 Wireless Status Displayed as Down

Oracle Enterprise Manager displays all of the processes that can be managed for a middle tier machine. When accessing the EM page and clicking on a middle tier machine, Wireless will show a red down arrow. The reason for this is that the Wireless Server has not been started. To start the Wireless Server, point your browser to:

@ `http://machine_name:port/ptg/rm`.

This will automatically start the Wireless Server.

9.4.9 Multibyte Characters and Wireless Notifications

You can receive a wireless notification for a message received by Oracle Email. If either the subject or the sender's ID in the original message contains multibyte characters, then these multibyte characters are not displayed correctly in the notification.

9.4.10 Registering Oracle Portal Provider for Wireless Web Tool and Wireless Customization Fails

If both the infrastructure and middle tiers are installed on the same machine, and the Enterprise Manager daemon running on that computer is referring to the infrastructure home, then the Register Oracle Portal Provider for Wireless Webtool and Register Oracle Portal Provider for Wireless Customization from the Wireless site will throw `java.lang.NoClassDefFoundError` errors.

In the `orion-web.xml` file of the infrastructure installation, `pdkjava.jar` and `ptlshare.jar` should refer the middle tier installation location.

For example, if the infrastructure is installed in:

```
/private/ias20_infra/
```

and the middle tier is installed in:

```
/private/ias20_midtier/
```

then the following entries in the Enterprise Manager daemon `orion-web.xml`:

```
<classpath path="/private/ias20_infra/portal/jlib/pdkjava.jar"/>
```

```
<classpath path="/private/ias20_infra/portal/jlib/ptlshare.jar"/>
```

should be replaced with:

```
<classpath path="/private/ias20_midtier/portal/jlib/pdkjava.jar"/>
```

```
<classpath path="/private/ias20_midtier/portal/jlib/ptlshare.jar"/>
```

Restart the opmn process for the changes to take effect.

9.4.11 Generic Single Sign-On Errors if Using Microsoft Internet Explorer

There is a generic error that affects some Oracle9iAS components, including Oracle Wireless. This error occurs when you use Microsoft Internet Explorer to access the Webtool on a machine that has both infrastructure and a middle tier installed on it. You may encounter the following errors:

- When you log onto the Webtool by entering the username and password and clicking the Login button, an SSO warning (error) appears. Click the Refresh button on your browser to continue.
- From the Oracle Wireless User Manager, clicking the Create button causes an SSO warning (error) to appear. You must click the Back button in Microsoft Internet Explorer to proceed (clicking the Refresh button will not enable you to continue as it does in the previous situation above).

9.4.12 Oracle Wireless Process Status Unavailable for Multiple ORACLE_HOMEs with External Repository

When installing both middle and infrastructure tiers on the same machine and changing the Wireless schema from the Enterprise Manager console to point to a schema other than the one available as part of the infrastructure installation, the Wireless process status changes are not displayed on the Enterprise Manager console. This problem occurs on all platforms.

To workaroud for this problem: from the ORACLE_HOME of the middle tier for which the schema has been changed, copy the following fragment from the file:

```
<middle tier ORACLE_HOME>/config/iasschema.xml
```

and paste it over (overwrite) the corresponding entry in the infrastructure ORACLE_HOME file:

```
<infrastructure ORACLE_HOME>/config/iasschema.xml
<SchemaConfigData>
<ComponentName>Wireless</ComponentName>
<BaseName>WIRELESS</BaseName>
<Override>>true</Override>
<SchemaName>the new schema name</SchemaName>
<DBConnect>the new DB connect string</DBConnect>
  <Password>the new DB password (encrypted)</Password>
</SchemaConfigData>
```

Restart Enterprise Manager after this is done.

9.4.13 Multibyte Usernames in Jabber Not Supported

Jabber, the backend used with Instant Messaging, does not support multibyte usernames, and therefore the Instant Messaging module also does not support multibyte usernames.

9.5 Using Wireless and Voice

This section contains access and use information that will help you more easily use Wireless and Voice.

9.5.1 Access Information

Two Quick Reference Cards are available to help users with ASK/SMS and Voice Access. They are available on Oracle Technology Network at the following locations:

- ASK/SMS Access—http://otn.oracle.com/products/owireless/wv_refcard_sms.pdf
- Voice Access—http://otn.oracle.com/products/owireless/wv_refcard_voice.pdf

9.5.2 ASK Commands to Access Collaboration Suite from SMS, Email, or 2-way Pager

The following commands are available for accessing Oracle Collaboration Suite components.

9.5.2.1 Calendar

To view your appointments:

```
cal [day | week] [date]
```

Examples:

To list today's appointments:

```
cal
```

To list appointments for August 21 of this year:

```
cal day 8/21
```

To list appointments for the week of August 21, 2003:

```
cal week 8/21/2003:
```

To make an appointment:

```
cal new title date start-time duration [location] [notes]
```

date in "MM/dd/yyyy" format - year can be omitted e.g. 6/29

start-time in "hh:mm" format - e.g. 1:30pm, 9:20am

duration in minutes - e.g. 90

Example:

```
cal new test 9/24 1:00pm 90 HQ "bring lunch"
```

9.5.2.2 Address Book

The Find searches on phone numbers, names (partial string search) or division. Note that a Directory lookup will only be performed if the contact is not found in the personal Address Book.

To find contacts in your personal address book or corporate directory:

```
find string
```

Where

string is a comma-separated list of names, such as: John,Jack,Smith)

- You may specify either first or last name.
- Search is case-insensitive.

Example:

```
find John,Jack,Smith
```

9.5.2.3 Mail

The following commands are supported for Oracle Email:

```
send—returns help message
```

```
send help—returns help message
```

```
send recipients documents | text:text—sends documents or text messages to a list of recipients
```

Examples:

```
send jacob "text:This is a test message."
```

```
send user@oracle.com /private/documents/roadmap30.ppt
```

9.5.2.4 Fax

The following fax commands are supported:

```
fax /help
```

```
fax -help
```

```
fax -h
```

```
fax recipient_fax_number "text:fax message"
```

Examples:

```
fax 16505067222 "text:hello world"
```

```
fax recipient_fax_number fileURL[,filePathInFilesOnline]
```

```
fax 16505067222 http://www.yahoo.com
```

```
fax 16505067222
```

```
http://www.yahoo.com,/private/john/mydoc/test.html,/private/john/mydoc/Fun  
Spec.html
```

9.5.2.5 Directory

To find contacts in your corporate directory:

search string

Where

string is a comma-separated list of names (first or last); someone's global ID with no extension, email address, or phone number.

9.5.2.6 Short Messaging

Use the sm command to send short messaging over any channel. Supported channels are:

sm <channel> <recipient> <subject> <message>

Examples:

sm voice 16505551212 Meeting Let's meet at 2:00pm—Sent as voice message.

sm email john.smith@oracle.com "Simple Subject" This is my message—Sent as an email.

sm sms 5551212 Meeting Let's meet at 2:00pm—Sent as an SMS message.

sm fax 16505067000 "Urgent Meeting" This is important—Sent as fax.

9.5.2.7 Instant Messaging

Supported channels are voice, email, sms and fax.

Subjects containing multiple words must be quoted.

Usage:

im command [param1 param2 param3 ... paramN]

Example:

im send my friend "Hi, how are you doing?"

Enclose (in double quotes) parameters containing spaces.

Available Commands:

- help—shows the list of available im commands.
- connect—connects the user to the im service.
- disconnect—disconnects the user from the im service.
- groups—retrieves the user's groups.
- addgroup 'name'—adds a group to the user's groups.
- delgroup 'name'—removes the group specified from the user's groups.
- mvgroup 'oldname' 'newname'—renames the group specified by 'oldname' to 'newname'.
- online 'name'—shows the list of online friends in the group specified by 'name'.

- offline 'name'—shows the list of offline friends in the group specified by 'name'.
- add 'friend' 'group' [Yahoo | MSN]— adds a friend to the group specified - remote Yahoo or MSN friends can be specified.
- del 'friend' 'group'—removes a friend from the group specified.
- mv 'friend' 'oldgroup' 'newgroup'—moves a friend from 'oldgroup' to 'newgroup'.
- statuses—shows the list of the main status groups.
- statuses 'statusgroup'—shows the list of statuses within a group of statuses.
- status 'statusID'—Sets the user's current status to the status specified.
- msgs—shows all the unread messages on the server for the user.
- arch—shows all the archived messages on the server for the user.
- msg 'msgID'—shows the message specified by 'msgID'.
- send 'friend' 'text'—sends a message to the 'friend' specified with the 'text' specified.
- psts—shows the list of the user's preset messages.
- addpst 'text'—adds a message to the user's preset messages.
- delpst 'presetID'—removes the preset message specified from the user's preset messages.
- sendpst 'friend' 'presetID'—sends a message to the 'friend' specified with the preset message specified.
- account 'username' 'password' [Yahoo | MSN]—updates the local, Yahoo or MSN account information.
- autologin on | off—sets the auto-login option for the local account to on or off.

9.5.2.8 Files

To browse the contents of a given directory:

```
files [<directory>]
```

Example:

```
files /Private
```

If left empty, the home directory is assumed.

9.6 Documentation Errata

The following documentation items have changed since the last release.

9.6.1 Calendar Server

This paragraph replaces the information in Section 4.3 of Oracle9iAS Wireless Administrator's Guide concerning valid values. In Oracle Collaboration Suite mode, enter the name and port of the Oracle Collaboration Suite Calendar server. Separate both these entries with a colon (:). To determine the port for Calendar server access, go

to `http://mid-tier:port`. Click the Ports tab. In the table listing the ports, look for Oracle Calendar server.

The port for the Oracle Calendar server can also be found by running the following command on the Oracle Calendar middle tier:

```
$ORACLE_HOME/ocal/bin/profilget -s ENG -k port
```

9.6.2 Wireless Configuration Assistant Display

Perform this workaround on the infrastructure database before beginning the Wireless middle tier installation.

Bug 3232042 is caused by Wireless not determining the version of the Wireless schema and data. The workaround for this problem is to set the Wireless version prior to running the Wireless Configuration Assistant. This is done by executing the Wireless version number PL/SQL procedures in the infrastructure database. Follow these steps:

1. Obtain the Wireless password.

Since these procedures are part of the Wireless schema, you must first obtain the Wireless password from OID. This can be accomplished as follows:

- Start the OID management tool.
- Select your OID server
(for example, `ias-pc2.us.oracle.com`, port 389)
- Login as `orcladmin/welcome1`.
- Follow this path to get the Wireless password:
Entry Management-> `cn=OracleContext`-> `cn=Products`-> `cn=IAS`-> `cn=IAS Infrastructure`-> `orclReferenceName=ias..`-> `orclResourceName=WIRELESS`
- Click the resource, and you will see the password attribute.

2. Fix the infrastructure database.

To set the versions correctly, connect to the infrastructure database as user `WIRELESS` and execute the following commands:

```
exec PTG_UPGRADE_PKG.add_schema_version('9.0.2.8.0');
exec PTG_UPGRADE_PKG.add_data_version('9.0.2.8.0');
```

9.6.3 Configuring Oracle Wireless to Enable Messaging

In the Enabling Messaging section of Oracle9iAS Wireless Administrator's Guide, Oracle hosted service is introduced and described.

You may use the messenger service hosted by Oracle for evaluating the messaging and notifications capabilities of the Oracle9iAS Wireless. The Wireless instance is, upon installation, equipped to use this hosted instance without any additional configuration. However, after the evaluation period, customers must set up their own messaging infrastructure.

9.6.4 Online Help Display

Online help pages are empty when accessed from the Customization Portal.

To fix this issue, install the patch available on Oracle MetaLink (www.metalink.oracle.com); the MetaLink (ARU) number is: 4908103.

9.6.5 Nuance Voice Web Service Gateway

The mention of Nuance software in the Release 2 Wireless Administrator's Guide is obsolete. To use this functionality, Oracle Corporation recommends the Hosted Voice Gateway service: <http://mservice.oracle.com>

9.6.6 Speechgenie Gateway

The Voicegenie voice gateway is no longer supported nor being sold by Voicegenie Inc. Voicegenie Inc. is now selling and supporting the Speechgenie voice gateway.