Oracle® Database

Licensing Information 10*g* Release 2 (10.2) **B14199-28**

June 2014



Oracle Database Licensing Information, 10g Release 2 (10.2)

R14199-29

Copyright © 2004, 2014, Oracle and/or its affiliates. All rights reserved.

Contributors: Francisco Abedrabbo, Manmeet Ahluwalia, Michelle Bird, Carolyn Bruse, Rich Buchheim, Sandra Cheevers, Leo Cloutier, Anil Khilani, Mughees Minhas, Trish McGonigle, Dennis MacNeil, Paul Narth, Anu Natarajan, Paul Needham, Philip Newlan, Martin Pena, Jill Robinson, Roel Stalman, Mark Townsend, Jacqueline Woods, Prabhaker Gongloor

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Pre	eface	V			
	Intended Audience	. v			
	Documentation Accessibility	. v			
	Related Documents	. v			
	Conventions	. V			
1	Oracle Database Editions				
	The Oracle Database Product Family	1-1			
	Feature Availability by Edition	1-2			
	Features Specific to the Windows Platform	1-4			
	Special-Use Licensing	1-5			
	Changes in Product Licensing	1-8			
2	Options and Packs				
	Oracle Database Options	2-1			
	Oracle Management Packs	2-8			
	Other Oracle Products	2-17			
A	Third-Party Licenses				
	Third-Party Products Included with Oracle Database	A-1			
Inc	lev				

Preface

This document, which is part of the Program Documentation under the terms of your Oracle licensing agreement, is intended to help you understand the features, functionality, and options available for Oracle Programs. If you have a question about your licensing needs, please contact your Oracle sales representative or refer to the resources listed in "Related Documents" on page 2-v for more information.

Oracle Database 10*g* is available in multiple editions, each suitable for different development and deployment scenarios.

Oracle also offers several database options and packs that enhance the capabilities of Oracle Database for specific application requirements. *Oracle Database Licensing Information* provides information on these optional database products.

This Preface contains these topics:

- Intended Audience
- Documentation Accessibility
- Related Documents
- Conventions

Intended Audience

This book is intended for all purchasers of Oracle Database 10g.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc.

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info or visit http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs if you are hearing impaired.

Related Documents

For more information, see these Oracle resources:

 Oracle Database New Features Guide for information on the features new to this release of Oracle Database ■ The Software Investment Guide, available at:

http://www.oracle.com/corporate/pricing/sig.pdf

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Oracle Database Editions

This chapter describes the four Oracle Database editions and the features available with those editions. It contains the following sections:

- The Oracle Database Product Family
- Feature Availability by Edition
- Features Specific to the Windows Platform
- Special-Use Licensing
- Changes in Product Licensing

The Oracle Database Product Family

Oracle Database is available in five editions, each suitable for different development and deployment scenarios. Oracle also offers several database options, packs, and other products that enhance the capabilities of Oracle Database for specific application purposes. This section describes the Oracle Database editions. The database enhancement products are described in Chapter 2, "Options and Packs".

Oracle Database Standard Edition One Oracle Database Standard Edition One delivers unprecedented ease of use, power, and performance for workgroup, department-level, and Web applications. From single-server environments for small business to highly distributed branch environments, Oracle Database Standard Edition One includes all the facilities necessary to build business-critical applications.

Oracle Database Standard Edition Oracle Database Standard Edition delivers the unprecedented ease of use, power, and performance of Standard Edition One, with support for larger machines and clustering of services with Oracle Real Application Clusters (Oracle RAC). Oracle RAC is not included in the Standard Edition of releases prior to Oracle Database 10g, nor is it an available option with those earlier releases.

Oracle Database Enterprise Edition Oracle Database Enterprise Edition provides the performance, availability, scalability, and security required for mission-critical applications such as high-volume online transaction processing (OLTP) applications, query-intensive data warehouses, and demanding Internet applications. Oracle Database Enterprise Edition contains all of the components of Oracle Database, and can be further enhanced with the purchase of the options and packs described in Chapter 2, "Options and Packs".

Oracle Database Express Edition Oracle Database Express Edition (Oracle Database XE) is an entry-level edition of Oracle Database that is quick to download, simple to install and manage, and is free to develop, deploy, and distribute. Oracle Database XE

makes it easy to upgrade to the other editions of Oracle without costly and complex migrations. Oracle Database XE can be installed on any size machine with any number of CPUs, stores up to 4GB of user data, using up to 1GB of memory, and using only one CPU on the host machine. Support is provided by an online forum.

Oracle Database Personal Edition Oracle Database Personal Edition supports single-user development and deployment environments that require full compatibility with Oracle Database Standard Edition One, Oracle Database Standard Edition, and Oracle Database Enterprise Edition.

Personal Edition includes all of the components that are included with Enterprise Edition, as well as all of the options that are available with Enterprise Edition, with the exception of the Oracle Real Application Clusters option, which cannot be used with Personal Edition. Personal Edition is available on Windows platforms only. The Management Packs are not included in Personal Edition.

Feature Availability by Edition

Table 1–1 lists feature availability for Oracle Database Standard Edition One (SE1), Standard Edition (SE), and Enterprise Edition (EE). The Y value in a column means that the feature is available in the specified release; N means that it is unavailable. This table can help you understand the difference between the editions and determine whether you require Enterprise Edition (or Personal Edition for a single-user environment).

Note that Oracle Database XE is a separate product from the rest of the Oracle Database product family. The features available with Oracle Database XE are documented in Oracle Database Express Edition Licensing Information, which is installed along with the product itself.

Table 1–1 Feature Availability for Oracle Database Editions

Feature/Option	SE1	SE	EE	Notes
High Availability				
Oracle Fail Safe	Y	Y	Y	Windows only
Oracle Data Guard—Redo Apply	N	N	Y	
Oracle Data Guard—SQL Apply	N	N	Y	
Rolling Upgrades—Patch Set, Database, and Operating System	N	N	Y	
Online index rebuild	N	N	Y	
Online index-organized table organization	N	N	Y	ALTER TABLE MOVE ONLINE operations
Online table redefinition	N	N	Y	Using the DBMS_REDEFINITION package
Duplexed backup sets	N	N	Y	

Table 1–1 (Cont.) Feature Availability for Oracle Database Editions

Feature/Option	SE1	SE	EE	Notes
Block change tracking for fast incremental backup	N	N	Y	
Unused block compression in backups	N	N	Y	
Block-level media recovery	N	N	Y	
Parallel backup and recovery	N	N	Y	
Tablespace point-in-time recovery	N	N	Y	
Trial recovery	N	N	Y	
Fast-start fault recovery	N	N	Y	
Flashback Table	N	N	Y	
Flashback Database	N	N	Y	
Flashback Transaction Query	N	N	Y	
Scalability				
Oracle Real Application Clusters	N	Y	Y	Extra cost with EE, included with SE
Automatic Workload Management	N	Y	Y	Requires RAC
Performance				
In-Memory Database Cache	N	N	Y	Extra cost option
Security				
Oracle Advanced Security	N	N	Y	Extra cost option
Oracle Label Security	N	N	Y	Extra cost option
Virtual Private Database	N	N	Y	
Fine-grained auditing	N	N	Y	
Development Platform				
SQLJ	Y	Y	Y	Requires Oracle Programmer
Oracle Developer Tools for Visual Studio .NET	Y	Y	Y	Windows only
Microsoft Distributed Transaction Coordinator support	Y	Y	Y	Windows only
Active Directory integration	Y	Y	Y	Windows only
Native .NET Data Provider—ODP.NET	Y	Y	Y	Windows only
.NET Stored Procedures	Y	Y	Y	Windows only
Manageability				
Oracle Change Management Pack	N	N	Y	Extra cost option
Oracle Configuration Management Pack	N	N	Y	Extra cost option
Oracle Diagnostic Pack	N	N	Y	Extra cost option
Oracle Tuning Pack	N	N	Y	Extra cost option, also requires the Diagnostic Pack
Oracle Provisioning and Patch Automation Pack	N	N	Y	Extra cost option
Database Resource Manager	N	N	Y	

Table 1–1 (Cont.) Feature Availability for Oracle Database Editions

Feature/Option	SE1	SE	EE	Notes
VLDB, Data Warehousing, Business Intelligence				
Oracle Partitioning	N	N	Y	Extra cost option
Oracle OLAP	N	N	Y	Extra cost option
Oracle Data Mining	N	N	Y	Extra cost option
Data Compression	N	N	Y	
Bitmapped index, bitmapped join index, and bitmap plan conversions	N	N	Y	
Parallel query/DML	N	N	Y	
Parallel statistics gathering	N	N	Y	
Parallel index build/scans	N	N	Y	
Parallel Data Pump Export/Import	N	N	Y	
Transportable tablespaces, including cross-platform	N	N	Y	Import of transportable tablespaces supported into SE, SE1, and EE
Summary management—Materialized View Query Rewrite	N	N	Y	
Asynchronous Change Data Capture	N	N	Y	
Integration				
Basic Replication	Y	Y	Y	SE1/SE: read-only, updateable materialized view
Advanced Replication	N	N	Y	Multi-master replication
Oracle Streams	N	N	Y	SE1/SE: apply only
Messaging Gateway	N	N	Y	
Transparent Gateways	Y	Y	Y	Extra cost option
Networking				
Oracle Connection Manager	N	N	Y	
Infiniband Support	N	N	Y	
Content Management				
Oracle Spatial	N	N	Y	Extra cost option

Features Specific to the Windows Platform

The following features related to application development are available only on Windows platforms:

- **COM Automation**
- Microsoft Transaction Server/COM+ integration
- Oracle OLE DB Provider
- Oracle Objects for OLE (OO4O)
- **VLM Support**
- OLE DB .NET and ODBC .NET support
- Native .NET Data Provider ODP.NET

Oracle Database Extensions for .NET (.NET Stored Procedures)

Special-Use Licensing

Oracle Standard Edition and Oracle Real Application Clusters (Oracle RAC) When used with Oracle Real Application Clusters in a clustered server environment, Oracle Database Standard Edition requires the use of Oracle Clusterware. Third-party clusterware management solutions are not supported. When used with Oracle Real Application Clusters, Oracle Advanced Security SSL/TLS is included. Automatic Storage Management (ASM) must be used to manage all database-related files. Third-party volume managers and file systems are not supported for this purpose. For more details see "Oracle Standard Edition and Oracle Real Application Clusters (Oracle RAC)" on page 2-5.

Oracle Connection Manager Oracle Connection Manager can be installed and used on a machine different from the machine where the Oracle Database is installed and used. It is not necessary to obtain a separate license for the machine running Oracle Connection Manager.

Oracle Database Express Edition Oracle Database Express Edition may be used for free, for the purposes of developing, prototyping and running applications. It can also be used for free to provide demonstrations and training. It may also be distributed for free with any applications. However, any use of the Oracle Database Express Edition is subject to the following limitations:

- Express Edition is limited to a single instance on any server.
- Express Edition may be installed on a multiple CPU server, but may only be executed on one processor in any server.
- Express Edition may be used only to support up to 4GB of user data (not including Express Edition system data).
- Express Edition may use up to 1 GB RAM of available memory.

The Oracle technical support organization will not provide technical support, phone support, or updates for Oracle Database Express Edition.

Oracle Clusterware Oracle Clusterware can be installed and used to protect any Oracle or third-party software provided one of the following conditions are met:

- The software being protected is from Oracle.
- The software being protected uses an Oracle Database.
- The software being protected is running on Oracle Unbreakable Linux.
- The software being protected is running in a cluster where at least one machine involved in the cluster is licensed using the appropriate metric for either Oracle Database Enterprise Edition or Oracle Database Standard Edition.

A cluster is defined to include all the machines that share the same Oracle Cluster Registry (OCR) and Voting Disk.

Infrastructure Repository Databases A separate Oracle Database can be installed and used as a Recovery Manager (RMAN) repository without additional license requirements, provided that all the Oracle databases managed in this repository are correctly licensed. This repository database may also be used for the Oracle Enterprise Grid Control repository. It may not be used or deployed for other uses.

A separate Oracle Database can be installed and used as an Oracle Enterprise Manager Grid Control (OEM Grid Control) repository without additional license requirements, provided that all the targets (databases, applications, and so forth) managed in this repository are correctly licensed. This database may also be used for the RMAN repository. It may not be used or deployed for other uses.

Oracle Database Vault and Oracle9i Database Release 2 (9.2.0.8) A separate Oracle Database 10g Release 2 can be installed and used to administer Oracle Database Vault when installed with Oracle9i Database Release 2 (9.2.0.8), without additional license requirements. All 9.2.0.8 databases managed by Database Control in this manner must be correctly licensed with the Oracle Database Vault option. The installation of Oracle Database 10g Release 2 deployed in this manner may not be used or deployed for other uses.

Support of Real Application Testing in Earlier Releases

The full functionality of Oracle Real Application Testing is available only on Oracle Database 11g Release 1 or higher. Partial functionality of Oracle Real Application Testing is available to customers wishing to upgrade from Oracle9i Database Release 2 or Oracle Database 10g.

The functionality available on Oracle9*i* Database Release 2 is as follows:

Database Replay: Only the Workload Capture feature is supported, and the captured workload may only be replayed only on Oracle Database 11g. This feature can be used only to facilitate upgrades from Oracle 9i Database Release 2 to Oracle Database 11g.

The functionality available on Oracle Database 10g Release 2 is as follows:

- Database Replay: Only the Workload Capture feature is supported, and the captured workload may be replayed only on Oracle Database 11g. This feature can be used only to facilitate upgrades from Oracle Database 10g Release 2 to Oracle Database 11g.
- **SQL Performance Analyzer**: Only the Remote SQL Test Execute and SQL Capture into SQL Tuning Set features are supported. These features can be used only to facilitate upgrades from Oracle9i Database Release 2 and Oracle Database 10g Release 1 to Oracle Database 10g Release 2 or higher. When upgrading to Oracle Database 10g Release 2 from earlier releases (Oracle 9i Database or Oracle Database 10g Release1), Oracle Database 11g is needed to remotely execute SQL on the target database (that is, Oracle Database 10g Release 2). Real Application Testing licensing is required for both systems, Oracle Database 10g Release 2 and Oracle Database 11g.

Oracle Secure Backup Express Oracle Secure Backup Express is bundled with the Oracle Database. Oracle's technical support organization will provide technical support, phone support, or updates to you for Oracle Secure Backup Express when it is used to back up another Oracle Product that has a valid Customer Support Identifier (CSI). For example, if Oracle Secure Backup Express is used to back up an Oracle database that has a valid Customer Support Identifier, then Oracle Support provides technical support for the backup of this database.

Updates and technical support are only provided to customers who maintain technical support services for their Oracle licenses in accordance with Oracle's Technical Support Policies. Oracle Secure Backup is a separately licensed product and is supported in accordance with Oracle's Technical Support Policies.

Legato Storage Manager and Legato Single Server Version. Oracle Secure Backup Express is the replacement product for Legato Storage Manager (LSM) and Legato Single Server Version (LSSV). If you are currently using LSM or LSSV, then you can use Oracle Secure Backup Migration Guide to learn how to migrate these products to Oracle Secure Backup Express.

Oracle Secure Backup Express can back up an Oracle database as well as Oracle home files and other file system data requiring tape protection.

For more information, refer to *Oracle Secure Backup Licensing Information*.

Oracle Wallet An Oracle Wallet is a PKCS#12 container used to store authentication and encryption keys. The Oracle database secure external password store feature stores passwords in an Oracle Wallet for password-based authentication to the Oracle database. The Oracle Wallet may also be used to store credentials for PKI authentication to the Oracle Database, configuration of network encryption (SSL/TLS), and Oracle Advanced Security transparent data encryption (TDE) master encryption keys. Strong authentication services (Kerberos, PKI, and RADIUS) and network encryption (native network encryption and SSL/TLS) are no longer part of Oracle Advanced Security and are available in all licensed editions of all supported releases of the Oracle database.

Current User Database Links

Current user database links are one type of database link that is supported inside the Oracle Enterprise Edition database. Current user database links provide stronger security because they do not require credentials to be stored inside the database link definition. Current user database links require Enterprise User Security and use SSL to secure the communication channel over which the current user database link communicates with the target database. If you wish to use current user database links, you do not need to license Oracle Advanced Security to enable SSL.

Restricted-Use Licensing The following restricted-use licenses are included with Oracle Database 10*g* in the editions indicated:

- A restricted-use license for Oracle Internet Directory (OID) is included with all editions (except for Oracle Database Express Edition) if users use the Directory Naming feature to configure Oracle Net Services. OID may not be used or deployed for other uses. Please contact your Oracle sales representative for additional information on Oracle Internet Directory (OID).
- For OS/390 implementations of Enterprise Edition, use of either Access Manager for CICS or Access Manager for IMS/TM is included.
- A restricted-use license for Oracle Application Server Containers for J2EE (OC4J) is included with all editions (except for Oracle Database Express Edition). This embedded version is provided solely to support Oracle Enterprise Manager (Database and Grid Control), Advanced Queuing Servlet, iSQL*Plus, Ultra Search, Workflow, and Warehouse Builder, and may not be used or deployed for other purposes.
- A restricted-use license for Oracle HTTP Server is included with all editions (except for Oracle Database Express Edition) when the HTTP Server is running on the same server as the database. Running Oracle HTTP server on a different server requires that other server be licensed to use the HTTP server, either through an Oracle Database license or an Oracle Application Server license.
- Restricted-use licenses of Load Testing Accelerator for Oracle Database, Oracle Load Testing, and Oracle Load Testing Controller are included with Oracle Real

Application Testing for use for Oracle Database testing and may not be used for application testing.

Changes in Product Licensing

Oracle Warehouse Builder Enterprise ETL Option

The following features, previously licensed with the Oracle Warehouse Builder ETL Option, are no longer licensed with the Oracle Database. Instead, they are licensed via the Oracle Data Integrator Enterprise Edition:

- Slowing Changing Dimensions (SCD) Type 2 and 3
- XML Files as a target
- Transportable ETL modules, multiple configurations, and pluggable mappings
- Operators for pluggable mapping, pluggable mapping input signature, pluggable mapping output signature
- Design Environment Support for RAC
- Target load ordering
- Seeded spatial and streams transformations
- Process Flow Activity templates
- Process Flow variables support
- Process Flow looping activities such as For Loop and While Loop
- Process Flow Route and Notification activities
- Metadata lineage and impact analysis
- Metadata change propagation
- Schedulable Mappings and Process Flows
- Metadata Extensibility
- Deployment to Discoverer EUL
- Deployment to Oracle BI Beans catalog

Options and Packs

This chapter describes the separately licensed Oracle Database options, management packs, and other products you can purchase to enhance the capabilities of Oracle Database in specific application environments. This chapter contains the following sections:

- **Oracle Database Options**
- **Oracle Management Packs**
- Other Oracle Products

You may not use the options, packs, or products described below without separately purchased licenses. The fact that these options, packs, or products may be included in product CDs or downloads or described in documentation that you receive does not authorize you to use them without purchasing appropriate licenses.

Oracle Database Options

All the Oracle Database options can be purchased with Oracle Database Enterprise Edition. Oracle Real Application Clusters is included with Oracle Database Standard Edition. You cannot purchase any options with Oracle Database Standard Edition One or Oracle Express Edition. The Personal Edition includes all options except Oracle Real Application Clusters at no additional cost.

Oracle Advanced Security

Oracle Advanced Security helps you protect sensitive information and comply with various privacy and compliance regulations including breach notification laws and the Payment Card Industry Data Security Standard (PCI-DSS) by enabling encryption inside the database that is transparent to applications.

If you wish to use Enterprise User Security in Oracle Database Enterprise Edition, you no longer need to license the Oracle Advanced Security Option for password-based authentication. However, you must license Oracle Internet Directory (OID). Any Oracle Advanced Security licenses purchased on or before January 31, 2004, have restricted use of the Oracle Internet Directory (OID) to support enterprise user security. Please contact your Oracle sales representative for additional information.

Oracle Advanced Security includes the following features:

- Transparent Data Encryption (TDE) for columns
- RMAN backup encryption

Network encryption (native network encryption and SSL/TLS) and strong authentication services (Kerberos, PKI, and RADIUS) are no longer part of Oracle Advanced Security and are available in all licensed editions of all supported releases of the Oracle database.

Oracle Data Mining

Oracle Data Mining enables you to build advanced business intelligence applications that mine corporate databases, reveal new patterns and relationships, and integrate that information into business applications. This option embeds data mining functionality into Oracle Database for making classifications, predictions, and associations. All model-building, scoring, and metadata management operations are accessible by way of either a Java or PL/SQL API.

The Oracle Data Mining option includes the following features:

APIs and GUIs Supported to Access Algorithms:

- PL/SQL API—for model build, model apply, and data transformations
- Java API—for model build, model apply & data transformations
- Oracle Data Miner (GUI)
- Spreadsheet Add-in for Predictive Analytics

Algorithm Category and Supported Algorithms:

- Classification
 - Naive Bayes
 - **Decision Trees**
 - Support Vector Machines
- Regression
 - **Support Vector Machines**
- **Anomaly Detection**
 - One Class Support Vector Machines
- Attribute Importance
 - Minimum Description Length
- **Association Rules**
 - A Priori
- Clustering
 - Hierarchical K-Means Clustering
 - Hierarchical O-Clustering
- Predictive Analytics (PL/SQL Packages)
 - Predict
 - Explain
- Feature Extraction
 - Nonnegative Matrix Factorization

Oracle Database Vault

Oracle Database Vault lets you control who, when, and where data and applications can be accessed—protecting your business against the most common security threat: malicious internal users. Enforcing separation of duties, even among administrators, Oracle Database Vault additionally serves as a powerful preventive control to help comply with today's stringent compliance and privacy requirements.

- It improves your ability to meet compliance requirements like Sarbanes-Oxley and other regulations that mandate control of access to, and release of, sensitive information
- It controls access to application and database data, even by super-users and other highly privileged users
- It enforces multi factor authorization via flexible business rules
- It shows who is accessing what and when via over three dozen out-of-the-box security reports

Oracle Database Vault is an option for Oracle Database 10g. However, it has also been provided for an earlier release as well, specifically Oracle9i Database Release 2 (9.2.0.8), on a limited number of platforms. Please contact your Oracle Sales Representative if you are interested in Oracle Database Vault as an option on Oracle9i Database.

The Oracle Database Vault option includes the following features:

- Realms
- Separation of Duty
- **Factors**
- Command Rules
- Rule Sets

Oracle In-Memory Database Cache

Oracle In-Memory Database Cache enables you to improve application transaction response time by caching a performance-critical subset of tables and table fragments from an Oracle database to the application tier. The table fragments are described through an extended SQL syntax and are cached into Oracle In-Memory Database Cache tables. Cache tables can be specified as read-only or updatable. Applications read and update the cache tables using standard SQL. Cache table hierarchy for related tables with foreign key constraints is maintained for data consistency. Automatic data synchronization between the cache and the Oracle database is provided.

Cache tables are managed like regular relational database tables within the TimesTen In-Memory Database. Thus, Oracle In-Memory Database Cache offers applications the full generality and functionality of a relational database, the transparent maintenance of cache consistency with the Oracle Database, and the real-time performance of an in-memory database. This Database option is ideal for caching performance-critical subsets of an Oracle database for improved response time in the application tier.

Oracle In-Memory Database Cache includes the following features:

- Static and dynamic caching of Oracle database tables
- Automatic data refresh from Oracle database to the in-memory cache
- Automatic transaction write-through from the in-memory cache to the Oracle database

- Automatic data aging with user-defined policies
- Standard SQL functionality and database transaction semantics
- Transactional replication with Active-Standby Pair topology
- Real-time change notification using Transaction Log API (XLA)

Oracle Label Security

Oracle Label Security provides sophisticated and flexible security based on row labels for fine-grained access control. This option employs labeling concepts used by government, defense, and commercial organizations to protect sensitive information and provide data separation. It includes a powerful tool to manage policies, labels, and user label authorizations.

By default, Oracle Label Security is configured to use Oracle Database for all policy management. Users interested in centralized policy management using the Oracle identity management infrastructure must additionally license Oracle Identity and Access Management Suite. Please contact your Oracle sales representative for additional information.

The Oracle Label Security option includes the following features:

- Label based access control (LBAC)
- Multi-level security (MLS)
- Label factors for Database Vault (Confidential, Sensitive)
- User label authorizations (Confidential, Sensitive:PII)
- Data labels (Sensitive: PII)

Oracle On-Line Analytical Processing (OLAP)

Oracle OLAP is a scalable, high-performance calculation engine with fully integrated management and administration for delivering analytic applications. Fully integrated in the database, this option provides a complete set of analytic functions. Predictive analysis can be used, for example, to forecast market trends, predict product manufacturing requirements, and build enterprise budgeting and financial analysis systems. Using complex, multidimensional queries and calculations, information such as market shares and net present value can be derived. The Java OLAP API provides efficient object-orientation for building applications that require complex analytic queries.

The Oracle OLAP option includes the following features:

- OLAP Cube Definition, Storage, and Querying
- OLAP API and Metadata
- **Analytic Workspaces**
- SQL Access to OLAP Cubes

Oracle Partitioning

Oracle Partitioning enhances the data management environment for OLTP, data mart, data warehouse, and content management applications by adding significant manageability, availability, and performance capabilities to large underlying database tables and indexes. Oracle Partitioning lets you store large tables as individually managed smaller pieces, while retaining a single application-level view of the data.

Range, hash, list, and composite (range combined with hash and range combined with list) partitioning methods are supported.

The Oracle Partitioning option includes the following features:

- Table Partitions and Subpartitions
- Local Index Partitions and Subpartitions
- Global Index Partitions and Subpartitions
- Range Partitioning
- Hash Partitioning
- List Partitioning
- Composite Partitioning
- Subpartition Template
- Fast Partition Split
- Partition Exchange

Oracle Real Application Clusters

Oracle Real Application Clusters (Oracle RAC) is a database computing environment that harnesses the processing power of multiple interconnected computers using clustering technology. RAC provides unlimited scalability and high availability for all applications. RAC makes the database highly available in the presence of computer hardware or software failure: in the event any computer in the cluster fails, the database continues to provide service on the surviving computers in the cluster. RAC provides scalable performance: as demand for database throughput grows, additional computers can be added to the database cluster with no downtime. RAC supports a single-system image for ease of management. RAC also provides a complete and integrated stack of clustering software on all platforms; third-party clusterware software is not required. Finally, RAC provides cluster file system capability on the Windows and Linux platforms.

Oracle Real Application Clusters includes the following features:

- **Real Application Clusters**
- Cluster Verification Utility
- **Automatic Workload Management**
- Connection Load Balancing
- Fast Connection Failover
- Hot Cluster Failover
- Oracle Advanced Security SSL/TLS

Oracle Standard Edition and Oracle Real Application Clusters (Oracle RAC)

The license restrictions for Standard Edition must be adhered to. The maximum number of CPUs defined is for the entire cluster; it is not a per node maximum.

Oracle Clusterware is required; third-party clusterware is not permitted.

Automatic Storage Management (ASM) must be used to manage all database-related files. Third-party volume managers and file systems are not supported for this purpose. ASM is required for the storage of:

- Database data files
- Online logs
- Archive logs
- Control files
- Server parameter files (spfiles)
- Flash Recovery Area

RAW disk partitions are required for:

- Voting disk
- **Oracle Cluster Registry**

Local storage must be used for:

- Oracle Home
- Trace files
- Dump files

No Oracle-maintained copies of any of the above files can exist in any other locations, with the following exception: Customers who want to manually script maintenance of a standby database can create a second copy of their archive logs outside of ASM on a local file system only, designated by the LOG_ARCHIVE_DEST_n parameter.

RMAN backups of files can reside on either a local or network mounted file system.

No other cluster software can be installed on the system, including, OCFS, OCFS2, third-party clusterware, third-party cluster volume managers, and third-party cluster file systems.

Oracle Real Application Testing

The Oracle Real Application Testing option comprises a suite of features that help protect database applications from undesirable impact of routine changes, such as hardware/software upgrades, configuration changes, platform migrations, and so forth. These features enable comprehensive testing of real-world applications so that any issues resulting from system changes are fully identified and addressed during testing, and when a change is finally made to the production system unexpected problems are minimized.

The Oracle Real Application Testing option includes the following features:

- **Database Replay**
- SQL Performance Analyzer (SPA)
- SQL Tuning Sets (STS)

In order to use the features listed above, you must purchase licenses for the Oracle Real Application Testing option.

Note: Use of SQL Tuning Set is also permitted with the Database Tuning Pack license. If you have either the Database Tuning Pack or Real Application Testing option, you are permitted to use SQL Tuning Sets.

Only partial Oracle Real Application Testing functionality is available with this release of Oracle Database. This functionality is provided is so that you can use this option to test database upgrades to Oracle Database 11g from Oracle Database 10.2.0.4 onward. The functionality available is:

- Database Replay: Only Workload Capture capability is supported.
- SQL Performance Analyzer: Only SQL capture into SQL Tuning Set capability is supported.

The above functionality can be accessed by Enterprise Manager as well as through the database server command-line APIs. The use of either interface requires an Oracle Real Application Testing option license.

Command-Line APIs

The Real Application Testing features can be accessed by way of the following database server APIs and command-line interfaces:

- The DBMS_WORKLOAD_CAPTURE package is part of the Real Application Testing option.
- The following subprograms of the DBMS SQLTUNE package provide an interface to manage SQL tuning sets and are part of the Real Application Testing option as well as the Database Tuning Pack:
 - ADD SQLSET REFERENCE
 - CAPTURE_CURSOR_CACHE_SQLSETS
 - CREATE_SQLSET
 - CREATE_STGTAB_SQLSET
 - DELETE SQLSET
 - DROP SQLSET
 - LOAD_SQLSET
 - PACK STGTAB SQLSET
 - REMOVE SQLSET REFERENCE
 - SELECT_CURSOR_CACHE
 - SELECT SQLSET
 - SELECT WORKLOAD REPOSITORY
 - UNPACK STGTAB SQLSET
 - UPDATE SQLSET

Oracle Spatial

Oracle Spatial provides advanced spatial analysis features for complex geographic information systems (GIS) applications, enterprise applications, and location-based services applications. It augments the Oracle Locator feature, which provides storage, analysis, and indexing of location data accessible through SQL and standard programming languages, supporting seamless integration of location data into enterprise applications, and use of any leading third-party GIS tool to access location data. Oracle Spatial advanced features include GeoRaster for storage, indexing, and analysis of image and gridded raster data, such as satellite imagery and remotely sensed data; a network data model that allows users to model and analyze link-node

networks (graphs) for applications; a topology data model and schema to persistently manage topology; a fully functional geocoding engine and routing engine; and location-based analysis functions for business intelligence applications, including location-based classification, binning, association, and correlation. Oracle Spatial also supports spatial data manipulation and analysis such as buffer generation, area/distance calculations, linear referencing, and more.

The Oracle Spatial option includes the following features:

- Selected Spatial Functions
- Linear Referencing System
- GeoRaster Storage, Indexing and Querying
- Network Data Model
- Topology Data Model
- Spatial Analysis and Mining Functions
- Spatial Routing Engine
- Geocoding Engine
- Semantic Content Storage, Indexing and Querying (RDF/OWL Support)

Oracle Management Packs

The sections that follow describe the Oracle management packs. The management packs can be purchased only with Enterprise Edition. The features in these packs are accessible through Oracle Enterprise Manager Database Control, Oracle Enterprise Manager Grid Control, and APIs provided with Oracle Database software.

This section describes the following management packs:

- **Oracle Change Management Pack**
- **Oracle Configuration Management Pack**
- Oracle Data Masking and Subsetting Pack for Oracle and non-Oracle Databases
- Oracle Diagnostic Pack
- Oracle Provisioning and Patch Automation Pack
- **Oracle Tuning Pack**

Oracle Change Management Pack

The Oracle Change Management Pack enables administrators to evaluate, plan, and implement database schema changes. Using the Change Management Pack, administrators can investigate and track changes, compare and synchronize objects and schemas, modify schema objects, evaluate the change impact, and if required undo changes that have been made previously. The Change Management Pack makes change management simple and efficient and minimizes chances for error, thereby reducing the opportunity for data loss and system down-time.

The Change Management Pack includes the following features:

- Reverse engineer database and schema definitions
- Capture and version baselines
- Compare databases and schemas, or baselines

- Copy database objects with data, with a subset of the data, or without data
- Update database object definitions (ALTER TABLE)
- Synchronize objects and schemas
- Evaluate the impact of changes
- Clone or propagate application schemas

In order to use the features listed above you must install the Java console version of Enterprise Manager, which you can find in the /companion directory of the installation medium. The use of this interface requires licensing of the Change Management Pack.

Oracle Configuration Management Pack

The Oracle Configuration Management Pack automates the time-consuming and often error prone process of software configuration, software and hardware inventory tracking, patching, cloning and policy management. The Configuration Management Pack includes the following features:

- Database and Host Configuration
- Deployments
- Search configuration
- Compare configuration
- Policies, including Security checks and scoring

In order to use the features listed above, you must purchase licenses for the Configuration Management Pack. The Configuration Management Pack functionality can be accessed by the Enterprise Manager and through the Enterprise Manager repository views. The use of either interface requires licensing of the Configuration Management Pack.

In earlier releases, three additional features were part of this pack: Patch Deployment (Patch Database and View Patch Cache, Patch staging), Clone Oracle Home, and Clone Database. These features are no longer part of the Configuration Management Pack. They are now part of the Oracle Provisioning and Patch Automation Pack, which is licensed with Enterprise Manager. However, if you have previously licensed the Configuration Management Pack for Oracle Database, you are entitled to use these features without licensing the Oracle Provisioning and Patch Automation Pack.

Enterprise Manager

To determine which links in Enterprise Manager Grid Control and Database Control are part of the Configuration Management Pack, click the **Setup** link on the top right-hand part of the Enterprise Manager Home page.

- When you click the **Setup** link, the navigation bar contains the **Management Pack** Access link. Click this link.
- This will take you to the **Management Pack Access** page, which allows you to grant and remove access from all the management packs.
 - For Enterprise Manager Database Control, click the **Remove Access** radio button for the Configuration Management Pack and click **Apply**.
 - For Enterprise Manager Grid Control, click the appropriate check box for the Configuration Management Pack and click **Apply**.

This will disable all the links and tabs associated with the Configuration Management Pack in Enterprise Manager. All the disabled links and tabs are part of the Configuration Management Pack and therefore require pack license.

Configuration Management Pack Database Reports

The following reports found are part of this pack:

- On the **Deployment and Configuration** page: all reports
- From the **Monitoring** page, the **Alerts and Policy Violations** link: all reports.
- From the **Monitoring** page, the **Disabled Policies** link: all reports.
- From the Security page, the Security Policy Overview link: all reports.

Configuration Management Pack Enterprise Manager Repository Views

- **Policy Definition Views**
 - MGMT\$POLICIES
 - MGMT\$POLICY_PARAMETERS
 - MGMT\$POLICY_VIOLATION_CTXT
 - MGMT\$POLICY_VIOL_ANNOTATIONS
 - MGMT\$POLICY_VIOL_NOTIF_LOG
- **Policy Association Views**
 - MGMT\$TARGET_POLICIES
 - MGMT\$TARGET_POLICY_SETTINGS
 - MGMT\$TARGET_POLICY_EVAL_SUM
 - MGMT\$TARGET_COMPLIANCE_SCORE
- **Policy Violation Views**
 - MGMT\$POLICY_VIOLATION_CURRENT
 - MGMT\$POLICY_VIOLATION_HISTORY
 - MGMT\$POLICY_VIOLATION_CONTEXT
- **Configuration Views**
 - MGMT\$DB_TABLESPACES
 - MGMT\$DB_DATAFILES
 - MGMT\$DB_CONTROLFILES
- **Oracle Home Patching**
 - MGMT\$CPF_ADVISORY_INFO
 - MGMT\$CPF_HOMES_INFO
 - MGMT\$CPF_PATCH_INFO
 - MGMT\$EM_HOMES_PLATFORM
 - MGMT\$HOMES_AFFECTED
 - MGMT\$PATCH_ADVISORIES
 - MGMT\$APPL_PATCH_AND_PATCHSET

- MGMT\$APPLIED_PATCHES
- MGMT\$APPLIED_PATCHSETS

Linux Patching

- MGMT\$HOSTPATCH HOSTS
- MGMT\$HOSTPATCH_GROUPS
- MGMT\$HOSTPATCH_GRP_COMPL_HIST
- MGMT\$HOSTPATCH_HOST_COMPL

Security Views

- MGMT\$ESA_ALL_PRIVS_REPORT
- MGMT\$ESA_ANY_DICT_REPORT
- MGMT\$ESA_ANY_PRIV_REPORT
- MGMT\$ESA_AUDIT_SYSTEM_REPORT
- MGMT\$ESA_BECOME_USER_REPORT
- MGMT\$ESA CATALOG REPORT
- MGMT\$ESA_CONN_PRIV_REPORT
- MGMT\$ESA_CREATE_PRIV_REPORT
- MGMT\$ESA_DBA_GROUP_REPORT
- MGMT\$ESA_DBA_ROLE_REPORT
- MGMT\$ESA_DIRECT_PRIV_REPORT
- MGMT\$ESA_EXMPT_ACCESS_REPORT
- MGMT\$ESA_KEY_OBJECTS_REPORT
- MGMT\$ESA_OH_OWNERSHIP_REPORT
- MGMT\$ESA_OH_PERMISSION_REPORT
- MGMT\$ESA_POWER_PRIV_REPORT
- MGMT\$ESA_PUB_PRIV_REPORT
- MGMT\$ESA_SYS_PUB_PKG_REPORT
- MGMT\$ESA_TABSP_OWNERS_REPORT
- MGMT\$ESA_TRC_AUD_PERM_REPORT
- MGMT\$ESA_WITH_ADMIN_REPORT
- MGMT\$ESA_WITH_GRANT_REPORT

Client Configuration Views

- MGMT\$CSA_COLLECTIONS
- MGMT\$CSA FAILED
- MGMT\$CSA_HOST_OS_COMPONENTS
- MGMT\$CSA_HOST_SW
- MGMT\$CSA_HOST_COOKIES
- MGMT\$CSA_HOST_CUSTOM

- MGMT\$CSA_HOST_RULES
- MGMT\$CSA_HOST_CPUS
- MGMT\$CSA_HOST_IOCARDS
- MGMT\$CSA_HOST_NICS
- MGMT\$CSA_HOST_OS_PROPERTIES
- MGMT\$CSA_HOST_OS_FILESYSEMS
- MGMT\$ECM_CONFIG_HISTORY
- MGMT\$ECM_CONFIG_HISTORY_KEY1
- MGMT\$ECM_CONFIG_HISTORY_KEY2
- MGMT\$ECM_CONFIG_HISTORY_KEY3
- MGMT\$ECM_CONFIG_HISTORY_KEY4
- MGMT\$ECM_CONFIG_HISTORY_KEY5
- MGMT\$ECM_CONFIG_HISTORY_KEY6
- MGMT\$HW NIC
- MGMT\$OS_COMPONENTS
- MGMT\$OS_FS_MOUNT
- MGMT\$OS_HW_SUMMARY
- MGMT\$OS_HW_SUMMARY
- MGMT\$OS_PATCHES
- MGMT\$OS_SUMMARY
- MGMT\$SOFTWARE_COMP_PATCHSET
- MGMT\$SOFTWARE_COMPONENT_ONEOFF
- MGMT\$SOFTWARE_COMPONENTS
- MGMT\$SOFTWARE_DEPENDENCIES
- MGMT\$SOFTWARE HOMES
- MGMT\$SOFTWARE_ONEOFF_PATCHES
- MGMT\$SOFTWARE_OTHERS
- MGMT\$SOFTWARE_PATCHES_IN_HOMES
- MGMT\$SOFTWARE PATCHSETS

Oracle Data Masking and Subsetting Pack for Oracle and non-Oracle Databases

The Oracle Data Masking and Subsetting Pack facilitates the creation of productionlike data for non-production environments by replacing production data with fictitious yet realistic values. Generation of the fictitious data can be performed during export or on a separate staging server. The Subsetting functionality provides the ability to mask a portion of the original data. Subsetting can also be used without masking to extract a portion of the original data

Features

Oracle Data Masking and Subsetting Pack includes the following components and

- **Application Data Modeling**
- Data Masking Formats Library
- **Data Masking Definitions**
- **Data Subsetting Definitions**
- Application Data Modeling, Data Masking and Subsetting Enterprise Manager Command Line Interface (CLI) verbs
- Application Data Modeling accelerator for select versions of Oracle E-Business Suite
- Application Data Modeling accelerator for select versions of Oracle Fusion Applications
- Data Masking templates for select versions of Oracle Fusion Applications
- Data Masking templates for select versions of Oracle E-Business Suite

The Oracle Data Masking and Subsetting Pack for non-Oracle Databases includes the following restricted-use licenses:

- Database Gateway for APPC
- Database Gateway for DRDA
- **Database Gateway for Informix**
- Database Gateway for SQLServer
- Database Gateway for Sybase
- **Database Gateway for Teradata**

If you want to use the Oracle Database Gateways listed above not solely for the purposes of Oracle Data Masking and Subsetting Pack, then you must purchase full-use licenses for the Oracle Database Gateways. When using the Oracle Data Masking and Subsetting Pack for non-Oracle databases, the Oracle Database Gateways stage the data in a separately licensed Oracle database. Oracle Data Masking and Subsetting functionality cannot be executed directly against the non-Oracle database.

Oracle Data Masking and Subsetting Pack must be licensed for:

- The source database server, i.e., the databases from which the data originates.
- The staging database server on which masking and subsetting operations are executed.

Licensed Links

The following are the licensed pages and links for the Oracle Data Masking and Subsetting Pack within Oracle Enterprise Manager.

Licensed Page/Link	How to Access			
Application Data Models	From the Enterprise Summary home page, click the Enterprise menu, then Quality Management, then Application Data Models.			
	From the Oracle database or cluster database target home page, click the Schema menu , then Application Data Models .			
	All features, functions, links, buttons, and drill-downs on these menus are licensed as part of the Oracle Data Masking and Subsetting Pack.			
Data Masking Definitions	From the Enterprise Summary home page, click the Enterprise menu , then Quality Management , then Data Masking Definitions .			
	From the Oracle database or cluster database target home page, click the Schema menu , then Data Masking Definitions .			
	All features, functions, links, buttons, and drill-downs on these menus are licensed as part of the Oracle Data Masking and Subsetting Pack.			
Data Masking Format Library	From the Enterprise Summary home page, click the Enterprise menu , then Quality Management , then Data Masking Formats .			
	From the Oracle database or cluster database target home page, click the Schema menu , then Data Masking Format Library .			
	All features, functions, links, buttons, and drill-downs on these menus are licensed as part of the Oracle Data Masking and Subsetting Pack.			
Data Subset Definitions	From the Enterprise Summary home page, click the Enterprise menu , then Quality Management , then Data Subset Definitions .			
	From the Oracle database or cluster database target home page, click the Schema menu , then Data Subsetting .			
	All features, functions, links, buttons, and drill-downs on these menus are licensed as part of the Oracle Data Masking and Subsetting Pack.			

Note:

- Oracle Data Masking and Subsetting Pack incorporates the previous Oracle Data Masking Pack and Oracle Test Data Management Pack.
- Application Data Modeling was previously called Data Discovery and Modeling.

Oracle Diagnostic Pack

The Oracle Diagnostic Pack provides automatic performance diagnostic and advanced system monitoring functionality. The Diagnostic Pack includes the following features:

- Automatic Workload Repository
- Automatic Database Diagnostic Monitor (ADDM)
- Performance monitoring (database and host)
- Event notifications: notification methods, rules, and schedules
- Event history and metric history (database and host)
- Blackouts
- Dynamic metric baselines
- Monitoring templates
- Memory-access based performance monitoring

In order to use the features listed above, you must purchase licenses for the Diagnostic Pack. The Diagnostics Pack functionality can be accessed by Enterprise Manager links

as well as through the database server command-line APIs. The use of either interface requires a Diagnostic Pack license.

Enterprise Manager

To determine which links in Enterprise Manager Grid Control and Database Control are part of the Diagnostics Packs, click the Setup link on the top right-hand part of the Enterprise Manager Home page.

- When you click the **Setup** link, the navigation bar contains the **Management Pack Access** link. Click this link.
- This will take you to the **Management Pack Access** page, which allows you to grant and remove access from all the management packs.
 - For Enterprise Manager Database Control, click the Remove Access radio button for the Diagnostic Pack and click **Apply**.
 - For Enterprise Manager Grid Control, click the appropriate check box for the Diagnostic Pack and click **Apply**.

This will disable all the links and tabs associated with the Diagnostics Pack in Enterprise Manager. All the disabled links and tabs are part of the Diagnostics Pack and therefore require pack license.

Command-Line APIs

Diagnostics Pack features can also be accessed by way of database server APIs and command-line interfaces:

- The DBMS_WORKLOAD_REPOSITORY package is part of this pack.
- The DBMS_ADVISOR package is part of this pack if you specify ADDM as the value of the advisor_name parameter, or if you specify for the value of the task_name parameter any value starting with the ADDM prefix.
- The V\$ACTIVE_SESSION_HISTORY dynamic performance view is part of this pack.
- All data dictionary views beginning with the prefix DBA_HIST_ are part of this pack, along with their underlying tables.
- All data dictionary views with the prefix DBA_ADVISOR_ are part of this pack if queries to these views return rows with the value ADDM in the ADVISOR_NAME column or a value of ADDM* in the TASK NAME column or the corresponding TASK
- The following reports found in the /rdbms/admin/ directory of the Oracle home directory are part of this pack: awrrpt.sql, awrrpti.sql, addmrtp.sql, addmrtpti.sql, awrrpt.sql, awrrpti.sql, addmrpti.sql, ashrpti.sql, ashrpti.sql, awrddrpt.sql, awrddrpi.sql, awrsqrpi.sql, awrsqrpt.sql.

Oracle Diagnostics Pack Enterprise Manager Repository Views

- **Monitoring Views**
 - MGMT\$BLACKOUT HISTORY
 - MGMT\$BLACKOUTS
 - MGMT\$ALERT_ANNOTATIONS
 - MGMT\$ALERT_NOTIF_LOG
 - MGMT\$TARGET_METRIC_COLLECTIONS

- MGMT\$METRIC_COLLECTIONS
- MGMT\$TARGET_METRIC_SETTINGS
- MGMT\$AVAILABILITY CURRENT
- MGMT\$AVAILABILITY HISTORY
- MGMT\$ALERT_CURRENT
- MGMT\$ALERT_HISTORY
- MGMT\$METRIC DETAILS
- MGMT\$METRIC_CURRENT
- MGMT\$METRIC_HOURLY
- MGMT\$METRIC_DAILY

Template Views

- MGMT\$TEMPLATES
- MGMT\$TEMPLATE_POLICY_SETTINGS
- MGMT\$TEMPLATE METRIC COLLECTION
- MGMT\$TEMPLATE METRIC SETTINGS

Oracle Provisioning and Patch Automation Pack

The Oracle Provisioning and Patch Automation Pack automates the deployment of software, applications, and patches for the database and underlying operating system. It makes critical data center operations easy, efficient and scalable resulting in lower operational risk and cost of ownership. The ability to provision the entire software stack that includes the operating system and the database, supplemented by comprehensive reporting tools make Oracle Provisioning and Patch Automation Pack an extremely significant entity in overall System Management space.

The Oracle Provisioning and Patch Automation Pack contains the following features:

- Automated patching for Oracle database products and the operating system
- Critical Patch Facility
- Software Image Library
- Bare metal OS provisioning
- Single instance and RAC provisioning
- Single click cluster scale up and scale down
- Single instance-to-RAC conversion
- CLI driven runtime
- Enterprise Security Advisor
- Provisioning and deployment reports

Oracle Tuning Pack

The Oracle Tuning Pack provides database administrators with expert performance management for the Oracle environment, including SQL tuning and storage optimizations. The Oracle Diagnostic Pack is a prerequisite product to the Oracle

Tuning Pack. Therefore, to use the Tuning Pack, you must also have a Diagnostic Pack. The Tuning Pack includes the following features:

- SQL Access Advisor
- **SQL Tuning Advisor**
- **SQL Tuning Sets**
- Reorganize objects

In order to use the features listed above, you must purchase licenses for the Tuning Pack. The Tuning Pack functionality can be accessed by the Enterprise Manager links as well as through the database server command-line APIs. The use of either interface requires licensing of the Tuning Pack.

Enterprise Manager

To determine which links in Enterprise Manager Grid Control and Database Control are part of the Diagnostics Packs, click the Setup link on the top right-hand part of the Enterprise Manager Home page.

- When you click the **Setup** link, the navigation bar contains the **Management Pack Access** link. Click this link.
- This will take you to the **Management Pack Access** page, which allows you to grant and remove access from all the management packs.
 - For Enterprise Manager Database Control, click the **Remove Access** radio button for the Tuning Pack and click **Apply**.
 - For Enterprise Manager Grid Control, click the appropriate check box for the Tuning Pack and click **Apply**.

This will disable all the links and tabs associated with the Tuning Pack in Enterprise Manager. All the disabled links and tabs are part of the Tuning Pack and therefore require pack license.

Command-Line APIs

Tuning Pack features can also be accessed by way of database server APIs. Use of the following PL/SQL packages requires a license for the Oracle Tuning Pack:

- DBMS SQLTUNE
- DBMS_ADVISOR, when the value of the advisor_name parameter is either SQL Tuning Advisor or SQL Access Advisor.
- The following report found in the /rdbms/admin/ directory of the Oracle home directory is part of this pack: sqltrpt.sql.

Other Oracle Products

In addition to the options and packs described in this chapter, Oracle provides the following additional products for specific customer environments:

- **Oracle Database Lite**
- Oracle Programmer
- Oracle Secure Backup

Oracle Database Lite

Oracle Database Lite Client Oracle Database Lite Client is a small general-purpose relational database used for mobile and embedded applications. Oracle Database Lite client can be used as a standalone database in embedded hardware and software applications or may be used as the data store for disconnected mobile applications when used with the Oracle Database Lite Mobile Server.

Each user must purchase a Named User Plus license.

Oracle Database Lite Mobile Server Oracle Database Lite Mobile Server is middle-tier infrastructure for mobile and disconnected applications that performs data synchronization and provides management for applications, users, and devices. Oracle Database Lite Mobile Server can use the Oracle Database Lite client as a data store for mobile and disconnected applications, providing efficient, reliable, and secure data management running locally on mobile and small-footprint devices (handhelds, notebooks, communicators, and so forth). The Lite Mobile Server supports scalable synchronization of data between devices and an Oracle Database.

Oracle Database Lite Mobile Server is licensed by CPU.

Note: When Lite Mobile Server is used with Lite Client, customers must purchase at least one CPU license for Lite Mobile Server and a Named User Plus license for each client user.

Oracle Programmer

Oracle Programmer is a separate Oracle product that provides a programmatic interface to any edition of Oracle Database for application programmers. Programmer provides a rich set of interfaces for developers who build enterprise applications that access and manipulate Oracle Database. This product is licensed separately from the Oracle Database products. Oracle Programmer is a family of the following products:

- Three embedded SQL-style interfaces: precompilers, SQL*Module, and SQLJ
- Two utilities to generate host-language bindings from database schemas: Object Type Translator and JPub

Oracle Secure Backup

Oracle Secure Backup provides tape backup management for the entire Oracle environment. You can use Oracle Secure Backup to back up Oracle databases and host file systems to tape through direct-attached or network-attached tape drives. Oracle Secure Backup provides centralized management and control over backup and restore operations.

Oracle Secure Backup is available in the following forms, each suitable for different development and deployment scenarios:

Oracle Secure Backup For environments that consist of many servers, Oracle Secure Backup offers high performance data protection from server to tape. This protection is crucial for local and offsite storage of business-critical data.

Oracle Secure Backup Express For environments that consist of a single server, Oracle Secure Backup Express offers the same tape backup functionality as Oracle Secure Backup, but is limited to a single host with one direct-attached tape drive.

Third-Party Licenses

This appendix contains the following section:

Third-Party Products Included with Oracle Database

Third-Party Products Included with Oracle Database

This section includes third-party license information for all third-party products included with Oracle Database 10g Release 2 (10.2). Oracle acknowledges that following Third Party and Open Source software are used in the provided programs covered by this documentation.

Apache Web Server 1.3.22 (including mod_mm 1.1.3, mod_perl 1.26, mod_ jserv, SOAP 2.2, SOAP Client 2.2, SOAP Envelopes API and .DBI 0.88) from **Apache Software Foundation**

Copyright (c) 1996-2002 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- The end-user documentation included with the redistribution, if any, must include the following acknowledgment:
 - 'This product includes software developed by the Apache Software Foundation (http://www.apache.org/).'
 - Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
- **4.** The names 'Apache' and 'Apache Software Foundation' must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
- Products derived from this software may not be called 'Apache', nor may 'Apache' appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED 'AS IS' AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see http://www.apache.org/. This product includes software developed by the Java Apache Project for use in the Apache JServ Servlet Engine (http://java.apache.org).

Axis 1.2 from Apache Software Foundation

Apache License Version 2.0, January 2004 http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

- **2. Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
- **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
- **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - You must give any other recipients of the Work or Derivative Works a copy of this License: and
 - **b.** You must cause any modified files to carry prominent notices stating that You changed the files; and
 - You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - **d.** If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

- **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
- **6.** Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
- 7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
- **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
- 9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

ConvertUTF.C from Unicode, Inc.

This product contains materials

Copyright 2001-2004 Unicode, Inc.

Disclaimer

This source code is provided as is by Unicode, Inc. No claims are made as to fitness for any particular purpose. No warranties of any kind are expressed or implied. The recipient agrees to determine applicability of information provided. If this file has been purchased on magnetic or optical media from Unicode, Inc., the sole remedy for any claim will be exchange of defective media within 90 days of receipt.

Limitations on Rights to Redistribute This Code

Unicode, Inc. hereby grants the right to freely use the information supplied in this file in the creation of products supporting the Unicode Standard, and to make copies of this file in any form for internal or external distribution as long as this notice remains attached.

Conversions between UTF32, UTF-16, and UTF-8. Source code file.

Author: Mark E. Davis, 1994.

Rev History: Rick McGowan, fixes & updates May 2001.

Sept 2001: fixed const & error conditions per mods suggested by S. Parent & A. Lillich.

June 2002: Tim Dodd added detection and handling of incomplete source sequences, enhanced error detection, added casts to eliminate compiler warnings.

July 2003: slight mods to back out aggressive FFFE detection.

Jan 2004: updated switches in from-UTF8 conversions.

Oct 2004: updated to use UNI_MAX_LEGAL_UTF32 in UTF-32 conversions.

CyberNeko HTML Parser 0.9.3

(C) Copyright 2002-2005, Andy Clark. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- **2.** Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by Andy Clark." Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
- 4. The names "CyberNeko" and "NekoHTML" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact andyc@cyberneko.net.
- Products derived from this software may not be called "CyberNeko", nor may "CyberNeko" appear in their name, without prior written permission of the author.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIEDWARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIESOF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AREDISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR OTHER CONTRIBUTORSBE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED

AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This license is based on the Apache Software License, version 1.1.

This product includes software developed by Andy Clark.

Expat XML Parser 1.2

Copyright (c) 1998-2005 Thai Open Source Center Ltd.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GD Library 1.8.4

Credits and license terms

In order to resolve any possible confusion regarding the authorship of gd, the following copyright statement covers all of the authors who have required such a statement. If you are aware of any oversights in this copyright notice, please contact Thomas Boutell who will be pleased to correct them.

Portions copyright 1994, 1995, 1996, 1997, 1998, 1999, 2000 by Cold Spring Harbor Laboratory. Funded under Grant P41-RR02188 by the National Institutes of Health.

Portions copyright 1996, 1997, 1998, 1999, 2000 by Boutell.Com, Inc.

Portions relating to GD2 format copyright 1999, 2000 Philip Warner.

Portions relating to PNG copyright 1999, 2000 Greg Roelofs.

Portions relating to libttf copyright 1999, 2000 John Ellson (ellson@lucent.com).

Portions relating to JPEG copyright 2000, Doug Becker and copyright (C) 1994-1998, Thomas G. Lane. This software is based in part on the work of the Independent JPEG Group.

Portions relating to WBMP copyright 2000 Maurice Szmurlo and Johan Van den Brande.

Permission has been granted to copy, distribute and modify gd in any context without fee, including a commercial application, provided that this notice is present in user-accessible supporting documentation.

This does not affect your ownership of the derived work itself, and the intent is to assure proper credit for the authors of gd, not to interfere with your productive use of gd. If you have questions, ask. "Derived works" includes all programs that utilize the library. Credit must be given in user-accessible documentation.

This software is provided "AS IS." The copyright holders disclaim all warranties, either express or implied, including but not limited to implied warranties of merchantability and fitness for a particular purpose, with respect to this code and accompanying documentation.

Although their code does not appear in gd 1.8.4, the authors wish to thank David Koblas, David Rowley, and Hutchison Avenue Software Corporation for their prior contributions.

JabberBeans 0.9.4 from Jabber Inc.

This program contains third-party code from Jabber, Inc. Under the terms of the Jabber Open Source License, Oracle is required to provide the following notices. Note, however that the Oracle program license that accompanied this product determines your right to use the Oracle program, including the JabberBeans software, and the terms contained in the following notices do not change those rights. Notwithstanding anything to the contrary in the Oracle program license, the JabberBeans software is provided by Oracle "AS IS" and without warranty or support of any kind from Oracle or Jabber, Inc.

The source code for JabberBeans is available from Jabber, Inc. at http://www.jabber.com.

JPEG Software 6b from The Independent JPEG Group

This software is based in part on the work of the Independent JPEG Group.

Mail::Sendmail Perl module 0.79 from CPAN

The source for the Mail:Sendmail Perl module can be obtained at the following URL: http://search.cpan.org/~mivkovic/Mail-Sendmail-0.79/Sendmail.pm

Netscape Messaging Access Software Development Kit (SDK) 3.5, Netscape Messaging Access Software Development Kit (SDK) 3.5.1 and LDAP SDK 5.1 from Netscape Communications Corporation

Portions of the Oracle Mobile Collaboration implementation are based on the Netscape Access Messaging Software Development Kit (SDK) Version 3.5 code. The Original Code is Mozilla Communicator client code, released on or about June 15, 1998. The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright ©1998-1999 Netscape Communications Corporation. All rights reserved.

Changes made to the Netscape Messaging Access SDK by Oracle Mobile Collaboration are located at:

http://www.oracle.com/technology/software/products/cs/opensource/mobility/ nma_sdk_changes.html

The source code containing changes to the Netscape Messaging Access SDK by Oracle Mobile Collaboration can be downloaded in ZIP format at:

http://www.oracle.com/technology/software/products/cs/opensource/mobility/ nma_sdk_changes.zip

Portions of the IMAP4, SMTP and MIME implementations are based on the Netscape Access Messaging Software Development Kit (SDK) code. The Original Code is Mozilla Communicator client code, released March 31, 1998. The Initial Developer of

the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright ©1998-1999 Netscape Communications Corporation. All rights reserved.

Changes made to the Netscape Messaging Access SDK by Oracle are located at: http://www.oracle.com/technology/software/products/cs/opensource/ocfo/nma sdk_changes.html

The source code containing changes to the Netscape Messaging Access SDK by Oracle can be downloaded in ZIP format at:

http://www.oracle.com/technology/software/products/cs/opensource/ocfo/nma sdk changes.zip

Portions of the Oracle Calendar implementation are based on the Netscape LDAP Software Development Kit 5.1 code. The Original Code is Mozilla Communicator client code, released March 31, 1998. The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright ©1998-1999 Netscape Communications Corporation. All rights reserved.

The terms and conditions of any Oracle license agreement with Oracle's licensees are offered solely by Oracle and the Initial Developer and each Contributor under the Mozilla Public License and Netscape Public License shall have no responsibility or liability for such terms and conditions.

OpenSSL Toolkit 0.96m from OpenSSL Project

This product includes software developed by the OpenSSL Project * for use in the OpenSSL Toolkit. (http://www.openssl.org/)

Copyright (c) 1998-2003 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- All advertising materials mentioning features or use of this software must display the following acknowledgment: "This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit. (http://www.openssl.org/)"
- The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.
- Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
- Redistributions of any form whatsoever must retain the following acknowledgment: "This product includes software developed by the OpenSSL Project or use in the OpenSSL Toolkit (http://www.openssl.org/)"

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,

INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This product includes cryptographic software written by Eric Young (eay@cryptsoft.com). This product includes software written by Tim Hudson (tjh@cryptsoft.com).

Remote Control of Netscape Navigator for Unix 1.1.3 from Netscape Corporation

Copyright © 1996 Netscape Communications Corporation, all rights reserved. Created: Jamie Zawinski jwz@netscape.com, 24-Dec-94.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Sentry Spelling-Checker Engine 5.10 from Wintertree Software

Sentry Spelling-Checker Engine Copyright (c) 2002 Wintertree Software Inc.

SyncML Toolkit 4.1 from SyncML Initiative, Ltd.

LICENSE The Copyright Holders of this software, including all accompanying documentation ("Software"), hereby grant, royalty free and for any purpose, permission to use, copy, modify and prepare derivative works therefrom, distribute, publish, sublicense and sell copies of the Software and to permit persons to whom the Software is furnished to do the same, all subject to the following conditions: 1. The complete text of the following notice shall be reproduced on each copy or substantial copy of the Software in a location readily viewable to users of the Software: NOTICE Copyright (c) Ericsson, IBM, Lotus, Matsushita Communication Industrial Co., Ltd., Motorola, Nokia, Openwave Systems, Inc., Palm, Inc., Psion, Starfish Software, Symbian, Ltd. (2001-2002). All Rights Reserved. Implementation of all or part of any Software may require licenses under third party intellectual property rights, including without limitation, patent rights. The Copyright Holders are not responsible and shall not be held responsible in any manner for identifying or failing to identify any or all such third party intellectual property rights. THIS DOCUMENT AND THE INFORMATION CONTAINED HEREIN ARE PROVIDED ON AN "AS IS" BASIS WITHOUT WARRANTY OF ANY KIND AND ERICSSON, IBM, LOTUS, MATSUSHITA COMMUNICATION INDUSTRIAL CO. LTD, MOTOROLA, NOKIA, OPENWAVE, PALM INC., PSION, STARFISH SOFTWARE, SYMBIAN AND ALL OTHER SYNCML SPONSORS DISCLAIM ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL ERICSSON, IBM, LOTUS, MATSUSHITA COMMUNICATION INDUSTRIAL CO., LTD, MOTOROLA, NOKIA, OPENWAVE, PALM INC., PSION, STARFISH SOFTWARE. SYMBIAN OR ANY OTHER SYNCML SPONSOR BE LIABLE TO ANY PARTY FOR ANY LOSS OF PROFITS, LOSS OF BUSINESS, LOSS OF USE OF DATA, INTERRUPTION OF BUSINESS, OR FOR DIRECT, INDIRECT, SPECIAL OR EXEMPLARY, INCIDENTAL,

PUNITIVE OR CONSEQUENTIAL DAMAGES OF ANY KIND IN CONNECTION WITH THIS DOCUMENT OR THE INFORMATION CONTAINED HEREIN, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGE.

Team Spirit 1.2.14.31 from SPIRIT, Ltd.

Copyright (c) 1995-2004, SPIRIT, Ltd.

Xerces C++ 2.1.0.0 and Xerces2 Java Parser 2.6.2

This product includes Xerces C++ 2.1.0.0 developed by the Apache Software Foundation.

Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved.

This product includes Xerces2 Java Parser 2.6.2 developed by the Apache Software Foundation.

Copyright (c) 1999-2004 The Apache Software Foundation. All rights reserved.

The Oracle Corporation license is based on the Apache Software License Version 1.1.

http://www.apache.org/

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation (http://www.apache.org/)." Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.
- The names "Xerces" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
- Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc., http://www.ibm.com. For more information on the Apache Software Foundation, please see http://www.apache.org/.

XPExplorer Bar 3.2.1.2 from Mathew Hall

Copyright © 2004-2005, Mathew Hall

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIB UTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OR MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTIAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

DBI 1.20/DBD 1.15 from Tim Bunce

This program includes source code developed by Tim Bunce. For the latest version of this code please go to http://search.cpan.org/~timb/.

SSL Plus Toolkit from Certicom

This product includes code licensed from Certicom.

Zip Utility 2.3, UnZip Utility 5.5.1 from Info-ZIP

Copyright (c) 1990-2003 Info-ZIP. All rights reserved.

For the purposes of this copyright and license, 'Info-ZIP' is defined as the following set of individuals: Mark Adler, John Bush, Karl Davis, Harald Denker, Jean-Michel Dubois, Jean-loup Gailly, Hunter Goatley, Ed Gordon, Ian Gorman, Chris Herborth, Dirk Haase, Greg Hartwig, Robert Heath, Jonathan Hudson, Paul Kienitz, David Kirschbaum, Johnny Lee, Onno van der Linden, Igor Mandrichenko, Steve P. Miller, Sergio Monesi, Keith Owens, George Petrov, Greg Roelofs, Kai Uwe Rommel, Steve Salisbury, Dave Smith, Steven M. Schweda, Christian Spieler, Cosmin Truta, Antoine Verheijen, Paul von Behren, Rich Wales, Mike White

This software is provided 'as is,' without warranty of any kind, express or implied. In no event shall Info-ZIP or its contributors be held liable for any direct, indirect, incidental, special or consequential damages arising out of the use of or inability to use this software. Permission is granted to anyone to use this software for any purpose,

including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

- 1. Redistributions of source code must retain the above copyright notice, definition, disclaimer, and this list of conditions.
- 2. Redistributions in binary form (compiled executables) must reproduce the above copyright notice, definition, disclaimer, and this list of conditions in documentation and/or other materials provided with the distribution. The sole exception to this condition is redistribution of a standard UnZipSFX binary (including SFXWiz) as part of a self-extracting archive; that is permitted without inclusion of this license, as long as the normal SFX banner has not been removed from the binary or disabled.
- **3.** Altered versions--including, but not limited to, ports to new operating systems, existing ports with new graphical interfaces, and dynamic, shared, or static library versions--must be plainly marked as such and must not be misrepresented as being the original source. Such altered versions also must not be misrepresented as being Info-ZIP releases--including, but not limited to, labeling of the altered versions with the names 'Info-ZIP' (or any variation thereof, including, but not limited to, different capitalizations), 'Pocket UnZip,' 'WiZ' or 'MacZip' without the explicit permission of Info-ZIP. Such altered versions are further prohibited from mis representative use of the Zip-Bugs or Info-ZIP e-mail addresses or of the Info-ZIP URL(s).
- 4. Info-ZIP retains the right to use the names 'Info-ZIP,' 'Zip,' 'UnZip,' 'UnZipSFX,' 'WiZ,' 'Pocket UnZip,' 'Pocket Zip,' and 'MacZip' for its own source and binary releases.

Stemming Technology 2.2, XLT API Developer Toolkit v.1.0.5 (including Updates), and Linguistic Databases (including Updates) for English, French, German, Italian, Spanish and Dutch from Inxight

Copyright (c) Inxight Software, Inc.

Kerberos 5 Release 11.0 Beta 4 from Massachusetts Institute of Technology (MIT), OpenVision Technologies, Inc. and the Regents of the **University of California**

This program contains third-party code from Massachusetts Institute of Technology (MIT), OpenVision Technologies, Inc. and the Regents of the University of California. Under the terms of the Kerberos license, Oracle is required to license the Kerberos software to you under the following terms. Note that the terms contained in the Oracle program license that accompanied this product do not apply to the Kerberos software, and your rights to use the software are solely as set forth below. Oracle is not responsible for the performance of the Kerberos software, does not provide technical support for the software, and shall not be liable for any damages arising out of any use of the Kerberos software.

Copyright (c) 1985-2002 by the Massachusetts Institute of Technology.

All rights reserved.

Export of this software from the United States of America may require a specific license from the United States Government. It is the responsibility of any person or organization contemplating export to obtain such a license before exporting.

WITHIN THAT CONSTRAINT, permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both that

copyright notice and this permission notice appear in supporting documentation, and that the name of M.I.T. not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Furthermore, if you modify this software you must label your software as modified software and not distribute it in such a fashion that it might be confused with the original M.I.T. software. M.I.T. makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

THIS SOFTWARE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Individual source code files are copyright M.I.T., Cygnus Support, OpenVision, Oracle, Sun Soft, FundsXpress, and others.

Project Athena, Athena, Athena MUSE, Discuss, Hesiod, Kerberos, Moira, and Zephyr are trademarks of the Massachusetts Institute of Technology (M.I.T.). No commercial use of these trademarks may be made without prior written permission of M.I.T.

"Commercial use" means use of a name in a product or other for-profit manner. It does NOT prevent a commercial firm from referring to the M.I.T. trademarks in order to convey information (although in doing so, recognition of their trademark status should be given).

Open Vision Kerberos Administration System The following copyright and permission notice applies to the OpenVision Kerberos Administration system located in kadmin/create, kadmin/dbutil, kadmin/passwd, kadmin/server, lib/kadm5, and portions of lib/rpc:

Copyright, OpenVision Technologies, Inc., 1996, All Rights Reserved.

WARNING: Retrieving the OpenVision Kerberos Administration system source code, as described below, indicates your acceptance of the following terms. If you do not agree to the following terms, do not retrieve the OpenVision Kerberos administration system.

You may freely use and distribute the Source Code and Object Code compiled from it, with or without modification, but this Source Code is provided to you "AS IS" EXCLUSIVE OF ANY WARRANTY, INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER WARRANTY, WHETHER EXPRESS OR IMPLIED. IN NO EVENT WILL OPENVISION HAVE ANY LIABILITY FOR ANY LOST PROFITS, LOSS OF DATA, OR COSTS OF PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, INCLUDING, WITHOUT LIMITATION, THOSE RESULTING FROM THE USE OF THE SOURCE CODE, OR THE FAILURE OF THE SOURCE CODE TO PERFORM, OR FOR ANY OTHER REASON.

OpenVision retains all copyrights in the donated Source Code. OpenVision also retains copyright to derivative works of the Source Code, whether created by OpenVision or by a third party. The OpenVision copyright notice must be preserved if derivative works are made based on the donated Source Code.

OpenVision Technologies, Inc., has donated this Kerberos Administration system to M.I.T. for inclusion in the standard Kerberos 5 distribution. This donation underscores our commitment to continuing Kerberos technology development and our gratitude for the valuable work which has been performed by M.I.T. and the Kerberos community.

Additional Licensing Information Portions contributed by Matt Crawford crawdad@fnal.gov were work performed at Fermi National Accelerator Laboratory, which is operated by Universities Research Association, Inc., under contract DE-AC02-76CHO3000 with the U. S. Department of Energy.

Perl Interpreter 5.8.3, Devel-symdump 2.01, Digest MD5 2.13, HTML Parser 3.2.4/3.2.5, Libnet 1.0703, Libwww-perl 5.53, MIME based 64 v2.12, Net-Daemon 0.35, PIRPC 0.2015, Storable 1.012, URI 1.12, Win32-TieRegistry-0.24, Win32API-Registry-0.23, Simple.pm [final name pending] from CPAN/Perl

Source code for the standard unmodified version of the above products can be found at http://www.cpan.org/src/README.html.

BSAFE (BSAFE CRYPTO-C 6.0.3.), BSAFE (BSAFE CERT-C TOOLKIT 2.5.1) from RSA Security

This product includes code licensed from RSA Data Security.



BLAS and LPACK

Copyright (c) Jack Dongarra

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of BLAS or LPACK nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

mod_ssl, Ralf S. Engelschall

Copyright (c) 1998-2001 Ralf S. Engelschall. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- All advertising materials mentioning features or use of this software must display the following acknowledgement:
 - This product includes software developed by Ralf S. Engelschall <rse@engelschall.com> for use in the mod_ssl project (http://www.modssl.org/)
- The names "mod_ssl" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact rse@engelschall.com.
- Products derived from this software may not be called "mod_ssl" nor may "mod_ ssl" appear in their names without prior written permission of Ralf S. Engelschall.
- **6.** Redistributions of any form whatsoever must retain the following acknowledgment:

This product includes software developed by Ralf S. Engelschall <rse@engelschall.com> for use in the mod_ssl project (http://www.modssl.org/)

THIS SOFTWARE IS PROVIDED BY RALF S. ENGELSCHALL AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL RALF S. ENGELSCHALL OR HIS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

OpenSSL 0.9.6b, OpenSSL Project

Distribution License. The following must be in the documentation for object code distributions:

Copyright (c) 1998-2001 The OpenSSL Project. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- 3. All advertising materials mentioning features or use of this software must display the following acknowledgement:
 - This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (http://www.openssl.org/)
- 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact openssl-core@openssl.org.
- 5. Products derived from this software may not be called "OpenSSL" nor may "OpenSSL" appear in their names without prior written permission of the OpenSSL Project.
- **6.** Redistributions of any form whatsoever must retain the following acknowledgment:

This product includes software developed by the OpenSSL Project for use in the OpenSSL toolkit. (http://www.openssl.org/).

THIS SOFTWARE IS PROVIDED BY THE Open SSL PROJECT AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE Open SSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

TCL 8.2.3

This product includes TCL v. 8.2.3 files which require inclusion of the following notice:

This software is copyrighted by the Regents of the University of California, Sun Microsystems, Inc., Scriptics Corporation, and other parties. The following terms apply to all files associated with the software unless explicitly disclaimed in individual files.

The authors hereby grant permission to use, copy, modify, distribute, and license this software and its documentation for any purpose, provided that existing copyright notices are retained in all copies and that this notice is included verbatim in any distributions. No written agreement, license, or royalty fee is required for any of the authorized uses.

Modifications to this software may be copyrighted by their authors and need not follow the licensing terms described here, provided that the new terms are clearly indicated on the first page of each file where they apply.

IN NO EVENT SHALL THE AUTHORS OR DISTRIBUTORS BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE, ITS DOCUMENTATION, OR ANY DERIVATIVES THEREOF, EVEN IF THE AUTHORS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE AUTHORS AND DISTRIBUTORS SPECIFICALLY DISCLAIM ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND

NON-INFRINGEMENT. THIS SOFTWARE IS PROVIDED ON AN "AS IS" BASIS, AND THE AUTHORS AND DISTRIBUTORS HAVE NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

GOVERNMENT USE: If you are acquiring this software on behalf of the U.S. government, the Government shall have only "Restricted Rights" in the software and related documentation as defined in the Federal Acquisition Regulations (FARs) in Clause 52.227.19 (c) (2). If you are acquiring the software on behalf of the Department of Defense, the software shall be classified as "Commercial Computer Software" and the Government shall have only "Restricted Rights" as defined in Clause 252.227-7013 (c) (1) of DFARs. Notwithstanding the foregoing, the authors grant the U.S. Government and others acting in its behalf permission to use and distribute the software in accordance with the terms specified in this license.

Miscellaneous Third-Party Licensing Information

Portions of this software Copyright 1992-1999 MapInfo Corporation, ALL RIGHTS RESERVED.

Apache License

This program contains Batik version 1.6.

Apache License

Version 2.0, January 2004

http://www.apache.org/licenses/

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity. "You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original

work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

- 2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
- **3.** Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
- **4.** Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - **a.** You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - **b.** You must cause any modified files to carry prominent notices stating that You changed the files; and
 - You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - **d.** If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the

Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

- 5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
- Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
- 7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
- 8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
- **9.** Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

http://www.apache.org/licenses/LICENSE-2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

A. CS CodeViewer v1.0; Use of any of this software is governed by the terms of the license below:

Copyright 1999 by CoolServlets.com.

Any errors or suggested improvements to this class can be reported as instructed on CoolServlets.com. We hope you enjoy this program... your comments will encourage further development! This software is distributed under the terms of the BSD License. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither name of CoolServlets.com nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

"THIS SOFTWARE IS PROVIDED BY COOLSERVLETS.COM AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

B. DES and 3xDES; Use of any of this software is governed by the terms of the license below:

"Copyright 2000 by Jef Poskanzer < jef@acme.com>. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT,

INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE."

C. Crimson v1.1.1; Use of any of this software is governed by the terms of the license below:

The Apache Software License, Version 1.1

Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation

http://www.apache.org/

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

- **4.** The names "Crimson" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
- Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Group.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc.,

http://www.ibm.com

For more information on the Apache Software Foundation, please see

http://www.apache.org/.

D. Xalan J2; Use of any of this software is governed by the terms of the license below:

The Apache Software License, Version 1.1

Copyright (c) 1999-2000 The Apache Software Foundation. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- 3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment: "This product includes software developed by the Apache Software Foundation:

```
http://www.apache.org/).
```

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

- **4.** The names "Xalan" and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.
- Products derived from this software may not be called "Apache", nor may "Apache" appear in their name, without prior written permission of the Apache Software Foundation.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation and was originally based on software copyright (c) 1999, International Business Machines, Inc.:

http://www.ibm.com

For more information on the Apache Software Foundation, please see

http://www.apache.org/

E. NSIS 1.0; Use of any of this software is governed by the terms of the license below:

Copyright (C) 1999-2000 Nullsoft, Inc.

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software. Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

- The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
- Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
- This notice may not be removed or altered from any source distribution. Justin Frankel justin@nullsoft.com"

F. Some Portions licensed from IBM are available at: http://oss.software.ibm.com/icu4j/

G. Portions Copyright Eastman Kodak Company 1992

H. Lucida is a registered trademark or trademark of Bigelow & Holmes in the U.S. and other countries.

I. Portions licensed from Taligent, Inc.

Alexander Potochkin, JXLayer

Copyright (c) 2006-2009, Alexander Potochkin All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the JXLayer project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

ANTLR

ANTLR 3 License

[The BSD License]

Copyright (c) 2003-2007, Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other Materials provided with the distribution.
- Neither the name of the author nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache, Batik

This product includes software developed by The Apache Software Foundation (http://www.apache.org/).

This software contains code from the World Wide Web Consortium (W3C) for the Document Object Model API (DOM API) and SVG Document Type Definition (DTD).

This software contains code from the International Organisation for Standardization for the definition of character entities used in the software's documentation.

Apache, Regular Expression Package

Jakarta Regexp Version 1.3, Copyright © 1999-2002 The Apache Software Foundation. All rights reserved. Licensed under the Apache 1.1 License Agreement.

The names "The Jakarta Project", "Jakarta-Regexp", and "Apache Software Foundation" must not be used to endorse or promote products derived from this software without prior written permission. For written permission, please contact apache@apache.org.

This software consists of voluntary contributions made by many individuals on behalf of the Apache Software Foundation. For more information on the Apache Software Foundation, please see http://www.apache.org/.

JGoodies Looks

The BSD License for the IGoodies Looks

Copyright (c) 2003 JGoodies Karsten Lentzsch. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of JGoodies Karsten Lentzsch nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The Legion of the Bouncy Castle, Bouncy Castle Crypto API

Copyright (c) 2000 - 2009 The Legion Of The Bouncy Castle (http://www.bouncycastle.org)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Index

Apache License, A-17 Axis software, A-2 C C ConvertUTF.C software, A-4 current user database links, 1-7 CyberNeko HTML Parser, A-5 D D Adatabase links, 1-7 database options, 2-1 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 G G GD Library, A-6 G GD Library, A-6 L LDAP SDK, A-7 Laad Testing Accelerator, 1-7 Load Testing Accelerator, 1-7 Automation Pack, 2-16 management pack, 2-8 Change Management, 2-8 Change Management, 2-9 Data Mining and Subsetting Pack, 2-12 Diagnostic, 2-14 Tuning, 2-16 N Netscape Messaging Access Software Development Kit (SDK), A-7 Oracle Messaging Access Software Development Kit (SDK), A-7 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Connection Management Pack, 2-9 Oracle Connection Management Pack, 2-9 Oracle Database Express Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition, 0-2-3 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle HTTP Server, 1-7 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	Advanced Security option, 2-1	management Oracle Provisioning and Patch
Change Management, 2-8 Configuration Management, 2-9 Data Masking and Subsetting Pack, 2-12 Diagnostic, 2-14 Tuning, 2-16 N Netscape Messaging Access Software Development Kit (SDK), A-7 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 GD Library, A-6 GD Library, A-6 GD Library, A-6 L LDAP SDK, A-7 LDAP SDK, A-7 LDAP SDK, A-7 Load Testing Accelerator, 1-7 Change Management, 2-8 Configuration Management, 2-9 Data Masking and Subsetting Pack, 2-12 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Configuration Management Pack, 2-8 Oracle Connection Management Pack, 2-9 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Data Mining option, 2-2 Oracle Data Mining option, 2-2 Oracle Database Express Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Standard Edition On		
ConvertUTF.C software, A-4 current user database links, 1-7 CyberNeko HTML Parser, A-5 D N Netscape Messaging Access Software Development Kit (SDK), A-7 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 GD Library, A-6 GD Library, A-6 GD Library, A-6 L LDAP SDK, A-7 Load Testing Accelerator, 1-7 Converture Label Security, 1-7 Oracle Label Security, 1-7 Oracle Database Vault, 2-3 Oracle Connection Management Pack, 2-9 Oracle Configuration Management Pack, 2-9 Oracle Database Standard Security, 1-7 Oracle Database Standard Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing, 1-7 Oracle Porvisioning and Subsetting Pack, 2-12 Diagnostic, 2-14 Tuning, 2-16 N Netscape Messaging Access Software Development Kit (SDK), A-7 OpenSSL software, A-8 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Database Management Pack, 2-9 Oracle Onagement, 2-9 Oracle Charge Messaging Access Software Development Kit (SDK), A-7 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Database Management Pack, 2-9 Oracle Charge Management Pack, 2-9 Oracle Data Mining option, 2-2 Oracle Data Mining option, 2-2 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Data Mining option, 2-2 Oracle Database Express Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Value piton, 2-3 Oracle Database Value piton, 2-3 Oracle Database Value piton, 2-3 Oracle Label Security option, 2-4 Oracle Database Value piton, 2-1 Oracle	Axis software, A-2	
Data Masking and Subsetting Pack, 2-12 Diagnostic, 2-14 Tuning, 2-16 N Netscape Messaging Access Software Development Kit (SDK), A-7 database options, 2-1 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 G GD Library, A-6 GD Library, A-6 GD Library, A-6 L LDAP SDK, A-7 LDAP SDK, A-7 Load Testing Accelerator, 1-7 Data Mining, 2-16 N Netscape Messaging Access Software Development Kit (SDK), A-7 OCALP Option, 2-4 OpenSSL software, A-8 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Advanced Security, SSL/TLS, 1-5, 2-5 Oracle Change Management Pack, 2-9 Oracle Connection Manager, 1-5 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Standard Edition, 1-1 Oracle Databa		
ConvertUTF.C software, A-4 current user database links, 1-7 CyberNeko HTML Parser, A-5 D database links, 1-7 database options, 2-1 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 G GD Library, A-6 GD Library, A-6 GD Library, A-6 L LDAP SDK, A-7 links, 1-7 Load Testing Accelerator, 1-7 Data Masking and Subsetting Pack, 2-12 Diagnostic, 2-14 Tuning, 2-16 N Netscape Messaging Access Software Development Kit (SDK), A-7 OCALP Option, 2-4 ODLAP option, 2-4 OPenSSL software, A-8 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Advanced Security, SSL/TLS, 1-5, 2-5 Oracle Configuration Management Pack, 2-9 Oracle Connection Manager, 1-5 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Standard Edition, 1-1	C	
Current user database links, 1-7 CyberNeko HTML Parser, A-5 D database links, 1-7 database options, 2-1 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Beal Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 G GD Library, A-6 GD Library, A-6 GD Library, A-6 L LDAP SDK, A-7 links, 1-7 Load Testing Accelerator, 1-7 N Netscape Messaging Access Software Development Kit (SDK), A-7 OCACE Software Development Kit (SDK), A-7 OCACES ACCESS SOFTWARE A-8 OCACES ACCESS SOFTWARE Development Kit (SDK), A-7 OCACES ACCESS SOFTWARE Development Kit (SDK), A-7 OCACES ACCESS ACCES ACCES A-8 OCACES ACCESS SOFTWARE A-8 OCACES ACCESS ACCES ACCES A-8 OCACES ACCESS ACCES	-	
D database links, 1-7 database options, 2-1 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 G GD Library, A-6 GD Library, A-6 J JabberBeans software, A-7 JPEG Software, A-7 JPEG Software, A-7 JL LDAP SDK, A-7 links, 1-7 Load Testing Accelerator, 1-7 N Netscape Messaging Access Software Development Kit (SDK), A-7 OC OLAP option, 2-4 OpenSSL software, A-8 Oracle Advanced Security, 1-7 Oracle Advanced Security, 55L/TLS, 1-5, 2-5 Oracle Change Management Pack, 2-8 Oracle Connection Management Pack, 2-9 Oracle Connection Management Pack, 2-9 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Personal Edition, 1-1 Oracle Database Personal Edition, 1-2 Oracle Database Standard Edition, 1-1 Oracle Database Vault option, 2-3 Oracle Database Vault option, 2-3 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16		· · · · · · · · · · · · · · · · · · ·
D database links, 1-7 database options, 2-1 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 GD Library, A-6 GD Library, A-6 GD Library, A-6 L LDAP SDK, A-7 Inks, 1-7 Load Testing Accelerator, 1-7 Netscape Messaging Access Software Development Kit (SDK), A-7 Octale Advanced Security, 1-7 Octale Advanced Security, 1-7 Oracle Advanced Security, SL/TLS, 1-5, 2-5 Octale Advanced Security SSL/TLS, 1-5, 2-5 Octale Configuration Management Pack, 2-9 Octale Configuration Management Pack, 2-9 Octale Data Masking and Subsetting Pack, 2-12 Octale Database Express Edition, 1-1 Octale Database Express Edition, 1-1 Octale Database Standard Edition, 1-1 Octale Database Standard Edition, 1-1 Octale Database Standard Edition One, 1-1 Octale Database Standard Edition, 1-2 Octale Database Standard Edition, 1-1 Octale Database Standard Edition, 1-1 Octale Database Standard Edition, 1-1 Octale Database Standard Edition, 1-2 Octale Database Standard Edition, 1-1 Octale D	,	Tuning, 2-16
D database links, 1-7 database options, 2-1 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 E Enterprise Edition, 1-1 Expat XML Parser, A-6 GD Library, A-7 L L LDAP SDK, A-7 Inks, 1-7 Load Testing Accelerator, 1-7 Netscape Messaging Access Software Development Kit (SDK), A-7 Netscape Messaging Access Software Development Kit (SDK), A-7 Kit (SDK), A-7 Netscape Messaging Access Software Development Kit (SDK), A-7 Netscape Messaging Access Software Development Kit (SDK), A-7 Netscape Messaging Access Software Development Kit (SDK), A-7 Onacle Patabase Security, 1-7 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Configuration Management Pack, 2-9 Oracle Connection Manager, 1-5 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing, 1-7 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning and Patch Automation Pack, 2-16	CyberNeko HTML Parser, A-5	
database links, 1-7 database options, 2-1 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 GD GD Library, A-6 GD GD Library, A-6 GD LDAP SDK, A-7 Inks, 1-7 Load Testing Accelerator, 1-7 Netscape Messaging Access Software Development Kit (SDK), A-7 OLAP option, 2-4 OpenSSL software, A-8 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Advanced Security, 5L/TLS, 1-5, 2-5 Oracle Configuration Management Pack, 2-9 Oracle Configuration Management Pack, 2-9 Oracle Data Mining option, 2-2 Oracle Database Express Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database XE, 1-1 Oracle Database XE, 1-1 Oracle Database Xe, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Standard Edition, 0-2-3 Oracle HTTP Server, 1-7 Oracle Load Testing, 1-7 Oracle Load Testing, 1-7 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	_	N
database links, 1-7 database options, 2-1 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 G G GD Library, A-6 GD Library, A-6 L L DAP SDK, A-7 database options, 2-1 Advanced Security, 2-1 OpenSSL software, A-8 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Advanced Security SSL/TLS, 1-5, 2-5 Oracle Change Management Pack, 2-9 Oracle Configuration Manager, 1-5 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Database Enterprise Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Vault option, 2-3 Oracle Database Vault option, 2-3 Oracle Database Vault option, 2-3 Oracle HTTP Server, 1-7 Oracle Load Testing, 1-7 Oracle Load Testing, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	ט	Netscape Messaging Access Software Development
database options, 2-1 Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 GD Library, A-6 GD Library, A-6 GD Library, A-6 L LDAP SDK, A-7 Ilnks, 1-7 Load Testing Accelerator, 1-7 OCALP option, 2-4 OpenSSL software, A-8 Oracle Advanced Security, 1-7 Oracle Advanced Security, 55L/TLS, 1-5, 2-5 Oracle Configuration Management Pack, 2-8 Oracle Connection Manager, 1-5 Oracle Data Mining option, 2-2 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle HTTP Server, 1-7 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	database links. 1-7	
Advanced Security, 2-1 Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 GD Library, A-6 GD Library, A-6 L LDAP SDK, A-7 Inks, 1-7 Load Testing Accelerator, 1-7 OLAP option, 2-4 OpenSSL software, A-8 Oracle Advanced Security, 1-7 Oracle Advanced Security, SEL/TLS, 1-5, 2-5 Oracle Configuration Management Pack, 2-8 Oracle Configuration Management Pack, 2-9 Oracle Connection Manager, 1-5 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database Vault option, 2-3 Oracle In-Memory Database Cache, 2-3 Oracle Load Testing, 1-7 Oracle Load Testing, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	•	Kit(JDK), A-1
Data Mining, 2-2 Label Security, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 GD Library, A-6 GD Library, A-6 GD Library, A-6 L LDAP SDK, A-7 links, 1-7 Laad Testing Accelerator, 1-7 OLAP option, 2-4 OpenSSL software, A-8 Oracle Advanced Security, 1-7 Oracle Advanced Security, SSL/TLS, 1-5, 2-5 Oracle Advanced Security, 1-7 Oracle Advanced Security, 1-7 Oracle Change Management Pack, 2-8 Oracle Configuration Manager, 1-5 Oracle Configuration Manager, 1-5 Oracle Configuration Management Pack, 2-9 Oracle Configuration Management Pack, 2-9 Oracle Configuration Management Pack, 2-9 Oracle Database Standager, 1-5 Oracle Database Express Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database XE, 1-1 Oracle Database XE, 1-1 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Load Testing, 1-7 Oracle Load Testing, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16		
Label Security, 2-4 OLAP, 2-4 OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 GD Library, A-6 GD Library, A-6 J JabberBeans software, A-7 JPEG Software, A-7 JPEG Software, A-7 Load Testing Accelerator, 1-7 OLAP option, 2-4 OpenSSL software, A-8 Oracle Advanced Security, 1-7 Oracle Advanced Security, SSL/TLS, 1-5, 2-5 Oracle Advanced Security SSL/TLS, 1-5, 2-5 Oracle Change Management Pack, 2-8 Oracle Connection Manager, 1-5 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Personal Edition, 1-2 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database Vault option, 2-3 Oracle Label Security option, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing Controller, 1-7 Oracle Partitioning option, 2-4 Oracle Partitioning option, 2-4 Oracle Partitioning option, 2-4 Oracle Porvisioning and Patch Automation Pack, 2-16		0
OLAP, 2-4 Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Enterprise Edition, 1-1 Expat XML Parser, A-6 GD Library, A-7 JabberBeans software, A-7 JPEG Software, A-7 JPEG Software, A-7 LDAP SDK, A-7 Links, 1-7 Oracle Database Vault, 2-3 Oracle Advanced Security, SL/TLS, 1-5, 2-5 Oracle Advanced Security, SL/TLS, 1-5, 2-5 Oracle Advanced Security, SL/TLS, 1-5, 2-5 Oracle Change Management Pack, 2-8 Oracle Configuration Manager, 1-5 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Database Enterprise Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Standard Edition, 1-2 Oracle Database Standard Edition, 1-1 Oracle Database Vault option, 2-3 Oracle Database Vault option, 2-3 Oracle Database Vault option, 2-3 Oracle In-Memory Database Cache, 2-3 Oracle Load Testing, 1-7 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16		OLAP option. 2-4
Oracle Advanced Security, 1-7 Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Oracle Advanced Security SSL/TLS, 1-5, 2-5 Oracle Change Management Pack, 2-9 Oracle Configuration Management Pack, 2-9 Oracle Connection Manager, 1-5 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Data Mining option, 2-2 Oracle Database Enterprise Edition, 1-1 Expat XML Parser, A-6 G G G D Library, A-6 G D Library, A-6 D D D D D D D D D D D D D D D D D D		
Oracle Database Vault, 2-3 Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Spatial, 2-12 Spatial, 2-7 Spatial, 2-7 Spatial, 2-7 Spatial, 2-7 Spatial, 2-12 Spatial, 2-7 Spatial, 2-		
Oracle Real Application Clusters, 2-5 Partitioning, 2-4 Spatial, 2-7 Dracle Configuration Management Pack, 2-9 Oracle Configuration Management Pack, 2-9 Oracle Configuration Management Pack, 2-9 Oracle Connection Manager, 1-5 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Data Mining option, 2-2 Oracle Database Enterprise Edition, 1-1 Oracle Database Enterprise Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Personal Edition, 1-2 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Diagnostic Pack, 2-14 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing Orocle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16		
Partitioning, 2-4 Spatial, 2-7	,	
Spatial, 2-7 Oracle Connection Manager, 1-5 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Data Masking and Subsetting Pack, 2-12 Oracle Data Mining option, 2-2 Oracle Database Enterprise Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Personal Edition, 1-2 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database Vault option, 2-4 Oracle Database Vault	* *	
Cracle Data Masking and Subsetting Pack, 2-12 Oracle Data Mining option, 2-2 Oracle Database Enterprise Edition, 1-1 Expat XML Parser, A-6 Coracle Database Enterprise Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Lite, 2-18 Oracle Database Personal Edition, 1-2 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Database XE, 1-1 Oracle Database XE, 1-1 Oracle Database Cache, 2-3 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Load Testing, 1-7 Oracle Load Testing, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	0.	
Enterprise Edition, 1-1 Enterprise Edition, 1-1 Expat XML Parser, A-6 G G G G G D Library, A-6 G D Library, A-6 G D Library, A-7 J D J D J D J D J D L D D L D D L D D D D	or,	
Oracle Database Enterprise Edition, 1-1 Enterprise Edition, 1-1 Expat XML Parser, A-6 GD Library, A-6 GD Library, A-6 JabberBeans software, A-7 IDEG Software, A-7 LDAP SDK, A-7 Load Testing Accelerator, 1-7 Oracle Database Express Edition, 1-1 Oracle Database Express Edition, 1-1 Oracle Database Lite, 2-18 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Diagnostic Pack, 2-14 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	г	· · · · · · · · · · · · · · · · · · ·
Enterprise Edition, 1-1 Expat XML Parser, A-6 Oracle Database Express Edition, 1-1 Oracle Database Lite, 2-18 Oracle Database Personal Edition, 1-2 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Database XE, 1-1 Oracle Database Cache, 2-14 Oracle Database XE, 1-1 Oracle Database XE, 1-1 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Database Vault option, 2-3 Oracle Database Vault option, 2-4	<u> </u>	
Cracle Database Lite, 2-18 Oracle Database Personal Edition, 1-2 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Diagnostic Pack, 2-14 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	Enterprise Edition, 1-1	
Oracle Database Personal Edition, 1-2 Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Diagnostic Pack, 2-14 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	<u>*</u>	<u> •</u>
Oracle Database Standard Edition, 1-1 Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Database XE, 1-1 Oracle Diagnostic Pack, 2-14 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	•	•
Oracle Database Standard Edition One, 1-1 Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Database XE, 1-1 Oracle Database XE, 1-1 Oracle Database XE, 1-1 Oracle Diagnostic Pack, 2-14 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	G	
Oracle Database Vault option, 2-3 Oracle Database XE, 1-1 Oracle Diagnostic Pack, 2-14 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing Controller, 1-7 Oracle Partitioning option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	-	
Oracle Database XE, 1-1 Oracle Diagnostic Pack, 2-14 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	GD Library, A-6	
Oracle Diagnostic Pack, 2-14 Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16		
Oracle HTTP Server, 1-7 Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	J	
Oracle In-Memory Database Cache, 2-3 Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	-	
Oracle Label Security option, 2-4 Oracle Load Testing, 1-7 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16		
LDAP SDK, A-7 links, 1-7 Load Testing Accelerator, 1-7 Oracle Load Testing Controller, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	JPEG Software, A-/	
LDAP SDK, A-7 links, 1-7 Load Testing Accelerator, 1-7 Oracle Don-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16		
LDAP SDK, A-7 links, 1-7 Load Testing Accelerator, 1-7 Oracle On-Line Analytical Processing option, 2-4 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	L	
links, 1-7 Load Testing Accelerator, 1-7 Oracle Partitioning option, 2-4 Oracle Provisioning and Patch Automation Pack, 2-16	IDADCDV A 7	· · · · · · · · · · · · · · · · · · ·
Load Testing Accelerator, 1-7 Coracle Provisioning and Patch Automation Pack, 2-16		
Pack, 2-16		
	Load Testing Accelerator, 1-7	
Oracle Real Application Clusters option, 2-5		Oracle Real Application Clusters option, 2-5
·		-

M

Oracle Real Application Testing, 1-7, 2-6 Oracle Secure Backup, 2-18 Oracle Spatial option, 2-7 Oracle Tuning Pack, 2-16

P

Personal Edition, 1-2

R

Remote Control software, A-9

S

Sendmail Perl module, A-7 Sentry Spell-Checker Engine software, A-9 software editions, 1-1 Standard Edition, 1-1 Standard Edition One, 1-1 SyncML Toolkit software, A-9

T

Team Spirit software, A-10 third-party software Axis, A-2 ConvertUTF.C, A-4 CyberNeko HTML Parser, A-5 Expat XML Parser, A-6 GD Library, A-6 JabberBeans, A-7 JPEG Software, A-7 LDAP SDK, A-7 Netscape Messaging Access Software Development Kit (SDK), A-7 OpenSSL, A-8 Remote Control, A-9 Sendmail Perl module, A-7 Sentry Spell-Checker Engine, A-9 SyncML Toolkit, A-9 Team Spirit, A-10 Xerces C++, A-10 Xerces2 Java Parser, A-10 XPExplorer Bar, A-11

X

Xerces C++ software, A-10 Xerces 2 Java Parser software, A-10 XPExplorer Bar software, A-11