

Oracle® Enterprise Manager

System Monitoring Plug-in Installation Guide for Microsoft SQL Server

Release 4 (3.0.2.1.0) and Release 3 (3.0.2.0.0)

B28049-05

April 2007

This document provides a brief description about the Oracle System Monitoring Plug-in for the Microsoft SQL Server, details on the versions the plug-in supports, prerequisites for installing the plug-in, and step-by-step instructions on how to download, install, verify, and validate the plug-in.

Description

The System Monitoring Plug-in for the Microsoft SQL Server extends Oracle Enterprise Manager Grid Control to add support for managing Microsoft SQL Server instances. By deploying the plug-in within your Grid Control environment, you gain the following management features:

- Monitor SQL Server instances.
- Gather configuration data and tracks configuration changes for SQL Server instances.
- Raise alerts and violations based on thresholds set on monitoring and configuration data.
- Provide rich out-of-box reports for the user interface based on the gathered data.
- Support monitoring by a remote Agent. For remote monitoring, the Agent does not need to be on the same computer as the SQL Server.

Versions Supported

This plug-in supports the following versions of products:

- Enterprise Manager Grid Control 10g Release 2 or higher Management Service
- Enterprise Manager Grid Control 10g Release 2 or higher Agent for Windows
- Standard, Enterprise, and Workgroup editions of Microsoft SQL Server 2000 and Microsoft SQL Server 2005 as detailed below:
 - Microsoft SQL Server 2000 (32-bit)
 - Microsoft SQL Server 2005 (32-bit)
 - Microsoft SQL Server 2005 (64-bit) running on x64 or Itanium-based servers

Prerequisites

The following prerequisites must be met before you can deploy the plug-in:

- Microsoft SQL Server 2000 or Microsoft SQL Server 2005 is installed.
- The following components of Oracle Enterprise Manager Grid Control release 10.2.0.1 or higher are installed and running:
 - Oracle Management Service with Oracle Management Repository 10.2.0.1 or higher
 - Oracle Management Agent for Windows

You can install the Agent on the same computer as SQL Server 2000 or SQL Server 2005 (referred to as local Agent monitoring), or you can install the Agent on a different computer from SQL Server (referred to as remote Agent monitoring).

- (For SQL Server 2000) Windows Management Instrumentation (WMI) provider of the SQL Server are installed and enabled. Enable support by running the setup.exe file located in the SQL Server Installation CD:
`<CD_Drive>/x86/other/wmi`
- Microsoft JDBC driver for the SQL Server is installed on the Monitoring Agent node. See "[Setting up the JDBC Driver](#)" for the procedure.
- Windows Management Instrumentation Service is up and running.
- Preferred credentials are set on all Agents where you want to deploy the plug-in.
- OS privileges for the user (set in the Preferred Credentials for the Agent) should meet the requirements documented in "Setting Credentials for the Job System to Work with Enterprise Manager" in one of the following installation guides:
 - Oracle Database Installation Guide 10g Release 2 (10.2) for Microsoft Windows (32-Bit) — B14316-01
 - Oracle Database Installation Guide 10g Release 2 (10.2) for Microsoft Windows (64-Bit) on Intel Itanium — B14317-02
 - Oracle Database Installation Guide 10g Release 2 (10.2) for Microsoft Windows (x64) — B15681-02

These guides are listed in the Installation Guides section of the Oracle Database Documentation Library at the following location:

<http://www.oracle.com/pls/db102/homepage>

Note: If you do not assign the correct privileges for users, the deployment will fail.

- Ensure that you do one of the following:
 - Install this version on Oracle Enterprise Manager Windows Agent version 10.2.0.3.
- or

- Apply a one-off patch on Oracle Enterprise Manager Windows Agent version 10.2.0.2. Refer to Metalink and Oracle bug #5587980 for more information.
- or
- Apply a one-off patch on Oracle Enterprise Manager Windows Agent version 10.2.0.1. Refer to Metalink and Oracle bug #5587980 for more information.
 - TCP/IP is enabled for the SQL Server instance. For details, see "[TCP/IP Port Information](#)" on page -4.

Deploying the Plug-in

After you ensure that the prerequisites are met, follow these steps to deploy the plug-in:

1. Download the SQL Server Plug-in archive to your desktop or computer on which the browser is launched. You can download the archive from the Oracle Technology Network (OTN).
2. Log into Enterprise Manager Grid Control as a Super Administrator.
3. Click the **Setup** link in the upper right corner of the Grid Control Home page, then click the **Management Plug-ins** link on the left side of the Setup page.
4. Click **Import**.
5. Click **Browse** and select the plug-in archive.
6. Click **List Archive**.
7. Select the plug-in and click **OK**.
8. Verify that you have set preferred credentials on all Agents where you want to deploy the plug-in.
9. In the Management Plug-ins page, click the icon in the **Deploy** column for the SQL Server plug-in. The Deploy Management Plug-in wizard appears.
10. Click **Add Agents**, then select one or more Agents to which you want to deploy the plug-in. The wizard reappears and displays the Agent you selected.
11. Click **Next**, then click **Finish**.

If you see an error message stating that the preferred credential is not set up, go to the Preferences page and add the preferred credentials for the Agent target type.

12. To check the deployment status, go to Related Links and click the link **Deployment Status**.

Setting up the JDBC Driver

If the JDBC Driver is accessed from Microsoft Download Center, Microsoft SQL Server 2000 Driver for JDBC consists of three .jar files that the Agent should be able to access. The Microsoft SQL Server 2005 Driver for JDBC consists of a single .jar file that the Agent should be able to access.

The following table provides details of the files, driver class, and the URL string.

Table 1 Microsoft SQL Server Driver for JDBC Details

SQL Server Driver for JDBC	Files	Driver Class	URL String
Microsoft SQL Server 2000 Driver for JDBC	<ul style="list-style-type: none"> ■ mssqlserver.jar ■ msbase.jar ■ msutil.jar 	com.microsoft.jdbc.sqlserver.SQLServerDriver	jdbc:microsoft:sqlserver://<host>:<port>
Microsoft SQL Server 2005 Driver for JDBC	sqljdbc.jar	com.microsoft.sqlserver.jdbc.SQLServerDriver	jdbc:sqlserver://<host>:<port>

Follow the steps below if the Microsoft JDBC driver is not installed.

1. Place the files in an appropriate directory. It is recommended that you create a `jdbcdriver` directory under `agent/sysman/`.
2. Add the location of each individual driver `.jar` file to the `classpath.lst` file under the `$ORACLE_HOME/sysman/config` directory if the Agent is installed on a standalone system.
3. If the Agent is installed on a system that is part of an OS cluster, you need to edit the `classpath.lst` file under the `$ORACLE_HOME/<node_name>/sysman/config` directory, where `node_name` is the name of the clustered node where the agent is running.

If the `classpath.lst` file does not exist, create the file.

The `classpath.lst` file in a Windows environment might appear as shown in the following examples:

Example 1 For Microsoft SQL Server 2000 Driver for JDBC

```
C:\ms\jdbcdriver\msbase.jar
C:\ms\jdbcdriver\mssqlserver.jar
C:\ms\jdbcdriver\msutil.jar
```

Example 2 For Microsoft SQL Server 2005 Driver for JDBC

```
C:\ms\jdbcdriver\sqljdbc.jar
```

4. Restart the Agent by executing the following commands at prompt:

```
$ORACLE_HOME/bin/emctl stop agent
$ORACLE_HOME/bin/emctl start agent
```

The modification of `classpath.lst` takes effect.

TCP/IP Port Information

The following sections provide information you require to enable the TCP/IP port and to find the TCP/IP port for a particular SQL server instance.

Enabling TCP/IP Port

For SQL Server 2000

1. From the SQL Server Enterprise Manager, right-click the SQL Server instance in the left panel and select **Properties**. SQL Server Properties dialog box appears.
2. In General tab, click **Network Configuration**. The SQL Server Network Utility dialog box appears.
3. Ensure that TCP/IP is listed in the Enabled protocols list.

For SQL Server 2005

1. From the **SQL Server Configuration Manager**, select **SQL Server 2005 Network Configuration** in the left panel and navigate to the SQL Server instance.

The right panel displays all protocols for the specified SQL Server instance and their status.

2. Ensure that TCP/IP is enabled.
3. (If TCP/IP is disabled), right-click **TCP/IP** and select **Properties**. The TCP/IP Properties dialog box appears.
4. In the Protocol tab, select **enabled**, and click **Apply**.
5. Restart the SQL Server instance.

Finding TCP/IP Port

To find the TCP/IP port number for a particular SQL Server instance, in the registry editor, navigate to:

- (Non-default SQL Server instance) HKEY_LOCAL_MACHINE\Software\Microsoft\Microsoft SQL Server\\MSSQLServer\SuperSocketNetLib\Tcp
- (Default SQL Server instance) HKEY_LOCAL_MACHINE\Software\Microsoft\MSSQLServer\MSSQLServer\SuperSocketNetLib\Tcp

The TCP Port provides the port number.

Adding Instances for Monitoring

After successfully deploying the plug-in, follow these steps to add the plug-in target to Grid Control for central monitoring and management:

1. From the Agent home page where the plug-in was deployed, select the Microsoft SQL Server target type from the **Add** drop-down list, then click **Go**. The Add Microsoft SQL Server page appears.
2. Provide the following information for the properties:
 - **Name** — Unique target name across all the Grid Control targets, such as SqlServer2k_Hostname. This is the display name in the Grid Control. It represents this SQL Server target across all user interfaces within Grid Control.

- **JDBC URL** — URL for JDBC. The default port is 1433. For details, see "URL String" in Table 1, "Microsoft SQL Server Driver for JDBC Details".
 - **JDBC Driver** — SQLServerDriver JDBC driver class name. For details, see "Driver Class" in Table 1, "Microsoft SQL Server Driver for JDBC Details".
 - **Database Username** — Valid user for the database in sysadmin fixed server role.
 - **Password for the Database User** — Corresponding password for the database user
 - **System Username** — Valid host user name. Required only for remote Agent monitoring. See "Configuring a Remote Connection" for details of the required configurations.
 - **System Password** — Password for the Username. Required only for remote Agent monitoring.
 - **Role** — (Optional)
3. Click Test Connection to make sure the parameters you entered are correct.
 4. Reenter the encrypted parameters from step 2 if the connection test was successful, then click **OK**.

Important: If you do not reenter the encrypted parameters before clicking **OK**, you might encounter an error suggesting that the login failed.

After you deploy and configure the plug-in to monitor one or more targets in the environment, you can customize the monitoring settings of the plug-in. This alters the collection intervals and threshold settings of the metrics to meet the particular needs of your environment. If you decide to disable one or more metric collections, this could impact the reports that the metric is a part of.

Verifying and Validating the Plug-in

After waiting a few minutes for the plug-in to start collecting data, use the following steps to verify and validate that Enterprise Manager is properly monitoring the plug-in target:

1. Click the SQL Server target link from the Agent home page Monitored Targets table. The Microsoft SQL Server home page appears.
2. Verify that no metric collection errors are reported in the Metrics table.
3. Ensure that reports can be seen and no errors are reported by clicking the **Reports** property page.
4. Ensure that configuration data can be seen by clicking the **View Configuration** link in the Configuration section. If configuration data does not immediately appear, click **Refresh** in the View Configuration page.

Upgrading the Plug-in

Follow these steps to upgrade the plug-in:

1. Download the SQL Server Plug-in archive to your desktop or computer on which the browser is launched. You can download the archive from the Oracle Technology Network (OTN).
2. Log into Enterprise Manager Grid Control as a Super Administrator.
3. Click the **Setup** link in the upper right corner of the Grid Control Home page, then click the **Management Plug-ins** link on the left side of the Setup page.
4. Click **Import**.
5. Click **Browse** and select the plug-in archive that you have downloaded for upgrading.
6. Click **List Archive**.
7. Select the plug-in and click **OK**.
8. Verify that preferred credentials are set on all Agents to which you want to deploy the plug-in.
9. Blackout the Microsoft SQL Server targets for agents to which you want to deploy higher version of the plug-in. Ensure that you select immediate blackout.
10. In the Management Plug-ins page, click the icon in the **Deploy** column for the SQL Server plug-in. The Deploy Management Plug-in wizard appears.
11. Click **Add Agents**, then select one or more Agents to which you want to deploy the plug-in. The wizard reappears and displays the Agent you selected.
12. Click **Next**, then click **Finish**.

If you see an error message stating that the preferred credential is not set up, go to the Preferences page and add the preferred credentials for the Agent target type.

13. Remove blackout for the targets (required only if Step 9 applies).

Undeploying the Plug-in

Follow these steps to undeploy the plug-in from an Agent:

1. Log in to Enterprise Manager Grid Control as a Super Administrator.
2. Select the **Targets** tab, then the **All Targets** subtab. The All Targets page appears.
3. Select the Microsoft SQL Server Plug-in target and click **Remove**. You must do this step for all targets of the plug-in.
4. Make sure that the preferred credentials are set on the Agents where the plug-in is deployed.
5. Click the **Setup** link in the upper right corner of the All Targets page, then click the Management Plug-ins link on the left side of the Setup page. The Management Plug-ins page appears.
6. Click the icon in the **Undeploy** column for the Microsoft SQL Server Plug-in. The Undeploy Management Plug-in page appears.

7. Check all the Agents that are currently deployed with the Microsoft SQL Server Plug-in and click **OK**.

You must undeploy the plug-in from every Agent in the system to completely remove it from the enterprise.

8. Select the Microsoft SQL Server Plug-in on the Management Plug-in page and click **Delete**.

Configuring a Remote Connection

In the case of remote Agent monitoring, Oracle recommends that you do the following security configurations on every system where SQL Server target resides.

- Set WMI namespace security
- Restrict access to the registry from a remote computer
- Set DCOM Security to allow user to access a computer remotely

For configuration details, refer the following:

- Microsoft Help and Support Web site.

To access the Web site, go to the following URL:

<http://support.microsoft.com>

- *Oracle Enterprise Manager Oracle Enterprise Manager System Monitoring Plug-in Troubleshooting Guide*
- Document 367797.1 on Oracle *Metalink* .

To locate document 367797.1:

1. Go to the following URL:

<http://metalink.oracle.com>

2. Click **Advanced** at the top of the Oracle *Metalink* page.
3. Enter 367797.1 in the **Document ID** field and click **Submit**.

Troubleshooting the Plug-In

To resolve various issues that you might encounter while using the plug-in, see the *Oracle Enterprise Manager Oracle Enterprise Manager System Monitoring Plug-in Troubleshooting Guide* available at the following URL:

<http://www.oracle.com/technology/documentation/oem.html>

Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible, with good usability, to the disabled community. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that

our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at <http://www.oracle.com/accessibility/>.

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

TTY Access to Oracle Support Services

Oracle provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, seven days a week. For TTY support, call 800.446.2398.

System Monitoring Plug-in Installation Guide for Microsoft SQL Server, Release 4 (3.0.2.1.0) and Release 3 (3.0.2.0.0)
B28049-05

Copyright © 2007 Oracle. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

