

```
<!ELEMENT POHdrDesc (  
  doc_type  
  , order_no  
  , order_type  
  , order_type_desc  
  , dept  
  , dept_name  
  , buyer  
  , buyer_name  
  , supplier  
  , promotion  
  , prom_desc  
  , qc_ind  
  , not_before_date  
  , not_after_date  
  , otb_eow_date  
  , earliest_ship_date  
  , latest_ship_date  
  , close_date  
  , terms  
  , terms_code  
  , freight_terms  
  , cust_order  
  , payment_method  
  , payment_method_desc  
  , backhaul_type  
  , backhaul_type_desc  
  , backhaul_allowance  
  , ship_method  
  , ship_method_desc  
  , purchase_type  
  , purchase_type_desc  
  , status  
  , ship_pay_method  
  , ship_pay_method_desc  
  , fob_trans_res  
  , fob_trans_res_code_desc  
  , fob_trans_res_desc  
  , fob_title_pass  
  , fob_title_pass_code_desc  
  , fob_title_pass_desc  
  , vendor_order_no  
  , exchange_rate  
  , factory  
  , factory_desc  
  , agent  
  , agent_desc  
  , discharge_port  
  , discharge_port_desc  
  , lading_port  
  , lading_port_desc  
  , bill_to_id  
  , freight_contract_no  
  , po_type  
  , po_type_desc  
  , pre_mark_ind
```

```
, currency_code
, contract_no
, pickup_loc
, pickup_no
, pickup_date
, app_datetime
, comment_desc
, POHdrLocDesc*
)>
```

```
<!ELEMENT POHdrLocDesc (
  location
, loc_type
)>
```

```
<!ENTITY % varchar2 "(#PCDATA)">
<!ENTITY % number "(#PCDATA)">
<!ELEMENT year %number;>
<!ELEMENT month %number;>
<!ELEMENT day %number;>
<!ELEMENT hour %number;>
<!ELEMENT minute %number;>
<!ELEMENT second %number;>
<!ENTITY % date "( year, month, day, ( hour, minute, second )? )">
```

```
<!ELEMENT doc_type %varchar2; >
<!ELEMENT order_no %number; >
<!ELEMENT order_type %varchar2; >
<!ELEMENT order_type_desc %varchar2; >
<!ELEMENT dept %number; >
<!ELEMENT dept_name %varchar2; >
<!ELEMENT buyer %number; >
<!ELEMENT buyer_name %varchar2; >
<!ELEMENT supplier %number; >
<!ELEMENT promotion %number; >
<!ELEMENT prom_desc %varchar2; >
<!ELEMENT qc_ind %varchar2; >
<!ELEMENT not_before_date %date; >
<!ELEMENT not_after_date %date; >
<!ELEMENT otb_eow_date %date; >
<!ELEMENT earliest_ship_date %date; >
<!ELEMENT latest_ship_date %date; >
<!ELEMENT close_date %date; >
<!ELEMENT terms %varchar2; >
<!ELEMENT terms_code %varchar2; >
<!ELEMENT freight_terms %varchar2; >
<!ELEMENT cust_order %varchar2; >
<!ELEMENT payment_method %varchar2; >
<!ELEMENT payment_method_desc %varchar2; >
<!ELEMENT backhaul_type %varchar2; >
<!ELEMENT backhaul_type_desc %varchar2; >
<!ELEMENT backhaul_allowance %number; >
<!ELEMENT ship_method %varchar2; >
<!ELEMENT ship_method_desc %varchar2; >
<!ELEMENT purchase_type %varchar2; >
```

POHdrDesc.dtd

```

<!ELEMENT purchase_type_desc %varchar2; >
<!ELEMENT status %varchar2; >
<!ELEMENT ship_pay_method %varchar2; >
<!ELEMENT ship_pay_method_desc %varchar2; >
<!ELEMENT fob_trans_res %varchar2; >
<!ELEMENT fob_trans_res_code_desc %varchar2; >
<!ELEMENT fob_trans_res_desc %varchar2; >
<!ELEMENT fob_title_pass %varchar2; >
<!ELEMENT fob_title_pass_code_desc %varchar2; >
<!ELEMENT fob_title_pass_desc %varchar2; >
<!ELEMENT vendor_order_no %varchar2; >
<!ELEMENT exchange_rate %number; >
<!ELEMENT factory %varchar2; >
<!ELEMENT factory_desc %varchar2; >
<!ELEMENT agent %varchar2; >
<!ELEMENT agent_desc %varchar2; >
<!ELEMENT discharge_port %varchar2; >
<!ELEMENT discharge_port_desc %varchar2; >
<!ELEMENT lading_port %varchar2; >
<!ELEMENT lading_port_desc %varchar2; >
<!ELEMENT bill_to_id %varchar2; >
<!ELEMENT freight_contract_no %varchar2; >
<!ELEMENT po_type %varchar2; >
<!ELEMENT po_type_desc %varchar2; >
<!ELEMENT pre_mark_ind %varchar2; >
<!ELEMENT currency_code %varchar2; >
<!ELEMENT contract_no %number; >
<!ELEMENT pickup_loc %varchar2; >
<!ELEMENT pickup_no %varchar2; >
<!ELEMENT pickup_date %date; >
<!ELEMENT app_datetime %date; >
<!ELEMENT comment_desc %varchar2; >

<!ELEMENT location %number; >
<!ELEMENT loc_type %varchar2; >

```