

Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RMS Allocation Header
Add or Modify

Mapping Participants	
Application	RMS
Type	AllocHdrDesc.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
alloc_no			ALLOC_HEADER	ALLOC_NO	NUMBER	10	Contains the number that uniquely identifies the allocation within the system.	PK	Yes
doc_type			Generated	DOC_TYPE	VARCHAR2	1	'A'llocation		
physical_wh			Generated	Physical_WH	NUMBER	10	Contains the number of the Physical warehouse location where the allocation will originate.		Yes
wh			ALLOC_HEADER	WH	NUMBER	10	Contains the number of the warehouse location where the allocation will originate.	FK1, AK1	Yes
item			ALLOC_HEADER	ITEM	VARCHAR2	25	Unique alphanumeric value that identifies the item.		Yes
pick_not_before_date			Generated	PICK_NOT_BEFORE_DATE	DATE		Date before which merchandise will not be distributed. Alloc_header release date (VDATE if NULL)		Yes
pick_not_after_date			Generated	PICK_NOT_AFTER_DATE	DATE		Date by which merchandise must be distributed. Pick-Not-Before-Date + (default period from CODES table where code_type = 'DATE'		Yes

Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RMS Allocation Header
Add or Modify

Mapping Participants	
Application	RMS
Type	AllocHdrDesc.dtd

[illegible]

Related Mapping (copy from related mapping)

RMS Allocation Header

Mapping Participants

Application	RMS
Type	AllocHdrDesc.dtd

[illegible]

