

Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RMS Item Supplier Add or Modify

Mapping Participants	
Application	RMS
Type	ItemSupDesc.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
item			ITEM_SUPPLIER	ITEM	VARCHAR2	25	Alphanumeric value that identifies the item	PK,FK	Yes
supplier			ITEM_SUPPLIER	SUPPLIER	NUMBER	10	This field contains the number of the supplier of the item.	PK,FK	Yes
primary_supp_ind			ITEM_SUPP_COUNT	PRIMARY_SUPP_IND	VARCHAR2	1	Primary Supplier Indicator		Yes
vpn			ITEM_SUPPLIER	VPN	VARCHAR2	30	This field contains the Vendor Product Number associated with this item.		No
supp_label			ITEM_SUPPLIER	SUPP_LABEL	VARCHAR2	15	This field contains the supplier label. This field may only have a value if the item is a style.		No
consignment_rate			ITEM_SUPPLIER	CONSIGNMENT_RATE	NUMBER	12,4	This field contains the consignment rate for this item for the supplier.		No

Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RMS Item Supplier Add or Modify

Mapping Participants	
Application	RMS
Type	ItemSupDesc.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
supp_diff_1			ITEM_SUPPLIER	SUPP_DIFF_1	VARCHAR2	80	This field contains the first supplier differentiator and/or description. This field may only contain a value for items with an item_parent.		No
supp_diff_2			ITEM_SUPPLIER	SUPP_DIFF_2	VARCHAR2	80	This field contains the second supplier differentiator and/or description. This field may only contain a value for items with an item_parent.		No
supp_diff_3			ITEM_SUPPLIER	SUPP_DIFF_3	VARCHAR2	80	This field contains the third supplier differentiator and/or description. This field may only contain a value for items with an item_parent.		No
supp_diff_4			ITEM_SUPPLIER	SUPP_DIFF_4	VARCHAR2	80	This field contains the fourth supplier differentiator and/or description. This field may only contain a value for items with an item_parent.		No

Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RMS Item Supplier Add or Modify

Mapping Participants	
Application	RMS
Type	ItemSupDesc.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
pallet_name			ITEM_SUPPLIER	PALLET_NAME	VARCHAR2	6	Code referencing the name used to refer to the pallet. Valid codes are defined in the PALN code type. Examples are flat, pallet.		Yes
case_name			ITEM_SUPPLIER	CASE_NAME	VARCHAR2	6	Code referencing the name used to refer to the case. Valid codes are defined in the CASN code type. Examples are pack, box, bag.		Yes
inner_name			ITEM_SUPPLIER	INNER_NAME	VARCHAR2	6	Code referencing the name used to refer to the inner. Valid codes are defined in the INRN code type. Examples are sub-case, sub-pack.		Yes

Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RMS Item Supplier Add or Modify

Mapping Participants	
Application	RMS
Type	ItemSupDesc.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
supp_discontinue_date			ITEM_SUPPLIER	SUPP_DISCONTINUE_DAT	DATE	7	Date which the supplier discontinues an item. The retailer should be aware that the supplier is able to reuse a UPC after 30 months and should work to ensure that no data exists in RMS for a UPC 30 months after it has been discontinued.		No
direct_ship_ind			ITEM_SUPPLIER	DIRECT_SHIP_IND	VARCHAR2	1	This field indicates that any item associated with this supplier is eligible for a direct ship from the supplier to the customer.		Yes