

Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RMS Transfer Detail
Delete

Mapping Participants	
Application	RMS
Type	TsfDtlRef.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
tsf_no			TSFHEAD	TSF_NO	NUMBER	10	Contains the number that uniquely identifies the transfer within the system.	PK, FK1	Yes
doc_type			Generate	DOC_TYPE	VARCHAR2	1	'T'ransfer		
item			TSFDETAIL	ITEM	VARCHAR2	25	Unique alphanumeric value that identifies the item.	FK2	Yes
physical_from_loc			Generate	PHYSICAL_FROM_LOC	NUMBER	10	This field contains the physical source location for the transfer.		Yes
from_loc			TSFHEAD	FROM_LOC	NUMBER	10	This field contains the source location for the transfer. If this location is a warehouse on tsfhead, then the physical warehouse should be sent in the message.		Yes
physical_to_loc			Generate	PHYSICAL_TO_LOC	NUMBER	10	This field contains the destination location for the transfer.		
to_loc			TSFHEAD	TO_LOC	NUMBER	10	This field contains the destination location for the transfer. If this location is a warehouse on tsfhead, then the physical warehouse should be sent in the message.		