

ATPDesc.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<!--Sample XML file generated by XML Spy v4.1 U (http://www.xmlspy.com)-->
<!DOCTYPE ATPDesc SYSTEM "http://www.retek.com/dtd/rib/ATPDesc.dtd">
<ATPDesc>
  <item>Text</item>
  <item_parent>Text</item_parent>
  <item_grandparent>Text</item_grandparent>
  <loc>Text</loc>
  <loc_type>Text</loc_type>
  <av_cost>Text</av_cost>
  <unit_cost>Text</unit_cost>
  <stock_on_hand>Text</stock_on_hand>
  <soh_update_datetime>
    <year>Text</year>
    <month>Text</month>
    <day>Text</day>
    <hour>Text</hour>
    <minute>Text</minute>
    <second>Text</second>
  </soh_update_datetime>
  <last_hist_export_date>
    <year>Text</year>
    <month>Text</month>
    <day>Text</day>
    <hour>Text</hour>
    <minute>Text</minute>
    <second>Text</second>
  </last_hist_export_date>
  <in_transit_qty>Text</in_transit_qty>
  <pack_comp_intran>Text</pack_comp_intran>
  <pack_comp_soh>Text</pack_comp_soh>
  <tsf_reserved_qty>Text</tsf_reserved_qty>
  <pack_comp_resv>Text</pack_comp_resv>
  <tsf_expected_qty>Text</tsf_expected_qty>
  <pack_comp_exp>Text</pack_comp_exp>
  <rtv_qty>Text</rtv_qty>
  <non_sellable_qty>Text</non_sellable_qty>
  <customer_resv>Text</customer_resv>
  <customer_backorder>Text</customer_backorder>
  <pack_comp_cust_resv>Text</pack_comp_cust_resv>
  <pack_comp_cust_back>Text</pack_comp_cust_back>
  <create_datetime>
    <year>Text</year>
    <month>Text</month>
    <day>Text</day>
    <hour>Text</hour>
    <minute>Text</minute>
    <second>Text</second>
  </create_datetime>
  <last_update_datetime>
    <year>Text</year>
    <month>Text</month>
    <day>Text</day>
    <hour>Text</hour>
    <minute>Text</minute>
```

ATPDesc.xml

```
<second>Text</second>
</last_update_datetime>
<last_update_id>Text</last_update_id>
</ATPDesc>
```