

# **Retek® Merchandising System™**

## **10.1.11 Spanish**

### **Release Notes**



---

**Corporate Headquarters:**

Retek Inc.  
Retek on the Mall  
950 Nicollet Mall  
Minneapolis, MN 55403  
USA  
888.61.RETEK (toll free US)  
Switchboard:  
+1 612 587 5000  
Fax:  
+1 612 587 5100

**European Headquarters:**

Retek  
110 Wigmore Street  
London  
W1U 3RW  
United Kingdom  
Switchboard:  
+44 (0)20 7563 4600  
Sales Enquiries:  
+44 (0)20 7563 46 46  
Fax:  
+44 (0)20 7563 46 10

The software described in this documentation is furnished under a license agreement, is the confidential information of Retek Inc., and may be used only in accordance with the terms of the agreement.

No part of this documentation may be reproduced or transmitted in any form or by any means without the express written permission of Retek Inc., Retek on the Mall, 950 Nicollet Mall, Minneapolis, MN 55403, and the copyright notice may not be removed without the consent of Retek Inc.

Information in this documentation is subject to change without notice.

Retek provides product documentation in a read-only-format to ensure content integrity. Retek Customer Support cannot support documentation that has been changed without Retek authorization.

The functionality described herein applies to this version, as reflected on the title page of this document, and to no other versions of software, including without limitation subsequent releases of the same software component. The functionality described herein will change from time to time with the release of new versions of software and Retek reserves the right to make such modifications at its absolute discretion.

Retek® Merchandising System™ is a trademark of Retek Inc. Retek and the Retek logo are registered trademarks of Retek Inc.

This unpublished work is protected by confidentiality agreement, and by trade secret, copyright, and other laws. In the event of publication, the following notice shall apply:

©2005 Retek Inc. All rights reserved.

All other product names mentioned are trademarks or registered trademarks of their respective owners and should be treated as such.

Printed in the United States of America.

## Customer Support

### Customer Support hours

Customer Support is available 7x24x365 via email, phone, and Web access.

Depending on the Support option chosen by a particular client (Standard, Plus, or Premium), the times that certain services are delivered may be restricted. Severity 1 (Critical) issues are addressed on a 7x24 basis and receive continuous attention until resolved, for all clients on active maintenance. Retek customers on active maintenance agreements may contact a global Customer Support representative in accordance with contract terms in one of the following ways.

Contact Method	Contact Information
----------------	---------------------

E-mail	support@retex.com
--------	-------------------

Internet (ROCS)	<a href="https://rocs.retek.com">rocs.retek.com</a> Retek's secure client Web site to update and view issues
-----------------	---

Phone	+1 612 587 5800
-------	-----------------

Toll free alternatives are also available in various regions of the world:

Australia	+1 800 555 923 (AU-Telstra) or +1 800 000 562 (AU-Optus)
France	0800 90 91 66
Hong Kong	800 96 4262
Korea	00 308 13 1342
United Kingdom	0800 917 2863
United States	+1 800 61 RETEK or 800 617 3835

Mail	Retek Customer Support Retek on the Mall 950 Nicollet Mall Minneapolis, MN 55403
------	---

### When contacting Customer Support, please provide:

- Product version and program/module name.
- Functional and technical description of the problem (include business impact).
- Detailed step-by-step instructions to recreate.
- Exact error message received.
- Screen shots of each step you take.

## Overview

Please review the enclosed defect documents promptly to establish the impact on your business operations. Retek Customer Support investigates submitted issues with the assumption that all release patches have been applied. While it is ultimately at the retailer's discretion as to when to apply patches, delays or lags in their application can complicate the support process. To assist in the patch review, Retek Customer Support provides a system-level assessment by assigning a Priority. In addition, a cross-reference spreadsheet is provided to assist with this research (see 'Defect documentation' below).

As listed below, this patch contains general product fixes, Spanish version-specific defect fixes, Spanish translation terminology corrections, and some functional enhancements. See the 'Defect documentation' and 'Spanish release-specific defect documentation' sections of this document for more details.

## NLS\_LANG PARAMETER

In order to properly compile RMS 10.1.11 Spanish, the NLS\_LANG environment parameter must be set in UNIX. This parameter must be set throughout the entire installation process. To set this parameter, type the following at a UNIX command prompt:

```
export NLS_LANG=SPANISH_SPAIN.UTF8
```

## Defect documentation

A defect fix is a modification to the base Retek code (for example, a bug fix, performance enhancement, or functional enhancement). Each defect fix included in this patch has a corresponding defect document titled <defect#> <module>.doc (for example, "123456 nxprcno.doc"). Defect documents should be fully reviewed before this patch is implemented.

To assist you with the patch application process, there is also a defect module cross-reference spreadsheet (RMS 10.1.11 MODULE XREF.xls) that lists and allows sorting by Defect, Program Name, Revision #, Functional Area, Priority, and Defect Description. The spreadsheet includes a full list of all the previous patch defect modules. In addition, tabs show defects related to the current patch, and current defects are categorized by module types.

This release includes both a Spanish and English base release version of the XREF document.

## Summary of selected noteworthy defects

- Defect 376869  
RECLSDLY runs slowly while reclassifying the pack items.
- Defect 378041  
The system takes a considerable amount of time (performance) while applying on-line deals to orders.
- Defect 377434  
This is an enhancement to the transfer functionality. New items can now be added to transfers of type 'EG' after they have been set to 'C'losed status.
- Defect 377471  
When an allocation is manually closed online, the stock-on-hand values are not handled ideally for items that were shipped but not received. The inventory is placed back at the shipping location. This enhancement allows the system to handle those quantities differently.
- Defect 393235  
Retek Advanced Inventory Planning (AIP) 11.3 includes the addition of an online Order Maintenance dialog in which users can modify purchase orders that have already been sent from AIP to RMS. Retailers not using Retek AIP need not take any action.

Purchase order delivery dates, locations and order quantities may be changed. To prevent these modifications from creating discrepancies between AIP and RMS, two new RMS extracts are needed. The first contains the numbers of AIP-generated purchase orders and transfers that have been closed in RMS since the last extract. This extract serves two purposes: it prevents users from modifying closed purchase orders in the AIP Online Order Maintenance dialog, and it instructs AIP Online as to when purchase orders and transfers can be purged from the system. The second extract contains received quantity snapshots for AIP-generated purchase orders and transfers. This information prevents users in the AIP Online Order Maintenance dialog from decrementing the order quantity below what has already been received. These extracts should be run on a nightly basis.

## Spanish release-specific defect documentation

Language-specific defects to this version of RMS are listed in the defect module cross-reference spreadsheet (RMS 10.1.11 Spanish MODULE XREF.xls). Defect documents for each defect and module affected are also included. See the defect documents for details.

## Summary of the Spanish release-specific defects

Defect 393440

To conform with Retek coding standards, tsf.fmb must be modified to subclass date-related objects from the fm\_date toolset.