

Retek[®] Predictive Application Server[™]

11.0.3.1

Installation Overview



The software described in this documentation is furnished under a license agreement, is the confidential information of Retek Inc., and may be used only in accordance with the terms of the agreement.

No part of this documentation may be reproduced or transmitted in any form or by any means without the express written permission of Retek Inc., Retek on the Mall, 950 Nicollet Mall, Minneapolis, MN 55403, and the copyright notice may not be removed without the consent of Retek Inc.

Information in this documentation is subject to change without notice.

Retek provides product documentation in a read-only-format to ensure content integrity. Retek Customer Support cannot support documentation that has been changed without Retek authorization.

Corporate Headquarters:

Retek Inc.
Retek on the Mall
950 Nicollet Mall
Minneapolis, MN 55403
888.61.RETEK (toll free US)
+1 612 587 5000

Retek® Predictive Application Server™ is a trademark of Retek Inc.

Retek and the Retek logo are registered trademarks of Retek Inc.

This unpublished work is protected by confidentiality agreement, and by trade secret, copyright, and other laws. In the event of publication, the following notice shall apply:

©2003 Retek Inc. All rights reserved.

All other product names mentioned are trademarks or registered trademarks of their respective owners and should be treated as such.

Printed in the United States of America.

European Headquarters:

Retek
110 Wigmore Street
London
W1U 3RW
United Kingdom

Switchboard:
+44 (0)20 7563 4600

Sales Enquiries:
+44 (0)20 7563 46 46
Fax: +44 (0)20 7563 46 10



Customer Support

Customer Support hours:

Customer Support is available 7x24x365 via e-mail, phone, and Web access.

Depending on the Support option chosen by a particular client (Standard, Plus, or Premium), the times that certain services are delivered may be restricted. Severity 1 (Critical) issues are addressed on a 7x24 basis and receive continuous attention until resolved, for all clients on active maintenance.

Contact Method Contact Information

Internet (ROCS) www.retek.com/support
Retek's secure client Web site to update and view issues

E-mail support@retек.com

Phone US & Canada: 1-800-61-RETEK (1-800-617-3835)
World: +1 612-587-5800
EMEA: 011 44 1223 703 444
Asia Pacific: 61 425 792 927

Mail Retek Customer Support
Retek on the Mall
950 Nicollet Mall
Minneapolis, MN 55403

When contacting Customer Support, please provide:

- Product version and program/module name.
- Functional and technical description of the problem (include business impact).
- Detailed step by step instructions to recreate.
- Exact error message received.
- Screen shots of each step you take.

Contents

Chapter 1 – Introduction.....	1
About RPAS 11.0.3 Installation Overview	1
Intended Audience.....	1
About this Document	1
Chapter 2 – Introduction to the RPAS Platform	3

Chapter 1 – Introduction

About RPAS 11.0.3 Installation Overview

This document provides an overview of the installation components and process for RPAS and the Configuration Tools

Intended Audience

This document is intended for use by a system administrator or a person that is responsible for installing any of the RPAS-based Retek solutions.

About this Document

This document is a guide to be used to assist a system administrator in determining what software components they will need to install by presenting various “typical” scenarios.


Chapter 2 – Introduction to the RPAS Platform

RPAS 11.0.3 is supported on many different platforms (NT, HP/UX, AIX, and SUN). The RPAS platform is comprised of various components. In addition, there are GA solutions that have been developed on this platform. Examples of GA solutions currently include Retek TopPlan™ and Retek KeyPlan™.

The components of a complete RPAS-based solution include the following:

- Acumate v2.5
- RPAS Server
- RPAS Client
- RPAS Configuration Tools
- Solution Configuration Files

A typical installation (using a UNIX Server) is illustrated below:



The following table indicates which software components are needed for each installation scenario.

Scenario	Typical user	Platforms	Acumate v 2.5	RPAS Server	RPAS Client	Configuration Tools	Java v1.4 or higher	Environment Variables to be set
Build an RPAS domain	System Administrator	NT, SUN, AIX HP	Yes	Yes	No	Yes (only Installer portion is used)	Yes	RPAS_HOME RIDE_HOME JAVA_HOME PATH
Login to an existing (built) RPAS Domain for the primary purpose of building workbooks	End-User (Planning User)	Win 98 Win NT 3.51 Win 2000 Win XP	No	No	Yes	No	No	None
Use the Configuration Tool to modify or build configured solutions	Solution/Product Administrator	Win NT Win 2000 Win XP	No	No	No	Yes	Yes	PATH

For instructions on building a domain using an existing GA configuration, refer to the Installation Guide for that configured solution.

- TopPlan 10.5 v2 GA Installation Instructions.pdf
- KeyPlan 10.5 v2 GA Installation Instructions.pdf

For instructions on installing the RPAS Client refer to the RPAS 11.0.3 Installation Guide Chapter 5. You will need to obtain the location of the setup file from the system administrator prior to installing the Client. Once the client is installed, it will need to be configured to access the domain on the server. For instructions on configuring the RPAS Client for use with a domain refer to the RPAS11.0.3 Configuration Guide Chapter 11.

For instructions on modifying or building configured solutions refer to the RPAS 11.0.3 Configuration Guide after the installation process.