

# Mapping and Simple Transformation Document

Related Mapping (copy from related mapping)

Mapping Name
RDM Inventory Adjustment
Create

Mapping Participants	
Application	RDM
Type	InvAdjustDesc.dtd

XML Tag Name	Included Mapping	Cardinality of included mapping	Table Name	Column Name	Data Type	Length	Permissible values and descriptions	Keys (pk)	Required? (yes/no)
dc_dest_id			TRANSSHIPMENT_SETUP	DC_DEST_ID	VARCHAR2	10			YES
item_id			PICK_FROM_LOC/ CONTAINER_ITEM	ITEM_ID	VARCHAR2	25	Uniquely identifies the item. May consist of some combination of SKU, style, color, size, etc.		YES
adjustment_reason_code			REASON_CODE	ADJUSTMENT_REASON_CODE	VARCHAR2	4	Identifies the type of inventory adjustments that was performed (All codes except for 90.) Codes and their descriptions listed below for readability. 2: (+/-) due to outbound audit - 10: (+) due to inventory conversion 20: (+/-) due to item transfer 30: (+/-) due to UPS 31: PTS Concealed 42: (+/-) due to cycle count 48: (+/-) due to pack wave split 49: (+/-) due to order consolidation 50: (+/-) due to Mult-SKU put 55: (+/-) due to paper unit picking 60: + Customer Return 70: + kitting disassemble 99: (+/-) due to general adjustment		
unit_qty			CONTAINER_ITEM / UNIT_PICK_LOC	UNIT_QTY	NUMBER	12,4	The net adjustment of an item		
transshipment_nbr			INV_ADJUSTMENT_TO_UPLOAD	TRANSSHIPMENT_NBR	VARCHAR2	30	Transshipment number on the inventory		
from_disposition			INV_ADJUSTMENT_TO_UPLOAD	FROM_DISPOSITION	VARCHAR2	4	Possible Code Values are:ATS, UTS, TRBL, WIP or DIST		
to_disposition			INV_ADJUSTMENT_TO_UPLOAD	TO_DISPOSITION	VARCHAR2	4	Possible Code Values are:ATS, UTS, TRBL, WIP or DIST		
from_trouble_code			INV_ADJUSTMENT_TO_UPLOAD	FROM_TROUBLE_CODE	VARCHAR2	2			
to_trouble_code			INV_ADJUSTMENT_TO_UPLOAD	TO_TROUBLE_CODE	VARCHAR2	2			
from_wip_code			INV_ADJUSTMENT_TO_UPLOAD	FROM_WIP_CODE	VARCHAR2	6			
to_wip_code			INV_ADJUSTMENT_TO_UPLOAD	TO_WIP_CODE	VARCHAR2	6			
transaction_code			INV_ADJUSTMENT_TO_UPLOAD	TRANSACTION_CODE	NUMBER	4			
user_id			INV_ADJUSTMENT_TO_UPLOAD	USER_ID	VARCHAR2	10			
create_date			INV_ADJUSTMENT_TO_UPLOAD	CREATE_DATE	DATE				
po_nbr			INV_ADJUSTMENT_TO_UPLOAD	PO_NBR	VARCHAR2	10			
doc_type			PO	DOC_TYPE	VARCHAR2	1	Will either be a 'P' or a 'T'		
aux_reason_code			INV_ADJUSTMENT_TO_UPLOAD	AUX_REASON_CODE	VARCHAR2	4			