

```
<!ELEMENT COHdrDesc (  
  ship_request_id  
  , document_type  
  , physical_warehouse_id  
  , creation_date  
  , order_number  
  , base_code  
  , carrier_code  
  , carrier_service_type_code  
  , route  
  , ship_to_full_name  
  , ship_to_street_address  
  , ship_to_address_line_2  
  , ship_to_address_line_3  
  , ship_to_city  
  , ship_to_state_province  
  , ship_to_postal_code  
  , ship_to_country_code  
  , bill_to_full_name  
  , bill_to_street_address  
  , bill_to_address_line_2  
  , bill_to_address_line_3  
  , bill_to_city  
  , bill_to_state_province  
  , bill_to_postal_code  
  , bill_to_country_code  
  , order_total  
  , taxable_total  
  , pick_not_before_date  
  , pick_not_after_date  
  , calculated_shipping_amount  
  , order_type  
  , pick_complete  
  , consumer_direct_flag  
  , rollback_allocation  
  , cartonization_flag  
  , order_line_cost  
  , break_by_distro  
  , message?  
  , chute_type?  
  , bill_address4?  
  , bill_address5?  
  , ship_address4?  
  , ship_address5?  
  , amount1?  
  , amount2?  
  , amount3?  
  , amount4?  
  , amount5?  
  , amount6?  
  , po_nbr?  
  , event_code?
```

```
, event_description?
, gift_certificate_flag?
, ship_to_day_phone?
, ship_to_evening_phone?
, shipping_instructions?
, picking_instructions?
)>
```

```
<!ENTITY % varchar2 "(#PCDATA)">
<!ENTITY % number "(#PCDATA)">
<!ELEMENT year %number;>
<!ELEMENT month %number;>
<!ELEMENT day %number;>
<!ELEMENT hour %number;>
<!ELEMENT minute %number;>
<!ELEMENT second %number;>
<!ENTITY % date "( year, month, day, ( hour, minute, second )? )">
```

```
<!ELEMENT ship_request_id %number; >
<!ELEMENT document_type %varchar2; >
<!ELEMENT physical_warehouse_id %number; >
<!ELEMENT creation_date %date; >
<!ELEMENT order_number %varchar2; >
<!ELEMENT base_code %varchar2; >
<!ELEMENT carrier_code %varchar2; >
<!ELEMENT carrier_service_type_code %varchar2; >
<!ELEMENT route %number; >
<!ELEMENT ship_to_full_name %varchar2; >
<!ELEMENT ship_to_street_address %varchar2; >
<!ELEMENT ship_to_address_line_2 %varchar2; >
<!ELEMENT ship_to_address_line_3 %varchar2; >
<!ELEMENT ship_to_city %varchar2; >
<!ELEMENT ship_to_state_province %varchar2; >
<!ELEMENT ship_to_postal_code %varchar2; >
<!ELEMENT ship_to_country_code %varchar2; >
<!ELEMENT bill_to_full_name %varchar2; >
<!ELEMENT bill_to_street_address %varchar2; >
<!ELEMENT bill_to_address_line_2 %varchar2; >
<!ELEMENT bill_to_address_line_3 %varchar2; >
<!ELEMENT bill_to_city %varchar2; >
<!ELEMENT bill_to_state_province %varchar2; >
<!ELEMENT bill_to_postal_code %varchar2; >
<!ELEMENT bill_to_country_code %varchar2; >
<!ELEMENT order_total %number; >
<!ELEMENT taxable_total %number; >
<!ELEMENT pick_not_before_date %date; >
<!ELEMENT pick_not_after_date %date; >
<!ELEMENT calculated_shipping_amount %number; >
<!ELEMENT order_type %varchar2; >
<!ELEMENT pick_complete %varchar2; >
<!ELEMENT consumer_direct_flag %varchar2; >
```

```
<!ELEMENT rollback_allocation %varchar2; >
<!ELEMENT cartonization_flag %varchar2; >
<!ELEMENT order_line_cost %varchar2; >
<!ELEMENT break_by_distro %varchar2; >

<!ELEMENT message %varchar2; >
<!ELEMENT chute_type %varchar2; >
<!ELEMENT bill_address4 %varchar2; >
<!ELEMENT bill_address5 %varchar2; >
<!ELEMENT ship_address4 %varchar2; >
<!ELEMENT ship_address5 %varchar2; >
<!ELEMENT amount1 %number; >
<!ELEMENT amount2 %number; >
<!ELEMENT amount3 %number; >
<!ELEMENT amount4 %number; >
<!ELEMENT amount5 %number; >
<!ELEMENT amount6 %number; >
<!ELEMENT po_nbr %varchar2; >
<!ELEMENT event_code %varchar2; >
<!ELEMENT event_description %varchar2; >
<!ELEMENT gift_certificate_flag %varchar2; >
<!ELEMENT ship_to_day_phone %varchar2; >
<!ELEMENT ship_to_evening_phone %varchar2; >
<!ELEMENT shipping_instructions %varchar2; >
<!ELEMENT picking_instructions %varchar2; >
```