

```
<!ELEMENT ItemMstrWHDesc (  
  facilityid  
  , itemid  
  , description  
  , vendornbr  
  , locationid  
  , vendorstyle  
  , itemlength  
  , itemwidth  
  , itemheight  
  , itemcube  
  , itemweight  
  , containertype  
  , conveyableflag  
  , stdunitqty  
  , hazardmatlcode  
  , velocity  
  , unitticketqty  
  , highvalueind  
  , itemupc  
  , department  
  , class  
  , kittingwipcode  
  , tickettype  
  , retailprice  
  , color  
  , sizes  
  , fit  
  , shade  
  , singlecontainerbulk  
  , unitpickssystemcode  
  , roundableflag  
  , subclass  
  , expirationdays  
  , perishableind  
  , catchweight  
  , stdunitweight  
  , division  
  , putawaybyvolume  
  , stdunitfactor  
  , innerpackqty  
  , stdcasepack  
  , singlepriceflag  
  , preticketflag  
  , plannedresidual  
  , putawayplan  
  , autopackable  
  , sortable  
  , sortergroup  
  , itemtype  
  , itemmasteruda1  
  , itemmasteruda2
```

ItemMstrWHDesc.dtd

```
, itemmasteruda3
, itemmasteruda4
, itemmasteruda5
, itemmasteruda6
, itemmasteruda7
, itemmasteruda8
, itemmasteruda9
, itemmasteruda10
, itemmasteruda11
, itemmasteruda12
, itemmasteruda13
, itemmasteruda14
, itemmasteruda15
, shipalone
, nonsaleable
, slottable
, freightclass
, newitem
, brand
, breakcaseups
, ccplan
, cyclecountstatus
, fragile
, rigid
, ccdate
, standarduom
, uomconvfactor
, dcti
, dchi
, pickmethod
, unitpickmethod
, casepickmethod
```

)>

```
<!ENTITY % varchar2 "(#PCDATA)">
<!ENTITY % number "(#PCDATA)">
<!ELEMENT year %number;>
<!ELEMENT month %number;>
<!ELEMENT day %number;>
<!ELEMENT hour %number;>
<!ELEMENT minute %number;>
<!ELEMENT second %number;>
<!ENTITY % date "( year, month, day, ( hour, minute, second )? )">
```

```
<!ELEMENT facilityid %varchar2; >
<!ELEMENT itemid %varchar2; >
<!ELEMENT description %varchar2; >
<!ELEMENT vendornbr %varchar2; >
<!ELEMENT locationid %varchar2; >
<!ELEMENT vendorstyle %varchar2; >
<!ELEMENT itemlength %number; >
```

```

<!ELEMENT itemwidth           %number; >
<!ELEMENT itemheight          %number; >
<!ELEMENT itemcube            %number; >
<!ELEMENT itemweight          %number; >
<!ELEMENT containertype       %varchar2; >
<!ELEMENT conveyableflag      %varchar2; >
<!ELEMENT stdunitqty          %number; >
<!ELEMENT hazardmatlcode      %varchar2; >
<!ELEMENT velocity            %number; >
<!ELEMENT unitticketqty       %number; >
<!ELEMENT highvalueind        %varchar2; >
<!ELEMENT itemupc             %varchar2; >
<!ELEMENT department          %number; >
<!ELEMENT class               %varchar2; >
<!ELEMENT kittingwipcode      %varchar2; >
<!ELEMENT tickettype          %varchar2; >
<!ELEMENT retailprice         %number; >
<!ELEMENT color               %varchar2; >
<!ELEMENT sizes               %varchar2; >
<!ELEMENT fit                 %varchar2; >
<!ELEMENT shade               %varchar2; >
<!ELEMENT singlecontainerbulk %varchar2; >
<!ELEMENT unitpickssystemcode %varchar2; >
<!ELEMENT roundableflag      %varchar2; >
<!ELEMENT subclass           %varchar2; >
<!ELEMENT expirationdays     %number; >
<!ELEMENT perishableind      %varchar2; >
<!ELEMENT catchweight         %varchar2; >
<!ELEMENT stdunitweight      %number; >
<!ELEMENT division           %number; >
<!ELEMENT putawaybyvolume     %varchar2; >
<!ELEMENT stdunitfactor       %number; >
<!ELEMENT innerpackqty        %number; >
<!ELEMENT stdcasepack         %number; >
<!ELEMENT singlepriceflag     %varchar2; >
<!ELEMENT preticketflag      %varchar2; >
<!ELEMENT plannedresidual     %varchar2; >
<!ELEMENT putawayplan         %varchar2; >
<!ELEMENT autopackable        %number; >
<!ELEMENT sortable           %varchar2; >
<!ELEMENT sortergroup         %varchar2; >
<!ELEMENT itemtype            %varchar2; >
<!ELEMENT itemmasteruda1      %varchar2; >
<!ELEMENT itemmasteruda2      %varchar2; >
<!ELEMENT itemmasteruda3      %varchar2; >
<!ELEMENT itemmasteruda4      %varchar2; >
<!ELEMENT itemmasteruda5      %varchar2; >
<!ELEMENT itemmasteruda6      %varchar2; >
<!ELEMENT itemmasteruda7      %varchar2; >
<!ELEMENT itemmasteruda8      %varchar2; >
<!ELEMENT itemmasteruda9      %varchar2; >
<!ELEMENT itemmasteruda10     %varchar2; >

```

ItemMstrWHDesc.dtd

```

<!ELEMENT itemmasteruda11      %varchar2; >
<!ELEMENT itemmasteruda12      %varchar2; >
<!ELEMENT itemmasteruda13      %varchar2; >
<!ELEMENT itemmasteruda14      %varchar2; >
<!ELEMENT itemmasteruda15      %varchar2; >
<!ELEMENT shipalone            %varchar2; >
<!ELEMENT nonsaleable          %varchar2; >
<!ELEMENT slottable            %varchar2; >
<!ELEMENT freightclass         %varchar2; >
<!ELEMENT newitem              %varchar2; >
<!ELEMENT brand                %varchar2; >
<!ELEMENT breakcaseups         %varchar2; >
<!ELEMENT ccplan               %varchar2; >
<!ELEMENT cyclecountstatus     %varchar2; >
<!ELEMENT fragile              %varchar2; >
<!ELEMENT rigid                %varchar2; >
<!ELEMENT ccdate               %date; >
<!ELEMENT standarduom          %varchar2; >
<!ELEMENT uomconvfactor        %number; >
<!ELEMENT dcti                 %number; >
<!ELEMENT dchi                 %number; >
<!ELEMENT pickmethod           %varchar2; >
<!ELEMENT unitpickmethod       %varchar2; >
<!ELEMENT casepickmethod       %varchar2; >

```