

# POHdrDesc.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<!--Sample XML file generated by XML Spy v4.1 U (http://www.xmlspy.com)-->
<!DOCTYPE POHdrDesc SYSTEM "http://www.retek.com/dtd/rib/POHdrDesc.dtd">
<POHdrDesc>
  <doc_type>Text</doc_type>
  <order_no>Text</order_no>
  <order_type>Text</order_type>
  <order_type_desc>Text</order_type_desc>
  <dept>Text</dept>
  <dept_name>Text</dept_name>
  <buyer>Text</buyer>
  <buyer_name>Text</buyer_name>
  <supplier>Text</supplier>
  <promotion>Text</promotion>
  <prom_desc>Text</prom_desc>
  <qc_ind>Text</qc_ind>
  <not_before_date>
    <year>Text</year>
    <month>Text</month>
    <day>Text</day>
    <hour>Text</hour>
    <minute>Text</minute>
    <second>Text</second>
  </not_before_date>
  <not_after_date>
    <year>Text</year>
    <month>Text</month>
    <day>Text</day>
    <hour>Text</hour>
    <minute>Text</minute>
    <second>Text</second>
  </not_after_date>
  <otb_eow_date>
    <year>Text</year>
    <month>Text</month>
    <day>Text</day>
    <hour>Text</hour>
    <minute>Text</minute>
    <second>Text</second>
  </otb_eow_date>
  <earliest_ship_date>
    <year>Text</year>
    <month>Text</month>
    <day>Text</day>
    <hour>Text</hour>
    <minute>Text</minute>
    <second>Text</second>
  </earliest_ship_date>
  <latest_ship_date>
    <year>Text</year>
    <month>Text</month>
    <day>Text</day>
```

```

    <hour>Text</hour>
    <minute>Text</minute>
    <second>Text</second>
</latest_ship_date>
<close_date>
    <year>Text</year>
    <month>Text</month>
    <day>Text</day>
    <hour>Text</hour>
    <minute>Text</minute>
    <second>Text</second>
</close_date>
<terms>Text</terms>
<terms_code>Text</terms_code>
<freight_terms>Text</freight_terms>
<cust_order>Text</cust_order>
<payment_method>Text</payment_method>
<payment_method_desc>Text</payment_method_desc>
<backhaul_type>Text</backhaul_type>
<backhaul_type_desc>Text</backhaul_type_desc>
<backhaul_allowance>Text</backhaul_allowance>
<ship_method>Text</ship_method>
<ship_method_desc>Text</ship_method_desc>
<purchase_type>Text</purchase_type>
<purchase_type_desc>Text</purchase_type_desc>
<status>Text</status>
<ship_pay_method>Text</ship_pay_method>
<ship_pay_method_desc>Text</ship_pay_method_desc>
<fob_trans_res>Text</fob_trans_res>
<fob_trans_res_code_desc>Text</fob_trans_res_code_desc>
<fob_trans_res_desc>Text</fob_trans_res_desc>
<fob_title_pass>Text</fob_title_pass>
<fob_title_pass_code_desc>Text</fob_title_pass_code_desc>
<fob_title_pass_desc>Text</fob_title_pass_desc>
<vendor_order_no>Text</vendor_order_no>
<exchange_rate>Text</exchange_rate>
<factory>Text</factory>
<factory_desc>Text</factory_desc>
<agent>Text</agent>
<agent_desc>Text</agent_desc>
<discharge_port>Text</discharge_port>
<discharge_port_desc>Text</discharge_port_desc>
<lading_port>Text</lading_port>
<lading_port_desc>Text</lading_port_desc>
<bill_to_id>Text</bill_to_id>
<freight_contract_no>Text</freight_contract_no>
<po_type>Text</po_type>
<po_type_desc>Text</po_type_desc>
<pre_mark_ind>Text</pre_mark_ind>
<currency_code>Text</currency_code>
<contract_no>Text</contract_no>
<pickup_loc>Text</pickup_loc>

```

```
<pickup_no>Text</pickup_no>
<pickup_date>
  <year>Text</year>
  <month>Text</month>
  <day>Text</day>
  <hour>Text</hour>
  <minute>Text</minute>
  <second>Text</second>
</pickup_date>
<app_datetime>
  <year>Text</year>
  <month>Text</month>
  <day>Text</day>
  <hour>Text</hour>
  <minute>Text</minute>
  <second>Text</second>
</app_datetime>
<comment_desc>Text</comment_desc>
<POHdrLocDesc>
  <location>Text</location>
  <loc_type>Text</loc_type>
</POHdrLocDesc>
<POHdrLocDesc>
  <location>Text</location>
  <loc_type>Text</loc_type>
</POHdrLocDesc>
</POHdrDesc>
```