

Oracle® Real Application Clusters

Installation Guide

11g Release 1 (11.1) for Microsoft Windows

B28251-06

July 2010

Oracle Real Application Clusters Installation Guide, 11g Release 1 (11.1) for Microsoft Windows

B28251-06

Copyright © 2007, 2010, Oracle and/or its affiliates. All rights reserved.

Primary Authors: Mark Bauer, Douglas Williams, Sanjay Sharma, Janet Stern

Contributing Authors: Jonathan Creighton, Pat Huey, Raj Kumar, Lyju Vadassery

Contributors: Chris Allison, Karin Brandauer, Robert Chang, Sudip Datta, Luann Ho, Rajiv Jayaraman, Roland Knapp, Diana Lorentz, Barb Lundhild, Vijay Lunawat, John Patrick McHugh, Anil Nair, Randy Neville, Philip Newlan, Michael Polaski, Dipak Saggi, Sudheendra Sampath, Janelle Simmons, Clive Simpkins, Khethavath P. Singh, Nitin Vengurlekar, Gary Young

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Preface	ix
Intended Audience.....	ix
Documentation Accessibility	ix
Related Documents	x
Conventions	xi
 What's New in Oracle Real Application Clusters Installation?	 xiii
Changes in Installation Documentation.....	xiii
Changes in the Install Options	xiv
New Components Available for Installation.....	xiv
Enhancements and New Features for Installation.....	xv
Deprecated Components in Oracle Database 11g Release 1 (11.1).....	xx
 1 Preinstallation Checklist	
Before You Start: Planning your Installation	1-1
Check My Oracle Support.....	1-1
Check Oracle Technical Network	1-2
Review How to Use Cluster Verification Utility	1-2
Review and Back Up Existing Oracle Installations	1-2
Review Globalization Requirements.....	1-3
Review Documentation	1-3
Server Hardware, Network and Operating System Overview	1-4
Review Server Hardware and Software Requirements.....	1-4
Network Connections Overview	1-5
Platform-Specific Server Configuration Overview	1-7
Shared Storage Overview	1-7
Additional Information to Prepare for Installation.....	1-7
Oracle Clusterware and Vendor Clusterware	1-8
Shared Components of Oracle Real Application Clusters Installations	1-8
Oracle RAC 11g Release Compatibility.....	1-8
Preinstallation Requirements for Oracle Configuration Manager.....	1-9
 2 Installing Oracle Database with Oracle Real Application Clusters	
Verifying System Readiness for Installing the Oracle Database with CVU	2-1
Troubleshooting Installation Setup for Windows	2-2

Oracle Database Configuration Type Descriptions.....	2-3
General Purpose, Transaction Processing, and Data Warehouse Configuration Types	2-3
Using the Advanced Configuration Type	2-3
Oracle Configuration Manager Option.....	2-3
Actions of OUI, DBCA, and Other Assistants During Installation	2-4
Database Security Options	2-5
Installation of Oracle RAC Using Oracle Universal Installer	2-5
Installation on Windows-Based Systems with the Minimum Memory Requirements	2-6
Deinstalling Oracle Real Application Clusters Software	2-7
Deinstalling Oracle Database with Oracle RAC Software	2-8
Deinstalling Automatic Storage Management.....	2-10
3 Creating Oracle RAC Databases with the Database Configuration Assistant	
Using Database Configuration Assistant with Oracle RAC.....	3-1
Benefits of Using Database Configuration Assistant	3-2
Verifying DBCA Requirements.....	3-2
Creating an Oracle RAC Database with DBCA	3-3
Automatic Listener Migration from Earlier Releases.....	3-6
Deleting an Oracle Real Application Clusters Database with DBCA	3-6
4 Oracle Real Application Clusters Post-Installation Procedures	
Required Post-Installation Tasks	4-1
Back Up the Voting Disk after Installation.....	4-1
Download and Install Patches.....	4-1
Configure Oracle Products	4-2
Configure Storage for External Tables, Shared Files, or Directory Objects	4-2
Recommended Post-Installation Tasks	4-3
Verifying Enterprise Manager Operations	4-3
Logging in to Oracle Enterprise Manager Database Control	4-3
Postinstallation Database Configuration for Oracle Configuration Manager	4-4
Additional Step for E-Business Suites.....	4-5
Additional Step for Oracle Enterprise Manager Grid Control.....	4-5
5 Parameter Management for Oracle Real Application Clusters Databases	
Parameter Files and Oracle Real Application Clusters.....	5-1
Using Server Parameter Files in Oracle Real Application Clusters	5-1
Location of the Server Parameter File	5-2
Parameter File Search Order in Oracle Real Application Clusters.....	5-3
Server Parameter File Errors in Oracle Real Application Clusters.....	5-3
6 Understanding the Oracle Real Application Clusters Installed Configuration	
Understanding the Configured Environment in Oracle Real Application Clusters.....	6-1
The Oracle Cluster Registry in Oracle Real Application Clusters	6-1
Database Components Created Using Database Configuration Assistant.....	6-2
Tablespaces and Data Files	6-2
Control Files.....	6-3

Redo Log Files	6-3
Managing Undo Tablespaces in Oracle Real Application Clusters	6-3
Initialization Parameter Files	6-4
Configuring Service Registration-Related Parameters in Oracle Real Application Clusters ...	6-4
Configuring the Listener File (listener.ora)	6-5
Local Listeners	6-5
Multiple Listeners	6-5
How Oracle Uses the Listener (listener.ora File)	6-5
Listener Registration and PMON Discovery	6-6
Net Service Names (tnsnames.ora File)	6-6
Net Services Profile (sqlnet.ora File)	6-11
 7 Removing Oracle Database Software	
Removing Oracle Configuration Manager	7-1
Removing Oracle Cluster Synchronization Services	7-2
Deleting DB Control Configuration Files Using EMCA Scripts	7-2
Removing All Oracle Database Components	7-3
Stopping Oracle Services	7-3
Removing Components with Oracle Universal Installer	7-3
Manually Removing the Remaining Oracle Database Components	7-4
Removing an Automatic Storage Management Instance	7-4
Updating the System Variable Path	7-5
Removing Oracle from the Start Menu	7-6
Removing Oracle Directories	7-6
 A Troubleshooting the Installation Process	
Troubleshooting Oracle RAC Installations	A-1
General Installation Issues	A-1
Oracle Real Application Clusters Installation Error Messages	A-2
Performing Cluster Diagnostics During Oracle Real Application Clusters Installations	A-2
Verifying Requirements	A-2
Encountering Installation Errors	A-3
Reviewing the Log of an Installation Session	A-3
Silent or Noninteractive Installation Response File Error Handling	A-3
Troubleshooting Oracle Configuration Manager	A-4
Troubleshooting Configuration Assistants	A-5
Configuration Assistant Failures	A-6
Fatal Errors	A-6
Cleaning Up After a Failed Installation	A-6
Online Help Not Working	A-6
 B Stopping Processes in Oracle Real Application Clusters Databases	
Back Up the Oracle Real Application Clusters Database	B-1
Shut Down Oracle Real Application Clusters Databases	B-1
Stop All Oracle Processes	B-1
Stopping Oracle Clusterware or Cluster Ready Services Processes	B-2

Stopping Oracle Database 11g Processes Before Adding Products or Upgrading.....	B-3
C Managing Oracle Database Port Numbers	
About Managing Ports	C-1
Viewing Port Numbers and Access URLs.....	C-1
Port Numbers and Protocols of Oracle Components	C-2
Changing the Oracle Enterprise Management Agent Port.....	C-4
Changing the Oracle Enterprise Manager Database Console Ports.....	C-4
Changing the Oracle XML DB Ports.....	C-5
D Using Scripts to Create Oracle Real Application Clusters Databases	
Creating a Database Using Scripts.....	D-1
E Directory Structure for Oracle Real Application Clusters Environments	
Understanding the Oracle Real Application Clusters Directory Structure	E-1
Directory Structures for Oracle Real Application Clusters	E-1
F Converting to Oracle Real Application Clusters from Single-Instance Oracle Databases	
Prerequisites for Conversion	F-1
Single-Instance to Cluster-Enabled Conversion Administrative Issues	F-1
Converting from Single-Instance to Oracle Real Application Clusters	F-2
Single Instance on a Non-Cluster computer to Oracle Database 11g with RAC	F-2
Back up the Original Single-Instance Database	F-2
Perform the Pre-Installation Steps.....	F-3
Set up the Cluster	F-3
Validate the Cluster	F-3
Copy the Preconfigured Database Image.....	F-3
Install Oracle Database 11g Software with Oracle Real Application Clusters.....	F-3
Single Instance on a Cluster to Oracle Database 11g RAC.....	F-4
Single Instance on a Cluster Running from a Cluster Enabled Oracle Home	F-4
Post-Conversion Steps.....	F-6
G Country Codes for Oracle Configuration Manager	
Valid Country Codes.....	G-1
H Troubleshooting and Removing Oracle Configuration Manager Software	
Troubleshooting Oracle Configuration Manager	H-1
Removing Oracle Configuration Manager.....	H-2

Index

List of Tables

1-1	Overview of IP Address Requirements for Each Node with Oracle Clusterware	1-6
6-1	Tablespace Names that Oracle Real Application Clusters Databases Use	6-2
6-2	Windows-Based Platforms Symbolic Link Names and Files	6-2
6-3	Connections for Net Service Names.....	6-7
C-1	Ports Used in Oracle Components	C-2
E-1	Directory Structure for A Sample OFA-Compliant Windows Environment.....	E-1
G-1	Country Codes for OCM.....	G-1

Preface

This guide explains how to install and configure Oracle Real Application Clusters (Oracle RAC) on Microsoft Windows clusters. This preface contains the following topics:

- [Intended Audience](#)
- [Documentation Accessibility](#)
- [Related Documents](#)
- [Conventions](#)

Intended Audience

Oracle Real Application Clusters Installation Guide for Microsoft Windows provides information for a database administrator who is installing Oracle RAC on a Windows cluster. The guide provides the network, cluster, and individual computer requirements for installing and configuring the software as well as the steps to complete an installation. In some cases, this book may help a network administrator or system administrator who is responsible for providing the required network and hardware configuration.

Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible to all users, including users that are disabled. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at <http://www.oracle.com/accessibility/>.

Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

TTY Access to Oracle Support Services

To reach Oracle Support Services, use a telecommunications relay service (TRS) to call Oracle Support at 1.800.223.1711. Complete instructions for using the AT&T relay services are available at <http://www.consumer.att.com/relay/tty/standard2.html>. After the AT&T Customer Assistant contacts Oracle Support Services, an Oracle Support Services engineer will handle technical issues and provide customer support according to the Oracle service request process.

Related Documents

For more information, refer to the following Oracle resources:

Oracle Real Application Clusters Documentation

- *Oracle Real Application Clusters Administration and Deployment Guide*
- *Oracle Database 2 Day + Real Application Clusters Guide*

Oracle Clusterware Documentation

- *Oracle Clusterware Administration and Deployment Guide*

Installation Guides

- *Oracle Database Installation Guide for Microsoft Windows*
- *Oracle Database Quick Installation Guide for Microsoft Windows (32-Bit)*
- *Oracle Database Quick Installation Guide for Microsoft Windows x64*
- *Oracle Diagnostics Pack Installation Guide*
- *Oracle Universal Installer and OPatch User's Guide for Windows and UNIX*

Operating System-Specific Administrative Guides

- *Oracle Database Platform Guide for Microsoft Windows*

Oracle Database 11g Real Application Clusters Management

- *Oracle Real Application Clusters Administration and Deployment Guide*
- *Oracle Database 2 Day + Real Application Clusters Guide*
- *Oracle Database 2 Day DBA*
- *Getting Started with the Oracle Diagnostics Pack*

Generic Documentation

- *Oracle Database New Features Guide*
- *Oracle Database Net Services Administrator's Guide*
- *Oracle Database Concepts*
- *Oracle Database Reference*

Most Oracle error message documentation is in *Oracle Database Error Messages*. If you only have access to the Oracle Documentation media, then browse the error messages by range. Once you find a range, use your browser's find feature to locate a specific message. When connected to the Internet, you can search for a specific error message using the error message search feature of the Oracle online documentation. Additional error messages for Oracle Clusterware and Oracle RAC tools are included in the *Oracle Real Application Clusters Administration and Deployment Guide*.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

What's New in Oracle Real Application Clusters Installation?

This section describes Oracle Database 11g release 1 (11.1) features as they pertain to the installation and configuration of Oracle Real Application Clusters (Oracle RAC). The topics in this section are:

- [Changes in Installation Documentation](#)
- [Changes in the Install Options](#)
- [New Components Available for Installation](#)
- [Enhancements and New Features for Installation](#)
- [Deprecated Components in Oracle Database 11g Release 1 \(11.1\)](#)

Changes in Installation Documentation

With Oracle Database 11g release 1 (11.1), Oracle Clusterware can be installed or configured as an independent product. In addition, new documentation is provided for Oracle Database storage administration. For installation planning, note the following documentation:

Oracle Database 2 Day + Real Application Clusters Guide

This book provides an overview and examples of the procedures to install and configure a two-node Oracle Clusterware and Oracle RAC environment.

Oracle Clusterware Installation Guide

This book provides procedures either to install Oracle Clusterware as a standalone product, or to install Oracle Clusterware with either Oracle Database, or Oracle RAC. It contains system configuration instructions that require system administrator privileges.

Oracle Real Application Clusters Installation Guide

This book (the guide that you are reading) provides procedures to install Oracle RAC after you have completed successfully an Oracle Clusterware installation. It contains database configuration instructions for database administrators.

Oracle Database Storage Administrator's Guide

This book provides information for database and storage administrators who administer and manage storage, or who configure and administer Automatic Storage Management (ASM).

Oracle Clusterware Administration and Deployment Guide

This is the administrator's reference for Oracle Clusterware. It contains information about administrative tasks, including those that involve changes to operating system configurations.

Oracle Real Application Clusters Administration and Deployment Guide

This is the administrator's reference for Oracle RAC. It contains information about administrative tasks. These tasks include database cloning, node addition and deletion, Oracle Cluster Registry (OCR) administration, use of Server Control Utility (SRVCTL) and other database administration utilities.

Changes in the Install Options

The following are installation option changes for Oracle Database 11g:

- **Oracle Application Express:** This feature is installed with Oracle Database 11g. It was previously named HTML DB, and was available as a separate Companion CD component.
- **Oracle Configuration Manager:** Oracle Configuration Manager (OCM) is integrated with Oracle Universal Installer. However, it is an optional component with database and client installations, and you must select Custom Installation to enable it. Oracle Configuration Manager, used in previous releases as Customer Configuration repository (CCR), is a tool that gathers and stores details relating to the configuration of the software stored in the ASM and database Oracle home directories.

Refer to [Oracle Configuration Manager for Improved Support in New Components Available for Installation](#) in this chapter for further information.

- **Oracle Data Mining:** Enterprise Edition installation type selects Oracle Database Mining option by default.
- **Oracle Database Vault:** This feature is offered during installation. It is an optional component for database installation, available through Custom installation.
- **Oracle SQL Developer:** This feature is installed by default with template-based database installations, such as General Purpose, Transaction Processing, and Data Warehousing. It is also installed with database client Administrator, Runtime, and Custom installations.
- **Oracle Warehouse Builder:** This information integration tool is now installed with both Standard and Enterprise Edition versions of the Oracle Database. With Enterprise Edition, you can purchase additional extension processes. Installing the Oracle Database also installs a pre-seeded repository, OWBSYS, necessary for using Oracle Warehouse Builder.
- **Oracle XML DB:** Starting with Oracle Database 11g, Oracle XML DB is no longer an optional feature. It is installed and configured using Database Configuration Assistant for all database installations.

New Components Available for Installation

The following are the new components available while installing Oracle Database 11g:

- **Oracle Application Express:** Starting Oracle Database 11g, HTML DB is no longer available as a Companion CD component. Renamed as Oracle Application Express, this component is installed with Oracle Database 11g.

With Oracle Database 11g, Oracle Application Express replaces *iSQL*Plus*.

- **Oracle Configuration Manager:** This feature is offered during custom installation. It was previously named Customer Configuration repository (CCR). It is an optional component for database and client installations. Oracle Configuration Manager gathers and stores details relating to the configuration of the software stored in database Oracle home directories.
- **Oracle SQL Developer:** This feature is installed by default with template-based database installations, such as General Purpose, Transaction Processing, and Data Warehousing. It is also installed with database client Administrator, Runtime, and Custom installations.
- **Oracle Warehouse Builder:** This feature is now included as an option in the Database installation.
- **Oracle Real Application Testing:** This feature is installed by default with the Enterprise Edition installation type of Oracle Database 11g.

See Also: *Oracle Database Performance Tuning Guide* for more information about Oracle Real Application Testing

Enhancements and New Features for Installation

The following is a list of enhancements and new features for Oracle Database 11g release 1 (11.1):

Oracle HTTP Server Update

To install Oracle HTTP Server, use the "Oracle Fusion Middleware Web Tier Utilities 11g (11.1.1.2.0)" media or download.

Windows Server 2008 (32-Bit) and Windows Server 2008 x64

Oracle Clusterware and Oracle RAC run on Microsoft Windows Server 2008 (32-bit) and Windows Server 2008 x64. Oracle Database 11g Release 1 (11.1.0.7 or later) is certified on Microsoft Windows Server 2008 (32-Bit) and Microsoft Windows Server 2008 x64 (all editions except HPC). The specific operating system components that are not supported in Windows Server 2008 (32-Bit) and Windows Server 2008 x64 are Hyper-V and Server Core.

Automatic Diagnostic Repository

The Automatic Diagnostic Repository is a feature added to Oracle Database 11g. The main objective of this feature is to reduce the time required to resolve bugs. Automatic Diagnostic Repository is the layer of the Diagnostic Framework implemented in Oracle Database 11g that stores diagnostic data and also provides service APIs to access data. The default directory that stores the diagnostic data is ORACLE_BASE\diag.

The Automatic Diagnostic Repository implements the following:

- Diagnostic data for all Oracle products is written into an on-disk repository.
- Interfaces that provide easy navigation of the repository, and the capability to read and write data

For Oracle RAC installations, if you use a shared Oracle Database home, then the Automatic Data Repository must be located on a shared storage location available to all the nodes.

Oracle Clusterware continues to place diagnostic data in the directory *CRS_home\log*, where *CRS_home* is the Oracle Clusterware home.

Automatic Storage Management Fast Mirror Resync

ASM fast mirror resync quickly resynchronizes ASM disks within a disk group after transient disk path failures as long as the disk drive media is not corrupted. Any failures that render a failure group temporarily unavailable are considered transient failures. Disk path malfunctions, such as cable disconnections, host bus adapter or controller failures, or disk power supply interruptions, can cause transient failures. The duration of a fast mirror resync depends on the duration of the outage. The duration of a resynchronization is typically much shorter than the amount of time required to completely rebuild an entire ASM disk group.

See Also: *Oracle Database Storage Administrator's Guide*

ASM and Oracle RAC Deinstallation and Other Configuration Assistant Enhancements

Database Configuration Assistant (DBCA), Database Upgrade Assistant (DBUA), and Oracle Net Configuration Assistant (NETCA) have been improved. These improvements include the following:

DBCA

- Provides a command line feature, `deleteASM`, that removes ASM instances.
- Provides the option to switch from a database configured for Oracle Enterprise Manager Database Control to Oracle Enterprise Manager Grid Control.

DBUA

- Includes an improved pre-upgrade script to provide space estimation, initialization parameters, statistics gathering, and new warnings. DBUA also provides upgrades from Oracle Database releases 9.0, 9.2, 10.1, and 10.2.
- Supports in-place patch set upgrades
- Starts any services running prior to upgrades

New SYSASM Privilege for ASM Administration

This feature introduces a new `SYSASM` privilege that is specifically intended for performing ASM administration tasks. Using the `SYSASM` privilege instead of the `SYSDBA` privilege provides a clearer division of responsibility between ASM administration and database administration.

ASM Preferred Read Disk Groups

In previous releases, ASM used the disk with the primary copy of a mirrored extent as the preferred disk for data reads. With this release, using the new initialization file parameter `asm_preferred_read_failure_groups`, you can specify disks located near a specific cluster node as the preferred disks from which that node obtains mirrored data. This option is presented in Database Configuration Assistant (DBCA), or you can configure it after installation. This change facilitates faster processing of data with widely distributed shared storage systems or with extended clusters (clusters whose nodes are geographically dispersed), and improves disaster recovery preparedness.

Automatic Storage Management Rolling Migration

Rolling migration for ASM enables you to upgrade or patch ASM instances on clustered ASM nodes without affecting database availability. Rolling migration provides greater availability and more graceful migration of ASM software from one release to the next. This feature applies to ASM configurations that run on Oracle Database 11g release 1 (11.1) and later. In other words, you must already have Oracle Database 11g release 1 (11.1) installed before you can perform rolling migrations.

Note: You cannot change the owner of the Oracle ASM or Oracle Database home during an upgrade. You must use the same Oracle software owner that owns the existing Oracle ASM or Oracle Database home.

See Also: *Oracle Database Storage Administrator's Guide*

Conversion of Single-Instance ASM to clustered ASM

Using either Oracle Enterprise Manager Grid Control or `rconfig`, you can convert an existing ASM instance from a single-instance storage manager to a clustered storage manager. You can convert ASM release 11.1 instances directly, and convert releases previous to 11.1 by upgrading the instance to 11.1, and then performing the conversion.

Data Mining Schema Creation Option

In Oracle Database 11g, the data mining schema is created when you run the SQL script `catproc.sql` as the SYS user. Therefore, the data mining option is removed from the Database Features screen of Database Configuration Assistant.

Oracle Disk Manager Network File System Management

Oracle Disk Manager (ODM) can manage network file systems (NFS) on its own, without using the operating system kernel NFS driver. This is referred to as Direct NFS. Direct NFS implements NFS version 3 protocol within the Oracle RDBMS kernel. This change enables monitoring of NFS status using the ODM interface. The Oracle RDBMS kernel driver tunes itself to obtain optimal use of available resources.

This feature provides the following:

- Ease of tuning, and diagnosability, by providing the Oracle kernel control over the input-output paths to Network File Server, and avoiding the need to tune network performance at the operating system level.
- A highly stable, highly optimized NFS client for database operations.
- Use of the Oracle network file system layer for user tasks, reserving the operating system kernel network file system layer for network communication.
- Use of the Oracle buffer cache, rather than the file system cache, for simpler tuning.
- A common, consistent NFS interface, capable for use across Linux, UNIX and Windows platforms.
- NFS on Oracle RAC. With operating system NFS drivers, even though NFS is a shared file system, NFS drives have to be mounted with the option `noac` (NO Attribute Caching) to prevent the operating system NFS driver from optimizing the file system cache by keeping file attributes locally. ODM NFS automatically recognizes Oracle RAC instances, and performs appropriate operations for data

files without requiring additional reconfiguration from users, system administrators, or DBAs. If you store the Oracle Clusterware voting disks or Oracle Cluster Registry (OCR) files on NFS, then they continue to require mounting with the `noac` option.

Optimal Flexible Architecture (OFA) Simplified

With the development of stripe and mirror everything architecture (SAME), and improved storage and throughput capacity for storage devices, the original OFA mission to enhance performance has shifted to its role of providing well-organized Oracle installations with separated software, configuration files and data. This separation enhances security, and simplifies upgrade, cloning, and other administrative tasks.

Oracle Database 11g release 1 (11.1) incorporates several changes to OFA to address this changed purpose.

As part of this change:

- During Oracle RAC installation, you are prompted to accept the default, or select a location for the Oracle base directory, instead of the Oracle home directory. This change facilitates installation of more than one Oracle home directory in a common location, and separates software units for simplified administration. For this release, you are not required to use Oracle base, but this may become a requirement in a future release.
- With this release, as part of the implementation of Automatic Diagnostic Repository (ADR), the following `admin` directories are changed:
 - `bdump` (location set by the `background_dump_dest` initialization parameter; storage of Oracle background process trace files)
 - `cdump` (location set by the `core_dump_dest` initialization parameter; storage of Oracle core dump files)
 - `udump` (location set by the `user_dump_dest` initialization parameter; storage of Oracle user SQL trace files)

By default, the location of these trace and core files is in the `\diag` directory, which is in the path `ORACLE_BASE\diag`.

- The initialization parameters `BACKGROUND_DUMP_DEST` and `USER_DUMP_DEST` are deprecated. They continue to be set, but you should not set these parameters manually.
- A new initialization parameter is introduced. `DIAGNOSTIC_DEST` contains the location of "ADR base," which is the base directory under which one or more Automatic Database Repository homes are kept. Oracle documentation commonly refers to these homes as ADR homes. Each database instance has an ADR home, which is the root directory for a number of other directories that contain trace files, the alert log, health monitor reports, and dumps for critical errors. You can also view alert and trace files with the SQL statement `select name, value from v$diag_info`.
- The default Flash Recovery area is moved from `ORACLE_HOME\..\flash_recovery_area` to `ORACLE_BASE\flash_recovery_area`.
- The default data file location is moved from `ORACLE_HOME\..\oradata` to `ORACLE_BASE\oradata`.
- A new utility, The ADR Command Interpreter (ADRCI), is introduced. The ADRCI facilitates reviewing alert log and trace files.

For Oracle RAC installations, Oracle requires that the flash recovery area and the data file location are on a location shared among all the nodes. The Oracle Universal Installer confirms that this is the case during installation. This change does not affect the location of trace files for Oracle Clusterware.

See Also: *Oracle Database Administrator's Guide* for detailed information about these changes, and *Oracle Database Utilities* for information about viewing alert log and list trace files with ADRCI

Oracle Configuration Manager for Improved Support

During a custom installation, you are asked if you want to install Oracle Configuration Manager (OCM). OCM is an optional tool that enables you to associate your configuration information with your My Oracle Support (formerly Oracle*MetaLink*) account. This can facilitate handling of service requests by ensuring that server system information is readily available.

Configuring the OCM tool requires that you have the following information from your service agreement:

- Customer Identification Number (CSI)
- My Oracle Support user account name
- Country Code

In addition, you are prompted for server proxy information, if the host system does not have a direct connection to the Internet.

Support for Large Data Files

Large data file support is an automated feature that enables Oracle to support larger files on ASM more efficiently and to increase the maximum file size.

See Also: *Oracle Database Storage Administrator's Guide*

Switching a Database from Database Control to Grid Control Configuration

In previous releases, Database Configuration Assistant contains the functionality to configure databases while creating them either with Database Control or with Grid Control, or to reconfigure databases after creation. However, if you want to change the configuration from Database to Grid control, this requires significant work. With Oracle Database 11g, Database Configuration Assistant enables you to switch configuration of a database from Database Control to Grid Control by running the Oracle Enterprise Manager Configuration Plug-in.

New Features in Oracle Data Provider for .NET Release 11.1

Oracle Data Provider for .NET release 11.1 includes the following:

- ODP .NET Configuration

Developers can now configure ODP .NET using configuration files, including application config, web.config, or machine.config.

Settings in the machine.config override the registry settings and the settings in the application config or the web.config override the values in the machine.config.

- Performance Enhancements

The following performance enhancements have been made:

- Improved Parameter Context Caching

This release enhances the existing caching infrastructure to cache ODP .NET parameter contexts. This enhancement is independent of database version and it is available for all the supported database versions. This feature provides significant performance improvement for the applications that execute the same statement repeatedly.

This enhancement is transparent to the developer. No code changes are needed to use this feature.

- Efficient LOB Retrieval

This release improves the performance of small-sized LOB retrieval by reducing the number of round-trips to the database. This enhancement is available only with Oracle 11g release 1.0 or higher database versions.

This enhancement is transparent to the developer. No code changes are needed to use this feature.

Deprecated Components in Oracle Database 11g Release 1 (11.1)

The following components that were part of Oracle Database 10g release 2 (10.2) are not available for installation with Oracle Database 11g:

- *iSQL*Plus*
- Oracle Workflow
- Data Mining Scoring Engine
- Oracle Enterprise Manager Java console

Preinstallation Checklist

Most errors that occur when installing Oracle Clusterware occur due to a failure to complete all of the required steps before starting the Oracle Universal Installer (OUI). Use the checklist in this chapter to ensure that you complete all of the required preinstallation tasks. Follow the links in this chapter to go directly to the relevant section or Web site where a task is described. The topics in this chapter include:

- [Before You Start: Planning your Installation](#)
- [Server Hardware, Network and Operating System Overview](#)
- [Shared Storage Overview](#)
- [Additional Information to Prepare for Installation](#)

1.1 Before You Start: Planning your Installation

This section provides a list of tasks that Oracle recommends that you complete before you begin to install Oracle Clusterware. Whether your location is a Tier IV data center with a large system administration team, storage administrators, network administrators, database administrators, and third-party hardware and software vendors, or you are a project team of one, planning is important to ensure that your installation succeeds.

It is beyond the scope of this book to advise how to determine hardware sizing or capacity planning for your installation. Note that with Oracle Clusterware and Oracle Real Application Clusters (Oracle RAC), you can add nodes and instances as needed in response to increased workloads. Review and complete the following steps as part of your installation plan:

- [Check My Oracle Support](#)
- [Check Oracle Technical Network](#)
- [Review How to Use Cluster Verification Utility](#)
- [Review and Back Up Existing Oracle Installations](#)
- [Review Globalization Requirements](#)
- [Review Documentation](#)

1.1.1 Check My Oracle Support

Before you decide whether you want to install Oracle 11g Release 1 (11.1) on existing hardware, or decide what server and storage hardware to purchase for an installation, log on to My Oracle Support (<https://metalink.oracle.com>), and click the **Certify** tab. Check the Certification Matrix for Oracle RAC for the operating system

platform on which you intend to install, to ensure that your hardware configuration is supported for use with Oracle Clusterware, and, if you intend to install it, Oracle RAC. You can receive guidance about supported hardware options that can assist you with your purchasing decisions.

At the time of this release, you can also check the following URL for direct access to the Certification Matrix:

<http://www.oracle.com/technology/support/metalink/index.html>

In addition to specific certified hardware configurations, the Certify page provides support and patch information, and general advice about how to proceed with an Oracle Clusterware or Oracle Clusterware with Oracle RAC 11g Release 1 (11.1) installation, including important information about vendor clusterware and other configuration issues.

Note: Contact your Oracle sales representative if you do not have a My Oracle Support account.

Also, you may want to refer to Oracle.com (<http://www.oracle.com>) for additional resources about planning for specific implementation scenarios, best practices, and other information that can help you with your installation plan. In particular, refer to the following Web site:

<http://www.oracle.com/technology/products/database/clustering/index.html>

1.1.2 Check Oracle Technical Network

The Oracle Technical Network (OTN) contains white papers about deployment options, such as capacity planning, best practices on various NFS platforms, and extended Oracle RAC deployments, which are not addressed in this guide. You can review papers at the following Web site:

<http://www.oracle.com/technology/products/database/clustering/index.html>

1.1.3 Review How to Use Cluster Verification Utility

Oracle provides Cluster Verification Utility (CVU) to perform system checks in preparation for installation, patch updates, or other system changes. Learning how to use CVU can ensure that you have completed the required system configuration and preinstallation steps so that your installation, update, or patch operation completes successfully.

If you have a vendor performing system or preinstallation configuration steps for you, then ask the vendor to complete the relevant CVU check to ensure that your system is configured correctly.

1.1.4 Review and Back Up Existing Oracle Installations

If you have an existing Oracle installation, then document version numbers, patches, and other configuration information, and review upgrade procedures for your existing installation. Review the Oracle upgrade documentation before proceeding with your installation to decide how you want to proceed.

For most current information and best practices about preupgrade, post-upgrade, compatibility, and interoperability discussions, refer to "Oracle Upgrade

Companion." "Oracle Upgrade Companion" is available through Note 466181.1 on My Oracle Support:

<https://metalink.oracle.com/>

For upgrades, note the following:

- You can only have one version of Oracle Clusterware running on a cluster at a time.
- You can have multiple Oracle homes of Oracle 11g Release 1 (11.1) or later on your cluster. However, the Oracle Clusterware version must be greater than or equal to the Oracle Database or Automatic Storage Management software version. Oracle Clusterware supports databases or release Oracle Database 10g or later.
- You can install earlier or later versions of Automatic Storage Manager (ASM). Both forward and backward compatibility is available with different versions of ASM. However, if you mix software versions, then ASM functionality reverts to the earliest software installation that it supports. For example, if you install Oracle Clusterware 11g with ASM, and you use it to support an existing Oracle Database release 10.2.0.3 installation, then ASM functionality is equivalent to that available only in the Oracle Database 10.2 release version.
- Starting with release 10.1.0.6 and 10.2.0.3, you can use Database Upgrade Assistant (DBUA) for patch set upgrades with Oracle RAC. You can also use DBUA to upgrade between major point releases of Oracle RAC (for example, from 10.1 to 10.2, or 10.2 to 11g).
- If you want to upgrade Oracle Clusterware Release 10.2 to Oracle Clusterware Release 11g, then you must first apply the 10.2.0.3 or later patchset.
- If you intend to install Oracle Database, then it is faster to install all of the patches on the earlier database before creating a new database. For example, patch the Oracle Clusterware home, patch the database home, and then create the new database, instead of patching the Oracle Clusterware home, creating the database home, and then patching the database.
- As with any system change, back up your existing database before attempting to install new software.

See Also: *Oracle Database Upgrade Guide*

1.1.5 Review Globalization Requirements

Review the *Oracle Database Globalization Support Guide* to identify any additional steps that you may need to complete as part of your installation before you:

- Upgrade an existing database with additional character sets or languages
- Start an installation during which you want to add languages other than the default language, English

1.1.6 Review Documentation

Review this section, as well as the Preinstallation and Storage chapters that appear later in this book and in the *Oracle Clusterware Installation Guide for Microsoft Windows*, to ensure that you have completed all of the required steps for a successful installation. This information will also enable you to receive assistance with completing these steps. In addition, review the Release Notes and My Oracle Support (<https://metalink.oracle.com>) to ensure that you have the most current information about system requirements and other information that can affect your

installation. The short time that this review requires can prevent you from spending a lot more time when you later must research installation errors.

Oracle recommends that you install a Web browser on each of your cluster nodes. This enables you to use Oracle Enterprise Manager with Oracle RAC. It also enables you to access online documentation which is available in PDF and HTML formats.

See Also: *Oracle Database Concepts* for an overview of Oracle Database, and *Oracle Real Application Clusters Administration and Deployment Guide* for additional information about Oracle Clusterware or Oracle RAC configuration and deployment. Also review the Oracle Database installation guide or Oracle Real Application Clusters installation guide for your platform, if you intend to install Oracle Database or Oracle RAC.

1.2 Server Hardware, Network and Operating System Overview

You must complete all of the required hardware, network, and operating system preinstallation steps for Oracle software. Failure to complete the required preinstallation steps is the most common reason for failed installations.

By the time you start performing the Oracle preinstallation steps described in this guide, you should have already completed installing CPUs, memory, local disks, network cards, host bus adaptors, interconnects, and any other networking or server hardware; and you should have installed the operating system, and any vendor clusterware. Review your vendor documentation to complete these tasks, and if relevant, work with your vendor to complete any Oracle preinstallation steps that are listed here to confirm that the vendor hardware and software is correctly configured.

Server and network preparation include the following tasks:

- [Review Server Hardware and Software Requirements](#)
- [Network Connections Overview](#)
- [Platform-Specific Server Configuration Overview](#)

1.2.1 Review Server Hardware and Software Requirements

This section contains a summary of server hardware and software configuration requirements and recommendations.

Oracle Requires

Each node in a cluster requires the following:

- Supported server hardware, including processors and system configuration.
Review My Oracle Support before starting an installation on your existing hardware, and before purchasing new hardware, to ensure that the hardware is supported with Oracle Clusterware, and, if you install it, Oracle RAC 11g Release 1 (11.1).

Also review Chapter 2 and Chapter 4 in *Oracle Clusterware Installation Guide for Microsoft Windows* for more details on the supported configurations.

Note: If you install Oracle RAC, then you must use the same operating system on each node in your cluster. Oracle strongly recommends that you use the same software configurations on each node of your cluster. Oracle Clusterware and Oracle Real Application Clusters do not support heterogeneous platforms (servers that have different chip architectures) in the same cluster.

- External shared disks for storing the Oracle Clusterware files, such as the Oracle Cluster Registry (OCR) and the voting disks, as well as for the database files, as summarized in ["Shared Storage Overview"](#) on page 1-7.

Note: Oracle Clusterware software *cannot* be installed on Oracle Cluster File System (OCFS) or network-attached storage (NAS).

- If you install Oracle RAC, a supported interconnect software protocol on each node, to support Oracle Clusterware voting disk polling, and to support Cache Fusion. Your interconnect *must* be certified by Oracle for your platform.

Oracle Recommends

Oracle recommends the following to simplify server installation and maintenance, and to prevent service issues

- Enabling the Network Time Protocol feature of most operating systems, and ensuring that all nodes use the same reference Network Time Protocol server.
- Configuring redundant switches, for all cluster sizes.
- Using identical server hardware on each node, to simplify server maintenance.
- To avoid resource contention issues, do not install Oracle RAC on a primary domain controller or backup domain controller.

Additional Options

- Though you do not need to use vendor clusterware with Oracle Clusterware, Oracle Clusterware can interoperate with many vendor clusterware implementations. However, *you must install Oracle Clusterware to use Oracle RAC*. When you use vendor clusterware, Oracle Clusterware defers to the vendor clusterware for some tasks, such as node membership decisions.
- You may require third-party vendor clusterware if you use a non-ethernet interconnect.

1.2.2 Network Connections Overview

Before you begin to set up network configurations, ensure that your network administrator has created at least two network addresses on your DHCP server for each node. These addresses serve as the address for each node's public and virtual IP addresses.

[Table 1-1](#) and the content that follows it is an overview of IP address requirements:

Table 1–1 Overview of IP Address Requirements for Each Node with Oracle Clusterware

IP Address Type	Purpose	Where Registered	Pingable from Clients
Virtual IP address	Address for client requests and the address to use to fail over requests to other nodes	DNS (recommended).	No, before installation; yes, after installation
Public IP address	Address for service requests	DNS (recommended).	Yes
Private IP address	Address for inter-node communication only	DNS (recommended). Must be resolvable only by other nodes in the cluster, and should be on dedicated network hardware.	No

The following is additional information about each address type:

- **Virtual IP address**—A public IP address for each node, to be used as the Virtual IP address for client connections. If a node fails, then Oracle Clusterware fails over the VIP address to an available node.

During installation, the public virtual IP address (VIP) for each node is associated with the same interface name on every node that is part of your cluster. If you have a domain name server (DNS), then register the host names for the VIP with the DNS, so that it is resolvable from any client, as well as the cluster nodes. The VIP should not be in use at the time of the installation, because this is an IP address that Oracle Clusterware manages.

- **Public IP address**—A public host name address for each node, typically assigned by the system administrator during initial system configuration. The public IP address name must be resolvable to the hostname. Register both the public and IP and the VIP address with the DNS. If you do not have a DNS, then you must make sure that both public IP addresses are in the node
`%windir%\system32\drivers\etc\hosts` file (for all cluster nodes), and the
`%windir%\system32\drivers\etc\hosts` file on any client system that requires access to the database.

- **Private IP address**—A private internet protocol (IP) address for each node that serves as the private interconnect address for internode cluster communication only. The following must be true for each private IP address:

- It must be separate from the public network
- It must be accessible on the same network interface on each node
- It must have a unique address on each node
- It must be connected to a network switch between the nodes for the private network

The private interconnect is used for internode communication by both Oracle Clusterware and Oracle RAC. Oracle recommends that it is configured on a dedicated switch (or switches) that are not connected to anything other than the nodes in the same cluster.

During the Oracle Clusterware installation, the information that you enter as the private IP address determines which private interconnects are used by Oracle Clusterware for its own communication. They must all be available, and the

private interconnect interface for each node must be capable of responding to a ping command from another node in the cluster.

Oracle recommends that you use a logical Internet Protocol (IP) address that is available across all of the private networks, and that you take advantage of any available operating system-based failover mechanism by configuring it according to your third-party vendor's instructions for using their product to support failover.

Note: All host names must conform to the RFC 952 standard, which permits alphanumeric characters. Host names using underscores (" _ ") are not allowed.

1.2.3 Platform-Specific Server Configuration Overview

In addition to the standard system requirements configuration, deployment on specific server hardware can include additional operating system configuration steps. Review the Preinstallation chapter, and check the My Oracle Support Certify page to ensure that you are aware of any additional requirements or recommendations for your specific hardware platform configuration.

1.3 Shared Storage Overview

Oracle Clusterware requires two types of shared files: the Oracle Cluster Registry (OCR) and voting disk. These files must be located on one of two storage options:

- A shared file system certified by Oracle for your platform
- Shared raw disk partitions

Note: Shared raw disk partitions are only supported as an upgrade option, using DBCA.

If you intend to install Oracle RAC, then to store data and recovery files, you must select one of three shared storage options:

- Automatic Storage Management
- A shared file system certified by Oracle for your platform
- Shared Raw disk partitions

Storage options can change over the lifetime of a release, as new storage vendors are certified. Therefore, be sure to review My Oracle Support to confirm that the storage option that you want to use is supported for your platform.

1.4 Additional Information to Prepare for Installation

This section contains additional information about Oracle Clusterware, Oracle Automatic Storage Management, and Oracle RAC, that may be helpful for you to read to decide how you want to configure your installation. It contains the following sections:

- [Oracle Clusterware and Vendor Clusterware](#)
- [Shared Components of Oracle Real Application Clusters Installations](#)

- [Oracle RAC 11g Release Compatibility](#)

1.4.1 Oracle Clusterware and Vendor Clusterware

Oracle Clusterware provides clustering services. You do not require vendor clusterware when you use Oracle Clusterware. If you intend to install Oracle RAC, then you must install Oracle Clusterware.

1.4.2 Shared Components of Oracle Real Application Clusters Installations

If you intend to install Oracle Real Application Clusters (Oracle RAC) after installing Oracle Clusterware, note that all instances in Oracle RAC environments share the control file, server parameter file, redo log files, and all data files. These files must be placed on a shared cluster file system or on shared disks, and all the cluster database instances must have access to them. Each instance also has its own set of redo log files. During failures, shared access to redo log files enables surviving instances to perform recovery.

1.4.3 Oracle RAC 11g Release Compatibility

You can install and operate different releases of Oracle Database software on the same computer:

- If you have an existing Oracle home, then you can create a new Oracle home and install Oracle Database 11g into the new Oracle home. You should install Oracle Clusterware in a separate Oracle Clusterware home, and if you have an existing Oracle Clusterware installation, then you must use the older Oracle Clusterware software, or upgrade that Oracle Cluster software. Each node can have only one Oracle Clusterware home.

During installation, Oracle Universal Installer (OUI) prompts you to install additional Oracle Database 11g components if you have not already installed all of them.

- If you intend to install Oracle RAC, then OUI lets you de-install and re-install Oracle RAC if needed.
- If you are running the Oracle9i release of Oracle RAC, and you want to continue to use that release, then you must use Oracle9i Cluster Manager to support the Oracle9i RAC database server. Oracle Clusterware 11g is not compatible with Oracle9i database software.
- If OUI detects a previous database release, then OUI asks you about your upgrade preferences. You have the option to upgrade one of the previous release databases with DBUA or to create a new database using DBCA. The information collected during this dialog is passed to DBUA or DBCA after the software is installed.

Note: Do not move Oracle binaries from the Oracle home to another location. Doing so can cause dynamic link failures.

- You can run different releases of Oracle Database and Automatic Storage Management (ASM). If the Oracle Database release and the ASM release are the same release, then they can both run out of the same Oracle home. If they are different releases, then the Oracle Database release and the ASM release must be in their separate release homes. For example, you can install an ASM release 11g Release 1 (11.1) instance and use it with Oracle Database 10g Release 2 (10.2)

database, or you can install an Oracle 11g Release 1 (11.1) database and use it with an ASM 10g Release 2 (10.2) instance.

Note: When using different Oracle ASM and Oracle Database releases, the functionality of each is dependent on the functionality of the earlier software release. For example, an Oracle Database 10g instance using an Oracle ASM 11g instance will not be able to use new features available for Oracle ASM in release 11.1, but instead only Oracle ASM 10g features. Conversely, an Oracle Database 11g release using an Oracle ASM 10g instance will function like a release 11.1 database.

1.4.4 Preinstallation Requirements for Oracle Configuration Manager

Before installing Oracle Configuration Manager (OCM), ensure that all the following preinstallation requirements are met:

- You must have a Customer Support Identifier (CSI) and an My Oracle Support User Name available because this information is required when installing OCM.
- You must specify a valid country code while installing OCM. Country codes are associated with the My Oracle Support User Name. Refer to the My Oracle Support site (<http://metalink.oracle.com>) if you encounter registration failures and are uncertain whether you have specified the correct country code. The country associated with the My Oracle Support User Name can be found in the Profile section under the Licenses link.

Note: OCM is only available when you perform a Custom installation.

Installing Oracle Database with Oracle Real Application Clusters

This chapter describes the installation procedures for installing Oracle Database 11g Release 1 (11.1) with Oracle Real Application Clusters (Oracle RAC). This chapter also describes some of the Oracle Universal Installer (OUI) features. This chapter contains the following topics:

- [Verifying System Readiness for Installing the Oracle Database with CVU](#)
- [Oracle Database Configuration Type Descriptions](#)
- [Oracle Configuration Manager Option](#)
- [Actions of OUI, DBCA, and Other Assistants During Installation](#)
- [Database Security Options](#)
- [Installation of Oracle RAC Using Oracle Universal Installer](#)
- [Installation on Windows-Based Systems with the Minimum Memory Requirements](#)
- [Deinstalling Oracle Real Application Clusters Software](#)

Note: To install Oracle RAC on Windows Server 2008, use the Oracle Database 11g Release 1 (11.1.0.7.0) for Microsoft Windows Server 2008 media.

2.1 Verifying System Readiness for Installing the Oracle Database with CVU

To verify that your system is prepared to install Oracle Database with Oracle RAC successfully, run Cluster Verification Utility (CVU) from the `CRS_home\bin` directory, using the following command syntax:

```
cluvfy.bat stage -pre dbinst -n node_list [-r 11gR1 ] [-verbose]
```

In the preceding syntax example:

- The variable `node_list` is the list of nodes in your cluster, separated by commas

For example, to perform a pre-installation check for an Oracle Database with Oracle RAC installation on a two-node cluster with nodes `node1` and `node2`, enter the following command:

```
cluvfy.bat stage -pre dbinst -n node1,node2 -verbose
```

Oracle recommends that you select the option `-verbose` to receive progress updates as CVU performs its system checks. The `-verbose` option provides detailed test reporting, which you can use to identify the cause of any checks that fail.

If the cluster verification check fails, then review and correct the relevant system configuration steps, and run the test again. Use the system configuration checks described in ["Troubleshooting Installation Setup for Windows"](#) to assist you.

2.1.1 Troubleshooting Installation Setup for Windows

If you run CVU and your system fails system configuration checks, then review the CVU report, and use the output to resolve failed configuration checks.

User Equivalence Check Failed

Cause: Failure to establish user equivalency across all nodes.

Action: From the node where you intend to run OUI, verify that you have administrative privileges on the other nodes. To do this, enter the following command for each node that is a part of the cluster:

```
net use \\node_name\C$
```

where *node_name* is the node name.

If you find a node where you are not able to log on, then you must correct the user information on that node. You must use the same user name and password that has local administrative privileges on each node in a cluster, or use a domain user name. If you use a domain user name, then log on under a domain user that has administrative privileges on each node.

When you have corrected the path configuration information on the node, run the CVU check again.

Node Reachability Check Failed

Cause: Failure of one or more nodes to be properly connected for communication.

Action: Possible causes of this message include the following:

- Improper network configuration
- The node running CVU is unable to connect to one or more nodes in the cluster

Use the following command to check your current configuration on each node:

```
ipconfig /all
```

Node Connectivity Check Failed

Cause: One or more of the cluster nodes is not able to be connected from all nodes in the cluster

Action: Check for firewalls preventing the nodes from communicating on their private network interfaces.

System Requirements Check Failed

Cause: insufficient system resources, missing software packages, or other operating system or hardware problem.

Action: If you did not run the CVU command with the `-verbose` flag, then run the command again using `-verbose`, and review the report to determine which system requirement failed. Correct the problem.

2.2 Oracle Database Configuration Type Descriptions

When you run OUI, you can select the **General Purpose**, **Transaction Processing**, **Data Warehouse**, or **Advanced** database configuration type.

For the first three configuration types, you can complete additional procedures that are described later in this chapter. If you select Advanced configuration, then you can use Database Configuration Assistant (DBCA) to create the database as described in [Chapter 3, "Creating Oracle RAC Databases with the Database Configuration Assistant"](#). Oracle recommends that you use DBCA to create your database.

2.2.1 General Purpose, Transaction Processing, and Data Warehouse Configuration Types

The General Purpose, Transaction Processing, and Data Warehouse configuration types use preconfigured database templates.

During installation, if you select one of the preconfigured database templates, then OUI starts Oracle Network Configuration Assistant (NETCA) and DBCA, and installs the preconfigured database without further input. During database installation, OUI displays a progress indicator.

DBCA processing for these three configuration types creates a starter database, and configures the Oracle network services. If you choose raw devices on the Specify Database File Storage Option page, then DBCA verifies that you configured the raw devices for each tablespace.

If you select Advanced configuration, then you must enter specific information as described in the next section.

2.2.2 Using the Advanced Configuration Type

If you select the Advanced configuration type, then OUI runs DBCA, which displays General Purpose, Transaction Processing, Data Warehouse, and a fourth configuration type, Custom Database.

Use the Advanced Configuration type to address specific requirements, such as creating a database in a nondefault character set, or adding translation of product user interface into languages other than English. By default, the installation configures the character set of a new database based on the language of the operating system.

See Also: *Oracle Database Globalization Support Guide* for detailed information on character sets and language configuration

The first three templates are customizable versions of the preconfigured database types. The Custom Database type creates a database without using preconfigured options.

The following section provides more detail about OUI and DBCA processing when creating an Oracle RAC database.

See Also: *Oracle Database Installation Guide* for your platform for information about configuring globalization

2.3 Oracle Configuration Manager Option

During installation, you are prompted to provide information needed to enable Oracle Configuration Manager. This option enables you to associate information about your

Oracle RAC configuration with your My Oracle Support account. In the event that you need to place a service request with Oracle Support, that configuration information can help to provide a more rapid resolution to the service issue.

You can enable Oracle Configuration Manager during or after installation, or choose not to enable it. To enable it during installation, you must have the following information available:

- Customer Support Identification Number (CSI) that identifies your organization
- My Oracle Support user account name
- Country code associated with your service agreement

Refer to My Oracle Support (<https://metalink.oracle.com>) if you encounter registration failures and are uncertain that the correct country code has been specified. You can find the country associated with your My Oracle Support account in the **Profile** section under the **Licenses** link.

See Also: *Oracle Configuration Manager Installation and Administration Guide* for further information

2.4 Actions of OUI, DBCA, and Other Assistants During Installation

After installation, OUI starts the Network Configuration Assistant (NETCA). After NETCA completes its processing, OUI runs DBCA to create your database, in accordance with Optimal Flexible Architecture (OFA) guidelines. An installation created following OFA guidelines means that DBCA creates your database files, including the default server parameter file (SPFILE), using standard file naming and file placement practices.

The primary phases of DBCA processing are the following:

- Create the database.
- Configure the Oracle network services, if necessary.
- Start the listeners and database instances.

You can also use DBCA in standalone mode to create or delete a database or ASM installation, or to switch database management from Oracle Enterprise Manager Database Control to Oracle Enterprise Manager Grid Control.

Note that with Oracle Database release 11.1, service management is no longer performed for Oracle RAC databases. Use Oracle Enterprise Manager DB Control or Grid Control for all administration and monitoring of services.

See Also: *Oracle Database Net Services Administrator's Guide* if you experience problems (for example, with the listener configuration), and for further information about Lightweight Directory Access Protocol (LDAP) support

In Oracle Database 10g and later releases, some database language and territory definition files have been updated to better reflect locale conventions used in associated locales.

If the resulting changes in default NLS parameter values render your existing applications inoperative, then you can revert the changes by installing Oracle9i compatibility definition files. To install Oracle9i files in place of Oracle11g files, you must run OUI from a command line, as described in "[Installation of Oracle RAC Using](#)

[Oracle Universal Installer](#)" on page 2-5, and use the following statement to set the `b_cr9idata` variable to true:

```
runInstaller oracle.rsfnlsrtl_rsf:b_cr9idata=true
```

See Also: *Oracle Database Globalization Support Guide* for additional information about updates to the Oracle Database language and territory definition files

2.5 Database Security Options

During installation, you are prompted to select database security configuration. The **Secure Configuration** option configures the database with database auditing options, and password policy and expiration settings.

For new database installations, the default configuration for Oracle Database 11g Release 1 (11.1) includes the **Secure Configuration** option. If you want to disable these enhanced security controls, then you can check the **Disable security settings** check box. Oracle Database is then installed with default options for Oracle Database 10g Release 2. After installation, you can change security settings by starting DBCA and modifying security settings. You can enable or disable auditing or password security settings, or revert to a previous security setting.

For database upgrades, the upgraded database retains your existing database security configuration, to ensure compatibility with existing applications. After installation, you can use DBCA to enable or disable the **Secure Configuration** auditing or password security settings for testing.

Note: Oracle strongly recommends configuring your database with the Secure Configuration option either during installation, or after installation using DBCA.

2.6 Installation of Oracle RAC Using Oracle Universal Installer

Perform the following procedures to install Oracle Database 11g Release 1 (11.1) software with Oracle RAC.

1. Start the `setup.exe` command from the base directory of the Oracle Database 11g Release 1 (11.1) media, choose Oracle Database 11g, then click **Next**.
2. Provide information when prompted by OUI. If you need assistance during installation, click **Help**. If you encounter problems during installation, examine the OUI actions recorded in the installation log file. The log file is located in the Oracle Inventory directory with a name that includes the timestamp (*date_time*) of the install process, as shown in this example:

```
C:\Program Files\Oracle\Inventory\logs\installActionsdate_time.log
```

In the preceding syntax example, the variables *date* and *time* represents the date and the time of the log file.

Note: The Oracle home name and path that you provide during database installation *must be different* from the home that you used during Oracle Clusterware installation. **Do not** install Oracle Database 11g with RAC software into the same home in which you installed Oracle Clusterware software.

The following is a list of additional information to note about installation:

- If you select Automatic Storage Management (ASM) during installation, then the default partitions for ASM disk partition locations from which you must select ASM disks are marked as follows:

`\\.\orcldisk*`

If you are installing Oracle RAC from the Standard Edition, then you must use ASM for your database storage.

Note: The only partitions that OUI displays for Windows systems are logical drives that are on drives that do not contain a primary partition, and have been stamped with `asmtool`. To stamp drives in Windows Server 2008 environments, run `asmtoolg` from an Administrative command prompt.

When have completed all steps for the second and final phase of the installation, proceed to [Chapter 4, "Oracle Real Application Clusters Post-Installation Procedures"](#) to perform the post-installation tasks.

2.7 Installation on Windows-Based Systems with the Minimum Memory Requirements

Installations of Oracle RAC on nodes in Windows-based systems with 512 MB of RAM and 500 MB of virtual memory have the following limitations:

- 1 GB of RAM is recommended and 512 MB is the minimum allowable amount of RAM
- Depending on how many applications are running on the computer, you may need to further increase the paging file size or reduce the size of the System Global Area (SGA) if you run out of virtual memory. Note that if temporary files and the paging file are both stored on the same physical drive, then a situation can occur where the space requirements for one can limit the size of another. If your system has limited free space, then first install the Oracle Database software. After the installation is finished, run NETCA to configure listeners and then DBCA to create a database.

On computer systems that barely meet the minimum memory and virtual memory requirements, 512 MB and 500 MB respectively, do not install the database. Instead, follow these guidelines:

- Select Enterprise Edition Installation and deselect "Do not create a starter database"
- Select Custom Installation, select "Do not create a starter database" from the Select Database Configuration page.

- Select Advanced Installation, select the Custom installation type from the Select Installation Type page, and select No on the Create Database page when prompted to create the database.
- Cancel DBCA from the Configuration Assistants page.

After installation, run the appropriate configuration assistant for your needs:

- To create a new database, run DBCA from the Start Menu. Choose Start, then Programs, then Oracle - *HOME_NAME*, then Configuration and Migration Tools, and then Database Configuration Assistant.
- To upgrade an existing database, run DBUA from the Start Menu. Choose Start, then Programs, then Oracle - *HOME_NAME*, then Configuration and Migration Tools, and then Database Upgrade Configuration Assistant.

To ensure that all nodes in your cluster use the new Oracle home, ensure that the path name for the new Oracle home is defined on each node in the cluster by completing the following procedure:

1. On each node, navigate to Start, then to Control Panel, then to System, then to Advanced and then to Environment Variables
2. In the "System variables" dialog, select the Path variable and ensure that the value for the Path variable contains *oracle_home\bin*, where *oracle_home* is your new Oracle home. If the variable does not contain this value, then click Edit and add this value to the start of the path variable definition in the Edit System Variable dialog and click OK.
3. Click OK in the Environment Variables page, then click OK in the System Properties page, and then close the Control Panel.

2.8 Deinstalling Oracle Real Application Clusters Software

If you need to de-install Real Application Cluster software, then you must run OUI to de-install the software on the same node from which you performed the installation, and you must de-install Oracle database software first before de-installing Oracle Clusterware software. Perform the following procedures to deinstall Oracle Database 11g RAC and Oracle Clusterware software, as described in the following sections:

- [Deinstalling Oracle Database with Oracle RAC Software](#)
- [Deinstalling Automatic Storage Management](#)

Note: These sections describe a complete de-installation of the Oracle RAC, ASM, and Oracle Clusterware software where Oracle RAC and ASM share the Oracle home and no other Oracle home exists.

If you have multiple Oracle homes on your cluster, then check for any dependencies that might affect your other databases. Dependencies can include listeners, ASM instances, and so on, that run in the Oracle home that you want to delete. You can identify dependencies by using the Windows Services panel.

Note: For Windows Server 2008, you must have administrator privileges and you must run commands from an Administrative command prompt to run executables that reside in the Oracle Clusterware home.

See Also: *Oracle Real Application Clusters Administration and Deployment Guide* for more information about using Oracle RAC scalability features of adding and deleting nodes and instances from Oracle RAC databases, and for information about viewing OCR content

2.8.1 Deinstalling Oracle Database with Oracle RAC Software

This section describes the procedure to deinstall Oracle Database 11g RAC software. Before you perform these steps, Oracle recommends that you make a backup of any databases that run from the Oracle home you are about to delete. You should then stop any instances and processes on all nodes, including services, that depend on the software that you are de-installing.

Note: For Windows Server 2008, you must have administrator privileges and you must run commands from an Administrative command prompt to run executables that reside in the Oracle Clusterware home.

1. Drop all of the databases that are dependent on the Oracle home that you are deleting by using DBCA "Delete a database" option and selecting the correct database or databases to be dropped.
2. If an ASM instance runs in the Oracle home, then ensure that there are no other database dependencies on the ASM instance. Then remove the ASM configuration by logging on as an Administrative user and completing the following steps:
 - a. Connect to the ASM instance and run the following command to identify any database instances that are using this ASM instance:

```
SQL> select INSTANCE_NAME from GV$ASM_CLIENT;
```

Note: This command only lists database instances that are running. It is possible that other instances are associated with the ASM instance, but they are not currently running. If you removed a database from this Oracle home but the output from the command shows that this ASM instance is supporting a database instance in another Oracle home, then do not remove the ASM instance or the Oracle home.

- b. For each instance listed in the output of the statement you ran in Step a, stop the respective databases.
 - c. Oracle recommends that you back up the database files for all of the databases that are currently using this ASM instance.
 - d. Using your connection to the ASM instance, run the following command:

```
SQL> select * from V$ASM_DISKGROUP;
```

- e. For each diskgroup listed in the output of the statement you ran in Step d, run the following command:

```
SQL> drop diskgroup diskgroup_name including contents;
```

where *diskgroup_name* is the name of the diskgroup.

- f. Shut down ASM on all Oracle RAC nodes, and verify that all ASM instances are stopped.
- g. To remove the ASM entry from the OCR, run the following command for all nodes on which this Oracle home exists:

```
srvctl remove asm -n nodename
```

where *nodename* is the name of a node from which you want to remove the ASM instance.

- h. Run the following command on each node that has an ASM instance where *node_number* is the node identifier:

```
oradim -delete -asmsid +ASMnode_number
```

- i. If you are using a shared cluster file system for your Oracle home, then run the following commands on the local node:

```
delete %ORACLE_HOME%\database\*ASM*
delete %ORACLE_BASE%\admin\+ASM
```

You may need to remove subordinate files or directories before these commands complete successfully.

- j. If you are not using a shared cluster file system for your Oracle home, then run the commands from the previous step, Step i, on *each* node on which the Oracle home exists.
- k. Stop any other processes running in this Oracle home:

```
Stop Oracle Ultra Search: %ORACLE_HOME%\bin\searchctl stop
```

3. If the listener runs from this Oracle home, then use NETCA to remove the listener and its configuration.
4. Start OUI using the following command:

```
%ORACLE_HOME%\oui\bin\setup.exe
```

In the Welcome page, click **Deinstall Products**. The Inventory screen appears, listing all of the Oracle homes on the system. In the Inventory screen, select the Oracle home and the products that you want to remove, then click **Remove**.

Note: Always use OUI to remove Oracle software. Do not delete any Oracle home directories without first using OUI to remove the software. In addition, you cannot perform an Oracle RAC installation from the same OUI session in which you perform a de-installation of Oracle RAC. In other words, if you de-install Oracle RAC with OUI and want to perform another Oracle RAC installation, then you must start a new OUI session.

2.8.2 Deinstalling Automatic Storage Management

To remove the Automatic Storage Management (ASM) instances, complete the following tasks:

1. There is one listener for each node that Oracle Clusterware manages, and that is started and stopped with nodeapps. It is named *nodename_LISTENER*, and it is located in the Oracle home. Use NetCA to remove this listener and its Oracle Clusterware resources. If necessary, re-create this listener in another Oracle home.
2. If this is the Oracle home from which the ASM instance runs, then enter the following commands to remove the ASM configuration:

```
srvctl stop asm -n node
srvctl remove asm -n node
```

3. If you are not using a cluster file system for your ASM Oracle home, then run the Server Control stop and remove commands listed in the previous step on each node on which the Oracle home exists.
4. If you are using a shared cluster file system for your ASM Oracle home, then run the following commands on the local node:

```
delete %ORACLE_HOME%\database\*ASM*
delete %ORACLE_BASE%\admin\+ASM
```

You may need to remove subordinate files or directories before these commands complete successfully.

5. If you are not using a shared cluster file system for your ASM Oracle home, then run the commands from the previous step, step 4, on *each* node on which the Oracle home exists.
6. Run the following command on each node:

```
%ORACLE_HOME%\bin\oradim.exe -delete -asmsid +ASMnode_number
```

where *node_number* is the node identifier.

Creating Oracle RAC Databases with the Database Configuration Assistant

This chapter describes how to use the Database Configuration Assistant (DBCA) in standalone mode to create and delete Oracle Real Application Clusters (Oracle RAC) databases. The topics in this chapter include:

- [Using Database Configuration Assistant with Oracle RAC](#)
- [Benefits of Using Database Configuration Assistant](#)
- [Verifying DBCA Requirements](#)
- [Creating an Oracle RAC Database with DBCA](#)
- [Automatic Listener Migration from Earlier Releases](#)
- [Deleting an Oracle Real Application Clusters Database with DBCA](#)

See Also: *Oracle Real Application Clusters Administration and Deployment Guide* for procedures on using Database Configuration Assistant (DBCA) to add and delete instances

3.1 Using Database Configuration Assistant with Oracle RAC

DBCA has the following primary database functions:

- Create and delete the database
- Add and delete database instances
- Set up network configuration for the database and its instances
- Register the database in Oracle Enterprise Manager Grid Control or configure Database Control
- Start up the database and its instances

Note: Cluster Managed Services are no longer managed through DBCA. Instead, use the cluster managed services page in Oracle Enterprise Manager DB Control (accessible from the Cluster Database Availability Page). For more information, refer to *Oracle Real Application Clusters Administration and Deployment Guide*.

In addition DBCA has the following primary ASM functions:

- Configure and delete Automatic Storage Management (ASM)

- Provide an ASM instance for an Oracle Database node that is added to an existing Oracle RAC database that uses ASM, if ASM is not already configured on the node that is added to the Oracle RAC database
- Automatically extend an ASM instance on any node where you attempt to perform any ASM configuration operations (such as mount) on a node where ASM is not already configured

See Also:

- ["Creating an Oracle RAC Database with DBCA"](#) on page 3-3 for more information about using DBCA in standalone mode
- *Oracle Database Net Services Administrator's Guide* to resolve problems—for example, with the listener configuration—and for further information about Lightweight Directory Access Protocol (LDAP)-compliant directory support

3.2 Benefits of Using Database Configuration Assistant

Oracle recommends that you use DBCA to create your Oracle RAC database, because DBCA's preconfigured databases optimize your environment for features such as ASM, the server parameter file, and automatic undo management. DBCA also provides pages to create new ASM disk groups if they are needed; if you use ASM or cluster file system storage, then DBCA also configures recovery and backup disk space.

With DBCA, you can create site-specific tablespaces as part of database creation. If you have data file requirements that differ from those offered by DBCA templates, then create your database with DBCA and modify the data files later. You can also run user-specified scripts as part of your database creation process.

DBCA also configures your Oracle RAC environment for various Oracle high availability features, such as services and cluster administration tools. It also starts any database instances required to support your defined configuration.

3.3 Verifying DBCA Requirements

To help to verify that your system is prepared to create the Oracle database with Oracle RAC successfully, enter a cluster verification utility command using the following command syntax:

```
cluvfy.bat stage -pre dbcfg -n node_list -d oracle_home [-verbose]
```

In the preceding syntax example, the variable *node_list* is the list of nodes in your cluster, separated by commas, and the variable *oracle_home* is the path for the Oracle home under which the database is to be created or its configuration is to be modified.

For example, to perform a check to determine if your system is prepared for an Oracle database with Oracle RAC on a two-node cluster with nodes *node1* and *node2*, and with the Oracle home path *c:\oracle\product\11.1.0*, enter the following command:

```
cluvfy.bat stage -pre dbcfg -n node1,node2 -d c:\oracle\product\11.1.0
```

You can select the option *-verbose* to receive progress updates as the CVU performs its system checks, and detailed reporting of the test results.

If the CVU summary indicates that the cluster verification check failed, then review and correct the relevant system configuration steps, and run the test again.

The command `cluvfy stage -pre dbcfg` verifies the following:

- Node reachability: all the specified nodes are reachable from the local node
- User equivalence: user equivalence exists on all the specified nodes
- Node connectivity: the connectivity exists between all the specified nodes through the available public and private network interfaces
- Administrative privileges: the current user has proper administrative privileges on the specified nodes for creating an Oracle RAC database
- Oracle Clusterware integrity: all the components of the oracle clusterware stack are operational

Note: If the user who performed the Oracle RAC installation was not a Windows domain user, then you may need to add the software owner user to the `ORA_DBA` group on all nodes in the cluster except the one on which the installation was performed.

3.4 Creating an Oracle RAC Database with DBCA

On Windows-based platforms, click **Start**, and select **Programs, Oracle - Oracle_home name, Configuration and Migration Tools**, and then **Database Configuration Assistant**

To create a database with DBCA in standalone mode without ASM or a cluster file system, you must have configured shared storage devices. In addition, you must have run the Oracle Net Configuration Assistant (NETCA) to configure your Oracle Net `listener.ora` file.

On Windows-based systems, if you plan to use ASM storage, then before you use DBCA to create a database, you must first create logical partitions without primary partitions on the same drive and delete the drive letters for these partitions on all nodes, or stamp these partitions with `asmtool`.

If you select DBCA templates that use preconfigured data files and if you do not use ASM or a cluster file system, then during database creation, DBCA first verifies that you created shared storage devices for each tablespace. If you have not configured the shared storage devices, then you must configure the devices and replace the default data file names that DBCA provides with the device names on the DBCA Storage page to continue database creation.

To start DBCA, connect as the Administrator to one of your nodes where Oracle RAC is installed and enter the command `dbca` command from the `%ORACLE_HOME%\bin` directory.

When you start DBCA, the first page it displays is the Welcome page for Oracle RAC, which includes the option to select an Oracle RAC database. DBCA displays this Oracle RAC Welcome page only if the Oracle home from which it is started was installed on a cluster.

If the Oracle RAC Welcome page opens, then provide information as prompted by DBCA. Click **Help** if you need assistance.

If DBCA does not display the Welcome page for Oracle RAC, then DBCA was unable to detect if the Oracle home is installed on a cluster. Perform clusterware diagnostics by using the following CVU command syntax:

```
CRS_home\bin\cluvfy\runcuvfy.bat stage -post crsinst -n nodelist.
```

For example, if the Oracle Clusterware software is installed in `D:\crs` and the cluster consists of nodes `node1` and `node2`, run the following command:

```
D:\crs\bin\cluvfy.bat stage -post crsinst -n node1,node2
```

Note the following important information when using DBCA:

- If nodes that are part of your cluster installation do not appear on the Node Selection page, then run the `opatch -lsinventory` command to perform inventory diagnostics and clusterware diagnostics.
- The Global Database Name is of the form `database_name.network_domain`. The global database name can contain no more than 30 characters (alphanumeric, underscore (_), dollar (\$), and pound (#)), and must begin with an alphabetic character. The network domain portion of the global database name can contain no more than 128 characters (alphanumeric, underscore (_), and pound (#)), inclusive of all periods.
- The SID prefix must begin with an alphabetic character.
- The SID can have no more than 64 characters (alphanumeric, dollar (\$), and pound (#)). DBCA uses the SID prefix to generate a unique value for the variable `ORACLE_SID` for each instance.
- On the Management Options page, you are provided with selections for Oracle Enterprise Manager monitoring and management interfaces.

Database Control is always an option. If DBCA discovers Grid Control agents on the cluster, then it also provides you with the option **Enterprise Manager with the Grid Control**. Choose between Database Control and Grid Control interfaces.

You can set up e-mail notification and enable daily backup operations. For e-mail notifications, you provide the outgoing mail server and e-mail address. For daily backups, you enter the backup time and operating system credentials for the user that performs backup operations.

- To use a flash recovery area, Oracle recommends that you create at least two separate ASM disk groups: one for the database area and one for the recovery area. Oracle recommends that you place the database area and the recovery area in separate failure groups.

A failure group is defined by shared hardware, such as a controller shared between two disks, or two disks that are on the same spindle. If two disks share hardware that could fail, making both disks unavailable, then these disks are said to be in the same failure group.

If you do not use ASM, then Oracle recommends that the data files and the Flash Recovery area are located outside of the Oracle home, in separate locations, as with separate ASM failure groups, so that a hardware failure does not affect availability.

See Also: *Oracle Database Concepts* for more information about using a flash recovery area, and *Oracle Database Storage Administrator's Guide* for information about failure groups and best practices for high availability and recovery

- If you do not see the disks that you want to add, then click **Change Disk Discovery Path** to alter the search path used by DBCA to find available disks, or

click **Stamp Disks** to start the `asmtoolg` GUI tool. (refer to Database IG for details).

See Also: *Oracle Database Installation Guide for Microsoft Windows* for more information about `asmtoolg`

- If DBCA displays the following message:

The file `oracle_home\bin\oracle` does not exist on node `node_name`.
Make sure that file exists on these nodes before proceeding.

This message means that the Oracle home from which the first ASM instance in the cluster runs is not installed on these cluster nodes. You must extend the ASM Oracle home to these nodes by performing the procedure documented in "Step 4: Adding Nodes at the Oracle RAC Database Layer" in the *Oracle Real Application Clusters Administration and Deployment Guide*. However, do not perform Step 5 in that section. OUI extends the ASM Oracle home to the selected nodes and performs any configuration required for running an ASM instance on these nodes.

- If DBCA displays the following message:

Please run the DBCA from one of the nodes that has an existing ASM instance `node_list`.

This message means that you are attempting to create an Oracle RAC database using ASM storage, but the ASM instance does not exist on the node from which you ran DBCA. However, ASM instances do exist on the remote nodes that appear in the message node list. In this case, DBCA cannot clone the existing ASM instance from the remote node to the local node. To correct this, start DBCA from one of the nodes shown in the node list to create your Oracle RAC database using ASM storage. This copies the local node's ASM instance and modifies its parameters and attributes to create ASM instances on the nodes in your cluster that do not have ASM instances.

- On the Recovery Configuration page, if you are using ASM or cluster file system storage, then you can also select the flash recovery area and size on the Recovery Configuration page. If you are using ASM, then the flash recovery area defaults to the ASM Disk Group. If you are using OCFS, then the flash recovery area defaults to `%ORACLE_BASE%\flash_recovery_area`.
- If you intend to add more nodes in your cluster than you have during the current DBCA session, then click **All Initialization Parameters**, and change the parameter `CLUSTER_DATABASE_INSTANCES` to the number of nodes that you will add to the cluster.

In addition, if you click **All Initialization Parameters**, note that if your global database name is longer than 8 characters, then the database name value (in the `DB_NAME` parameter) is truncated to the first 8 characters, and the `DB_UNIQUE_NAME` parameter value is set to the global name.

See Also: *Oracle Database Administrator's Reference* for information about initialization parameters

After you respond to the DBCA prompts, review the Summary dialog information and click **OK**, DBCA does the following:

- Creates an operative Oracle RAC database and its instances
- Creates the Oracle RAC data dictionary views

- Configures the network for the cluster database
- Starts the Oracle services if you are on a Windows-based platform
- Migrates previous release Oracle Database listeners and related files to the Oracle Database 11g Oracle home
- Starts the listeners and database instances, and then starts the high availability services
- Configures Oracle Enterprise Manager Database Control or Grid Control

Caution: After you have created the database, if you decide that you want to install additional Oracle Database 10g products in the Oracle Database 11g database you have created, then you must stop *all* processes running in the Oracle home before you attempt to install the additional products. For the Oracle Universal Installer to relink certain executables and libraries, all database processes must be down. Refer to [Appendix B, "Stopping Processes in Oracle Real Application Clusters Databases"](#) for additional information.

3.5 Automatic Listener Migration from Earlier Releases

If your system has an Oracle Database 10g (10.1) installation, and you install Oracle Database 11g release 1 (11.1) either to coexist with or to upgrade the Oracle Database 10.1 or 10.2 installation, then most installation types automatically migrate the Oracle Database 10.1 listener to the 11g release 1 (11.1) Oracle home. During migration, they configure and start a default Oracle Net listener using the same TCP/IP port as the existing listener, with the IPC key value `EXTPROC`. This process occurs through one of the following scenarios:

- During a coexisting installation, DBCA automatically migrates the listener and related files from the Oracle Database 10.1 or 10.2 Oracle home to the Oracle Database 11g Oracle home.
- During an upgrade, Oracle Database Upgrade Assistant (DBUA) automatically locates the Oracle 10g release 1 (10.1) or release 2 (10.2) listener, and migrates it to Oracle 11g release 1 (11.1).

The listener migration process stops the listener in the existing Oracle home, and restarts the listener from the new Oracle home. During migration, client applications may not be able to connect to any databases that are registered to the listener that is being migrated.

3.6 Deleting an Oracle Real Application Clusters Database with DBCA

This section explains how to delete an Oracle RAC database with DBCA. This process deletes a database and removes a database's initialization parameter files, instances, OFA structure, and Oracle network configuration. However, this process does not remove data files if you placed the files on raw devices or on raw partitions.

To delete a database with DBCA:

1. Start DBCA on one of the nodes:

On Windows-based platforms, click **Start**, and select **Programs, Oracle - Oracle_home name, Configuration and Migration Tools**, then **Database Configuration Assistant**

The DBCA Welcome page appears.

2. Select Oracle Real Application Clusters and click **Next**.

After you click **Next**, DBCA displays the Operations page.

3. Select Delete a database, click **Next**. DBCA displays the List of Cluster Databases page.
4. If your user ID and password are not operating-system authenticated, then the List of Cluster Databases page displays the user name and password fields. If these fields appear, then enter a user ID and password that has SYSDBA privileges.
5. Select the database to delete and click **Finish**.

After you click **Finish**, DBCA displays a dialog to confirm the database and instances that DBCA is going to delete.

6. Click **OK** to begin the deletion of the database and its associated files, services, and environment settings, or click **Cancel** to stop the operation.

When you click **OK**, DBCA continues the operation and deletes all of the associated instances for this database. DBCA also removes the parameter files and password files.

At this point, you have accomplished the following:

- Deleted the selected database from the cluster
- Deleted the selected database's Oracle services for Windows-based platforms
- Deleted high availability services that were assigned to the database
- Deleted the Oracle Net configuration for the database
- Deleted the OFA directory structure from the cluster
- Deleted the data files if the data files were not on raw devices

Oracle Real Application Clusters Post-Installation Procedures

This chapter describes how to complete the post-installation tasks after you have installed Oracle Database 11g with Oracle Real Application Clusters (Oracle RAC) software. It contains the following sections:

- [Required Post-Installation Tasks](#)
- [Recommended Post-Installation Tasks](#)

Note: This chapter only describes basic configurations. Refer to the *Oracle Database Platform Guide for Microsoft Windows* and the product administration and tuning guides for more detailed configuration and tuning information.

4.1 Required Post-Installation Tasks

You must perform the following tasks after completing your installation:

- [Back Up the Voting Disk after Installation](#)
- [Download and Install Patches](#)
- [Configure Oracle Products](#)
- [Configure Storage for External Tables, Shared Files, or Directory Objects](#)

4.1.1 Back Up the Voting Disk after Installation

After your Oracle Database 11g with RAC installation is complete, and after you are sure that your system is functioning properly, make a backup of the contents of the voting disk using `ocopy.exe` which resides in the Oracle Database home.

Also make a backup of the voting disk contents after you complete any node additions or node deletions, and after running any deinstallation procedures.

4.1.2 Download and Install Patches

Refer to the My Oracle Support Web site for required patches for your installation. To download required patches:

1. Use a Web browser to view the My Oracle Support Web site:

<https://metalink.oracle.com>

2. Log in to My Oracle Support.

Note: If you are not an My Oracle Support registered user, then click **Register for My Oracle Support** and register.

3. On the main My Oracle Support page click **Patches**.
4. On the Select a Patch Search Area page click **New My Oracle Support Patch Search**.
5. On the Simple Search page click **Advanced**.
6. On the Advanced Search page click the search icon next to the Product or Product Family field.
7. In the Search and Select: Product Family field, enter RDBMS Server in the For field and click **Go**.
8. Select RDBMS Server under the Results heading and click **Select**.
RDBMS Server appears in the Product or Product Family field and the current release appears in the Release field.
9. Select your platform from the list in the Platform field and click **Go**.
10. Any available patches appear under the Results heading.
11. Click the number of the patch that you want to download.
12. On the Patch Set page, click **View README** and read the page that appears. The README page contains information about the patch set and how to apply the patches to your installation.
13. Return to the Patch Set page, click **Download**, and save the file on your system.
14. Use the unzip utility provided with Oracle Database 11g to uncompress the Oracle patches that you downloaded from My Oracle Support. the unzip utility is located in the `ORACLE_HOME\bin` directory.

Note: If you find patches for your Oracle Clusterware and for your Oracle Database, you must apply the patches for your Oracle Clusterware home before you apply the patches for your Oracle home.

4.1.3 Configure Oracle Products

Many Oracle products and options must be configured before you use them for the first time. Before using individual Oracle Database 11g database products or options, refer to the manual in the product documentation library which is available on the documentation media or on the OTN Web site.

4.1.4 Configure Storage for External Tables, Shared Files, or Directory Objects

If your Oracle RAC database uses files that are external to the database, then the external files should be located on shared storage that is accessible to all nodes. Each node should use the same mount point to access the file. Acceptable shared file systems include Database File System (DBFS), Oracle ASM Cluster File System (Oracle ACFS), Oracle Cluster File System (OCFS) for Windows, or a supported network file system (NFS).

The database Directory Object used to write and read files external to the database must point to a shared storage location, and each node must use the same mount point

for the same shared storage location. For example, each node might have a Directory Object called DPUMP for the mount point C:\app\acfsmounts\dpump, which accesses Oracle ACFS shared storage.

Note: There is no checking of the contents of the external files or directory object specified as part of the external table to ensure that they are consistent on each node. To avoid unpredictable results, you must make sure the same file is accessed from all nodes, or make sure the same file is used on all nodes.

4.2 Recommended Post-Installation Tasks

Depending on the options that you selected to install, Oracle recommends that you perform the following tasks after completing an installation:

- [Verifying Enterprise Manager Operations](#)
- [Logging in to Oracle Enterprise Manager Database Control](#)
- [Postinstallation Database Configuration for Oracle Configuration Manager](#)

4.2.1 Verifying Enterprise Manager Operations

Run the following command to verify the Enterprise Manager configuration in your newly installed Oracle RAC environment:

```
srvctl config database -d db_name
```

SRVCTL displays the name of the node and the instance for the node. The following example for a database named orcl shows a node named iwinrac01 running an instance named orcl1. Run the following command:

```
C:\> srvctl config database -d orcl
```

The output should be similar to:

```
iwinrac01 orcl1 C:\oracle\product\11.1.0\db_1
iwinrac02 orcl2 C:\oracle\product\11.1.0\db_1
```

4.2.2 Logging in to Oracle Enterprise Manager Database Control

If you configure Oracle Enterprise Manager Database Control during installation, then you can use it to manage your database. Alternatively, you can use Oracle Enterprise Manager Grid Control to manage your database.

To use Database Control, you must access it on the node where you installed the database. If you want to log into Database Control from another cluster node, then you need to reconfigure Enterprise Manager to start the Database Control interface on that other node.

See Also: the emca command line help for instructions to perform reconfiguration

Use the following instructions to log in to Database Control:

1. On the node from which you installed the database, open a Web browser to access the Database Control URL, and use the following URL syntax:

`https://host:port/em`

In the preceding example:

- *host* is the name of the computer on which you installed Oracle Database
- *port* is the port number reserved for the Database Control or Grid Control during installation

If you do not know the correct port number to use, then look for the following line in the file `%ORACLE_HOME\install\portlist.ini`, which lists the assigned port:

```
Enterprise Manager Console HTTP Port (db_name) = 1158
```

The installation reserves the first available port from the range 5500 to 5519.

For example, if you install Oracle Database on host `mgmt42`, and the Database Control uses port 1158, then use the following URL:

`https://mgmt42:1158/em`

Oracle Enterprise Manager displays the Database Control login page.

2. Log in to the database using the user name `SYS` and connect as `SYSDBA`.

Use the password that you specified for the `SYS` account during the installation.

Note: You can also log in to the Database Control using the `SYSTEM` or `SYSMAN` accounts, or you can grant login privileges to other database users.

4.2.3 Postinstallation Database Configuration for Oracle Configuration Manager

Run the following script to configure the database to enable Oracle Configuration Manager (OCM) to collect configuration information:

```
ORACLE_BASE\ORACLE_HOME\ccr\admin\scripts\installCCRSQL.exe collectconfig -s SID  
-r SYSDBA-USER
```

The `installCCRSQL.exe` script creates an Oracle Configuration Manager user and loads the PL/SQL procedure into the database defined by the `ORACLE_SID`. You can also specify the database `SID` by using the `-s` option in the command line as in the following example where the `SID` is `orcl`:

```
ORACLE_BASE\ORACLE_HOME\ccr\admin\scripts\installCCRSQL.exe collectconfig -s orcl
```

By default, the connection to the database is through operating system authentication, `"/as sysdba."` To specify a different user and password, you can use these options:

`-r SYSDBA-USER`: The login name for the user with a `SYSDBA` role

`-p SYSDBA-PASSWORD`: The password for the user with a `SYSDBA` role

Note:

- If you specify the user without specifying the password, you will be prompted to enter the password.
 - If you specify only the password without specifying the user name, the user `SYS` is used by default.
-

4.2.3.1 Additional Step for E-Business Suites

If the database is used as a repository for an Oracle E-Business Suite, then you must also run the following script from the ORACLE_HOME in which the E-Business database has been hosted:

```
ORACLE_BASE\ORACLE_HOME\ccr\admin\scripts\installCCRSQL.exe ebs_collectconfig -u
Oracle_Applications_User
```

The `-u` parameter is mandatory. If you do not specify this parameter, then the application prompts you for the Oracle Applications User. If the `-u` parameter is specified, then you will be prompted for the Oracle Applications Password.

If you want to automate the install, then you can run the `installCCRSQL.exe` script with an additional `-w` option to specify the Oracle Applications Password. For example:

```
ORACLE_BASE\ORACLE_HOME\ccr\admin\scripts\installCCRSQL.exe ebs_
collectconfig -u Oracle_Applications_User -w Oracle_Applications_
Password
```

You can add the `-s SID` command to specify the SID of the Oracle Applications Database instance.

If you are not using operating system authentication to connect to the database, then you must use the `-r` parameter to specify the following:

`-r SYSDBA-USER`: The login name of the SYSDBA user

If only the `-r` parameter is specified, you are prompted to enter the password. The `-p` parameter for specifying the password is optional.

4.2.3.2 Additional Step for Oracle Enterprise Manager Grid Control

If the database is used as a repository for Oracle Enterprise Manager Grid Control, then you must also run the following script:

```
ORACLE_BASE\ORACLE_HOME\ccr\admin\scripts\installCCRSQL.exe
collectemrep
```

When you run this command, the application prompts you for the SYSMAN password. If you want to automate the install, then you can run the `installCCRSQL.exe` script to specify the SYSMAN password. For example:

```
ORACLE_BASE\ORACLE_HOME\ccr\admin\scripts\installCCRSQL.exe
collectemrep -e SYSMAN PASSWORD
```

You can add the `-s SID` command to specify the SID of the Oracle Enterprise Manager Grid Control Database instance. You must run this script from the ORACLE_HOME in which the Oracle Enterprise Manager Grid Control database has been hosted.

If you are not using operating system authentication to connect to the database, then you must use the `-r` and `-p` parameters to specify the following:

`-r SYSDBA-USER`: The login name of the SYSDBA user

`-p SYSDBA-PASSWORD`: The password for the SYSDBA user

If the `-r` parameter is specified, the `-p` parameter is optional and will be prompted for.

Parameter Management for Oracle Real Application Clusters Databases

This chapter describes server parameter file (SPFILE) placement and configuration in Oracle Real Application Clusters (Oracle RAC) environments. The topics in this chapter are:

- [Parameter Files and Oracle Real Application Clusters](#)
- [Using Server Parameter Files in Oracle Real Application Clusters](#)
- [Parameter File Search Order in Oracle Real Application Clusters](#)
- [Server Parameter File Errors in Oracle Real Application Clusters](#)

See Also: *Oracle Real Application Clusters Administration and Deployment Guide* for more information about parameters and *Oracle Real Application Clusters Deployment and Performance Guide* for a discussion of parallel execution-related parameters in Oracle RAC data warehouse environments

5.1 Parameter Files and Oracle Real Application Clusters

Oracle uses parameter settings in parameter files to determine how to control various database resources. You can use two types of files for parameter administration: the server parameter file (SPFILE) or one or more traditional client-side parameter files.

Oracle recommends that you manage parameters using an SPFILE. If you use client-side parameter files, then Oracle does not preserve parameter changes made for self-tuning after shutdown.

See Also: *Oracle Real Application Clusters Administration and Deployment Guide* for more information about using client-side parameter files

5.2 Using Server Parameter Files in Oracle Real Application Clusters

By default, Oracle creates the server parameter file based on one SPFILE. You can change parameter settings in the server parameter file only by using Oracle Enterprise Manager or `ALTER SYSTEM SET SQL` statements; the server parameter file is a binary file that you should not edit.

Note: Oracle recommends that you avoid modifying the values for self-tuning parameters; overriding these settings can adversely affect performance.

If you are upgrading from a previous Oracle release, then create and configure the server parameter file for Oracle RAC using the procedures described in the following section.

5.2.1 Location of the Server Parameter File

The default location of the server parameter file (SPFILE) is:

```
%ORACLE_HOME%\database\SPFILE%ORACLE_SID%.ORA
```

The default location of the server parameter file is inappropriate for Oracle RAC databases if you use ASM or raw devices because all instances must use the same server parameter file.

For Windows-based platforms Oracle recommends that you use a PFILE in this directory:

```
%ORACLE_HOME%\database\init%ORACLE_SID%.ora
```

This path is valid for each instance and it refers to a single, shared initialization parameter file. If you use raw storage, then the file must contain the following entry on a Windows-based platform:

```
SPFILE= '\\.\dbname_SPFILE'
```

However, if you use a cluster file system, then use the following file location, where O is the OCFS drive:

```
SPFILE=O:\oradata\database_name\spfile.ora
```

If you use ASM, then the SPFILE value will be:

```
SPFILE='+disk_group_name/dbunique_name/spfiledbname.ora'
```

where *dbunique_name* is the unique database name and *dbname* is the database name.

Note: The SPFILE for an ASM instance cannot be stored in ASM disks groups.

You must use the same value of SPFILE so that all instances use the same server parameter file at startup.

To use DBCA to create your database and to use the server parameter file, on the Initialization Parameters page select Create server parameter file (SPFILE) under the File Locations tab which is visible only if you are using raw storage. Then enter either a shared file system filename or the raw device path name in the Server Parameters Filename field.

Note: When you use DBCA to create the server parameter file, the default PFILE file name is:

`%ORACLE_HOME%\database\init%ORACLE_SID%.ora`

This is the default PFILE name.

5.3 Parameter File Search Order in Oracle Real Application Clusters

Oracle searches for your parameter file in the following order:

1. `%ORACLE_HOME%\database\spfilesid.ora`
2. `%ORACLE_HOME%\database\spfile.ora`
3. `%ORACLE_HOME%\database\init%sid.ora`

See the previous section, "[Location of the Server Parameter File](#)", for information on how to configure your system to prevent your Oracle RAC instances using inappropriate parameter files.

5.4 Server Parameter File Errors in Oracle Real Application Clusters

Oracle reports errors that occur during server parameter file creation or while reading the file during startup. If an error occurs during a parameter update, then Oracle records the error in your `ALERT.LOG` file and ignores subsequent parameter updates to the file. If this happens, then do either of the following:

- Shut down the instance, recover the server parameter file, and restart the instance.
- Restart the instance using a PFILE instead of the SPFILE.

Oracle displays errors for parameter changes that you attempt when you incorrectly use the `ALTER SYSTEM SET` statement. Oracle does this when an error occurs while reading from or writing to the server parameter file.

See Also: *Oracle Real Application Clusters Administration and Deployment Guide* for more information about backing up the SPFILE

Understanding the Oracle Real Application Clusters Installed Configuration

This chapter describes the Oracle Real Application Clusters (Oracle RAC) installed configuration. The topics in this chapter include:

- [Understanding the Configured Environment in Oracle Real Application Clusters](#)
- [The Oracle Cluster Registry in Oracle Real Application Clusters](#)
- [Database Components Created Using Database Configuration Assistant](#)
- [Managing Undo Tablespaces in Oracle Real Application Clusters](#)
- [Initialization Parameter Files](#)
- [Configuring Service Registration-Related Parameters in Oracle Real Application Clusters](#)
- [Configuring the Listener File \(listener.ora\)](#)
- [Net Service Names \(tnsnames.ora File\)](#)
- [Net Services Profile \(sqlnet.ora File\)](#)

6.1 Understanding the Configured Environment in Oracle Real Application Clusters

Oracle Net Configuration Assistant (NetCA) and Database Configuration Assistant (DBCA) configure your environment to meet the requirements for database creation and Enterprise Manager discovery of Real Application Cluster databases.

Note: Configuration files are created on each node in your cluster database.

6.2 The Oracle Cluster Registry in Oracle Real Application Clusters

Database Configuration Assistant uses the Oracle Cluster Registry (OCR) for storing the configurations for the cluster databases that it creates. The OCR is a shared file in a cluster file system environment. If you do not use a cluster file system, then you must make this file a shared raw device. Oracle Universal Installer (OUI) automatically initializes the OCR during the Oracle Clusterware installation.

6.3 Database Components Created Using Database Configuration Assistant

This section describes the database components that DBCA creates, which include:

- [Tablespaces and Data Files](#)
- [Control Files](#)
- [Redo Log Files](#)

6.3.1 Tablespaces and Data Files

An Oracle database for both single-instance and cluster database environments is divided into smaller logical areas of space known as tablespaces. Each tablespace corresponds to one or more data files stored on a disk. [Table 6–1](#) shows the tablespace names used by an Oracle RAC database and the types of data they contain:

Table 6–1 Tablespace Names that Oracle Real Application Clusters Databases Use

Tablespace Name	Contents
SYSTEM	Consists of the data dictionary, including definitions of tables, views, and stored procedures needed by the database. Oracle automatically maintains information in this tablespace.
SYS_AUX	An auxiliary system tablespace that contains the DRSYS (contains data for OracleText), CWMLITE (contains the OLAP schemas), XDB (for XML features), ODM (for Oracle Data Mining), TOOLS (contains Enterprise Manager tables), INDEX, EXAMPLE, and OEM-REPO tablespaces.
USERS	Consists of application data. As you create and enter data into tables, Oracle fills this space with your data.
TEMP	Contains temporary tables and indexes created during SQL statement processing. You may need to expand this tablespace if you are running a SQL statement that involves significant sorting, such as <code>ANALYZE COMPUTE STATISTICS</code> on a very large table, or the constructs <code>GROUP BY</code> , <code>ORDER BY</code> , or <code>DISTINCT</code> .
UNDOTBS <i>n</i>	These are the undo tablespaces for each instance that DBCA creates for automatic undo management.
RBS	If you do not use automatic undo management, then Oracle uses the RBS tablespace for the rollback segments.

You cannot alter these tablespace names when using the preconfigured database configuration options from Oracle Universal Installer. However, you can change the names of the tablespaces if you use the advanced database creation method.

As mentioned, each tablespace has one or more data files. The data file names created by the preconfigured database configuration options vary by storage type such as ASM, OFS, raw devices, and so on.

You can specify different symbolic names with the Advanced database configuration option.

Windows-based platforms use the symbolic link names for the data file and other database files shown in [Table 6–2](#):

Table 6–2 Windows-Based Platforms Symbolic Link Names and Files

Windows-Based Platforms Symbolic Link Names	Tablespace or Other Database Files
<code>db_name_system</code>	SYSTEM

Table 6–2 (Cont.) Windows-Based Platforms Symbolic Link Names and Files

Windows-Based Platforms Symbolic Link Names	Tablespace or Other Database Files
<code>db_name_SYSAUX</code>	SYSAUX
<code>db_name_users</code>	USERS
<code>db_name_temp</code>	TEMP
<code>db_name_undotbs1</code>	UNDOTBS1
<code>db_name_undotbs2</code>	UNDOTBS2
<code>db_name_rbs</code>	RBS (optional)
<code>db_name_example</code>	EXAMPLE
<code>db_name_indx</code>	INDX
<code>db_name_spfile</code>	SPFILE
<code>db_name_control1</code>	Control File 1
<code>db_name_control2</code>	Control File 2
<code>db_name_redo_instance_ number log_number</code>	Redo Log Files
Where <i>instance_number</i> is the number of the instance and <i>log_ number</i> is the log number (1 or 2) for the instance.	Each instance must have at least two redo log files. If the database name is <code>db</code> , then the link names for the first instance are: <code>db_redo1_1</code> <code>db_redo1_2</code> The link names for the second instance's redo log files are: <code>db_redo2_1</code> <code>db_redo2_2</code>

6.3.2 Control Files

The database is configured with two control files that are stored on shared storage.

6.3.3 Redo Log Files

Each instance is configured with at least two redo log files that are stored in the shared storage. If you chose cluster file system, then these files are shared file system files. If you do not have a cluster file system, then these files are raw devices. If you use ASM, then these files are stored on the ASM disk group.

The file names of the redo log files that are created with the preconfigured database configuration options vary by storage type. You must enter the raw device names unless you are using a cluster file system.

When using raw devices, to use the advanced database creation method, locate the redo log files in the Database Storage page and replace their default filenames with the correct raw device names or symbolic link names.

6.4 Managing Undo Tablespaces in Oracle Real Application Clusters

Oracle stores rollback or undo information in undo tablespaces. To manage undo tablespaces, Oracle recommends that you use automatic undo management.

Automatic undo management is an automated tablespace management mode that is easier to administer than manual undo management.

See Also: *Oracle Real Application Clusters Administration and Deployment Guide* for more information about managing undo tablespaces

6.5 Initialization Parameter Files

Oracle recommends using the server parameter file (SPFILE). This file resides on the server on the shared disk; all instances in a cluster database can access this parameter file.

See Also: [Chapter 5, "Parameter Management for Oracle Real Application Clusters Databases"](#) for more information about the creation and use of parameter files

6.6 Configuring Service Registration-Related Parameters in Oracle Real Application Clusters

Two key benefits of Oracle RAC are connection load balancing and failover. Oracle RAC extends the ability of single-instance Oracle database load balancing, where connections are distributed among local dispatchers, to the balancing of connections among all instances in a cluster database. In addition, Oracle RAC provides failover by configuring multiple listeners on multiple nodes to manage client connection requests for the same database service. Connection load balancing and failover increase availability by taking advantage of the redundant resources within a cluster database. These features, however, require cross instance registration.

Cross instance registration in Oracle RAC occurs when an instance's PMON process registers with the local listener and with all other listeners. Thus, all instances in the cluster register with all listeners running on the cluster nodes. This enables all listeners to manage connections across all instances for both load balancing and failover.

Cross instance registration requires configuring the `LOCAL_LISTENER` and `REMOTE_LISTENER` initialization parameters. The `LOCAL_LISTENER` parameter identifies the local listener and the `REMOTE_LISTENER` parameter identifies the global list of listeners. The `REMOTE_LISTENER` parameter is dynamic. Oracle changes the setting for `REMOTE_LISTENER` dynamically when you reconfigure your cluster database, for example, when you add or delete instances.

By default, DBCA configures your environment with dedicated servers. However, if you select the shared server option on DBCA, then Oracle configures the shared server. In this case, Oracle uses both dedicated and shared server processing. When shared servers are configured, the `DISPATCHERS` parameter is specified as in the following example:

```
DISPATCHERS=" (protocol=tcp) "
```

If the `DISPATCHERS` initialization parameter does not specify the `LISTENER` attribute as in the previous example, then the PMON process registers information for all dispatchers with the listeners specified by the `LOCAL_LISTENER` and `REMOTE_LISTENER` parameters.

However, when the `LISTENER` attribute is specified, the PMON process registers dispatcher information with the listeners specified by the `LISTENER` attribute. In this case, setting the `LISTENER` attribute overrides `REMOTE_LISTENER` settings for the specified dispatchers as in the following example:

```
DISPATCHERS=" (protocol=tcp) (listener=listeners_db_name) "
```

See Also: *Oracle Database Net Services Administrator's Guide* for further information about cross instance registration, shared and dedicated server configurations, and connection load balancing

6.7 Configuring the Listener File (listener.ora)

You can configure two types of listeners in the `listener.ora` file as described under the following headings:

- [Local Listeners](#)
- [Multiple Listeners](#)
- [How Oracle Uses the Listener \(listener.ora File\)](#)

6.7.1 Local Listeners

If you configured dedicated server mode using the DBCA Connection Mode tab on the Initialization Parameters page, then DBCA automatically configures the `LOCAL_LISTENER` parameter when the listener uses a nondefault address port.

If you configured the dedicated server mode by setting the `REMOTE_LISTENER` initialization parameter, then you must also configure the instance-specific `LOCAL_LISTENER` initialization parameter.

For example, to configure the `LOCAL_LISTENER` parameter, add the following entry to the initialization parameter file, where `listener_sid` is resolved to a listener address through either a `tnsnames.ora` file or through Oracle Names Server:

```
sid.local_listener=listener_sid
```

The following entry should be in your `tnsnames.ora` file:

```
listener_sid=(address=(protocol=tcp) (host=node1-vip) (port=1522))
```

6.7.2 Multiple Listeners

If DBCA detects more than one listener on the node, it displays a list of the listeners. You can select one or all of these listeners with which to register your database.

6.7.3 How Oracle Uses the Listener (listener.ora File)

Services coordinate their sessions using listener file entries by running a process on the server that receives connection requests on behalf of a client application. Listeners are configured to respond to connection requests sent to protocol addresses for a database service or non-database service.

Protocol addresses are configured in the listener configuration file, `listener.ora`, for a database service or a non-database service. Clients configured with the same addresses can connect to a service through the listener.

During a preconfigured database configuration installation, Oracle Net Configuration Assistant creates and starts a default listener called `LISTENER_NODENAME`. The listener is configured with a default protocol listening addresses for the database and external procedures. The advanced installation process prompts you to create at least one listener with Oracle Net Configuration Assistant. The listener is configured to respond to connection requests that are directed at one protocol address you specify, as well as an address for external procedures.

Both installation modes configure service information about the Oracle RAC database and external procedures. An Oracle Database 11g Release 1 (11.1) database service automatically registers its information with the listener, such as its service name, instance names, and load information.

This feature, called service registration, does not require configuration in the `listener.ora` file. After listener creation, Oracle Net Configuration Assistant starts the listener. A sample `listener.ora` file with an entry for an instance named `node1` is:

```
listener_node1=
  (description=
    (address=(protocol=ipc) (key=extproc))
    (address=(protocol=tcp) (host=node1-vip) (port=1521) (IP=FIRST))
    (address=(protocol=tcp) (host=node1-ip) (port=1521) (IP=FIRST)))
sid_list_listener_node1=
  (sid_list=
    (sid_desc=
      (sid_name=plsextproc)
      (oracle_home=C:\app\oracle\product\11.1.0\db_1)
      (program=extproc)))
```

6.7.3.1 Listener Registration and PMON Discovery

When a listener starts after the Oracle instance starts, and the listener is listed for service registration, registration does not occur until the next time the PMON discovery routine starts. By default, PMON discovery occurs every 60 seconds.

To override the 60-second delay, use the SQL `ALTER SYSTEM REGISTER` statement. This statement forces PMON to register the service immediately.

Oracle recommends that you create a script to run this statement immediately after starting the listener. If you run this statement while the listener is up and the instance is already registered, or while the listener is down, then the statement has no effect.

See Also: *Oracle Database Net Services Administrator's Guide* for further information about the listener and the `listener.ora` file

6.8 Net Service Names (tnsnames.ora File)

A `tnsnames.ora` file is created on each node with net service names. A connect identifier is an identifier that maps to a connect descriptor. A connect descriptor contains the following information:

- The network route to the service, including the location of the listener through a protocol address
- The `SERVICE_NAME` for an Oracle release 8.1 or later, or `SID` for pre-8.1 Oracle releases

Note: The `SERVICE_NAME` parameter you use in `tnsnames.ora` is singular because you can only specify one service name.

DBCA creates net service names for connections as shown in [Table 6-3](#):

Table 6–3 Connections for Net Service Names

Net Service Name Type	Description
Database connections	<p>Clients that connect to any instance of the database use the net service name entry for the database. This entry also enables Oracle Enterprise Manager to discover an Oracle RAC database.</p> <p>A listener address is configured for each node that runs an instance of the database. The <code>LOAD_BALANCE</code> option causes Oracle to choose the address randomly. If the chosen address fails, then the <code>FAILOVER</code> option causes the connection request to fail over to the next address. Thus, if an instance fails, then clients can still connect using another instance.</p> <p>In the following example, <code>db.us.oracle.com</code> is used by the client to connect to the target database, <code>db.us.oracle.com</code>.</p> <pre>db.us.example.com= (description= (load_balance=on) (address=(protocol=tcp)(host=node1-vip)(port=1521) (address=(protocol=tcp)(host=node2-vip)(port=1521) (connect_data= (service_name=db.us.example.com)))</pre> <p>Note: <code>FAILOVER=ON</code> is set by default for a list of addresses. Thus, you do not need to explicitly specify the <code>FAILOVER=ON</code> parameter.</p> <p>When you set <code>DB_UNIQUE_NAME</code> by entering a global database name that is longer than eight characters, excluding <code>DB_DOMAIN</code>, then a net service entry similar to the following is created:</p> <pre>mydatabase.us.example.com= (description = (address = (protocol = tcp)(host = node1-vip)(port = 1521)) (address = (protocol = tcp)(host = node2-vip)(port = 1521)) (load_balance = yes) (connect_data = (server = dedicated) (service_name = mydatabase.us.example.com)))</pre>
Instance connections	<p>Clients that connect to a particular instance of the database use the net service name entry for the instance. This entry, for example, enables Oracle Enterprise Manager to discover the instances in the cluster. These entries are also used to start and stop instances.</p> <p>In the following example, <code>db1.us.example.com</code>, is used by Oracle Enterprise Manager to connect to an instance named <code>db1</code> on <code>db1-server</code>:</p> <pre>db1.us.example.com= (description= (address=(protocol=tcp)(host=node1-vip)(port=1521)) (connect_data= (service_name=db.us.example.com) (instance_name=db1)))</pre>
Remote listeners	<p>As discussed in "Configuring Service Registration-Related Parameters in Oracle Real Application Clusters" on page 6-4, the <code>REMOTE_LISTENER</code> parameter identifies the global list of listeners and it is dynamic. Oracle changes the setting for <code>REMOTE_LISTENER</code> when you reconfigure your cluster database.</p> <p>Whether using shared servers or dedicated servers, the list of remote listeners is supplied using the <code>REMOTE_LISTENER</code> parameter, for example:</p> <pre>REMOTE_LISTENER=listeners_db_unique_name</pre> <p>This enables the instance to register with remote listeners on the other nodes; <code>listeners_db_unique_name</code> is resolved through a naming method such as a <code>tnsnames.ora</code> file.</p>

Table 6–3 (Cont.) Connections for Net Service Names

Net Service Name	Type	Description
		<p>In the following example, <code>listeners_db.us.example.com</code> is resolved to a list of listeners available on the nodes on which the cluster database has instances:</p> <pre>listeners_db.us.example.com= (address_list= (address=(protocol=tcp) (host=node1-vip) (port=1521)) (address=(protocol=tcp) (host=node2-vip) (port=1521)))</pre> <p>The instance uses this list to determine the addresses of the remote listeners with which to register its information.</p>
Nondefault listeners		<p>As discussed in "Local Listeners" on page 6-5 and "Multiple Listeners" on page 6-5, the <code>LOCAL_LISTENER</code> parameter is set in the <code>init.ora</code> file if a nondefault listener is configured, for example:</p> <pre>sid.local_listener=listener_sid</pre> <p>Where <code>listener_sid</code> is resolved to a listener address through a naming method such as a <code>tnsnames.ora</code> file.</p> <p>In the following sample, <code>listener_db1.us.example.com</code> is resolved to the nondefault listener address:</p> <pre>listener_db1.us.example.com= (address=(protocol=tcp) (host=node1-vip) (port=1522))</pre>

Table 6–3 (Cont.) Connections for Net Service Names

Net Service Name Type	Description
Services Entries	<p>When you configure high availability services using the DBCA Services page, then DBCA creates net service entries similar to the following. The three services in the following examples, db_svc1, db_svc2, and db_svc3, have TAF policies of NONE, BASIC and PRECONNECT respectively.</p> <pre> db_svc1.us.example.com= (description = (address=(protocol=tcp) (host=node1-vip) (port=1521)) (address=(protocol=tcp) (host=node2-vip) (port=1521)) (load_balance=yes) (connect_data= (server = dedicated) (service_name = db_svc1.us.example.com))) db_svc2.us.example.com= (description= (address=(protocol=tcp) (host=node1-vip) (port=1521)) (address=(protocol=tcp) (host=node2-vip) (port=1521)) (load_balance=yes) (connect_data = (server = dedicated) (service_name=db_svc2.us.example.com) (failover_mode = (type=select) (method=basic) (retries=180) (delay=5)))) db_svc3.us.example.com= (description= (address=(protocol=tcp) (host=node1-vip) (port=1521)) (address=(protocol=tcp) (host=node2-vip) (port=1521)) (load_balance=yes) (connect_data= (server=dedicated) (service_name=db_svc3.us.example.com) (failover_mode= (backup=db_svc3_preconnect.us.example.com) (type=select) (method=preconnect) (retries=180) (delay=5)))) </pre>

Table 6–3 (Cont.) Connections for Net Service Names

Net Service Name Type	Description
Services Entries (continued)	<p>When a service has a TAF policy of PRECONNECT, then a <code>service_name_preconnect</code> net service entry is also created, as in the following example:</p> <pre>db_svc3_preconnect.us.example.com = (description = (address = (protocol = tcp) (host = node1-vip) (port = 1521)) (address = (protocol = tcp) (host = node2-vip) (port = 1521)) (load_balance = yes) (connect_data = (server = dedicated) (service_name = db_svc3_preconnect.us.amce.com) (failover_mode = (backup = db_svc3.us.example.com) (type = select) (method = basic) (retries = 180) (delay = 5)))))</pre>
External procedures	<p>An entry for connections to external procedures. This enables an Oracle Database 11g database to connect to external procedures.</p> <pre>extproc_connection_data.us.example.com= (description= (address_list= (address=(protocol=ipc) (key=extproc0))) (connect_data= (sid=plsextproc)))</pre>

Example 6–1 Example tnsnames.ora File

The following is a sample `tnsnames.ora` file that is created during a preconfigured database configuration installation:

```
db.us.example.com=
  (description=
    (load_balance=on)
    (address=(protocol=tcp) (host=node1-vip) (port=1521))
    (address=(protocol=tcp) (host=node2-vip) (port=1521))
    (connect_data=
      (service_name=db.us.example.com))
  )

db1.us.example.com=
  (description=
    (address=(protocol=tcp) (host=node1-vip) (port=1521))
    (connect_data=
      (service_name=db.us.example.com)
      (instance_name=db1))
  )

db2.us.example.com=
  (description=
    (address=(protocol=tcp) (host=node2-vip) (port=1521))
    (connect_data=
      (service_name=db.us.example.com)
      (instance_name=db2))
  )

listeners_db.us.example.com=
  (address_list=
```

```

(address=(protocol=tcp) (host=node1-vip) (port=1521))
(address=(protocol=tcp) (host=node2-vip) (port=1521)))

extproc_connection_data.us.example.com=
(description=
(address_list=
(address=(protocol=ipc) (key=extproc)))
(connect_data=
(sid=plsextproc)
(presentation=RO)))

```

See Also: *Oracle Database Net Services Administrator's Guide* for further information about the `tnsnames.ora` file

6.9 Net Services Profile (sqlnet.ora File)

The `sqlnet.ora` file is automatically configured with:

- The computer's network domain
This network domain is automatically appended to any unqualified net service name. For example, if the default network domain is set to `us.example.com`, then Oracle resolves `db` in the connect string `CONNECT scott/tiger@db` as: `db.us.example.com`.
- A naming method the server uses to resolve a name to a connect descriptor
The order of naming methods is as follows: directory naming (for Custom Install or Advanced database configuration options only), `tnsnames.ora` file, Oracle Names server, and host naming.

The following is a sample `sqlnet.ora` file created during a preconfigured database configuration install:

```

SQLNET.AUTHENTICATION_SERVICES= (NTS)
NAMES.DIRECTORY_PATH= (TNSNAMES, EZCONNECT)

```

See Also: *Oracle Database Net Services Administrator's Guide* for further information about the `sqlnet.ora` file

Removing Oracle Database Software

This chapter describes how to remove Oracle databases, instances, and software:

- [Removing Oracle Configuration Manager](#)
- [Removing Oracle Cluster Synchronization Services](#)
- [Deleting DB Control Configuration Files Using EMCA Scripts](#)
- [Removing All Oracle Database Components](#)

Note: Always use Oracle Universal Installer to remove Oracle components. To avoid installation and configuration problems with new Oracle installations, follow the instructions in this chapter.

Note: When removing Oracle Software from Windows Server 2008 systems, you must run any commands from an administrator prompt.

See Also:

- *Oracle Real Application Clusters Installation and Configuration Guide* for information about removing an Oracle Real Application Clusters installation
- Component-specific documentation for individual requirements and restrictions

7.1 Removing Oracle Configuration Manager

To uninstall Oracle Configuration Manager, follow these steps:

1. If the ORACLE_BASE\ORACLE_HOME directory contains a database, remove the Oracle Configuration Manager user and the associated objects from the database by running the following script:

```
SQL> ORACLE_BASE\ORACLE_HOME\ccr\admin\scripts\dropocm.sql
```

2. If the database is a repository for the Oracle E-Business Suite, log in to the database as an SYSDBA user and remove the additional objects from the database by running the following script:

```
ORACLE_BASE\ORACLE_HOME\ccr\admin\scripts\ebs_dropccr.sql Oracle_Applications_
User
```

3. If the database is a repository for Oracle Grid Control, log in to the database as the SYSMAN user and remove the additional objects from the database by running the following script:

```
ORACLE_BASE\ORACLE_HOME\ccr\admin\scripts\dropemrep_collect.sql
```

4. To stop the Scheduler and remove the service or the crontab entry, enter the following command:

```
ORACLE_BASE\ORACLE_HOME\ccr\bin\deployPackages -d ORACLE_BASE\ORACLE_HOME\ccr\inventory\core.jar
```

5. Delete the ccr directory by entering the following command:

```
SYSTEM_DRIVE:\> rmdir /S ORACLE_BASE\ORACLE_HOME\ccr
```

Oracle Configuration Manager is successfully uninstalled.

7.2 Removing Oracle Cluster Synchronization Services

The first time you install Oracle Database, if you selected Automatic Storage Management as a storage and recovery option, Oracle Universal Installer configures and starts a single-instance version of the Oracle Cluster Synchronization Services (CSS) service.

If you did not choose Automatic Storage Management as a storage or recovery option, you can delete the OracleCSService service. To delete this service without deleting the Oracle home, perform the following:

1. Open a command prompt window.
2. Temporarily set the ORACLE_HOME environment variable. For example:

```
set ORACLE_HOME=c:\oracle\product\11.1.0\db_1
```

3. Run the localconfig batch file with the delete option to delete the OracleCSService service. For example:

```
SYSTEM_DRIVE:\oracle\product\11.1.0\db_1\bin\localconfig delete
```

Note: You do not need to complete this step if you are removing the Oracle home.

7.3 Deleting DB Control Configuration Files Using EMCA Scripts

You can use the emca command to remove the Database Control (DB Control) configuration files for all database instances in a cluster. Perform the following steps to delete these files:

1. Stop the nmcollector process on any node where the instance has Memory Access Mode enabled. You can stop the process by disabling Memory Access Mode.
2. Run the following command at the operating system prompt:

```
%ORACLE_HOME%\bin\emca -deconfig dbcontrol db -cluster
```


7.4 Removing All Oracle Database Components

Use Oracle Universal Installer to remove Oracle components from the inventory on the computer. Afterward, you need to manually remove the remaining components.

Do not delete Oracle home files or directories (for example, using Windows Explorer or the command prompt) without first using Oracle Universal Installer unless you exit Oracle Universal Installer during an installation. Otherwise, the components in the Oracle home remain registered in the Oracle Universal Installer inventory. If you manually delete Oracle home files and you attempt an installation in the same Oracle home, then some or all of the selected components may not be installed or properly configured.

Oracle Universal Installer does not register the installation in its inventory if the installation is unexpectedly interrupted. However, files may have been copied to your Oracle home. Remove these files manually and restart the installation.

Note: You can use Oracle Database Configuration Assistant to remove an instance and related services. For information about Oracle Database Configuration Assistant, see "Installing Oracle Database and Building the Database" chapter of *Oracle Database 2 Day DBA*.

This section contains these steps:

1. [Stopping Oracle Services](#)
2. [Removing Components with Oracle Universal Installer](#)
3. [Manually Removing the Remaining Oracle Database Components](#)

7.4.1 Stopping Oracle Services

You must first stop the Oracle services before removing Oracle components.

Follow these steps:

1. Open the Windows **Services** utility: From the **Start** menu, select **Programs**, then then **Administrative Tools**, and then **Services**.
2. If any Oracle services (names begin with `Oracle` or `Ora`) exist and have the status *Started*, then select each of the services, and click **Stop**.
3. Exit **Services**.

See Also: The Microsoft online Help for more information about stopping services

7.4.2 Removing Components with Oracle Universal Installer

To remove components with Oracle Universal Installer in interactive mode:

1. Ensure that you first follow the instructions in the "[Stopping Oracle Services](#)" section on page 7-3.
2. Start Oracle Universal Installer: From the **Start** menu, select **Programs**, then **Oracle - HOME_NAME**, then **Oracle Installation Products**, and then **Universal Installer**.

The Select a Product page for Oracle Universal Installer appears.

3. Click the **Deinstall Products** button.

The Inventory window appears.

4. Expand the tree of installed components until you find the components to remove.

For example, if you installed a database with the Enterprise Edition option and later installed additional components with the Custom option, expand the Oracle home component to display all the components installed in the Oracle home.

5. Select the components to remove.
6. Click **Remove**.

The Confirmation window appears.

7. In the Confirmation dialog box, click **Yes** to remove the selected components.

Note: A message may appear indicating that removing some components may cause other components to not function properly.

After the components are removed from your computer, the Inventory window appears without the removed components.

8. Click **Close** to close the Inventory window.
9. Click **Cancel** to exit Oracle Universal Installer.
10. Click **Yes** to confirm that you want to exit.

7.4.3 Manually Removing the Remaining Oracle Database Components

Oracle Universal Installer does not remove all Oracle components. After using Oracle Universal Installer to remove Oracle components, you need to manually remove remaining environment variables, **Start** menu options, and directories.

This section covers the following topics:

- [Removing an Automatic Storage Management Instance](#)
- [Updating the System Variable Path](#)
- [Removing Oracle from the Start Menu](#)
- [Removing Oracle Directories](#)

Note: In rare situations, you may want to correct serious system problems by completely removing Oracle components manually from the computer without first deinstalling with Oracle Universal Installer. Do this only as a last resort, and only if you want to remove all Oracle components from your system.

7.4.3.1 Removing an Automatic Storage Management Instance

To remove an Automatic Storage Management instance running in the Oracle home after the database has been removed, perform the following steps:

1. At the Windows command prompt, set the ORACLE_SID environment variable to the SID for the Automatic Storage Management instance. For example:

```
SYSTEM_DRIVE:\set ORACLE_SID=+ASM
```

2. Start SQL*Plus and connect to the Automatic Storage Management instance as the SYS user:

```
SYSTEM_DRIVE:\sqlplus /nolog
SQL> CONNECT sys/sys_password AS SYSDBA
```

3. Enter the following command to determine whether any Oracle database instances are using the Automatic Storage Management instance:

```
SQL> SELECT INSTANCE_NAME FROM V$ASM_CLIENT;
```

This command lists all of the database instances that are using this Automatic Storage Management instance. This command only lists database instances that are running. It is possible that other instances are associated with the Automatic Storage Management instance, but they are not currently running.

If you removed a database from this Oracle home but the output from the command shows that this Automatic Storage Management instance is supporting a database instance in another Oracle home, do not remove the Automatic Storage Management instance or the Oracle home.

4. If there are no database instances associated with this Automatic Storage Management instance, drop the disk group associated with this instance.

Note: Dropping the Automatic Storage Management disk group makes the disk device available for use with another Automatic Storage Management instance, if required. However, all data in the disk group is lost. Make sure that no other database instance requires any data from this disk group before you drop it.

- a. Identify the disk groups associated with the Automatic Storage Management instance:

```
SQL> SELECT NAME FROM V$ASM_DISKGROUP;
```

- b. For each disk group that you want to delete, enter a command similar to the following:

```
SQL> DROP DISKGROUP disk_group_name INCLUDING CONTENTS;
```

5. Shut down the Automatic Storage Management instance and exit SQL*Plus:

```
SQL> SHUTDOWN
SQL> EXIT
```

6. At the command prompt, enter the following command to remove the Automatic Storage Management service:

```
ORADIM -DELETE -ASMSID +ASM
```

See Also: *Oracle Database Storage Administrator's Guide* for more information about Automatic Storage Management and configuring Automatic Storage Management disk groups

7.4.3.2 Updating the System Variable Path

Check the Path environmental variable and remove any Oracle entries.

1. Open **System** from the Control Panel.
2. In the System Properties dialog box, click the **Advanced** tab, then click the **Environment Variables** button.

3. Select the system variable `Path` and edit the `Path` variable to remove any Oracle entries.

For example, remove Oracle entries that contain `ORACLE_BASE\ORACLE_HOME` in the `Path` variable. You may see a `Path` variable that contains entries similar to the following:

```
C:\oracle\products\11.1.0\db_1\bin;C:\oracle\products\11.1.0\db_1\jre\1.4.2\bin\client;C:\oracle\products\11.1.0\db_1\jre\1.4.2\bin
```

If the JRE path was installed by Oracle, remove it.

4. If there is a `CLASSPATH` variable that was set for Oracle, delete it.
5. If there are any other Oracle variables set, remove them: `ORACLE_HOME`, `ORACLE_SID`, `TNS_ADMIN`, `JSERV`, or `WV_GATEWAY_CFG`.
6. Save your changes and then exit the Control Panel.

7.4.3.3 Removing Oracle from the Start Menu

Check the **Start** menu for any Oracle entries and remove them.

Follow these steps:

1. Select **Start**, then **Programs**, and then **Oracle - HOME_NAME**.
2. Right-click **Oracle - HOME_NAME**, and from the menu, select **Delete**.

You can also remove Oracle menu entries by using the following method:

1. Right-click the **Start** button to display the pop-up menu.
2. Select the **Explore All Users** option.
3. Under Documents and Settings, expand the `\Start Menu\Programs` folder.
4. Right-click and delete the **Oracle - HOME_NAME** folder.

7.4.3.4 Removing Oracle Directories

After removing all Oracle registry keys and restarting the computer, delete any existing Oracle directories and files.

Use My Computer or Windows Explorer to delete the following directories:

1. Delete the `SYSTEM_DRIVE:\Program Files\Oracle` directory.
2. Delete all `ORACLE_BASE` directories on your hard drive.
3. If Oracle Universal Installer was installed in a location other than the default, delete this directory.
4. Remove any Oracle temporary directory files from `SYSTEM_DRIVE:\Documents and Settings\user_name\Local Settings\Temp`.

Troubleshooting the Installation Process

This appendix provides troubleshooting information for installing Oracle Real Application Clusters (Oracle RAC). The topics in this appendix are:

- [Troubleshooting Oracle RAC Installations](#)
- [Verifying Requirements](#)
- [Encountering Installation Errors](#)
- [Reviewing the Log of an Installation Session](#)
- [Silent or Noninteractive Installation Response File Error Handling](#)
- [Troubleshooting Configuration Assistants](#)
- [Cleaning Up After a Failed Installation](#)

See Also: *Oracle Real Application Clusters Administration and Deployment Guide* for additional information about Oracle RAC configuration and deployment

A.1 Troubleshooting Oracle RAC Installations

This section contains these topics:

- [General Installation Issues](#)
- [Oracle Real Application Clusters Installation Error Messages](#)
- [Performing Cluster Diagnostics During Oracle Real Application Clusters Installations](#)

A.1.1 General Installation Issues

The following is a list of examples of types of errors that can occur during installation:

Nodes unavailable for selection from the OUI Node Selection screen

Cause: Oracle Clusterware is either not installed, or the Oracle Clusterware services are not up and running.

Action: Install Oracle Clusterware, or review the status of your Oracle Clusterware. Consider restarting the nodes, as doing so may resolve the problem.

Node nodename is unreachable

Cause: Unavailable IP host

Action: Attempt the following:

1. Run the command `ipconfig /all`. Compare the output of this command with the contents of the `C:\WINNT\system32\drivers\etc\hosts` file to ensure that the node IP is listed.
2. Run the command `nslookup` to see if the host is reachable.

Time stamp is in the future

Cause: One or more nodes has a different clock time than the local node. If this is the case, then you may see output similar to the following:

```
time stamp 2005-04-04 14:49:49 is 106 s in the future
```

Action: Ensure that all member nodes of the cluster have the same clock time.

Administrative user unable to log in to SQL*Plus using the SYSDBA role

Cause: When you install Oracle Database on Microsoft Windows, Oracle Universal Installer creates a Windows local group called `ORA_DBA`, and then adds the name of the user performing the software installation to this group. Members of the `ORA_DBA` group automatically receive the SYSDBA privilege. Oracle Universal Installer does not add the software owner user to `ORA_DBA` on other nodes under the following circumstances:

- The installation user performed the installation remotely
- The user performing the installation is a local user and not a Windows domain user

As a result, this user cannot log in to SQL*Plus using the SYSDBA role.

Action: Manually add remote users to `ORA_DBA` on the other nodes in the cluster.

A.1.2 Oracle Real Application Clusters Installation Error Messages

Oracle RAC Management Tools Error Messages are in *Oracle Real Application Clusters Administration and Deployment Guide*.

A.1.3 Performing Cluster Diagnostics During Oracle Real Application Clusters Installations

If Oracle Universal Installer (OUI) does not display the Node Selection page, then perform clusterware diagnostics by running the `olsnodes -v` command from the binary directory in your Oracle Clusterware home, `CRS_home\BIN`, and analyzing its output. Refer to your clusterware documentation if the detailed output indicates that your clusterware is not running.

In addition, use the following command syntax to check the integrity of the Cluster Manager:

```
cluvfy comp clumgr -n node_list -verbose
```

In the preceding syntax example, the variable `node_list` is the list of nodes in your cluster, separated by commas.

A.2 Verifying Requirements

Before you try any of the troubleshooting steps in this appendix, do the following:

- Check [Chapter 1, "Preinstallation Checklist"](#) to make sure that your system meets the requirements and that you have completed all of the preinstallation tasks.

- Read the release notes for the product on your platform before installing it. The release notes are available on the Oracle Database installation media. You can find the latest version of the release notes on the Oracle Technology Network Web site:

<http://www.oracle.com/technology/index.html>

A.3 Encountering Installation Errors

If you encounter an error during installation:

- Do not exit Oracle Universal Installer.
- If you clicked **Next** after you entered incorrect information about one of the installation windows, click **Back** to return to the window and correct the information.
- If you encounter an error while Oracle Universal Installer is copying or linking files, see "[Reviewing the Log of an Installation Session](#)" on page A-3 for interactive installations or "[Silent or Noninteractive Installation Response File Error Handling](#)" on page A-3 for more information.
- If you encounter an error while a configuration assistant is running, see the "[Troubleshooting Configuration Assistants](#)" section on page A-5.
- If you cannot resolve the problem, remove the failed installation by following the steps listed in the "[Cleaning Up After a Failed Installation](#)" section on page A-6.

A.4 Reviewing the Log of an Installation Session

During an installation, Oracle Universal Installer records all the actions that it performs in a log file. If you encounter problems during the installation, review the log file for information about possible causes of the problem. By default, the log files are located in the following directory:

```
SYSTEM_DRIVE:\> Program Files\Oracle\Inventory\logs
```

Log filenames from interactive installations take the form:

```
installActionsdate_time.log
```

For example, if an interactive installation occurred at 9:00:56 a.m. on October 14, 2005, the log file would be named:

```
installActions2006-10-14_09-00-56AM.log
```

Note: Do not delete or manually alter the Inventory directory or its contents. Doing so can prevent Oracle Universal Installer from locating products that you install on your system.

See Also: [Silent or Noninteractive Installation Response File Error Handling](#) on page A-3

A.5 Silent or Noninteractive Installation Response File Error Handling

To determine whether a silent or noninteractive installation succeeds or fails, check the `silentInstallActionsdate_time.log` file, located in `DRIVE_LETTER:\Program Files\Oracle\Inventory\logs`.

If necessary, see the previous section for information about determining the location of the Inventory directory.

A silent or noninteractive installation fails if:

- You do not specify a response file.
- You specify an incorrect or incomplete response file.

For example, a common problem is that while all the product-specific data is filled out correctly, the staging area location may be incorrect. If this is the case, check the `FROM_LOCATION` variable and make sure that it points to the `products.xml` file in the installation media. In the installation media, this `products.xml` is in `database\stage`.

- Oracle Universal Installer encounters an error, such as insufficient disk space.

Oracle Universal Installer or a configuration assistant validates the response file at runtime. If the validation fails, the silent or noninteractive installation or configuration process ends. Oracle Universal Installer treats values for parameters that are of the wrong context, format, or type as if no value was specified in the file.

See Also: ["Reviewing the Log of an Installation Session"](#) on page A-3 for information about interactive installation log files

A.6 Troubleshooting Oracle Configuration Manager

This section lists some of the errors that may occur while using Oracle Configuration Manager and provides tips to troubleshoot these errors.

■ Insufficient Privileges While Running `installCCRSQL collectconfig`

When you run the `installCCRSQL.exe` script, it creates the `ORACLE_OCM` user and sets up a job to collect database configuration information. The `ORACLE_OCM` user requires `EXECUTE` privileges on `UTL_FILE` and `DBMS_SCHEDULER` for database versions 10g or later, and on the `DBMS_JOB` for pre-10g databases. If these privileges are granted to `PUBLIC`, the `ORACLE_OCM` user inherits these privileges, otherwise these privileges are explicitly granted when the `installCCRSQL.exe` script is executed. If the inherited privileges are revoked, the following errors indicating the lack of privileges will be logged in the `alert_log`:

```
ORA-12012: error on auto execute of job 52
ORA-04068: existing state of packages has been discarded
ORA-04063: package body "ORACLE_OCM.package_name" has errors
ORA-06508: PL/SQL: could not find program unit being called
```

To resolve these errors, you must grant the missing `EXECUTE` privilege to the `ORACLE_OCM` user.

- For database versions 10g and later, grant `EXECUTE` privileges on the `UTL_FILE` and `DBMS_SCHEDULER` packages to the `ORACLE_OCM` user by entering the following `SQL*PLUS` commands:


```
SQL> grant execute on UTL_FILE to oracle_ocm;
SQL> grant execute on DBMS_SCHEDULER to oracle_ocm;
SQL> ALTER PACKAGE oracle_ocm.MGMT_DB_LL_METRICS compile;
SQL> ALTER PACKAGE oracle_ocm.mgmt_config compile;
```
- For pre-10g databases, grant `EXECUTE` privileges on the `DBMS_JOB` package to the `ORACLE_OCM` user by entering the following `SQL*PLUS` commands:


```
SQL> grant execute on UTL_FILE to oracle_ocm;
```



```
SQL> grant execute on DBMS_JOB to oracle_ocm;
SQL> ALTER PACKAGE oracle_ocm.MGMT_DB_LL_METRICS compile;
SQL> ALTER PACKAGE oracle_ocm.mgmt_config compile;
```

■ **ORA-04021 Error**

There may be cases when the ORACLE_OCM user needs to be granted the required privileges during installation. While granting the privileges, the following error may occur in the ORACLE_BASE\ORACLE_HOME\ocr\log\collectconfigSID.log:

```
ORA-04021: timeout occurred while waiting to lock object SYS.<package like UTL_FILE>
```

This error may occur if another procedure is using the package for which the privileges are being granted. To resolve this error, retry the install when the package is not being used. This error may occur while granting privileges on UTL_FILE, DBMS_SCHEDULER, or DBMS_JOB.

■ **ORA-01925 Error While Running installCCRSQL**

This error may occur if the value of the MAX_ENABLED_ROLES initialization parameter has been exceeded. To resolve this error, you must increase the value of the MAX_ENABLED_ROLES parameter and restart the database as follows:

1. Edit the `init$SID.ora` file where `$SID` is the database system identifier and increase the value of `MAX_ENABLED_ROLES`. If a server parameter (spfile) has been used, alter the `MAX_ENABLED_ROLES` parameter by using the following SQL*Plus command:

```
SQL> alter system set MAX_ENABLED_ROLES=value scope=spfile
```

2. Restart the database.

Once the database has been restarted, re-run the `installCCRSQL.exe` script.

■ **Incorrectly configured hostnames are displayed on My Oracle Support with only the short names.**

To ensure that hostnames are displayed with their fully qualified names on My Oracle Support, the `%windir%\system32\drivers\etc\hosts` file must contain an entry that includes both the hostname and the network domain in the following format:

```
IP-Address Full-HostName Short-HostName
```

For example:

```
10.10.10.10 myhost.mydomain myhost
```

If the `hosts` file has not been correctly configured, only the short name is displayed on My Oracle Support.

A.7 Troubleshooting Configuration Assistants

To troubleshoot an installation error that occurs when a configuration assistant is running:

- Review the installation log files listed in the ["Reviewing the Log of an Installation Session"](#) section on page A-3.

- Review the specific configuration assistant log file located in the `ORACLE_BASE\cfgtoollogs` directory. Try to fix the issue that caused the error.

Note: Make sure that there is no space in the path.

- If you see the Fatal Error. Reinstall message, look for the cause of the problem by reviewing the log files. See ["Fatal Errors"](#) on page A-6 for more information.

A.7.1 Configuration Assistant Failures

Oracle configuration assistant failures are noted at the bottom of the installation window. The configuration assistant interface displays additional information, if available. The configuration assistant execution status is stored in the `installActionsdate_time.log` file.

The execution status codes are listed in the following table:

Status	Result Code
Configuration assistant succeeded	0
Configuration assistant failed	1
Configuration assistant canceled	-1

A.7.2 Fatal Errors

If you receive a fatal error while a configuration assistant is running:

1. Remove the failed installation as described in the ["Cleaning Up After a Failed Installation"](#) section on page A-6.
2. Correct the cause of the fatal error.
3. Reinstall the Oracle software.

A.8 Cleaning Up After a Failed Installation

If an installation fails, then you must remove files that Oracle Universal Installer created during the attempted installation and remove the Oracle home directory. Follow the instructions in [Chapter 7, "Removing Oracle Database Software"](#) to run Oracle Universal Installer to deinstall Oracle Database, manually remove the Oracle directory, and remove Oracle from the Registry Editor keys. Afterward, reinstall the software.

A.9 Online Help Not Working

If users are accessing Oracle Application Express through a Virtual Host, online Help will not work. Consider the following example:

- The hostname of the Oracle HTTP Server where the Oracle Application Express DAD resides is `internal.server.com` and the port is 7777.
- Users access Oracle Application Express through a Virtual Host. In their Web browsers, users see `external.server.com` and port 80.

In this example, Oracle Application Express online Help will not work if the users cannot access `internal.server.com`. To resolve this issue, add the following lines

to the Oracle Application Express Database Access Descriptor (DAD) to override the CGI environment variables `SERVER_NAME` and `SERVER_PORT`:

```
PlsqlCGIEnvironmentList SERVER_NAME=external.server.com  
PlsqlCGIEnvironmentList SERVER_PORT=80
```

See Also: *Oracle HTTP Server mod_plsql User's Guide* for information on overriding the CGI environment variables

Stopping Processes in Oracle Real Application Clusters Databases

This appendix describes how to stop processes in Oracle Real Application Clusters (Oracle RAC) databases in preparation for adding additional products to an existing database, or to prepare for applying patch updates. The topics in this appendix are:

- [Back Up the Oracle Real Application Clusters Database](#)
- [Shut Down Oracle Real Application Clusters Databases](#)
- [Stop All Oracle Processes](#)

B.1 Back Up the Oracle Real Application Clusters Database

Before you make any changes to the Oracle software, Oracle recommends that you create a backup of your current installation.

B.2 Shut Down Oracle Real Application Clusters Databases

Shut down any existing Oracle Database instances on each node, with normal or immediate priority.

If Automatic Storage Management (ASM) is running, shut down all databases that use ASM, and then shut down the ASM instance on each node of the cluster.

Note: If you are using Oracle Clusterware or Cluster Ready Services, then you must shut down all Oracle Database instances on all cluster nodes before modifying the Oracle software. If you are performing a patch update, review the instructions in the Patch Set Notes for detailed instructions.

B.3 Stop All Oracle Processes

Stop all listener and other processes running in the Oracle home directories where you want to modify the database software.

Note: If you shut down ASM instances, then you must first shut down all database instances that use ASM, even if these databases run from different Oracle homes.

B.3.1 Stopping Oracle Clusterware or Cluster Ready Services Processes

If you stopping the processes to install a patch that supports rolling upgrades, then complete the following steps on the node where you will run the installer to perform the upgrade. To stop Oracle Clusterware and Cluster Ready Services on all of the nodes a non-rolling upgrade or for some other reason, perform these steps on each node:

Note: If you are stopping the processes on more than one node, then you must complete all of these steps, in the order listed, on one node before you perform any of these steps on another node.

1. Shut down any processes in the Oracle home that might be accessing a database; for example, Oracle Enterprise Manager Database Control.

Note: Before you shut down any processes that are monitored by Enterprise Manager Grid Control, set a blackout in Grid Control for the processes that you intend to shut down. This is necessary so that the availability records for these processes indicate that the shutdown was planned downtime, rather than an unplanned system outage.

2. Shut down all Oracle RAC instances on the node. To shut down all Oracle RAC instances for a database, enter the following command, where *db_name* is the name of the database:

```
Oracle_home\bin\srvctl stop database -d db_name
```

3. Shut down all ASM instances. To shut down an ASM instance, enter the following command, where *node* is the name of the node where the ASM instance is running:

```
Oracle_home\bin\srvctl stop asm -n node
```

4. Stop all node applications. To stop node applications running on a node, enter the following command, where *node* is the name of the node where the applications are running

```
Oracle_home\bin\srvctl stop nodeapps -n node
```

5. Shut down the Oracle Clusterware or CRS processes from the Services window. Access the Services window by clicking Start, selecting Control Panel, selecting Administrative Tools, then selecting Services. From the Services window, shut down the following services:

Oracle Object Service
OracleClusterVolumeService
OracleCRService
OracleEVMSERVICE
OracleCSService

Note: Depending on your configuration, your nodes may not be running all of the services listed.

B.3.2 Stopping Oracle Database 11g Processes Before Adding Products or Upgrading

This section provides an overview of what needs to be done before adding additional products to Oracle Database 11g Release 1 (11.1). If you are performing a patch upgrade, then refer to the Database Patch Set Notes for the patch for additional instructions.

If node applications are running in the Oracle RAC Oracle home, then shut down the following Oracle Database 11g services before modifying the Oracle Database software:

Note: You must perform these steps in the order listed.

1. Shut down any processes in the Oracle home on each node that can access a database; for example, Oracle Enterprise Manager Database Control.

Note: Before you shut down any processes that are monitored by Enterprise Manager Grid Control, set a blackout in Grid Control for the processes that you intend to shut down. This is necessary so that the availability records for these processes indicate that the shutdown was planned downtime, rather than an unplanned system outage.

2. Shut down all Oracle RAC instances on all nodes. To shut down all Oracle RAC instances for a database, enter the following command, where *db_name* is the name of the database:

```
Oracle_home\bin\srvctl stop database -d db_name
```

3. Shut down all ASM instances on all nodes. To shut down an ASM instance, enter the following command, where *node* is the name of the node where the ASM instance is running:

```
Oracle_home\bin\srvctl stop asm -n node
```

4. Stop all node applications on all nodes. To stop node applications running on a node, enter the following command, where *node* is the name of the node where the applications are running:

```
Oracle_home\bin\srvctl stop nodeapps -n node
```

Managing Oracle Database Port Numbers

This appendix lists the default port numbers and describes how to change the assigned port after installation:

- [About Managing Ports](#)
- [Viewing Port Numbers and Access URLs](#)
- [Port Numbers and Protocols of Oracle Components](#)
- [Changing the Oracle Enterprise Management Agent Port](#)
- [Changing the Oracle Enterprise Manager Database Console Ports](#)
- [Changing the Oracle XML DB Ports](#)

C.1 About Managing Ports

During installation, Oracle Universal Installer assigns port numbers to components from a set of default port numbers. Many Oracle Database components and services use ports. As an administrator, it is important to know the port numbers that these services use, and to make sure that the same port number is not used by two services on your host.

Most port numbers are assigned during installation. Every component and service has an allotted port range, which is the set of port numbers Oracle Database attempts to use when assigning a port. Oracle Database starts with the lowest number in the range and performs the following checks:

- Is the port used by another Oracle Database installation on the host?
The installation may be up or down at the time; Oracle Database can still detect if the port is used.
- Is the port used by a process that is currently running?
This could be any process on the host, even a non-Oracle Database process.

If the answer to any of the preceding questions is yes, Oracle Database moves to the next highest port in the allotted port range, and continues checking until it finds a free port.

C.2 Viewing Port Numbers and Access URLs

In most cases, the port number of the Oracle Database component is listed in the tool used to configure the port. In addition, ports for some Oracle Database applications are listed in the `portlist.ini` file. This file is located in the `ORACLE_BASE\ORACLE_HOME\install` directory.

If you change a port number, it is not updated in the `portlist.ini` file, so you can only rely on this file immediately after installation. To find or change a port number, use the methods described in this appendix.

C.3 Port Numbers and Protocols of Oracle Components

[Table C-1](#) lists the port numbers and protocols used by components that are configured during the installation. By default, the first port in the range is assigned to the component, if it is available.

Table C-1 Ports Used in Oracle Components

Component and Description	Default Port Number	Port Range	Protocol
Oracle SQL*Net Listener Allows Oracle client connections to the database over the Oracle SQL*Net protocol. You can configure this port number during installation. To reconfigure this port, use Net Configuration Assistant.	1521	1521	TCP
Oracle Data Guard Shares the SQL*Net port and is configured during installation. To reconfigure this port, use Net Configuration Assistant to reconfigure the Oracle SQL*Net listener.	1521 (same value as the listener)	1521	TCP
Connection Manager Listening port for Oracle client connections. You can configure Oracle Connection Manager during installation or after installation using Net Configuration Assistant (NETCA).	1630	1630	TCP
Oracle Management Agent HTTP port for Oracle Management Agent, which is part of Oracle Enterprise Manager. It is configured during installation. "Changing the Oracle Enterprise Management Agent Port" on page C-4 explains how to modify its port number	3938	1830–1849	HTTP
Oracle Enterprise Manager Database Control HTTP port for Enterprise Manager Database Control. It is configured during installation. "Changing the Oracle Enterprise Manager Database Console Ports" on page C-4 explains how to modify its port number.	1158	5500–5519	TCP/HTTP
Oracle Enterprise Manager Database Console RMI port for Enterprise Manager Database Control. It is configured during installation. "Changing the Oracle Enterprise Manager Database Console Ports" on page C-4 explains how to modify its port number.	5520	5520–5539	TCP
Enterprise Manager Database Console JMS port for Enterprise Manager Database Control. It is configured during installation. "Changing the Oracle Enterprise Manager Database Console Ports" on page C-4 explains how to modify its port number.	5540	5540–5559	TCP

Table C-1 (Cont.) Ports Used in Oracle Components

Component and Description	Default Port Number	Port Range	Protocol
<p>Oracle XML DB</p> <p>The Oracle XML DB HTTP port is used if Web-based applications need to access an Oracle database from an HTTP listener. It is configured during installation, but you cannot view it afterward. "Changing the Oracle XML DB Ports" on page C-5 explains how to change its port number.</p>	Dynamic	Dynamic	HTTP
<p>Oracle XML DB</p> <p>The Oracle XML DB FTP is used when applications need to access an Oracle database from an FTP listener. It is configured during installation, but you cannot view it afterward. "Changing the Oracle XML DB Ports" on page C-5 explains how to change its port number.</p>	Dynamic	Dynamic	FTP
<p>Oracle Services for Microsoft Transaction Server</p> <p>The port number for Microsoft Transaction Server is configured when you enter its value in Oracle Universal Installer during a Custom installation the first time you install it on a particular computer. If you install it in multiple Oracle homes on the same computer, Oracle Universal Installer uses the same port number that you specified during the first installation.</p> <p>In most cases, you do not need to reconfigure the port number. If you need to, you can edit its value in the HKEY_LOCAL_MACHINE\SOFTWARE\ORACLE\OracleMTSRecoveryService\Protid_0 Registry Editor key.</p>	2030	2030	TCP
<p>Oracle Real Application Clusters (Local Host: Windows only)</p> <p>The port number is assigned automatically during installation. You cannot view or modify it afterward.</p>	61000	61000–61300	TCP
<p>Oracle Real Application Clusters (Cluster Interconnect: Windows only)</p> <p>The port number is assigned automatically during installation. You cannot view or modify it afterward.</p>	11000	11000–26000	TCP
<p>Oracle Real Application Clusters (UNIX)</p> <p>The port number is assigned automatically during installation. You cannot view or modify it afterward.</p>	Dynamic	Dynamic	UDP
<p>Oracle Clusterware</p> <p>Oracle Cluster Ready Services Daemon (CRS daemon) internode connection. The port number is assigned automatically during installation. You cannot view or modify it afterward.</p>	49896	49896	TCP
<p>Cluster Synchronization Service (CSS)</p> <p>CSS daemon internode connection for the GM layer. The port number is assigned automatically during installation. You cannot view or modify it afterward.</p>	49895	49895	TCP

Table C-1 (Cont.) Ports Used in Oracle Components

Component and Description	Default Port Number	Port Range	Protocol
Oracle Cluster Registry The port number is assigned automatically during installation. You cannot view or modify it afterward.	Dynamic	Dynamic	TCP
Oracle Event Manager The port number is assigned automatically during installation. You cannot view or modify it afterward.	49897	49897–49898	TCP
Cluster Manager The port number is assigned automatically during installation. You cannot view or modify it afterward.	Dynamic	Dynamic	TCP

C.4 Changing the Oracle Enterprise Management Agent Port

To find the current setting for the Oracle Management Agent port, search for `EMD_URL` in the `ORACLE_BASE\ORACLE_HOME\host_sid\sysman\config\emd.properties` file.

To change the Oracle Management Agent HTTP port, use the `emca -reconfig ports` command:

```
emca -reconfig ports -AGENT_PORT 1831
```

C.5 Changing the Oracle Enterprise Manager Database Console Ports

To find the current HTTP, RMI, and JMS port settings, search in the following files:

- **HTTP port:** Search for `REPOSITORY_URL` in the `ORACLE_BASE\ORACLE_HOME\host_sid\sysman\config\emd.properties` file.
- **RMI port:** Search for the port attribute in the `rmi-server` tag in the `ORACLE_BASE\ORACLE_HOME\oc4j\j2ee\OC4J_DBConsole_host_sid\config\rmi.xml` file.
- **JMS port:** Search for the port attribute in the `jms-server` tag in the `ORACLE_BASE\ORACLE_HOME\oc4j\j2ee\OC4J_DBConsole_host_sid\config\jms.xml` file.

To change the Oracle Enterprise Manager Database Console ports, use the `emca -reconfig ports` command:

```
ORACLE_BASE\ORACLE_HOME\bin> emca -reconfig ports option setting
```

where *option* can be:

- **DBCONTROL_HTTP_PORT:** Sets the HTTP port, for example:

```
emca -reconfig ports -DBCONTROL_HTTP_PORT 1820
```
- **RMI_PORT:** Sets the RMI port, for example:

```
emca -reconfig ports -RMI_PORT 5520
```
- **JMS_PORT:** Sets the JMS port, for example:

```
emca -reconfig ports -JMS_PORT 5521
```

You can enter multiple `-reconfig port` settings in one line, for example:

```
emca -reconfig ports -DBCONTROL_HTTP_PORT 1820 -AGENT_PORT 1821 -RMI_PORT 5520
```

C.6 Changing the Oracle XML DB Ports

To change the Oracle XML DB FTP and HTTP ports, you need to run the `catxdbdbca.sql` script, which in a default installation is located in `ORACLE_BASE\ORACLE_HOME\rdbms\admin`.

To change the Oracle XML DB ports:

1. Check that the Oracle listener is running. To do so, in the Windows **Services** utility, make sure that the Oracle TNS Listener service (for example, `OracleOraDb11g_home1TNSListener`) is set to **Started**.

If you cannot start the listener, refer to the *Oracle Database Net Services Administrator's Guide*.

2. Log in to SQL*Plus as SYS or XDB using the SYSDBA role.

For example, to log into SQL*Plus as SYS using the password `welcome`:

```
SYSTEM_DRIVE:\sqlplus /nolog
SQL> CONNECT sys/welcome AS SYSDBA
```

3. Run the `catxdbdbca.sql` script.

For example, to use 2200 for the FTP port and 8200 for the HTTP port, and assuming your Oracle home is in the following location, enter the following command:

```
SQL> @c:\oracle\product\11.1.0\db_1\rdbms\admin\catxdbdbca.sql 2200 8200
```

4. Exit SQL*Plus.

Using Scripts to Create Oracle Real Application Clusters Databases

This chapter describes the steps required to create an Oracle Real Application Clusters (Oracle RAC) database from scripts. The topic in this appendix is:

- [Creating a Database Using Scripts](#)

Note: The scripts generated by DBCA are for reference purposes only. Oracle strongly recommends that you use DBCA to create a database.

D.1 Creating a Database Using Scripts

To generate scripts to create an Oracle RAC database, create a database using the scripts, and prepare the database for use, complete the following steps:

1. Start Database Configuration Assistant (DBCA) and select your preferred options to build the Oracle RAC database. Note: you must select the Custom Database template on the Database Templates page for DBCA to provide the script generation option.

On the Creation Options page of your DBCA session, deselect Create Database and select Generate Database Creation Scripts before you click **Finish**. You can accept the default destination directory for the scripts, or browse for a different location. In either case, you should note the path name for use in the next step.

See Also: ["Creating Oracle RAC Databases with the Database Configuration Assistant"](#) for additional information about running a DBCA session.

2. Navigate to the directory, which you noted in Step 1, where DBCA created the scripts, and review the SQL scripts to ensure that they contain the statements to build a database with the characteristics you require. If they do not, then Oracle recommends that you rerun DBCA to create scripts with the desired configuration rather than editing the scripts yourself.
3. On each cluster node you identified during your DBCA session, run the script or *sid.bat* on Windows, where *sid* is the sid prefix that you entered on the DBCA Database Name page.
4. Set the initialization parameter, `cluster_database`, to the value `TRUE` in your SPFILE by issuing an `ALTER SYSTEM` command, or by uncommenting it in your PFILE for each instance.

5. Configure Net Services to support your new database and instances as described in [Chapter 6, "Understanding the Oracle Real Application Clusters Installed Configuration"](#).
6. Set the `local_listener` and `remote_listener` parameters in your SPFILE by issuing an `ALTER SYSTEM` command, or by uncommenting it in your PFILE for each instance.
7. Run SRVCTL to configure and start database and instance applications as described in *Oracle Real Application Clusters Administration and Deployment Guide*.

See Also: *Oracle Universal Installer and OPatch User's Guide for Windows and UNIX* for additional information about creating and using scripts to install Oracle software

Directory Structure for Oracle Real Application Clusters Environments

This appendix describes the directory structures for Oracle Real Application Clusters (Oracle RAC) software environments. The topics in this appendix are:

- [Understanding the Oracle Real Application Clusters Directory Structure](#)
- [Directory Structures for Oracle Real Application Clusters](#)

E.1 Understanding the Oracle Real Application Clusters Directory Structure

When you install Oracle Database with Oracle RAC, all subdirectories are under a top-level Oracle base directory, which is named by default ORACLE_BASE. The ORACLE_HOME and ADMIN directories are also located under the Oracle base directory.

E.2 Directory Structures for Oracle Real Application Clusters

[Table E-1](#) shows the hierarchical directory tree of a sample OFA-compliant database for Oracle RAC on Windows-based systems:

See Also: *Oracle Real Application Clusters Administration and Deployment Guide* for further information about the ORACLE_HOME and ADMIN directories

Table E-1 Directory Structure for A Sample OFA-Compliant Windows Environment

Root	Second-Level	Third-Level	Fourth-Level	Description
x:\oracle_base				c:\oracle The default ORACLE_BASE directory.
	\%ORACLE_HOME%			\ora11.1 The name of the Oracle home by default.
	\%ORA_CRS_HOME%			\crs11.1 The name of the Oracle Clusterware home by default.
		\bin		Subtree for Oracle binaries.
		\network		Subtree for Oracle Net configuration files, including tnsnames.ora, listener.ora and sqlnet.ora.
		\srvmn		\admin subdirectory.

Table E-1 (Cont.) Directory Structure for A Sample OFA-Compliant Windows

Root	Second-Level	Third-Level	Fourth-Level	Description
			\admin	The Oracle RAC script <code>clustdb.sql</code> and initialization parameter files for database creation
		\database		A directory from previous releases containing initialization files pointing to the new directory location for parameter files: <code>ORACLE_BASE\admin\db_name\pfile</code> .
	\admin			Subtree for Oracle RAC database administration files
		\db_name		<code>db_name</code> database administration files for the instance identified by <code>sid</code> .
			\ad hoc	Ad hoc SQL scripts.
			\adump	Audit files.
			\arch	Archived redo log files.
			\bdump	Background process trace files.
			\cdump	Core dump files.
			\create	Programs used to create the database.
			\exp	Database export files
			\pfile	Initialization parameter files
			\udump	User SQL trace files

See Also: *Oracle Database Platform Guide 11g Release 1 (11.1) for Microsoft Windows* for further information about the `ORACLE_HOME` and `ADMIN` directories

Converting to Oracle Real Application Clusters from Single-Instance Oracle Databases

This chapter describes the procedures for converting from Oracle Database 11g single-instance databases to Oracle Real Application Clusters (Oracle RAC) databases. The topics in this appendix are:

- [Prerequisites for Conversion](#)
- [Single-Instance to Cluster-Enabled Conversion Administrative Issues](#)
- [Converting from Single-Instance to Oracle Real Application Clusters](#)
- [Post-Conversion Steps](#)

If you are upgrading from Oracle Parallel Server to Oracle RAC or from an earlier version of Oracle RAC, then use the Database Upgrade Assistant (DBUA). In other words, the procedures in this chapter assume that your original single-instance database and the target Oracle RAC database are the same version of Oracle 11g, and that these installations are running on the same platform.

See Also: Database licensing information to understand the restrictions of your license. You must comply with the restrictions of the license that you have purchased.

F.1 Prerequisites for Conversion

Your system must meet the following hardware and software requirements to convert to Oracle RAC:

- A supported hardware and operating system software configuration
- Use OCFS or shared disks
- Before converting your database, refer to the *Oracle Database Licensing Information* manual to understand the scope of your license.

F.2 Single-Instance to Cluster-Enabled Conversion Administrative Issues

Note the following administrative considerations before conversion:

- Backup procedures should be available before converting from a single-instance Oracle database to Oracle RAC.
- Additional archiving considerations apply in Oracle RAC environments. In particular, the archive file format requires a thread number. In addition, the

archived logs from all instances of an Oracle RAC database are required for media recovery. If you archive to a file and you do not use a cluster file system, then a method of accessing the archive logs from all nodes on which the cluster database has instances is required where file systems are not shared.

F.3 Converting from Single-Instance to Oracle Real Application Clusters

To convert from single-instance Oracle databases to Oracle RAC, Oracle strongly recommends that you use the Database Configuration Assistant (DBCA). This is because DBCA automates the configuration of the control file attributes, creates the undo tablespaces and the redo logs, and makes the initialization parameter file entries for cluster-enabled environments. It also configures the Oracle Net Services, Oracle Clusterware resources, and the configuration for Oracle RAC database management for use by Oracle Enterprise Manager or the SRVCTL utility. This section describes the following scenarios:

- [Single Instance on a Non-Cluster computer to Oracle Database 11g with RAC](#)
- [Single Instance on a Cluster to Oracle Database 11g RAC](#)

F.3.1 Single Instance on a Non-Cluster computer to Oracle Database 11g with RAC

To convert from a single-instance Oracle database that is on a non-cluster computer to Oracle RAC, perform the procedures described under the following headings in the order shown:

- [Back up the Original Single-Instance Database](#)
- [Perform the Pre-Installation Steps](#)
- [Set up the Cluster](#)
- [Copy the Preconfigured Database Image](#)
- [Install Oracle Database 11g Software with Oracle Real Application Clusters](#)

F.3.1.1 Back up the Original Single-Instance Database

Use DBCA to create a preconfigured image of your single-instance database by using the following procedure:

1. Navigate to the bin directory in ORACLE_HOME, and start DBCA.
2. At the Welcome page, click **Next**.
3. On the Operations page, select **Manage Templates**, and click **Next**.
4. On the Template Management page, select **Create a database template** and **From an existing database (structure as well as data)**, and click **Next**.
5. On the Source Database page, enter the SID prefix in the **Database instance** field, and click **Next**.
6. On the Template Properties page, enter a name for your template in the **Name** field. Oracle recommends that you use the database name.

By default, the template files are generated in the directory %ORACLE_HOME%\assistants\dbca\templates directory on Windows-based systems. If you choose to do so, you can enter a description of the file in the **Description** field, and change the template file location in the **Template data file** field.

When you have completed entries, click **Next**.

7. On the Location of Database Related Files page, select **Maintain the file locations**, so that you can restore the database to the current directory structure, and click **Finish**.

DBCA generates two files: a database structure file (*template_name.dbc*), and a database preconfigured image file (*template_name.dfb*).

F.3.1.2 Perform the Pre-Installation Steps

Perform the pre-installation steps for Oracle Clusterware installation.

See Also: Storage vendor-specific documentation for setting up the shared disk subsystem and for information about how to mirror and stripe disks

F.3.1.3 Set up the Cluster

Form a cluster with the required number of nodes according to your hardware vendor's documentation. When you have configured all of the nodes in your cluster, either with or without vendor clusterware, then install Oracle Clusterware and validate cluster components.

F.3.1.4 Validate the Cluster

Validate the cluster configuration using the Cluster Verification Utility, as described in [Chapter 2, "Installing Oracle Database with Oracle Real Application Clusters"](#).

F.3.1.5 Copy the Preconfigured Database Image

Copy the preconfigured database image. This includes copying the database structure *.dbc file and the database preconfigured image *.dfb file that DBCA created in the previous procedure ["Back up the Original Single-Instance Database"](#) on page F-2 to a temporary location on the node in the cluster from which you plan to run DBCA.

F.3.1.6 Install Oracle Database 11g Software with Oracle Real Application Clusters

1. Run the Oracle Universal Installer (OUI) to perform an Oracle installation with the Oracle 11g Database with RAC.
2. Select Cluster Installation Mode on the Specify Hardware Cluster Installation page of the Oracle Universal Installer (OUI) and select the nodes to include in your Oracle RAC database.
3. On the OUI Database Configuration Types page, select the Advanced install type.
After installing the Oracle software, the OUI runs post-installation configuration tools, such as the Network Configuration Assistant (NetCA), DBCA, and so on.
4. On the DBCA Template Selection page, use the template that you copied to a temporary location in the ["Copy the Preconfigured Database Image"](#) procedure. Use the browse option to select the template location.
5. If you selected raw storage on the OUI Storage Options page, then on the DBCA File Locations Tab on the Initialization Parameters page, replace the data files, control files, and log files, and so on, with the corresponding raw device files if you have not setup the DBCA_RAW_CONFIG environment variable. You must also replace default database files with raw devices on the Storage page.

See Also: [Chapter 3, "Creating Oracle RAC Databases with the Database Configuration Assistant"](#) for more details about DBCA

6. After creating the Oracle RAC database, DBCA displays the Password Management page on which you must change the passwords for database privileged users who have `SYSDBA` and `SYSOPER` roles. When DBCA exits, the conversion process is complete.

F.3.2 Single Instance on a Cluster to Oracle Database 11g RAC

Use the following procedures to convert your single-instance database on a cluster computer to Oracle RAC for all of these scenarios.

F.3.2.1 Single Instance on a Cluster Running from a Cluster Enabled Oracle Home

Perform the following procedures to convert a single-instance database on a cluster running from a cluster-installed (Oracle Database 11g with RAC) Oracle home.

1. Use DBCA to create a preconfigured image of your single-instance database as described under the heading "[Back up the Original Single-Instance Database](#)" on page F-2. To perform the conversion manually, shut down the single-instance database.
2. To add nodes to your cluster, add and connect these nodes to the cluster as described under the heading "[Perform the Pre-Installation Steps](#)" on page F-3. Ensure that all of these nodes can access the shared storage. Also extend the Oracle Clusterware home to the new nodes using the procedures for "Extending Clusterware and Oracle Software to New Nodes" as described in *Oracle Real Application Clusters Administration and Deployment Guide*.
3. From the existing Oracle home, extend this home to the new nodes using the procedure "Adding Nodes at the Oracle RAC Database Layer" as described in *Oracle Real Application Clusters Administration and Deployment Guide*.
4. From one of the newly added nodes, configure the listeners on the additional nodes using the NetCA. Choose the same port number and protocol that you used on the existing node. If the NetCA displays the existing node in the node list page, then do not select this node, because the listener is already configured on it.
5. Convert the database using one of the following procedures:
 - [Automated Conversion Procedure](#)
 - [Manual Conversion Procedure](#)

F.3.2.1.1 Automated Conversion Procedure If you created the preconfigured image of the single instance database as described under the heading "[Back up the Original Single-Instance Database](#)" on page F-2, then use DBCA to complete the conversion to an Oracle RAC database by completing the following steps:

1. Start DBCA from the initial node. Select the names of the nodes that you want to include as part of your cluster database. On the Template Selection page, select the preconfigured template that you created previously. Enter the database name and respond to the remaining DBCA prompts.
2. To use raw devices for the cluster database files: When the Initialization Parameters page appears, enter the raw device name for the SPFILE on the File Locations tab. On the Storage page, replace the default database file names with the raw devices for the control files, redo logs, and data files to create the cluster database. Click **Finish**, and create the database.

After creating the Oracle RAC database, DBCA displays the Password Management page on which you must change the passwords for the database privileged users who

have SYSDBA and SYSOPER roles. When DBCA exits, the conversion process is complete.

F.3.2.1.2 Manual Conversion Procedure If you did not use DBCA to create a preconfigured image of your single-instance database as described in Step 1 in the section ["Single Instance on a Cluster Running from a Cluster Enabled Oracle Home"](#) on page F-4, then perform the following steps to complete the conversion:

1. Create the OFA directory structure on each of the nodes that you have added.

See Also: ["Directory Structures for Oracle Real Application Clusters"](#) on page E-1 for more information about OFA.

2. If you are converting single-instance database files on a file system to raw devices, then copy the database data files, control files, redo logs, and server parameter file to their corresponding raw devices using the `OCOPY` command from the Oracle Database home on Windows-based systems. Otherwise, continue to the next step.
3. Re-create the control files by running the `CREATE CONTROLFILE` SQL statement with the `REUSE` keyword and specify `MAXINSTANCES` and `MAXLOGFILES`, and so on, as needed for your Oracle RAC configuration. The `MAXINSTANCES` recommended default is 32.
4. Shut down the database instance.
5. If your single-instance database was using an SPFILE parameter file, then create a temporary PFILE from the SPFILE using the following SQL statement:

```
CREATE PFILE='pfile_name' from spfile='spfile_name'
```

6. Set the `CLUSTER_DATABASE` parameter to `TRUE`, set the `INSTANCE_NUMBER` parameter to a unique value for each instance, using a `sid.parameter=value` syntax.

If you optimized memory usage on your single-instance database, then adjust the size of the SGA to avoid swapping and paging when you convert to Oracle RAC. you should make this adjustment because Oracle RAC requires about 350 bytes for each buffer to accommodate the Global Cache Service (GCS). For example, if you have 10,000 buffers, then Oracle RAC requires about 350*10,000 bytes more memory. Therefore, adjust the size of the SGA by changing the `DB_CACHE_SIZE` and `DB_nK_CACHE_SIZE` parameters accordingly.

7. Start up the database instance using the PFILE created in Step 5.
8. If your single-instance database was using automatic undo management, then create an undo tablespace for each additional instance using the `CREATE UNDO TABLESPACE` SQL statement. If you are using raw devices, then ensure that the data file for the undo tablespace is on the raw device.
9. Create redo threads that have at least two redo logs for each additional instance. If you are using raw devices, then ensure that the redo log files are on raw devices. Enable the new redo threads by using an `ALTER DATABASE` SQL statement. Then shutdown the database instance.
10. Copy the Oracle password file from the initial node, or from the node from which you are working, to the corresponding location on the additional nodes on which the cluster database will have an instance. Make sure that you replace the `ORACLE_SID` name in each password file appropriately for each additional instance.

11. Add `REMOTE_LISTENER=LISTENERS_DB_NAME` and `sid.LOCAL_LISTENER=LISTENER_SID` parameters to the PFILE.
12. Configure the net service entries for the database and instances and address entries for the `LOCAL_LISTENER` for each instance and `REMOTE_LISTENER` in the `tnsnames.ora` file and copy it to all nodes.
13. Create the SPFILE from the PFILE. If you are not using a cluster file system, then ensure that the SPFILE is on a raw device.
14. Create the `%ORACLE_HOME%\database\initSID.ora` file on Windows-based systems that contains the following entry:

```
spfile='spfile_path_name'
```

where `spfile_path_name` is the complete path name of the SPFILE.

15. Add the configuration for the Oracle RAC database and its instance-to-node mapping using SRVCTL.
16. Start the Oracle RAC database using SRVCTL.

After starting the database with SRVCTL, your conversion process is complete and, for example, you can run the following SQL statement to see the statuses of all the instances in your Oracle RAC database:

```
select * from gv$instance
```

F.4 Post-Conversion Steps

After completing the conversion, note the following recommendations for Oracle RAC environments:

- Follow the recommendations for using load balancing and Transparent Application Failover as described in the *Oracle Real Application Clusters Administration and Deployment Guide*
- Use locally managed tablespaces instead of dictionary managed tablespaces to reduce contention and manage sequences in Oracle RAC as described in the *Oracle Real Application Clusters Deployment and Performance Guide*
- Follow the guidelines for configuring an interconnect, for using automatic segment space management, and for using SRVCTL to administer multiple instances, as described in the *Oracle Real Application Clusters Administration and Deployment Guide*

The buffer cache and shared pool capacity requirements in Oracle RAC are slightly greater than the requirements for single-instance Oracle databases. Therefore, you should increase the size of the buffer cache by about 10% and the size of the shared pool by about 15%.

Country Codes for Oracle Configuration Manager

This appendix contains a list of country codes that you can use while installing Oracle Configuration Manager (OCM).

G.1 Valid Country Codes

[Table G-1](#) contains a list of countries and their short names (codes.)

Table G-1 *Country Codes for OCM*

Country	Short Name (Code)
Afghanistan	AS
African Other	AA
Albania	AL
Algeria	DZ
American Samoa	AS
Andorra	AD
Angola	AO
Anguilla	AI
Antarctica	AQ
Antigua and Barbuda	AM
Argentina	AR
Armenia	AM
Aruba	AW
Australia	AU
Austria	AT
Azerbaijan	AZ
Bahamas	BS
Bahrain	BH
Bangladesh	BD
Barbados	BB
Belarus	BY

Table G-1 (Cont.) Country Codes for OCM

Country	Short Name (Code)
Belgium	BE
Belize	BZ
Benin	BJ
Bermuda	BM
Bhutan	BT
Bolivia	BO
Bosnia-Herzegovina	BA
Botswana	BW
Bouvet Island	BV
Brazil	BR
British Indian Ocean Territory	IO
Brunei Darussalam	BN
Bulgaria	BG
Burkina Faso	BF
Burundi	BI
Cambodia	KH
Cameroon	CM
Canada	CA
Cape Verde	CV
Cayman Islands	KY
Central African Republic	CF
Chad	TD
Chile	CL
China	CN
Christmas Island	CX
CIS-Comm. of Indep. States	RU
Cocos (Keeling) Islands	CC
Columbia	CO
Comoros	KM
Congo	CG
Cook Islands	CK
Costa Rica	CR
Cote D'Ivoire	CI
Croatia	HR
Cuba	CU
Cyprus	CY
Czech Republic	CZ

Table G-1 (Cont.) Country Codes for OCM

Country	Short Name (Code)
Democratic People's Republic of Korea	KP
Denmark and Iceland	DK
Djibouti	DJ
Dominica	DM
Dominican Republic	DO
East Timor	TP
Ecuador	EC
Egypt	EG
El Salvador	SV
Equatorial Guinea	GQ
Eritrea	ER
Estonia	EE
Ethiopia	ET
Falkland Islands (Malvinas)	FK
Faroe Islands	FO
Fiji	FJ
Finland	FI
France	FR
France - Overseas Territories	FX
French Guiana	GF
French Polynesia	PF
French Southern Territories	TF
Gabon	GA
Gambia	GM
Georgia	GE
Germany	DE
Ghana	GH
Gibraltar	GI
Greece	GR
Greenland	GL
Grenada	GD
Guadeloupe	GP
Guam	GU
Guatemala	GT
Guinea	GN
Guinea - Bissau	GW
Guyana	GY

Table G-1 (Cont.) Country Codes for OCM

Country	Short Name (Code)
Haiti	HT
Heard Island and McDonald Islands	HM
Honduras	HN
Hong Kong	HK
Hungary	HU
Iceland	IS
India	IN
Indonesia	ID
Iran (Islamic Republic of)	IR
Iraq	IQ
Ireland	IE
Israel	IL
Italy	IT
Jamaica	JM
Japan	JP
Jordan	JO
Kazakhstan	KZ
Kenya	KE
Kiribati	KI
Kuwait	KW
Kyrgyzstan	KG
Lao People's Democratic Republic	LA
Latvia	LV
Lebanon	LB
Lesotho	LS
Liberia	LR
Libyan Arab Jamahiriya	LY
Liechtenstein	LI
Lithuania	LT
Luxembourg	LU
Macau	MO
Macedonia	MK
Madagascar	MG
Malawi	MW
Mali	ML
Malta	MT
Malyasia	MY

Table G-1 (Cont.) Country Codes for OCM

Country	Short Name (Code)
Marshall Islands	MH
Martinique	MQ
Mauritania	MR
Mauritius	MU
Mayotte	YT
Mexico	MX
Micronesia (Federated States Of)	FM
Monaco	MC
Mongolia	MM
Montserrat	MS
Morocco	MA
Mozambique	MZ
Myanmar	MM
Namibia	NA
Narau	NR
Nepal	NP
Netherlands	NL
Netherlands Antilles	AN
New Caledonia	NC
New Zealand	NZ
Nicaragua	NI
Niger	NE
Nigeria	NG
Niue	NU
Norfolk Island	NF
Northern Mariana Islands	MP
Norway	NO
Oman	OM
Pakistan	PK
Palau	PW
Panama	PA
Papua New Guinea	PG
Paraguay	PY
Peru	PE
Philippines	PH
Pitcairn	PN
Poland	PL

Table G-1 (Cont.) Country Codes for OCM

Country	Short Name (Code)
Portugal	PT
Puerto Rico	PR
Qatar	QA
Republic of Korea	KR
Republic of Moldova	MD
Reunion	RE
Romania	RO
Rwanda	RW
Saint Helena	SH
Saint Kitts and Nevis	KN
Saint Lucia	LC
Saint Pierre and Miquelon	PM
Saint Vincent and the Grenadines	VC
Samoa	WS
San Marino	SM
Sao Tome and Principe	ST
Saudi Arabia	SA
Senegal	SN
Serbia and Montenegro	YU
Seychelles	SC
Sierra Leone	SL
Singapore	SG
Slovakia	SK
Slovenia	SI
Solomon Islands	SB
Somalia	SO
South Africa	ZA
South Asia Growth Economies	SX
South Georgia and South Sandwich Island	GS
Spain	ES
Sri Lanka	LK
Sudan	SD
Suriname	SR
Svalbard and Jan Mayen Islands	SJ
Swaziland	SZ
Sweden	SE
Switzerland	CH

Table G-1 (Cont.) Country Codes for OCM

Country	Short Name (Code)
Syrian Arab Republic	SY
Taiwan - Republic of China	TW
Tajikistan	TJ
Thailand	TH
Togo	TG
Tokelau	TK
Tonga	TO
Trinidad and Tobago	TT
Tunisia	TN
Turkey	TR
Turkmenistan	TM
Turks and Caicos Islands	TC
Tuvalu	TV
Uganda	UG
Ukraine	UA
United Arab Emirates	AE
United Kingdom	GB
United Republic of Tanzania	TZ
United States	US
United States Minor Outlying Islands	UM
Uruguay	UY
Uzbekistan	UZ
Vanuatu	VU
Vatican City State (Holy See)	VA
Venezuela	VE
Vietnam	VN
Virgin Islands (British)	VI
Wallis and Futuna Islands	WF
Western Sahara	EH
Yemen	YE
Zaire	ZR
Zambia	ZM
Zimbabwe	ZW

Troubleshooting and Removing Oracle Configuration Manager Software

This appendix describes how to troubleshoot and remove the Oracle Configuration Manager (OCM) software under the following topics:

- [Troubleshooting Oracle Configuration Manager](#)
- [Removing Oracle Configuration Manager](#)

H.1 Troubleshooting Oracle Configuration Manager

This section lists some of the errors that may occur while using OCM and provides tips to troubleshoot these errors.

- **Insufficient Privileges While Running `installCCRSQL collectconfig`**

When you run the `installCCRSQL.exe` script, it creates the `ORACLE_OCM` user and sets up a job to collect database configuration information. The `ORACLE_OCM` user requires `EXECUTE` privileges on `UTL_FILE` and `DBMS_SCHEDULER` for database versions 10g or later, and on the `DBMS_JOB` for pre-10g databases. If these privileges are granted to `PUBLIC`, the `ORACLE_OCM` user inherits these privileges, otherwise these privileges are explicitly granted when the `installCCRSQL.exe` script is executed. If the inherited privileges are revoked, the following errors indicating the lack of privileges will be logged in the `alert_log`:

```
ORA-12012: error on auto execute of job 52
ORA-04068: existing state of packages has been discarded
ORA-04063: package body "ORACLE_OCM.package_name" has errors
ORA-06508: PL/SQL: could not find program unit being called
```

To resolve these errors, you must grant the missing `EXECUTE` privilege to the `ORACLE_OCM` user.

- For database versions 10g and later, grant `EXECUTE` privileges on the `UTL_FILE` and `DBMS_SCHEDULER` packages to the `ORACLE_OCM` user by entering the following `SQL*PLUS` commands:

```
SQL> grant execute on UTL_FILE to oracle_ocm;
SQL> grant execute on DBMS_SCHEDULER to oracle_ocm;
SQL> ALTER PACKAGE oracle_ocm.MGMT_DB_LL_METRICS compile;
SQL> ALTER PACKAGE oracle_ocm.mgmt_config compile;
```

- For versions prior to Oracle Database 10g, grant `EXECUTE` privileges on the `DBMS_JOB` package to the `ORACLE_OCM` user by entering the following `SQL*PLUS` commands:

```
SQL> grant execute on UTL_FILE to oracle_ocr;
SQL> grant execute on DBMS_JOB to oracle_ocr;
SQL> ALTER PACKAGE oracle_ocr.MGMT_DB_LL_METRICS compile;
SQL> ALTER PACKAGE oracle_ocr.mgmt_config compile;
```

- **ORA-04021 Error**

There may be cases when the ORACLE_OCM user needs to be granted the required privileges during installation. While granting the privileges, the following error may occur in the ORACLE_BASE\ORACLE_HOME\ocr\log\collectconfigSID.log:

```
ORA-04021: timeout occurred while waiting to lock object SYS.<package like UTL_FILE>
```

This error may occur if another procedure is using the package for which the privileges are being granted. To resolve this error, retry the install when the package is not being used. This error may occur while granting privileges on UTL_FILE, DBMS_SCHEDULER, or DBMS_JOB.

- **ORA-01925 Error While Running installCCRSQL**

This error may occur if the value of the MAX_ENABLED_ROLES initialization parameter has been exceeded. To resolve this error, you must increase the value of the MAX_ENABLED_ROLES parameter and restart the database as follows:

1. Edit the `initSID.ora` file where `SID` is the database system identifier and increase the value of `MAX_ENABLED_ROLES`. If a server parameter (spfile) has been used, alter the `MAX_ENABLED_ROLES` parameter by using the following SQL*Plus command:

```
SQL> alter system set MAX_ENABLED_ROLES=value scope=spfile
```

2. Restart the database.

Once the database has been restarted, re-run the `installCCRSQL.exe` script.

- **Incorrectly configured hostnames are displayed on My Oracle Support with only the short names.**

To ensure that hostnames are displayed with their fully qualified names on My Oracle Support, the `%windir%\system32\drivers\etc\hosts` file must contain an entry that includes both the hostname and the network domain in the following format:

```
IP-Address Full-HostName Short-HostName
```

For example:

```
10.10.10.10 myhost.mydomain myhost
```

If the `hosts` file has not been correctly configured, only the short name is displayed on My Oracle Support.

H.2 Removing Oracle Configuration Manager

To uninstall OCM, follow these steps:

1. If the ORACLE_BASE\ORACLE_HOME directory contains a database, remove the Oracle Configuration Manager user and the associated objects from the database by running the following script:

```
SQL> ORACLE_BASE\ORACLE_HOME\ocr\admin\scripts\dropocm.sql
```

2. If the database is a repository for the Oracle E-Business Suite, log in to the database as an SYSDBA user and remove the additional objects from the database by running the following script:

```
ORACLE_BASE\ORACLE_HOME\ccr\admin\scripts\ebs_dropccr.sql Oracle_Applications_
User
```

3. If the database is a repository for Oracle Grid Control, log in to the database as the SYSMAN user and remove the additional objects from the database by running the following script:

```
ORACLE_BASE\ORACLE_HOME\ccr\admin\scripts\dropemrep_collect.sql
```

4. To stop the Scheduler and remove the service, enter the following command:

```
ORACLE_BASE\ORACLE_HOME\ccr\bin\deployPackages -d ORACLE_BASE\ORACLE_
HOME\ccr\inventory\core.jar
```

5. Delete the ccr directory by entering the following command:

```
SYSTEM_DRIVE:\> rmdir /S ORACLE_BASE\ORACLE_HOME\ccr
```

OCM is successfully uninstalled.

Index

A

- Advanced
 - configuration type, 2-3
- architecture
 - Optimal Flexible Architecture (OFA), 2-4
- archive logs
 - destinations, converting to cluster database, F-1
- ASM
 - upgrades of, 1-3
- Automatic Storage Management (ASM)
 - removing an instance, 7-4
- automatic undo management, 6-3

B

- backups
 - and converting to cluster database, F-1

C

- cluster database
 - installed configuration, 6-2
- Cluster Manager
 - ports, ranges and protocol, C-4
- Cluster Synchronization Services (CSS)
 - ports, ranges and protocol, C-3
 - removing, 7-2
- Cluster Verification Utility
 - DBCA database creation stage readiness check, 3-2
 - verifying readiness for database installation, 2-1
- CLUSTER_DATABASE_INSTANCES, 3-5
- clusterware diagnostics, A-2
- commands
 - emca, 4-3
- components
 - created when using DBCA, 6-2
- configuration assistants
 - troubleshooting, A-5
- configuration types
 - Advanced, 2-3
 - Data Warehouse, 2-3
 - General Purpose, 2-3
 - Transaction Processing, 2-3
- connection load balancing, 6-4
- Connection Manager
 - ports, ranges and protocol, C-2

- control file
 - installed configuration, 6-3
- control files, 1-8
 - described, 6-3
- convert to cluster database
 - administrative considerations, F-1
 - from non-cluster system, F-2
 - from single-instance, F-4
 - from single-instance to Oracle Real Application Clusters, F-1
 - post-conversion, F-6
 - to Oracle Real Application Clusters from single-instance Oracle databases, F-1
- converting
 - from single-instance to Real Application Clusters, D-1
 - to Oracle Real Application Clusters from single-instance Oracle databases, D-1
- Country Code, 1-9
- country codes, G-1
- create database
 - using scripts, D-1
- creating
 - Oracle Real Application Clusters database with Database Configuration Assistant, 2-4, 3-1, 3-3
- cross-node registration, 6-4
- Customer Configuration Repository. *See* Oracle Configuration Manager

D

- data files, 1-8
 - and DBCA, 6-2
 - described, 6-2
- Data Warehouse
 - configuration type, 2-3
- database
 - components, created when using DBCA, 6-2
- Database Configuration Assistant
 - ASM Disk Groups page, 3-5
 - components created by, 6-2
 - control files, 6-3
 - creating Oracle Real Application Clusters database
 - after installation, 3-3
 - during installation, 2-4, 3-1

- data files, 6-2
- deleting databases with, 3-6
- deleting Real Application Clusters databases, 3-6
- initialization parameter files, 6-4
- List of Cluster Databases page, 3-7
- Operations page, 3-7
- Recovery Configuration page, 3-5
- redo log files, 6-3
- rollback segments, 6-3
- Summary dialog, 3-7
- tablespaces, 6-2
- using, 3-1
- Welcome page, 3-3
- database configuration type
 - selecting, 2-3
- database creation using scripts, D-1
- database directory, E-2
- DB_NAME, 3-5
- DB_UNIQUE_NAME, 3-5
 - initialization parameters, 3-5
- DBCA
 - delete database, 3-6
- dedicated servers, 6-4
- de-install Oracle Database software, 2-8
- delete database with DBCA, 3-6
- deprecated features
 - service management, 2-4
- diagnostics, A-2
- directory objects, 4-2
- directory structure, E-1
 - Windows, E-1
- domain user, 2-2, 3-3, A-2

E

- Environment Variables page
 - Windows, 2-7
- error messages
 - Real Application Clusters management tools, A-2
- errors
 - configuration assistants, A-5
 - installation, A-3, A-6
 - silent mode, A-3
- external files, 4-2
- external tables, 4-2

F

- failover
 - and service registration, 6-4
- fatal errors, A-6
- features, new, 0-xiii
- files
 - Oracle Universal Installer log files, A-3

G

- General Purpose
 - configuration type, 2-3
- globalization
 - support for, 2-3

I

- initialization parameter files, 6-4
 - for instances, 5-1
 - listener parameters, 6-5
- initialization parameters
 - CLUSTER_DATABASE_INSTANCES, 3-5
 - DB_NAME, 3-5
 - DISPATCHERS, 6-4
 - LOCAL_LISTENER, 6-4
 - REMOTE_LISTENER, 6-4, 6-7
- installActions.log file, A-3
- installation
 - and globalization, 2-3
 - cannot select a node, A-1
 - directory structure, E-1
 - errors
 - log session, A-3
 - while configuration assistant runs, A-6
 - listener.ora file, 6-5
 - log files, A-3
 - non-interactive, D-1
 - noninteractive mode error handling, A-4
 - of additional products after installation is completed, 3-6
 - Oracle Configuration Manager, 2-3
 - response files
 - errors, A-3
 - reviewing a log of an installation session, A-3
 - silent mode error handling, A-4
 - tnsnames.ora file, 6-6
 - verifying shared storage devices, 3-3
- installCCRSQL.exe, A-4
- installCCRSQL.sh, H-1
- instances
 - initialization parameter files, 5-1

L

- language
 - choosing different languages, 2-3
 - See globalization., 1-3
- language support and installation, 2-3
- List of Cluster Databases page, 3-7
- listener
 - automatic migration from 10.1 to 10.2, 3-6
 - local, 6-4
 - registration, 6-6
- listener.ora file, 6-5
 - configuring, 6-5
 - default configuration, 6-5
- listeners
 - listener.ora file, 6-5
- load balancing
 - and service registration, 6-4
- local administrative user, 2-2, A-2
- local listener, 6-4
- localization
 - and installation, 2-3
- log files, A-3
 - reviewing an installation session, A-3
 - troubleshooting, A-3

M

- My Oracle Support
 - check before installation, 1-1
 - Oracle patches, 4-1
- My Oracle Support User Name, 1-9

N

- Net Configuration Assistant (NetCA)
 - troubleshooting, A-5
- net service names, 6-6
- network configuration files
 - listener.ora, 6-5
 - sqlnet.ora, 6-11
 - tnsnames.ora, 6-6
- network directory, E-1
- new features, 0-xiii
- node
 - cannot select during installation, A-1
 - unreachable, A-1
- node timestamp, A-2
- noninteractive mode
 - error handling, A-3

O

- OCR
 - installed configuration, 6-1
- OCR contents, 6-1
- olsnodes command, A-2
- online help
 - not working, A-6
- Optimal Flexible Architecture (OFA), 2-4
- ora_dba group, A-2
- Oracle Cluster Registry port, C-4
- Oracle Clusterware
 - ports, ranges and protocol, C-3
 - upgrades of, 1-3
- Oracle Configuration Manager
 - information needed to enable, 2-3
 - installing, 0-xix
 - overview, 0-xiv, 0-xv
 - troubleshooting, H-1
 - uninstalling, H-2
- Oracle Data Guard
 - ports, ranges and protocol, C-2
- Oracle Database
 - upgrades of, 1-3
- Oracle Database Configuration Assistant (DBCA)
 - troubleshooting, A-5
- Oracle Database Upgrade Assistant, 3-6
- Oracle E-Business Suite, 4-5, 7-1, H-3
- Oracle Enterprise Management Agent
 - ports
 - changing, C-4
 - ranges and protocol, C-2
- Oracle Enterprise Manager
 - Database Control, 4-3
 - post-installation configuration, 4-3
- Oracle Enterprise Manager Database Console
 - ports

- changing, C-4
- Oracle Enterprise Manager Database Control
 - ports
 - ranges and protocol, C-2
- Oracle Event Manager
 - ports, ranges and protocol, C-4
- Oracle Real Application Clusters (RAC)
 - ports, ranges and protocol, C-3
- Oracle Real Application Testing, 0-xv
- Oracle Services for Microsoft Transaction Server
 - ports
 - ranges and protocol, C-3
- Oracle services, stopping, 7-3
- Oracle SQL*Net Listener
 - ports
 - ranges and protocol, C-2
- Oracle Universal Installer
 - Welcome page, 2-5
- Oracle Universal Installer (OUI)
 - log files, A-3
 - removing components, 7-3
 - removing components with, 7-3
- Oracle XML DB
 - ports
 - changing, C-5
 - ranges and protocol, C-3
- OUI
 - node not visible, A-1

P

- parameter file search order, 5-3
- parameters
 - initialization, 5-1
- patches
 - download, 4-1
 - install, 4-1
 - My Oracle Support, 4-1
- portlist.ini file, C-1
- ports
 - access URLs, C-1
 - Cluster Manager, ranges and protocol, C-4
 - Cluster Synchronization Services, ranges and protocol, C-3
 - configured for applications, C-1
 - Connection Manager, ranges and protocol, C-2
 - default ranges, C-1
 - Oracle Cluster Registry, C-4
 - Oracle Clusterware, ranges and protocol, C-3
 - Oracle Data Guard, ranges and protocol, C-2
 - Oracle Enterprise Management Agent
 - changing, C-4
 - ranges and protocol, C-2
 - Oracle Enterprise Manager Database Console
 - changing, C-4
 - Oracle Enterprise Manager Database Control
 - ranges and protocol, C-2
 - Oracle Event Manager, ranges and protocol, C-4
 - Oracle Real Application Clusters (RAC), ranges and protocol, C-3
 - Oracle Services for Microsoft Transaction Server,

- ranges and protocol, C-3
- Oracle SQL*Net Listener
 - ranges and protocol, C-2
- Oracle XML DB
 - changing, C-5
 - ranges and protocol, C-3
- post-installation
 - Oracle Enterprise Manager configuration, 4-3
 - patch download and install, 4-1
 - product configuration, 4-2
- preconfigured database installation types, 2-3
- pre-installation
 - raw device creation, 6-3

R

- raw devices
 - identifying on Windows
 - db_name_idx1 symbolic link, 6-3
 - db_name_rbs1 symbolic link, 6-3
 - db_name_redo thread_number symbolic link, 6-3
 - db_name_sfile1 symbolic link, 6-3
 - db_name_system1 symbolic link, 6-2
 - db_name_temp1 symbolic link, 6-3
 - db_name_users1 symbolic link, 6-3
 - identifying on Windows, undotbs1 and undotbs2 symbolic links, 6-3
 - setting up, 6-3
- RBS tablespace
 - description, 6-2
- readme.txt file, C-1
- Real Application Clusters
 - databases, deleting, 3-6
 - installed components of, 1-8
 - management tools error messages, A-2
 - overview, 3-1, 6-1
 - raw device setup, 6-3
- redo log file
 - installed configuration, 6-3
- redo log files, 1-8
 - described, 6-3
- registration
 - cross-node, 6-4
- removing
 - Automatic Storage Management instance, 7-4
 - components manually, 7-4
 - components with Oracle Universal Installer, 7-3
- response files
 - error handling, A-3
- rollback segments
 - described, 6-3

S

- scripts to create an Oracle Real Application Clusters database, D-1
- server parameter files, 1-8, 5-1, 6-4
 - errors, 5-3
- service registration
 - configuring, 6-4
- shared configuration file, 6-1

- shared server, 6-4
- shared storage devices
 - verification, 3-3
- silent mode
 - error handling, A-3
 - errors, A-3
- SPFILE
 - default creation, 5-1
 - default location, 5-2
 - managing on ASM, 5-2
 - managing on raw device, 5-2
- sqlnet.ora file, 6-11
 - default configuration, 6-11
- srvrm\admin directory, E-1
- Summary dialog, 3-7
- SYS, 4-4
- SYSDBA login, A-2
- SYSTEM tablespace
 - description, 6-2
- system variables dialog
 - Windows, 2-7

T

- tablespaces
 - and DBCA, 6-2
 - expanding for large sorts, 6-2
 - RBS, 6-2
 - SYSTEM, 6-2
 - TEMP, 6-2
 - undo tablespaces for automatic undo management, 6-2
 - USERS, 6-2
- TEMP tablespace
 - described, 6-2
- timestamp
 - on each node, A-2
- tnsnames.ora file, 6-6
 - default configuration, 6-6
- Transaction Processing
 - configuration type, 2-3
- troubleshooting
 - fatal errors, A-6
 - Inventory log files, A-3
 - online help not working, A-6

U

- undo management, 6-3
- unreachable node, A-1
- upgrade
 - of existing Oracle Databases, 3-6
 - of listener, 3-6
- upgrades, 1-3
- USERS tablespace
 - described, 6-2

V

- VIP, 1-6
- virtual IP. *See* VIP

W

Welcome page

Oracle Universal Installer, 2-5

Windows

minimum memory installation, 2-6

system variables dialog, 2-7

Windows Environment Variables page, 2-7

Windows Server 2008, 0-xv, 2-1, 2-8

