

PeopleSoft®

PeopleSoft EnterpriseOne Tools
8.95 PeopleBook: Web Services
Gateway: Configuration Editor

August 2005

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are “commercial computer software” or “commercial technical data” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software–Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee’s responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Oracle, JD Edwards, PeopleSoft, and Retek are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Open Source Disclosure

Oracle takes no responsibility for its use or distribution of any open source or shareware software or documentation and disclaims any and all liability or damages resulting from use of said software or documentation. The following open source software may be used in Oracle’s PeopleSoft products and the following disclaimers are provided.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Copyright © 1999-2000 The Apache Software Foundation. All rights reserved. THIS SOFTWARE IS PROVIDED “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Contents

General Preface

About This PeopleBook Prefacev

PeopleSoft Application Prerequisites.....v

PeopleSoft Application Fundamentals.....v

Documentation Updates and Printed Documentation.....vi

 Obtaining Documentation Updates.....vi

 Ordering Printed Documentation.....vi

Additional Resources.....vii

Typographical Conventions and Visual Cues.....viii

 Typographical Conventions.....viii

 Visual Cues.....ix

 Country, Region, and Industry Identifiers.....x

 Currency Codes.....x

Comments and Suggestions.....x

Common Elements Used in PeopleBooks.....xi

Preface

PeopleSoft EnterpriseOne Tools Web Services Gateway Configuration Editor Preface.....xiii

WSG Configuration Editor Companion Documentation.....xiii

Chapter 1

Getting Started with PeopleSoft EnterpriseOne Tools Web Services Gateway Configuration Editor.....1

Web Services Gateway Configuration Editor Overview.....1

WSG Configuration Editor Implementation.....1

 Web Services Gateway Configuration Editor Implementation Steps.....1

Chapter 2

Using the Configuration Editor.....3

Understanding the Configuration Editor.....3

Accessing the Configuration Editor.....4

 Understanding Configuration Editor Access.....4

Creating the JDBC Connection.....	4
Opening the Configuration Editor.....	6
Using Integration Options.....	7
Understanding Integration Options.....	7
Working with Integration Options.....	9
Using Code References.....	14
Understanding Code References.....	15
Working with Code References.....	16
Using Key References.....	20
Understanding Key References.....	20
Working with Key References.....	22
Glossary of PeopleSoft Terms.....	27
Index	37

About This PeopleBook Preface

PeopleBooks provide you with the information that you need to implement and use PeopleSoft applications.

This preface discusses:

- PeopleSoft application prerequisites.
- PeopleSoft application fundamentals.
- Documentation updates and printed documentation.
- Additional resources.
- Typographical conventions and visual cues.
- Comments and suggestions.
- Common elements in PeopleBooks.

Note. PeopleBooks document only page elements, such as fields and check boxes, that require additional explanation. If a page element is not documented with the process or task in which it is used, then either it requires no additional explanation or it is documented with common elements for the section, chapter, PeopleBook, or product line. Elements that are common to all PeopleSoft applications are defined in this preface.

PeopleSoft Application Prerequisites

To benefit fully from the information that is covered in these books, you should have a basic understanding of how to use PeopleSoft applications.

You might also want to complete at least one PeopleSoft introductory training course, if applicable.

You should be familiar with navigating the system and adding, updating, and deleting information by using PeopleSoft menus, and pages, forms, or windows. You should also be comfortable using the World Wide Web and the Microsoft Windows or Windows NT graphical user interface.

These books do not review navigation and other basics. They present the information that you need to use the system and implement your PeopleSoft applications most effectively.

PeopleSoft Application Fundamentals

Each application PeopleBook provides implementation and processing information for your PeopleSoft applications.

Note. Application fundamentals PeopleBooks are not applicable to the PeopleTools product.

For some applications, additional, essential information describing the setup and design of your system appears in a companion volume of documentation called the application fundamentals PeopleBook. Most PeopleSoft product lines have a version of the application fundamentals PeopleBook. The preface of each PeopleBook identifies the application fundamentals PeopleBooks that are associated with that PeopleBook.

The application fundamentals PeopleBook consists of important topics that apply to many or all PeopleSoft applications across one or more product lines. Whether you are implementing a single application, some combination of applications within the product line, or the entire product line, you should be familiar with the contents of the appropriate application fundamentals PeopleBooks. They provide the starting points for fundamental implementation tasks.

Documentation Updates and Printed Documentation

This section discusses how to:

- Obtain documentation updates.
- Order printed documentation.

Obtaining Documentation Updates

You can find updates and additional documentation for this release, as well as previous releases, on the PeopleSoft Customer Connection website. Through the Documentation section of PeopleSoft Customer Connection, you can download files to add to your PeopleBook Library. You'll find a variety of useful and timely materials, including updates to the full PeopleSoft documentation that is delivered on your PeopleBooks CD-ROM.

Important! Before you upgrade, you must check PeopleSoft Customer Connection for updates to the upgrade instructions. PeopleSoft continually posts updates as the upgrade process is refined.

See Also

PeopleSoft Customer Connection, <https://www.peoplesoft.com/corp/en/login.jsp>

Ordering Printed Documentation

You can order printed, bound volumes of the complete PeopleSoft documentation that is delivered on your PeopleBooks CD-ROM. PeopleSoft makes printed documentation available for each major release shortly after the software is shipped. Customers and partners can order printed PeopleSoft documentation by using any of these methods:

- Web
- Telephone
- Email

Web

From the Documentation section of the PeopleSoft Customer Connection website, access the PeopleBooks Press website under the Ordering PeopleBooks topic. The PeopleBooks Press website is a joint venture between PeopleSoft and MMA Partners, the book print vendor. Use a credit card, money order, cashier's check, or purchase order to place your order.

Telephone

Contact MMA Partners at 877 588 2525.

Email

Send email to MMA Partners at peoplebookspres@mmapartner.com.

See Also

PeopleSoft Customer Connection, <https://www.peoplesoft.com/corp/en/login.jsp>

Additional Resources

The following resources are located on the PeopleSoft Customer Connection website:

Resource	Navigation
Application maintenance information	Updates + Fixes
Business process diagrams	Support, Documentation, Business Process Maps
Interactive Services Repository	Interactive Services Repository
Hardware and software requirements	Implement, Optimize + Upgrade, Implementation Guide, Implementation Documentation & Software, Hardware and Software Requirements
Installation guides	Implement, Optimize + Upgrade, Implementation Guide, Implementation Documentation & Software, Installation Guides and Notes
Integration information	Implement, Optimize + Upgrade, Implementation Guide, Implementation Documentation and Software, Pre-built Integrations for PeopleSoft Enterprise and PeopleSoft EnterpriseOne Applications
Minimum technical requirements (MTRs) (EnterpriseOne only)	Implement, Optimize + Upgrade, Implementation Guide, Supported Platforms
PeopleBook documentation updates	Support, Documentation, Documentation Updates
PeopleSoft support policy	Support, Support Policy
Prerelease notes	Support, Documentation, Documentation Updates, Category, Prerelease Notes
Product release roadmap	Support, Roadmaps + Schedules
Release notes	Support, Documentation, Documentation Updates, Category, Release Notes

Resource	Navigation
Release value proposition	Support, Documentation, Documentation Updates, Category, Release Value Proposition
Statement of direction	Support, Documentation, Documentation Updates, Category, Statement of Direction
Troubleshooting information	Support, Troubleshooting
Upgrade documentation	Support, Documentation, Upgrade Documentation and Scripts

Typographical Conventions and Visual Cues

This section discusses:

- Typographical conventions.
- Visual cues.
- Country, region, and industry identifiers.
- Currency codes.

Typographical Conventions

This table contains the typographical conventions that are used in PeopleBooks:

Typographical Convention or Visual Cue	Description
Bold	Indicates PeopleCode function names, business function names, event names, system function names, method names, language constructs, and PeopleCode reserved words that must be included literally in the function call.
<i>Italics</i>	Indicates field values, emphasis, and PeopleSoft or other book-length publication titles. In PeopleCode syntax, italic items are placeholders for arguments that your program must supply. We also use italics when we refer to words as words or letters as letters, as in the following: Enter the letter <i>O</i> .
KEY+KEY	Indicates a key combination action. For example, a plus sign (+) between keys means that you must hold down the first key while you press the second key. For ALT+W, hold down the ALT key while you press the W key.
Monospace font	Indicates a PeopleCode program or other code example.

Typographical Convention or Visual Cue	Description
“ ” (quotation marks)	Indicate chapter titles in cross-references and words that are used differently from their intended meanings.
... (ellipses)	Indicate that the preceding item or series can be repeated any number of times in PeopleCode syntax.
{ } (curly braces)	Indicate a choice between two options in PeopleCode syntax. Options are separated by a pipe ().
[] (square brackets)	Indicate optional items in PeopleCode syntax.
& (ampersand)	When placed before a parameter in PeopleCode syntax, an ampersand indicates that the parameter is an already instantiated object. Ampersands also precede all PeopleCode variables.

Visual Cues

PeopleBooks contain the following visual cues.

Notes

Notes indicate information that you should pay particular attention to as you work with the PeopleSoft system.

Note. Example of a note.

If the note is preceded by *Important!*, the note is crucial and includes information that concerns what you must do for the system to function properly.

Important! Example of an important note.

Warnings

Warnings indicate crucial configuration considerations. Pay close attention to warning messages.

Warning! Example of a warning.

Cross-References

PeopleBooks provide cross-references either under the heading “See Also” or on a separate line preceded by the word *See*. Cross-references lead to other documentation that is pertinent to the immediately preceding documentation.

Country, Region, and Industry Identifiers

Information that applies only to a specific country, region, or industry is preceded by a standard identifier in parentheses. This identifier typically appears at the beginning of a section heading, but it may also appear at the beginning of a note or other text.

Example of a country-specific heading: “(FRA) Hiring an Employee”

Example of a region-specific heading: “(Latin America) Setting Up Depreciation”

Country Identifiers

Countries are identified with the International Organization for Standardization (ISO) country code.

Region Identifiers

Regions are identified by the region name. The following region identifiers may appear in PeopleBooks:

- Asia Pacific
- Europe
- Latin America
- North America

Industry Identifiers

Industries are identified by the industry name or by an abbreviation for that industry. The following industry identifiers may appear in PeopleBooks:

- USF (U.S. Federal)
- E&G (Education and Government)

Currency Codes

Monetary amounts are identified by the ISO currency code.

Comments and Suggestions

Your comments are important to us. We encourage you to tell us what you like, or what you would like to see changed about PeopleBooks and other PeopleSoft reference and training materials. Please send your suggestions to:

PeopleSoft Product Documentation Manager PeopleSoft, Inc. 4460 Hacienda Drive Pleasanton, CA 94588

Or send email comments to doc@peoplesoft.com.

While we cannot guarantee to answer every email message, we will pay careful attention to your comments and suggestions.

Common Elements Used in PeopleBooks

Address Book Number	Enter a unique number that identifies the master record for the entity. An address book number can be the identifier for a customer, supplier, company, employee, applicant, participant, tenant, location, and so on. Depending on the application, the field on the form might refer to the address book number as the customer number, supplier number, or company number, employee or applicant id, participant number, and so on.
As If Currency Code	Enter the three-character code to specify the currency that you want to use to view transaction amounts. This code allows you to view the transaction amounts as if they were entered in the specified currency rather than the foreign or domestic currency that was used when the transaction was originally entered.
Batch Number	Displays a number that identifies a group of transactions to be processed by the system. On entry forms, you can assign the batch number or the system can assign it through the Next Numbers program (P0002).
Batch Date	Enter the date in which a batch is created. If you leave this field blank, the system supplies the system date as the batch date.
Batch Status	Displays a code from user-defined code (UDC) table 98/IC that indicates the posting status of a batch. Values are: <i>Blank:</i> Batch is unposted and pending approval. <i>A:</i> The batch is approved for posting, has no errors and is in balance, but it has not yet been posted. <i>D:</i> The batch posted successfully. <i>E:</i> The batch is in error. You must correct the batch before it can post. <i>P:</i> The system is in the process of posting the batch. The batch is unavailable until the posting process is complete. If errors occur during the post, the batch status changes to E. <i>U:</i> The batch is temporarily unavailable because someone is working with it, or the batch appears to be in use because a power failure occurred while the batch was open.
Branch/Plant	Enter a code that identifies a separate entity as a warehouse location, job, project, work center, branch, or plant in which distribution and manufacturing activities occur. In some systems, this is called a business unit.
Business Unit	Enter the alphanumeric code that identifies a separate entity within a business for which you want to track costs. In some systems, this is called a branch/plant.
Category Code	Enter the code that represents a specific category code. Category codes are user-defined codes that you customize to handle the tracking and reporting requirements of your organization.
Company	Enter a code that identifies a specific organization, fund, or other reporting entity. The company code must already exist in the F0010 table and must identify a reporting entity that has a complete balance sheet.

Currency Code	Enter the three-character code that represents the currency of the transaction. PeopleSoft EnterpriseOne provides currency codes that are recognized by the International Organization for Standardization (ISO). The system stores currency codes in the F0013 table.
Document Company	<p>Enter the company number associated with the document. This number, used in conjunction with the document number, document type, and general ledger date, uniquely identifies an original document.</p> <p>If you assign next numbers by company and fiscal year, the system uses the document company to retrieve the correct next number for that company.</p> <p>If two or more original documents have the same document number and document type, you can use the document company to display the document that you want.</p>
Document Number	Displays a number that identifies the original document, which can be a voucher, invoice, journal entry, or time sheet, and so on. On entry forms, you can assign the original document number or the system can assign it through the Next Numbers program.
Document Type	<p>Enter the two-character UDC, from UDC table 00/DT, that identifies the origin and purpose of the transaction, such as a voucher, invoice, journal entry, or time sheet. PeopleSoft EnterpriseOne reserves these prefixes for the document types indicated:</p> <p><i>P</i>: Accounts payable documents.</p> <p><i>R</i>: Accounts receivable documents.</p> <p><i>T</i>: Time and pay documents.</p> <p><i>I</i>: Inventory documents.</p> <p><i>O</i>: Purchase order documents.</p> <p><i>S</i>: Sales order documents.</p>
Effective Date	<p>Enter the date on which an address, item, transaction, or record becomes active. The meaning of this field differs, depending on the program. For example, the effective date can represent any of these dates:</p> <ul style="list-style-type: none">• The date on which a change of address becomes effective.• The date on which a lease becomes effective.• The date on which a price becomes effective.• The date on which the currency exchange rate becomes effective.• The date on which a tax rate becomes effective.
Fiscal Period and Fiscal Year	Enter a number that identifies the general ledger period and year. For many programs, you can leave these fields blank to use the current fiscal period and year defined in the Company Names & Number program (P0010).
G/L Date (general ledger date)	Enter the date that identifies the financial period to which a transaction will be posted. The system compares the date that you enter on the transaction to the fiscal date pattern assigned to the company to retrieve the appropriate fiscal period number and year, as well as to perform date validations.

PeopleSoft EnterpriseOne Tools Web Services Gateway Configuration Editor Preface

This preface discusses Web Services Gateway (WSG) Configuration Editor companion documentation.

WSG Configuration Editor Companion Documentation

Additional, essential information describing the setup and design of PeopleSoft EnterpriseOne Tools WSG resides in companion documentation. The companion documentation consists of important topics that apply to Configuration Editor as well as other PeopleSoft EnterpriseOne WSG Tools.

- PeopleSoft EnterpriseOne Tools Web Services Gateway Integration Server
- PeopleSoft EnterpriseOne Tools Web Services Gateway Developer Tool

See Also

webMethods Integration Server Administrator's Guide on the PeopleSoft EnterpriseOne Web Services Gateway software CD

webMethods Developer User's Guide on the PeopleSoft EnterpriseOne Web Services Gateway software CD

CHAPTER 1

Getting Started with PeopleSoft EnterpriseOne Tools Web Services Gateway Configuration Editor

This chapter discusses:

- Web Services Gateway Configuration Editor Overview
- Web Services Gateway Configuration Editor Implementation

Web Services Gateway Configuration Editor Overview

Web Services Gateway (WSG) Configuration Editor addresses how to create integrations so that disparate systems can exchange information. The Configuration Editor enables you to create integration options instead of using literal values in integrations. The Configuration Editor also enables you to maintain code and key cross-reference information.

WSG Configuration Editor Implementation

This section provides an overview of the steps that are required to implement WSG Configuration Editor.

In the planning phase of your implementation, take advantage of all PeopleSoft sources of information, including the installation guides and troubleshooting information. A complete list of these resources appears in the preface in *About These PeopleBooks* with information about where to find the most current version of each.

Web Services Gateway Configuration Editor Implementation Steps

This table lists the steps for the WSG Configuration Editor implementation.

Step	Reference
1. Install PeopleSoft EnterpriseOne Tools 8.95.	<i>PeopleSoft EnterpriseOne Tools Release 8.95 Installation Guide (Microsoft Windows and UNIX Systems)</i> on Customer Connection
2. Install PeopleSoft EnterpriseOne Tools 8.95 Web Services Gateway and set up a user role that has rights to the Configuration Editor.	<i>PeopleSoft EnterpriseOne 8.95 Web Services Gateway Installation and Setup Guide (Microsoft Windows and UNIX Systems)</i> on Customer Connection

Step	Reference
3. Install Web Services Gateway Integration Server; ensure that the Configuration Editor is accessible.	<i>webMethods Integration Server Administrator's Guide</i> on the PeopleSoft EnterpriseOne Web Services Gateway software CD.
4. Install appropriate PeopleSoft EnterpriseOne Integrations.	<i>PeopleSoft EnterpriseOne 8.11 SPI Integration Points Installation (Microsoft Windows and UNIX Systems)</i> on Customer Connection
5. Define the integration options that you want to use in the Configuration Editor in the Web Services Gateway Developer tool.	<i>webMethods Developer User's Guide</i> on the PeopleSoft EnterpriseOne Web Services Gateway software CD

CHAPTER 2

Using the Configuration Editor

This chapter provides an overview of the PeopleSoft EnterpriseOne Tools Web Services Gateway (WSG) Configuration Editor and discusses how to:

- Access the Configuration Editor
- Use integration options
- Use code references
- Use key references

Understanding the Configuration Editor

The Configuration Editor is an integration tool that enables you to:

- Add, modify, and delete integration options.
- Add, modify, and delete code references.
- Add, modify, and delete key references.

Integration Options

You create integrations so that disparate systems can exchange information. The Configuration Editor tool enables you to create integration options instead of using literal values in integrations. Integration options are similar to PeopleSoft EnterpriseOne processing options. The Configuration Editor provides the flexibility for you to modify a value without having to change the integration code directly.

The Configuration Editor enables you to work with integration options at these levels:

- Package
- Folder
- Flow Service

A package is a logical container for a set of services and related files. Packages start with the name PSFT_. The primary function of a folder is to organize and house related services and files for a package. Folders are optional. A flow service describes the interaction between the integration tasks. The integration flow service is the logic for the integration.

Code References

A code reference contains information about a code field; for example, Address Book Number is a code reference. Code references are similar to PeopleSoft EnterpriseOne User Defined Codes (UDCs). You can use the code reference features of the Configuration Editor to add and customize code references. You also use the Configuration Editor to add, modify, or delete information for a specific code reference.

Key References

A key reference is transactional information; for example, the code Address Book Number contains a number that is tied to an individual or company. The number is a key reference. You use the Key Reference feature of the Configuration Editor to add and customize key references. You also use the Configuration Editor to add, modify, or delete information for a specific key reference.

Accessing the Configuration Editor

This section provides an overview of configuration editor access and discusses how to:

- Create the JDBC connection
- Open the Configuration Editor

Understanding Configuration Editor Access

The Configuration Editor works with the Integration Server. The first time you access the Configuration Editor, you must use the JDBC Adapter link that is on the Integration Server main page. When you use this link, the data source script that you enter when you create the JDBC connection runs. This script creates all of the required database tables for the Configuration Editor. The Configuration Editor supports these databases:

- Oracle
- SQL server
- DB2

Your database administrator must run the journal process after the Configuration Editor creates the tables.

- DB2400

Your database administrator must run the journal process after the Configuration Editor creates the tables.

Note. The first time the Configuration Editor runs, the login that you use for the database connection must have permissions to create and change tables. After the tables are created, you should limit the permissions to read and write access only.

After the initial connection through the JDBC link, you can access the Configuration Editor from a web client. The URL in the web client must include the port number, host name, and the Configuration Editor package name. If you access the Configuration Editor without creating the JDBC connection first, a message appears in the Configuration Editor main page indicating that you need to create the connection.

Note. If you are creating a JDBC connection for a SQL server, copy the javaxsql.zip file to this location on the Integration Server: `/IntegrationServer/lib/jars`. Typically, this file can be copied from this location on the Integration Server: `IntegrationServer\packages\WmJDBCAdapter\code\jars` folder.

Creating the JDBC Connection

Click the JDBC Adapter link on the main page of the Integration Server to access the Configuration Editor Connection page. The link is in the left pane, under Adapters.

Connection Properties	
Transaction Type	LOCAL_TRANSACTION ▾
DataSource Class	com.microsoft.jdbcx.sqlserver.SQLServerDataSource
serverName	den-km7431381
user	xpi
password	*****
Retype password	*****
databaseName	xref
portNumber	1127
networkProtocol	tcp/ip
Other Properties	
Connection Management Properties	
Enable Connection Pooling	true ▾
Minimum Pool Size	1
Maximum Pool Size	10
Pool Increment Size	1
Block Timeout (msec)	1000
Expire Timeout (msec)	1000
Startup Retry Count	1
Startup Backoff Timeout (sec)	12

Connection Parameters for Configuration Editor page

1. In the right pane on JDBC Adapter Connections, click the link under the Edit column for the PSFT_Configuration Editor.

Ensure that Connections, under the JDBC Adapter menu in the left pane, is selected. You may need to scroll to see the Edit column.

Note. You can have multiple Configuration Editor connections. On JDBC Adapter Connections, click the Configure New Connection link at the top of the screen and complete the connection parameters.

2. Complete the parameters on the Connection window, and then click Save Changes.
For detailed information about the parameters, click Help in the upper right corner of the Connection window.
3. To make the Configuration Editor available, ensure that the link under the Enabled column for the PSFT_Configuration Editor is *Yes*.
If the link is *No*, click the link so that the link toggles to *Yes*.
4. Close the Connection window.

This list identifies the parameters on the Connection window. For detailed information about each parameter, click the help link located in the upper right corner of the JDBC Adapter Connections screen.

- Transaction Type
- DataSource Class
- serverName
- user
- password
- Retype password
- databaseName
- portNumber
- networkProtocol
- Other Properties
- Enable Connection Pooling
- Minimum Pool Size
- Maximum Pool Size
- Pool Increment Size
- Block Timeout (msec)
- Expire Timeout (msec)

Opening the Configuration Editor

Access the Integration Server.

Package Name	Home	Reload	Enabled	Loaded	Archive	Safe Delete	Delete
Default			✓ Yes	✓ Yes			
PSFT ConfigurationEditor			✓ Yes	✓ Yes			
PSFT Dispatcher			✓ Yes	✓ Yes			
PSFT E1 Adapter			✓ Yes	✓ Yes			
PSFT E1 Adapter Tests			✓ Yes	✓ Yes			
PSFT JDBCAdapterServices			✓ Yes	✓ Yes			
PSFT OP Adapter			✓ Yes	✓ Yes			
PSFT OP Adapter Tests			✓ Yes	✓ Yes			
PSFT PackageManagement			✓ Yes	✓ Yes			
PSFT Utils			✓ Yes	✓ Yes			
PSFT XRefAndSoftCoding			✓ Yes	✓ Yes			
WmART			✓ Yes	✓ Yes			

Configuration Editor opened from the Integration Server main page

1. Select Packages and then Management in the left pane.

2. On the Packages Management pane, click the house icon under the Home column for the PSFT_ConfigurationEditor.

The Configuration Editor opens with Integration Options selected.

Using Integration Options

This section provides an overview of integration options and discusses how to work with integration options.

Understanding Integration Options

When you open the Configuration Editor, Integration Options, Code Reference, and Key Reference links appear in the upper left pane. The system automatically opens the Integration Options screen. The available packages are listed in the lower portion of the Integration Options screen. Packages, folders, and flow services appear hierarchically in a tree structure on the left side of the lower half of the Integration Options screen. Expand the package and folder to see the flow services. A package must have a folder or flow service associated with it to appear in the tree structure. Folders are optional and appear in the tree structure only if a flow service is defined for that folder. Typically, flow services are associated with a package or a folder.

You use the System directory to define integration options that are used with more than one package, folder, or flow service.

The upper portion of the Integration Options screen provides links that enable you to perform these operations on integration options:

- Add
- Rename Folder
- Rename Universal Name
- Find
- Import XML
- Export XML
- Migrate Integration Options

You use the Add link to add an integration option to the Configuration Editor tool. Before you can add an integration option to the Configuration Editor, you must have previously defined the integration option in the Developer tool. You can add integration options to the Configuration Editor at the package, folder, and flow service levels.

Warning! When you add or replace a package, folder, or flow service, you must restart the Configuration Editor using the JDBC Adapter link from the Integration Server main page.

You use the Rename Folder link to manually change the name of a package or folder in the Configuration Editor tool to the name that you defined in the Developer tool. For example you might have a package or folder for which you changed the name in the Developer tool that is not reflected in the Configuration Editor tool.

You use the Rename Universal Name link in the Configuration Editor tool to update a universal name that you changed in the Developer tool. Every service on the Integration Server has a universal name. The universal name is a unique public identifier that external protocols use to reference a service on the Integration Server. The universal name consists of two parts: a namespace name and a local name. The namespace name uniquely identifies a flow service for a resource (such as Oracle, Siebel, and so on). The namespace name is expressed as a URI; for example, `http://www.oracle.com`. The local name uniquely identifies a service for a particular namespace; for example, `Dispatcher` might be a local name. For these namespace name and local name samples, the universal name might be: `http://www.oracle.com:Dispatcher`.

A flow service and an integration option use the same universal name for integrations. You can use the Developer tool to change the universal name that exists in the Integration Server. However, when you use the Developer tool to change the name, you break the link for the Integration Option. You use the Configuration Editor tool to rename the universal link so that the integration option and the flow service use the same universal name for integrations.

You use the Find link to search for specific values within an integration option. You can specify search criteria for key, value, or description. The results appear under the table header columns on the Find - Integration Options window. Click on a table header column (Key, Description, Value, or Data Type) to sort the results. The results are sorted in ascending order for that column. To change the sort to descending order for that column, click the column heading again. Up to 20 integration options that match your search selections appear under the table header on the Find - Integration Options window. If more than 20 integration options are available, a right-facing arrow appears on the window. Click the right-facing arrow to view the next 20 options. To view the previous integration options, click the left-facing arrow that appears on the additional pages. You can also edit, view, or delete the Key, Description, Value and Data Type information from the Find - Integration Options window.

You use the Import XML link to import integration options from an XML File to the Configuration Editor database. Upon completion of the import function, you receive a status message. If some records imported successfully but some did not, your message will be similar to this: `1 out of 2 records imported. Check log for details.` Review the server log to obtain information about the records that did not successfully import. If all records are imported to the Configuration Editor database from the XML file, you will receive a message similar to this: `2 records imported. Import Complete.` You use Export XML to write records from the Configuration Editor database to an XML file. You can import or export all of the integration options, a single package with its contents, a single folder with its contents, or a single flow service.

You can also migrate integration options from a previous system. If you have old integration options from a previous system, this message, `Old Integration Option values found in the database,` along with a `Migrate Integration Options` link appears on the Integration Options window. The Configuration Editor maps parent information. Parent information for previous integration options are replaced with new parent information. The `Migrate Integration Options` link appears on the Integration Options window only if you have values from a previous system.

The lower portion of the Integration Options screen is split into two areas. The left side displays the packages, folders, and flow services. The right side displays a header table. When you select a package, folder, or flow service, the header table displays information for these column headings:

- Key
- Description
- Value
- Data Type

The header table also displays these operations that you can perform to update the information for the selected package, folder, or flow service.

- Edit
- View
- Copy key
- Delete

Prerequisites

Before you work with integration options:


- You must define all integration options in the Developer tool before you can add the integration option in the Configuration Editor.

See *webMethods Developer User's Guide* on the PeopleSoft EnterpriseOne Web Services Gateway software CD.

- Verify that the previous integration options and the cross-reference database is in place. This is required only if you used the Configuration Editor with a previous system and now want to migrate the previous system information to the Configuration Editor.

Working with Integration Options

Access the Integration Options screen.



Integration Options screen

Expand packages and folders in the tree hierarchy to see the flow services for each package and folder. The top portion of the Integration Options screen displays these links:

- Add
- Rename Folder
- Rename NameSpace
- Find
- Import XML
- Export XML
- Migrate Integration Options

Adding Integration Options

Access the Integration Options screen.

1. On the Integration Options screen, click Add.

2. On the Add Integration Option window, click the visual assist (folder icon) that is next to the Service field to locate the package, folder, or flow service where you want to add an integration option.

The Select Service window, which is a read only window that mirrors the list of integration options, appears.

3. On Select Service, expand packages and folders to view the flow services.
4. Select the package, folder, or flow service that you want to appear in the Add Integration Option window, and then click OK.

Note. If you select Integration Options and then click OK while in the Select Service window, you will receive this error message: `Please select the Flow Service.` You cannot add an integration option from the Select Service window.

5. On the Add Integration Option window, enter values for these fields:

- Key
- Description
- Data Type
- Value

Note. When you select a flow service, the system tries to obtain the Namespace and the localname that is defined in the Developer tool. If you have not defined the flow service in the developer tool, this message appears: `No Namespace defined for this Flow.` If you receive this message, you must define the flow service in the Developer Tool.

6. Save the integration option.
7. Click Close after you have added all of the required integration options.

Service	The selected package, folder, or flow service appears in this window. Use the visual assist to access packages, folders, and flow services that have been defined in the Developer tool.
Key	A unique, user-defined value to identify an integration option.
Description	An optional field where you can describe the integration option.
Data Type	The system automatically enters <i>Char</i> . You can use the drop-down list to change the value to <i>String</i> , <i>Numeric</i> , or <i>Date</i> .

Renaming a Folder

Access the Integration Options screen.

1. On the Integration Options screen, click Rename Folder.
2. On the Rename Folder window, complete these fields, and then click OK:
 - New Folder
 - Old Folder

New Folder The folder name from the Developer tool. Use the visual assist that is next to the New Folder field to obtain the name that is used in the Developer tool.

Old Folder Current name of the folder used in the Configuration Editor tool. Use the drop-down list to select the folder name that currently exists in the Configuration Editor database.

Renaming a Namespace

Access the Integration Options screen.

1. On the Integration Options screen, click Rename Namespace.
2. On the Rename Namespace window, complete these fields, and then click OK:
 - New Universal Name
 - Old Universal Name

The universal name in the Configuration Editor tool is renamed to the same I name that is in the Developer tool.

New Universal Name Valid flow names that are in the Developer tool. Use the Visual Assist to select the appropriate flow service for which the flow service name was updated in the Developer tool.

Old Universal Name The name that exists in the Configuration Editor tool. When you change the name of a flow service in the Developer tool, you must also change the integration option name. Use the drop-down list to locate the name that exists in the Configuration Editor tool.

Finding Specific Values

Access the Integration Options screen.

1. On the Integration Options screen, click Find.
2. On the Find - Integration Options window, enter the text for which you want to search in the Search Text field.

The search function is not case sensitive.

3. Select one or more of these options:
 - Key
 - Value
 - Description
4. To search for exactly what you entered in the Search Text field, select Match Whole String Only. You are not required to select this option.
5. Click Find.

Integration options that match your selections appear under the table header on the Find - Integration Options window. If the search returns more than 20 results, a right-facing arrow appears on the window. You can edit, view, or delete Key, Description, Value, or Data Type values.

Importing an Integration Option

Access the Integration Options screen.

1. On the Integration Options screen, click Import XML.
2. On the Import from XML window, click Browse to find the record you want to import.

3. Select the record, and then click Open.
The selected record appears in the Import from File field.
4. Select one of these options:
 - Skip
 - Override
5. Click OK.

Upon completion of the import function, the Configuration Editor displays a message indicating the number of records imported. If some records did not import, the message indicates that you should check the server log for details.

Import from File	Name of the XML file that contains the integration options that you want to import to the Configuration Editor. Use the Browse button next to this field to locate the XML file.
Skip	An option that indicates to the system to ignore records that are in both the XML file and the Configuration Editor database. When the Skip option is selected, records that are in both databases are not written to the Configuration Editor database.
Override	An option to write all records that are in the XML file. When the Override option is selected, records that are in both the XML file and the Configuration Editor database will be written from the XML file to the Configuration Editor database, writing over the existing record in the Configuration Editor database.

Exporting an Integration Option

Access the Integration Options screen.

1. On the Integration Options screen, select Integration Options, a package, a folder, or a flow service, and then click Export XML.
A File Download window opens.
2. Click one of these options:
 - Open, which opens the XML document so that you can read the information online.
 - Save, which opens a Save As window so that you can save the XML document on your computer.
 - Cancel, which stops the export operation.

Migrating Integration Options

Access the Integration Options screen.

1. On the Integration Options screen, click Migrate Integration Options.
This link appears only if you have integration options from an old system.
2. On Migrate Integration Options, complete the Old Parent Name field.
Select an item from the drop-down list. Migration is complete when there are no entries in the drop-down list.
3. Complete the New Parent Name field.
Use the visual assist (folder icon) to select the parent name.

4. Click OK.

Old Parent Name	The name of the value from the previous system. Use the drop-down list to select the value.
New Parent Name	The name to which you want the Configuration Editor to map the Old Parent Name in the current Configuration Editor database. Use the visual assist to find the new parent name in the Configuration Editor database.

Editing a Package, Folder, or Flow Service

Access the Integration Options screen.

1. On the Integration Options screen, select a package, folder, or flow service.

Information about the selected package, folder, or flow service appears under the table header.

Note. You also can edit packages, folders, and flow services from the Find - Integration Options window.

2. For a specific integration option, click the icon under the Edit column heading.

3. On the Edit - Integration Option window, modify any of these fields:

- Description
- Data Type
- Value

4. Click Save.

Key	The data that appears in this field is from the ATC_integration_option table in the Integration Server.
Description	User-defined description of the package, folder, or service flow. The data that appears in this field is from the ATC_integration_option table in the Integration Server. What happens if you change this value?
Data Type	Select an option from the drop-down list. The data that appears in this field is from the ATC_integration_option table in the Integration Server. What happens if you change this value?
Value	An optional, user-defined entry that you can use to describe the Data Type. The data that appears in this field is from the ATC_integration_option table in the Integration Server.

Viewing a package, folder, or flow service

Access the Integration Options screen.

1. On the Integration Options screen, select a package, folder, or flow service.

Information about the selected package, folder, or flow service appears under the table header.

Note. You also can view packages, folders, and flow services from the Find - Integration Options window.

2. For a specific integration option, click the icon under the View column heading.

You can only view information for the package, folder, or service flow from the View Integration Option window. The data in this window is from the `ATC_integration_option` table in the Integration Server.

Copying the Key

Access the Integration Options screen.

1. On the Integration Options screen, select a package, folder or flow service.
Information about the selected package, folder, or flow service appears under the table header.
2. For a specific integration option, click the icon under the Copy key column heading.

This operation places the information that is under the Key column heading on the clipboard.

Note. If you are using the Netscape browser, you must manually configure the browser so that the copied key can be placed on the clipboard.

Use these steps to configure your Netscape browser:

1. Open the Netscape browser.
2. In the address bar, enter `about.config` and then click Search.
A list of Preference Names along with the Status, Type, and Value appears.
3. Change the value corresponding to `signed.applets.codebas_principal_support` to `true`.
4. Save the change and exit the Netscape `about.config` screen.

You should now be able to use Netscape to perform the Copying the Key task.

Deleting a Package, Folder, or Flow Service

Access the Integration Options screen.

1. On the Integration Options screen, select a package, folder or flow service.
Information about the selected package, folder, or flow service appears under the table header.

Note. You also can delete packages, folders, and flow services from the Find - Integration Options window.

2. For a specific integration option, click the icon under the Delete column heading.
3. Click OK.

This operation removes the selected package, folder, or flow service from the Configuration Editor.

Using Code References

This section provides an overview of code references and discusses how to work with code references.

Understanding Code References

You use the Configuration Editor Code Reference features to make changes to the cross-referencing codes table. The cross-referencing codes table stores codes in the source system and the corresponding value of the code in the target system. To access the Configuration Editor Code Reference features, click the Code Reference menu item in the upper left corner on the Configuration Editor screen. The upper portion of the Code Reference screen provides links to operations that you can perform on code references at the category level. A category is a way to organize and group related code references. Code references are maintained in the Code Reference database in the Configuration Editor.

The upper portion of the Code Reference screen provides links that enable you to perform these operations on a code reference category:

- Add Category
- Rename Category
- Delete Category
- Add Code Reference
- Find
- Import XML
- Export XML

You use the Add Category link to add a new category name. This name is stored in the Configuration Editor Code Reference database.

You use the Rename Category link to change the name of an existing category. When you use change the name, the Configuration Editor Code Reference database is updated with the new name.

You use the Delete Category link to remove a category from the Configuration Editor Code Reference database.

You use the Add Code Reference link to add a new code reference to an existing category. The information for a resource consists of CanonicalID, AppID, and NativeID.

You use the Find link to search for specific values within a code reference. You can specify search criteria for a native ID, a category, an Application ID, or a canonical ID. The results appear under the table header column on the Find window, sorted by AppID in ascending order. Click a column heading to sort by that column heading. To sort by descending order, click the same column heading again. The results are from the Configuration Editor Code Reference database. The header table on the Find window also has a column heading called Latch Closed. If you have more than one individual working with the same code reference, you can use this column to indicate that you are making an update. A value of *True* prohibits another user from making a change at the same time that you are making a change. After you make your updates, be sure to change the value back to *False*.

You use the Import XML link to import code references from an XML File to the Configuration Editor Code Reference database. You can import records to an existing category, and you can import new categories. Upon completion of the import function, you receive a status message. If some records imported successfully but some did not, your message is similar to this: `1 out of 2 records imported. Check log for details.` Review the server log to obtain information about the records that did not successfully import. If all records are imported to the Configuration Editor Code Reference database from the XML file, you will receive a message similar to this: `2 records imported. Import Complete.` You use Export XML to write records from the Configuration Editor Code Reference database to an XML file. You can import or export all of the code references or all of the code references in a category.

The lower portion of the Code Reference screen is split into two panes. The left pane displays the categories. The right pane displays a header table. When you select a category, all code reference information for that category appears under the header table. This information is available for each code reference:

- CanonicalID
- AppID
- NativeID


The header table also displays the operations that you can perform to update the information for a selected code reference:

You can perform these operations on a selected code reference:

- Add Value
- Edit Value
- View Value
- Copy Key
- Delete Value

Working with Code References

Access the Code Reference screen.



Code Reference screen

Select an operation from the links in the upper portion of this screen, or select a category in the lower portion of the screen to work with specific code references for the selected category. The upper portion of the screen displays these links:

- Add Category
- Rename Category
- Delete Category
- Add Code Reference
- Find
- Import XML
- Export XML

Adding a Category

Access the Code Reference screen.

1. On Code Reference, click Add Category.
2. On the Add Category window, complete the Category Name field and click Save.

Category Name A user-defined name for a group of code references.

Renaming a Category

Access the Code Reference screen.

To rename a category:

1. On Code Reference, click Rename Category.
2. On the Rename Category window, complete the New Category Name field and click Save.

New Category Name A user-defined name for a group of code references. This operation enables you to change an existing category name to a new name.

Deleting a Category

Access the Code Reference screen.

To delete a category:

1. On Code Reference, select the category to be deleted and then click Delete Category.
Categories are in the left pane in the lower portion of the Code Reference screen.
2. Click OK or Cancel on the Confirmation window.

Adding a Code Reference to a Category

Access the Code Reference screen.

1. On Code Reference, click Add Code Reference.
2. On the Add Code Reference window, use the drop-down list to select the category where you want to add a code reference.
3. Complete these fields and then click Save:
 - AppID
 - NativeID
 - CanonicalID
4. Click Close after you have added all the resources to the category.

AppID The application name to which the resource, NATIVE_ID belongs; for example, PeopleSoft EnterpriseOne, OneWorld, Siebel. Stored in the Configuration Editor Code Reference database table.

NativeID The identification value that is specific to the resource, AppID. Stored in the Configuration Editor Code Reference database table.

CanonicalID The identification value that is generated by the OneWorldATCAAdapter. Stored in the Configuration Editor Code Reference database table.

Finding Specific Values for a Code Reference

Access the Code Reference screen.

1. On Code Reference, click Find.

2. On the Find window, enter text for which you want to search in the Search Text field:
3. Select one or more of these options:
 - NativeID
 - Category
 - AppID
 - CanonicalID
4. To search for exactly what you entered in the Search Text field, select the Match Whole String Only option. You are not required to select this option.
5. Click Find.

Values that match your selections appear under the table header on the Find window. You can edit, view, or delete the Category, AppID, NativeID, CanonicalID, and Latch Closed values.

Importing Code References from XML

Access the Code Reference screen.

1. On Code Reference, click Import XML.
2. On the Import from XML window, click Browse to find the file you want to import.
3. Click the file.

The selected file appears in the Import from File data field.

4. Select one of these options:
 - Skip
 - Override
5. Click OK.

Upon completion of the import function, the Configuration Editor displays a message indicating the number of records imported. If some records did not import, the message indicates that you should check the server log for details.

Import from File	Name of the XML file that contains the code references that you want to import to the Configuration Editor. Use the Browse button next to this field to locate the XML file. You can import records to an existing category, and you can import new categories.
Skip	An option that indicates to the system to ignore records that are in both the XML file and the Configuration Editor database. When the Skip option is selected, records that are in both the XML file and the Configuration Editor database are not written to the Configuration Editor database.
Override	An option to write all records that are in the XML file. When the Override option is selected, records that are in both the XML file and the Configuration Editor database will be written from the XML file to the Configuration Editor database, writing over the existing record.

Exporting Code References to XML

Access the Code Reference screen.

1. On Code Reference, select a category, and then click Export XML.
2. Click one of these options:
 - Open, which opens the XML document so that you can read the information online.
 - Save, which opens a Save As window so that you can save the XML document on your computer.
 - Cancel, which stops the export operation.

Adding Values to a Code Reference

Access the Code Reference screen.

- On Code Reference, select a category.
You also can add values for a category from the Find window.
- For a specific code reference, click Add under the Add Value column heading.
- On the Add Value - Category window, complete these fields and then click Save.
 - CanonicalID
 - NativeID

Editing Values for a Code Reference

Access the Code Reference screen.

1. On Code Reference, select a category.

Note. You also can edit values for a category from the Find window.

2. For a specific code reference, click the icon under the Edit column heading.
3. On Edit Resource - Category, modify any of these fields and then click Save:
 - CanonicalID
 - AppID
 - NativeID

Viewing Values for a Code Reference

Access the Code Reference screen.

1. On Code Reference, select a category.

Note. You also can view values for a category from the Find window.

2. For a specific code reference, click the icon under the View column heading.

The data in this window is from the Configuration Editor Code Reference database table.

Copying a Key for a Code Reference

Access the Code Reference screen.

1. On Code Reference, select a category.
2. For a specific code reference, click the icon under the Copy Key column heading.

This operation places the CanonicalID information on the clipboard.

Note. If you are using the Netscape browser, you must manually configure the browser so that the copied key can be placed on the clipboard.

Use these steps to configure your Netscape browser:

1. Open the Netscape browser.
2. In the address bar, enter *about.config* and then click Search.
A list of Preference Names along with the Status, Type, and Value appears.
3. Change the value corresponding to *signed.applets.codebas_principal_support* to *true*.
4. Save the change and exit the Netscape *about.config* screen.

You should now be able to use Netscape to perform the Copying a Key for a Code Reference task.

Deleting Values for a Code Reference

Access the Code Reference screen.

1. On Code Reference, select a category.

Note. You also can delete a category resource from the Find window.

2. For a specific code reference, click the icon under the Delete column heading.
A confirmation dialog box appears.
3. Click OK to delete the code reference from the Category, or click Cancel to cancel the delete operation.

This operation removes the selected category resource from the Configuration Editor Code Reference database.

Using Key References

This section provides an overview of key references and discusses how to work with key references.

Understanding Key References

You use the Configuration Editor Key Reference features to make changes to the cross-referencing keys table. The cross-referencing keys table stores transactional data in the source system and the corresponding value of the transactional data in the target system. To access the Key Reference features, click the Key Reference menu item in the upper left corner on the Configuration Editor screen. Key references are maintained in the Key Reference database in the Configuration Editor.

The upper portion of the Key Reference screen provides links that enable you to perform these operations on a key reference category:

- Add Category
- Rename Category
- Delete Category
- Add Key Reference

- Find
- Import XML
- Export XML

You use the Add Category link to add a new category name. This name is stored in the Configuration Editor Key Reference database.

You use the Rename Category link to change the name of an existing category. When you change the name, the Configuration Editor Key Reference database is updated with the new name.

You use the Delete Category link to remove a category from the Configuration Editor Key Reference database.

You use the Add Key Reference link to add a new key reference to an existing category. The information for a resource consists of CanonicalID, AppID, and NativeID.

You use the Find link to search for specific values within a key reference. You can specify search criteria for a native ID, a category, an Application ID, or a canonical ID. The results appear under the table header column on the Find window, sorted by AppID in ascending order. Click a column heading to sort by that column heading. To sort by descending order, click the same column heading again. The results are from the Configuration Editor Key Reference database. The header table on the Find window also has a column heading called Latch Closed. If you have more than one individual working with the same key reference, you can use this column to indicate that you are making an update. A value of *True* prohibits another user from making a change at the same time that you are making a change. After you make your updates, be sure to change the value back to *False*.

You use the Import XML link to import key references from an XML File to the Configuration Editor Key Reference database. You can import records to an existing category, and you can import new categories. Upon completion of the import function, you receive a status message. If some records imported successfully but some did not, the message is similar to this: 1 out of 2 records imported. Check log for details. Review the server log to obtain information about the records that did not successfully import. If all records are imported to the Configuration Editor Key Reference database from the XML file, you will receive a message similar to this: 2 records imported. Import Complete. You use Export XML to write records from the Configuration Editor Key Reference database to an XML file. You can import or export all of the key references or all of the key references in a category.

The lower portion of the Key Reference screen is split into two panes. The left pane displays the categories. The right pane displays a header table. When you select a category, all key reference information for that category appears under the header table. This information is available for each key reference:

- CanonicalID
- AppID
- NativeID


The header table also displays these operations that you can perform to update the information for a selected key reference:

You can perform these operations on a selected key reference:

- Add Value
- Edit Value
- View Value
- Copy Key
- Delete Value

Working with Key References

Access the Key Reference screen.



Key Reference screen

Select an operation from the links in the upper portion of this screen, or select a category in the lower portion of the screen to work with specific key references for the selected category. The upper portion of the screen displays these links:

- Add Category
- Rename Category
- Delete Category
- Add Key Reference
- Find
- Import XML
- Export XML

Adding a Category

Access the Key Reference screen.

1. On Key Reference, click Add Category.
2. On the Add Category window, complete the Category Name field and click Save.

Category Name A user-defined name for a group of key references.

Renaming a Category

Access the Key Reference screen.

1. On Key Reference, click Rename Category.
2. On the Rename Category window, complete the New Category Name field and click Save.

New Category Name A user-defined name for a group of key references. This operation enables you to change an existing category name to a new name.

Deleting a Category

Access the Key Reference screen.

1. On Key Reference, select the category to be deleted and then click Delete Category.
Categories are in the left pane in the lower portion of the Key Reference screen.

2. Click OK or Cancel on the confirmation window.

Adding a Key Reference to a Category

Access the Key Reference screen.

1. On Key Reference, click Add Key Reference.
2. On the Add Key Reference window, use the drop-down list to select the category where you want to add a resource.
3. Complete these fields and then click Save:
 - AppID
 - NativeID
 - CanonicalID
4. Click Close after you have added all the resources to the category.

AppID The application name to which the resource, NATIVE_ID belongs; for example, PeopleSoft EnterpriseOne, OneWorld, Siebel. Stored in the Configuration Editor Key Reference database table.

NativeID The identification value that is specific to the resource, AppID. Stored in the Configuration Editor Key Reference database table.

CanonicalID The identification value that is generated by the OneWorldATCAdapter. Stored in the Configuration Editor Key Reference database table.

Finding Specific Values for a Key Reference

Access the Key Reference screen.

1. On Key Reference, click Find.
2. On the Find window, enter text for which you want to search in the Search Text field:
3. Select one or more of these options:
 - NativeID
 - Category
 - AppID
 - CanonicalID
4. To search for exactly what you entered in the Search Text field, select the Match Whole String Only option. You are not required to select this option.
5. Click Find.

Values that match your selections appear under the table header on the Find window. You can edit, view, or delete the Category, AppID, NativeID, CanonicalID, or Latch Closed values.

Importing Key References from XML

Access the Key Reference screen.

1. On Key Reference, click Import XML.
2. On the Import from XML window, click Browse to find the file you want to import.

3. Click the file.

The selected file appears in the Import from File data field.

4. Select one of these options:

- Skip
- Override

5. Click OK.

Upon completion of the import function, the Configuration Editor displays a message indicating the number of records imported. If some records did not import, the message indicates that you should check the server log for details.

Import from File

Name of the XML file that contains the key references that you want to import to the Configuration Editor. Use the Browse button next to this field to locate the XML file. You can import records to an existing category, and you can import new categories.

Skip

An option that indicates to the system to ignore records that are in both the XML file and the Configuration Editor database. When the Skip option is selected, records that are in both the XML file and the Configuration Editor database are not written to the Configuration Editor database.

Override

An option to write all records that are in the XML file. When the Override option is selected, records that are in both the XML file and the Configuration Editor database will be written from the XML file to the Configuration Editor database, writing over the existing record.

Exporting Key References to XML

Access the Key Reference screen.

1. On Key Reference, select a category, and then click Export XML.
2. Click one of these options:
 - Open, which opens the XML document so that you can read the information online.
 - Save, which opens a Save As window so that you can save the XML document on your computer.
 - Cancel, which stops the export operation.

Adding Values to a Key Reference

Access the Key Reference screen.

- On Key Reference, select a category.

You also can add values for a category from the Find window.
- For a specific key reference, click Add under the Add Value column heading.
- On the Add Value - Category window, complete these fields and then click Save.
 - CanonicalID
 - NativeID

Editing Values for a Key Reference

Access the Key Reference screen.

1. On Key Reference, select a category.

Note. You also can edit values for a category from the Find window.

2. For a specific key reference, click the icon under the Edit column heading.
3. On Edit Resource - Category, modify any of these fields and then click Save:
 - CanonicalID
 - AppID
 - NativeID

Viewing a Key Reference

Access the Key Reference screen.

1. On Key Reference, select a category.

Note. You also can view values for a category from the Find window.

2. For a specific key reference, click the icon under the View column heading.

The data in this window is from the Configuration Editor Key Reference database table.

Copying a Key for a Key Reference

Access the Key Reference screen.

1. On Key Reference, select a category.
2. For a specific key reference, click the icon under the Copy Key column heading.

This operation places the CanonicalID information on the clipboard.

Note. If you are using the Netscape browser, you must manually configure the browser so that the copied key can be placed on the clipboard.

Use these steps to configure your Netscape browser:

1. Open the Netscape browser.
2. In the address bar, enter *about.config* and then click Search.
A list of Preference Names along with the Status, Type, and Value appears.
3. Change the value corresponding to *signed.applets.codebas_principal_support* to *true*.
4. Save the change and exit the Netscape *about.config* screen.

You should now be able to use Netscape to perform the Copying a Key for a Key Reference task.

Deleting Values for a Key Reference

Access the Key Reference screen.

1. On Key Reference, select a category.

Note. You also can delete a category resource from the Find window.

2. For a specific key reference, click the icon under the Delete column heading.

A confirmation dialog box appears.

3. Click OK to delete the key reference from the Category, or click Cancel to cancel the delete operation.

This operation removes the selected category resource from the Configuration Editor Key Reference database.

Glossary of PeopleSoft Terms

activity	A scheduling entity in PeopleSoft EnterpriseOne Form Design Aid that represents a designated amount of time on a calendar.
activity rule	The criteria by which an object progresses from one given point to the next in a flow.
add mode	A condition of a form that enables users to input data.
Advanced Planning Agent (APAg)	A PeopleSoft EnterpriseOne tool that can be used to extract, transform, and load enterprise data. APAg supports access to data sources in the form of relational databases, flat file format, and other data or message encoding, such as XML.
application server	A server in a local area network that contains applications shared by network clients.
as if processing	A process that enables you to view currency amounts as if they were entered in a currency different from the domestic and foreign currency of the transaction.
alternate currency	<p>A currency that is different from the domestic currency (when dealing with a domestic-only transaction) or the domestic and foreign currency of a transaction.</p> <p>In PeopleSoft EnterpriseOne Financial Management, alternate currency processing enables you to enter receipts and payments in a currency other than the one in which they were issued.</p>
as of processing	A process that is run as of a specific point in time to summarize transactions up to that date. For example, you can run various PeopleSoft EnterpriseOne reports as of a specific date to determine balances and amounts of accounts, units, and so on as of that date.
back-to-back process	A process in PeopleSoft EnterpriseOne Workflow Management that contains the same keys that are used in another process.
batch processing	<p>A process of transferring records from a third-party system to PeopleSoft EnterpriseOne.</p> <p>In PeopleSoft EnterpriseOne Financial Management, batch processing enables you to transfer invoices and vouchers that are entered in a system other than EnterpriseOne to PeopleSoft EnterpriseOne Accounts Receivable and PeopleSoft EnterpriseOne Accounts Payable, respectively. In addition, you can transfer address book information, including customer and supplier records, to PeopleSoft EnterpriseOne.</p>
batch server	A server that is designated for running batch processing requests. A batch server typically does not contain a database nor does it run interactive applications.
batch-of-one immediate	<p>A transaction method that enables a client application to perform work on a client workstation, then submit the work all at once to a server application for further processing. As a batch process is running on the server, the client application can continue performing other tasks.</p> <p>See also direct connect and store-and-forward.</p>
business function	A named set of user-created, reusable business rules and logs that can be called through event rules. Business functions can run a transaction or a subset of a transaction (check inventory, issue work orders, and so on). Business functions also contain the application programming interfaces (APIs) that enable them to be called from a form, a database trigger, or a non-EnterpriseOne application. Business functions can be combined with other business functions, forms, event rules, and other components to make up an application. Business functions can be created through

	event rules or third-generation languages, such as C. Examples of business functions include Credit Check and Item Availability.
business function event rule	See named event rule (NER).
business view	A means for selecting specific columns from one or more PeopleSoft EnterpriseOne tables whose data is used in an application or report. A business view does not select specific rows, nor does it contain any actual data. It is strictly a view through which you can manipulate data.
central objects merge	A process that blends a customer's modifications to the objects in a current release with objects in a new release.
central server	A server that has been designated to contain the originally installed version of the software (central objects) for deployment to client computers. In a typical PeopleSoft EnterpriseOne installation, the software is loaded on to one machine—the central server. Then, copies of the software are pushed out or downloaded to various workstations attached to it. That way, if the software is altered or corrupted through its use on workstations, an original set of objects (central objects) is always available on the central server.
charts	Tables of information in PeopleSoft EnterpriseOne that appear on forms in the software.
connector	Component-based interoperability model that enables third-party applications and PeopleSoft EnterpriseOne to share logic and data. The PeopleSoft EnterpriseOne connector architecture includes Java and COM connectors.
contra/clearing account	A general ledger account in PeopleSoft EnterpriseOne Financial Management that is used by the system to offset (balance) journal entries. For example, you can use a contra/clearing account to balance the entries created by allocations in PeopleSoft EnterpriseOne General Accounting.
Control Table Workbench	An application that, during the installation Workbench processing, runs the batch applications for the planned merges that update the data dictionary, user-defined codes, menus, and user override tables.
control tables merge	A process that blends a customer's modifications to the control tables with the data that accompanies a new release.
cost assignment	The process in PeopleSoft EnterpriseOne Advanced Cost Accounting of tracing or allocating resources to activities or cost objects.
cost component	In PeopleSoft EnterpriseOne Manufacturing Management, an element of an item's cost (for example, material, labor, or overhead).
cross segment edit	A logic statement that establishes the relationship between configured item segments. Cross segment edits are used to prevent ordering of configurations that cannot be produced.
currency restatement	The process of converting amounts from one currency into another currency, generally for reporting purposes. You can use the currency restatement process, for example, when many currencies must be restated into a single currency for consolidated reporting.
database server	A server in a local area network that maintains a database and performs searches for client computers.
Data Source Workbench	An application that, during the Installation Workbench process, copies all data sources that are defined in the installation plan from the Data Source Master and Table and Data Source Sizing tables in the Planner data source to the System-release number data source. It also updates the Data Source Plan detail record to reflect completion.

date pattern	A calendar that represents the beginning date for the fiscal year and the ending date for each period in that year in standard and 52-period accounting.
denominated-in currency	The company currency in which financial reports are based.
deployment server	A server that is used to install, maintain, and distribute software to one or more enterprise servers and client workstations.
detail information	Information that relates to individual lines in PeopleSoft EnterpriseOne transactions (for example, voucher pay items and sales order detail lines).
direct connect	A transaction method in which a client application communicates interactively and directly with a server application. See also batch-of-one immediate and store-and-forward.
Do Not Translate (DNT)	A type of data source that must exist on the iSeries because of BLOB restrictions.
dual pricing	The process of providing prices for goods and services in two currencies.
edit code	A code that indicates how a specific value for a report or a form should appear or be formatted. The default edit codes that pertain to reporting require particular attention because they account for a substantial amount of information.
edit mode	A condition of a form that enables users to change data.
edit rule	A method used for formatting and validating user entries against a predefined rule or set of rules.
Electronic Data Interchange (EDI)	An interoperability model that enables paperless computer-to-computer exchange of business transactions between PeopleSoft EnterpriseOne and third-party systems. Companies that use EDI must have translator software to convert data from the EDI standard format to the formats of their computer systems.
embedded event rule	An event rule that is specific to a particular table or application. Examples include form-to-form calls, hiding a field based on a processing option value, and calling a business function. Contrast with the business function event rule.
Employee Work Center	A central location for sending and receiving all PeopleSoft EnterpriseOne messages (system and user generated), regardless of the originating application or user. Each user has a mailbox that contains workflow and other messages, including Active Messages.
enterprise server	A server that contains the database and the logic for PeopleSoft EnterpriseOne or PeopleSoft World.
EnterpriseOne object	A reusable piece of code that is used to build applications. Object types include tables, forms, business functions, data dictionary items, batch processes, business views, event rules, versions, data structures, and media objects.
EnterpriseOne process	A software process that enables PeopleSoft EnterpriseOne clients and servers to handle processing requests and run transactions. A client runs one process, and servers can have multiple instances of a process. PeopleSoft EnterpriseOne processes can also be dedicated to specific tasks (for example, workflow messages and data replication) to ensure that critical processes don't have to wait if the server is particularly busy.
Environment Workbench	An application that, during the Installation Workbench process, copies the environment information and Object Configuration Manager tables for each environment from the Planner data source to the System-release number data source. It also updates the Environment Plan detail record to reflect completion.
escalation monitor	A batch process that monitors pending requests or activities and restarts or forwards them to the next step or user after they have been inactive for a specified amount of time.

event rule	A logic statement that instructs the system to perform one or more operations based on an activity that can occur in a specific application, such as entering a form or exiting a field.
facility	An entity within a business for which you want to track costs. For example, a facility might be a warehouse location, job, project, work center, or branch/plant. A facility is sometimes referred to as a <i>business unit</i> .
fast path	A command prompt that enables the user to move quickly among menus and applications by using specific commands.
file server	A server that stores files to be accessed by other computers on the network. Unlike a disk server, which appears to the user as a remote disk drive, a file server is a sophisticated device that not only stores files, but also manages them and maintains order as network user request files and make changes to these files.
final mode	The report processing mode of a processing mode of a program that updates or creates data records.
FTP server	A server that responds to requests for files via file transfer protocol.
header information	Information at the beginning of a table or form. Header information is used to identify or provide control information for the group of records that follows.
interface table	See Z table.
integration server	A server that facilitates interaction between diverse operating systems and applications across internal and external networked computer systems.
integrity test	A process used to supplement a company's internal balancing procedures by locating and reporting balancing problems and data inconsistencies.
interoperability model	A method for third-party systems to connect to or access PeopleSoft EnterpriseOne.
in-your-face-error	In PeopleSoft EnterpriseOne, a form-level property which, when enabled, causes the text of application errors to appear on the form.
IServer service	Developed by PeopleSoft, this internet server service resides on the web server and is used to speed up delivery of the Java class files from the database to the client.
jargon	An alternative data dictionary item description that PeopleSoft EnterpriseOne or People World displays based on the product code of the current object.
Java application server	A component-based server that resides in the middle-tier of a server-centric architecture. This server provides middleware services for security and state maintenance, along with data access and persistence.
JDBNET	A database driver that enables heterogeneous servers to access each other's data.
JDEBASE Database Middleware	A PeopleSoft proprietary database middleware package that provides platform-independent APIs, along with client-to-server access.
JDECallObject	An API used by business functions to invoke other business functions.
jde.ini	A PeopleSoft file (or member for iSeries) that provides the runtime settings required for EnterpriseOne initialization. Specific versions of the file or member must reside on every machine running PeopleSoft EnterpriseOne. This includes workstations and servers.
JDEIPC	Communications programming tools used by server code to regulate access to the same data in multiprocess environments, communicate and coordinate between processes, and create new processes.

jde.log	The main diagnostic log file of PeopleSoft EnterpriseOne. This file is always located in the root directory on the primary drive and contains status and error messages from the startup and operation of PeopleSoft EnterpriseOne.
JDENET	PeopleSoft proprietary communications middleware package. This package is a peer-to-peer, message-based, socket-based, multiprocess communications middleware solution. It handles client-to-server and server-to-server communications for all PeopleSoft EnterpriseOne supported platforms.
Location Workbench	An application that, during the Installation Workbench process, copies all locations that are defined in the installation plan from the Location Master table in the Planner data source to the System data source.
logic server	A server in a distributed network that provides the business logic for an application program. In a typical configuration, pristine objects are replicated on to the logic server from the central server. The logic server, in conjunction with workstations, actually performs the processing required when PeopleSoft EnterpriseOne and World software runs.
MailMerge Workbench	An application that merges Microsoft Word 6.0 (or higher) word-processing documents with PeopleSoft EnterpriseOne records to automatically print business documents. You can use MailMerge Workbench to print documents, such as form letters about verification of employment.
master business function (MBF)	An interactive master file that serves as a central location for adding, changing, and updating information in a database. Master business functions pass information between data entry forms and the appropriate tables. These master functions provide a common set of functions that contain all of the necessary default and editing rules for related programs. MBFs contain logic that ensures the integrity of adding, updating, and deleting information from databases.
master table	See published table.
matching document	A document associated with an original document to complete or change a transaction. For example, in PeopleSoft EnterpriseOne Financial Management, a receipt is the matching document of an invoice, and a payment is the matching document of a voucher.
media storage object	Files that use one of the following naming conventions that are not organized into table format: Gxxx, xxxGT, or GTxxx.
message center	A central location for sending and receiving all PeopleSoft EnterpriseOne messages (system and user generated), regardless of the originating application or user.
messaging adapter	An interoperability model that enables third-party systems to connect to PeopleSoft EnterpriseOne to exchange information through the use of messaging queues.
messaging server	A server that handles messages that are sent for use by other programs using a messaging API. Messaging servers typically employ a middleware program to perform their functions.
named event rule (NER)	Encapsulated, reusable business logic created using event rules, rather than C programming. NERs are also called business function event rules. NERs can be reused in multiple places by multiple programs. This modularity lends itself to streamlining, reusability of code, and less work.
<i>nota fiscal</i>	In Brazil, a legal document that must accompany all commercial transactions for tax purposes and that must contain information required by tax regulations.
<i>nota fiscal factura</i>	In Brazil, a nota fiscal with invoice information. See also <i>nota fiscal</i> .

Object Configuration Manager (OCM)	In PeopleSoft EnterpriseOne, the object request broker and control center for the runtime environment. OCM keeps track of the runtime locations for business functions, data, and batch applications. When one of these objects is called, OCM directs access to it using defaults and overrides for a given environment and user.
Object Librarian	A repository of all versions, applications, and business functions reusable in building applications. Object Librarian provides check-out and check-in capabilities for developers, and it controls the creation, modification, and use of PeopleSoft EnterpriseOne objects. Object Librarian supports multiple environments (such as production and development) and enables objects to be easily moved from one environment to another.
Object Librarian merge	A process that blends any modifications to the Object Librarian in a previous release into the Object Librarian in a new release.
Open Data Access (ODA)	An interoperability model that enables you to use SQL statements to extract PeopleSoft EnterpriseOne data for summarization and report generation.
Output Stream Access (OSA)	An interoperability model that enables you to set up an interface for PeopleSoft EnterpriseOne to pass data to another software package, such as Microsoft Excel, for processing.
package	EnterpriseOne objects are installed to workstations in packages from the deployment server. A package can be compared to a bill of material or kit that indicates the necessary objects for that workstation and where on the deployment server the installation program can find them. It is point-in-time snap shot of the central objects on the deployment server.
package build	A software application that facilitates the deployment of software changes and new applications to existing users. Additionally, in PeopleSoft EnterpriseOne, a package build can be a compiled version of the software. When you upgrade your version of the ERP software, for example, you are said to take a package build. Consider the following context: “Also, do not transfer business functions into the production path code until you are ready to deploy, because a global build of business functions done during a package build will automatically include the new functions.” The process of creating a package build is often referred to, as it is in this example, simply as “a package build.”
package location	The directory structure location for the package and its set of replicated objects. This is usually \\deployment server\release\path_code\package\package name. The subdirectories under this path are where the replicated objects for the package are placed. This is also referred to as where the package is built or stored.
Package Workbench	An application that, during the Installation Workbench process, transfers the package information tables from the Planner data source to the System-release number data source. It also updates the Package Plan detail record to reflect completion.
PeopleSoft Database	See JDEBASE Database Middleware.
planning family	A means of grouping end items whose similarity of design and manufacture facilitates being planned in aggregate.
preference profile	The ability to define default values for specified fields for a user-defined hierarchy of items, item groups, customers, and customer groups.
print server	The interface between a printer and a network that enables network clients to connect to the printer and send their print jobs to it. A print server can be a computer, separate hardware device, or even hardware that resides inside of the printer itself.
pristine environment	A PeopleSoft EnterpriseOne environment used to test unaltered objects with PeopleSoft demonstration data or for training classes. You must have this environment so that you can compare pristine objects that you modify.

processing option	A data structure that enables users to supply parameters that regulate the running of a batch program or report. For example, you can use processing options to specify default values for certain fields, to determine how information appears or is printed, to specify date ranges, to supply runtime values that regulate program execution, and so on.
production environment	A PeopleSoft EnterpriseOne environment in which users operate EnterpriseOne software.
production-grade file server	A file server that has been quality assurance tested and commercialized and that is usually provided in conjunction with user support services.
program temporary fix (PTF)	A representation of changes to PeopleSoft software that your organization receives on magnetic tapes or disks.
project	In PeopleSoft EnterpriseOne, a virtual container for objects being developed in Object Management Workbench.
promotion path	<p>The designated path for advancing objects or projects in a workflow. The following is the normal promotion cycle (path):</p> <p>11>21>26>28>38>01</p> <p>In this path, <i>11</i> equals new project pending review, <i>21</i> equals programming, <i>26</i> equals QA test/review, <i>28</i> equals QA test/review complete, <i>38</i> equals in production, <i>01</i> equals complete. During the normal project promotion cycle, developers check objects out of and into the development path code and then promote them to the prototype path code. The objects are then moved to the productions path code before declaring them complete.</p>
proxy server	A server that acts as a barrier between a workstation and the internet so that the enterprise can ensure security, administrative control, and caching service.
published table	Also called a master table, this is the central copy to be replicated to other machines. Residing on the publisher machine, the F98DRPUB table identifies all of the published tables and their associated publishers in the enterprise.
publisher	The server that is responsible for the published table. The F98DRPUB table identifies all of the published tables and their associated publishers in the enterprise.
pull replication	One of the PeopleSoft methods for replicating data to individual workstations. Such machines are set up as pull subscribers using PeopleSoft EnterpriseOne data replication tools. The only time that pull subscribers are notified of changes, updates, and deletions is when they request such information. The request is in the form of a message that is sent, usually at startup, from the pull subscriber to the server machine that stores the F98DRPCN table.
QBE	An abbreviation for query by example. In PeopleSoft EnterpriseOne, the QBE line is the top line on a detail area that is used for filtering data.
real-time event	A service that uses system calls to capture PeopleSoft EnterpriseOne transactions as they occur and to provide notification to third-party software, end users, and other PeopleSoft systems that have requested notification when certain transactions occur.
refresh	A function used to modify PeopleSoft EnterpriseOne software, or subset of it, such as a table or business data, so that it functions at a new release or cumulative update level, such as B73.2 or B73.2.1.
replication server	A server that is responsible for replicating central objects to client machines.
quote order	In PeopleSoft EnterpriseOne Procurement and Subcontract Management, a request from a supplier for item and price information from which you can create a purchase order.

	In PeopleSoft EnterpriseOne Sales Order Management, item and price information for a customer who has not yet committed to a sales order.
selection	Found on PeopleSoft menus, a selection represents functions that you can access from a menu. To make a selection, type the associated number in the Selection field and press Enter.
Server Workbench	An application that, during the Installation Workbench process, copies the server configuration files from the Planner data source to the System-release number data source. It also updates the Server Plan detail record to reflect completion.
spot rate	An exchange rate entered at the transaction level. This rate overrides the exchange rate that is set up between two currencies.
Specification merge	A merge that comprises three merges: Object Librarian merge, Versions List merge, and Central Objects merge. The merges blend customer modifications with data that accompanies a new release.
specification	A complete description of a PeopleSoft EnterpriseOne object. Each object has its own specification, or name, which is used to build applications.
Specification Table Merge Workbench	An application that, during the Installation Workbench process, runs the batch applications that update the specification tables.
store-and-forward	The mode of processing that enables users who are disconnected from a server to enter transactions and then later connect to the server to upload those transactions.
subscriber table	Table F98DRSUB, which is stored on the publisher server with the F98DRPUB table and identifies all of the subscriber machines for each published table.
supplemental data	<p>Any type of information that is not maintained in a master file. Supplemental data is usually additional information about employees, applicants, requisitions, and jobs (such as an employee's job skills, degrees, or foreign languages spoken). You can track virtually any type of information that your organization needs.</p> <p>For example, in addition to the data in the standard master tables (the Address Book Master, Customer Master, and Supplier Master tables), you can maintain other kinds of data in separate, generic databases. These generic databases enable a standard approach to entering and maintaining supplemental data across PeopleSoft EnterpriseOne systems.</p>
table access management (TAM)	The PeopleSoft EnterpriseOne component that handles the storage and retrieval of use-defined data. TAM stores information, such as data dictionary definitions; application and report specifications; event rules; table definitions; business function input parameters and library information; and data structure definitions for running applications, reports, and business functions.
Table Conversion Workbench	An interoperability model that enables the exchange of information between PeopleSoft EnterpriseOne and third-party systems using non-PeopleSoft EnterpriseOne tables.
table conversion	An interoperability model that enables the exchange of information between PeopleSoft EnterpriseOne and third-party systems using non-PeopleSoft EnterpriseOne tables.
table event rules	Logic that is attached to database triggers that runs whenever the action specified by the trigger occurs against the table. Although PeopleSoft EnterpriseOne enables event rules to be attached to application events, this functionality is application specific. Table event rules provide embedded logic at the table level.
terminal server	A server that enables terminals, microcomputers, and other devices to connect to a network or host computer or to devices attached to that particular computer.

three-tier processing	The task of entering, reviewing and approving, and posting batches of transactions in PeopleSoft EnterpriseOne.
three-way voucher match	In PeopleSoft EnterpriseOne Procurement and Subcontract Management, the process of comparing receipt information to supplier's invoices to create vouchers. In a three-way match, you use the receipt records to create vouchers.
transaction processing (TP) monitor	A monitor that controls data transfer between local and remote terminals and the applications that originated them. TP monitors also protect data integrity in the distributed environment and may include programs that validate data and format terminal screens.
transaction set	An electronic business transaction (electronic data interchange standard document) made up of segments.
trigger	One of several events specific to data dictionary items. You can attach logic to a data dictionary item that the system processes automatically when the event occurs.
triggering event	A specific workflow event that requires special action or has defined consequences or resulting actions.
two-way voucher match	In PeopleSoft EnterpriseOne Procurement and Subcontract Management, the process of comparing purchase order detail lines to the suppliers' invoices to create vouchers. You do not record receipt information.
User Overrides merge	Adds new user override records into a customer's user override table.
variance	In Capital Asset Management, the difference between revenue generated by a piece of equipment and costs incurred by the equipment. In EnterpriseOne Project Costing and EnterpriseOne Manufacturing Management, the difference between two methods of costing the same item (for example, the difference between the frozen standard cost and the current cost is an engineering variance). Frozen standard costs come from the Cost Components table, and the current costs are calculated using the current bill of material, routing, and overhead rates.
Version List merge	The Versions List merge preserves any non-XJDE and non-ZJDE version specifications for objects that are valid in the new release, as well as their processing options data.
visual assist	Forms that can be invoked from a control via a trigger to assist the user in determining what data belongs in the control.
vocabulary override	An alternate description for a data dictionary item that appears on a specific PeopleSoft EnterpriseOne or World form or report.
wchar_t	An internal type of a wide character. It is used for writing portable programs for international markets.
web application server	A web server that enables web applications to exchange data with the back-end systems and databases used in eBusiness transactions.
web server	A server that sends information as requested by a browser, using the TCP/IP set of protocols. A web server can do more than just coordination of requests from browsers; it can do anything a normal server can do, such as house applications or data. Any computer can be turned into a web server by installing server software and connecting the machine to the internet.
Windows terminal server	A multiuser server that enables terminals and minimally configured computers to display Windows applications even if they are not capable of running Windows software themselves. All client processing is performed centrally at the Windows terminal server and only display, keystroke, and mouse commands are transmitted over the network to the client terminal device.

workbench	A program that enables users to access a group of related programs from a single entry point. Typically, the programs that you access from a workbench are used to complete a large business process. For example, you use the EnterpriseOne Payroll Cycle Workbench (P07210) to access all of the programs that the system uses to process payroll, print payments, create payroll reports, create journal entries, and update payroll history. Examples of PeopleSoft EnterpriseOne workbenches include Service Management Workbench (P90CD020), Line Scheduling Workbench (P3153), Planning Workbench (P13700), Auditor's Workbench (P09E115), and Payroll Cycle Workbench.
work day calendar	In EnterpriseOne Manufacturing Management, a calendar that is used in planning functions that consecutively lists only working days so that component and work order scheduling can be done based on the actual number of work days available. A work day calendar is sometimes referred to as planning calendar, manufacturing calendar, or shop floor calendar.
workflow	The automation of a business process, in whole or in part, during which documents, information, or tasks are passed from one participant to another for action, according to a set of procedural rules.
workgroup server	A server that usually contains subsets of data replicated from a master network server. A workgroup server does not perform application or batch processing.
XAPI events	A service that uses system calls to capture PeopleSoft EnterpriseOne transactions as they occur and then calls third-party software, end users, and other PeopleSoft systems that have requested notification when the specified transactions occur to return a response.
XML CallObject	An interoperability capability that enables you to call business functions.
XML Dispatch	An interoperability capability that provides a single point of entry for all XML documents coming into PeopleSoft EnterpriseOne for responses.
XML List	An interoperability capability that enables you to request and receive PeopleSoft EnterpriseOne database information in chunks.
XML Service	An interoperability capability that enables you to request events from one PeopleSoft EnterpriseOne system and receive a response from another PeopleSoft EnterpriseOne system.
XML Transaction	An interoperability capability that enables you to use a predefined transaction type to send information to or request information from PeopleSoft EnterpriseOne. XML transaction uses interface table functionality.
XML Transaction Service (XTS)	Transforms an XML document that is not in the PeopleSoft EnterpriseOne format into an XML document that can be processed by PeopleSoft EnterpriseOne. XTS then transforms the response back to the request originator XML format.
Z event	A service that uses interface table functionality to capture PeopleSoft EnterpriseOne transactions and provide notification to third-party software, end users, and other PeopleSoft systems that have requested to be notified when certain transactions occur.
Z table	A working table where non-PeopleSoft EnterpriseOne information can be stored and then processed into PeopleSoft EnterpriseOne. Z tables also can be used to retrieve PeopleSoft EnterpriseOne data. Z tables are also known as interface tables.
Z transaction	Third-party data that is properly formatted in interface tables for updating to the PeopleSoft EnterpriseOne database.

Index

A

- additional documentation vi
- application fundamentals v

C

- category 15
- code reference information
 - adding 19
 - copying 19
 - deleting 20
 - editing 19
 - finding specific values 17
 - locating 16
 - sorting 15
 - updating 15
 - using latch closed 15
 - viewing 19
- code reference values, *See* code reference information
- code references
 - adding a code reference to a category 15, 17
 - adding categories 15, 16
 - deleting categories 15, 17
 - exporting to XML 15, 18
 - importing from XML 15, 18
 - overview 3
 - renaming categories 15, 17
 - understanding 15
- comments, submitting x
- common elements xi
- Configuration Editor
 - accessing 4
 - opening 6
- contact information x
- cross-references ix
- Customer Connection website vi

D

- databases supported
 - DB2 4
 - DB2400 4
 - Oracle 4
 - SQL 4
- Developer tool 7, 8, 9, 10, 11

- documentation
 - printed vi
 - related vi
 - updates vi

F

- flow service 3, 7
- folder 3, 7

H

- help information 6

I

- integration option information
 - copying 14
 - deleting 14
 - editing 13
 - sorting 8
 - viewing 13
- integration option values, *See* integration option information
- integration options
 - adding 7, 9
 - exporting XML 8, 12
 - finding information 8, 11
 - importing XML 8, 11
 - migrating 8, 12
 - overview 3
 - renaming folders 8, 10
 - renaming namespace 11
 - renaming universal name 8
 - understanding 7

J

- JDBC connection 4, 7
- journal process 4

K

- key reference information
 - adding 24
 - copying 25
 - deleting 25
 - editing 24
 - finding specific values 23
 - locating 21

- sorting 21
 - updating 21
 - using latch closed 21
 - viewing 25
 - key reference values, *See* key reference information
 - key references
 - adding a code reference to a category 21
 - adding a key reference to a category 23
 - adding categories 21, 22
 - category 20
 - deleting categories 21, 22
 - exporting to XML 21, 24
 - importing from XML 21, 23
 - overview 4
 - renaming categories 21, 22
- L**
- latch closed usage 15, 21
 - local name 8
 - localname 8, 10
- M**
- MMA Partners vi
 - multiple connections 5
- N**
- namespace name 8
 - namespacename 8, 10
 - Netscape browser, configuring 14, 20, 25
 - notes ix
- O**
- operations
 - code reference information 16
 - code references 15
 - integration options 7
 - key reference information 21
 - key references 20
 - overview
 - code references 3
 - Configuration Editor 3
 - flow service 3
 - folder 3
 - integration options 3
 - key references 4
 - package 3
- P**
- package 3, 7
 - PeopleBooks
 - ordering vi
 - PeopleCode, typographical conventions viii
 - PeopleSoft application fundamentals v
 - permissions 4
 - prerequisites v
 - printed documentation vi
- R**
- related documentation vi
- S**
- suggestions, submitting x
 - system directory folder 7
- T**
- typographical conventions viii
- U**
- universal name 8
- V**
- visual cues ix
- W**
- warnings ix
 - web client 4