

JD Edwards EnterpriseOne Subcontract Management 8.12 Implementation Guide

April 2006

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are “commercial computer software” or “commercial technical data” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software–Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee’s responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Open Source Disclosure

Oracle takes no responsibility for its use or distribution of any open source or shareware software or documentation and disclaims any and all liability or damages resulting from use of said software or documentation. The following open source software may be used in Oracle’s PeopleSoft products and the following disclaimers are provided.

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Copyright © 1999-2000 The Apache Software Foundation. All rights reserved. THIS SOFTWARE IS PROVIDED “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE APACHE SOFTWARE FOUNDATION OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Contents

General Preface

About This Documentation Prefaceix

JD Edwards EnterpriseOne Application Prerequisitesix

Application Fundamentalsix

Documentation Updates and Printed Documentationx

 Obtaining Documentation Updatesx

 Ordering Printed Documentationx

Additional Resourcesxi

Typographical Conventions and Visual Cuesxii

 Typographical Conventionsxii

 Visual Cuesxiii

 Country, Region, and Industry Identifiersxiii

 Currency Codesxiv

Comments and Suggestionsxiv

Common Fields Used in Implementation Guidesxiv

Preface

JD Edwards EnterpriseOne Subcontract Management Prefacexvii

JD Edwards EnterpriseOne Productsxvii

JD Edwards EnterpriseOne Application Fundamentalsxvii

Chapter 1

Getting Started with JD Edwards EnterpriseOne Subcontract Management1

JD Edwards EnterpriseOne Subcontract Management Overview1

JD Edwards EnterpriseOne Subcontract Management Integrations5

JD Edwards EnterpriseOne Subcontract Management Implementation6

 Global Implementation Steps7

 JD Edwards EnterpriseOne Subcontract Management Implementation Steps7

Chapter 2

Setting Up the EnterpriseOne Subcontract Management System9

Understanding System Setup9

 EnterpriseOne Procurement System Setup9

Other System Setup.....	10
Understanding AAI Tables for the Financial System.....	11
Setting Up Projects or Jobs.....	13
Setting Up Commitments.....	14
Understanding Commitments.....	14
Understanding Commitment Tracking.....	14
Understanding Commitment Relief.....	15
Forms Used to Set Up Commitments.....	15
Setting Up Commitment Tracking.....	15
Setting Up Commitment Relief.....	15
Converting Data to the Log Master Table.....	16
Understanding Converting Data to the Log Master Table.....	16
Converting Data to the Log Master Table.....	16

Chapter 3

Setting Up Suppliers.....	17
Understanding Supplier Setup.....	17
Entering Supplier Information for Subcontract Orders.....	17
Understanding Supplier Information for Subcontract Orders.....	17
Prerequisite.....	18
Forms Used to Enter Supplier Information for Subcontract Orders.....	18
Entering Supplier Details.....	18
Entering Supplier Additional Information.....	20
Entering a Temporary Address for a Supplier.....	21
Managing Subcontractors.....	21

Chapter 4

Creating Contracts.....	23
Understanding Contracts.....	23
Understanding Subcontract Orders.....	24
Prerequisites.....	24
Entering Subcontract Order Header Information.....	25
Understanding Subcontract Order Header Information.....	25
Forms Used to Enter Subcontract Order Header Information.....	27
Setting Processing Options for the Enter Subcontract Orders Program (P4310).....	27
Entering Origin Information and Delivery Instructions for an Order.....	42
Entering Dates for an Order.....	43
Entering Tax Information for an Order.....	43

Entering Reference Information for an Order..... 44

Entering Subcontract Order Detail Information..... 44

 Understanding Subcontract Order Detail Information..... 44

 Prerequisites..... 47

 Forms Used to Enter Subcontract Order Detail Information..... 47

 Entering Detail Lines by Account Number..... 47

 Entering Tax Information for a Detail Line..... 49

 Entering Discount Terms for a Detail Line..... 50

 Entering Change Orders..... 50

 Copying Change Orders..... 51

 Duplicating an Order..... 51

Working with Orders on Hold..... 51

 Understanding Order Holds..... 51

 Prerequisite..... 52

 Forms Used to Work with Orders on Hold..... 53

 Entering Order Holds..... 53

Chapter 5

Working with Commitments..... 55

 Understanding Commitments..... 55

 Prerequisites..... 57

 Verifying Commitment Integrity..... 57

 Understanding the Commitment Integrity Report (R40910)..... 57

 Running the Commitment Integrity Report (R40910)..... 58

 Setting Processing Options for the Commitment Integrity Report Program (R40910)..... 58

 Reviewing Commitment Information for Subcontracts..... 59

 Understanding Commitment Information for Subcontracts..... 59

 Forms Used to Review Commitment Information for Subcontracts..... 60

 Setting Processing Options for the Commitment Inquiry Program (P40230A)..... 60

 Reviewing Detailed Commitment Information..... 61

 Process Commitment Rollovers..... 62

 Understanding the Encumbrances Rollover Program (R4317)..... 62

 Running the Encumbrance Rollover Program (R4317)..... 63

 Setting Processing Options for the Encumbrance Rollover Program (R4317)..... 63

 Working with Commitment Audit Trails..... 65

 Understanding Commitment Audit Trails..... 65

 Understanding the Create Commitment Audit Trail Program (R00993)..... 65

 Understanding Corrections to Commitment Audit Trails..... 65

 Prerequisites..... 66

Running the Create Commitment Audit Trail Program.....66
 Posting Committed Costs to Jobs.....66
 Understanding the Post Committed Cost to Job Program (R00932).....67
 Running the Post Committed Cost to Job Program (R00932).....67
 Setting Processing Options for the Post Committed Cost to Job Program (R00932).....67

Chapter 6

Working with Subcontract Logs.....69
 Understanding Subcontract Logs.....69
 Prerequisite.....69
 Entering Subcontract Log Information.....70
 Understanding Subcontract Log Entry.....70
 Prerequisite.....70
 Forms Used to Enter Subcontract Log Information.....70
 Setting Processing Options for the Log Revisions Programs (P4305).....70
 Creating a Subcontract Log.....71
 Updating the Log Master.....72
 Understanding the Logs (F4305) Report/Update Program (R43540).....72
 Running the Log (F4305) Report/Update Program (R43540).....73
 Updating Unsatisfied, Expired Logs.....73
 Understanding the Logs (F4305) Report/Update (R43540).....73
 Running the Logs (F4305) Report/Update Program (R43540).....73
 Setting Processing Options for the Logs (F4305) Report/Update Program (R43540).....73

Chapter 7

Working with Order Information.....75
 Reviewing Order Information.....75
 Understanding Order Reviews.....75
 Forms Used to Review Orders.....76
 Working with Budgets.....77
 Understanding Budget Checking.....77
 Understanding Search Scenarios for Level of Detail.....78
 Understanding Budget Totaling.....78
 Understanding Calculations of Available Budget to Date for the Fiscal Year.....79
 Forms Used to Work with Budgets.....80
 Setting Processing Options for the Trial Balance / Ledger Comparison Program (P09210A).....80
 Reviewing the Budget.....82

Chapter 8

Processing Receipts.....83
 Understanding Receipt Processing.....83

Chapter 9

Processing Progress Payments.....85
 Understanding Progress Payments.....85
 Prerequisites.....86
 Creating Subcontract Vouchers.....87
 Understanding Subcontract Vouchers.....87
 Understanding Voucher Matching.....87
 Understanding Invoices Received in an Alternate Currency.....88
 Prerequisite.....88
 Forms Used to Create Subcontract Vouchers.....89
 Setting Processing Options for the Voucher Match Program (P4314).....89
 Setting Processing Options for the A/P Standard Voucher Entry Program (P0411).....97
 Choosing Records to Match to a Voucher.....105
 Choosing Order Detail Lines to Match to a Voucher.....105
 Processing Retainage.....106
 Understanding Retainage.....106
 Prerequisite.....106
 Forms Used to Process Retainage.....107
 Entering a Voucher with Retainage.....107
 Entering a Voucher to Release Retainage.....107

Chapter 10

Processing Special Orders.....109
 Understanding Special Orders Processing.....109

Chapter 11

Processing Approvals.....111
 Understanding Approval Processing.....111

Appendix A

EnterpriseOne Subcontract Management Reports.....113
 EnterpriseOne Subcontract Management Reports.....113

EnterpriseOne Subcontract Management Reports: A to Z.....	113
EnterpriseOne Subcontract Management Reports: Selected Reports.....	116
R43050 - F4305 Logs Report.....	117
Processing Options for F4305 Logs Report (R43050).....	117
R43535 - Order Revisions History Report.....	117
Processing Options for Order Revisions History Report (R43535).....	118
R4401P – Print Subcontracts Report.....	118
Processing Options for Print Subcontracts Report (R4401P).....	118
R44425 - Detailed Status Report by Supplier.....	118
Processing Options for Status Report by Supplier (R44425).....	119
R44440 - AIA Application for Payment.....	120
Processing Options for AIA Application for Payment (R44440).....	120
Glossary of JD Edwards EnterpriseOne Terms.....	121
Index	131

About This Documentation Preface

JD Edwards EnterpriseOne implementation guides provide you with the information that you need to implement and use JD Edwards EnterpriseOne applications from Oracle.

This preface discusses:

- JD Edwards EnterpriseOne application prerequisites.
- Application fundamentals.
- Documentation updates and printed documentation.
- Additional resources.
- Typographical conventions and visual cues.
- Comments and suggestions.
- Common fields in implementation guides.

Note. Implementation guides document only elements, such as fields and check boxes, that require additional explanation. If an element is not documented with the process or task in which it is used, then either it requires no additional explanation or it is documented with common fields for the section, chapter, implementation guide, or product line. Fields that are common to all JD Edwards EnterpriseOne applications are defined in this preface.

JD Edwards EnterpriseOne Application Prerequisites

To benefit fully from the information that is covered in these books, you should have a basic understanding of how to use JD Edwards EnterpriseOne applications.

You might also want to complete at least one introductory training course, if applicable.

You should be familiar with navigating the system and adding, updating, and deleting information by using JD Edwards EnterpriseOne menus, forms, or windows. You should also be comfortable using the World Wide Web and the Microsoft Windows or Windows NT graphical user interface.

These books do not review navigation and other basics. They present the information that you need to use the system and implement your JD Edwards EnterpriseOne applications most effectively.

Application Fundamentals

Each application implementation guide provides implementation and processing information for your JD Edwards EnterpriseOne applications.

For some applications, additional, essential information describing the setup and design of your system appears in a companion volume of documentation called the application fundamentals implementation guide. Most product lines have a version of the application fundamentals implementation guide. The preface of each implementation guide identifies the application fundamentals implementation guides that are associated with that implementation guide.

The application fundamentals implementation guide consists of important topics that apply to many or all JD Edwards EnterpriseOne applications. Whether you are implementing a single application, some combination of applications within the product line, or the entire product line, you should be familiar with the contents of the appropriate application fundamentals implementation guides. They provide the starting points for fundamental implementation tasks.

Documentation Updates and Printed Documentation

This section discusses how to:

- Obtain documentation updates.
- Order printed documentation.

Obtaining Documentation Updates

You can find updates and additional documentation for this release, as well as previous releases, on Oracle's PeopleSoft Customer Connection website. Through the Documentation section of Oracle's PeopleSoft Customer Connection, you can download files to add to your Implementation Guides Library. You'll find a variety of useful and timely materials, including updates to the full line of JD Edwards EnterpriseOne documentation that is delivered on your implementation guides CD-ROM.

Important! Before you upgrade, you must check Oracle's PeopleSoft Customer Connection for updates to the upgrade instructions. Oracle continually posts updates as the upgrade process is refined.

See Also

Oracle's PeopleSoft Customer Connection, http://www.oracle.com/support/support_peoplesoft.html

Ordering Printed Documentation

You can order printed, bound volumes of the complete line of JD Edwards EnterpriseOne documentation that is delivered on your implementation guide CD-ROM. Oracle makes printed documentation available for each major release of JD Edwards EnterpriseOne shortly after the software is shipped. Customers and partners can order this printed documentation by using any of these methods:

- Web
- Telephone
- Email

Web

From the Documentation section of Oracle's PeopleSoft Customer Connection website, access the PeopleBooks Press website under the Ordering PeopleBooks topic. Use a credit card, money order, cashier's check, or purchase order to place your order.

Telephone

Contact MMA Partners, the book print vendor, at 877 588 2525.

Email

Send email to MMA Partners at peoplebookspress@mmapartner.com.

See Also

Oracle's PeopleSoft Customer Connection, http://www.oracle.com/support/support_peoplesoft.html

Additional Resources

The following resources are located on Oracle's PeopleSoft Customer Connection website:

Resource	Navigation
Application maintenance information	Updates + Fixes
Business process diagrams	Support, Documentation, Business Process Maps
Interactive Services Repository	Support, Documentation, Interactive Services Repository
Hardware and software requirements	Implement, Optimize, and Upgrade; Implementation Guide; Implementation Documentation and Software; Hardware and Software Requirements
Installation guides	Implement, Optimize, and Upgrade; Implementation Guide; Implementation Documentation and Software; Installation Guides and Notes
Integration information	Implement, Optimize, and Upgrade; Implementation Guide; Implementation Documentation and Software; Pre-Built Integrations for PeopleSoft Enterprise and JD Edwards EnterpriseOne Applications
Minimum technical requirements (MTRs) (JD Edwards EnterpriseOne only)	Implement, Optimize, and Upgrade; Implementation Guide; Supported Platforms
Documentation updates	Support, Documentation, Documentation Updates
Implementation guides support policy	Support, Support Policy
Prerelease notes	Support, Documentation, Documentation Updates, Category, Release Notes
Product release roadmap	Support, Roadmaps + Schedules
Release notes	Support, Documentation, Documentation Updates, Category, Release Notes
Release value proposition	Support, Documentation, Documentation Updates, Category, Release Value Proposition
Statement of direction	Support, Documentation, Documentation Updates, Category, Statement of Direction

Resource	Navigation
Troubleshooting information	Support, Troubleshooting
Upgrade documentation	Support, Documentation, Upgrade Documentation and Scripts

Typographical Conventions and Visual Cues

This section discusses:

- Typographical conventions.
- Visual cues.
- Country, region, and industry identifiers.
- Currency codes.

Typographical Conventions

This table contains the typographical conventions that are used in implementation guides:

Typographical Convention or Visual Cue	Description
Bold	Indicates PeopleCode function names, business function names, event names, system function names, method names, language constructs, and PeopleCode reserved words that must be included literally in the function call.
<i>Italics</i>	Indicates field values, emphasis, and JD Edwards EnterpriseOne or other book-length publication titles. In PeopleCode syntax, italic items are placeholders for arguments that your program must supply. We also use italics when we refer to words as words or letters as letters, as in the following: Enter the letter <i>O</i> .
KEY+KEY	Indicates a key combination action. For example, a plus sign (+) between keys means that you must hold down the first key while you press the second key. For ALT+W, hold down the ALT key while you press the W key.
Monospace font	Indicates a PeopleCode program or other code example.
“ ” (quotation marks)	Indicate chapter titles in cross-references and words that are used differently from their intended meanings.

Typographical Convention or Visual Cue	Description
... (ellipses)	Indicate that the preceding item or series can be repeated any number of times in PeopleCode syntax.
{ } (curly braces)	Indicate a choice between two options in PeopleCode syntax. Options are separated by a pipe ().
[] (square brackets)	Indicate optional items in PeopleCode syntax.
& (ampersand)	When placed before a parameter in PeopleCode syntax, an ampersand indicates that the parameter is an already instantiated object. Ampersands also precede all PeopleCode variables.

Visual Cues

Implementation guides contain the following visual cues.

Notes

Notes indicate information that you should pay particular attention to as you work with the JD Edwards EnterpriseOne system.

Note. Example of a note.

If the note is preceded by *Important!*, the note is crucial and includes information that concerns what you must do for the system to function properly.

Important! Example of an important note.

Warnings

Warnings indicate crucial configuration considerations. Pay close attention to warning messages.

Warning! Example of a warning.

Cross-References

Implementation guides provide cross-references either under the heading “See Also” or on a separate line preceded by the word *See*. Cross-references lead to other documentation that is pertinent to the immediately preceding documentation.

Country, Region, and Industry Identifiers

Information that applies only to a specific country, region, or industry is preceded by a standard identifier in parentheses. This identifier typically appears at the beginning of a section heading, but it may also appear at the beginning of a note or other text.

Example of a country-specific heading: “(FRA) Hiring an Employee”

Example of a region-specific heading: “(Latin America) Setting Up Depreciation”

Country Identifiers

Countries are identified with the International Organization for Standardization (ISO) country code.

Region Identifiers

Regions are identified by the region name. The following region identifiers may appear in implementation guides:

- Asia Pacific
- Europe
- Latin America
- North America

Industry Identifiers

Industries are identified by the industry name or by an abbreviation for that industry. The following industry identifiers may appear in implementation guides:

- USF (U.S. Federal)
- E&G (Education and Government)

Currency Codes

Monetary amounts are identified by the ISO currency code.

Comments and Suggestions

Your comments are important to us. We encourage you to tell us what you like, or what you would like to see changed about implementation guides and other Oracle reference and training materials. Please send your suggestions to Documentation Manager, Oracle Corporation, 7604 Technology Way, Denver, CO, 80237. Or email us at documentation_us@oracle.com.

While we cannot guarantee to answer every email message, we will pay careful attention to your comments and suggestions.

Common Fields Used in Implementation Guides

Address Book Number

Enter a unique number that identifies the master record for the entity. An address book number can be the identifier for a customer, supplier, company, employee, applicant, participant, tenant, location, and so on. Depending on the application, the field on the form might refer to the address book number as the customer number, supplier number, or company number, employee or applicant ID, participant number, and so on.

As If Currency Code	Enter the three-character code to specify the currency that you want to use to view transaction amounts. This code enables you to view the transaction amounts as if they were entered in the specified currency rather than the foreign or domestic currency that was used when the transaction was originally entered.
Batch Number	Displays a number that identifies a group of transactions to be processed by the system. On entry forms, you can assign the batch number or the system can assign it through the Next Numbers program (P0002).
Batch Date	Enter the date in which a batch is created. If you leave this field blank, the system supplies the system date as the batch date.
Batch Status	<p>Displays a code from user-defined code (UDC) table 98/IC that indicates the posting status of a batch. Values are:</p> <p><i>Blank</i>: Batch is unposted and pending approval.</p> <p><i>A</i>: The batch is approved for posting, has no errors and is in balance, but has not yet been posted.</p> <p><i>D</i>: The batch posted successfully.</p> <p><i>E</i>: The batch is in error. You must correct the batch before it can post.</p> <p><i>P</i>: The system is in the process of posting the batch. The batch is unavailable until the posting process is complete. If errors occur during the post, the batch status changes to <i>E</i>.</p> <p><i>U</i>: The batch is temporarily unavailable because someone is working with it, or the batch appears to be in use because a power failure occurred while the batch was open.</p>
Branch/Plant	Enter a code that identifies a separate entity as a warehouse location, job, project, work center, branch, or plant in which distribution and manufacturing activities occur. In some systems, this is called a business unit.
Business Unit	Enter the alphanumeric code that identifies a separate entity within a business for which you want to track costs. In some systems, this is called a branch/plant.
Category Code	Enter the code that represents a specific category code. Category codes are user-defined codes that you customize to handle the tracking and reporting requirements of your organization.
Company	Enter a code that identifies a specific organization, fund, or other reporting entity. The company code must already exist in the F0010 table and must identify a reporting entity that has a complete balance sheet.
Currency Code	Enter the three-character code that represents the currency of the transaction. JD Edwards EnterpriseOne provides currency codes that are recognized by the International Organization for Standardization (ISO). The system stores currency codes in the F0013 table.
Document Company	<p>Enter the company number associated with the document. This number, used in conjunction with the document number, document type, and general ledger date, uniquely identifies an original document.</p> <p>If you assign next numbers by company and fiscal year, the system uses the document company to retrieve the correct next number for that company.</p>

If two or more original documents have the same document number and document type, you can use the document company to display the document that you want.

Document Number

Displays a number that identifies the original document, which can be a voucher, invoice, journal entry, or time sheet, and so on. On entry forms, you can assign the original document number or the system can assign it through the Next Numbers program.

Document Type

Enter the two-character UDC, from UDC table 00/DT, that identifies the origin and purpose of the transaction, such as a voucher, invoice, journal entry, or time sheet. JD Edwards EnterpriseOne reserves these prefixes for the document types indicated:

P: Accounts payable documents.

R: Accounts receivable documents.

T: Time and pay documents.

I: Inventory documents.

O: Purchase order documents.

S: Sales order documents.

Effective Date

Enter the date on which an address, item, transaction, or record becomes active. The meaning of this field differs, depending on the program. For example, the effective date can represent any of these dates:

- The date on which a change of address becomes effective.
- The date on which a lease becomes effective.
- The date on which a price becomes effective.
- The date on which the currency exchange rate becomes effective.
- The date on which a tax rate becomes effective.

Fiscal Period and Fiscal Year

Enter a number that identifies the general ledger period and year. For many programs, you can leave these fields blank to use the current fiscal period and year defined in the Company Names & Number program (P0010).

G/L Date (general ledger date)

Enter the date that identifies the financial period to which a transaction will be posted. The system compares the date that you enter on the transaction to the fiscal date pattern assigned to the company to retrieve the appropriate fiscal period number and year, as well as to perform date validations.

JD Edwards EnterpriseOne Subcontract Management Preface

This preface discusses:

- JD Edwards EnterpriseOne products.
- JD Edwards EnterpriseOne application fundamentals.

JD Edwards EnterpriseOne Products

This implementation guide refers to these JD Edwards EnterpriseOne products from Oracle:

- JD Edwards EnterpriseOne Job Cost.
- JD Edwards EnterpriseOne Work Orders.
- JD Edwards EnterpriseOne Procurement.
- JD Edwards EnterpriseOne Accounts Payable.
- JD Edwards EnterpriseOne General Accounting.
- JD Edwards EnterpriseOne Address Book.

JD Edwards EnterpriseOne Application Fundamentals

Additional, essential information describing the setup and design of the system appears in a companion volume of documentation called *JD Edwards EnterpriseOne Inventory Management 8.12 Implementation Guide*.

CHAPTER 1

Getting Started with JD Edwards EnterpriseOne Subcontract Management

This chapter discusses:

- JD Edwards EnterpriseOne Subcontract Management overview.
- JD Edwards EnterpriseOne Subcontract Management integrations.
- JD Edwards EnterpriseOne Subcontract Management implementation.

JD Edwards EnterpriseOne Subcontract Management Overview

You use the JD Edwards EnterpriseOne Subcontract Management system from Oracle to manage the day-to-day and long-term details of contracts, payments, and commitments that are associated with jobs. In addition, you can perform any of the following tasks with the JD Edwards EnterpriseOne Subcontract Management system:

- Create and maintain contracts for the subcontractors on the jobs.
- Establish payment guidelines and make payments against the contracts.
- Track the costs you have paid against a job and the costs you are committed to in the future.
- Make up-to-the-minute inquiries on contract information.
- Input change orders for contract commitments.
- Generate status reports for contracts and commitments.
- Create base agreements for contracts.

When you create a new contract, you enter subcontractor information, the work to be done, contract commitments, dates, log items, and so on. After you enter a contract, you can change the base agreement details, enter commitment change orders, and track the completion of submittals and transmittals.

You can then enter and release progress payments, or hold progress payments. Progress payments are payments that you make to the subcontractors as they make progress against their jobs.

The JD Edwards EnterpriseOne Subcontract Management system has many features to help you manage contracts. The system helps you to manage contracts, commitments, and to process payments.

Contracts

You create contracts for the subcontractors on jobs. Contracts specify details such as the contractor information, work to be done, contract commitments, dates, log items, such as submittals and transmittals, and so on. A submittal is information a subcontractor must provide to you. A transmittal is information you must provide to a subcontractor. The JD Edwards EnterpriseOne Subcontract Management system offers you these features to make the work with contracts as efficient as possible:

Contract Features	Description
Multiple contract types	You can manage a variety of contract types, including: <ul style="list-style-type: none"> • Construction contracts • Maintenance contracts • Professional service contracts • Fabrication contracts • Encumbered cost contracts
Base agreement processing	You can create base agreements. A base agreement enables you to set up various jobs so that you do not have to specify distribution commitments for each job individually. This will help you manage contracts in which you have various categories of jobs, but with jobs in each category having identical costs.
Contract reporting	You can process a variety of reports regarding contracts. These reports can indicate: <ul style="list-style-type: none"> • Payment status information by supplier, job, or contract. • Log information. • Unit price information. • Committed cost information, integrating data from the JD Edwards EnterpriseOne Job Cost and JD Edwards EnterpriseOne Subcontract Management systems.
Change order updating	Change orders direct the system to change the amount of money committed to a contract. You can create and update change orders easily. Change orders can stand alone or be rolled into the original contract for payment.

Contract Features	Description
Supplemental data tracking	<p>Many contracts require supplemental information in addition to the basic contract information. This information can be in the form of submittals, transmittals, and other user-defined log types. The JD Edwards EnterpriseOne Subcontract Management system provides these capabilities for managing supplemental data:</p> <ul style="list-style-type: none"> • You can track the completion and receipt of submittals and transmittals. • You can report on deficient submittal information that is associated with a contract commitment. • You can automatically update submittal status and transmittal status • You can withhold progress payments against a contract on the basis of expired logs. <p>In addition, you can enter extended textual information regarding supplemental data and run reports about various log entries. You can also set up a model log entry for each contract type on the system, and then copy and revise those models in the actual contracts.</p>
Contract inquiries	<p>You can review this contract information:</p> <ul style="list-style-type: none"> • Up-to-the-minute payment status details by amount, units, or unit cost. • Online log status details and update. • Open order details on remaining commitments. • Online budget comparisons. • Contract searches.

Commitments

A commitment is the money that you designate to pay against a contract. The JD Edwards EnterpriseOne Subcontract Management system provides you with these features to make the work with contract commitments as efficient as possible:

Commitment Feature	Description
Automatic audit trails	<p>You can maintain an audit trail for committed costs. You can access JD Edwards EnterpriseOne Accounts Payable and JD Edwards EnterpriseOne General Accounting systems for an audit trail of progress payments.</p>

Commitment Feature	Description
User-defined commitment distribution rules	<p>You can set up the system for these commitment distribution purposes:</p> <ul style="list-style-type: none"> • To distribute commitments among multiple jobs within a contract. • To establish user-defined cost types per contract type. • To establish multiple account distributions per contract type. • To track change order.
Tax capabilities	<p>You can assess a number of taxes on progress payments, including:</p> <ul style="list-style-type: none"> • Sales • Use • Value added <p>The JD Edwards EnterpriseOne Subcontract Management system also creates journal entries for the JD Edwards EnterpriseOne General Accounting and JD Edwards EnterpriseOne Job Cost systems and updates tax files.</p>

Payment Processing

You process payments against the contracts as the subcontractors make progress against their jobs. Payments are charged against the committed money for a contract. The JD Edwards EnterpriseOne Subcontract Management system offers many features you can use to process progress payments, including:

Payment Processing Feature	Description
Flexible pricing methods for commitments.	<p>You can use these pricing methods for the contract commitments:</p> <ul style="list-style-type: none"> • Lump sum, where the contract price is fixed. • Unit price, where the contract price is based on the number of units completed.

Payment Processing Feature	Description
Payment options.	<p>You can use these options when you process the progress payments:</p> <ul style="list-style-type: none"> • Joint payment handling and alternate payees. • Partial payments. • Multiple concurrent payment runs. • Payment release by due date, payment status, or job. • Processing of back charges and extras in addition to the committed amount
Efficient progress payments.	<p>The JD Edwards EnterpriseOne Subcontract Management system helps you manage the progress payments by:</p> <ul style="list-style-type: none"> • Issuing a warning if there are log requirements that have not been met when you try to enter a progress payment voucher. • Providing quick access to log status information. • Processing retainage amounts as percentage or flat rates. • Handling retainage and discount information on the same pay request. • Performing both partial and full retainage releases. • Providing an American Institute of Architects payment document that you can print and use for future progress payments.

JD Edwards EnterpriseOne Subcontract Management Integrations

The JD Edwards EnterpriseOne Subcontract Management system integrates with these JD Edwards EnterpriseOne systems from Oracle:

- JD Edwards EnterpriseOne Job Cost
- JD Edwards EnterpriseOne Change Management
- JD Edwards EnterpriseOne Work Orders
- JD Edwards EnterpriseOne Procurement
- JD Edwards EnterpriseOne Accounts Payable
- JD Edwards EnterpriseOne General Accounting
- JD Edwards EnterpriseOne Address Book

JD Edwards EnterpriseOne Job Cost

The JD Edwards EnterpriseOne Subcontract Management system automatically updates committed units and amounts to accounts in the JD Edwards EnterpriseOne Job Cost system. You can manage the contract budgets and cost projections through the JD Edwards EnterpriseOne Job Cost system.

JD Edwards EnterpriseOne Change Management

You can access the JD Edwards EnterpriseOne Change Management system to review the details of a change request that is associated with a contract. You can also transfer the details of a change request to the JD Edwards EnterpriseOne Subcontract Management system. The contract number provides the link between a contract and its associated change requests.

JD Edwards EnterpriseOne Work Orders

You can link line item commitments on the Subcontract Entry form to a work order in the JD Edwards EnterpriseOne Work Orders system. Costs from the line item are automatically charged against the work order in the JD Edwards EnterpriseOne Job Cost system, the JD Edwards EnterpriseOne Subcontract Management system, and the JD Edwards EnterpriseOne General Accounting system.

JD Edwards EnterpriseOne Procurement

The JD Edwards EnterpriseOne Subcontract Management system shares a common database with the JD Edwards EnterpriseOne Procurement system. You can use these links to view the purchase orders and contract commitments that are related to a project from one inquiry form and through the same commitment ledger. Both systems also release commitments in the same manner through the JD Edwards EnterpriseOne Accounts Payable system.

JD Edwards EnterpriseOne Accounts Payable

The JD Edwards EnterpriseOne Accounts Payable system automatically updates the appropriate accounts payable records when you enter progress payments, release retainage, or make payments against a contract. Retainage is a percentage of the contract amount that is held until a specified date after the completion of the work. You can also complete other accounts payable tasks from the JD Edwards EnterpriseOne Subcontract Management system, such as designating joint or alternate payees.

JD Edwards EnterpriseOne General Accounting

The JD Edwards EnterpriseOne Subcontract Management system automatically updates the general ledger in the JD Edwards EnterpriseOne General Accounting system when you create payment vouchers for contracts. All audit trails for JD Edwards EnterpriseOne Subcontract Management vouchers and payments are maintained in the general accounting ledgers.

JD Edwards EnterpriseOne Address Book

The JD Edwards EnterpriseOne Subcontract Management system accesses the JD Edwards EnterpriseOne Address Book system for the addresses of suppliers, subcontractors, and business owners. You can use this information to print payments, reports, and so on. You can access JD Edwards EnterpriseOne Address Book from a JD Edwards EnterpriseOne Subcontract Management inquiry form to find specific subcontractors.

JD Edwards EnterpriseOne Subcontract Management Implementation

This section provides an overview of the steps that are required to implement the JD Edwards EnterpriseOne Subcontract Management system.

In the planning phase of the implementation, take advantage of all sources of information, including the installation guides and troubleshooting information. A complete list of these resources appears in the preface in *About This Documentation* with information where to find the most current version of each.

When determining which electronic software updates (ESUs) to install for JD Edwards EnterpriseOne Subcontract Management, use the EnterpriseOne and World Change Assistant. EnterpriseOne and World Change Assistant, a Java-based tool, reduces the time required to search and download ESUs by 75 percent or more and enables you to install multiple ESUs at one time.

See *JD Edwards EnterpriseOne Tools 8.96 Software Update Guide*

For information about the Rapid Start solution for implementation of JD Edwards EnterpriseOne Subcontract Management, review the documentation available.

See Also

About This Documentation, “About This Documentation Preface”[“About This Documentation Preface,”](#) page ix

Global Implementation Steps

This table lists the global implementation steps for JD Edwards EnterpriseOne Subcontract Management:

Step	Reference
1. Set up global user-defined codes (UDCs).	<i>JD Edwards EnterpriseOne Tools 8.96 Foundation Guide.</i>
2. Set up fiscal date patterns, companies, and business units.	
3. Set up next numbers.	<i>EnterpriseOne Tools 8.95: Foundation Implementation Guide.</i>
4. Set up accounts.	
5. Set up General Accounting constants.	
6. Set up multicurrency processing, including currency codes and exchange rates.	
7. Set up ledger type rules.	
8. Enter address book records.	
9. Set up default location and printers.	<i>JD Edwards EnterpriseOne Tools 8.96 Foundation Guide.</i>
10. Set up branch and plant constants.	
11. Set up manufacturing and distribution AAIs.	
12. Set up document types.	
13. Set up shop floor calendars.	

JD Edwards EnterpriseOne Subcontract Management Implementation Steps

This table lists the application-specific implementation steps for the JD Edwards EnterpriseOne Subcontract Management system:

Step	Reference
1. Set up the procurement system, projects or jobs, and commitments.	
2. Set up suppliers.	

CHAPTER 2

Setting Up the EnterpriseOne Subcontract Management System

This chapter provides an overview of system setup and discusses how to:

- Set up projects or jobs.
- Set up commitments.
- Convert data to the Log Master table (F4305).

Understanding System Setup

Before you use the JD Edwards EnterpriseOne Subcontract Management system, you must define setup information. Much of the setup information that you define for the JD Edwards EnterpriseOne Subcontract Management system is performed within the JD Edwards EnterpriseOne Procurement system and other EnterpriseOne systems.

This information directs the system to accommodate specific business needs. For example, you must define the purchasing cycle through which the system processes each order type that you use (requisitions, blanket orders, purchase orders).

EnterpriseOne Procurement System Setup

You set up this information for the JD Edwards EnterpriseOne Procurement system:

Order Line Types

You must define codes that determine how the system processes a detail line on an order.

Order Activity Rules

You must establish the sequence of steps in the purchasing cycle through which the system processes each order.

Constants

You must define constants for these types of default information:

- Branch or plant constants control daily transactions within a branch or plant.
- Item availability constants define how the system calculates the quantity of items available at a branch or plant.
- System constants provide default information that applies throughout the system.
- Batch control constants determine whether an application requires management approval and batch control.

Automatic Accounting Instructions (AAIs)

You must set up AAIs to determine the general ledger accounts for which the system creates journal entries for purchasing transactions.

Tolerance Rules

You can create tolerance rules to specify the number or percentage by which the quantity, unit cost, and extended amount can change on a detail line.

Order Hold Information

You can set up information that the system uses to place orders on hold.

Landed Costs

You can set up landed costs to specify costs that exceed the purchase price of an item, such as delivery charges, broker fees, and so forth.

Non-Stock Items

You can set up information for items that you do not account for as part of the inventory.

Purchase Order Templates

You can set up templates for use during purchase order entry. Templates contain items that you frequently order from a supplier.

Model Logs

You can set up model logs for use during log creation. Model logs contain items that you frequently use in a log.

Other System Setup

You set up this information in other systems, including the JD Edwards EnterpriseOne Inventory Management system and the JD Edwards EnterpriseOne General Accounting system:

Messages

You can predefine messages to attach to orders.

Default Location and Printers

You can define default information for a specified user or workstation terminal, including a branch or plant, an approval route, and a printer output queue.

Next Numbers

You can use the next numbers facility to automatically assign the next available number to document types and address book numbers.

Tax Processing

You must set up tax processing information for the system.

User-Defined Codes

You can set up UDCs to customize each system in the environment.

Item Cross-References

You can define item cross-reference numbers to link the internal item numbers to alternate items numbers, such as those maintained by the suppliers.

Understanding AAI Tables for the Financial System

Six categories of AAIs relate to the JD Edwards EnterpriseOne Subcontract Management system. Each of these categories has a unique prefix that defines the way it is used in the system.

- Retainage payables (PCRETN)
Use this AAI to determine which retention payable account to use when you create contracts that include retainage.
- Deferred VAT tax payables (PCVATP)
Use this AAI to determine the account for deferred VAT payables. This AAI applies only when the VAT tax processing option is on and you use a tax type of C or V.
- Deferred VAT tax recoverables (PTVATD)
Use this AAI to determine the account for deferred VAT recoverables. This AAI applies only when the VAT tax processing option is on and you use a tax type of C or V.
- Default cost types (objects) (CD)
Use this AAI to specify the default cost type (object) for purchase order detail lines that are left blank.
- Specific contract cost types (CT)
Use this AAI to determine the cost types (objects) that are allowed for contracts.
- Range of contract cost types (CR)
Use this AAI to determine a range of valid cost types for contracts.

AAIs for Retainage Payables (PCRETN)

Use this AAI to determine which retention payable account to use when you are creating contracts that include retainage.

If you do not specify a company, the system uses the default company number (00000). You should set the default company account as the account most commonly used by companies on the system. Then you only need to set up distinct PCRETN AAIs for companies with different accounts.

Retainage records that are created by the Progress Payments form require the object account associated with the PCRETN AAI to hold retained balances. You must define the PCRETN AAI before Progress Payments can create retainage vouchers.

AAIs for VAT Payables (PCVATP)

Use this AAI to determine the account for deferred VAT payables. If you do not set up this AAI, the general ledger post ignores the deferred VAT when both of these statements are true:

- The processing option for VAT with retainage is on.
- You use a tax type of C or V.

If you do not specify a company, the system uses the default company number (00000). You should set the default company account as the account most commonly used by companies on the system. Then you only need to set up distinct PCVATP AAIs for companies with different accounts.

When you release retainage, this AAI reverses debits and credits with the PTVATD AAI.

AAIs for VAT Recoverables (PTVATD)

Use this AAI to determine the account for deferred VAT recoverables. If you do not set up this AAI, the general ledger post ignores the deferred VAT when both of these statements are true:

- The processing option for VAT tax with retainage is on.
- You use a tax type of C or V.

You must follow these guidelines on the AAIs form when you set up the PTVATD AAIs:

- You must specify a business unit and an object account.
- You can specify a company.

If you do not specify a company, the system uses the default company number (00000). You should set the default company account as the account most commonly used by companies on the system. Then you only need to set up distinct PTVATD AAIs for companies with different accounts.

When you release retainage, this AAI reverses debits and credits with the PCVATP AAI.

AAIs for Default Cost Types (CD)

Use this AAI to determine the default cost types (objects) for the contracts.

You must follow these guidelines when you set up CD AAIs:

- The first two characters must be CD.
- The second two characters indicate the contract type, such as OS and OP. You must create a separate CD AAI for each contract type. You must also define the contract types in the UDC table (00/DT) for document types.
- Do not assign company, business unit, or subsidiary to the CD AAIs.

If you define a CD AAI for a contract type, the system automatically supplies the cost type associated with the CD AAI.

AAIs for Specific Contract Cost Types (CT)

Use this AAI to determine the allowable cost types (objects) for the contracts.

You must follow these guidelines when you set up CT AAIs:

- The first two characters must be CT.
- The second two characters indicate the contract type, such as OS and OP.

You must create a separate CT AAI for each contract type. You must also define the contract types in the UDC table (00/DT) for document types.

- The last two characters must be a numeric value from 01 to 99.

This value uniquely identifies each valid cost type within the contract type.

- Do not assign company, business unit, or subsidiary to the CT AAIs.

If you define more than one CT AAI for a contract type, the system does not supply a cost type. You must enter a cost type for each commitment. The system compares the cost type that you enter against the CT AAIs for the contract type to ensure that the cost type is valid.

AAIs for a Range of Contract Cost Types (CR)

Use this AAI to determine a range of valid cost types for the contracts.

You must follow these guidelines when you set up CR AAI:

- The first two characters must be CR.
- The second two characters indicate the contract type, such as OS and OP.

You must also define the contract types in the UDC table (00/DT) for document types. If you use base agreements, you must set up a range of CR AAI for the base agreement contract types. For example, if the base agreement contract type is defined as BC, you must set up a CRBCxx range of AAI.

- The last two characters must be a numeric value from 01 to 99.

These values must always occur in sequential pairs that represent ranges. For example, CROP01 is associated with CROP02, CROS97 is associated with CROS98, and so on.

- Do not assign company, business unit, or subsidiary to the CR AAI.

When you enter a cost type for the contracts, the system first compares it to the CT AAI and then compares it to the CR AAI to ensure that the cost type is valid.

Setting Up Projects or Jobs

Before you use the JD Edwards EnterpriseOne Subcontract Management system, you should set up the project or job information in the JD Edwards EnterpriseOne Job Cost system. A project is composed of one or more jobs. When you set up a job, you include information regarding the work to be done. When you set up a project, you include the details of the overall project and the details of each job within the project.

After you enter the project or job information, you can use the JD Edwards EnterpriseOne Subcontract Management system to create and maintain contracts for each of the subcontractors on jobs.

You can customize the project or job information to the business needs. Consider these examples:

- You are contracted to build an office building. The office building is the project, and each floor is a separate job.
- You are contracted to build the houses in a subdivision. The subdivision is the project, and each house is a separate job.

You must first create a job master record for each of the projects or jobs. If you set up a project, you must also set up each of the jobs within the project.

After you set up the projects or jobs, you must set up a cost code structure for each job. A cost code structure is a list of all of the accounts that apply to a job. You use the chart of accounts to track and manage all of the costs that are associated with a job.

For example, assume that you are contracted to construct an office building. You must first create a master record for the entire office building. You can then set up the jobs in the building. In this case, you set up each floor of the building as a separate job. After you set up the jobs, you set up the cost code structure for each job. For example, the cost code structure for the third floor job might include accounts for plumbing, drywall, electrical, and so on.

You can also set up multiple jobs within a company at the same time.

Creating a Job Master Record

Before you use the JD Edwards EnterpriseOne Subcontract Management system, create a job master record for each of the projects or jobs. A job master record includes basic identifying information about the project or job.

Setting Up Jobs within a Project

After you create a job master record for a project, you must set up the jobs within the project. For example, if the project is an office building, you might set up each floor of the building as a separate job.

Assume that you set up job number 6000 for the office-building project. You should set up the floor 1 as job 6001, the floor 2 as job 6002, the floor 3 as job 6003, and so on.

Creating the Cost Code Structure

After you set up jobs, you must create a cost code structure for each job in the JD Edwards EnterpriseOne Job Cost system. A cost code structure is a list of all of the cost codes and cost types that apply to a job.

You use the cost code structure to track and manage all of the costs that are associated with a job. For example, the cost code structure for the floor 1 job might include accounts for plumbing, drywall, electrical, and so on.

Setting Up Commitments

This section provides overviews of commitments, commitment tracking, and commitment relief, and discusses how to:

- Set up commitment tracking
- Set up commitment relief

Understanding Commitments

A commitment is the recognition of a future obligation. Each time you enter a subcontract order detail line, you can have the system track the amount that you are obligated to pay and apply it to a job or project.

You can monitor individual commitments for a job or project to verify the types of subcontracts being made. You can review the total commitment amount for a job or project to verify that it does not exceed the budget.

When you create progress payments, you can have the system relieve commitments. To do this, the system subtracts the individual commitment amount from the total commitment amount for the job or project.

You can also have the system:

- Create an audit trail in the P.O. Detail Ledger File - Flexible Version table (F43199).
- Recalculate amounts in the account balance ledgers.

Understanding Commitment Tracking

You can set up commitment tracking to monitor subcontract obligations for a specific job or project. Each time you enter a subcontract detail line, the system recognizes the amount on the line as a commitment. You can review individual commitments and the total amount of outstanding commitments for a specific job or project.

Commitment tracking applies only to purchases for non-stock items and services (subcontracts). You must charge each detail line to a general ledger account number. The business unit component of the general ledger account number represents the job or project for which you are tracking commitments.

For a detail line to be eligible for commitment tracking, it must be associated with an order type that is listed in UDC 40/CT and it must have a line type with an Inventory Interface code of A or B. These codes indicate that the line is charged directly to a general ledger account number.

Each time you enter a subcontract detail line for which commitment tracking is applicable, the system records the amount in the purchase amount (PA) ledger and the purchase unit (PU) ledger.

The PA ledger contains committed subcontract amounts. The PU ledger contains committed subcontract units.

Understanding Commitment Relief

When you create progress payments, you can have the system relieve the corresponding commitment amount. To relieve a commitment, the system subtracts the individual commitment amount from the total commitment amount for the job or project.

You set up commitment relief to determine whether the system relieves commitments automatically. The system relieves commitments when you post vouchers generated from progress payments to the general ledger.

Important! When completing commitment relief, the Job Cost Projections processing option must be set to *No* if you are in a non-job cost environment.

Note. The default value in the Job Cost Projections processing option is *Yes*.

Forms Used to Set Up Commitments

Form Name	FormID	Navigation	Usage
Job Cost Constants	W0026A	Subcontract Setup/Rebuild (G43D411), Commitment Relief Constants On Work with Job Cost Constants, click Add.	Set up commitment relief to determine whether the system relieves commitments automatically.

Setting Up Commitment Tracking

You specify the order types for which the system is to track commitments in UDC 40/CT. For example, if you want the system to track commitments on orders and requisitions, you must specify these order types.

See *JD Edwards EnterpriseOne Tools 8.96 Foundation Implementation Guide*.

Setting Up Commitment Relief

Access the Job Cost Constants form.

Commitment Relief

Enter an option that specifies whether the system automatically relieves open commitments when you post accounts payable vouchers to the general ledger.

These vouchers are related to non-inventory purchase orders and contract progress payments.

Consider selecting this option to relieve commitments automatically when you post progress payment vouchers.

Converting Data to the Log Master Table

This section provides an overview of converting data to the Log Master table and discusses how to convert data to the Log Master table (F4305).

Understanding Converting Data to the Log Master Table

You can convert data from JD Edwards World Subcontract Management system to the JD Edwards EnterpriseOne Subcontract Management system. To do so, you must run two conversion programs. You must first run the TC from F4303 to F4305 program (R894305) and then run the F4303 - F4305 Media Object Conversion program (R894305A). The system stores all the data that you convert in the Log Master table (F4305).

After you convert the data, it is recommended that you run all reports using data from the Log Master table (F4305).

Converting Data to the Log Master Table

Enter *BV* in the Fast Path. Enter *R894305* in the Batch Application field. Locate and run a version.

Enter *BV* in the Fast Path. Enter *R894305A* in the Batch Application field. Locate and run a version.

CHAPTER 3

Setting Up Suppliers

This chapter provides an overview of supplier setup and discusses how to:

- Enter supplier information for subcontract orders.
- Manage subcontractors.

Understanding Supplier Setup

You must enter identifying information for each of the suppliers that you use on jobs. For example, if you require plumbing subcontractors and electrical subcontractors for jobs, you must set up supplier information for each of the subcontractors you use.

Before you set up the information for a new supplier, you should search the system to verify that the information does not already exist. You must create a supplier master record for each supplier that does not already have a record in your system.

A number called an address book number uniquely identifies each supplier master record in the system. An address book record for a customer must exist in the system before you can create a supplier record. You can create an address book record directly using the Supplier Master program (P04012) or you can use the Address Book program (P01012).

Entering Supplier Information for Subcontract Orders

This section provides an overview of supplier information for subcontract orders and discusses how to:

- Enter supplier details.
- Enter supplier additional information.
- Enter a temporary address for a supplier.

Understanding Supplier Information for Subcontract Orders

You might have different arrangements with each of the suppliers in regard to terms of payment, freight handling, invoice methods, and so forth. When you enter order header information, you must specify the supplier from whom you are requesting the order and any specific arrangements to which you and the supplier have agreed.

You can set up procurement instructions to specify the arrangements that you have with each of the suppliers. When you enter a supplier on an order, the system retrieves the instructions for that supplier. You can modify the instructions to suit a specific order.

To enter a supplier for an order, the supplier must exist in the JD Edwards EnterpriseOne Address Book system.

Prerequisite

Before you complete the tasks in this section, set the appropriate processing option on the Processing tab of Subcontract Order Entry (P4310) to enable access to the JD Edwards EnterpriseOne Address Book system.

Forms Used to Enter Supplier Information for Subcontract Orders

Form Name	FormID	Navigation	Usage
Contract Header	W4310B	Subcontract Processing (G43D11), Enter Subcontract Orders On Work With Order Details, click Add. The Contract Header form appears if you have set the processing option to display header information before detail information.	Specify the supplier from whom you are requesting the order as well as information about the order.
Order Header - Additional Information	W4310H	On Order Header select Additional Info from the Form menu.	Specify any arrangements to which you and the supplier have agreed.
Order Address Information	W4006B	On Order Header, select Order Addresses from the Form menu.	Enter a temporary address for a supplier or for a ship to entity.

Entering Supplier Details

Access the Contract Header form:

Enter Subcontract Orders - Contract Header			
Order Number	6146	OS	00050
Job	1621		
Currency	USD	Exchange Rate	
Base	USD	<input type="checkbox"/> Foreign	
Address Numbers		Dates	
Subcontractor	3480	Digger Enterprises	
Ship To	1620	Birmingham Steel	
Pmt. Remark	Contract #34580-BMGSTL-1		
Description	Gates and Fences		
Print Message			
Tax Expt Code		Hold Code	Blank - Hold Codes 42/HC
Tax Rate/Area		Retainage %	10.000
Certificate		Ordered By	CW902004
Tax ID	225985471	Order Taken By	
Person/Corp. ID	N	AIA Document	
Payment Terms			
Messages			

Contract Header form

Job

Enter an alphanumeric code that identifies a separate entity within a business for which you want to track costs.

For example, a business unit might be a warehouse location, job, project, work center, branch, or plant.

You can assign a business unit to a document, entity, or person for purposes of responsibility reporting. For example, the system provides reports of open accounts payable and accounts receivable by business unit to track equipment by responsible department.

Business unit security might prevent you from viewing information about business units for which you have no authority.

Subcontractor

Enter a user-defined name or number that identifies an address book record; use this processing option to enter and locate information.

If you enter a value other than the address book number, such as the long address or tax ID, you must precede it with the special character that is defined on the Address Book Constants form. When the system locates the record, it returns the address book number.

For example, if address book number 1001 has a long address and an * distinguishes this from other entries, you could type * into the field, and the system would return 1001.

Print Message

Enter a UDC that you assign to each print message.

Examples of text used in messages are engineering specifications, hours of operation during holiday periods, and special delivery instructions.

Payment Terms

Enter a code that specifies the terms of payment, including the percentage of discount available if the invoice is paid by the discount due date.

Use a blank code to indicate the most frequently-used payment term. Define each type of payment term on the Payment Terms Revisions form. Examples include:

Blank: Net 15.

001: 1/10 net 30.

002: 2/10 net 30.

003: Due on the 10th day of every month.

006: Due upon receipt.

This code prints on customer invoices.

Retainage %

Enter the rate of retainage that applies to the contract.

This rate is a percentage of each payment expressed as a decimal fraction. For example, a retainage rate of 10 percent is expressed as *10*. The retainage rate cannot be greater than 99.9 percent (.999) or less than zero.

Entering Supplier Additional Information

Access the Order Header - Additional Information form.

Pricing Group

Enter a UDC identifying the pricing group associated with this customer or supplier:

For sales orders, you assign a pricing group to a customer through the Customer Billing Instructions. Groups typically contain customers with common pricing characteristics, such as retailers, wholesalers, and so forth.

For purchase orders, you assign a pricing group to a supplier through the Supplier Billing Instructions.

Freight Handling Code

Enter a UDC (42/FR) designating the method by which supplier shipments are delivered.

For example, the supplier could deliver to the dock, or you could pick up the shipment at the supplier's dock. You can also use these codes to indicate who has responsibility for freight charges. For example, you can have a code indicating that the customer legally takes possession of goods as soon as they leave the supplier warehouse and is responsible for transportation charges to the destination.

Cost Rule

Enter a UDC (41/P5) that indicates the landed cost rule for an item.

The landed cost rule determines purchasing costs that exceed the actual price of an item, such as broker fees or commissions. You set up landed cost rules on the Landed Cost Revisions form.

Evaluated Receipt

Enter a code that indicates if an order is eligible for the evaluated receipt settlement process.

An evaluated receipt settlement indicates that you have an agreement with the supplier to create vouchers based on the items that you receive. Use the Evaluated Receipt Settlement procedure to create vouchers from receipt records. As a result, the supplier does not send you invoices and you can bypass the Voucher Match procedure. Values are:

N: Not eligible.

Y: Eligible.

I: Receipt transaction is in process.

T: Eligible. However, a tolerance error occurred during the receipt process.

R: Eligible. However, the receipt is currently in the receipt routing process.

V: A voucher has been created for the receipt transaction.

Supplier SO

Enter an alphanumeric value used as a cross-reference or secondary reference number.

Typically, this is the customer number, supplier number, or job number.

Adjustment Schedule

Enter a UDC (40/AS) that identifies a price and adjustment schedule.

A price and adjustment schedule contains one or more adjustment types for which a customer or an item might be eligible. The system applies the adjustments in the sequence that you specify in the schedule. You link customers to a price and adjustment schedule through the customer billing instructions. When you enter a sales order, the system copies the schedule attached to the sold to address into the order header. You can override this schedule at the detail line level.

For JD Edwards EnterpriseOne Agreement Management, this is the Agreement Penalty Schedule. The information in the Agreement Penalty Schedule provides the system with the criteria for an agreement to have penalty conditions.

Note. If you have set up purchasing instructions for a supplier, the system supplies default values for several processing options based on the supplier you enter for the order. You can access the Work With Supplier Master form by choosing Supplier Master from the Form menu on the Contract Header form.

Entering a Temporary Address for a Supplier

Access the Order Address Information form.

This type of address change applies only to the order you are entering. You can enter a temporary address change for the supplier or for the ship-to entity.

Managing Subcontractors

You can manage the relationships that you have with subcontractors, or suppliers, and the services that they provide. You enter initial information about each service that you purchase and the system monitors delivery, quality, and cost performance on behalf of the subcontractor, or supplier. You can compare performance information to determine the best subcontractors from whom to make purchases.

CHAPTER 4

Creating Contracts

This chapter provides overview of contracts and subcontract orders and discusses how to:

- Enter subcontract order header information.
- Enter subcontract order detail information.
- Work with orders on hold.

Understanding Contracts

You create contracts for the subcontractors on jobs. A contract contains the details of a work agreement with a subcontractor. You can enter lump sum contracts or unit contracts. A lump sum contract is a contract in which you specify a single committed amount for the entire contract. A unit contract is a contract in which you specify the committed amount based on the number of units to be completed. A commitment is the money that you designate to pay against a contract.

For example, assume that it costs 1000 to install all of the plumbing for the floor 3 job of an office building project. You can enter a lump sum contract for plumbing for 1000. Now, assume that it costs 0.25 per square foot to install the drywall for the same job. In this case, each square foot of drywall constitutes one unit. You can enter a unit contract for drywall based on the number of square feet to be completed.

You enter identifying information to distinguish the contracts from each other. Identifying information includes details about the contract company, subcontractor information, and financial details, such as tax rates and retainage. Retainage is a percentage of the contract amount that is held until a specified date after the completion of the work.

You create a contract by entering a subcontract order.

After you enter the identifying information for a contract, you enter the commitment details.

In addition, you create log information for each of the contracts. Log information is supplemental to the information contained in a contract, and includes such details as submittals and transmittals. A submittal is information that you need to receive from a subcontractor. A transmittal is information that you need to send to a subcontractor.

You can change the commitment details of a contract after you enter them by creating a change order. This updates the commitment information and enables the system to keep an audit trail of the changes to the contract commitments.

Understanding Subcontract Orders

Each time that you want to purchase services, you must enter an order. You enter orders to specify details about the services you are purchasing, to indicate the supplier from whom you are purchasing, and account to which you book the service order, as well as to specify other pertinent information.

A subcontract order consists of two parts:

- Header information: General information that relates to the entire order, such as the supplier name and order dates.
- Detail information: Line-by-line details about the services you want to order, such as account number, quantities, and costs.

You can enter header information and detail information separately. Depending on the volume of orders and the amount of header information that you need to enter, you use processing options to choose one of these methods to enter orders:

- Enter header information first, followed by detail information.
- Enter detail information only, enabling the system to apply limited default values for header information.

Several tools are available to help you create orders. These tools enable you to generate multiple orders at the same time.

You can have the system check orders to verify that costs do not exceed budget limits. You can place an order on hold if it exceeds budget or for any other reason. You can review up-to-date commitment, budget, log, and order hold information.

After you generate orders, you can make changes to the orders and print the orders.

The system maintains header and detail information in two separate tables:

- Purchase Order Header (F4301)
- Purchase Order Detail File (F4311)

Prerequisites

Before you complete the tasks in this section:

- Verify that you have set up account master information.
- Verify that branch or plant constants are set up for each of the business units or branches (required for only inventory management).
- Set up order activity rules and order line types.
- Set up default location and printer information for the terminal or user profile (optional).
- Set up address book records for all suppliers.
- Set up procurement instructions for each supplier and ship-to address.

Entering Subcontract Order Header Information

This section provides an overview of subcontract order header information and discusses how to:

- Set processing options for the Enter Subcontract Orders program (P4310).
- Enter origin information and delivery instructions for an order.
- Enter dates for an order.
- Enter tax information for an order.
- Enter reference information for an order.

Understanding Subcontract Order Header Information

To generate an order, you must provide information about the supplier, or subcontractor, who is to fill the order, the branch or plant that is requesting the order, and the shipping address for the order. This information is called order header information.

The header information that you enter determines how the system processes the order. For example:

- Subcontractor information determines the address to which the order is sent, the payment terms for the order, and so forth.
- Origination information determines the business unit accountable for the order and the address to which the services are to be delivered.
- Tax information determines how the system calculates taxes for the order.

Header information also includes the date that the order is placed, the date that the order is due, and reference information, such as the user entering the order.

Using the processing options for Order Entry, you can display a header form before the detail form. Depending on how you set the processing options, certain fields can appear on the header form. If you choose to bypass the header form, you must enter limited header information on the detail form. Based on the supplier and branch or plant that you enter, the system applies default values to the fields on the header form.

If you purchase goods or services from international suppliers or subcontractors, you might need to enter order amounts in different currencies, such as Canadian dollars (CAD), Japanese yen (JPY), or euros (EUR). Before you can do this, you must enter these types of information on the header form:

- Whether the supplier or subcontractor uses a foreign currency.
- The type of currency that the supplier or subcontractor uses (which defaults from the Supplier Master Information form).
- The base currency for the company.
- The exchange rate for the currency (one of the predefined rates from the Multi-Currency Processing system).

To use approval processing, which requires that orders be approved before continuing through the procurement or subcontract management cycle, you can set the approval processing options for Order Entry. If you use approval processing, the name of the approval route appears on the header form. Verify that the name of the approval route is correct when you set the processing options, because you cannot change the name after you enter an order.

To enter a special order, such as a requisition, blanket order, or quote order, you use a combination of processing options, order activity rules, and line types in the order entry program.

Ship To Addresses and Delivery Instructions

You generate an order for a specific branch or plant, business unit, project, or job within the company. In most instances, goods are shipped to the same branch or plant that requests the order. However, you might want to ship the goods to another location. You must specify the branch or plant, business unit, project, or job for which you are placing an order. When you enter a branch or plant, the system retrieves the ship-to address from Branch/Plant Constants provided that the ship-to address exists in the address book. If you want to ship the order to a different shipping address, you can override the ship-to address number.

You can enter instructions for the delivery of an order. For example, you can specify that goods be delivered to a certain dock at the warehouse. You can have the system retrieve default delivery instructions set up for the ship-to address in the Supplier Master table (F0401).

Order Dates

When you enter an order, you might request that subcontractor complete work by a specific date. If the subcontract cannot complete work by the date you request, you can specify the date that the subcontractor promises to complete the work. In addition, you can specify the date that you originated the contract and the date that the contract expires.

Tax Information

In most business environments, you are required to pay taxes on the items that you purchase. You can have the system calculate taxes for an order based on the tax information that you enter for the order.

The system provides default values for tax fields based on the master information that you have set up for the supplier. You can use the Purchase Orders program (P4310) processing options to specify that the system retrieve the default value for the tax rate area from the master information for the ship-to address.

If you are using the Vertex® Sales Tax Q Series in conjunction with software, the system retrieves default GeoCodes to determine the tax rate to apply to the order.

Assuming that an order has more than one item, you can change tax information to accommodate each item or service. Then taxes are applicable for the item or service only if you have specified that the detail line is taxable.

Forms Used to Enter Subcontract Order Header Information

Form Name	FormID	Navigation	Usage
Contract Header	W4310B	<p>Subcontract Processing (G43D11), Enter Subcontract Orders</p> <p>On Work With Contract Detail, click Add.</p> <p>Or on Work With Contract Details, select an existing order and click Select.</p> <p>The Contract Header form appears if you have set processing options to display header information prior to detail information.</p>	Enter information about the origin of the subcontract order, order dates, and tax information.
Order Header - Additional Information	W4310H	On the Contract Header form, select Additional Info from the Form menu.	Enter delivery instructions for an order or reference information, such as a confirmation number, document number, or job number for the order, or miscellaneous notes to be printed on the order. The reference information is primarily for informational purposes.

Setting Processing Options for the Enter Subcontract Orders Program (P4310)

Processing options enable you to specify the default processing for programs and reports.

Defaults

These processing options enable you to enter default information that the system uses for purchase order processing.

1. Order Type

Specify the type of document.

This UDC (00/DT) indicates the origin of the transaction. Document type codes are reserved for vouchers, invoices, receipts, and time sheets, which create automatic offset entries during the post program. (These entries are not self-balancing when you originally enter them.) These prefixes have been defined for document types, and we recommend that you do not change them:

P: Accounts payable.

R: Accounts receivable.

T: Payroll.

I: Inventory.

O: Purchase order

J: General accounting/joint interest billing.

S: Sales order processing.

You must enter a value that has been set up in UDC table 00/DT.

2. Line Type

Specify how the system processes lines on a transaction.

The line type affects the JD Edwards EnterpriseOne systems that use transaction interfaces (General Accounting, Job Cost, Accounts Payable, Accounts Receivable, and Inventory Management). The line type also specifies the conditions for including a line on reports and in calculations. Some examples of values, which have been defined on the Line Type Constants Revisions form (P40205), are:

S: Stock item.

J: Job cost, subcontracts, or purchasing to the general ledger.

B: General ledger account and item number.

N: Nonstock item.

F: Freight.

T: Text information.

M: Miscellaneous charges and credits.

W: Work order.

3. Beginning Status

Specify the beginning status, which is the first step in the order process.

You must use a UDC (40/AT) that has been set up on the Order Activity Rules form for the order type and the line type.

4. Override Next Status

Specify the next status code for all new or modified purchase order lines.

You enter next status codes for combinations of order type and line type by using the Order Activity Rules program (P40204). If you leave this processing option blank, the system uses the next status code in the order activity rules as the default value.

Note. Do not use this processing option if you are using approval processing.

5. Unit of Measure

Specify the unit of measure that defaults into the Transaction Unit of Measure processing option.

The unit of measure that you enter overrides any value that is currently in the Transaction Unit of Measure processing option.

Note. If you choose an item from a catalog in Purchase Order Entry (P4310), the unit of measure in the catalog overrides is the default.

6. Line Number Increment

Specify that you want to automatically number the order lines by the increment that you choose.

Increment by whole numbers because other processes, such as, kit entry, create decimal increments.

7. Default Tax Rate/Area

Specify where the system locates default tax rate/area information to use as the default during order entry. Values are:

Blank: The system uses the tax rate/area that is associated with the address book number for the Supplier.

I: The system uses the default tax rate/area from the address book number for the Ship To address.

The information that the system uses is located in the tax information section of the F0401 table.

The system retrieves the tax explanation code from the Supplier address book number record in the F0401 table.

Note. If this is the version that is being called from the Order Release program, then the tax information comes from the F0401 table and not from the original order.

8. Transaction Unit of Measure

Specify where the system locates transaction unit of measure information to use as the default during order entry. Values are:

Blank: The system uses the purchasing unit of measure from the Item Master table (F4101).

The transaction unit of measure directly relates to the number that you have entered in the Quantity processing option on the Purchase Order Entry form.

I: The system uses the primary unit of measure from the F4101 table as the default for the transaction unit of measure.

If you select an item from a catalog in Purchase Order Entry, the unit of measure in the catalog overrides that value.

If you have entered a value in the Unit of Measure processing option, you should not enter a value.

9. Landed Cost Rule

Specify the landed cost rule for the system to use on all orders that have been entered using this version. If you leave this processing option blank, the system uses the landed cost rule from the Ship To information that is stored in the JD Edwards EnterpriseOne Address Book system.

10. Header to Detail

Specify whether the system updates information in the detail lines when you change header information. Values are:

Blank: You must use the Populate form exit on the Order Header form to manually apply header to detail changes.

I: The system automatically loads header changes to the detail lines.

Use the Define form exit on the Order Header form to select which processing options on the Order Detail form you want to update.

After you make changes to the header information, the Order Detail form appears. Remember to click OK to record the changes that you have made on the Order Detail form. If you click Cancel, the changes are lost.

11. Work Order Status

Specify the new work order status when the purchase order quantity or promise date changes.

This processing option pertains to purchase orders that have been created for outside operations by processing work orders with the Order Processing program (R31410). If you change the quantity or promise date after the system creates a purchase order, the system updates the work order status to the value

that you have entered. If you leave this processing option blank, the system does not change the work order status.

12. Account Description

Specify where the system locates the account description to use as the default in order entry. Values are:

Blank: Retrieves the account description from the account that consists of the business unit, object, and subsidiary.

I: Retrieves the account description from the account that consists of the business unit and the subsidiary.

Typically, the account is a non-posting header account.

Note. The object account is not used when the system retrieves the account description.

13. Line Sequence

Specify how the system assigns line numbers on a change order. Values are:

Blank: Assigns unique line numbers.

When there are multiple change orders, the system assigns line numbers on a continuous, incremental basis rather than starting over with line number sequencing for each change order.

I: Starts the sequencing process over for each change order. The system also retains and increments the line number sequence within each individual change order. For the next change order, the system starts over with the line number sequencing.

14. Cost Rule Selection

Specify where the system locates default cost rule selection information to use as the default during order entry. Values are:

Blank: The system uses the cost rule selection that is associated with the address book number for the supplier.

The system retrieves the cost rule explanation code from the supplier address book number record in the F0401 table.

I: The system uses the default cost rule selection from the address book number for the ship to.

Note. If this is the version that is being called from the Order Release program, then the cost rule information comes from the F0401 table and not from the original order.

Display

These processing options control the types of information that the system displays.

1. Suppress Closed Lines

Specify if closed lines should be suppressed. Values are:

Blank: Does not suppress

I: Suppresses

If you suppress closed or canceled lines, any line with a status of 999 does not appear in the detail area. However, the record for the line remains in the F4311 table.

- 2. Status Code Protection** Specify whether you can change status codes. Values are:
 Blank: Status codes can be changed.
I: Status codes cannot be changed.
 You can review the codes, but you cannot change them. Regardless of the status code, the system protects the last and next status when you activate status code protection.
- 3. Order Type Protection** Specify whether you can change order types.
 Blank: You can change the order type.
I: The order type (also known as the document type) cannot be changed. You can review the order type, but you cannot change it.
- 4. Kit Display** Specify whether the system displays kit component lines or only the parent line. Values are:
 Blank: Displays only the parent line; however, both the parent line and all component lines are written to the F4311 table.
I: Displays kit component lines.
 You must first create the purchase order and then inquire upon the purchase order to display the kit component lines.
- 5. Cost Protection** Specify whether you can change costs. Values are:
 Blank: The cost fields appear on the form and can be overridden.
I: The costs appear on the form, but cannot be changed.
 2: The system hides cost information.
 The *Cost* processing option does not appear, although the system still writes the cost information to the F4311 table.
 The system uses cost information from the costs tables as the default. Examples of the costs tables are the Item Cost table (F4105) and the Supplier Price/Catalog table (F41061). The cost table that the system uses for the default information depends on the way that the system is set up.
- 6. Detail Line Protection** Specify the next status at which detail lines are protected from being changed.
 The detail line is protected when the next status is greater than or equal to this status. If this processing option is left blank, the system does not protect detail lines from being changed.
- 7. Free Goods Catalog** Specify if you want Free Goods Catalog warnings to appear. Values are:
 Blank: No warning.
I: Issue warning.
- 8. Order Header Protection** Specify whether order header information is read-only or can be modified. Values are:
 Blank: Order header information can be changed.
I: Order header information is read-only.

9. Jargon and Header Business Unit

Specify whether to use financial AAIs or distribution AAIs.

Additionally, the system uses this processing option to determine which description appears for the Business Unit field (MCU) that appears on the Order Header form and the Order Detail form. For example, if you leave this processing option blank, the MCU field displays the description Branch/Plant. Values are:

Blank: Branch/Plant.

1: Job

The system uses the financial AAIs CD, CT, or CR.

2: Project

The system uses distribution AAIs.

3: Business Unit

10. Account Protection

Specify whether the account number information is protected after the detail line has been partially received or vouchered. Values are:

Blank: The account number information is not protected.

1: The account number information is protected.

Interfaces

These processing options enable you to enter interface information.

1. Business Unit Validation

Specify how the system validates the branch or plant. Values are:

Blank: Validates the branch or plant against the Business Unit Master table (F0006).

Typically, you use this processing option when you are performing services expenditure purchasing. When you leave this processing option blank, the Ship To address book number default value originates from the address book number in the F0006 table. You can access the F0006 table through the Revise Single Business Unit program.

1: Validates the branch or plant against the Inventory Constants table (F41001).

If you are performing stock purchasing, enter *1* for this processing option. When you enter *1*, the system uses the address book number in the F41001 table as the default for the Ship To address book number.

2. PBCO Warning

Specify whether you want to receive a PBCO (Post Before Cutoff) warning. Values are:

Blank: Compares the general ledger date on the purchase order to the general accounting period for the company and business unit that are on the purchase order.

The PBCO warning ensures that you are not recording purchases in a prior general accounting period.

1: Do not issue.

Typically, you use this value when you are performing services or expenditure-type purchasing.

- 3. PACO Warning** Specify whether you want to receive a PACO (Post After Cutoff) warning. Values are:
- Blank: Compares the general ledger date on the purchase order with the current period in the General Accounting Constants for the company and business unit that are on the purchase order.
- The PACO warning occurs when you try to create a purchase order with a general ledger date that exceeds two periods beyond the current general ledger period.
- 1*: Do not issue.
- 4. Quantity Update** Specify which quantity processing option the system updates. Before you set this processing option, always check the way that you have defined availability in the Branch/Plant Constants program. Values are:
- Blank: The system updates the Quantity on PO field (alias PREQ).
- 1*: Update the Quantity On Other POs field (alias OT1A) in the Item Branch (F4102) or Location (F41021) tables.
- Use this value when you are entering requisitions, quotes, blanket orders, or other order types for which you do not want to affect the current on-purchase order quantity.
- 5. Supplier Analysis** Specify whether you want the system to capture supplier analysis information. Values are:
- Blank: Does not capture supplier analysis information.
- 1*: Records information such as item numbers, dates, and quantities for every purchase order in the Supplier/Item Relationships table (F43090).
- To make supplier analysis most effective, enter *1* for this processing option and set the processing options for the Purchase Order Receipts program (P4312) and the Voucher Match program (P4314) to capture the same information.
- 6. Edit Supplier Master** Specify whether the system validates the supplier number against the Supplier Selection File table (F4330). Values are:
- Blank: Does not validate the supplier number.
- 1*: Validates the supplier number.
- 7. Financial AAI** Specify whether to use financial or distribution AAI. Additionally, the system uses this processing option to determine which description appears for the Business Unit field (MCU) that appears on the Order Header form and the Order Detail form. For example, if you leave this processing option blank, the MCU field displays the description Branch/Plant. Values are:
- Blank: Branch/Plant
- 1*: Job. The system uses the financial AAI CD, CT, or CR.
- 2*: Project. The system uses distribution AAI.
- 3*: Business Unit

Processing

These processing options enable you to enter interface information.

1. New Supplier Information

Specify whether you can add new supplier information through the Address Book Revisions program (P0101). Values are:

Blank: Does not access the Address Book Revisions program (P0101).

I: Automatically access the Address Book Revisions program (P0101).

You can add a supplier as you need to. Consider the security restrictions for the Address Book records. You may not want to provide all users with the ability to enter supplier address book records.

2. Order Templates

Specify whether you want to review order templates. Values are:

Blank: Do not display

I: Automatically display

If you set this processing option to automatically display available order templates and you access the Order Header form, the system displays the order templates before displaying the Order Detail form. If you access the Order Detail form first, the system displays the order templates when you move the cursor to the detail area for the first time.

3. Subsystem Printing

Specify whether you want to automatically print a purchase order using the subsystem. Values are:

Blank: Do not print

I: Automatically print

Note. You need to submit the version of the Purchase Order Print program (R43500) that is designated for subsystem processing.

4. Blanket Releases

Specify whether the system automatically processes blanket releases. Values are:

Blank: Does not automatically process blanket releases.

I: Processes blanket releases for all branches or plants.

2: Processes blanket releases for a specific branch or plant.

5. Header Display

Specify whether the Order Header form appears before the Order Detail form. Values are:

Blank: Display the Order Detail form.

I: Display the Order Header form before the Order Detail form.

6. Agreement Search

Specify how the system searches for agreements. This processing option applies only if you are using JD Edwards EnterpriseOne Procurement in conjunction with the JD Edwards EnterpriseOne Agreement Management system. Values are:

Blank: Do not search for agreements.

I: Assign if only one agreement exists in the system.

2: Display all agreements.

3: Search for the agreement that has the earliest expiration date.

- 7. Base Order Protection** Specify whether base order information can be changed. The base order is the original contract or order. The base order detail lines are identified as change order number 000. Values are:
Blank: The base order information can be changed.
I: The base order information cannot be changed.
- 8. Project/Job Validation** Specify that the values for the branch or plant and general ledger account business unit are the same. Values are:
Blank: The values for the general ledger account business unit and the header business unit can be different.
I: The values for the general ledger account business unit and the header business unit (branch or plant, job, and so on) are the same.
- 9. Exclusive Adjustment Hold** Specify that you want to place the order on hold if you apply advanced pricing to the item and have chosen mutually exclusive adjustments for the item's adjustment groups.
- 10. Logs Entry Display** Specify whether the system automatically displays logs when you add an order or a contract. Values are:
Blank: Does not automatically display
I: Automatically displays

Duplication

These processing options enable you to enter default information that the system uses for duplicate orders.

- 1. Duplicate Order Type** Specify the type of document.
This UDC (00/DT) indicates the origin of the transaction. Document type codes are reserved for vouchers, invoices, receipts, and time sheets, which create automatic offset entries during the post program. (These entries are not self-balancing when you originally enter them.) These prefixes have been defined for document types, and we recommend that you do not change them:
P: Accounts payable.
R: Accounts receivable.
T: Payroll.
I: Inventory.
O: Purchase order.
J: General accounting/joint interest billing.
S: Sales order processing.
You must enter a value that has been set up in UDC table 00/DT.
- 2. Beginning Status Code** Specify the beginning status, which is the first step in the order process.
You must use a UDC (40/AT) that has been set up on the Order Activity Rules form for the order type and the line type.

- 3. Next Status Code (Optional)** Specify the next step in the order process.
You must use a UDC (40/AT) that has been set up on the Order Activity Rules form for the order type and the line type.
- 4. Copy Selection** Specify the information that the system copies. Activate this processing option to copy line attachment text and order attachment text when generating quotes or requisitions into purchase orders. Values are:
Blank: Copy no information.
1: Copy only line text.
2: Copy line text and order text.
3: Copy only order text.

Cross Ref

These processing options enable you to enter cross-reference codes.

- 1. Substitute Items and 2. Obsolete Items** Specify the default cross-reference code that the system uses for retrieving substitute items.
The value that you enter is used as the default on the Substitute Item Search and Select form.
If more than one substitute item exists, the system displays a check mark in the row header that is located in the detail area and an X in the Substitute Exists column.
- 3. Promotional Items** Specify the cross-reference code that the system uses to retrieve promotional items.

Order Inquiry

These processing options enable you to enter status and date information.

- 1. From Status Code and 2. Thru Status Code** Specify the first code and last code for order detail lines.

Note. The system uses this status as the default on the Additional Selection form.

- 3. Last Status** Specify whether the system uses the last status or next status for the Open Order Inquiry program (P4310). Values are:
Blank: The system uses the next status code as the default for the from and thru status codes.
1: The system uses the last status code as the default for the from and thru status codes.
- 4. Date** Specify the date that the system checks to ensure that the date is within the date range. Values are:
Blank: Requested Date
1: Transaction date
2: Promised date

- 3: Original promise date
- 4: Receipt date
- 5: Cancel date
- 6: General ledger date

Versions

These processing options control which version of various programs the system uses.

- | | |
|--|--|
| 1. Supply/Demand Inquiry (P4021) | Specify the version that the system uses when you are using the Supply/Demand Inquiry program. |
| 2. Supplier Analysis (P43230) | Specify the version that the system uses when you are using the Supplier Analysis program. |
| 3. Supplier Master (P04012) | Specify the version that the system uses when you are using the Supplier Master program. |
| 4. PO Print on Demand (R43500) | Specify the version that the system uses when you are using the Purchase Order Print On Demand program. |
| 5. Item Availability Summary (P41202) | Specify the version that the system uses when you are using the Item Availability program. |
| 6. Approval Review (P43081) | Specify the version that the system uses when you are using the Approval Review program. |
| 7. Receipt Routing (P43250) | Specify the version that the system uses when you are using the Receipt Routing program. |
| 8. Open Receipts (P43214) | Specify the version that the system uses when you are using the Open Receipts program. |
| 9. Revision Audit Summary (P4319) | Specify the version that the system uses when you are using the Revision Audit Summary program. |
| 10. Purchase Ledger (P43041) | Specify the version that the system uses when you are using the Purchase Ledger program. |
| 11. Open Order Inquiry (P4310) | Specify the version that the system uses when you are using the Open Order Inquiry program. |
| 12. Financial Status Inquiry (P44200) | Specify the version that the system uses when you are using the Financial Status Inquiry program. |
| 13. Inbound Transportation (P4915) | Specify the version that the system uses when you are using the Inbound Transportation program. |
| 14. Preference Profile (R40400) | Specify which version of the Preference Profiles program (P42520) the system uses to process orders based on preferences that are activated on the Preference Selection form. If you leave this processing option blank, the system uses ZJDE0001. |
| 15. Configurator (P32942) | Specify which version the system uses when you are using the Configurator program. |

- 16. Blanket Release (P43216)** Specify which version that the system uses with the Blanket Order Release program (P43060).
- 17. Logs Entry (P4305)** Specify the version that the system uses with the Logs Entry program (P4305).
- 18. Requisition Self Service (P43E10)** Specify which version that the system uses with the Requisition Self Service program (P43E10).

Currency

These processing options enable you to enter currency information.

- 1. Tolerance** Specify a currency tolerance limit percentage to ensure that the currency amount does not fluctuate by an amount greater than the tolerance percentage as compared with the Currency Exchange Rates table (F0015).
- If you work with multiple currencies, create a separate version of this program for each currency. The amount you specify in this processing option is currency specific.

- 2. Currency Code** Specify the currency code in which to view as if amounts.
- This enables you to view domestic or foreign amounts in a currency other than the currency in which the amounts were originally entered.
- If you leave this processing option blank, the system displays as if amounts in the currency in which they were originally entered.

Note. This works if currency amounts are stored in a temporary memory, and are not written to a table.

- 3. As of Date** Specify an as of date for the as if Currency Code processing option. The system uses this date to retrieve the exchange rate from the F0015 table.
- If you specify a currency code in the Currency Code processing option and leave this processing option blank, the system uses the system date.

Note. A valid exchange rate between the domestic or foreign currency and the as if currency must exist in the F0015 table, based on the as of date.

Approvals

These processing options enable you to enter approval-processing information.

- 1. Route Code** Specify which default code the system uses for approval processing.
- Blank: Does not perform
- 1: Originator's address
- 2: Originator's user profile
- 3: Branch or plant route
- 4: Default locations route
- 2. Awaiting Approval Status** Enter the next status for the system to use when the order enters the approval route.

- 3. Approved Status** Enter the next status for the system to use when the order is automatically approved.
- 4. Reapprove Changed Lines** Specify the type of modification in which approval processing is activated for a purchase order line that has been approved.
- Whether the system activates approval processing for certain types of modifications a purchase order line that already has been approved. Values are:
- 1*: Activate approval processing when any fields for the purchase order line have been modified.
- 2*: Activate approval processing only when certain critical fields, which are activated through the Approval Fields Constants program (P43080), have been modified.
- 3*: Activate approval processing when the standard critical fields have been modified.
- 5. Approval Hold Code** Specify a hold code that the system uses when placing the order on hold for the approval process.
- If you leave this processing option blank, the system does not place the order on hold.

Budgeting

These processing options enable you to enter budgeting information.

- 1. Budget Hold Code** Specify the hold code that the system uses for budget holds.
- After you enter a hold code, the system activates the budget-checking process. Budget checking ensures that when a detail line exceeds the budget for an account, the system places the entire order on hold.
- 2. Budget Ledger Type** Specify the ledger type that contains the budgets.
- If you specify a budget ledger type, the system retrieves only that budget ledger type. If you leave this processing option blank, the system retrieves all budget ledger types that were specified in the Ledger Type Master Setup program (P0025) and that are contained in the Ledger Type Master table (F0025).
- 3. Level of Detail** Specify the value (*3* through *9*) for the level of detail that the system uses during the budget checking process. If you leave this processing option blank, the system uses a default value of *9*.
-
- Note.** You can use this processing option with the processing option for level of detail accumulation.
-
- 4. Budget Total Method** Specify the method by which the system calculates the budget. Values are:
- Blank: The system uses the job cost budget calculation method
- 1*: Job cost budget:
- (Original budget) + (period amounts for the current year) + (prior year postings)
- 2*: Standard financial budget:

- (Sum of period amounts for the current year)
- 3: Standard financial spread:
- (Original budget) + (period amounts for the current year)
- 5. Period Accumulation Method** Specify the time period that the system uses when accumulating the budget. Values are:
- Blank: Use the total annual budget to accumulate the budget.
- 1*: Accumulate the budget through the current period.
- 6. Tolerance Percentage** Specify the percentage by which the detail line amount can exceed the budget before the system places the order on budget hold.
- 7. Hold Warning** Specify whether the system displays a warning message about detail line amounts that exceed the budget. Values are:
- Blank: Does not display a warning, but it does place the order on hold.
- 1*: Displays a warning and places the order on hold.
- 2*: Displays a warning, but it does not place the order on hold.
- 8. Budget Accumulation Level of Detail** Specify whether the system uses the value for the Level of Detail processing option (located on the Budgeting tab) to accumulate budget amounts. Values are:
- Blank: The system uses the value for the Level of Detail processing option.
- 1*: The system accumulates budget amounts starting from the level of detail that has been specified for the purchase order detail line up to the value for the Level of Detail processing option.
- 9. Exclude Subledger/Type** Specify whether the system excludes the subledger and subledger type when validating the budget information. Values are:
- Blank: Includes the subledger and subledger type.
- 1*: Excludes the subledger and subledger type.
- The system calculates the total of budgets for all subledgers for the detail line account to determine whether the line exceeds the budget.
- 10. Job Cost Account Sequence** Specify the job cost account sequence that the system uses for budgeting. Values are:
- Blank: The system uses the standard account sequence (for example, cost center, object, and subsidiary).
- 1*: The system uses the job cost sequence (for example, job, cost code, and cost type).
- 11. Include Taxes** Specify whether the system includes taxes for taxable lines in budget calculations. Values are:
- Blank: Do not include taxes
- 1*: Include taxes

Interop

These processing options enable you to enter interoperability information.

- 1. Purchase Order Before / After Image Processing** Specify whether the system captures a record of a transaction before the transaction was changed or whether the system captures records of a transaction before and after a transaction was changed.
- Blank: Capture a record of a transaction after the transaction was changed.
- I*: Capture one record of the transaction before it was changed and one record after it was changed.
- 2. Purchase Order Transaction Type** Specify a transaction type for the export transaction. If you leave this processing option blank, the system does not perform export processing.
- 3. Work Order Before / After Image Processing** Specify whether the system writes the before image for the work order header. Values are:
- Blank: Does not include the image.
- I*: Includes the image.
- 4. Work Order Transaction Type** Specify the default transaction type for the work order header that the system uses when processing export transactions. If you leave this processing option blank, the system does not perform export processing.

Order Revision

These processing options enable you to control revisions to orders.

- 1. Revision Tracking** Specify whether the system allow revisions to an order. Values are:
- Blank: Do not allow revision.
- I*: Allow revisions to existing orders only.
- 2*: Allow revisions to an existing order as well as the addition of new lines to the order.
- 2. Next Status** Specify the next status code at which the system begins tracking order revision audit information.
- The system does not record revisions to detail lines if the lines' statuses precede the status code.
- The system stores revision information in the F43199 table. You can access this table through the Order Revision Inquiry program (P4319).
- 3. Text Entry** Specify whether the system enables you to enter text when you are entering a revision. Values are:
- Blank: Do not enable
- I*: Enable

Self-Service

This processing option enables you to specify whether the system activates self-service functionality.

- 1. Supplier Self-Service** Specify that you want to activate Supplier Self-Service for use in a Java/HTML environment. This functionality enables suppliers to view their orders online. Values are:
- Blank: Do not activate

I: Activate

Matrix

Specify the parent that the system processes.

1. Inventory Parent

Specify whether the system displays the Matrix Order form when you are working with a matrix parent item. If you enter a matrix parent item on the order detail and the Matrix Order form is not displayed, the parent item is treated as an inventory item instead of a matrix parent. Values are:

Blank: Display

I: Do not display

Workflow

Use these processing options to specify how the system processes workflow information.

1. Price Changes Notify, 2. Planned Delivery Date Changes Notify, 3. Quantity Changes Notify, 4. Order Hold Notify

Specify the recipient of the email that the system automatically sends when the unit cost/lump sum changes on the order. Values are:

Blank: Do not send.

1: Send email to the purchase order originator.

2: Send email to the project manager (ETO only).

3: Send email to the buyer.

4: Send email to the purchase order originator, the project manager (ETO only), and the buyer.

Transfer Order

Use these processing options to specify how the system processes transfer orders.

1. Create Item Branch Record if one does not exist for the receiving B/P when Entering a Transfer Order

Specify transfer orders to determine whether the system creates an item branch record if one does not already exist in the receiving branch or plant.

2. Project Transfer Order Line Type

Specify the line type that the system uses for the purchase order that is created from a sales transfer order.

Ensure that the line type has been defined with an inventory interface of C by accessing the Line Type Constants program (P40205). When the line type has an inventory interface of C, the system performs financial commitments for purchase orders that are associated with the JD Edwards EnterpriseOne Engineer to Order system.

Entering Origin Information and Delivery Instructions for an Order

Access the Contract Header form.

To enter origination information for an order:

1. On Contract Header, complete the Subcontractor, Job, and Ship To fields.
2. From the Form menu, select Additional Info to access the Order Header - Additional Information form.
3. On Order Header - Additional Information, complete the Delivery Instructions Line 1 field and click OK.
4. On Order Header, click OK.
5. On Work With Order Details, click Cancel.

Entering Dates for an Order

Access the Contract Header form.

Order Date	Enter the date that an order was entered into the system. This date determines which effective level the system uses for inventory pricing.
Requested	Enter the date that an item is scheduled to arrive or that an action is scheduled for completion.
Promised Delivery	Enter the promised shipment date for either a sales order or a purchase order. The supply and demand programs use this date to calculate available to promise information. This value can be automatically calculated during sales order entry. This date represents the day that the item can be shipped from the warehouse.
Cancel Date	Enter the date that the order should be canceled if the goods have not been sent to the customer or the goods have not been received from the supplier. This is a memo-only processing option and does not cause the system to perform any type of automatic processing. If a line on a sales order is canceled in Sales Order Entry, this processing option is updated with the date that the line was canceled.

Note. If you do not enter an order date, a requested date, or a promised delivery date, the system enters the current system date.

Entering Tax Information for an Order

Access the Contract Header form.

Tax Expl Code (tax explanation code)	Enter a hard-coded UDC (00/EX) that controls the algorithm that the system uses to calculate tax and general ledger distribution amounts. The system uses the tax explanation code in conjunction with the tax rate area and tax rules to determine how the tax is calculated. Each transaction pay item can be defined with a different tax explanation code.
Tax Rate/Area	Enter a code that identifies a tax or geographic area that has common tax rates and tax authorities. The system validates the code that you enter against the Tax Areas (F4008) table. The system uses the tax rate area in conjunction with the tax explanation code and tax rules to calculate tax and general ledger distribution amounts when you create an invoice or voucher.

Certificate Enter the number that tax authorities issue to tax-exempt individuals and companies to identify their tax-exempt status.

Note. You can override the tax information when you enter the purchase order or match it to the voucher.

Entering Reference Information for an Order

Access the Order Header - Additional Information form.

Reference Enter a field available to record reference numbers, such as the supplier's bid document number, quote document, sales order, work order, or job number.

Entering Subcontract Order Detail Information

This section provides an overview of subcontract order detail information and discusses how to:

- Enter detail lines by account number.
- Enter tax information for a detail line.
- Enter discount terms for a detail line.
- Enter change orders.
- Copy change orders.
- Duplicate an order.

Understanding Subcontract Order Detail Information

After you enter header information for a contract, such as the subcontractor to fill the order and the branch or plant requesting the order, you must enter information about each service that you want to procure on the Order Detail form. For each service within a contract, you must enter a line of detail that describes:

- The service that you want to procure.
- The quantity that you want to procure.
- The cost of the service.

In the JD Edwards EnterpriseOne Subcontract Management system, you use the general ledger account number method to enter order detail lines.

If you purchase goods or services for internal use or for use on a certain job or project, you can enter detail lines by account number, item number, or both.

If the subcontractor has an internet home page set up with items or services that it offers, you can preview that information in the electronic catalog before entering the order detail information. On the Order Detail form, you can use a Form menu exit to preview supplier or subcontractor information.

The system provides default values for detail lines based on the header information on an order. You can add and change the information for each detail line based on what is relevant to the process. You also can attach notes or narrative text to each detail line.

You can enter tax information for each detail line to have the system calculate taxes on the goods or services that you are purchasing. If the supplier provides a discount on the order, you can enter the terms of the discount. By assigning reporting codes to a detail line, you can group items for reporting purposes.

If the supplier or subcontractor uses a different currency than the company's base currency, you must enter costs in the foreign currency.

You can replace an existing item on a detail line with a substitute or replacement item. For example, if the supplier is out of the item that you entered on a detail line, you can review a list of alternative items and select a replacement item.

For an existing order, you can use the Order Detail form to review summary information such as items, account numbers, order quantities, prices, extended volumes and weights, total tax amount, and total currency amount.

You might need to cancel a detail line if you no longer want to purchase the services that the line contains. When you cancel a line, the system closes the line and assigns it a last status of 980 (canceled order entry) and a next status of 999, which indicates that the purchasing process for the line is complete. If you want the closed line to appear when you are reviewing the order, you can set the processing options for Order Entry. If you want the closed line to be deleted from the system, you must run a purge.

The system provides four grid formats as tabs on the Order Detail form. Each tab displays the columns in the detail area of the form in a different order. In this book, the stock-based environment and forms are displayed as examples.

Tax Information

You can enter tax information that is specific to a detail line. This tax information determines whether taxes apply to the items or services on the detail line, and how the system calculates the taxes.

The system retrieves default tax information for each detail line based on the tax information that you entered for the order. If tax information for the detail line differs from that for the rest of the order, you can change the tax information to accommodate the detail line.

If you are using the Vertex® Sales Tax Q Series system in conjunction with software, the system retrieves default GeoCodes to determine the tax rate to apply to the order.

Discount Terms

You can enter discount terms on a detail line to have the system calculate a discount on the services that you purchase. For example, a subcontractor might offer a 10 percent discount on certain services.

You can enter a specific discount factor for a detail line. The system enters a cost for the service on the detail line based on the discount factor. For example, to specify a 10 percent discount for a service, you enter a discount factor of 0.90. If the unit cost for the item is usually 10.00, the system enters a unit cost of 9.00.

You can also specify a discount for a service based on a price rule. The system applies a discount to the unit cost of the service based on the discount set up for the price rule. The system retrieves a default price rule for a service if:

- You have attached a price rule to branch or plant information for the service.
- You have attached the price group to the subcontractor from whom you are purchasing the service.

Reporting Codes

You might want to group detail lines with similar characteristics so that you can generate reports based on the group. For example, you can group all detail lines for electrical services so that you can produce a report that lists open order information for electrical services. To group detail lines, you assign reporting codes to each line. The reporting codes are default codes that are associated with the classification codes for an item on the Item/Branch Plant Info. form.

Five categories of reporting codes are available for purchasing and subcontracts. Each category represents a specific group of codes. For example, you might have a category for commodities. Within this category would be different codes, each of which represents a specific type of commodity, such as aluminum or copper.

Change Orders

You can change commitment details after you enter them by creating a change order, which updates the commitment information and creates a record of changes to the order. For example, to increase the committed amount for an order by 100, you enter a change order for 100.

You can set the display and process processing options for Order Entry to determine whether you can change original commitment information by line item or if you must enter a change order.

The system maintains a record after you make a change. After you enter change order information, you can enter descriptive text for each line item of the contract.

Note. If you are using the JD Edwards EnterpriseOne Advanced Pricing system in conjunction with the JD Edwards EnterpriseOne Procurement system, change orders are not priced with adjustment schedules.

Accounts Numbers for Detail Lines

If you work in an environment in which you purchase services for internal use or for use in a certain job or project, you can charge contracts against general ledger account numbers. You enter a detail line for each account number against which you are purchasing. This enables the general ledger to reflect expenses by job or project.

When you enter detail lines by account number, you can have the system perform commitments.

You determine how the system processes information on each detail line. For example, you can require that the system process a line based on both an account number and an item number. You must enter a line type for each detail line to indicate how the transaction works with other systems.

If you are making an account-based entry, you must enter an inventory interface of *A* or *B*.

If you are entering a lump sum for a detail line, you must enter an inventory interface of *A* or *N*.

An example of how the detail line information that you enter affects other systems is general ledger information. The system tracks purchasing expenses in the general ledger based on the general ledger class code that you enter for a detail line. The general ledger class code determines the received not vouchered account to which the system applies a credit if you enter a formal receipt.

Order Duplication

To avoid having to enter the same information for multiple orders, you can duplicate an order. You can also duplicate an order to create a new type of order from an existing order, for example, to create an order from a requisition. You cannot duplicate orders on hold.

You can also duplicate an order to create a certain type of order from the original order. You set the processing options for Order Entry to specify the order type code for the duplicate orders. For example, you enter the order type code for purchase orders (usually OP) if you want the system to create a purchase order every time you duplicate a requisition. You must also specify the status codes for detail lines on the duplicate order, and you must indicate whether the system duplicates notes that are attached to the original order.

Prerequisites

Before you complete the tasks in this section:

- You must set the Order Entry processing options to have the system enter a current status code and a next status code for each detail line. These codes determine the next process that the detail line goes through in the subcontract management process.
- You must set the Order Entry processing options to indicate the method by which the system updates detail lines with changes to header information. If you do not set the processing options to automatically update the header information, you must do so manually on the Order Header form by choosing Header To Detail/Define, which enables you to specify which fields to update, and then Header To Detail/Populate from the Form menu.

Forms Used to Enter Subcontract Order Detail Information

Form Name	FormID	Navigation	Usage
Work With Contract Detail	W4310G	Subcontract Processing (G43D11), Enter Subcontract Orders	Select existing subcontract orders for modification.
Contract Detail	W4310A	On Work With Contract Detail, click Add. If you have set processing options to bypass the header form, Order Detail appears. Otherwise, you must enter header information on Order Header before you can proceed to Order Detail.	Enter detail information about each service that you want to procure.
Order Detail - Page I	W4310F	On Order Detail, complete the Job and Supplier fields, and then select a detail line and select Additional Info 1 from the Row menu.	Enter tax information and discount terms for a detail line.
Order Detail - Page II	W4310E	On Order Detail, complete the Job and Supplier fields, and then select a detail line and select Additional Info 2 from the Row menu.	Enter reporting codes for a detail line.

Entering Detail Lines by Account Number

Access the Contract Detail form. Select the Line Defaults tab.

Account Number Enter a value that identifies an account in the general ledger.

Use one of these formats to enter account numbers:

Standard account number.

Third general ledger number.

Account ID number. The number is eight digits long.

Speed code. This is a two-character code that you concatenate to the AAI item SP.

The first character of the account number indicates its format. You define the account format in the General Accounting constants.

Subsidiary

Enter a subset of an object account.

Subsidiary accounts include detailed records of the accounting activity for an object account.

Obj Acct (object account)

Enter the portion of a general ledger account that refers to the division of the cost code into subcategories.

For example, you can divide the cost code for labor into regular time, premium time, and burden.

If you use a flexible chart of accounts and the object account is set to six digits, we recommend that you use all six digits. For example, entering 000456 is not the same as entering 456 because if you enter 456 the system enters three blank spaces to fill a six-digit object.

Tr. UoM (transaction unit of measure)

Enter a UDC (00/UM) that indicates the quantity in which to express an inventory item (for example, CS or BX).

Unit Cost

Enter the price charged for the unit of measure in the adjoining processing option.

Use these processing options, for example, if the primary unit of measure is EA, but you typically use a list price per box.

Extended Cost

Enter a value that is equal to the number of units multiplied by the unit price.

Pu. UoM (purchasing unit of measure)

Enter a code that identifies the unit of measure in which you usually purchase the item.

Ln Ty (line type)

Enter a code that controls how the system processes lines on a transaction.

Line type controls the systems with which the transaction interfaces, such as General Accounting, Job Cost, Accounts Payable, Accounts Receivable, and Inventory Management. It also specifies the conditions under which a line prints on reports, and it is included in calculations. Codes include:

S: Stock item

J: Job cost

N: Nonstock item

F: Freight

T: Text information

M: Miscellaneous charges and credits

W: Work order

Sub Type (subledger type)	<p>Enter a UDC (00/ST) that is used with the Subledger field to identify the subledger type and how the system performs subledger editing.</p> <p>On the UDCs form, the second line of the description controls how the system performs editing. This is either hard-coded or user-defined. Values include:</p> <p><i>A</i>: Alphanumeric field, do not edit.</p> <p><i>N</i>: Numeric field, right-justify and zero fill.</p> <p><i>C</i>: Alphanumeric field, right-justify and blank fill.</p>
Subledger	<p>Identifies a detailed, auxiliary account within a general ledger account. A subledger can be an equipment item number or an address book number. If you enter a subledger, you must also specify the subledger type.</p>
Last Status	<p>Enter a code specifying the last step in the processing cycle that this order line has successfully completed.</p>
Next Status	<p>Enter a UDC indicating the next step in the order flow of the line type.</p>
Effective Date	<p>Enter a date that identifies the financial period to which the transaction is to be posted.</p> <p>The company constants specify the date range for each financial period. You can have as many as 14 periods. Generally, period 14 is used for audit adjustments. The system validates this processing option for PBCO, PYEB, PACO, and WACO messages.</p>
G/L Offset (general ledger offset)	<p>Enter the general ledger offset account for the commitment line or pay item.</p> <p>The default is supplied from the Address Book Supplier Master (F0401) table. If no general ledger offset account is specified in the table, the general ledger offset account is the value in the PC AAI for trade accounts payable or contracts payable.</p>

Note. You can click the Search button in the Tr. UoM field and Pu. UoM field to access the Unit of Measure Lookup form, where you can select from a list of valid units of measure for the item that you are entering on the purchase order.

Entering Tax Information for a Detail Line

Access the Order Detail - Page I form.

Taxable	<p>Enter a code that indicates whether the item is subject to sales tax when you purchase it.</p> <p>The system calculates tax on the item only if the supplier is also taxable.</p>
Expl Code (explanation code)	<p>Enter a hard-coded UDC (00/EX) that controls the algorithm that the system uses to calculate tax and general ledger distribution amounts.</p> <p>The system uses the tax explanation code in conjunction with the tax rate area and tax rules to determine how the tax is calculated. Each transaction pay item can be defined with a different tax explanation code</p>
Rate/Area	<p>Enter a code that identifies a tax or geographic area that has common tax rates and tax authorities.</p>

The system validates the code that you enter against the Tax Areas (F4008) table. The system uses the tax rate area in conjunction with the tax explanation code and tax rules to calculate tax and general ledger distribution amounts when you create an invoice or voucher.

Entering Discount Terms for a Detail Line

Access the Order Detail - Page I form.

Discount Factor	<p>Enter the factor that the system applies to the unit price of an inventory item to determine the net price.</p> <p>The system retrieves this value from the inventory pricing rules if you have assigned a rule to this item. The pricing rule setup determines whether the system multiplies the unit price by this value or adds to or deducts from the unit price.</p>
Item Price Group	<p>Enter a UDC that identifies an inventory price group for an item.</p> <p>Inventory price groups have unique pricing structures that direct the system to incorporate discounts or markups on items on sales and purchase orders. The discounts or markups are based on the quantity, currency amount, or weight of the item ordered. When you assign a price group to an item, the item takes the same pricing structure defined for the inventory price group.</p> <p>You must assign an inventory price group to the supplier or customer, as well as to the item, for the system to interactively calculate discounts and markups on sales orders and purchase orders.</p>
Pricing Cat. Level (pricing category level)	<p>Enter a pricing category or price rule, whichever can contain a variety of levels.</p> <p>Within each price rule, each level is defined by its effective date range and allowed quantity, and whether it is based on the item's cost, price, or an amount specified as an override.</p>
Adjustment Schedule	<p>Enter a UDC (40/AS) that identifies a price and adjustment schedule.</p> <p>A price and adjustment schedule contains one or more adjustment types for which a customer or an item might be eligible. The system applies the adjustments in the sequence that you specify in the schedule. You link customers to a price and adjustment schedule through the customer billing instructions. When you enter a sales order, the system copies the schedule attached to the sold to address into the order header. You can override this schedule at the detail line level.</p> <p>For JD Edwards EnterpriseOne Agreement Management, this is the Agreement Penalty Schedule. The information in the Agreement Penalty Schedule provides the system with the criteria for an agreement to have penalty conditions.</p>

Entering Change Orders

Access the Work With Contract Detail form.

To enter change orders:

1. On Work With Contract Detail, select the order for which you want to add a change order.

2. Select Change Orders, and then select Add Change Order from the Row menu.
3. On Contract Detail, complete the fields as required, and click OK.

Change Order

Enter the change order number of the contract.

The default change number of the original base contract is 000. Each time that you add a change order, the system automatically increments the number by 1. Change order number 1 has a value of 001, change order number 2 has a value of 002, and so forth.

Copying Change Orders

You can copy a change order and then modify it to suit the needs. This feature saves you time when you have similar change orders for many orders.

Access the Order Detail - Page I form.

To copy a change order:

1. On Work With Contract Detail, select the order for which you want to copy a change order.
2. Select Change Orders, and then select Copy Change Order from the Row menu.
3. On Contract Detail, complete the Quantity Ordered, Unit Cost, and Extended Cost fields, as required, and then click OK.

Note. If you want to add a new line to the order, you must first scroll through all existing detail lines to the first blank line to ensure that the system assigns the correct number to each detail line.

Duplicating an Order

Access the Work With Contract Detail form.

To duplicate an order:

1. On Work With Contract Detail, select a detail line for the order that you want to duplicate.
2. Click Copy.
3. On Order Detail, change the order dates and other information as necessary.

Note. If you want to add a new line to the order, you must first scroll through all existing detail lines to the first blank line to ensure that the system assigns the correct number to each detail line.

4. Click OK.

Working with Orders on Hold

This section provides an overview of order holds and discusses how to enter order holds.

Understanding Order Holds

You can place an order on hold to prevent it from being processed. You might place an order on hold for these reasons:

- You have yet to settle prices and terms with the subcontractor.
- You are not sure if you want to use the subcontractor.
- The order exceeds the budget.

You cannot print or receive orders on hold. You must release the hold to continue processing the order. To release an order on hold, you must have the correct password.

Two types of order holds are available: budget holds and regular holds. Budget holds are for orders that exceed the budget. Regular holds are for all other holds.

To have the system process an order that has been put on hold, you must release the hold. You can review all holds on a certain order and select the holds that you want to release.

For budget holds, you can review the budget before releasing budget hold orders by accessing Trial Balance/Ledger Comparison from the Release Held Orders (Budget) program.

Note. You cannot use Release Held Orders (Budget) to release an order on budget hold if the order is assigned an approval route. In that case, you must use the Approval Review program to approve and release the order.

Prerequisite

Before you complete the tasks in this section:

- Set up hold codes.
- Assign a responsible individual to each hold code.

Forms Used to Work with Orders on Hold

Form Name	FormID	Navigation	Usage
Contract Header	W4310B	Subcontract Processing (G43D11), Enter Subcontract Orders On Work With Contract Detail, click Add. Or on Work With Contract Details, select an existing order and click Select. The Contract Header form appears if you have set processing options to display header information prior to detail information.	Assign a hold code to an order.
Contract Detail	W4310A	On Work With Contract Detail, click Add. If you have set processing options to bypass the header form, Order Detail appears. Otherwise, you must enter header information on Order Header before you can proceed to Order Detail.	Assign a hold code to an order.
Supplier Master Revision	W04012A	Supplier Management (G43A16), Purchasing Instructions On Work With Supplier Master, select a supplier and click Select. Select the Purchasing 1 tab.	Assign a hold code to a subcontractor.
Work With Held Orders	W43070A	Order Generation / Approve/Release (G43D13), Release Held Orders	Release order holds.
Password Confirmation	W43070B	On Work With Held Orders, select the order detail line for which you want to release the hold and click Select.	Enter the password that is required to release an order hold.

Entering Order Holds

You can put an order on hold one of three different ways:

- Assign a hold code to the order on the order entry form.
- Assign a hold code to a subcontractor on purchasing instructions so that each time that you enter an order for the subcontractor, the system assigns the hold code to the order.
- Specify a budget hold code in the processing options for the Purchase Orders program (P4310).

If budget checking is activated, the system assigns the hold code to orders when detail lines exceed budget.

CHAPTER 5

Working with Commitments

This chapter provides an overview of commitments and discusses how to:

- Verify commitment integrity.
- Review commitment information for subcontracts.
- Process commitment rollovers.
- Work with commitment audit trails.
- Post committed costs to jobs.

Understanding Commitments

A commitment is the recognition of a future obligation. Each time you enter a subcontract order detail line, you can have the system track the amount that you are obligated to pay and apply it to a job or project.

For example, you might be working on a pavement resurfacing project. Each time you enter a purchase order for goods or a subcontract for services to complete the project, you can have the system create a commitment the purchase order or subcontract amount.

In addition, you can roll over a commitment to the next fiscal year or have the commitments expire at year end.

For example, utilities, local governments and municipalities normally have the authority to expend funds for one fiscal year. As a result, purchase orders and subcontracts with open balances are often canceled at the end of the fiscal year. Construction projects, on the other hand, can often span one or more years. In this case, the open balances of purchase orders and subcontracts are rolled forward to the new fiscal year.

A subcontract commitment is created when a subcontractor is contracted to provide services. The commitment is relieved when services are rendered and you initiate a progress payment.

A functional server program called Update Commitment Ledger (X00COM) is used to create and relieve commitments. The system uses the Update Commitment Ledger to create appropriate entries for subcontract system commitments.

Creating a Commitment

You can create subcontract detail lines using the Subcontract Entry method in Purchase Orders (P4310).

When you create a subcontract detail line, the system verifies that the document type exists in UDC 40/CT, verifies that the line type has an inventory interface of A or B, and automatically creates commitments and encumbrances.

If you create a subcontract from a requisition, you can track pre-commitments in addition to commitments. A pre-commitment is the recognition of a future obligation from which you can commit budget amounts based on that request. When you generate the subcontract from the requisition, the system relieves the pre-commitment and creates commitments for the resulting subcontract amounts.

Relieving Commitments

Use the Commitment Relief constant in the Job Cost Constants program (P0026) to establish the criteria the system uses to automatically relieve open commitments when you run the general ledger posting program for vouchers created as a result of Progress Payment.

Just creating a progress payment does not relieve the commitment. The General Ledger Post program (R09801) calls the Update Commitment Ledger (X00COM) that actually relieves the commitment. Committed Dollars are relieved from the Purchase Amounts (PA) ledger and are added to the Actual Amount (AA) ledger.

When vouchers or receipts are posted, the system:

- Relieves the commitment.
- Creates an audit trail in the purchasing ledger file.
- Recalculates the amounts in the account balances ledgers, if necessary.
- Changes the exchange rate of selected purchase orders and restates the domestic commitment amounts, if necessary.

When you inquire on commitments, the receipt general ledger date, not the original subcontract general ledger date, is used to relieve the commitment.

Files Used for Commitments

In addition to the entries that are made to the subcontract tables during order entry and progress payment processing, the system also maintains commitment information in these tables:

- F43199
- Account Balances (F0902)

P.O. Detail Ledger File - Flexible Version (F43199)

The system creates multiple entries in the F43199 table. Based on change orders, order activity rules, and commitments, the system maintains these multiple ledgers to satisfy the business requirements:

- Purchasing (Subcontractor) Ledger.
- Commitment Audit Trail (PA/PU Ledger).
- Change Order Ledger (CO Ledger).

Note. The processing option prompts for either change orders or commitments. The F43199 commitment and commitment relief record can be reviewed on Commitment Inquiry P40230A

If you are tracking commitments, a commitment audit trail transaction is created in the F43199 table. The committed amounts are maintained in the purchase amounts (PA) ledger and any committed units are maintained in the purchase units (PU) ledger. When you review the PA or PU ledger, you notice that, unlike the purchasing ledger, the Last and Next status code fields are blank.

Each commitment transaction represents one of these situations:

- The entry of an original commitment.

- A change to a commitment.
- A canceled commitment.
- A relieved commitment due to a receipt or payment.

Account Balances (F0902)

During subcontract entry, the system creates a commitment entry in the PA and PU ledgers in the F0902 table. Based on the general ledger date, the system creates an entry in the appropriate accounting period and adds the committed amount to the total budgeted amount.

If the Commitment Relief constant is set to *Y*, the system posts the receipt payment to the PA and PU ledgers in the F0902 table. Based on the general ledger date of the progress payment, the system relieves the commitment from the appropriate period as well as the total budgeted amount.

Prerequisites

Before you complete the tasks in this section:

- Set up the document types for pre-encumbrances and commitments in UDC 40/CT.
- Set the Commitment Relief value for the transaction company or company 0000 in the Job Cost Constants program (P0026) to relieve commitments.

Verifying Commitment Integrity

This section provides an overview of the Commitment Integrity Report and discusses how to:

- Run the Commitment Integrity Report (R40910).
- Set processing options for Commitment Integrity Report (R40910).

Understanding the Commitment Integrity Report (R40910)

You can generate a Commitment Integrity Report (R40910) to compare the open order amounts against the committed amounts and amount balances and to review any variances.

Use the Commitment Integrity Report program (R40910) to indicate variances among these tables:

- F4311
- F43199
- F0902

Two comparisons are made to identify out-of-balance conditions between files.

The detail file and the audit file are compared on a to-date basis, which means that all data in the files is summed regardless of date. The detail file is not date sensitive and does not contain information such as when you made changes to the open amount.

The system compares the audit file and the balances file on a through-period-end basis. The system uses the date you enter in the first processing option to determine the period end date to use. This comparison is period sensitive because that is the lowest level of detail stored in the balances file.

The columns under Balance to Date on the left side of the report are Purchase Order Detail File, P.O. Detail Ledger File - Flexible Version, and variance. The amounts reported by account number and subledger, respectively, are:

- Open amount in the detail file.
- Total of the commitment audit trail transactions.
- Difference between the two columns.

The columns under Balance as of xx/xx/xx on the right side of the report are P.O. Detail Ledger File - Flexible Version, Account Balances, and variance. The amounts reported by account number and subledger are:

- Total of the Commitment Audit Trail transactions.
- Account Balances total.
- Difference between the two columns.

Variances occur between the F4311 table and the Commitment Audit Trail under these conditions:

- Unposted receipt or voucher batches.

To confirm all O and V batches are posted, run the Unposted Batches report (R007011).

- Subcontracts on budget hold.

The system does not create a commitment until a subcontract is released from budget hold.

If you find an inconsistency in the commitments that cannot be resolved, you can correct the information in the PA ledger. All entries in the PA and PU ledgers are based on the F4311 table. You can rebuild this information from the F4311 table and correct any inconsistencies in the F0902 table.

Running the Commitment Integrity Report (R40910)

Subcontract Reports (G43D111), Commitment Integrity Report.

Setting Processing Options for the Commitment Integrity Report Program (R40910)

Processing options enable you to specify the default processing for programs and reports.

Default

- 1. Effective Date** Specify the effective date to use in the comparison between the Audit Trail and Account Balance files. If you leave this processing option blank, the system uses the current date.

Process

Although processing options are set up during EnterpriseOne implementation, you can change processing options each time you run a program.

- 1. Commitment Variance Display** Specify the number of records that the system displays on the report. Values are:

Blank: Print all accounts with and without variances.

I: Print all accounts with commitment variances.

2. Process Mode

Specify whether to run the program in proof or final mode.

In proof mode, the system compares the F4311 table to the F43199 table to date, and also compares the F43199 table to the F0902 table, based on the Effective Date processing option. In final mode, the system displays these comparisons and writes temporary records to the F43199 and the F0902 tables in order to remove the variances. We recommend that you run the purge, rebuild, and repost programs to bring all records into balance. Values are:

Blank: Proof mode

I: Final mode

3. Manufacturing Encumbrances

Specify whether the system processes financial encumbrances that are associated with manufacturing work orders. Values are:

Blank: Processes financial encumbrances that are related to purchase orders and subcontracts.

I: Processes financial encumbrances that are related to purchase orders, subcontracts, and manufacturing work orders.

Reviewing Commitment Information for Subcontracts

This section provides an overview of commitment information for subcontracts and discusses how to:

- Set processing options for Commitment Inquiry (P40230A).
- Review detailed commitment information.

Understanding Commitment Information for Subcontracts

You can monitor individual commitment amounts for a job or project to verify the types of subcontracts being made. You can also review the total commitment amount for a job or project to verify that the amount does not exceed the budget.

After you process progress payments, you can have the system relieve commitments. The system does this by reducing the total commitment amount for a job or project by the individual commitment amount. The system relieves open commitments when you post progress payment vouchers to the general ledger.

The system performs commitment tracking only on "order" types you specify in UDC 40/CT. If a subcontract is on hold, the system does not create commitments for the subcontract until you release the hold.

The system only tracks commitments for detail lines that you charge directly to a general ledger account number. These are detail lines to which you assign a line type with an inventory interface of A or B. For subcontracts, typically Line Type "J" is used.

Each time you enter a subcontract detail line for which commitment tracking is applicable, the system records the amount in the purchase amount (PA) ledger, which contains committed purchase amounts in domestic currency, and the purchase units (PU) ledger, which contains committed purchase units.

You can review individual commitment transactions for:

- A job/project.
- An account number or a cost code or cost type.

- A subcontractor (supplier).
- A subcontract and type.

You can also review the total amount of all commitments, relieved commitments, and open commitments for each of these individual commitment transactions.

Each commitment transaction represents one of these situations:

- The entry of an original commitment.
- A change to a commitment.
- A canceled commitment.
- A relieved commitment due to a receipt or payment.

You can review details for each transaction, such as the account number, subcontract number, line number, and subcontractor, as well as who generated the transaction and when.

The system retrieves commitment transaction information from the F43199 table.

Forms Used to Review Commitment Information for Subcontracts

Form Name	FormID	Navigation	Usage
Work With Commitment Inquiry	W40230AA	Subcontract Inquiries (G43D112), Commitment Inquiry	Review commitment information for multiple transactions.
Commitment Inquiry Detail	W40230AB	On Work With Commitment Inquiry, select a transaction and click Select.	Review details for a transaction.

Setting Processing Options for the Commitment Inquiry Program (P40230A)

Processing options enable you to specify the default processing for programs and reports.

Default

Order Type

Specify a UDC (00/DT) that identifies the type of document.

This code also indicates the origin of the transaction. We have reserved document type codes for vouchers, invoices, receipts, and time sheets, which create automatic offset entries during the post program. (These entries are not self-balancing when you originally enter them.)

These document types are predefined, and we recommend that you do not change them. Values are:

P: Accounts Payable.

R: Accounts Receivable.

T: Payroll.

I: Inventory.

O: Purchase Order Processing.

J: General Accounting/Joint Interest Billing.

S: Sales Order Processing.

Display

Enter '1' for Change Orders else Commitments

Specify to display change orders or commitments.

This code indicates if change orders or commitments will display. Values are:

I: Change Orders.

Blank: Commitments.

Versions

Order Entry (P4310)

Specify which version of Purchase Order Entry to call. If this processing option is left blank, then the system uses ZJDE0001.

Reviewing Detailed Commitment Information

Access the Commitment Inquiry Detail form:

Commitment Inquiry - Commitment Inquiry Detail

Work With Commitment Inquiry Commitment Inquiry Detail

Cancel Previous Next Tools

✖ < > 🛠

Order Number	6023	OS	Branch/Plant	5100
Change Order	000		G/L Date	06/01/05
Line Number	1.000		Document No	
Dist. Line Number				
Account No	5100.1360.02200			
Supplier	3480	Digger Enterprises		
Type/Subledger				
Description	Clearing and Grading		Revision No	0

Units Committed	10000	User ID	OWCRP02
Amount Committed	75,000.00	Program ID	EP4310
Tax	0.00	Work Station ID	TN07DN02
Total	75,000.00	Date Updated	12/06/97
		Time of Day	125415

Commitment Inquiry Detail form

Process Commitment Rollovers

This section provides an overview of the Encumbrances Rollover program (R4317) and discusses how to:

- Run the Encumbrance Rollover Program.
- Set processing options for Encumbrance Rollover (R4317).

Understanding the Encumbrances Rollover Program (R4317)

When you run the Encumbrances Rollover application (R4317), the system rolls forward the fiscal year end commitments. The rollover reduces the manual effort placed on users who work in environments with a high volume of transactions. The Encumbrance Rollover application provides you with the option to do one of these two options:

- Relieve committed lines on a subcontract from the prior year and recommit a new line with the current year's general ledger date. These lines are assigned to a new account that is created especially for this rollover. This account is controlled through distribution AAI 4430.
- Cancel committed lines on a subcontract to ensure that no further payment processing can be made against those lines. For subcontracts, the purge code must be *R*. For purchase orders, the system updates the next status to 999 (closed).

Note. To cancel committed lines on a subcontract, the purge code must be set to *R*.

Many industries use the term *decommit* to relieve commitments. When you relieve or decommit commitments, the system creates an RO ledger type record. You should not purge the RO records, as they must be used to create or rebuild commitments.

Running the Encumbrance Rollover Program (R4317)

Procurement Advanced & Technical Ops (G43A31), Encumbrance Rollover.

Setting Processing Options for the Encumbrance Rollover Program (R4317)

Processing options enable you to specify the default processing for programs and reports.

Defaults

Use these processing options to specify the defaults that the system applies when you run an encumbrance or commitment rollover.

1. **Rollover Method:** Specify how the system processes year-end encumbrance amounts.
The method that you use depends on the business requirements. Values are:
Blank: Rollover is canceled with no further action. No amount is recommitted to a new general ledger date or account.
1: Use a new general ledger date.
2: Use a new general ledger date and a new account number.
2. **G/L Class Code:** Specify the general ledger class code that the system uses to retrieve the AAIs.
You can enter a general ledger class code or leave the processing option blank to use the general ledger class code from the purchase order detail line. If you are processing subcontracts with account reclassification, you must enter a general ledger class code.
If you are processing both purchase orders and subcontracts, the general ledger class code that you enter is used for both. This code determines the A/R account (class) that is offset when you post invoices. The code that you enter in this processing option can be alphanumeric or can match the object code of the general ledger account number.

Note. Do not use code 9999. The system reserves this code for the post program and indicates that offsets are not created.

- 3. Ledger Type:** Specify the ledger type that the system uses for the history record in the F43199 table.
This is a UDC (09/LT) that specifies the type of ledger, such as AA (actual amounts), BA (budget amount), or AU (actual units).
- 4. New G/L Date:** Specify the general ledger date for the current year's encumbrance rollover.
This date identifies the financial period to which the transaction is posted. You set up the date range for each financial period in general accounting constants.
- 5. Decommit G/L Date:** Specify the general ledger date to decommit, or relieve, the encumbrance.
This date identifies the financial period to which the transactions are posted. You set up the date range for each financial period in the general accounting constants.

Process

Specify whether the rollover should be processed in proof or final mode.

- 1. Process mode** Specify whether the system runs the encumbrance rollover in proof or final mode.
When you run the encumbrance rollover in proof mode, the system does not update the status or any applicable tables.
When you run the encumbrance rollover in final mode, the system updates the status and all applicable tables. Whether you run the encumbrance rollover in proof or final mode, you can print journal entries and errors. Values are:
Blank: Proof mode
I: Final mode

MFG Edits

Specify how the system processes manufacturing data.

- 1. Enter a '1' to process Manufacturing Encumbrances** Specify whether the system processes financial encumbrances that are associated with manufacturing work orders. Values are:
Blank: Process financial encumbrances that are related to purchase orders and subcontracts.
I: Process financial encumbrances that are related to purchase orders, subcontracts, and manufacturing work orders.
- 2. Work Order Close Status** Specify the work order status that the system uses to close open work orders.
You can also Specify the work order status that the system uses to determine whether an order is open. The system only processes work orders whose status is less than the closed work order status that you specify in this processing option. If you leave this processing option blank, the system uses status 99 (close) as the default.

Working with Commitment Audit Trails

This section provides overview of commitment audit trails, the Create Commitment Audit Trail program, and corrections to commitment audit trails, and discusses how to run the Create Commitment Audit Trail program.

Understanding Commitment Audit Trails

A commitment audit trail is a history of commitment balances. For example, you might want to create a commitment audit trail to track amounts on subcontracts and changes to those subcontracts.

You can correct the commitment audit trail if you locate data inconsistencies among any of these tables:

- F4311
- F43199
- F0902

Understanding the Create Commitment Audit Trail Program (R00993)

If the business needs change after you install the JD Edwards EnterpriseOne Subcontract Management system, you might find it necessary to create a commitment audit trail for the orders. You can run the Create F43199 Commitment Audit Trail program (R00993) to create a history of commitment balances.

When you run the Create F43199 Commitment Audit Trail program, the system creates an audit trail record of commitments against an order with an account number. When you create an audit trail, the system reads the F4311 table and writes the audit trail data, one line at a time, to the F43199 table. Purchase orders that have audit trails have a purchase amount (PA) ledger type in the F43199 table. It also reads the F43121 records to record the decommit records.

The system only processes detail lines that have a document type that is specified in the UDC table for commitment document types (40/CT). Additionally, the system does not create a commitment audit trail for records in which an audit trail already exists. Therefore, to recreate a commitment, you must first purge existing records.

Understanding Corrections to Commitment Audit Trails

You can correct the commitment audit trail if you locate data inconsistencies between any of these tables:

- F4311
- F43199
- F0902

To correct the commitment audit trail you must purge the current commitment audit trail to prevent duplicating the commitment amounts in the new commitment audit trail. Purge only records in the F43199 table with a ledger type of PA and the next status and last status are blank. Select one of these data dictionary alias:

- Ledger Type (LT)
- Next Status (NXTR)
- Last Status (LTTR)

Important! Use caution when selecting records to purge. The F43199 table contains records for the purchasing ledger (blank ledger type), change order ledger (CO ledger type), rollovers (RO ledger type), and commitment records (PA/PU ledger type). If you purge purchasing ledger, change order, and rollover ledger records, you cannot recover the records.

Note. You can use selection criteria to narrow the scope of information the system purges and uses to create the new audit trail. For example, you can use account numbers, contract numbers, or order numbers. The selection criteria you use to purge the audit trail must be the same criteria you use to create the new audit trail. Failing to do so can cause unpredictable results.

After you purge the F43199 table, you must create a new commitment audit trail. The system creates the new commitment audit trail from records in the F4311 table for both open and closed orders. Open orders have records in the audit trail for the original commitment amount and any amounts that have been partially relieved. All partially relieved records for each order are summarized into one relief record. Closed orders have two records posted in the commitment audit trail: one record for the original commitment amount and another for the commitment relief.

After you create the new commitment audit trail, run Repost Committed Costs (R00932) to repost the PA ledger records in the F0902 table. The system adds the new information in the audit trail and posts these amounts to the F0902 table.

Prerequisites

Before you run the Create Commitment Audit Trail program (R00993) to create the commitment audit trail, you must purge the commitment information that currently exists in the F43199 table. Verify that you are only deleting information from the PA ledger.

Note. Commitments only record for document types in UDC 40/CT and for line types using inventory Interface of A, B, or C.

Before you run the Create Commitment Audit Trail program (R00993) to correct the commitment audit trail:

- Verify that the data inconsistencies are in the F43199 table and not in the F0902 table. If the data inconsistencies are in only the F0902 table, you can correct the inconsistencies by running Repost Committed Costs (R00932) to repost the F0902 table.
- Back up the F4311 table, the F43199 table, and the F0902 table.

Running the Create Commitment Audit Trail Program

Commitment Setup/Rebuilds (G43B411), Create Commitment Audit Trail.

Posting Committed Costs to Jobs

This section provides an overview of the Post Committed Cost to Job program and discusses how to:

- Run the Post Committed Cost to Job program.
- Set processing options for Post Committed Cost to Job (R00932).

Understanding the Post Committed Cost to Job Program (R00932)

Run the Post Committed Cost to Job program (R00932) to track the job costs. When you run this program, the system recalculates the amounts in the F0902 table for the purchase amount (PA) and purchase unit (PU) ledgers. The system also recalculates monthly amounts in the F0902 table based on information in the F43199 table.

Running the Post Committed Cost to Job Program (R00932)

Subcontract Setup/Rebuild (G43D411), Post Committed Cost to Job.

Setting Processing Options for the Post Committed Cost to Job Program (R00932)

Processing options enable you to specify the default processing for programs and reports.

Process

- 1. Fiscal Year From** Specify the fiscal year in which to begin reposting committed costs.
For example, a fiscal year begins October 1, 1998 and ends September 30, 1999. The end of the first period is October 31, 1998. Specify the year 98 rather than 99. If this processing is left blank, the system supplies a zero, causing the from fiscal year to be 00.
- 2. Fiscal Year Through** Specify the fiscal year in which to end reposting committed costs. If this processing option is left blank, the system uses the fiscal year you specify in the Fiscal Year From processing option.
- 3. Manufacturing Encumbrances** Specify whether the system processes financial encumbrances that are associated with manufacturing work orders. Values are:
Blank: Purchase orders and subcontracts.
1: Purchase orders, subcontracts, and manufacturing work orders.

CHAPTER 6

Working with Subcontract Logs

This chapter provides an overview of subcontract logs and discusses how to:

- Enter subcontract log information.
- Update the Log Master.
- Update unsatisfied, expired logs.

Understanding Subcontract Logs

In the JD Edwards EnterpriseOne Subcontract Management system, you use logs to further organize the projects, contracts, and jobs. You can add and modify logs at different hierarchy levels with the Log Revisions program (P4305). Log hierarchy levels are maintained in the Log Hierarchy Constants table (F4304). The hierarchy levels are maintained in UDC table (43/LL).

Log information is supplemental to the information contained in a contract, and includes such details as submittals and transmittals. A submittal is information that you need to receive from a subcontractor, such as proof of insurance, and so on. A transmittal is information that you need to send to a subcontractor, such as permission to proceed, and so on. Logs can also include information such as meeting dates, notes, and so on, that is relevant to the contract.

You can assign dates to log information so that the system issues an outstanding submittal warning when you try to make payments before you receive all of the submittals. For example, if you require a subcontractor to submit insurance information to you before you make a payment against the contract, you can specify that you want outstanding submittal warnings. The system then warns you if you try to make a payment before you receive the insurance information.

You can work with logs at an individual, or contract level, or you can work with them on a progressively higher level in the log hierarchy such as a company, subcontractor, project, or job level. Logs have relationships to each other based on the structure of the hierarchy. For example, a log entered at the company level (defined as a level 02 log in the log hierarchy), affects any logs for that company entered at the lower hierarchical level of contract level (defined as a level 01 log in the log hierarchy).

You can deactivate hierarchy levels if they don't meet your business needs or processes, in the F4304 table. However, the hierarchical levels are hard coded and you cannot add additional hierarchical levels.

When you work with contract level logs, you can change the method in which the system displays the logs. On the Work With Logs form, you can specify whether you want to view all logs, all contract logs, all open logs, or all outstanding logs. The view options for working with logs are maintained in UDC table (43/VO).

Prerequisite

Set up hierarchal logs.

Entering Subcontract Log Information

This section provides an overview of subcontract log entry and discusses how to:

- Set processing options for Log Revisions (P4305).
- Create a subcontract log.

Understanding Subcontract Log Entry

You enter log information to identify information that is relevant to the contract order. The system provides you with multiple detail lines in which you can enter log information. After you enter log information, you can enter descriptive text for each item within the log. You can also delete any of the log information for a contract.

From the Work with Logs form, you have the option to work with or view logs in any of the hierarchical levels. You can specify date ranges as search criteria. When working on contract level logs, you can also further specify view options.

Note. You can specify to have the system prompt you to enter logs during contract order entry by setting the Logs Entry Display processing option on the Processing tab of P4310 processing options.

Prerequisite

To activate log functionality, review UDC 40/VF and ensure that the value 04 - Logs is included.

Forms Used to Enter Subcontract Log Information

Form Name	FormID	Navigation	Usage
Work With Logs	W4305A	Subcontract Processing (G43D11), Log Revisions or Subcontract Processing (G43D11), Enter Subcontract Orders. On Work With Contract Detail, select a contract and then select Log Details from the Row menu.	Review and select existing subcontract logs.
Select Hierarchy Level	W4305C	On Work With Logs, click Add.	Select the hierarchy level to apply to the log.
Logs Revisions	W4305B	On Select Hierarchy Level, select a hierarchy and click Select.	Create a subcontract log.

Setting Processing Options for the Log Revisions Programs (P4305)

Processing options enable you to specify the default processing for programs and reports.

Default

Use these processing options to specify the contract type and view option that the system uses to display logs.

- 1. Contract Type** Specify the type of contract.

Certain document type codes are reserved for vouchers, invoices, receipts and time sheets, which create automatic offset entries during the post program.

You must enter a value that has been set up in UDC 00/DT.
- 2. Log View Option** Specify the default for the Log View option.

You must enter a value that has been set up in UDC 43/VO.


Versions

Specify which version of the Voucher Match program (P4314) the system uses.

- 1. Progress Payments (P4314)** Use this processing option in Subcontract Management to specify the version of Progress Payments (P4314) that the system uses to determine how to display open and outstanding logs.

Creating a Subcontract Log

Access the Logs Revisions form.



Log Revisions form

- Order Number, Order Company, Supplier, Branch/Plant, or Project Cost Center** Enter the name and the value of this processing option dependent upon the hierarchy level that you define for the log.
- Log Type** Enter a UDC (00/LG) that specifies the type of information in a log entry. The log type is used to group similar types of entries.
- Explanation - Remark** Enter a name or remark that describes the purpose for using an account or conveys any other information about the transaction.
- Status Code** Enter a code that specifies whether the requirements for the log line have been satisfied. Values are:

 - Blank: The requirements have not been satisfied, the log line is not yet in effect, or no status is required.

	<i>Y</i> : Yes
	<i>N</i> : No
Pay Effect	Enter a code to specify the pay effect. To have the system issue a submittal warning, set this processing option to <i>Y</i> .
Issue Date	Enter the date that the log entry was issued. For example, the effective date for an insurance policy is entered in the Issue Date field.
Required Date	Enter the date that the log entry needs to be received. For example, consider a submittal requirement for an insurance certificate. The date that a copy of the policy or certified proof of coverage document is to be received would be entered in the Required Date field.
Expired Date	Enter the expiration date of the log entry. For example, in the case of a submittal requirement for an insurance certificate, the termination date for the policy would be entered in the Expired Date. The termination date would then be used by the Submittal Status Update program to update the status field. If the Expired Date is earlier than the date that you run the program, the system sets the status to <i>N</i> for the log entry.
Change Request	Enter the number assigned to the change request for a particular job.
Carrier Number	Enter the address book number of the carrier, which is specified by the customer or by the organization. You might use this carrier because of route requirements or special handling requirements.
ID Code	Enter an identification code associated with the log entry. The processing option can be used for abbreviated report identification.

Updating the Log Master

This section provides an overview of the Log Report/Update program and discusses how to run the Log Report/Update program.

Understanding the Logs (F4305) Report/Update Program (R43540)

You can run the Logs (F4305) Report/Update program (R43540) to update the value of the Pay Effect field in the F4305 table.

This report displays this information:

- Log items and text that relate to a contract
- Submittal and transmittal status information

When you run the report, you can specify whether to update the status of expired logs to not complete, which creates an outstanding submittal warning. You can review the information on the report to determine whether to post payments against contracts that have expired logs.

Running the Log (F4305) Report/Update Program (R43540)

Subcontract Reports (G43D111), Log Report/Update.

Updating Unsatisfied, Expired Logs

This section provides an overview of the Logs (F4305) Report/Update and discusses how to:

- Run the Logs (F4305) Report Update.
- Set processing options for Logs (F4305) Report/Update (R43540).

Understanding the Logs (F4305) Report/Update (R43540)

The Logs (F4305) Report/Update (R43540) enables you to print a contract management report and to print log associated text entries for contracts. You can also specify whether the system updates pay status codes for unsatisfied, expired logs that have a pay effect of "Y" to a pay effect of "N."

Running the Logs (F4305) Report/Update Program (R43540)

Subcontract Reports (G43D111), Logs (F4305) Report/Update

Setting Processing Options for the Logs (F4305) Report/Update Program (R43540)

Processing options enable you to specify the default processing for programs and reports.

Print Option

1. Enter a '1' to change unsatisfied, expired logs that have a pay effect of 'Y' and status code of 'Y' to a status code of 'N'. If left blank the status will not be updated.

Specify whether the system updates the status code for logs. Values are:

Blank: Does not update the log status code.

1: Updates the logs status code to N.

The status code is only updated if pay effect is Y and the logs status code is Y. The issue date and expired date must be prior to today's date.

2. Enter a '1' to print a contract management report. If left blank no report will print.

Specify whether the contract management report is printed. Values are:

Blank: No report is printed.

1: Report is printed.

3. Enter a '1' to print the associated log text. If left blank, log text will not print.

Specify whether the associated text is printed. Values are:

Blank: No associated text is printed.

1: Associated text is printed.

CHAPTER 7

Working with Order Information

This chapter discusses how to:

- Review order information.
- Work with budgets.

Reviewing Order Information

This section provides an overview of order reviews.

Understanding Order Reviews

You can review open orders, which are orders that contain services you have yet to receive. You can specify the contract number, subcontractor, item, account number, and so on for the open detail lines you want to review.

You also can review open quantities by choosing the type of order for which you want to review detail lines.

You can review additional information for each open detail line that appears, including the quantity ordered, the quantity open, the quantity received, and the quantity for which vouchers have been created. You can also access address numbers, dates, and tax information.

Regardless of whether you enter an order in a domestic or foreign currency, you can review the order as if it were entered in another currency. For example, you can review amounts in Canadian Dollars (CAD) as if they were entered in the euro (EUR). Likewise, you can review amounts in Japanese Yen (JPY) as if they were entered in U.S. Dollars (USD), and so on.

Financial Status Information

You can review up-to-the-minute details of the financial status information for any order. You can also review the financial details of any progress payment voucher that relates to an order.

Financial status information includes:

- Order details
- Amount billed
- Amount paid
- Amount retained
- Amount units open

If you have multicurrency turned on, you can review financial information in foreign or domestic currency using the Foreign option on the Work With Financial Status Inquiry form. The system automatically converts the amounts based on the exchange rate that you specify.

Forms Used to Review Orders

Form Name	FormID	Navigation	Usage
Work With Contract Detail	W4310G	Subcontract Inquiries (G43D112), Open Orders	Review open orders, which are orders that contain services you have yet to receive.
Additional Selection Criteria	W43041F	On Work With Contract Details, select Added Selections from the Form menu.	Narrow the search for records on the Work With Order Details form.
Purchase Order Detail Inquiry	W430301C	On Work With Contract Details, select the detail line and then select Order Detail from the Row menu.	Review additional information for an open detail line.
Contract Detail	W4310A	On Work With Contract Details, select an order and, from the Row menu, select Change Orders, then View All Chg Order.	Review change orders.
Order Entry - Summary Order Information	W430114A	On Work With Contract Details, select an order and select Order Summary from the Row menu.	Review summary information for an order, including items, account numbers, order quantities, prices, and extended volumes and weights. You can also review the total tax and Dollar amount for the entire order.
Order Recap	W4310C	On Work With Contract Details, select an order and select Order Recap from the Row menu.	Review a detailed summary of information about an order or change order. For example, you can review information about vouchers, retainage, or changes made to an order.
Work With Financial Status Inquiry	W44200A	Subcontract Inquiries (G43D112), Financial Status Inquiry On Work With Contract Detail, select an order and select Financial Status from the Row menu.	Review the financial status information for an order.
Supplier Ledger Inquiry	W0411G	On Work With Financial Status Inquiry, select Supplier Ledger from the Form menu.	Review voucher information for an order.

Working with Budgets

This section provides overviews of budget checking, search scenarios for level of detail, budget totaling, and calculations of available budget to date for the fiscal year, and discusses how to:

- Set processing options for Trial Balance/Ledger Comparison (P09210A).
- Review the budget.

Understanding Budget Checking

You use budget checking to identify the detail line amounts that exceed the budget for a specific job, project, department, and so forth.

Each time you enter or change a subcontract, the system checks the account number for each detail line and compares it to the available budget for the account. If the detail line amount exceeds the available budget amount, the system places the entire subcontract on hold. You can set a budgeting processing option in the Purchase Orders program (P4310) to provide a warning message that a detail line amount exceeds the available budget amount, but the system still places the order on hold. The system stops further processing of the order until you remove the budget hold. You must set up budget hold codes for each business unit.

The system calculates available budget amounts by subtracting actual amounts (AA ledger) and committed amounts (PA Ledger) from the budget amount that you specify for an account number. The system uses this budget calculation:

$$(\text{Available Budget}) = (\text{Original Budget Changes}) - (\text{Actual amounts spent}) - (\text{Commitments}) - (\text{Encumbrances})$$

The system uses this budget calculation for ledgers:

$$(\text{Available Budget}) = (\text{BA or JA Ledger Amounts}) - (\text{AA Ledger Amounts}) - (\text{PA Ledger Amounts})$$

Important! To work with budgets, you must enter purchase order detail lines by account numbers.

You use the processing options on the Budgeting tab in the Purchase Orders program to activate budget checking and to specify information such as:

- The budget ledger from which the system retrieves budget amounts.
- The hold code the system assigns to detail lines that exceed budget.
- The percentage by which a detail line can exceed budget before being put on hold.
- The method by which the system determines budget amounts.

Note. Use the BA ledger type for monthly budgets (typically used for departmental budgets) and the JA ledger type for Job/Project budgeting.

You might want to compare the amounts that you have budgeted for subcontracts to the amounts that you have actually spent and to the amounts that you are committed to spend in the future. For each account, you can review:

- The budget amount.
- The actual amount that you have spent.
- The total amount of commitments through a certain date

- The variance between the budget amount and the amount that you have spent or are committed to spend in the future.
- The transactions that have affected a certain account and the journal entries that relate to a particular transaction.

Understanding Search Scenarios for Level of Detail

When you create an account, you assign each account number a level of detail. The range for the level of detail is one through nine, with one being the highest and nine being the lowest.

You enter the level of detail in the processing option for the system to search for the available budget. This processing option also controls how the system accumulates the actual and committed amounts for the account.

Budget Amount Accumulation

Two search scenarios exist:

1. If the account number that you enter on the subcontract is the same as the budget account number, and the level of detail of this account is equal to the level of detail you enter in the processing option, the system does not roll up the budget. The system calculates the available budget on the account.
If the detail line exceeds the available budget then the system applies a budget hold to the line.
2. If the account number that you enter on the subcontract does not have the same level of detail that you enter in the processing option, and the level of detail of the account is lower than the level of detail that you enter in the processing option, the system retrieves the budget from the account whose level of detail matches the level of detail that you enter in the processing option.

Actual and Committed Amount Accumulation

If you set the budget accumulation processing option to accumulate, then the system accumulates budgets starting from the level that you enter in the level of detail processing option and continues to the lowest level of detail.

To accumulate the actual and committed amounts for the account, the system first searches higher levels of detail in the chart of accounts. The system locates the first account number that has a level of detail that is equal to the level of detail that you enter in the processing option. This account number must be above the level of detail of the account number on the order.

The system then searches lower levels of detail in the chart of accounts to locate the first account number with a level of detail equal to the level of detail you specify in the processing option. This account number must be below the level of detail of the account number on the order.

The system then totals the actual and committed account balances for the account range it identifies and subtracts the total from the budget ledger to determine the available budget. The system compares the available budget amount with the amount you enter on the order.

If the detail line exceeds the available budget, the system applies a budget hold to the line.

Understanding Budget Totaling

Use the Budget Total Method processing option on the Budgeting tab of the Purchase Order Workbench program (P43101) to specify how the system calculates the budget total.

The system uses these fields in the F0902 table for budgeting:

- BORG - the original or beginning budget.

- AN01 through AN12 - the net posting fields which contain changes in the current year.
- AYPC - the balance forward field contains the sum of the prior year's changes, which the system rolls into the current year.

Use 1 in this processing option for jobs and projects. The system uses the job cost budget calculation method to add the amounts in these budgeting fields. The total of these fields is the budget amount the system uses for budget checking.

Note. The original budget cannot be spread when you enter a 1 in this processing option.

Use 2 in this processing option for Public Sector and Not-For-Profit entities. The system uses the standard financial budget calculation method to spread an original budget to the net posting fields. The system calculates the total budget from the net posting fields to use in budget checking.

Use 3 in this processing option for Profit entities. You enter changes to the budget in the net posting fields. The system uses the standard financial spread calculation method to add the net posting fields and the original budget to determine the budget amount to use in budget checking. Use this method when an original budget is not spread to the net posting fields.

Understanding Calculations of Available Budget to Date for the Fiscal Year

Use the Period Accumulation Method processing option to specify how the system calculates the available budget.

When you enter a 1 in this processing option, the system reviews the fiscal date pattern for the company and determines the current general ledger period. The system then adds the sum of the period budget amounts from period one through the current period. The system uses this amount as the original budget for budget checking.

Enter 1 in this processing option only when you enter 2 in the Budget Total Method processing option.

Forms Used to Work with Budgets

Form Name	FormID	Navigation	Usage
Trial Balance / Ledger Comparison	W09210AA	Subcontract Inquiries (G43D112), Budget Comparison	<ol style="list-style-type: none"> 1. On Trial Balance / Ledger Comparison, complete the Skip to Account field. 2. Complete these fields to indicate the ledgers from which the system retrieves commitment and budget amounts: <ul style="list-style-type: none"> • Ledger Type 1 • Ledger Type 2 3. Complete the Level Of Detail field. 4. Complete these fields to indicate the period for which the ledger amounts reflect: <ul style="list-style-type: none"> • LT 1 Thru Date • LT 2 Thru Date 5. Click Find. Review these fields for each account: <ul style="list-style-type: none"> • Ledger Type 1 • Ledger Type 2 • Variance Period Balance • General Ledger Period Balance • Posting Edit Code • Account ID

Setting Processing Options for the Trial Balance / Ledger Comparison Program (P09210A)

Processing options enable you to specify the default processing for programs and reports.

Default

1. **Ledger Type 1** Specify the default ledger type 1.
Options are in UDC 09/LT. If this processing option is left blank, the system uses BA.
2. **Ledger Type 2** Specify the default ledger type 2.

Options are in UDC 09/LT. If this processing option is left blank, the system uses AA.

3. Exit with Ledger Type

Specify the ledger type that the called application should use when exiting to another application. Values are:

Blank and *1*: Use ledger type 1.

2: Use ledger type 2.

Display

1. Suppress Zero Balances

Specify whether to display posting accounts with zero balances. Values are:

Blank: Display posting accounts with zero balances.

N: Display posting

Y: Do not display

Note. This processing option applies only to posting accounts. Nonposting header accounts appears on the Trial Balance/Ledger Comparison form (P09210A) regardless of this processing option.

2. Calculation Method

Specify the Calculation Method to be used when calculating variances. Values are:

Blank: Subtraction

A: Addition

M: Multiplication

D: Division

S: Subtraction

3. Additional Ledger Type 1 and 4. Additional Ledger Type 2

Specify an additional ledger type to be used in calculating account balances for ledger type 1 and ledger type 2.

Options are in UDC 09/LT. If this processing option is left blank, no additional ledger type is used.

5. Subledger

Specify the subledger that the system uses for calculating account balances.

Enter * to display all transactions with subledgers. If this processing option is left blank, the system selects transaction that have no subledgers.

6. Subledger Type

Specify the subledger type to be used for calculating account balances.

Options are in UDC 00/ST. If this processing option is left blank, a blank subledger type is used.

7. Account Level Of Detail

Specify the account level of detail to be used (3-9). If this processing option is left blank, the system uses an account level of 9.

Currency

1. Currency Code

Specify the currency code to be used for calculating account balances. If this processing option is left blank, the system uses all currencies.

Note. Use this processing option only if multicurrency is being used.

Select

- 1. Date Effective Balances** Specify whether to calculate date-effective balances or to use period-end dates. Values are:
Blank and *N*: Use Period End Dates
Y: Calculate Date Effective Balances.
- 2. Default Thru Period Display** Specify whether to display thru-periods or thru-dates. Values are:
Blank and *N*: Display thru dates
Y: Display thru periods.

Reviewing the Budget

Access the Trial Balance / Ledger Comparison form.

- Ledger Type 1** Enter the ledger type for the actual amounts ledger in this processing option.
- Ledger Type 2** Enter the ledger type for the budget amounts ledger in this processing option.

CHAPTER 8

Processing Receipts

This chapter provides an overview of receipt processing.

Understanding Receipt Processing

You can use either an informal or formal receiving process to acquire the goods and services you requested on a subcontract order. The receiving process for subcontract orders is the same as the receiving process for purchase orders.

CHAPTER 9

Processing Progress Payments

This chapter provides an overview of progress payments and discusses how to:

- Create subcontract vouchers
- Process retainage

Understanding Progress Payments

You make progress payments to the subcontractors as they make progress against their contracts. You draw progress payments from the funds that are committed to their contract.

To make a progress payment you must first enter a voucher into the JD Edwards EnterpriseOne Subcontract Management system. Vouchers contain the details of a payment and enable you to create a payment that is drawn against the commitments for a contract. After you enter a voucher, you can review and post it. You can then work with the voucher to change the method that the system uses to process payments. You can also correct a voucher that was entered incorrectly.

In addition, you make progress payments to release some or all of the retainage against a contract. Retainage is a percentage of the committed amount that is held until a specified date after the completion of the contract.

When you are ready to make payments, you can progress payments.

You can also set threshold amounts for progress payments. The currency that you specify in the Supplier Master (P0401) is used as the default currency for the threshold amount. During progress payments, the system checks to see whether a voucher exceeds the threshold specified in the Subcontractor Threshold program (P4355). If the threshold amount has been exceeded, the system places the voucher on hold. The voucher is then on a pay status code hold. You can set vouchers on pay status code holds for threshold by setting the processing options in the Process Tab-Threshold pay status code on the Voucher Match, or Progress Payment, program (P4314).

Progress Payments and Subcontract Vouchers

To make progress payments, you must first create a voucher in the JD Edwards EnterpriseOne Subcontract Management system. Vouchers contain the details of a payment and enable you to create a payment that is drawn against the commitments for a contract. You use vouchers to determine the amount and type of payment that you are processing.

Before you can pay a subcontractor, you must create a voucher that:

- Indicates that the terms of a transaction are met.
- Specifies the amount to pay to the subcontractor.
- Notifies JD Edwards EnterpriseOne Accounts Payable to cut a check.

You can also create vouchers:

- To withhold a portion of the gross payment as retainage.

Retainage is a percentage of a committed amount that is held until after the order is complete. For example, if you create a voucher for 100.00 with retainage of 10 percent, the actual payment is 90.00, with 10.00 held as retainage. You release retainage by entering a payment voucher for the amount that you want to release.

- To make progress payments on a contract.
- For units if you are paying against a unit based order.

In a unit-based order, you create payments based on the number of units completed. You should enter either the number of units for which you are paying or the gross payment. The system then calculates the other value based on the price per unit.

Progress Payments is a version of the Voucher Match program (P4314). It includes specific information for the JD Edwards EnterpriseOne Subcontract Management system. The system provides a Work With Contracts form on which you can further specify which contracts you would like to match. You can select whether you want to match contracts, receipts, retainage or all three. You can also access the Subcontract Ledger Inquiry program (P0411) or the Subcontract Order Entry program (P4310). The processing options for P4314 include a Progress Payments tab. On this tab you can specify how the system processes payments.

Note. Set the Option Default processing option on the Progress Payments tab of P4314 to *I* in order to have the system match the quantity and amount when performing voucher match.

American Institute of Architects (AIA) Application for Payment

The AIA Application for Payment is similar to the American Institute of Architects (AIA) Document G702, titled Application and Certificate for Payment. It is a report that lists base contract and change order commitment amounts in addition to previous amounts that were billed and retained.

Additionally, you can print and send the Waiver of Lien form when you send a subcontractor the AIA Application for Payment. The Waiver of Lien states that the subcontractor has been paid and that there are no outstanding liens associated with the work on the contract.

Prerequisites

Before you complete the tasks in this section:

- Set up A/P payment processing.
- If the business process warrants matching individual lines, ensure that you have set the Option Default processing option on the Progress Payments tab of P4314 to blank.

This ensures that you have the option field available to you on the Work With Contracts form, where you can specify whether to bypass detail lines during the progress payment process.

- Ensure that you have the Interface Option processing option on the Progress Payments tab of P4314 set to activate progress payments.

Creating Subcontract Vouchers

This section provides overview of subcontract vouchers, voucher matching, and invoices received in an alternate currency, and discusses how to:

- Set processing options for Voucher Match (P4314).
- Set processing options for A/P Standard Voucher Entry (P0411).
- Select records to match to a voucher.
- Select order detail lines to match to a voucher.

Understanding Subcontract Vouchers

You must create a voucher before you can pay a supplier or a subcontractor. You create vouchers in the JD Edwards EnterpriseOne Accounts Payable A/P Standard Voucher Entry program (P0411).

You create a voucher from the order detail line to make progress payments on a contract, or to release retainage.

You can create a voucher for an amount if you are paying against a lump-sum contract. A lump-sum contract is a contract in which you specify progress payments as amounts. If you have multicurrency turned on, you can enter a voucher for the designated currency type. You can include retainage in lump-sum contract vouchers.

You can also create a voucher for units if you are paying against a unit-based order. In a unit-based order, you specify progress payments based on the number of units completed. You should enter either the number of units for which you are paying, or the gross payment. The system then calculates the remaining value based on the price per unit.

For example, if you enter a voucher for 1,000 square feet of drywall at a cost of 0.25 per square foot, the system calculates the gross payment as 250.00. Conversely, if you enter a voucher for 250.00 with a unit price of 0.25, the system calculates the number of units as 1,000.

If you have multicurrency turned on, the system calculates the total values based on the currency that you select. For example, if you enter a voucher for 1000 units at 0.25 per unit, the system calculates the total payment in the currency you specify.

You might need to make a correction to a voucher. To make the change, you must create a new voucher that reflects the adjustment to the previous voucher.

Understanding Voucher Matching

To match a voucher, you must locate the subcontract record that corresponds to the progress payment that you want to make. The system creates a voucher interactively when you match the record to a payment.

You can match order detail lines to invoices to create vouchers. For example, if a subcontractor sends you an invoice for 100.00, you must locate and match the order detail lines that contain the corresponding 100.00 worth of services.

Note. You can select multiple order detail lines to match on a single voucher.

You must purchase against account numbers to enter new detail lines during the voucher match process. You cannot add stock-based order detail lines during the voucher match process.

When you try to create a voucher against an order line for which a receipt is required, you receive an error.

When you try to create a voucher against an order that has a payment hold, any of these results might occur:

- You receive a soft warning, which indicates an outstanding log warning.

You can enter and process payments as usual.

- The new payments automatically have a pay status of H, which indicates that the contract hold code automatically holds payments against an order.

You must manually change each voucher to approved pay status.

- The system does not allow you to enter a payment voucher, which indicates that the vendor hold code for the supplier is set to not allow any payments.
- You cannot enter payment vouchers until the hold is removed.

You can also enter a specific tax amount for each receipt record on the Voucher Match form. If you enter a tax amount, you must also enter the tax rate/area and an explanation for the tax.

To account for variances in the exchange rate, you can set up AAIs. If you enter a new exchange rate during the voucher match process, the system creates journal entries to account for the variance between costs incurred at the old exchange rate and costs incurred at the new exchange rate.

Understanding Invoices Received in an Alternate Currency

If you enter a subcontract order in a domestic or foreign currency and a subcontractor submits an invoice in an alternate currency, you cannot automatically match the domestic or foreign order to the invoice. Instead, you must manually convert the alternate currency invoice amount to the domestic or foreign currency and then enter the voucher with that (domestic or foreign currency) amount.

For example, if a French company enters an order in Canadian Dollars (CAD) and the supplier submits the invoice in Japanese Yen (JPY), you must manually convert the invoice amount to the domestic (EUR) or foreign (CAD) currency and then enter the voucher for that amount. Likewise, if a Canadian company enters an order in Japanese Yen and the supplier submits the invoice in U.S. Dollars (USD), you must manually convert the invoice amount to CAD or JPY and then enter the voucher for that amount.

For future transactions, consider changing the currency code on the supplier master record so that orders, vouchers, and payments for the subcontractor are processed using the alternate currency.

Prerequisite

Before you complete the tasks in this section:

Review all processing options for Standard Voucher Entry and Voucher Match.

Set the voucher match version.

Forms Used to Create Subcontract Vouchers

Form Name	FormID	Navigation	Usage
Work With Contracts	W4314E	Subcontract Processing (G43D11), Progress Payments	Select the contract for which you want to create a voucher.
Voucher Match	W4314A	On Work With Contracts, select the record you want to match with a voucher and click OK.	You can also select more records if needed. Match a voucher to selected subcontract orders.
Select Orders To Match	W4314C	On Voucher Match, select Orders To Match from the Form menu.	Select order detail lines to match to a voucher.

Setting Processing Options for the Voucher Match Program (P4314)

Processing options enable you to specify the default processing for programs and reports.

Defaults

These processing options define the default information that the system uses during Voucher Match (P4314).

1. Inquiry Order Type and 2. Voucher Document Type

Specify the type of document.

This UDC (00/DT) indicates the origin of the transaction. Document type codes are reserved for vouchers, invoices, receipts, and time sheets, which create automatic offset entries during the post program. (These entries are not self-balancing when you originally enter them.) You must enter a value that has been set up in UDC 00/DT.

We have defined these prefixes for document types, and we recommend that you do not change them:

P: Accounts Payable.

R: Accounts Receivable.

T: Payroll.

I: Inventory.

O: Purchase Order.

J: General Accounting/Joint Interest Billing.

S: Sales Order Processing.

Display

These processing options control whether the system displays certain types of voucher match information, such as the approver number and reporting code.

1. Approver Number

Specify whether to display the approver number code. Values are:

Blank: Do not display

I: Display

- 2. Reporting Code** Specify whether the column for Reporting Code 007 appears in the detail area on Voucher Match. Values are:
 Blank: Do not display
 /: Display
- 3. Account Number** Specify how the system displays the account number. Values are:
 Blank: The account number is displayed as one field.
 /: The account number is displayed in three individual fields (Business Unit, Object Account, and Subsidiary).
- 4. Business Unit** Specify the text that describes the Business Unit field (alias MCU). This processing option affects only the header area on Voucher Match, not the detail area. Values are:
 Blank: The field appears as Branch/Plant.
 /: The field appears as Job.
 2: The field appears as Project.
 3: The field appears as Business Unit.

Process

These processing options control the values that the system uses for this information and processes:

From and Thru status codes.

Outgoing next status code.

Entry of the quantity/amount.

Tolerance checking.

Storage of supplier analysis information.

Quantity of vouchers allowed per order.

- 1. From Status Code and 2. Thru Status Code** Specify the beginning status code (40/AT) in a range of next status codes. The system uses the range when selecting orders to match.

Note. This processing option does not apply when the system is selecting receipts to match.

- 3. Outgoing Receipt Next Status Code** Specify a code that represents the next status that the order moves to after a partial payment.
 When a partial payment exists, the system updates the status in the F4311 table for a two-way match and updates the status in the Purchase Order Receiver File table (F43121) for a three-way match so that the statuses in those two tables match the status that you enter.
- 4. Cancel Status Code** Specify the next status that the order moves to after the system cancels a voucher.

When a voucher is canceled, the system updates the status in the F4311 table for a two-way match and updates the status in the F43121 table for a three-way match to ensure that the statuses match the status that you enter.

5. Quantity/Amount

Specify whether you want to manually enter the quantity information or whether the system automatically enters quantity information. Values are:

Blank: Automatically load the quantity/amount.

1: Manually enter the quantity/amount to a voucher.

6. Tolerance

Specify whether the system checks to determine if a detail line's quantity and amount exceed the tolerance percentage. To check tolerance, you can access the Purchasing Tolerance Rules program (P4322). You can enter a valid pay status or any of these values:

Blank: Do not check quantities and amounts to determine whether they exceed tolerance.

1: Display a warning

2: Display an error message

7. Supplier Analysis

Specify whether you want the system to capture supplier analysis information. Values are:

Blank: Does not capture supplier analysis information.

1: Records information such as item numbers, dates, and quantities for every purchase order in the F43090 table.

To make supplier analysis most effective, enter *1* for this processing option and set the processing options for the Purchase Orders program (P4310) and the PO Receipts program (P4312) to capture the same information.

8. Orders Per Voucher

Specify whether the system allows multiple orders per voucher. Values are:

Blank: Allow multiple orders per voucher.

1: Allow only one order.

9. Branch/Plant Retrieval

Specify which business unit or project number that the system uses to generate the general ledger bank account and the A/P trade account. Values are:

Blank: The system retrieves the business unit for each purchase order detail line.

1: Retrieves the business unit in the purchase order header record.

2: Retrieves the business unit from the JD Edwards EnterpriseOne Address Book system.

3: Retrieves the business unit from the header information in the Voucher Match program (P4314).

4: Retrieves the project number from the business unit for each purchase order detail line.

5: Retrieves the project number from the business unit in the purchase order header record.

6: Retrieves the project number from the business unit in JD Edwards EnterpriseOne Address Book system.

7: Retrieves the project number from the business unit in the header information that is contained in the Voucher Match program (P4314).

Note. The system uses the business unit that you specify for the voucher.

10. Direct Ship Integrity Cost Update

Specify that you want to allow cost updates to the sales order when the order is a direct ship order. Values are:

Blank: Do not update

I: Update

11. Lot Cost Update

Specify that you want to update an item's lot cost (method 06) when matching an order at a variance. Values are:

Blank: Do not update

I: Update

12. Threshold Warning

Specify whether the system displays a warning for voucher total gross amounts that exceed the threshold that has been set for the subcontractor/supplier.

The threshold is stored in Subcontractor Threshold table (F4355). Values are:

Blank: Does not display

I: Display

13. Threshold Pay Status Code

Specify the pay status code (00/PS) that the system assigns to lines on the voucher whose total gross amount exceeds the threshold.

The threshold is defined for the subcontractor or supplier in the Subcontractor Threshold program (P4355).

Summarization

These processing options control whether the system summarizes accounts payable (A/P) and general ledger information.

1. A/P

Specify whether to summarize A/P entries. Values are:

Blank: Do not summarize

I: Summarize

2. G/L

Specify whether to summarize general ledger entries. Values are:

Blank: Do not summarize

I: Summarize

New Order Line

These processing options control how new order detail lines are added to a purchase order when you are creating a voucher.

1. Order Line Entry

Specify whether you want the system to automatically create purchase order detail lines for lines that you add to a voucher. Values are:

Blank: You cannot add lines to a voucher.

I: Do not create

2: Create

2. Line Type

Specify how the system processes lines on a transaction.

The line type affects the JD Edwards EnterpriseOne systems with which the transaction interfaces (General Accounting, Job Cost, Accounts Payable, Accounts Receivable, and Inventory Management). The line type also specifies the conditions for including a line on reports and in calculations. Some examples of values, which have been defined on the Line Type Constants Revisions form (P40205), are:

J: Job cost, subcontracts, or purchasing to the general ledger.

B: General ledger account and item number.

N: Nonstock item.

F: Freight.

T: Text information.

M: Miscellaneous charges and credits.

This processing option applies only if you enter a value of 2 in the Order Line Entry processing option, which also is on the New Order Lines tab.

You can only use a line type that has an inventory interface of A, which validates the account number.

3. Last Status Code

Use this processing option to indicate the beginning status, which is the first step in the order process.

You must use a UDC (40/AT) that has been set up on the Order Activity Rules form for the order type and the line type that you are using.

4. Next Status Code

Specify the next step in the order process.

You must use a UDC (40/AT) that has been set up on the Order Activity Rules form for the order type and the line type that you are using.

The override status is another allowed step in the process.

Retainage

These processing options control whether the system uses the retainage percentage or the retainage amount as a default value in the Voucher Match program (P4314), and also whether the system applies taxes to the retained or vouchered amount.

1. Default

Specify whether to automatically load the retainage percentage or amount from the order header. Values are:

Blank: Do not load

I: Automatically load

2. Taxes

Use this processing option only for tax types C and V to specify whether the system applies taxes to the retained amount during the voucher match process or when releasing retained amounts. Values are:

Blank: Applies taxes to the vouchered amount, including the retained amount.

I: Does not apply taxes to retained amounts.

Logs

These processing options control whether the system displays a warning message when outstanding logs exist and also indicate which pay status code the system should use for a voucher when outstanding logs exist.

1. **Warning Message** Specify whether the system displays an outstanding log detail warning message and when it displays the message. Values are:
Blank: Do not display
1 and 2: Display
2. **Pay Status Code** Specify the pay status code (00/PS) that the system uses as a default value for the voucher when an outstanding log exists.
Typically, you use a pay status code that indicates that the pay item is on hold.

Currency

These processing options control which date the system uses as the effective date and also whether the exchange rate can be changed.

1. **Effective Date** Specify which date the system uses as the effective date. Values are:
Blank: Use today's date as the effective date.
1: Use the general ledger date.
2: Use the invoice date.
2. **Protect Rule** Specify whether you can change the exchange rate. Values are:
Blank: You can change the exchange rate.
1: You cannot change the exchange rate.

Flex Accounts

This processing option controls whether you are working with flexible accounting.

1. **Flex Accounting** Specify whether flexible accounting is activated.
Activate flexible accounting if you are using the JD Edwards EnterpriseOne Advanced Cost Accounting system, or if you are working with flexible sales accounting. Values are:
Blank: Do not activate
1: Activate

Versions

These processing options enable you to enter the version for each application. If you leave any of these processing options blank, the system uses the ZJDE0001 version.

1. **Order Entry (P4310)** Specify the version that the system uses when you are using the Order Entry program.
When you select a version, review the version's processing options to ensure that the version meets the needs.

- | | |
|--|--|
| 2. AP Master Business Function (P0400047) | Specify the versions that the system uses when you process accounts payable transactions.
You can only review versions for this program in the interactive versions list.
When you select a version, review the version's processing options to ensure that the version meets the needs. |
| 3. GL Master Business Function (P0900049) | Specify the version that the system uses when you are using the JD Edwards EnterpriseOne General Accounting system.
You can only review versions for this program in the interactive versions list.
When you select a version, review the version's processing options to ensure that the version meets the needs. |
| 4. Open Receipts Inquiry (P43214) | Specify the version that the system uses when you are using the Open Receipts Inquiry program.
When you select a version, review the version's processing options to ensure that the version meets the needs. |
| 5. Stand Alone Landed Cost (P43214) | Specify the version that the system uses when you are using the Standalone Landed Cost program.
When you select a version, review the version's processing options to ensure that the version meets the needs. |
| 6. Freight Audit History (P4981) | Specify which version of the Voucher Match program (P4314) that the system uses for matching freight. |
| 7. Supplier Ledger Inquiry (P0411) | Specify the version that the system uses when you are using the Supplier Ledger Inquiry program. |
| 8. Purchase Order Logs (P4305) | Specify the version that the system uses when you use the Logs Entry program (P4305). determine the version to be used for logs application P4305 if UDC 40/VF is activated for '04' |

Workflow

- | | |
|--|---|
| 1. Notify Amount Changes and 2. Notify Quantity Changes | Specify the option for notification. Values are:
Blank: Do not send any notification emails.
1: Purchase order originator.
2: Project Manager.
3: Buyer.
4: Originator, Buyer and Project Manager. |
|--|---|

Progress Payment

Use these processing options to determine how the system processes progress payments in the JD Edwards EnterpriseOne Subcontract Management system.

- | | |
|---------------------|--|
| 1. Interface | Specify that you want to activate the Progress Payment interface. Values are:
Blank: Supplier/Subcontractor Ledger Inquiry
1: Progress Payment |
|---------------------|--|

Note. If you are using Standard Voucher Match, this processing option should not be set.

- 2. Match Type Default** Specify the default for the match type.
You must enter a value that has been set up in UDC 43B/VW.
- 3. Option Default** Specify the default progress payment option displayed in the detail area of the Progress Payments/Voucher Match form when you select lines to pay from the Work With Contracts form. Values are:
Blank: Bypass payment of line
I: Match quantity and amount
- 4. Extended Amount** Specify whether extended amount is calculated if quantity is changed.
Blank: Extended amount is not calculated.
I: Extended amount is calculated.
- 5. Batch** Specify whether to use the same batch number. Values are:
Blank: Do not use
I: Use
- 6. Activate Type of Payment and Current Payment Fields** Specify whether the system activates the payment functionality type and shows the payment type fields, Type of Payment, Current Payment Domestic and Current Payment Foreign in the Supplier Self-Service applications. Values are:
Blank: Do not activate
I: Activate
- 7. Type of Payment Options** Specify the type of payment option.
This processing option is used only when the Type of Payment and Current Payment fields processing option is activated. Values are:
Blank: Actual Amount
I: Cumulative Percentage
2: Cumulative Amount
If a payment is already made, the payment amount is subtracted and the remainder is paid. For example, if you use option *I*, and 100 out of 2000 USD is already paid, and you put 20 percent in progress payment, the program pays off 20 percent of 2000 USD which is 400 USD. Since 100 USD is already paid, it pays the remaining 300 USD.
Option *2* is used similarly but an amount, not percentage, is specified.
- 8. Prevent Payment of Paid Lines** Specify whether to pay more than 100 percent on a paid line.
This applies to non-stock lines only. Values are:
Blank: Prevent payment
I: Allow payment

Redistribution

Specify how the system processes logged recurring vouchers after redistribution.

1. Calculate Last Chance Variance for the voucher after it has been redistributed.

Use this processing option specify whether the system records variance amounts in the general ledger for amount variances.

The system records these variances by using DMAAI 4330. Values are:

Blank: Does not record

I: Records

Setting Processing Options for the A/P Standard Voucher Entry Program (P0411)

Processing options enable you to specify the default processing for programs and reports.

Display

These processing options specify how the system groups and displays data in the A/P Standard Voucher Entry program.

1. Recurring Vouchers

Specify the default voucher type to display on the Supplier Ledger Inquiry form. Values are:

Blank: Display all voucher types

I: Display only recurring vouchers

When you enter *I*, the program select the Recurring Vouchers check box.

2. Summarized Vouchers

Use this processing option so that vouchers appear with multiple pay items in a summarized, single pay item format. Values are:

Blank: Shows all vouchers (no default criteria).

I: Shows only summarized vouchers.

When you enter *I*, the program places a check mark in the Summarize option on the Supplier Ledger Inquiry form.

3. Display Domestic and Foreign

Specify whether the system displays both domestic and foreign amount fields in the detail areas of the Enter Voucher-Payment Information and MultiCompany-Single Supplier forms for voucher entry. Values are:

Blank: Do not display

I: Display:

Domestic Gross

Domestic Discount Available

Domestic Taxable

Domestic Tax

Domestic Non-Taxable

Foreign Gross Amount

Foreign Discount Available

Foreign Taxable
 Foreign Tax
 Foreign Non-Taxable

Currency

These processing options enable you to display amounts in a currency other than the currency in which the amounts are stored on the system. Amounts displayed in a different currency are hypothetical only; they are not saved to the system when you exit the A/P Standard Voucher Entry program.

1. As If Currency

Specify that you want to view domestic or foreign amounts in a currency other than the currency in which the amounts were originally entered.

Specify the currency code in which to view the as if currency. For example, to view domestic or foreign U.S. Dollar (USD) amounts in the euro, specify EUR. If this processing option is left blank, the system does not display the As If Currency Code field in the header, nor does it display the As If Amount and As If Open Amount columns in the grid area.

Note. As if currency amounts are stored in a temporary memory, and are not written to a table.

2. As Of Date

Specify an as of date for the As If Currency processing option.

This system uses this date to retrieve the exchange rate from the F0015 table. If this processing option is left blank, the system uses the system date if you specify a currency code in the As If Currency processing option.

Note. A valid exchange rate between the domestic or foreign currency and the as if currency must exist in the F0015 table, based on the as of date.

Manual Payments

These processing options control the creation of manual payments. Use these processing options only on the version of the A/P Standard Voucher Entry program that you use for manual payments without voucher match.

1. Manual Payment Creation

Specify whether to generate manual payments instead of automatic payments.

This option applies only to manual payments without voucher match and is not available in multi-company and multi-voucher modes. Values are:

Blank: No payment information appears.

I: Generate manual payments (without voucher match).

Note. If you enter *I*, click Add on Supplier Ledger Inquiry. Then complete the Enter Voucher - Payment Information form, and click OK. Complete the Payment Information form for manual payment processing.

2. Duplicate Payments

Specify the type of message that appears when you attempt to generate or edit a duplicate payment number.

Use this option only if you enter *I* for Manual Payment Creation. The message indicates that you have used that payment number previously. Values are:

Blank: Error

3. Automatic Payment Number Assignment

I: Warning

Specify that the program to automatically assign payment numbers to manual payments based on the bank account's next number. Values are:

Blank: Manually assign payment numbers (default).

I: Assigns payment numbers.

Purchasing

This processing option specifies how the program processes vouchers that contain subcontract order information.

1. Voucher Delete

Specify the type of message that appears when you attempt to delete vouchers that contain purchase order information.

For example, indicate what the system does when you attempt to delete a voucher that contains a purchase order from the Supplier Ledger Inquiry form. Values are:

Blank: Do not permit editing (default).

I: Warning.

2: Error. If a conflict exists between this processing option and the Voucher Message processing option for Voucher Entry MBF, the value set here overrides the value set in Voucher Message processing options.

Voucher Match

These processing options enable you to process matched vouchers from the procurement system rather than standard vouchers.

1. Match Processing

Specify that you want to change the default voucher type from standard vouchers to matched vouchers.

If you choose to run the voucher match program, you can select either the three-way voucher match or the two-way voucher match. Values are:

Blank: Run Standard Voucher Entry (P0411).

I: Run Voucher Match (P4314) in Procurement.

Alternatively, on the Non-Stock PO Processing menu (G43B11), select one of these:

Receive & Voucher POs.

Match Voucher to Open Receipt. The Voucher Match Program (P4314) does not access the MBF processing options (P0400047). Therefore, the MBF processing option settings do not affect Voucher Match processing.

You might want to reverse a voucher. For example, you reverse a voucher when you return the items for which you created the voucher. If the voucher has been posted, the system reverses the corresponding journal entries. If the voucher has not been posted, the system deletes the entries.

Note. Do not delete a voucher in the JD Edwards EnterpriseOne Accounts Payable system if you created the voucher in the JD Edwards EnterpriseOne Procurement system. The voucher should be deleted in the JD Edwards EnterpriseOne Procurement system.

2. Voucher Match Version Specify that you want to accept the default voucher match version, or enter a specific version number for the Voucher Match program (P4314) in the JD Edwards EnterpriseOne Procurement system.

You must complete this processing option if you enter *1* in the Match processing option. If this processing option is left blank, the system uses ZJDE0001.

Multi Company

This processing option enables you to process vouchers for multiple companies rather than standard vouchers.

1. Multi-Company Single Supplier Specify whether to process vouchers that represent expenses for multiple internal companies.

These multi-company vouchers expenses are distributed to different general ledger and offset bank accounts, but to the same supplier. Values are:

Blank: Enter a standard voucher.

1: Enter a multi-company single supplier voucher.

Note. The manual payment function is not available for this type of voucher processing.

Alternatively, access this processing option by choosing Multi-Company Single Supplier from the Other Voucher Entry Methods menu (G04111).

Multi Vouchers

This processing option enables you to enter multiple vouchers rather than standard vouchers.

1. Multiple Vouchers Specify that you want to enable you to quickly enter multiple vouchers for one or more suppliers.

Unlike the standard voucher entry method, which is a two-step process, the multiple voucher entry methods are a single-step process. Values are:

Blank: Enter a standard voucher.

1: Enter multiple vouchers with a single supplier.

2: Enter multiple vouchers with multiple suppliers.

Note. You can use the multiple-voucher entry methods to add vouchers only. To change, delete, or void them, you must use the standard voucher entry method.

Also, the manual payment function is not available for this type of voucher processing. For additional information, as well as other limitations to multiple

voucher entry, consult the documentation or online help for Entering Multiple Vouchers.

Alternatively, access this processing option by choosing either Multi Voucher - Single Supplier or Multi Voucher - Multi Supplier from the Other Voucher Entry Methods menu (G04111).

Logging

This processing option enables you to enter logged vouchers rather than standard vouchers.

1. Voucher Logging

Specify whether to enter a voucher before you assign it a general ledger account. At a later time, you can redistribute the voucher to the correct general ledger accounts.

You can specify a default general ledger account for preliminary distribution, as well as a suspense trade account for logged vouchers. To do this, use AAI PP (Preliminary Distribution for Voucher Logging) and PQ (Suspense A/P Trade Account for Voucher Logging). To use AAI PQ, select the Use Suspense Account option in the Company Names and Numbers program (P0010). From the Organization & Account menu (G09411), select Company Names and Numbers. Values are:

Blank: Enter a standard voucher (default).

1: Enter a logged voucher.

When you enter *1* in this processing option, the program adds a selected Logged option to the Supplier Ledger Inquiry form, and the program ignores the selections you make for Prepayments.

Alternatively, from the Other Voucher Entry Methods menu (G04111), select Voucher Logging Entry.

Note. This processing option functions in conjunction with the Voucher Logging processing option on the Logging tab of Voucher Entry MBF (P0400047). You must enter *1* in both Voucher Logging processing options in order for the system to process logged vouchers. If the Voucher Logging processing options for A/P Standard Voucher Entry and Voucher Entry MBF are set for logged vouchers, the system ignores the processing options on the Prepayments tab of A/P Standard Voucher Entry (P0411).

2. G/L Date

Specify whether to use the system date as the default general ledger date for a logged voucher. Values are:

Blank: Enter date manually.

1: Use the system date as the default general ledger date.

Note. If you enter *1* in this processing option, you cannot override the date, since you have designated the system date.

Prepayments

These processing options specify how the program processes prepayments. Use prepayments to pay for goods or services before you receive an invoice.

1. G/L Offset Account

Specify that you want to set up AAIs (item PCxxxx) to predefine classes of automatic offset accounts for accounts.

For example, you can assign general ledger offsets as:

Blank: Trade Accounts Payable

4110: Trade Accounts Payable

RETN: Retainage Payable

4120: Retainage Payable

OTHR: Other Accounts Payable

4230: Other Accounts Payable

PREP: Prepayment A/P Trade Account

4111: Prepayment A/P Trade Account

Enter the code for the general ledger offset account that the system uses to create prepayment pay items. You must enter a value to enable automatic creation of prepayment pay items. If you leave this processing option blank (default), the system uses the Standard Voucher Entry program.

2. G/L Distribution Account

Specify the general ledger distribution account that the system uses for creating prepayment pay items. You can use one of these formats for account numbers:

Structured account (business unit.object.subsidiary).

25-digit unstructured number.

8-digit short account ID number.

Speed code.

The first character of the account indicates the format of the account number.

You define the account format in the General Accounting Constants program (P000909).

Note. Use this processing option only if you enter a value in the General Ledger Offset Account processing option.

3. Pay Status Code

Specify the default pay status code for prepayments.

The pay status code is a UDC (00/PS) that indicates the current payment status of a voucher. Valid codes are:

P: The voucher is paid in full.

A: The voucher is approved for payment, but not yet paid. This applies to vouchers and automatic cash applications.

H: The voucher is on hold pending approval.

R: Retainage.

%: Withholding applies to the voucher.

?: Other codes. All other codes indicate reasons that payment is being withheld.

Note. The JD Edwards EnterpriseOne Accounts Payable system does not print payments for any codes other than the codes provided in this valid codes list.

Note. Use this processing option only if you enter a value in the general ledger Offset Account processing option.

4. Number of Days

Specify the number of days to add to the due date of the negative prepayment pay items.

5. Tax Area

Specify that the program indicates the Prepayment Tax form for prepayments.

You use the Prepayment Tax form to assign tax codes to negative pay items that are different from the tax codes for the corresponding positive pay items. This is necessary, for example, when tax laws treat positive pay items and negative pay items differently. Otherwise, the system automatically generates a negative pay item for each positive pay item, assigning each negative pay item the same tax area code and tax explanation code as its corresponding positive pay item.

If you specify a tax area code and tax explanation code on the Prepayment Tax form, the new codes appear on all negative pay items, overriding the original tax area codes and tax explanation codes on the positive pay items.

For example, if there are several positive pay items, each of which specify a different tax area code and tax explanation code, but you specify a particular tax area code and tax explanation code on the Prepayment Tax form, the system assigns the tax area code and tax explanation code you specify on the Prepayment Tax form to all negative pay items. Values are:

Blank: Do not display

I: Display

Note. Use this processing option only if you enter a value in the general ledger Offset Account processing option.

6. Prepayment Tax Area Code

Specify a default code that identifies a tax or geographic area that has common tax rates and tax distribution.

The system uses this code to properly calculate the tax amount. The tax rate/area must be defined to include the tax authorities (for example, state, county, city, rapid transit district, or province), and their rates. To be valid, a code must be set up in the Tax Rate/Area table (F4008).

Typically, U.S. sales and use taxes require multiple tax authorities per tax rate/area, whereas VAT requires only one tax.

Note. Use this processing option only if you enter 1 in the Tax Area processing option.

7. Prepayment Tax Explanation Code

Specify a default tax explanation code for transactions with a certain supplier.

This tax explanation code is a UDC (00/EX) that controls how a tax is assessed and distributed to the general ledger revenue and expense accounts.

Note. Use this processing option only if you enter 1 in the Tax Area processing option.

Versions

These processing options specify whether to override the default Master Business Function version.

- | | |
|--|--|
| 1. Voucher Master Business Function Version | Specify a version number to override Standard Voucher Entry processing (version ZJDE0001 for application P0400047). If this processing option is left blank, the system uses ZJDE0001. |
| 2. Journal Entry Master Business Function | Specify a version number to override Journal Entry processing (version ZJDE0001 for application P0900049). If this processing option is left blank, the system uses ZJDE0001. |
| 3. Pay When Paid Manual Link Version | Specify a version number for the Pay When Paid Manual Link application (version ZJDE0001 for application P03B470). If this processing option is left blank, the system uses ZJDE0001. |
| 4. Netting (P03B455) Version | Specify the version of Netting (P03B455) to use. If this processing option is left blank, the system uses ZJDE0002. |

Note. Only persons responsible for system-wide setup should change this version number.

Process

These processing options restrict changes to vouchers when you use Subcontractor Ledger Inquiry.

- | | |
|--------------------------------------|---|
| 1. Voucher Entry Mode | Specify whether the system enables changes to vouchers after you select them from the Supplier Ledger Inquiry form. Values are:
Blank: Allow changes
<i>I</i> : Do not allow changes

The system restricts you to inquiries of existing vouchers that you select from the Supplier Ledger Inquiry form. |
| 2. Supplier Self Service Mode | Specify the activation of the Supplier Self-Service function for use in Java/HTML.

The Self-Service function enables suppliers to view their own vouchers and payments. Values are:
Blank: Do not activate
<i>I</i> : Activate |

Edits

This processing option defines whether the Fixed Asset ID is required when entering a voucher.

- | | |
|--------------------------|--|
| 1. Fixed Asset ID | Specify whether to require an Asset ID if an account is in the AAI asset account range. Values are:
Blank: Do not require
<i>I</i> : Require |
|--------------------------|--|

Pay When Paid

- 1. Pay When Paid Voucher** Specify whether to enter a Pay When Paid Voucher. Values are:

Blank: Enter a standard voucher (default).

I: Enter a Pay When Paid Voucher.

When you enter *I* in this processing option, the program flags the voucher as a Pay When Paid Voucher.

Note. This processing option functions in conjunction with the Pay When Paid Pay Status Code processing option on the Defaults tab of Voucher Entry MBF (P0400047). You must enter the pay status to be associated with Pay When Paid Vouchers.

Choosing Records to Match to a Voucher

Access the Voucher Match form.

To select records to match to a voucher:

1. On Voucher Match, complete the Invoice Num, Invoice Date, and G/L Date fields to enter record information.

You can have the system enter the gross amount and tax for you based on the detail lines or receipt records you choose.

2. Complete the OP field.

For subcontract progress payments, if you have set the Option Default processing option on the Progress Payments tab, the system defaults this field to a value of *I*, match quantity and amount.

3. Complete the optional fields for receipt records to reflect the invoice, as necessary.
4. Click OK.
5. To review the resulting voucher, on Subcontractor Ledger Inquiry, click Find, select the voucher, and click Select.

Choosing Order Detail Lines to Match to a Voucher

Access the Voucher Match form.

To select order detail lines to match to a voucher:

1. On Voucher Match, to enter record information, complete the Supplier, Cost Center, Invoice Num, Invoice Date, G/L Date, and Co. fields.

You can have the system enter the gross amount and tax for you based on the detail lines you select if you match to the invoice.

2. Select Orders To Match from the Form menu.
3. On Select Orders To Match, locate and select order detail lines and click OK.

The system returns the lines that you selected to the Voucher Match form.

4. On Voucher Match, complete the O P field.

The option that you enter determines whether the system leaves the balance of the line open (option 1), closes the balance (option 7), or cancels the line entirely (option 9).

5. Complete the optional fields for order detail lines, as necessary, to reflect the invoice.
6. Click OK.
7. To review the resulting voucher, on Subcontractor Ledger Inquiry, click Find, select the voucher, and then click Select.

Processing Retainage

This section provides an overview of retainage and discusses how to:

- Enter a voucher with retainage.
- Enter a voucher to release retainage.

Understanding Retainage

You can withhold a portion of the gross payment as retainage. Retainage is the percentage of a committed amount that is held until a specified date. For example, you pay the retained amount after the completion of the contract, service, or receipt of all items on an order. If you create a voucher for 100 with retainage of 10 percent, the actual payment is 90, with 10 held as retainage. You release retainage by creating progress payments for the amount that you want to release.

Note. You cannot release retainage and progress payment at the same time.

Note. The terms voucher and progress payment have the same meaning in the JD Edwards EnterpriseOne Subcontract Management system and the JD Edwards EnterpriseOne Procurement system.

You can create a voucher with retainage that is applied to the entire voucher, or you can apply retainage by line item of the voucher.

Use the tax with retainage processing option to defer tax on retainage. If you set the processing option for tax with retainage to on and you use a tax type of C or V, the system calculates amounts differently. It subtracts retainage from the original taxable amount and recalculates new amounts.

You release retainage by entering a payment voucher for the amount that you want to release. Retainage is also called a holdback.

A partial release of retainage indicates that there is still an unpaid amount of retainage. A final release of retainage indicates that no retainage remains to be paid. You can release retainage for individual vouchers or for groups of vouchers.

Prerequisite

Before you complete the tasks in this section Set processing options on the Voucher Match program (P4314) to apply taxes to retainage.

Forms Used to Process Retainage

Form Name	FormID	Navigation	Usage
Voucher Match	W4314A	Subcontract Processing (G43D11), Progress Payments On Work With Contracts, specify contracts to pay as match type, select the record you want to match with a voucher and click Select.	Specify the retainage amount for a voucher.
Select Orders To Match	W4314C	On Voucher Match, select Orders To Match from the Form menu.	Select order detail lines to match to a voucher.

Entering a Voucher with Retainage

Access the Voucher Match form.

Complete the steps for choosing records to match to a voucher or choosing order detail lines to match to a voucher, changing the value in the Retained Amount field for order detail lines, as necessary.

Retained Amount Enter the total amount held back on the contract amount.
The amount retained cannot be less than zero or greater than the amount to voucher.

Entering a Voucher to Release Retainage

Access the Voucher Match form.

1. On Work With Contracts, locate the record you want to match with a voucher and click *Select*.
2. On Voucher Match, complete these fields to enter record information:
 - Invoice Num.
 - Invoice Date
 - G/L Date

You can have the system enter the gross amount and tax for you based on the detail lines or receipt records you select.

3. On Voucher Match, complete the OP field.

For subcontract progress payments, if you have set the Option Default processing option on the Progress Payments tab, the system defaults this field to a value of *I*, match quantity and amount.

4. Complete these optional fields for receipt records to reflect the invoice, as necessary:
 - Amount To Voucher
 - Quantity To Voucher
 - Retained Amount
 - Percentage Retained
 - Tax Y/N

- Tax Area
 - Tax Expl
 - Tax
 - Discount Amt
5. Click OK.
 6. To review the resulting voucher, on Subcontractor Ledger Inquiry, click *Find*, select the voucher, and click Select.

CHAPTER 10

Processing Special Orders

This chapter provides an overview of special orders processing.

Understanding Special Orders Processing

A special order requires different handling than a regular order. In many instances, a special order is a prerequisite to an actual order. Examples of special orders include:

- Requisitions - preliminary requests for items and services.
- Blanket Orders - large orders for which you want to receive periodic disbursements.
- Quote Orders - requests for supplier price quotes.
- Order Revisions - orders for which the system tracks modifications to orders.

You enter most special orders in the same way that you enter orders. You distinguish a special order by its order type. For example, when you work with a requisition, you usually enter an order type of OR (requisition orders). When you work with a blanket order, you usually enter an order type of OB (blanket order), and so forth.

Based on the line types, activity rules, and status codes that you set up for special orders, each special order type follows a different process cycle in the JD Edwards EnterpriseOne Procurement system or the JD Edwards EnterpriseOne Subcontract Management system.

CHAPTER 11

Processing Approvals

This chapter provides an overview of approval processing.

Understanding Approval Processing

The company might require you to obtain approval for the items or services that you purchase. After you enter a purchase order, subcontract order, requisition, blanket order, or so on, you can require that the proper authorities approve the order before the system processes it. This approval eliminates the unauthorized purchase of items.

The orders you enter might require approval from different persons, based on the department in which you work or the amount of purchases that you want to make. You must set up approval routes to specify the persons responsible for approving orders. You can then assign those routes to orders.

If you originate orders, you can check the current status of an order. The status indicates the person from whom the order is awaiting approval and the persons who have already approved the order. You receive a message when an order is fully approved or rejected.

If you are responsible for approving orders, you can review all orders awaiting approval and select orders to approve or reject. You can provide explanations for approving or rejecting an order.

When you set up the purchasing cycle, you must determine which order types (purchase orders, subcontract orders, requisitions, and so forth) require approval. For each order type, you must set up order activity rules to include the approval process.

The system maintains historical information about order approvals in the Held Orders table (F4209).

APPENDIX A

EnterpriseOne Subcontract Management Reports

This appendix provides an overview of the JD Edwards EnterpriseOne Subcontract Management reports and enables you to:

- View summary tables of all reports.
- View details for selected reports

EnterpriseOne Subcontract Management Reports

The JD Edwards EnterpriseOne Subcontract Management system offers you a variety of reports to help you review and manage the contract information. You can print reports to review the financial details of the contracts. Financial reports can display this information:

- Job, subcontractor, and contract status.
- Price.
- Contract financial history.
- Committed costs and committed transactions.

You can print commitment reports to review the commitment details of the contracts. A commitment report can display:

- Committed cost information for a job.
- Commitment details and analysis for a contract.
- Commitment distribution among contracts for a job.
- American Institute of Architects (AIA) payment documentation.

You can print reports to review the log information for the contracts. Log reports can display:

- Log items related to a contract.
- Submittal and transmittal status information
- Hierarchical log information.

EnterpriseOne Subcontract Management Reports: A to Z

This table lists the address book reports, sorted alpha-numerically by report ID:

Report ID and Report Name	Description	Navigation
R43050 F4305 Logs Report	This report lists logs and their associated hierarchies.	Subcontract Reports (G43D111), F4305 Logs Report
R43415 Summary by Supplier Report	<p>This report prints purchase order information by supplier, then by business unit. You can review individual amounts for each purchase order, including the amount received and the amount open. You can also review the total amount for all purchase orders.</p> <p>If a purchase order contains detail lines for multiple branch or plants, the same order might appear several times based on the branch or plant.</p>	Subcontract Reports (G43D111), Summary by Supplier Report
R43415A Summary by Cost Center Report	This report prints purchase order information by business unit.	Subcontract Reports (G43D111), Summary by Cost Center Report
R43420 Purchase Journal	<p>This report lists original detail line information and changes that have been made to the quantity or extended amount on each detail line.</p> <p>For each order that prints, you can review:</p> <ul style="list-style-type: none"> • The sum of the original detail line amounts. • The sum of the detail line changes. • The sum of the current detail line amounts. <p>Information for this report comes from the F43199 table. This report is applicable only if you set up order activity rules to create ledger records. Reviewing the Contract Analysis Report</p>	Subcontract Reports (G43D111), Purchase Journal

Report ID and Report Name	Description	Navigation
R434201 Contract Analysis	<p>Use this report to review a summary of contract commitment information for selected suppliers and jobs. This report uses information from the F4311 table and the F0902 table.</p> <p>You can review this order information:</p> <ul style="list-style-type: none"> • Budget amount • Contract amount • Invoice amount • Amount paid • Amount retained • Remaining balance • Extended amount • Percent invoiced • Percent retained 	Subcontract Reports (G43D111), Contract Analysis
R43535 Print Order Revisions History	Use this report to review information about order revisions.	Subcontract Reports (G43D111), Print Order Revisions History
R43540 Logs (F4305) Report/Update	This program prints a contract management report and log associated text entries for contracts.	Subcontract Reports (G43D111), Logs (F4305) Report/Update

Report ID and Report Name	Description	Navigation
R4401P Print Subcontracts	<p>The Print Subcontracts report is a version of the Order Detail Print batch application (R4401P). In this report, you can have the system print information about the subcontracts such as associated text and tax information. The system retrieves contract details from the F4311 table.</p> <p>You can also specify whether the system prints logs at a simply the subcontract level, or at all of the hierarchical levels that you utilize in the logs.</p> <p>This report lists detail information about logs and commitment distribution for any contract. You can also review all of the multicurrency information that is associated with a contract if you have multicurrency turned on. You can print information about all jobs, a specific job, or an individual contract.</p> <p>The Subcontract Detail report uses information from the F4301 table, the F4311 table, the F4305 or F4303 table, and Contract Header Log Text (F52034) tables.</p>	Subcontract Reports (G43D111), Print Subcontracts
R44425 Status Report by Supplier	This report displays the amounts that have been vouchered, paid, retained, and due for a contract.	Subcontract Reports (G43D111), Status Report by Supplier
R44440 AIA Application for Payment	This report lists base contract and change order commitment amounts in addition to previous amounts that were billed and retained. The subcontractors can use this report as a turnaround document.	Subcontract Reports (G43D111), AIA Application for Payment

EnterpriseOne Subcontract Management Reports: Selected Reports

Some reports include a more detailed description, as well as information about processing options. These reports are listed alpha-numerically by report ID in this appendix.

R43050 - F4305 Logs Report

You use the Logs Report (R43050) to print the logs and their associated hierarchies. In the processing options for R43050, you can specify the hierarchical level at which you want to report, as well as any associated text for that hierarchy. You can specify to print single or multiple log levels and their associated texts.

Processing Options for F4305 Logs Report (R43050)

Processing options enable you to specify the default processing for programs and reports.

Print Options

- | | |
|--|--|
| 1. Print Contract Level Logs | Specify whether to print contract level logs. Values are:
Blank: Do not print.
<i>1</i> : Print contract level logs without attachments.
<i>2</i> : Print contract level logs with header and detail attachments. |
| 2. Print Company Level Logs | Specify the printing of company level logs. Values are:
Blank: Do not print.
<i>1</i> : Print company level logs without attachments.
<i>2</i> : Print company level logs with header and detail attachments. |
| 3. Print Subcontractor Level Logs | Specify the printing of subcontractor level logs. Values are:
Blank: Do not print.
<i>1</i> : Print subcontractor level logs without attachments.
<i>2</i> : Print subcontractor level logs with header and detail attachments. |
| 4. Print Project Level Logs | Specify the printing of project level logs. Values are:
Blank: Do not print.
<i>1</i> : Print project level logs without attachments.
<i>2</i> : Print project level logs with header and detail attachments. |
| 5. Print Job Level Logs | Specify the printing of job level logs. Values are:
Blank: Do not print.
<i>1</i> : Print job level logs without attachments.
<i>2</i> : Print job level logs with header and detail attachments. |

R43535 - Order Revisions History Report

Use this report to review information about order revisions. The report lists this information:

- The number of revisions to each detail line.
- The latest detail line revisions.
- A history of all detail line revisions.

Processing Options for Order Revisions History Report (R43535)

Processing options enable you to specify the default processing for programs and reports.

Display

1. **Specify revision number** Specify a revision number.
Blank: All
*: Last revision
2. **Specify lines to print** Specify the number of lines to print for this report.
Blank: Print only those lines that changed at the specific number
I: Print all lines that make up a revision
3. **Print line history** Specify whether to print history records for each purchase order line printed.
Values are:
I: Print all history records for each purchase order line printed.
Blank: Do not print history records for each purchase order line printed.

R4401P – Print Subcontracts Report

You can review detail information about logs and commitment distribution for any contract on the Subcontract Detail report. You can also review all of the multicurrency information that is associated with a contract if you have multicurrency turned on. You can print information about all jobs, a specific job, or an individual contract.

The Subcontract Detail report uses information from the F4301, F4311, F4305 or F4303, and F52034 tables.

Processing Options for Print Subcontracts Report (R4401P)

Processing options enable you to specify the default processing for programs and reports.

Display

1. **Log Information** Specify whether the system prints the log information associated with Subcontracts. Values are
Leave blank and the system does not print log information
Enter *I* to print only subcontract level logs.
Enter *2* to print logs at all hierarchical levels.
2. **Text** Leave blank and the system does not print text.
Enter *I* to print text.
3. **Tax information** Leave blank to print tax information.
Enter *I* to suppress tax information.

R44425 - Detailed Status Report by Supplier

You can review detailed contract status information based on the subcontractor and the job on the Status Report by Supplier report (R44425).

You also can review the commitment distribution information for the contracts based on the job. This report uses information from the F4311 table. This information includes:

- Order identifying information.
- Budget amounts for selected accounts.
- Change order information.
- Amount billed.
- Retainage Information.
- Amount released but not paid.
- Amount due on the selected as of date

You can print this report at any time to review the current status of selected contracts.

Processing Options for Status Report by Supplier (R44425)

Processing options enable you to specify the default processing for programs and reports.

Report Display

- 1. Enter the As of Date on which to base the report. Leave blank (default) to use the Financial Reporting Date of Company '00000'. If no Financial reporting date has been set up, then today's system date is used.**

Specify a date that identifies the financial period to which the transaction is to post.

The company constants table for general accounting specifies the date range for each financial period. You can have up to 14 periods. Generally, period 14 is for audit adjustments. If you leave this processing option blank, the system uses the Financial Reporting Date of Company 00000.
- 2. Enter '1' to print the associated job budget for contract cost codes.**

Specify the list of selection values associated with a data selection item in the Dream Writer. Values are:

I: Print the associated job budget for contract cost codes.

Blank: Do not print the associated job budget for contract cost codes.
- 3. Enter '1' to suppress the printing of a Budget total line.**

Specify whether to print a Budget total line. Values are:

I: Suppress printing.

Blank: Do not suppress printing.
- 4. Enter a '1' to print subledger and subledger type. Leave blank for no subledger and type.**

Specify whether to print subledger and subledger type. Values are:

Blank: Do not print

I: Print
- 5. Enter a Budget Ledger Type.**

Specify a UDC (09/LT) that specifies the type of ledger, such as AA (Actual Amounts), BA (Budget Amount), or AU (Actual Units).

You can set up multiple, concurrent accounting ledgers within the general ledger to establish an audit trail for all transactions.

- 6. Enter a '1' to print AP Detail information. Leave blank to print Summary.** Specify whether to print AP Detail information. Values are:
 Blank: Print Summary
 1: Print AP Detail information

R44440 - AIA Application for Payment

You can run the Application for Payment report either from the Subcontract Reports menu (G43D111) or during the A/P check run. This report is similar to the American Institute of Architects (AIA) Document G702, titled Application and Certificate for Payment. The report lists base contract and change order commitment amounts in addition to previous amounts that were billed and retained. The subcontractors can use this report as a turnaround document. You send an updated report to a subcontractor as an individual item or with a pay request. The contractor then completes it, has it notarized, and returns it to you.

You normally send an update of the Application for Payment report with each of the payments. The subcontractor then uses it for the next application. The subcontractor sends back the completed form as the invoice for payment. Completing this document does not necessarily mean that all work on the contract is complete. In most cases, it indicates only that the work that was scheduled between the last payment and the next scheduled payment is complete.

The system uses information from the F4311 table and the general ledger transactions.

Additionally, you can print and send the Waiver of Lien form when you send a subcontractor the AIA Application for Payment. The Waiver of Lien states that the subcontractor has been paid and that there are no outstanding liens associated with the work on the contract. The subcontractor signs the waiver, enters the date, and returns it to you. You can print the Waiver of Lien when you are running the accounts payable check run.

Processing Options for AIA Application for Payment (R44440)

Processing options enable you to specify the default processing for programs and reports.

Processing

- 1. Include Units With Progress Billing** Enter *1* to include units with progress billing. Leave blank for amounts only.
- 2. As Of Date On Which to Base the Report** Enter the As Of Date on which to base the report. Leave blank (default) to use the Financial Reporting Date of company "00000". If no Financial Reporting Date has been set up for Co. "00000" then the system uses today's date.
 A date that identifies the financial period to which the transaction will be posted. You define financial periods for a date pattern code that you assign to the company record. The system compares the date that you enter on the transaction to the fiscal date pattern assigned to the company to retrieve the appropriate fiscal period number, as well as to perform date validations.
- 3. Order Suffix** Enter a *1* if running the version that breaks on Order Suffix. Otherwise, leave this processing option blank.
- 4. Print the Certificate of the Subcontractor** Enter a *1* to print the Certificate of the Subcontractor. Otherwise, leave this processing option blank.

Glossary of JD Edwards EnterpriseOne Terms

activity	A scheduling entity in JD Edwards EnterpriseOne tools that represents a designated amount of time on a calendar.
activity rule	The criteria by which an object progresses from one given point to the next in a flow.
add mode	A condition of a form that enables users to input data.
Advanced Planning Agent (APAg)	A JD Edwards EnterpriseOne tool that can be used to extract, transform, and load enterprise data. APAg supports access to data sources in the form of relational databases, flat file format, and other data or message encoding, such as XML.
application server	A server in a local area network that contains applications shared by network clients.
as if processing	A process that enables you to view currency amounts as if they were entered in a currency different from the domestic and foreign currency of the transaction.
alternate currency	<p>A currency that is different from the domestic currency (when dealing with a domestic-only transaction) or the domestic and foreign currency of a transaction.</p> <p>In JD Edwards EnterpriseOne Financial Management, alternate currency processing enables you to enter receipts and payments in a currency other than the one in which they were issued.</p>
as of processing	A process that is run as of a specific point in time to summarize transactions up to that date. For example, you can run various JD Edwards EnterpriseOne reports as of a specific date to determine balances and amounts of accounts, units, and so on as of that date.
back-to-back process	A process in JD Edwards EnterpriseOne Supply Management that contains the same keys that are used in another process.
batch processing	<p>A process of transferring records from a third-party system to JD Edwards EnterpriseOne.</p> <p>In JD Edwards EnterpriseOne Financial Management, batch processing enables you to transfer invoices and vouchers that are entered in a system other than JD Edwards EnterpriseOne to JD Edwards EnterpriseOne Accounts Receivable and JD Edwards EnterpriseOne Accounts Payable, respectively. In addition, you can transfer address book information, including customer and supplier records, to JD Edwards EnterpriseOne.</p>
batch server	A server that is designated for running batch processing requests. A batch server typically does not contain a database nor does it run interactive applications.
batch-of-one immediate	<p>A transaction method that enables a client application to perform work on a client workstation, then submit the work all at once to a server application for further processing. As a batch process is running on the server, the client application can continue performing other tasks.</p> <p>See also direct connect and store-and-forward.</p>
business function	A named set of user-created, reusable business rules and logs that can be called through event rules. Business functions can run a transaction or a subset of a transaction (check inventory, issue work orders, and so on). Business functions also contain the application programming interfaces (APIs) that enable them to be called from a form, a database trigger, or a non-JD Edwards EnterpriseOne application. Business functions can be combined with other business functions, forms, event rules,

and other components to make up an application. Business functions can be created through event rules or third-generation languages, such as C. Examples of business functions include Credit Check and Item Availability.

business function event rule	See named event rule (NER).
business view	A means for selecting specific columns from one or more JD Edwards EnterpriseOne application tables whose data is used in an application or report. A business view does not select specific rows, nor does it contain any actual data. It is strictly a view through which you can manipulate data.
central objects merge	A process that blends a customer's modifications to the objects in a current release with objects in a new release.
central server	A server that has been designated to contain the originally installed version of the software (central objects) for deployment to client computers. In a typical JD Edwards EnterpriseOne installation, the software is loaded on to one machine—the central server. Then, copies of the software are pushed out or downloaded to various workstations attached to it. That way, if the software is altered or corrupted through its use on workstations, an original set of objects (central objects) is always available on the central server.
charts	Tables of information in JD Edwards EnterpriseOne that appear on forms in the software.
connector	Component-based interoperability model that enables third-party applications and JD Edwards EnterpriseOne to share logic and data. The JD Edwards EnterpriseOne connector architecture includes Java and COM connectors.
contra/clearing account	A general ledger account in JD Edwards EnterpriseOne Financial Management that is used by the system to offset (balance) journal entries. For example, you can use a contra/clearing account to balance the entries created by allocations in JD Edwards EnterpriseOne Financial Management.
Control Table Workbench	An application that, during the Installation Workbench processing, runs the batch applications for the planned merges that update the data dictionary, user-defined codes, menus, and user override tables.
control tables merge	A process that blends a customer's modifications to the control tables with the data that accompanies a new release.
cost assignment	The process in JD Edwards EnterpriseOne Advanced Cost Accounting of tracing or allocating resources to activities or cost objects.
cost component	In JD Edwards EnterpriseOne Manufacturing, an element of an item's cost (for example, material, labor, or overhead).
cross segment edit	A logic statement that establishes the relationship between configured item segments. Cross segment edits are used to prevent ordering of configurations that cannot be produced.
currency restatement	The process of converting amounts from one currency into another currency, generally for reporting purposes. You can use the currency restatement process, for example, when many currencies must be restated into a single currency for consolidated reporting.
database server	A server in a local area network that maintains a database and performs searches for client computers.
Data Source Workbench	An application that, during the Installation Workbench process, copies all data sources that are defined in the installation plan from the Data Source Master and Table and Data Source Sizing tables in the Planner data source to the system-release number data source. It also updates the Data Source Plan detail record to reflect completion.

date pattern	A calendar that represents the beginning date for the fiscal year and the ending date for each period in that year in standard and 52-period accounting.
denominated-in currency	The company currency in which financial reports are based.
deployment server	A server that is used to install, maintain, and distribute software to one or more enterprise servers and client workstations.
detail information	Information that relates to individual lines in JD Edwards EnterpriseOne transactions (for example, voucher pay items and sales order detail lines).
direct connect	A transaction method in which a client application communicates interactively and directly with a server application. See also batch-of-one immediate and store-and-forward.
Do Not Translate (DNT)	A type of data source that must exist on the iSeries because of BLOB restrictions.
dual pricing	The process of providing prices for goods and services in two currencies.
edit code	A code that indicates how a specific value for a report or a form should appear or be formatted. The default edit codes that pertain to reporting require particular attention because they account for a substantial amount of information.
edit mode	A condition of a form that enables users to change data.
edit rule	A method used for formatting and validating user entries against a predefined rule or set of rules.
Electronic Data Interchange (EDI)	An interoperability model that enables paperless computer-to-computer exchange of business transactions between JD Edwards EnterpriseOne and third-party systems. Companies that use EDI must have translator software to convert data from the EDI standard format to the formats of their computer systems.
embedded event rule	An event rule that is specific to a particular table or application. Examples include form-to-form calls, hiding a field based on a processing option value, and calling a business function. Contrast with the business function event rule.
Employee Work Center	A central location for sending and receiving all JD Edwards EnterpriseOne messages (system and user generated), regardless of the originating application or user. Each user has a mailbox that contains workflow and other messages, including Active Messages.
enterprise server	A server that contains the database and the logic for JD Edwards EnterpriseOne.
EnterpriseOne object	A reusable piece of code that is used to build applications. Object types include tables, forms, business functions, data dictionary items, batch processes, business views, event rules, versions, data structures, and media objects.
EnterpriseOne process	A software process that enables JD Edwards EnterpriseOne clients and servers to handle processing requests and run transactions. A client runs one process, and servers can have multiple instances of a process. JD Edwards EnterpriseOne processes can also be dedicated to specific tasks (for example, workflow messages and data replication) to ensure that critical processes don't have to wait if the server is particularly busy.
Environment Workbench	An application that, during the Installation Workbench process, copies the environment information and Object Configuration Manager tables for each environment from the Planner data source to the system-release number data source. It also updates the Environment Plan detail record to reflect completion.
escalation monitor	A batch process that monitors pending requests or activities and restarts or forwards them to the next step or user after they have been inactive for a specified amount of time.

event rule	A logic statement that instructs the system to perform one or more operations based on an activity that can occur in a specific application, such as entering a form or exiting a field.
facility	An entity within a business for which you want to track costs. For example, a facility might be a warehouse location, job, project, work center, or branch/plant. A facility is sometimes referred to as a “business unit.”
fast path	A command prompt that enables the user to move quickly among menus and applications by using specific commands.
file server	A server that stores files to be accessed by other computers on the network. Unlike a disk server, which appears to the user as a remote disk drive, a file server is a sophisticated device that not only stores files, but also manages them and maintains order as network users request files and make changes to these files.
final mode	The report processing mode of a processing mode of a program that updates or creates data records.
FTP server	A server that responds to requests for files via file transfer protocol.
header information	Information at the beginning of a table or form. Header information is used to identify or provide control information for the group of records that follows.
interface table	See Z table.
integration server	A server that facilitates interaction between diverse operating systems and applications across internal and external networked computer systems.
integrity test	A process used to supplement a company’s internal balancing procedures by locating and reporting balancing problems and data inconsistencies.
interoperability model	A method for third-party systems to connect to or access JD Edwards EnterpriseOne.
in-your-face-error	In JD Edwards EnterpriseOne, a form-level property which, when enabled, causes the text of application errors to appear on the form.
IServer service	This internet server service resides on the web server and is used to speed up delivery of the Java class files from the database to the client.
jargon	An alternative data dictionary item description that JD Edwards EnterpriseOne appears based on the product code of the current object.
Java application server	A component-based server that resides in the middle-tier of a server-centric architecture. This server provides middleware services for security and state maintenance, along with data access and persistence.
JDBNET	A database driver that enables heterogeneous servers to access each other’s data.
JDEBASE Database Middleware	A JD Edwards EnterpriseOne proprietary database middleware package that provides platform-independent APIs, along with client-to-server access.
JDECallObject	An API used by business functions to invoke other business functions.
jde.ini	A JD Edwards EnterpriseOne file (or member for iSeries) that provides the runtime settings required for JD Edwards EnterpriseOne initialization. Specific versions of the file or member must reside on every machine running JD Edwards EnterpriseOne. This includes workstations and servers.
JDEIPC	Communications programming tools used by server code to regulate access to the same data in multiprocess environments, communicate and coordinate between processes, and create new processes.

jde.log	The main diagnostic log file of JD Edwards EnterpriseOne. This file is always located in the root directory on the primary drive and contains status and error messages from the startup and operation of JD Edwards EnterpriseOne.
JDENET	A JD Edwards EnterpriseOne proprietary communications middleware package. This package is a peer-to-peer, message-based, socket-based, multiprocess communications middleware solution. It handles client-to-server and server-to-server communications for all JD Edwards EnterpriseOne supported platforms.
Location Workbench	An application that, during the Installation Workbench process, copies all locations that are defined in the installation plan from the Location Master table in the Planner data source to the system data source.
logic server	A server in a distributed network that provides the business logic for an application program. In a typical configuration, pristine objects are replicated on to the logic server from the central server. The logic server, in conjunction with workstations, actually performs the processing required when JD Edwards EnterpriseOne software runs.
MailMerge Workbench	An application that merges Microsoft Word 6.0 (or higher) word-processing documents with JD Edwards EnterpriseOne records to automatically print business documents. You can use MailMerge Workbench to print documents, such as form letters about verification of employment.
master business function (MBF)	An interactive master file that serves as a central location for adding, changing, and updating information in a database. Master business functions pass information between data entry forms and the appropriate tables. These master functions provide a common set of functions that contain all of the necessary default and editing rules for related programs. MBFs contain logic that ensures the integrity of adding, updating, and deleting information from databases.
master table	See published table.
matching document	A document associated with an original document to complete or change a transaction. For example, in JD Edwards EnterpriseOne Financial Management, a receipt is the matching document of an invoice, and a payment is the matching document of a voucher.
media storage object	Files that use one of the following naming conventions that are not organized into table format: Gxxx, xxxGT, or GTxxx.
message center	A central location for sending and receiving all JD Edwards EnterpriseOne messages (system and user generated), regardless of the originating application or user.
messaging adapter	An interoperability model that enables third-party systems to connect to JD Edwards EnterpriseOne to exchange information through the use of messaging queues.
messaging server	A server that handles messages that are sent for use by other programs using a messaging API. Messaging servers typically employ a middleware program to perform their functions.
named event rule (NER)	Encapsulated, reusable business logic created using event rules, rather than C programming. NERs are also called business function event rules. NERs can be reused in multiple places by multiple programs. This modularity lends itself to streamlining, reusability of code, and less work.
<i>nota fiscal</i>	In Brazil, a legal document that must accompany all commercial transactions for tax purposes and that must contain information required by tax regulations.
<i>nota fiscal factura</i>	In Brazil, a nota fiscal with invoice information. See also <i>nota fiscal</i> .

Object Configuration Manager (OCM)	In JD Edwards EnterpriseOne, the object request broker and control center for the runtime environment. OCM keeps track of the runtime locations for business functions, data, and batch applications. When one of these objects is called, OCM directs access to it using defaults and overrides for a given environment and user.
Object Librarian	A repository of all versions, applications, and business functions reusable in building applications. Object Librarian provides check-out and check-in capabilities for developers, and it controls the creation, modification, and use of JD Edwards EnterpriseOne objects. Object Librarian supports multiple environments (such as production and development) and enables objects to be easily moved from one environment to another.
Object Librarian merge	A process that blends any modifications to the Object Librarian in a previous release into the Object Librarian in a new release.
Open Data Access (ODA)	An interoperability model that enables you to use SQL statements to extract JD Edwards EnterpriseOne data for summarization and report generation.
Output Stream Access (OSA)	An interoperability model that enables you to set up an interface for JD Edwards EnterpriseOne to pass data to another software package, such as Microsoft Excel, for processing.
package	JD Edwards EnterpriseOne objects are installed to workstations in packages from the deployment server. A package can be compared to a bill of material or kit that indicates the necessary objects for that workstation and where on the deployment server the installation program can find them. It is point-in-time snapshot of the central objects on the deployment server.
package build	A software application that facilitates the deployment of software changes and new applications to existing users. Additionally, in JD Edwards EnterpriseOne, a package build can be a compiled version of the software. When you upgrade your version of the ERP software, for example, you are said to take a package build. Consider the following context: “Also, do not transfer business functions into the production path code until you are ready to deploy, because a global build of business functions done during a package build will automatically include the new functions.” The process of creating a package build is often referred to, as it is in this example, simply as “a package build.”
package location	The directory structure location for the package and its set of replicated objects. This is usually <code>\\deployment server\release\path_code\package\package name</code> . The subdirectories under this path are where the replicated objects for the package are placed. This is also referred to as where the package is built or stored.
Package Workbench	An application that, during the Installation Workbench process, transfers the package information tables from the Planner data source to the system-release number data source. It also updates the Package Plan detail record to reflect completion.
planning family	A means of grouping end items whose similarity of design and manufacture facilitates being planned in aggregate.
preference profile	The ability to define default values for specified fields for a user-defined hierarchy of items, item groups, customers, and customer groups.
print server	The interface between a printer and a network that enables network clients to connect to the printer and send their print jobs to it. A print server can be a computer, separate hardware device, or even hardware that resides inside of the printer itself.
pristine environment	A JD Edwards EnterpriseOne environment used to test unaltered objects with JD Edwards EnterpriseOne demonstration data or for training classes. You must have this environment so that you can compare pristine objects that you modify.

processing option	A data structure that enables users to supply parameters that regulate the running of a batch program or report. For example, you can use processing options to specify default values for certain fields, to determine how information appears or is printed, to specify date ranges, to supply runtime values that regulate program execution, and so on.
production environment	A JD Edwards EnterpriseOne environment in which users operate EnterpriseOne software.
production-grade file server	A file server that has been quality assurance tested and commercialized and that is usually provided in conjunction with user support services.
program temporary fix (PTF)	A representation of changes to JD Edwards EnterpriseOne software that your organization receives on magnetic tapes or disks.
project	In JD Edwards EnterpriseOne, a virtual container for objects being developed in Object Management Workbench.
promotion path	<p>The designated path for advancing objects or projects in a workflow. The following is the normal promotion cycle (path):</p> <p>11>21>26>28>38>01</p> <p>In this path, <i>11</i> equals new project pending review, <i>21</i> equals programming, <i>26</i> equals QA test/review, <i>28</i> equals QA test/review complete, <i>38</i> equals in production, <i>01</i> equals complete. During the normal project promotion cycle, developers check objects out of and into the development path code and then promote them to the prototype path code. The objects are then moved to the productions path code before declaring them complete.</p>
proxy server	A server that acts as a barrier between a workstation and the internet so that the enterprise can ensure security, administrative control, and caching service.
published table	Also called a master table, this is the central copy to be replicated to other machines. Residing on the publisher machine, the F98DRPUB table identifies all of the published tables and their associated publishers in the enterprise.
publisher	The server that is responsible for the published table. The F98DRPUB table identifies all of the published tables and their associated publishers in the enterprise.
pull replication	One of the JD Edwards EnterpriseOne methods for replicating data to individual workstations. Such machines are set up as pull subscribers using JD Edwards EnterpriseOne data replication tools. The only time that pull subscribers are notified of changes, updates, and deletions is when they request such information. The request is in the form of a message that is sent, usually at startup, from the pull subscriber to the server machine that stores the F98DRPCN table.
QBE	An abbreviation for query by example. In JD Edwards EnterpriseOne, the QBE line is the top line on a detail area that is used for filtering data.
real-time event	A service that uses system calls to capture JD Edwards EnterpriseOne transactions as they occur and to provide notification to third-party software, end users, and other JD Edwards EnterpriseOne systems that have requested notification when certain transactions occur.
refresh	A function used to modify JD Edwards EnterpriseOne software, or subset of it, such as a table or business data, so that it functions at a new release or cumulative update level, such as B73.2 or B73.2.1.
replication server	A server that is responsible for replicating central objects to client machines.
quote order	In JD Edwards Procurement and Subcontract Management, a request from a supplier for item and price information from which you can create a purchase order.

	In JD Edwards Sales Order Management, item and price information for a customer who has not yet committed to a sales order.
selection	Found on JD Edwards EnterpriseOne menus, a selection represents functions that you can access from a menu. To make a selection, type the associated number in the Selection field and press Enter.
Server Workbench	An application that, during the Installation Workbench process, copies the server configuration files from the Planner data source to the system-release number data source. It also updates the Server Plan detail record to reflect completion.
spot rate	An exchange rate entered at the transaction level. This rate overrides the exchange rate that is set up between two currencies.
Specification merge	A merge that comprises three merges: Object Librarian merge, Versions List merge, and Central Objects merge. The merges blend customer modifications with data that accompanies a new release.
specification	A complete description of a JD Edwards EnterpriseOne object. Each object has its own specification, or name, which is used to build applications.
Specification Table Merge Workbench	An application that, during the Installation Workbench process, runs the batch applications that update the specification tables.
store-and-forward	The mode of processing that enables users who are disconnected from a server to enter transactions and then later connect to the server to upload those transactions.
subscriber table	Table F98DRSUB, which is stored on the publisher server with the F98DRPUB table and identifies all of the subscriber machines for each published table.
supplemental data	<p>Any type of information that is not maintained in a master file. Supplemental data is usually additional information about employees, applicants, requisitions, and jobs (such as an employee's job skills, degrees, or foreign languages spoken). You can track virtually any type of information that your organization needs.</p> <p>For example, in addition to the data in the standard master tables (the Address Book Master, Customer Master, and Supplier Master tables), you can maintain other kinds of data in separate, generic databases. These generic databases enable a standard approach to entering and maintaining supplemental data across JD Edwards EnterpriseOne systems.</p>
table access management (TAM)	The JD Edwards EnterpriseOne component that handles the storage and retrieval of use-defined data. TAM stores information, such as data dictionary definitions; application and report specifications; event rules; table definitions; business function input parameters and library information; and data structure definitions for running applications, reports, and business functions.
Table Conversion Workbench	An interoperability model that enables the exchange of information between JD Edwards EnterpriseOne and third-party systems using non-JD Edwards EnterpriseOne tables.
table conversion	An interoperability model that enables the exchange of information between JD Edwards EnterpriseOne and third-party systems using non-JD Edwards EnterpriseOne tables.
table event rules	Logic that is attached to database triggers that runs whenever the action specified by the trigger occurs against the table. Although JD Edwards EnterpriseOne enables event rules to be attached to application events, this functionality is application specific. Table event rules provide embedded logic at the table level.
terminal server	A server that enables terminals, microcomputers, and other devices to connect to a network or host computer or to devices attached to that particular computer.

three-tier processing	The task of entering, reviewing and approving, and posting batches of transactions in JD Edwards EnterpriseOne.
three-way voucher match	In JD Edwards Procurement and Subcontract Management, the process of comparing receipt information to supplier's invoices to create vouchers. In a three-way match, you use the receipt records to create vouchers.
transaction processing (TP) monitor	A monitor that controls data transfer between local and remote terminals and the applications that originated them. TP monitors also protect data integrity in the distributed environment and may include programs that validate data and format terminal screens.
transaction set	An electronic business transaction (electronic data interchange standard document) made up of segments.
trigger	One of several events specific to data dictionary items. You can attach logic to a data dictionary item that the system processes automatically when the event occurs.
triggering event	A specific workflow event that requires special action or has defined consequences or resulting actions.
two-way voucher match	In JD Edwards Procurement and Subcontract Management, the process of comparing purchase order detail lines to the suppliers' invoices to create vouchers. You do not record receipt information.
User Overrides merge	Adds new user override records into a customer's user override table.
variance	In JD Edwards Capital Asset Management, the difference between revenue generated by a piece of equipment and costs incurred by the equipment. In JD Edwards EnterpriseOne Project Costing and JD Edwards EnterpriseOne Manufacturing, the difference between two methods of costing the same item (for example, the difference between the frozen standard cost and the current cost is an engineering variance). Frozen standard costs come from the Cost Components table, and the current costs are calculated using the current bill of material, routing, and overhead rates.
Version List merge	The Versions List merge preserves any non-XJDE and non-ZJDE version specifications for objects that are valid in the new release, as well as their processing options data.
visual assist	Forms that can be invoked from a control via a trigger to assist the user in determining what data belongs in the control.
vocabulary override	An alternate description for a data dictionary item that appears on a specific JD Edwards EnterpriseOne form or report.
wchar_t	An internal type of a wide character. It is used for writing portable programs for international markets.
web application server	A web server that enables web applications to exchange data with the back-end systems and databases used in eBusiness transactions.
web server	A server that sends information as requested by a browser, using the TCP/IP set of protocols. A web server can do more than just coordination of requests from browsers; it can do anything a normal server can do, such as house applications or data. Any computer can be turned into a web server by installing server software and connecting the machine to the internet.
Windows terminal server	A multiuser server that enables terminals and minimally configured computers to display Windows applications even if they are not capable of running Windows software themselves. All client processing is performed centrally at the Windows

terminal server and only display, keystroke, and mouse commands are transmitted over the network to the client terminal device.

workbench	A program that enables users to access a group of related programs from a single entry point. Typically, the programs that you access from a workbench are used to complete a large business process. For example, you use the JD Edwards EnterpriseOne Payroll Cycle Workbench (P07210) to access all of the programs that the system uses to process payroll, print payments, create payroll reports, create journal entries, and update payroll history. Examples of JD Edwards EnterpriseOne workbenches include Service Management Workbench (P90CD020), Line Scheduling Workbench (P3153), Planning Workbench (P13700), Auditor's Workbench (P09E115), and Payroll Cycle Workbench.
work day calendar	In JD Edwards EnterpriseOne Manufacturing, a calendar that is used in planning functions that consecutively lists only working days so that component and work order scheduling can be done based on the actual number of work days available. A work day calendar is sometimes referred to as planning calendar, manufacturing calendar, or shop floor calendar.
workflow	The automation of a business process, in whole or in part, during which documents, information, or tasks are passed from one participant to another for action, according to a set of procedural rules.
workgroup server	A server that usually contains subsets of data replicated from a master network server. A workgroup server does not perform application or batch processing.
XAPI events	A service that uses system calls to capture JD Edwards EnterpriseOne transactions as they occur and then calls third-party software, end users, and other JD Edwards EnterpriseOne systems that have requested notification when the specified transactions occur to return a response.
XML CallObject	An interoperability capability that enables you to call business functions.
XML Dispatch	An interoperability capability that provides a single point of entry for all XML documents coming into JD Edwards EnterpriseOne for responses.
XML List	An interoperability capability that enables you to request and receive JD Edwards EnterpriseOne database information in chunks.
XML Service	An interoperability capability that enables you to request events from one JD Edwards EnterpriseOne system and receive a response from another JD Edwards EnterpriseOne system.
XML Transaction	An interoperability capability that enables you to use a predefined transaction type to send information to or request information from JD Edwards EnterpriseOne. XML transaction uses interface table functionality.
XML Transaction Service (XTS)	Transforms an XML document that is not in the JD Edwards EnterpriseOne format into an XML document that can be processed by JD Edwards EnterpriseOne. XTS then transforms the response back to the request originator XML format.
Z event	A service that uses interface table functionality to capture JD Edwards EnterpriseOne transactions and provide notification to third-party software, end users, and other JD Edwards EnterpriseOne systems that have requested to be notified when certain transactions occur.
Z table	A working table where non-JD Edwards EnterpriseOne information can be stored and then processed into JD Edwards EnterpriseOne. Z tables also can be used to retrieve JD Edwards EnterpriseOne data. Z tables are also known as interface tables.
Z transaction	Third-party data that is properly formatted in interface tables for updating to the JD Edwards EnterpriseOne database.

Index

A

- A/P Standard Voucher Entry (P0411) 97
- account number - entering detail lines
 - by 47
- additional documentation x
- Address Book Revisions (P0101) 21
- AIA Application for Payment 86
- AIA Application for Payment -
 - printing 120
- AIA Application for Payment (R44440) 116, 120
- application fundamentals ix
- approval processing 111
- approval processing - activating 25
- approval routes - assigning to orders 25
- audit trail - for commitments 65
- automatic accounting instructions
 - contract cost types AAIs 12
 - default cost types 12
 - range of contract cost types AAIs 13
 - retainage payables for subcontracts
 - AAIs 11
 - Subcontract Management AAIs 11
 - VAT recoverables AAIs 12
 - VAT tax payables AAIs 11

B

- budget checking
 - activating 77
 - understanding 77
- budget holds - entering 53
- budget totaling 78
- budgets
 - reviewing 82
 - working with 77

C

- calculations of available budget to date for the fiscal year 79
- catalogs - electronic 44
- change orders 46
 - copying 51
 - entering 50
- choosing

- order detail lines to match to a
 - voucher 105
- records to match to a voucher 105
- choosing order detail lines to match to a
 - voucher 87
- comments, submitting xiv
- commitment
 - audit trail 65
 - commitment tracking setup 14
 - creating 55
 - order types (40/CT) 14
 - setup 14
- Commitment Inquiry (P40230A) 60, 61
- Commitment Integrity Report (R40910) 57, 58
- commitments
 - change orders 50
 - correcting an audit trail 65
 - creating 55
 - creating an audit trail 66
 - ledgers for 59
 - posting to jobs 67
 - relieving 15
 - reviewing 59
 - setting up 14
 - understanding 55
 - working with 55
- common fields xiv
- contact information xiv
- Contract Analysis (R434201) 115
- contract cost types
 - automatic accounting instructions 12
 - automatic accounting instructions for ranges 13
- Contract Log Detail table (F4303) 118
- Contract Log Text table (F4304) 118
- contracts
 - creating 23
 - understanding 23
- converting data 16
- copying a change order 51
- correcting
 - commitment audit trail 65
 - vouchers 87
- cost code structure 14

costs - entering in multicurrencies 45
 Create Commitment Audit Trail
 (R00993) 65
 creating
 a commitment audit trail 66
 a job master record 14
 an encumbrance or commitment 55
 contracts 23
 subcontract vouchers 87
 the cost code structure 14
 creating vouchers for landed costs 87
 cross-references xiii
 currency types for contracts 75
 Customer Connection website x

D

data conversion 16
 default cost types
 automatic accounting instructions 12
 detail lines
 adding notes for 44
 canceling 45
 defined 44
 entering by account number 47
 entering discount terms for 50
 entering tax information for 49
 printing changes to 114
 reviewing closed detail lines 45
 Detailed Status Report by Supplier
 (R44425) 118
 discount terms 45
 discounts - entering for detail lines 50
 documentation
 printed x
 related x
 updates x
 duplicating an order 51

E

electronic catalog 44
 encumbrance - creating 55
 encumbrance rollover - creating 62
 Encumbrance Rollover (R4317) 62, 63
 encumbrances
 creating 55
 ledgers for 59
 reviewing 59
 understanding 55
 working with 55

entering
 change orders 50
 dates for an order 43
 detail lines by account number 47
 discount terms for a detail line 50
 order detail information 44
 order header information 25
 order holds 52
 origination information for an order 26
 reference information for an order 44
 supplier information for an order 17
 tax information
 for a detail line 49
 for an order 43
 voucher to release retainage 107
 voucher with retainage 107
 exchange rates 75
 extended costs 46

F

F4301 table 118
 F4303 - F4305 Media Object Conversion
 program (R894305A) 16
 F4303 table 16, 118
 F4304 table 118
 F4305 Logs Report (R43050) 114, 117
 F4305 table 16, 118
 F4311 table 118
 features
 commitment 3
 contract 2
 payment processing 4
 financial status information 75
 forms
 Address Book Revision (P0101) 21
 Commitment Inquiry Detail 61
 Order Header 18
 Order Header - Additional
 Information 20
 Purchase Order Header 42, 43, 44
 Trial Balance/Ledger Comparison 82
 Work With Commitment Inquiry 61
 Work With Order Headers 18, 25

H

holds
 assigning to subcontract payments 88
 soft warning 88

- I**
- implementation guides
 - ordering x
 - implementation steps
 - global 7
 - specific to subcontract management 7
 - item cross-references 11
 - items
 - non-stock 46
 - reviewing items on order 75
- J**
- Job Cost Constants (P0026) 15
 - job master records 14
 - jobs
 - setting up 13
 - within a project 14
- L**
- ledgers - PA and PU 59
 - line types - commitments 59
 - Log (F4305) Report/Update (R43540)
 - R43540 [Log (F4305) Report /Update] 73
 - Log Revisions (P4305) 70
 - Logs (F4305) Report/Update (R43540) 72, 73, 115
 - Logs Revisions form 71
 - lump sums 46
- M**
- mailing address - adding for a supplier 21
 - See Also* temporary
 - managing invoices received in an alternate currency 88
 - matching records to create vouchers for retainage 106
 - multicurrency
 - orders 25, 45
 - reviewing information for subcontracts 118
 - vouchers 88
- N**
- non-stock items 46
 - notes xiii
 - adding for detail lines 44
 - adding for orders 44
- O**
- open orders 75
 - order
 - canceling detail lines on 45
 - detail information - default fields 45
 - duplicating 51
 - duplication 46
 - entering dates 43
 - entering header information 25
 - entering in multicurrencies 25
 - entering notes 44
 - entering reference information 44
 - entering supplier information 17
 - entering tax information 43
 - financial status information 75
 - header information
 - accessing 25
 - entering 25
 - holds
 - entering 52
 - putting on hold 52
 - reviewing open 75
 - revisions - printing information about 117
 - Order Revisions History Report (R43535) 117, 118
 - orders
 - entering origination information 26
 - overview
 - approval processing 111
 - commitment audit trails 65
 - commitment information for subcontracts 59
 - Commitment Integrity Report (R40910) 57
 - commitments 14, 55
 - contracts 23
 - Encumbrances Rollover (R4317) 62
 - Logs (F4305) Report/Update (R43540) 72, 73
 - order
 - reviews 75
 - order holds 51
 - Post Committed Cost to Job (R00932) 67
 - progress payments 85
 - receipt processing 83
 - retainage 106
 - special orders processing 109

- subcontract
 - management 1
 - management implementation 6
 - management reports 113
 - management system features 1
 - order header information 25
- subcontract log entry 70
- subcontract logs 69
- subcontract order detail information 44
- subcontract vouchers 87
- supplier setup 17
- system setup 9

P

- P0026 (Job Cost Constants) 15
- P0101 (Address Book Revisions) 21
- P0411 (A/P Standard Voucher Entry) 97
- P09210A (Trial Balance/Ledger Comparison) 80, 82
- P40230A (Commitment Inquiry) 60, 61
- P4305 (Log Revisions) 70
- P4310 (Subcontract Order Entry) 18, 20, 25, 42, 43, 44, 50
- P4314 (Voucher Match) 89
- PA ledger 59
- PeopleCode, typographical conventions xii
- Post Committed Cost to Job (R00932) 67
- posting committed costs to jobs 66
- prerequisites ix
- price rule - entering for detail lines 50
- Print Order Revisions History (R43535) 115
- Print Subcontracts (R4401P) 116
- Print Subcontracts report (R4401P) 118
- printed documentation x
- printing
 - a history of order revisions 114
 - AIA Application for Payment report 120
 - order revision information 117
- processing
 - approvals 111
 - receipts 83
- processing options
 - A/P Standard Voucher Entry (P0411) 97
 - AIA Application for Payment (R44440) 120
 - Commitment Inquiry (P40230A) 60

- Commitment Integrity Report (R40910) 58
- Encumbrance Rollover (R4317) 63
- Enter Subcontract Orders (P4310) 27
- F4305 Logs Report (R43050) 117
- Log Revisions (P4305) 70
- Logs (F4305) Report/Update (R43540) 73
- Order Revisions History Report (R43535) 118
- Post Committed Cost to Job program (R00932) 67
- purchase orders 27
- Status Report by Supplier (R44425) 119
- Subcontract Detail Report (R4401P) 118
- Trial Balance/Ledger Comparison (P09210A) 80
- Voucher Match (P4314) 89
- processing retainage 106
- processing special orders 109
- PU ledger 59
- Purchase Journal (R43420) 114
- Purchase Order Header form 42, 43, 44
- purchase orders
 - processing options 27
 - tracking commitments and encumbrances for 55
- purchasing related vouchers 85

R

- R00932 (Post Committed Cost to Job) 67
- R00993 (Create Commitment Audit Trail) 65
- R40910 (Commitment Integrity Report) 57, 58
- R43050 (F4305 Logs Report) 114, 117
- R4317 (Encumbrance Rollover) 62, 63
- R43415 (Summary by Supplier Report) 114
- R43415A (Summary by Cost Center Report) 114
- R43420 (Purchase Journal) 114
- R434201 (Contract Analysis) 115
- R43535 (Order Revisions History Report) 117, 118
- R43535 (Print Order Revisions History) 115

R43540 [Logs (F4305) Report/Update Program] 72
 R43540 (Logs (F4305) Report /Update) 73
 R43540 [Logs (F4305) Report /Update] 73, 115
 R4401P (Print Subcontracts) 116
 R4401P (Subcontract Detail Report) 118
 R4401P report 118
 R44425 (Detailed Status Report by Supplier) 118
 R44425 (Status Report by Supplier) 116, 119
 R44440 (AIA Application for Payment) 116, 120
 receipts
 canceling 105
 closing the balance of 105
 performing partial 105
 related documentation x
 releasing retainage 107
 reporting codes 46
 reports
 AIA Application for Payment 120
 Contract Analysis 115
 Order Revisions History 117
 Print Subcontracts 118
 R43420 (Purchase Journal) 114
 Status Report by Supplier 118
 retainage
 entering vouchers 107
 releasing 107
 retainage payables AAIs 11
 retainage records
 creating vouchers using 106
 matching to create vouchers 106
 reviewing
 commitment information for subcontracts 59
 Contract Analysis report 115
 detail lines 45
 detailed commitment information 61
 Detailed Status Report by Supplier 118
 financial status information 75
 open orders 75
 order
 information 75
 revision information 117
 the budget 82

reviewing multicurrency information for subcontracts 118
 running
 Commitment Integrity (R40910) 58
 Create Commitment Audit Trail (R00993) 66
 Encumbrance Rollover (R4317) 63
 Logs (F4305) Report/Update (R43540) 73
 Post Committed Cost to Job (R00932) 67

S

search scenarios for level of detail 78
 setting up
 budget checking 77
 commitment
 relief 15
 tracking 14
 commitments 14
 other systems 10
 procurement system 9
 subcontractors 17
 suppliers 17
 setting up jobs within a project 14
 setting up projects 13
 soft warning 88
 Status Report by Supplier (R44425) 116, 119
 subcontract
 management
 commitment features 3
 contract features 2
 implementation steps 6
 integrations 5
 overview 1
 payment processing features 4
 reports 113
 system features overview 1
 orders
 header information 25
 parts of 24
 understanding 24
 payments 88
 Subcontract Detail Report (R4401P) 118
 Subcontract Order Entry (P4310) 18, 20, 25, 42, 43, 44, 50
 subcontractors 17
 suggestions, submitting xiv

Summary by Cost Center Report
(R43415A) 114

Summary by Supplier Report
(R43415) 114

supplier

information for subcontract orders 17

suppliers

entering a temporary mailing address
for 21

setting up 17

system setup 9

T

tables

address book reports 113

commitment features 3

contract features 2

F4311 (Purchase Order Detail File
Detail) 120

F4311 (Purchase Order Detail File) 118

payment processing features 4

tax information

entering for detail lines 49

entering for orders 43

vouchers 88

TC from F4303 to F4305 program
(R894305) 16

tolerance rules 10

Trial Balance/Ledger Comparison
(P09210A) 80, 82

typographical conventions xii

U

updating

Log Master Table (F4303) 72

Log Master Table (F4305) 72

unsatisfied, expired logs 73

user-defined code lists 14

V

VAT tax payables

automatic accounting instructions 11

VAT tax recoverables

automatic accounting instructions 12

visual cues xiii

Voucher Match (P4314) 89

vouchers

adding new purchase order detail lines
for 87

creating for landed costs 87

creating using retainage records 106

matching order detail lines to create 87

W

Waiver of Lien 86, 120

warnings xiii

soft 88

subcontract payments 88

working with

a commitment audit trail 65

budgets 77

commitments and encumbrances 55

orders on hold 51

retainage 106