

Oracle® Retail Integration Cloud Service

Service Administrator Action List

Release 19.1.000

F34817-01

August 2020

F34817-01

Copyright © 2020, Oracle and/or its affiliates. All rights reserved.

Primary Author:

Contributing Author:

Contributor:

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.
- (iii) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (iv) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR

Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.

Contents

Send Us Your Comments	vii
Preface	ix
Audience	ix
Documentation Accessibility	ix
Customer Support	ix
Improved Process for Oracle Retail Documentation Corrections	x
Oracle Help Center (docs.oracle.com)	x
Conventions	x
1 Overview	
Audience	1-1
2 Pre-Provisioning	
Activate IDCS	2-1
Creating an Oracle Cloud Account	2-1
New IDCS Instance in Existing Oracle Cloud Account	2-2
Prepare Project Team	2-2
3 Provisioning	
Access IDCS	3-1
Validate Cloud Service Access	3-2
Register Customer Support Identifier	3-2
Create End User Accounts	3-2
4 Post Provisioning	
Leverage Oracle Support	4-1
Get Connected	4-1
5 Frequently Asked Questions	
IDCS Activation	5-1
A List of Key URLs	

Send Us Your Comments

Oracle® Retail Integration Cloud Service Service Administrator Action List, Release 19.1.000

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document.

Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

Note: Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the Online Documentation available on the Oracle Technology Network Web site. It contains the most current Documentation Library plus all documents revised or released recently.

Send your comments to us using the electronic mail address: retail-doc_us@oracle.com

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our Web site at <http://www.oracle.com>.

Preface

This Service Administrator Action List describes the requirements and process for setting up Merchandising cloud services and associated integrating Merchandising with other software solutions.

Audience

This Installation Guide is for the following audiences:

- Service administrators
- System administrators and operations personnel
- Integrators and implementation staff personnel

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Improved Process for Oracle Retail Documentation Corrections

To more quickly address critical corrections to Oracle Retail documentation content, Oracle Retail documentation may be republished whenever a critical correction is needed. For critical corrections, the republication of an Oracle Retail document may at times not be attached to a numbered software release; instead, the Oracle Retail document will simply be replaced on the Oracle Technology Network Web site, or, in the case of Data Models, to the applicable My Oracle Support Documentation container where they reside.

Oracle Retail product documentation is available on the following web site:

<https://docs.oracle.com/en/industries/retail/index.html>

An updated version of the applicable Oracle Retail document is indicated by Oracle part number, as well as print date (month and year). An updated version uses the same part number, with a higher-numbered suffix. For example, part number E123456-02 is an updated version of a document with part number E123456-01.

If a more recent version of a document is available, that version supersedes all previous versions.

Oracle Help Center (docs.oracle.com)

Oracle Retail product documentation is available on the following web site:

<https://docs.oracle.com/en/industries/retail/index.html>

(Data Model documents can be obtained through My Oracle Support.)

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Overview

When starting a Retail Integration Cloud Services (RICS) implementation, there are a number of key considerations and actions you will need to take. This document outlines the most important actions and provides a general timeline for when many of these actions should be completed to ensure success for your implementation. These actions are divided up in the following phases:

- [Pre-Provisioning](#)
- [Provisioning](#)
- [Post Provisioning](#)

Audience

This document is intended for your service administrator. The service administrator is the key person in your business that manages your Integration cloud service. Oracle will target important communications to the service administrator, such as the initial welcome e-mail that is described in this document. If the person who receives this e-mail is not the person or part of the group of people that will be taking responsibilities for the tasks in this document, please work with your Customer Success Manager (CSM) to have that the name updated.

Pre-Provisioning

Pre-provisioning is the period after contracts are signed, but before receiving your environments, where some key activities can occur related to your upcoming implementation. For Integration Cloud Service implementations, your Customer Success Manager (CSM) will be your main point of contact for these activities.

Activate IDCS

Identity Cloud Service (IDCS) is the user identity solution for most Oracle Retail cloud services. A foundation-level IDCS subscription comes with your retail subscription, but can also be purchased separately, if desired, such as for use as an enterprise identity provider or to manage PaaS or IaaS instances, metrics, and so on. However, it should be noted that these are not applicable for your Merchandising subscription, as Merchandising solutions utilize it only for administration of users. IDCS requires your subscribed cloud service to be attached within an Oracle Cloud Account.

Multiple IDCS instances can be set up within a single Oracle Cloud Account, enabling several activation options. For example, if you use a single set of administrators to manage the pool of users across all your retail services, you may want to have just a single IDCS instance. Or you might consider separate instances by product area (for example, Merchandising, Planning, Omni-channel) or by business unit (for example, Brand A, Brand B). Using one instance for all your retail services is the most common approach.

You will receive an activation e-mail from Oracle in the initial stages of provisioning — often immediately following your subscription order being booked. You will need to activate your IDCS account in order to begin the Merchandising provisioning activities. Promptly completing the activations steps will better enable on-time environment delivery.

Note: Activation for IDCS does NOT impact billing or the subscription service period - those details are connected to the subsequent environment delivery of the Merchandising cloud services.

Creating an Oracle Cloud Account¹

To start the setup, you'll click the Activate link provided in the e-mail received. Then the following steps are required:

¹ An Oracle Cloud Account is not the same as your My Oracle Support account. The Oracle Cloud Account account exists within IDCS and is used for managing user security within the Merchandising solutions.

1. Provide the desired name for the Oracle Cloud Account
A best practice is to use a name which will encompass the scope of services to be managed in the account, such as a combination of your company name and "retail". For example, **mystoresretail**. After activation, you can adjust the displayed name for the cloud account.
2. Provide your e-mail address as the customer administrator who receives the activation e-mail.
The e-mail address must match the initial e-mail. If you would like a different contact to be used as the administrator, this can be managed after activation in coordination with your CSM.
3. The activation success message will display, and you will receive a new welcome e-mail with access credentials.

New IDCS Instance in Existing Oracle Cloud Account

Activate a new IDCS instance for your Retail cloud service within the Account Management section of your existing Oracle Cloud Account.

1. Log in to your existing Oracle Cloud Account.
Clicking the **Activate** link brings you to the login page.
 2. Within the Dashboard, click on the **Account Management** menu and then select the **Activate** tab.
Available services to activate will be listed; you may need to select **Show: Pending Activations**.
 3. Click the Cloud Service Account Setup button to complete setup.
- If you have any issues with the above, see the [Frequently Asked Questions](#) chapter.

Prepare Project Team

During this time, you will also be putting together your project plan for the deployment and go-live phases of your implementation. It is important to consider the following during this planning phase to prepare your project team for the Retail Integration implementation:

- **Identity Cloud Service** - As noted above, you will be using IDCS for user management for your Retail Integration Cloud services. During the pre-provisioning timeframe, familiarize yourself with this solution and its features.
 - <https://docs.oracle.com/en/cloud/paas/identity-cloud/index.html>
- **Project Team Training** - Consider the training that the members of your team will need in order to make your implementation successful. This includes both your employees, as well as your systems integration partner. Suggested training topics to consider include:
 - [Retail Integration Cloud Service configuration](#)
- **Security Configurations** - During this phase, you should designate a portion of your team to becoming familiar with IDCS and the enterprise roles, duties, and privileges that will be part of the Retail Integration Cloud Service you are implementing. You can also start designing the roles that you will need for your users, and what duties will be assigned to your custom roles. For more details,

please refer to *Retail Integration Cloud Service Integration Security Guide*. For more information on IDCS, see [Managing Users, User Accounts, and Roles](#).

- **System Options Configuration** - Start reviewing the system options available in all the Retail Integration Cloud Service to determine how these should be configured. Work with your systems integrator to identify those you are unsure about or need to be considered in the program planning.
- **Integration Planning** - Start reviewing the available existing integrations available as part of the Retail Integration cloud services to support internal Oracle integrations, as well as any integrations you may need to external solutions. Key documents to review include:
 - **Operations Guides** - Each of the Oracle Retail Cloud Services has an operations guide which outlines batches and integrations.

For example: the Merchandising Foundation Cloud Service, there are two volumes. The first is mainly batch processes, but also contains some integrations that are batch and/or flat file based. The second volume is where RIB, ReST and SOAP services, and BDI integration details are held.
 - **Retail Reference Library** - This tool is free to all Oracle Retail customers and can be downloaded from My Oracle Support under [Doc ID 2058843.2](#). This tool is composed of multiple parts, but the most critical to become familiar with are the Retail Reference Models (business process flows) and the Retail Reference Architecture (integration diagrams, payloads, and so on).

Provisioning

Once your environments are ready for you, the person designated as your service administrator will receive a welcome e-mail: one for each cloud service and each environment (stage, production, and so on).

Follow all instructions in the "Action Required: Access and Administer Production/Stage/Test Environment..." e-mail.

This environment access e-mail contains critical details required for you to access and administer your Cloud Service. You will receive one e-mail for each provisioned environment. Save these e-mails.

Log in to your Cloud Service. Use the Identity Management URL, username and temporary password provided in the environment access e-mail to verify access to your service. At your first login attempt, create a new password and make note of it because at this point you are the only one with access!

You will receive a separate e-mail for each provisioned environment, and the password for each environment is maintained separately. In addition, please note that you will not be able to access the Retail applications until you grant the appropriate application roles to your user.

It is recommended that you save this e-mail for future reference, because at this point the service administrator is the only person with access.

Access IDCS

Once you receive your welcome e-mail, it is recommended that you, as the system administrator, log into IDCS to verify your access and create a new password. You will also be assigned the application administrator group for each Retail Integration service in both your production and pre-production environments. Note that the group for pre-production will have an added extension (`_PREPROD`) in order to differentiate between the two. These should not be deleted.

It is also recommended that you add additional administrators in order to have a backup administrator and share in user management administration, as at this point no one else in your organization will have access to IDCS or the Retail Integration solutions. For assistance in creating users or adding them to groups, see the following documents:

- [Managing Users, User Accounts, and Roles](#)
- [Adding Identity Domain Administrators](#)

Note: You may notice that there are a number of other user IDs set up in IDCS for Retail Integration (for example, bdi_admin, jos_admin). These users were seeded by the Oracle Cloud Operations team for use in Merchandising batch and integration processes. These users will be managed by the Oracle Cloud Operations team.

Validate Cloud Service Access

Next, you should validate that you are able to access and successfully log into each of the Retail Integration Cloud Services for which you have been provisioned using the URLs provided in the e-mail, along with the username and password.

Register Customer Support Identifier

The welcome e-mail will also include your Customer Support Identifier (CSI). This should be registered with My Oracle Support (MOS), which you will use to log questions or issues about these services. Follow link in the e-mail or access support.oracle.com to create a new account. If you already have a MOS account, remember to add your new CSI to your existing MOS account.

The first person to request access to a CSI will be checked by Oracle to ensure the domain of their e-mail address matches the domain associated with the CSI. Once approved, they will be made the Customer User Administrator of that CSI, and can approve others to use it. If someone else has already been made the administrator of that CSI, then the request will be e-mailed to him or her for approval. For more information on the Customer User Administrator, see [MOS ID 1544004.2](#).

Note: You will not be able to register your CSI number until your production environment has been provisioned.

Create End User Accounts

Before end users can access the Cloud Service application it is necessary to provision each user access to the system, and assign roles to each user to control what functionality will be available to them. The access provisioning is done using Oracle Identity Management (OIM). Instructions for end user account creation are documented in an Administration Guide, found in an online Documentation library at this location:

<http://www.oracle.com/technetwork/documentation/oracle-retail-100266.html>

Post Provisioning

In the first few days after your initial provisioning, it is recommended that you do each of the following tasks, as they are applicable for your implementation. This will help ensure that any configuration or access issues are resolved earlier in your program to avoid delays. For each of the URLs below, the <hostname> portion of the URL should be replaced with the one specific for your implementation, which will be the same as was in your welcome email and your cloud service URLs. It will use a naming convention similar to the following: xxx-yyy-mfcs-mcs.oracleindustry.com.

Leverage Oracle Support

Attend a session on Working Effectively with Support (WEWS) to learn about support policies and best practices when working with Oracle Support. Oracle Support representatives are ready 24/7 to answer questions and address issues about your service. Access the Oracle Support Contacts Global Directory to find the Oracle Support Hotline for your country, and explore the page on *Working Effectively with Oracle Support - Best Practices* found on My Oracle Support under [Doc ID 166650.1](#).

Get Connected

Register for RGBU support communities:

- Use [My Oracle Support Community \(ID 2299812.1\)](#) to post technical questions and get resolution on technical issues.
 - See "Getting Started" to learn how to use the Support Community.
- Use [The RACK](#) to view informative resources and participate in discussions around Retail Solutions.

Frequently Asked Questions

IDCS Activation

Since the Retail Integration cloud services are installed using the activated IDCS details, it is important to ensure any activation concerns are resolved during the pre-provisioning/provisioning period, as making changes after your Retail Integration cloud services are provisioned may require extended downtime.

What should I do if I cannot activate IDCS into an existing Oracle Cloud Account?

Inform your CSM or sales representative if you run into issues, providing the following information:

- Existing Oracle Cloud Account name
- Subscription ID of a service in the account
- Administrator e-mail for the account

What do I do if I experience errors or failures while attempting to activate IDCS?

The administrator e-mail address must match the e-mail which received the activation notification. If this does match and you are still running into issues, inform your CSM or sales representative, providing the following information:

- Intended activation approach (new Oracle Cloud Account or activate within an existing)
- Any error or failure messages received - include screen shots if possible

Can I use another identity management solution?

Only IDCS is supported in Retail Integration Cloud Service implementations, however IDCS could also be integrated with external identity management providers, like Active Directory, using its APIs.

Can I use another identity management solution?

Only IDCS is supported in Retail Integration Cloud Service implementations, however IDCS could also be integrated with external identity management providers, like Active Directory, using its APIs.

I have multiple pre-prod environments and want to have different security configurations for the same users/roles in each, can I do that?

The recommended approach is to create roles in IDCS (and ORAAC) that reflect the configuration needs for each environment. Or you could consider creating two user IDs for the same person to reflect the different role configurations that they need to test.

Why do I see other users in my IDCS instance (for example, batchuser)?

The Oracle Cloud Operations team will also seed a set of integration users required by the solutions as part of the provisioning process. These are users used for integration or internally for batch and other processing and **should not be deleted**.

A

List of Key URLs

Table A-1 List of Key URLs

Solution/Tool	URL
Identity	https://idcs-xxxx.identity.oraclecloud.com/ui/v1/adminconsole
RFI Batch Job Admin	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rfi-batch-job-admin
BDI Scheduler	https://customerID-environmentID-ribcs-rib.oracleindustry.com/bdi-scheduler
BDI Process Flow	https://customerID-environmentID-ribcs-rib.oracleindustry.com/bdi-process-flow
Ext Batch Job Admin	https://customerID-environmentID-ribcs-rib.oracleindustry.com/external-batch-job-admin
DDS	https://customerID-environmentID-ribcs-rib.oracleindustry.com/dynamic-data-service-ui

Table A-1 (Cont.) List of Key URLs

Solution/Tool	URL
IGS WS	https://customerID-environmentID-ribcs-rib.oracleindustry.com/ASNInPublishingBean/ASNInPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/ASNOutPublishingBean/ASNOutPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/CurRatePublishingBean/CurRatePublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/FrtTermPublishingBean/FrtTermPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/FulfilOrdPublishingBean/FulfilOrdPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/GLCOAPublishingBean/GLCOAPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/InvAdjustPublishingBean/InvAdjustPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/InvReqPublishingBean/InvReqPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/PayTermPublishingBean/PayTermPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/RTVPublishingBean/RTVPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/ReceivinPublishingBean/ReceivingPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/VendorPublishingBean/VendorPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/XAllocPublishingBean/XAllocPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/XCostChgPublishingBean/XCostChgPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/XItemLocPublishingBean/XItemLocPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/XItemPublishingBean/XItemPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/XOrderPublishingBean/XOrderPublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/XStorePublishingBean/XStorePublishingService?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/XTsfPublishingBean/XTsfPublishingService?wsdl
	JMS Console
OCDS	https://customerID-environmentID-ribcs-rib.oracleindustry.com/ocds-batch-job-admin/
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/ApplicationMessageInjectorBean/InjectorService?WSDL
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/ords/ocds/omnichannel/metadata-catalog/
RIB Func Artifact	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rib-func-artifact

Table A-1 (Cont.) List of Key URLs

Solution/Tool	URL
RIB RMS	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rib-rms-admin-gui/index.jsp https://customerID-environmentID-ribcs-rib.oracleindustry.com/rib-rms/ApplicationMessagePublishingServiceBean/ApplicationMessagePublishingService?wsdl
RIB EXT	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rib-ext-admin-gui/index.jsp https://customerID-environmentID-ribcs-rib.oracleindustry.com/rib-ext/ApplicationMessagePublishingServiceBean/ApplicationMessagePublishingService?wsdl
RIB SIM	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rib-sim-admin-gui/index.jsp https://customerID-environmentID-ribcs-rib.oracleindustry.com/rib-sim/ApplicationMessagePublishingServiceBean/ApplicationMessagePublishingService?wsdl
RIB TAFR	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rib-tafr-admin-gui/index.jsp https://customerID-environmentID-ribcs-rib.oracleindustry.com/rib-tafr/ApplicationMessagePublishingServiceBean/ApplicationMessagePublishingService?wsdl
RIB RPM	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rib-rpm-admin-gui/index.jsp
RIC Console	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rsb-admin
RIHA App	https://customerID-environmentID-ribcs-rib.oracleindustry.com/riha-web/faces/rihaSummary.jsp?ribAppName=rms https://customerID-environmentID-ribcs-rib.oracleindustry.com/riha-web/faces/rihaSummary.jsp?ribAppName=tafr

Table A-1 (Cont.) List of Key URLs

Solution/Tool	URL
RSB WS	<p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-ASNOutPublishing-AppServiceDecorator/ProxyService/ASNOutPublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-ASNInPublishing-AppServiceDecorator/ProxyService/ASNInPublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-CurRatePublishing-AppServiceDecorator/ProxyService/CurRatePublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-FrtTermPublishing-AppServiceDecorator/ProxyService/FrtTermPublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-FulfilOrdPublishing-AppServiceDecorator/ProxyService/FulfilOrdPublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-GLCOAPublishing-AppServiceDecorator/ProxyService/GLCOAPublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-InvAdjustPublishing-AppServiceDecorator/ProxyService/InvAdjustPublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-InvReqPublishing-AppServiceDecorator/ProxyService/InvReqPublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-PayTermPublishing-AppServiceDecorator/ProxyService/PayTermPublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-RTVPublishing-AppServiceDecorator/ProxyService/RTVPublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-ReceivingPublishing-AppServiceDecorator/ProxyService/ReceivingPublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-VendorPublishing-AppServiceDecorator/ProxyService/VendorPublishingAppServiceProxy?wsdl</p> <p>https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-XAlllocPublishing-AppServiceDecorator/ProxyService/XAlllocPublishingAppServiceProxy?wsdl</p>

Table A-1 (Cont.) List of Key URLs

Solution/Tool	URL
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-XCostChgPublishing-AppServiceDecorator/ProxyService/XCostChgPublishingAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-XItemLocPublishing-AppServiceDecorator/ProxyService/XItemLocPublishingAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-XItemPublishing-AppServiceDecorator/ProxyService/XItemPublishingAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-XOrderPublishing-AppServiceDecorator/ProxyService/XOrderPublishingAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-XStorePublishing-AppServiceDecorator/ProxyService/XStorePublishingAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/igs-XTsfPublishing-AppServiceDecorator/ProxyService/XTsfPublishingAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-ReportLocator-AppServiceDecorator/ProxyService/ReportLocatorAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-CustOrdSubstitute-AppServiceDecorator/ProxyService/CustOrdSubstituteAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-InventoryBackOrder-AppServiceDecorator/ProxyService/InventoryBackOrderAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-InventoryDetail-AppServiceDecorator/ProxyService/InventoryDetailAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-PricingCost-AppServiceDecorator/ProxyService/PricingCostAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-PayTerm-AppServiceDecorator/ProxyService/PayTermAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-Supplier-AppServiceDecorator/ProxyService/SupplierAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-ItemManagement-AppServiceDecorator/ProxyService/ItemManagementAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-PurchaseOrderManagement-AppServiceDecorator/ProxyService/PurchaseOrderManagementAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-StoreOrder-AppServiceDecorator/ProxyService/StoreOrderAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-CustomerCreditCheck-AppServiceDecorator/ProxyService/CustomerCreditCheckAppServiceProxy?wsdl
	https://customerID-environmentID-ribcs-rib.oracleindustry.com/rms-FulfillOrder-AppServiceDecorator/ProxyService/FulfillOrderAppServiceProxy?wsdl
USM	https://customerID-environmentID-ribcs-rib.oracleindustry.com/usm

Table A-1 (Cont.) List of Key URLs

Solution/Tool	URL
RFI	https://customerID-environmentID-ribcs-rib.oracleindustry.com/retail-financial-integration-web
	https://customerID-environmentID-ribcs-rib.oracleindustry.com:443/SupplierExportOutboundService/SupplierExportOutboundService?WSDL