

Oracle® Retail Merchandising

Batch Schedule

Release 12.0.11.7

February 2012

Copyright © 2012, Oracle. All rights reserved.

Primary Author: Nathan Young

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

(i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.

(ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.

(iii) the software component known as **Access Via**TM licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.

(iv) the software component known as **Adobe Flex**TM licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.

Contents

Send Us Your Comments	vii
Preface	ix
Audience	ix
Related Documents.....	ix
Customer Support.....	x
Review Patch Documentation.....	x
Oracle Retail Documentation on the Oracle Technology Network.....	x
Conventions.....	x
1 Introduction to Merchandising Batch Processing	1
Batch Processing.....	1
Types of Batch Programs	1
Batch Window	2
Batch Schedule and Phases.....	2
Merchandising Batch Schedule	3
Program List	3
Batch Schedule Diagram	5
RMS, ReIM, RTM Section	5
ReSA Section.....	6
RPM Section.....	6
Notations in the Batch Schedule Diagram.....	7
prepost Program	8
Modifications to the Batch Schedule	9
2 Program List	11
3 Batch Schedule Diagram	17
4 Interface Diagrams for RMS and RPAS	19
RMS Pre/Post Extract Diagrams	20
RMS Foundation Data Extract Diagrams	21
RMS Fact Data Extract Diagrams.....	23
RPAS-RMS Fact Load Diagram	24
5 Interface Diagrams for RMS and RDW	25
6 Interface Diagram for RPM and RDW	37
7 Interface Diagram for ReIM and RDW	39

Send Us Your Comments

Oracle Retail Merchandising, Batch Schedule, Release 12.0.11.7

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document.

Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

Note: Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the new Applications Release Online Documentation CD available on My Oracle Support and www.oracle.com. It contains the most current Documentation Library plus all documents revised or released recently.

Send your comments to us using the electronic mail address: retail-doc_us@oracle.com

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our Web site at www.oracle.com.

Preface

This batch schedule document details the integrated cyclical processing schedules for the Oracle Retail Merchandising applications:

- Oracle Retail Merchandising System (RMS)
- Oracle Retail Invoice Matching (ReIM)
- Oracle Retail Price Management (RPM)
- Oracle Retail Sales Audit (ReSA)
- Oracle Retail Trade Management (RTM)
- Oracle Retail Allocation

Note: Although Oracle Retail Allocation is a Merchandising application, it is not represented in this batch schedule because it does not have any batch programs to run. All Allocation processing is online processing.

This guide describes the periodic and ad hoc phases of batch processing, as well as pre- and post-processing dependencies.

Audience

The audiences for this guide are as follows:

- Systems analysts and system operations personnel who need information about Merchandising processes, internally or in relation to systems across the enterprise
- Integrators and implementation staff who have the overall responsibility for implementing the Merchandising applications in their enterprise

Related Documents

For more information, see the following documents for the Oracle Retail Merchandising products:

- *Oracle Retail Merchandising System Operations Guide*
- *Oracle Retail Price Management Operations Guide*
- *Oracle Retail Invoice Matching Operations Guide*
- *Oracle Retail Data Warehouse Operations Guide*
- *Oracle Retail Predictive Application Server documentation*
- *Oracle Retail Demand Forecasting documentation*

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:
<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Review Patch Documentation

When you install the application for the first time, you install either a base release (for example, 13.1) or a later patch release (for example, 13.1.2). If you are installing the base release and additional patch and bundled hot fix releases, read the documentation for all releases that have occurred since the base release before you begin installation. Documentation for patch and bundled hot fix releases can contain critical information related to the base release, as well as information about code changes since the base release.

Oracle Retail Documentation on the Oracle Technology Network

Documentation is packaged with each Oracle Retail product release. Oracle Retail product documentation is also available on the following Web site:

http://www.oracle.com/technology/documentation/oracle_retail.html

(Data Model documents are not available through Oracle Technology Network. These documents are packaged with released code, or you can obtain them through My Oracle Support.)

Documentation should be available on this Web site within a month after a product release.

Conventions

Navigate: This is a navigate statement. It tells you how to get to the start of the procedure and ends with a screen shot of the starting point and the statement “the Window Name window opens.”

This is a code sample

It is used to display examples of code

Introduction to Merchandising Batch Processing

This chapter is a brief introduction to Oracle Retail batch processing. It defines basic terms and concepts, describes batch processing phases, and explains how to interpret the batch schedule diagram and program list.

Batch Processing

Batch processing is the execution of a group of batch programs (jobs). The results are returned without user intervention. Batch programs are commonly used for the following reasons:

- To process large volumes of transaction data
- To interface with external systems
- To perform internal maintenance

Batch programs can process very large quantities of data quickly and efficiently. Batch programs can perform some updates that could be performed through online transactions, but much more quickly and with less impact on system performance. Batch processing is usually scheduled for times when systems are idle or least busy.

Batch programs can be run automatically using batch scheduler software. The batch scheduler allows batch jobs to be set up in a specific order, with restrictions attached to any program as needed. If an error occurs with a batch program, an administrator must correct the error and manually rerun the batch program that failed.

Types of Batch Programs

Oracle Retail batch programs are of several types:

- Upload programs bring data from external systems into the Oracle Retail database. For example, the `posupld` program uploads daily transactions that occur at the point of sale (POS) for processing by the Oracle Retail Management System (RMS).
- Download programs extract data from RMS and format it so it can be used by external systems. For example, the `posdnld` program extracts new and changed information about an item/location for downloading to the point of sale.
- System maintenance programs perform tasks such as updating the system date. For example, the `dtesys` program increments the system date at the end of each batch cycle.
- Functional maintenance programs process data specific to a functional area. For example, the `storeadd` program updates a number of tables to create entries for a new store.

Batch Window

Because of the impact on production systems, it is not always possible to run batch programs during business hours; however, there is a window of opportunity during each day or night when online systems are not being used. This time frame is the *batch window*. For example, a retailer with stores throughout the continental U.S. might require its online systems to be available from 8 AM Eastern Standard Time, when its East Coast offices open, until 9 PM Pacific Standard Time, when its West Coast stores close. This allows an eight-hour batch window for processing all batch jobs.

Batch Schedule and Phases

Order is critical when running batch programs. Some tasks need to be performed before others. A batch schedule ensures that every time batch processing is performed, the correct tasks are performed in the proper order.

The batch schedule is a diagram that represents all batch programs and how they are sequenced. For each individual user, the schedule is a suggested starting point for the installation. Some programs are specific to products that may not be installed, so these programs may not be used at all.

The total batch schedule is divided into phases. Each phase must be completed before the next phase can begin. Within a phase, there may also be programs that depend on the completion of another program within that phase, so programs within each phase may need to be run in a particular order.

Merchandising Batch Schedule

The integrated Merchandising batch schedule combines the batch schedules of all Merchandising applications into a single schedule diagram. The diagram (later in this document) shows the batch dependencies among the Merchandising applications.

The integrated Merchandising batch schedule combines the batch modules for the following applications:

- Oracle Retail Merchandising System (RMS)
- Oracle Retail Trade Management (RTM)
- Oracle Retail Sales Audit (ReSA)
- Oracle Retail Invoice Matching (ReIM)
- Oracle Retail Price Management (RPM)

Note: Although Oracle Retail Allocation is a Merchandising application, it is not represented in this batch schedule because it does not have any batch programs to run. All Allocation processing is online processing.

Program List

The columns of the program list provide details about each batch program, as follows:

Column	Description
Program name	Name of the program or script
Functional area	Functional area of the application for which the batch program is run
Threaded	Whether the program is threaded (Y/N)
Driver	Program driver
Phase	Phase during which the program is run (see the batch schedule diagram)
Pre-dependency	Programs that must be completed before the program can be run
Post-dependency	Programs that must be run after the program completes successfully
Timing	How often the program is run (for example, daily, weekly, monthly, ad hoc)
Restart/Recovery	Whether the program uses restart/recovery (R=Yes, N=No)
Run Parameters for Program	Command syntax to run the program

For example, the following shows the information in the program list about an RMS phase 3 program named dealday:

Program Name	dealday
Functional Area	Deals
Threaded	Y
Driver	Location
Phase	3
Pre-dependency	dealinc, dealfinc, prepost dealday pre
Post-dependency	prepost dealday post, salmnth
Timing	Monthly
Restart/Recovery	R
Usage	dealday userid/passwd

The program list is grouped in the following order:

- RMS, RTM, and ReSA programs
- RPM programs
- ReIM programs
- RMS extracts for Retail Predictive Application Server (RPAS)
- RMS extracts for Retail Data Warehouse (RDW)

The extracts for RPAS and RDW are programs that are part of the RMS application.

Batch Schedule Diagram

The batch schedule diagram illustrates the program list pre- and post-dependency details. The layout and notations of the diagram also illustrate required sequences and other processing details. Executing the Merchandising batch processing in the manner diagrammed ensures that all critical dependencies are met.

For ease of setting up a schedule at client site, and also based on logical application dependencies, the diagram is divided into three main sections:

- RMS, RTM, ReIM
- ReSA
- RPM

Later chapters of this document show data flow diagrams for other batch processes:

- Chapter 4 shows the Retail Extract, Transform, and Load (RETL) data flows for the extracts from RMS to RPAS.
- Chapter 5 shows the RETL dimension and fact data flows for the extracts from RMS to Retail Data Warehouse (RDW).
- Chapter 6 shows the RETL data flow for the Promotion dimension extract from RPM to RDW.
- Chapter 7 shows the RETL data flow for the Supplier Invoice Cost dimension extract from ReIM to RDW.

RMS, ReIM, RTM Section

The first section diagrams the RMS, ReIM, and RTM programs and their dependencies. This section is further divided into phases 0 through 7, ad hoc, and date set batch.

Each phase must be completed before the next phase can begin. Also, a phase may contain programs that depend on other programs within the phase. Programs within each phase may need to run in a particular sequence.


The following are brief descriptions of the Merchandising batch processing phases. Depending on your implementation, some programs and phases may not apply.

Phase	Description
Phase 0	The first phase performs essential table maintenance including: <ul style="list-style-type: none"> ▪ Daily purges ▪ Updates to currency exchange rates ▪ Updates to value-added tax (VAT) data
Phase 1	This phase prepares the tables for interfacing with external systems in Phase 2. Among other programs, the stock variance (stkvar) batch program is run to update stock counts.
Phase 2	During this phase, information is uploaded from external interfaces, including point of sale (POS) data (posupld batch program).
Phase 3	In this phase, the main RMS processing programs are run for purchasing, ordering, stock ledger, deals, and replenishment.
Phase 4	This phase pushes data to external sources. Changed system information is rebuilt. Open to buy (OTB) data is updated. Information is sent to the forecasting system.

Phase	Description
Phase 5	This phase consists of ReIM process upload programs.
Phase 6	This phase consists of ReIM process roll-up programs.
Phase 7	This phase consists of ReIM process download programs.
Ad Hoc	Ad hoc batch programs can be run at any time. The ad hoc programs have no phase dependencies.
Date Set	The Date Set phase increments the system date and updates other calendar dates. Note: The date set phase should be the very last phase to run. Even the ad hoc programs should be run before the date set program.

Read the batch schedule diagram from left to right. In the following example, any of the programs (ediupavl, ediupack, stkvar, ditinsrt, lifstkup, ReceiverAdjustment, DiscrepancyPurge) can start at the same time; however, the stkupld program cannot start until the lifstkup program is successfully completed.

Sequence -----▶



ReSA Section

This section diagrams the ReSA programs and their dependencies.

RPM Section

This section diagrams the RPM programs and their dependencies.

Notations in the Batch Schedule Diagram

Pipes

Pipes are vertical bars (|) that represent the dependencies within a phase. Reading left to right, a pipe indicates that one or more programs to the right depend upon completion of one or more programs to the left.

In the following example, the stkupld module depends on the lifstkup module; that is, the stkupld module can be run only after successful completion of the lifstkup module.

lifstkup	stkupld
----------	---------

In the following example, both of the modules cntrorldb and reqext are dependent on ociroq. Neither cntrorldb nor reqext can be run until the ociroq module has completed successfully.

ociroq	cntrorldb reqext
--------	---------------------

In the following example, the ibcalc module is dependent on both ibexpl and cntrprss. The ibcalc module cannot be run until both ibexpl and cntrprss have completed successfully.

ibexpl cntrprss	ibcalc
--------------------	--------

Abbreviations

In the diagram, abbreviations in parentheses that follow program names have the following meanings:

Abbreviation	Meaning
(perl)	The module is a Perl script.
(FIF)	The module is related to the Financials application.
(sqlldr)	There is a sqlloader process to load/ftp the output files.
(rebuild all)	There is a rebuild process inside the application.
(IM)	The module is related to Invoice Matching but owned by RMS.
(RMS)	The module belongs to RMS.
(RMS)	(Bold type) The RMS module is executed externally to that phase.
(ReSA)	The module belongs to ReSA.
(ReSA)	(Bold type) The ReSA module is executed externally to that phase.
(ReIM)	The module belongs to ReIM.
(RTM)	The module belongs to RTM.
(Weekly)	The module is executed weekly.
(Monthly)	The module is executed monthly.
(Forms Auditing)	This is an online forms auditing process related to ReSA.

Footnotes

Footnote symbols (*, **, †, ‡) refer to footnotes that appear below that phase or section of the diagram.

prepost Program

The prepost program facilitates multi-threading by allowing general system administration functions (such as table deletions or mass updates) to be completed after all threads of a particular program have been processed. The prepost program must be run before, after, or both before and after, programs that require specific processing to run or complete successfully.

In the batch schedule diagram, the prepost program is indicated by “pre” and “post” entries, as in the following examples.

In the following example, pre-processing is required before running the ociroq program.

pre	ociroq
------------	---------------

In the following example, pre-processing is required before running the stkupd program. Also, post-processing is required after successful completion of the stkupd program.

pre	stkupd	post
------------	---------------	-------------

In the following example, post-processing is required after successful completion of the sccext program.

sccext	post
---------------	-------------

Modifications to the Batch Schedule

The integrated Merchandising batch schedule shows the dependencies for all the programs that *could* be run by a retailer. Based on many factors, there will always be some programs that a retailer does not run. Determining which programs, or groups of programs, are not required is a job that should be performed at implementation time.

One major factor involves the applications that the retailer has purchased and wants to install:

- For example, a retailer may have purchased RMS, but not ReIM; in this case, the ReIM programs would not be run.
- Another example is that a retailer may not want to use some functionality within an application. Perhaps a retailer purchased RMS but did not purchase the RDW application. In this case, the retailer may not want to run the programs that extract RMS data to be used later by the RDW application.

These major configuration choices also affect whether some programs are used:

- Whether the Retail Integration Bus (RIB) is used
For more information about configuring the RIB for Merchandising applications, see “Configuring RPM without the RIB” in the “Backend System Administration and Configuration” chapter of the Oracle Retail Price Management Operations Guide.
- Whether full-featured or simplified Retail Price Management (RPM) is used
For more information about configuring simplified RPM, see the “Backend System Administration and Configuration” chapter in the Retail Price Management Operations Guide.
- Whether full-featured or simplified RTM is used
For more information about configuring simplified RTM, see the “Oracle Retail Trade Management Batch” chapter in Volume 1 of the Oracle Retail Merchandising System Operations Guide.

RMS,RTM,ReSA Program Dependency and Scheduling Details

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
ang_stdnid	RMS Interface	N	N/A	ad hoc	storeact	N/A	daily	R	ang_stdnid userid/passwd
ang_proddnid	RMS Interface	Y	Dept	ad hoc	(Should run after creation/Update of item or after dlyprg in case of deletion)	N/A	daily	R	ang_proddnid userid/passwd
ang_proctydnid	RMS Interface	Y	Store	ad hoc	(Should run after execution of clearance,promotion or price change batches)	N/A	daily	R	ang_proctydnid userid/passwd
ang_sapngen	RMS Interface	Y	Store	SA	N/A	saexprms	daily	R	ang_sapngen userid/passwd
auditprg	Audit	N	N/A	ad hoc	N/A	N/A	daily	N	auditprg userid/passwd
audtsys	Audit	N	N/A	ad hoc	N/A	N/A	daily	N	audtsys userid/passwd
batch_orpos_extract.ksh	Point of Sale Interface	Y	Store	4	'RPMtoORPOSPublishExport.sh'	N/A	daily	N	batch_orpos_extract.ksh userid/passwd [-p <no. of threads>] [DIR - location where extracts are to be generated]
ccprg	Costing	N	N/A	ad hoc	N/A	N/A	monthly	N	ccprg userid/passwd
cednid	Trade Management	Y	Broker	2	N/A	N/A	daily	R	cednid userid/passwd broker_file_name
cmpsprg	Pricing	N	N/A	ad hoc	N/A	N/A	daily	N	cmpsprg userid/passwd
cmpupid	Pricing	N	N/A	ad hoc	N/A	All RPM batch modules	ad hoc	R	cmpupid userid/passwd input_file reject_file
cntrmain	Contracting	N	N/A	0	N/A	All Replenishment modules	daily	R	cntrmain userid/passwd
cntrordb	Contracting	Y	Contract	3	rpladj	prepost cntrordb post rplbid	daily	R	cntrordb userid/passwd
cntrprss	Contracting	Y	Dept	3	rplex	prepost rplbid post dtsnrt	daily	R	cntrprss userid/passwd
costcalc	Deals	Y	Supplier	2	prepostcalc	prepost costcalc post recldsy	daily	R	costcalc userid/passwd supplier (May use the batch_costcalc.ksh for launching this program as it is created based on performance considerations)
cremhierdy	Reclassification	N	N/A	4	salstage	prepost dealact_nor pre prepost dealact_po pre prepost dealact_sales pre	daily	R	cremhierdy userid/passwd
dealact	Deals	Y	Deal Id	3	prepost dealact_sales pre	N/A	daily	R	dealact userid/passwd
dealcts	Deals	N	N/A	3	N/A	prepost dealday pos salmth	daily	R	dealcts userid/passwd
dealdy	Deals	Y	Location	3	prepost dealdy pre	prepost dealcx pos dealinc	monthly	R	dealdy userid/passwd
dealex	Deals	Y	Deal Id	3	prepostcalc	prepost dealex pre dealinc	daily	N	dealex userid/passwd
dealfct	Deals	Y	Deal Id	3	prepost dealfct pre	salmt	daily	R	dealfct userid/passwd [Y/N - EOM processing ind]
dealfinc	Deals	Y	Deal Id	3	dealact	dealact dealct dealday salmth	weekly/ad hoc	R	dealfinc userid/passwd
dealinc	Deals	Y	Deal Id	3	prepost dealinc pre	salmt (if monthly)	monthly	R	dealinc userid/passwd [Y/N - EOM processing ind]
dealprg	Deals	N	N/A	ad hoc	N/A	(All other deals programs)	monthly	R	dealprg userid/passwd
dealupid	Deals	Y	File-based	0	(This program is the first one in Deals batch (This program will likely be run after sales information is uploaded into Oracle Retail) (SQL Load the output file)	N/A	daily	R	dealupid userid/passwd input_file reject_file
dfrtblid	Item Maintenance	Y	Dept	3	orddsnt	prepost distroccpub pos	daily	R	dfrtblid userid/passwd outfile
discoabply	OTB	Y	Dept	4	orddsnt	N/A	daily	R	discoabply userid/passwd
distroccpub	Pricing/Transfers/Allocation Publish	Y	Store	3	PriceEventExecutionBatch(RPM)	prepost distroccpub pos	daily	R	distroccpub userid/passwd dtsnrt userid/passwd (P or S) (supplier/partner). Partner or Supplier. P or S = program is either run for deals set up by supplier/partner is selected by appropriate calling script and passed into program. Note: (May use the batch_dtsnrt.ksh for launching this program as it is created based on performance considerations)
dtsnrt	Deals	N	N/A	1	prepost	costcalc orddsnt	daily	R	dtsnrt userid/passwd
dlyprg	Maintenance	N	N/A	0	N/A	(All other batch programs)	daily	N	dlyprg userid/passwd
docclose	Receiving	N	N/A	ad hoc	N/A	prepost docclose	daily	R	docclose userid/passwd
dtesys	Calendar	N	N/A	date_set	(This program should run at the end of the batch cycle)	prepost dtesys post	daily	N	dtesys userid/passwd [indate--YYYYMMDD format]
dummyscn	Receiving	N	N/A	ad hoc	N/A	N/A	daily	N	dummyscn userid/passwd
edidladd	Maintenance	N	N/A	ad hoc	N/A	N/A	ad hoc	N	edidladd userid/passwd ediaddd_output ediaddd_catalo
edidicon	Contracting	N	N/A	ad hoc	N/A	N/A	ad hoc	N	edidicon userid/passwd edidicon_outfil
edidlinv	Invoice Matching	Y	Location	4	N/A	N/A	daily	R	edidlinv userid/passwd output_filename
edidlord	Ordering	N	N/A	4	(and after replenishment batch)	N/A	ad hoc	R	edidlord userid/passwd filename
edidprd	EDI Interface - Sales and Inventory	N	N/A	4	prepost edidprd pre	prepost edidprd pos	daily	R	edidprd userid/passwd filename
ediprg	EDI Interface - Purge	N	N/A	ad hoc	(Towards the end of the batch cycle)	N/A	monthly	R	ediprg userid/passwd
edupadd	Maintenance	N	File-based	2	N/A	N/A	daily	N	edupadd userid/passwd input_file reject_file
edupack	EDI Interface - ordering	N	N/A	1	N/A	N/A	ad hoc	N	edupack userid/passwd data_file reject_file
edupavl	EDI Interface - Contracts	N	File-based	1	N/A	N/A	daily	R	edupavl userid/passwd input_file reject_file
edupcat	EDI Interface - Suppliers	N	File-based	ad hoc	N/A	N/A	daily	R	edupcat userid/passwd edi_data_file error_fil
fcstprg	Forecasting	Y	Domain Id	ad hoc	prepost fcstprg pre	prepost fcstprg post	daily	N	fcstprg userid/passwd domain
fcstbid	Forecasting	Y	Domain Id	3	prepost fcstbid post	N/A	weekly	R	fcstbid userid/passwd
fcstbid_sbc	Forecasting	Y	Domain Id	3	prepost fcstbid post salstage	prepost fcstbid post	weekly	R	fcstbid_sbc userid/passwd
filgldn1	Financial Interface	Y	Dept	3	salapnd	prepost filgldn1 post	daily	R	filgldn1 userid/passwd
filgldn2	Financial Interface	Y	Dept	3	salapnd	salapnd	daily	R	filgldn2 userid/passwd
filgldn3	Financial Interface	Y	Store/Wh	3	salapnd	salapnd	monthly	R	filgldn3 userid/passwd
fimedndid	Planning System Interface	N	N/A	ad hoc	N/A	N/A	ad hoc	R	fimedndid userid/passwd
gcupld	Misc Interface - Taxgeocode	N	N/A	ad hoc	N/A	N/A	ad hoc	R	gcupld -username/password@environment- <infile> <outfile>
genpreiss	Ordering	Y	Supplier	ad hoc	N/A	N/A	ad hoc	R	genpreiss userid/passwd
gradupid	Forecasting	N	File-based	ad hoc	N/A	N/A	ad hoc	R	gradupid userid/passwd input_file rej_fil
hstbid	Sales	Y	Location	3	prepost hstbid pre (for rebuild all)	prepost hstbid post	weekly	R	hstbid userid/passwd level(weekly/rebuild)
hstbid_diff	Sales	N	N/A	ad hoc	hstbid	prepost hstbid post	ad hoc	N	hstbid_diff userid/passwd
hstbidmth	Sales	Y	Dept	3	posupld	prepost hstbidmth post	monthly	R	hstbidmth userid/passwd level(monthly/rebuild)
hstbidmth_diff	Sales	N	N/A	ad hoc	N/A	prepost hstbid post	ad hoc	N	hstbidmth_diff userid/passwd
hstmthupd	Sales	Y	Location	3	(The program should be run on the last day of the month).	(Run SQL Loader using the control file hstmthupd.ctl to load data from the output file written by HSTMTHUPD.PC for non-existent records on ITEM_LOC_HIST_MTH)	monthly	R	hstmthupd userid/passwd (out_file)
hstprg	Sales	N	N/A	ad hoc	N/A	N/A	monthly	N	hstprg userid/passwd
hstprg_diff	Sales	N	N/A	ad hoc	N/A	N/A	weekly	N	hstprg_diff userid/passwd
hstwkupd	Sales	Y	Store/Wh	3	N/A	(Run SQL Loader using the control file hstwkupd.ctl to load data from the output file written by HSTWKUPD.PC for non-existent records on ITEM_LOC_HIST)	weekly	R	hstwkupd userid/passwd (out_file)

htsupld	Trade Management	Y	File-based	ad hoc	Hts240_to_2400 (perl script) Ushs2rms (perl script) prepost htsupld pre ibexpl	N/A	ad hoc	R	htsupld user/passwd input_file reject_file country_id ; perl hts_240_to_2400 inpufile outpuffile ; perl ushs2rms inpufile outpuffile rejectfile
ibcalc	Investment Buy	Y	Dept	3	prepost ibcalc pre	rpibld	daily	R	ibcalc user/passwd
ibexpl	Investment Buy	N	N/A	3	rpixt	ibcalc	daily	N	ibexpl user/passwc
invavrg	Inventory Adjustments	N	N/A	ad hoc	N/A	N/A	monthly	N	invavrg user/passwd
invclshp	Invoice Matching	N	N/A	2	N/A	N/A	daily	N	invclshp user/passwd
invprg	Invoice Matching	N	N/A	ad hoc	ordprg	N/A	monthly	R	invprg user/passwd
lcardnd	Letter of Credit	N	N/A	4	N/A	lcm700 (perl script)	daily	R	lcardnd user/passwd output_file
lcardnd	Maintenance - Location	N	N/A	ad hoc	storeadd	N/A	monthly	R	lcardnd user/passwd
lcmdnd	Letter of Credit	N	N/A	4	N/A	lcm707 (perl script)	daily	R	lcmdnd user/passwd output_file
lcup798	Letter of Credit	N	N/A	2	lcm798 (perl script)	N/A	daily	R	lcup798 user/passwd input_file rej_file
lcupld	Letter of Credit	N	N/A	2	lcm730 (perl script)	N/A	daily	R	lcupld user/passwd input_file rej_file
lfskup	Stock Ledger	N	File-based	1	inv_bal_upload.sh (warehouse mgmt program)	stakupld	daily	N	lfskup user/passwd input_file output_file
likestore	Maintenance - Location	Y	Dept	ad hoc	storeadd	prepost likestore pos	daily	R	likestore user/passwc
mrt	Mass Return Transfers	Y	Warehouse	2	N/A	mrttrv	daily	R	mrt user/passwd
mrtprg	Mass Return Transfers	Y	Warehouse	ad hoc	N/A	mrtupd	ad hoc	R	mrtprg user/passwd
mrttrv	Mass Return Transfers	Y	Warehouse	2	mrt	mrtupd	daily	R	mrttrv user/passwd
mrtupd	Mass Return Transfers	Y	Warehouse	2	mrttrv	N/A	daily	R	mrtupd user/passwd
nwppurge	Stock Ledger	N	N/A	ad hoc	N/A	N/A	ad hoc	N	nwppurge user/passwd
nwpyearend	Stock Count	Y	Location	4	run on last day of yea	N/A	yearly	R	nwpyearend user/passwc
ociroq	Replenishment	N	N/A	3	repladj	N/A	daily	R	ociroq user/passwd
onordext	Planning System Interface	Y	Transfer	4	onordext	onordnd	weekly	R	onordext user/passwd datefil
onordnd	Planning System Interface	Y	Store/Wh	4	onictext	onictext	daily	R	onordnd user/passwc
onordext	Planning System Interface	Y	Order	4	prepost onordext pr	onictext	daily	R	onordext user/passwd datefil
ordautcl	Ordering	N	N/A	ad hoc	N/A	N/A	daily	N	ordautcl user/passwc
ordscnt	Deals	Y	Supplier	4	ditnrt sccext reclsdly	discolbapply dealcis	daily	R	ordscnt user/passwd
ordprg	Ordering	N	N/A	ad hoc	N/A	invprg	monthly	N	ordprg user/passwc
ordrev	Ordering	N	N/A	4	ordscnt	edidlord otbdnd	daily	R	ordrev user/passwc
ordupd	Ordering	N	N/A	4	sccext (After RPM pricing change extraction batch)	otbdlord	daily	N	ordupd user/passwd
otbdlord	OTB	N	N/A	4	ordupd	N/A	daily	R	otbdlord user/passwd output_fik
otbdlsal	OTB	N	N/A	4	ordupd	N/A	daily	R	otbdlsal user/passwd output_fik
otbdnd	OTB	N	N/A	4	ordupd	N/A	daily	R	otbdnd user/passwd output_fik
otbprg	OTB	N	N/A	ad hoc	N/A	N/A	monthly	N	otbprg user/passwd
otbupfwd	OTB	Y	File-based	ad hoc	N/A	N/A	daily	R	otbupfwd user/passwd input_file reject_fik
otbupld	OTB	Y	File-based	ad hoc	N/A	N/A	daily	R	otbupld user/passwd input_file reject_fik
poscndid	Point of Sale Interface	Y	N/A	4	posndid	prepost poscndid post	daily	R	poscndid user/passwd outputfile
poscndid	Point of Sale Interface	Y	Store	ad hoc	N/A	prepost poscndid posi	daily	R	poscndid user/passwd output_filenam
posgpdld	Point of Sale Interface	N	N/A	4	reclsdly	N/A	daily	R	posgpdld user/passwd output_file
posupld	Sales	Y	File-based	2	saexprms(ReSA)	prepost posupld post salstage	daily	R	posupld user/passwd infile rejfile vaffile itemfile lockfile
precostcalc	Deals	Y	Supplier	2	ditnrt prepost precostcalc pre	costcalc	daily	R	precostcalc user/passwd supplier (May use the batch_precostrcalc.ksh for launching this program as it is created based on performance considerations)
prepost	Pre/post functionality	N	N/A	all phases	N/A	N/A	daily	N	prepost user/passwd program_pre_or_pos
reclsdly	Item Maintenance	Y	Reclass no	4	cremhierdy	prepost reclsdly post rext	daily	R	reclsdly user/passwd process_modk
repladj	Replenishment	Y	Dept	3	rplatusd posupld rplatusd repladj	rext	daily	R	repladj user/passwd
rext	Replenishment	Y	Partition (Item)	3	prepost ociroq pre ociroq prepost rext pre storeadd	prepost rext post rpxt	daily	R	rext user/passwd partition_position (May use the batch_rext.ksh for launching this program as it is created based on performance considerations)
rlimaint	Replenishment	Y	Location	3	rplatusd rplpit	prepost rlimaint post repladj	daily	R	rlimaint username/password
rplapprv	Replenishment	N	N/A	3	supcnstr prepost rplapprv pre	N/A	daily	R	rplapprv user/passwd
rplatusd	Replenishment	Y	Location	3	prepost rplatusd pre ibcalc rpxt cntrprss vrpibld ibexpl	prepost rplatusd post repladj rpxt rext	daily	R	rplatusd user/passwd
rpibld	Replenishment	Y	Supplier	3	prepost rpibld pre supcnstr ibexpl	prepost rpibld post supcnstr	daily	R	rpibld username/password
rpxt	Replenishment	Y	Dept	3	prepost rpxt pre rplatusd rlimaint repladj rext	prepost rpxt post cntrprss(If contracting is used, otherwise run ... ibexpl ibcalc rpibld	daily	R	rpxt user/passwd dept (May use the batch_rpxt.ksh for launching this program as it is created based on performance considerations)
rpbrg	Replenishment	N	N/A	ad hoc	N/A	prepost rpibld post)	daily	N	rpbrg user/passwc
rpbrg_month	Replenishment	N	N/A	ad hoc	N/A	N/A	monthly	N	rpbrg_month user/passwc
rpsplit	Replenishment	Y	Supplier	3	supcnstr	rplapprv	daily	R	rpsplit user/passwd
rprmovavrg	Pricing	Y	Store	3	salstage	N/A	daily	R	rprmovavrg user/passwd business_date(YYYYMMDD) store/optiona
rvprg	RTV	N	N/A	ad hoc	N/A	N/A	monthly	N	rvprg user/passwc
sacrypt	Sales Audit	Y	Store/Day	SA	sagetref	N/A	daily	N	sacrypt user/passwd infile outfile key_file e/d (Encryption/Decryption indicato Note: outfile generated by batch is infile for saimptlog.
saescheat	Sales Audit	N	N/A	SA	satotals sarules	saexpim sapurge	monthly	R	saescheat user/passwd
saexpach	Sales Audit	N	N/A	SA	sapreexp satotals sarules	N/A	daily	R	saexpach user/passwd
saexpgl	Sales Audit	N	N/A	SA	sapreexp sarexexp	N/A	daily	R	saexpgl user/passwd
saexpim	Sales Audit	N	N/A	SA	sapreexp	N/A	daily	R	saexpim user/passwd
saexpdrw	Sales Audit	Y	Store	SA	saescheat sapreexp	resa2rdw(perl script)	daily	R	saexpdrw user/passwd ; perl resa2rdw inpufile outpuffil

saexprms	Sales Audit	Y	Store	SA		satotals sarules sapreexp satotals sarules sapreexp	saprepost saexprms post	daily	R	saexprms user/passwd
saexpuar	Sales Audit	N	N/A	SA			N/A	daily	R	saexpuar user/passwd
sagetref saimpadj	Sales Audit Sales Audit	N N	N/A N/A	SA SA		sastdycr saimptogfn	saimptlog satotals	daily daily	R R	sagetref user/passwd itemfile wastefile ref_itemfile prim_variantfile varupcfile storedayfile codesfile errorfile cccval saimpadj user/passwd input_file rej_file
saimptlog	Sales Audit	Y	Store/Day	SA		sagetref saprepost saimptlog pre	saimptlog savouch	daily	N	saimptlog user/passwd itemfile wastefile refitemfile primvariantfile varupcfile storedayfile profile codesfile errorfile cccvalfile storepostfile tendertypefile merchcodefile partnerfile supplierfile employeefile bannerfile
saimptogfn saimptogdup_upd	Sales Audit Sales Audit	N N	N/A Store/Day	SA SA		saimptog N/A	satotals N/A	daily after store day delete	R R	saimptogfn user/passwd store_day_file saimptogdup_upd user/passwd storedayfile storepostfile
salapnd saldly salsch salins salmaint	Stock Ledger Stock Ledger Sales Stock Ledger	Y Y N N	N/A Store/Wh Dept N/A	3 3 0 ad hoc		figldn1 figldn2 satstage salmth N/A	N/A salweek N/A N/A N/A	daily daily half yearly daily half yearly	R R N R N	salapnd user/passwd saldly user/passwd salsch user/passwd salins user/passwd salmaint user/passwd pre_or_post
salmth salprg	Stock Ledger Stock Ledger	Y N	Dept N/A	3 ad hoc		pre_dw_extract.ksh(RMS to RDW RETL Extract)	prepost salmth post N/A	monthly daily	R N	salmth user/passwd salprg user/passwd
salstage	Stock Ledger	N	N/A	3		posupld saldly stkdly salapnd prepost salweek pre dealinc vendinv	salmth prepost salweek post N/A	daily	N	salstage user/passwd
salweek sapreexp saprepost	Stock Ledger Sales Audit Sales Audit	Y N N	Dept N/A N/A	3 SA SA		vendinv SA audit process N/A	salmth prepost salweek post N/A	weekly daily daily	R R N	salweek user/passwd sapreexp user/passwd saprepost user/passwd program pre_or_post
sapurge	Sales Audit	Y	Store	SA		(This program should be run as the last program in the ReSA batch schedule)	saprepost sapurge post sapreexp	daily	R	sapurge user/passwd deleted_items_file [optional list of store days to be deleted]
sarules	Sales Audit	N	N/A	SA		satotals (It should run before the DTESYS batch program and before the next store/day's transactions are received)	saescheat	daily	R	sarules user/passwd store_no
sastdycr satotals savouch scoext schedprg stimain soutdnid stkdly stkprg stkschedxpld	Sales Audit Sales Audit Sales Audit Costing Organizational Hierarchy Item Maintenance Forecasting Stock Ledger Stock Ledger Stock Ledger	N N Y N N N Y Y Y	N/A N/A N/A Cost change N/A N/A Domain Id Dept N/A Location	date_set N SA ad hoc ad hoc 4 3 ad hoc 0		date_set N/A N/A N/A N/A N/A N/A N/A N/A	stkdly saimptogfn saimptogfn prepost scoext post N/A N/A N/A N/A N/A	daily daily daily daily monthly ad hoc daily daily monthly daily	R R R R R R R R R	sastdycr user/passwd [YYYYMMDD] satotals user/passwd store_no savouch user/passwd infile refitemfile tendertype_file scoext user/passwd schedprg user/passwd stimain user/passwd soutdnid user/passwd stkdly user/passwd stkprg user/passwd stkschedxpld user/passwd
stkupd stkupld stkvar	Stock Ledger Stock Ledger Stock Ledger	Y Y Y	Location Dept Dept	3 1 1		prepost stkupd pre N/A N/A	stkupld N/A N/A	daily daily daily	R R R	stkupd user/passwd stkupld user/passwd input_file reject_file stkvar user/passwd report_file_name
stfxpld stfgdnid storeadd	Stock Ledger Stock Ledger Maintenance - Location	Y Y N	Dept Dept N/A	3 4 ad hoc		wasteadj N/A N/A	stkupld N/A likestore	daily weekly daily	R R R	stfxpld user/passwd stfgdnid user/passwd input_file storeadd user/passwd
supcnstr supmth tamperctn	Replenishment Stock Ledger Receiving	N Y N	N/A Dept N/A	3 3 ad hoc		rpblid prepost rpblid post N/A	rpblid prepost supmth post N/A	daily monthly ad hoc	R R N	supcnstr user/passwd supmth user/passwd tamperctn user/passwd
tkctdnid tlfposdn tranupld tsfprg txrposdn txrupld vatdxpl	Maintenance Sales Tax Trade Management Transfers Point of Sale Interface Sales Tax Maintenance - VAT	N N Y N N N N	N/A N/A File-based N/A N/A N/A Vat Region	ad hoc 4 ad hoc ad hoc 4 4 0		N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A	daily daily daily monthly daily ad hoc daily	R R R R R R R	tkctdnid user/passwd filename print_online_ind_days_in_advance [locator tlfposdn user/passwd output_file tranupld user/passwd infile tsfprg user/passwd txrposdn user/passwd txrupld username/password input_file reject_file vatdxpl user/passwd
vendinv	Deals	Y	Deal Id	3		prepost vendinv pre N/A	prepost vendinv post salweek(if weekly)	daily	R	vendinv user/passwd
vendinvf vrpbld	Deals Replenishment	Y Y	Deal Id Supplier	3 2		prepost vendinvf pre edupack	prepost vendinvf post salweek(if weekly) salmth (if monthly)	daily daily	R R	vendinvf user/passwd vrpbld user/passwd
wasteadj whadd	Stock Ledger Maintenance - Location	Y N	Store N/A	3 ad hoc		N/A N/A	stkupld N/A	daily daily	R R	wasteadj user/passwd whadd user/passwd
whstrasg	Maintenance - Location	N	N/A	3		(Must be run after all replenishment batch programs).	prepost whstrasg post	daily	R	whstrasg user/passwd

RPM Dependency and Scheduling Details

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
ItemReclassBatch	Future Retail	N	N/A	N/A	recldy(RMS)	NewItemLocBatch	daily/ad hoc	N	itemReclassBatch.sh rpm-app-userid password
NewItemLocBatch	Future Retail	N	N/A	N/A	storeadd(RMS), ItemReclassBatch	LocationMoveBatch	daily/ad hoc	N	NewItemLocBatch.sh rpm-app-userid password [status [error-commit-count]

LocationMoveBatch	Zone Structure/Future Retail	Y	Location move	N/A	NewItemLocBatch	PriceEventExecutionBatch	daily	N	locationMoveBatch.sh rpm-app-userid password
PriceEventExecutionBatch	Price Change/Clearance/Promotion	Y	Pricing event	N/A	LocationMoveBatch salstage (RMS)	PriceEventExecutionRMSBatch	daily	N	priceEventExecutionBatch.sh rpm-app-userid password
PriceEventExecutionRMSBatch	Price Change/Clearance/Promotion	Y	Pricing event	N/A	PriceEventExecutionBatch	PriceEventExecutionDealsBatch	daily	N	priceEventExecutionRMSBatch.sh rpm-app-userid password
PriceEventExecutionDealsBatch	Price Change/Clearance/Promotion	Y	Pricing event	N/A	PriceEventExecutionRMSBatch	PriceEventExecutionDealsBatch	daily	N	priceEventExecutionDealsBatch.sh rpm-app-userid password
PriceStrategyCalendarBatch	Price Strategy	N	Price strategy	N/A	PriceEventExecutionBatch	PriceEventExecutionDealsBatch	daily	N	priceStrategyCalendarBatch.sh rpm-app-userid password
WorksheetAutoApproveBatch	Pricing Worksheet	Y	Price strategy	N/A	PriceEventExecutionBatch storeadd (RMS)	PriceEventExecutionDealsBatch	daily	N	worksheetAutoApproveBatch.sh rpm-app-userid password
MerchExtractKickOffBatch	Pricing Worksheet	Y	Price strategy	N/A	WorksheetAutoApproveBatch PriceStrategyCalendarBatch MerchExtractKickOffBatch	N/A	daily	N	merchExtractKickOffBatch.sh rpm-app-userid password
RPMTtoORPOSPublishBatch.sh	Price Change/Clearance/Promotion	N	N/A	N/A	WorksheetAutoApproveBatch	N/A	daily	N	ksh RPMTtoORPOSPublishBatch.sh <userid/passwd@sid > <log path> <error path>
RPMTtoORPOSPublishExport.sh	Price Change/Clearance/Promotion	Y	Location	N/A	RPMTtoORPOSPublishBatch.sh	N/A	daily	N	ksh RPMTtoORPOSPublishExport.sh <userid/passwd@sid > <Numberof slots> <logpath> <error path> <Export path>
RegularPriceChangePublishBatch	Regular Price Changes	Y	Price event (item/loc)	N/A	WorksheetAutoApproveBatch	RegularPriceChangePublishExport	daily/ad hoc	N	regularPriceChangePublishBatch.sh rpm-app-userid password
regularPriceChangePublishExport	Regular Price Changes	N	Price event (item/loc)	N/A	RegularPriceChangePublishBatch	regularPriceChangePublishExport	daily/ad hoc	N	regularPriceChangePublishExport.sh rpm-db-userid/pwd @database [export-path]
ClearancePriceChangePublishBatch	Clearances	Y	Price event (item/loc)	N/A	WorksheetAutoApproveBatch	ClearancePriceChangePublishExport	daily/ad hoc	N	clearancePriceChangePublishBatch.sh rpm-app-userid password
ClearancePriceChangePublishExport	Clearances	N	Price event (item/loc)	N/A	ClearancePriceChangePublishBatch	ClearancePriceChangePublishExport	daily/ad hoc	N	clearancePriceChangePublishExport.sh rpm-db-userid/pwd @database [export-path]
PromotionPriceChangePublishBatch	Promotions	Y	Price event (item/loc)	N/A	WorksheetAutoApproveBatch	PromotionPriceChangePublishExport	daily/ad hoc	N	promotionPriceChangePublishBatch.sh rpm-app-userid password
PromotionPriceChangePublishExport	Promotions	N	Price event (item/loc)	N/A	PromotionPriceChangePublishBatch	PromotionPriceChangePublishExport	daily/ad hoc	N	promotionPriceChangePublishExport.sh rpm-db-userid/pwd @database [export-path]
PriceChangeAutoApproveResultsPurgeBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	priceChangeAutoApproveResultsPurgeBatch.sh rpm-app-userid password
PriceChangePurgeBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	priceChangePurgeBatch.sh rpm-app-userid password
PriceChangePurgeWorkspaceBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	priceChangePurgeWorkspaceBatch.sh rpm-app-userid password
PromotionPurgeBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	promotionPurgeBatch.sh rpm-app-userid password
PurgeExpiredExecutedOrApprovedClearancesBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	purgeExpiredExecutedOrApprovedClearancesBatch.sh rpm-app-userid password
PurgeUnusedAndAbandonedClearancesBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	purgeUnusedAndAbandonedClearancesBatch.sh rpm-app-userid password
PurgeLocationMovesBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	purgeLocationMovesBatch.sh rpm-app-userid password
ZoneFutureRetailPurgeBatch	Purge	N	N/A	N/A	N/A	N/A	ad hoc	N	zoneFutureRetailPurgeBatch.sh rpm-app-userid password
ItemLocDeleteBatch	Purge	N	N/A	N/A	N/A	N/A	ad hoc	N	itemLocDeleteBatch.sh rpm-app-userid password
priceChangeAreaDifferentialBatch	Price Change	Y	N/A	N/A	N/A	N/A	ad hoc	N	priceChangeAreaDifferentialBatch rpm-app-userid password

ReIM Dependency and Scheduling Details

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
reimautomatch	Invoice Matching (ReIM)	Y	N/A	6	NA	reimrollup	daily	R	Userid/passwd
reimpurge	Invoice Matching (ReIM)	N	N/A	0	N/A	reimposting	daily	R	Userid/passwd
reimcomplexdealupload	Invoice Matching (ReIM)	Y	N/A	5	vendinvc(RMS), vendinvr(RMS)	reimautomatch	daily	R	Userid/passwd BlockSize PartitionNo
reimdiscrepancyurge	Invoice Matching (ReIM)	N	N/A	1	N/A	reimautomatch	daily	R	Userid/passwd
reimedinrupload	Invoice Matching (ReIM)	Y	N/A	5	eddlinv(RMS)	reimautomatch	daily	R	Userid/passwd "EDI input file with path" "EDI reject file with path"
reimedinrdownload	Invoice Matching (ReIM)	N	N/A	7	reimposting	N/A	daily	R	Userid/passwd
reimfxeddealupload	Invoice Matching (ReIM)	Y	N/A	5	vendinvc(RMS), vendinvr(RMS)	reimautomatch	daily	R	Userid/passwd BlockSize PartitionNo
reimrollup	Invoice Matching (ReIM)	N	N/A	6	reimautomatch	reimrollup	daily	R	Userid/passwd
reimreceiptwriteoff	Invoice Matching (ReIM)	N	N/A	6	reimautomatch	N/A	daily	R	Userid/passwd
reimposting	Invoice Matching (ReIM)	N	N/A	6	reimrollup	N/A	daily	R	Userid/passwd

RMS to RPAS RETL Extracts Dependency and Scheduling Details (EXTRACTS FOR RPAS)

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
pre_rmse_rpas.ksh	Planning/Forecast System Interface	N	N/A	N/A	N/A. This is a pre setup script	N/A	daily	N	N/A
rmse_rpas.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh. (This is the launch script to run the extracts)	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_attributes.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_daily_sales.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_domain.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_item_master.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh sitmain recldtly dypgrg	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_merchier.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh dypgrg	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_orghier.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh stkdy	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_stock_on_hand.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh storeadd dypgrg	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_store.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_suppliers.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh hstskwupd salweek	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_weekly_sales.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh whadd	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_wh.ksh	Planning/Forecast System Interface	N	N/A	N/A	dypgrg	Refer to RPAS Operations guide	daily	N	N/A
rmsl_rpas_forecast.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	rmsl_rpas_forecast.ksh daily or weekly
rmsl_rpas_update_retl_date.ksh	Planning/Forecast System Interface	N	N/A	N/A	After all RMS/Planning System Integration RETL scripts are run	Refer to RPAS Operations guide	daily	N	rmsl_rpas_update_retl_date.ksh CLOSED_ORDER or RECEIVED_QTY

RMS to RDW RETL Extracts Dependency and Scheduling Details (EXTRACTS FOR RDW)

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
cdcedtlex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmprtrex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmprtrmex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmprtrfocx.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmrcydcx.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
emplyex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A

orgaraex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
orgchanex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
orgchhex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
orgdsex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
orglimex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
orglocex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
orglolex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
orgltmex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
orgltrex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
orgrgnex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
phaseex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prcdsex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prcdmpex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prddex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prddifex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prddivex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prddtypex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prdgprpx.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prdsdsex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prdtmex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prdtlmex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prdtlmimex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prdtlmsmex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prdpimex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prdsbcex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
prddudex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
regngprpx.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
regnmbx.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
rsnex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
seasnex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
subtrantypex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
supctrex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
supsupex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
suptrmex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
suptrtex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
tdrtypex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A
ttltypex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lctblid (RMS)	Refer to RDW operations guide	daily	N	N/A

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
cmprtrcdlidx.ksh	RDW interface	N	N/A	N/A	B	Refer to RDW operations guide	daily	N	cmprtrcdlidx.ksh output_file_path/output_file_name
csstlidx.ksh	RDW interface	N	N/A	N/A	B	Refer to RDW operations guide	daily	N	csstlidx.ksh output_file_path/output_file_name
exchngatex.ksh	RDW interface	N	N/A	N/A	B	Refer to RDW operations guide	daily	N	exchngatex.ksh output_file_path/output_file_name
ivlidx.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS), ordrev (RMS)	Refer to RDW operations guide	daily	Y	ivlidx.ksh output_file_path/output_file_name
ivaldex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivaldex.ksh output_file_path/output_file_name
ivrcplidx.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivrcplidx.ksh output_file_path/output_file_name
ivrlidx.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivrlidx.ksh output_file_path/output_file_name
ivrlidex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivrlidex.ksh output_file_path/output_file_name
ivvldex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivvldex.ksh output_file_path/output_file_name
lptotlidx.ksh	RDW interface	N	N/A	N/A	C, saexpdvw (ReSA), resa2dvw	Refer to RDW operations guide	daily	N	lptotlidx.ksh output_file_path/output_file_name
lptotldex.ksh	RDW interface	N	N/A	N/A	C, saexpdvw (ReSA), resa2dvw	Refer to RDW operations guide	daily	N	lptotldex.ksh output_file_path/output_file_name
ncstulidx.ksh	RDW interface	N	N/A	N/A	C, costcalc (RMS)	Refer to RDW operations guide	daily	N	ncstulidx.ksh output_file_path/output_file_name
post_dwi_temp.ksh	RDW interface	N	N/A	N/A	All extract batches	Refer to RDW operations guide	daily	N	N/A
prcdlidx.ksh	RDW interface	N	N/A	N/A	N/A	Refer to RDW operations guide	daily	N	prcdlidx.ksh output_file_path/output_file_name
pre_dwi_extract.ksh	RDW interface	N	N/A	N/A	A, operations guide	Refer to RDW operations guide	daily	N	N/A
pre_dwi_temp.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	N/A
rpclidx.ksh	RDW interface	N	N/A	N/A	C, cntprss (RMS), edupav (RMS)	Refer to RDW operations guide	daily	N	rpclidx.ksh output_file_path/output_file_name
savidex.ksh	RDW interface	N	N/A	N/A	C, rplapprv (RMS)	Refer to RDW operations guide	daily	N	savidex.ksh output_file_path/output_file_name
salmalidx.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	salmalidx.ksh output_file_path/output_file_name
salmidex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	salmidex.ksh output_file_path/output_file_name
scrtdlidx.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	scrtdlidx.ksh output_file_path/output_file_name
scrtdldex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	Y	scrtdldex.ksh output_file_path/output_file_name
scldidx.ksh	RDW interface	N	N/A	N/A	C, rplapprv (RMS), cntprss (RMS), rplbid (RMS), cntmain (RMS)	Refer to RDW operations guide	daily	N	scldidx.ksh output_file_path/output_file_name
sfclwex.ksh	RDW interface	N	N/A	N/A	B, rml_rps_forecast.ksh (RMS) to RPAS extract)	Refer to RDW operations guide	daily	N	sfclwex.ksh output_file_path/output_file_name
slsldmex.ksh	RDW interface	N	N/A	N/A	C, saexpdvw (ReSA), resa2dvw	Refer to RDW operations guide	daily	Y	slsldmex.ksh output_file_path/output_file_name
slsmknlidx.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	slsmknlidx.ksh output_file_path/output_file_name
slsmltdex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	slsmltdex.ksh output_file_path/output_file_name
sltblwex.ksh	RDW interface	N	N/A	N/A	C, salweek (RMS)	Refer to RDW operations guide	daily	N	sltblwex.ksh output_file_path/output_file_name
ttldmex.ksh	RDW interface	N	N/A	N/A	C, saexpdvw (ReSA), resa2dvw	Refer to RDW operations guide	daily	N	ttldmex.ksh output_file_path/output_file_name
vhchresdhex.ksh	RDW interface	N	N/A	N/A	B, savouch (ReSA)	Refer to RDW operations guide	daily	N	vhchresdhex.ksh output_file_path/output_file_name
vhcmoveldspx.ksh	RDW interface	N	N/A	N/A	B, savouch (ReSA)	Refer to RDW operations guide	daily	N	vhcmoveldspx.ksh output_file_path/output_file_name
vhcroultdex.ksh	RDW interface	N	N/A	N/A	B, savouch (ReSA)	Refer to RDW operations guide	daily	N	vhcroultdex.ksh output_file_path/output_file_name

Notes:
A is a set of batch processes on the RDW system.
A consists of the following RDW batch modules

factopendm.ksh
medfactopendm.ksh
factosedm.ksh
mt_prime.ksh
B is pre_dwi_extract.ksh DWI batch process.
C is pre_dwi_temp.ksh DWI batch process.

Interface Diagrams for RMS and RPAS


Because RMS is the retailer's central merchandising transactional processing system, it is the principle source of the foundation data needed in some of the Oracle Retail suite of products. RMS provides foundation data to RPAS, and RPAS provides planning data to RMS.

This chapter presents flow diagrams for data processing from sources. The source system's program or output file is illustrated, along with the program or process that interfaces with the source. After initial interface processing of the source, the diagrams illustrate the flow of the data.

Before setting up a program schedule, familiarize yourself with the functional and technical constraints associated with each program. Refer to the Retail Merchandising System Operations Guide for more information about these interface programs.

RMS Pre/Post Extract Diagrams


RMS Pre RETL Extract Maintenance




* Note: The `pre_rmse_rpas.ksh` program checks for existing `.txt` output files. Because of this validation, retailers running the program for the first time should include an optional `-c` parameter. This parameter allows the program to run successfully without pre-existing `.txt` output files.

RMS Foundation Data Extract Diagrams


Merchandise Hierarchy for RPAS



Organization Hierarchy for RPAS




RMS Fact Data Extract Diagrams



* Note:
 If issues are active, the following two files result from the rmse_rpas_stock_on_hand.ksh flow:
 rmse_rpas_stock_on_hand_issues.dat
 rmse_rpas_stock_on_hand_sales.dat


If issues are not active, the following file results from the rmse_rpas_stock_on_hand.ksh flow:
 rmse_rpas_stock_on_hand_sales.dat

Sales Extracts For RPAS



** Note:
 Depending upon the configuration of rmse_rpas_daily_sales.ksh, the data can be pulled from TRAN_DATA_HISTORY or TRAN_DATA.

RPAS-RMS Fact Load Diagram



*Note:

? can represent the following:

- i (for issues)
- s (for stores)

?? represents domain 01-99.

Interface Diagrams for RMS and RDW


RMS works in conjunction with the Oracle Retail Extract Transform and Load (RETL) framework. RETL provides high-performance processing to extract data from Oracle Retail applications for use in data warehouses. The architecture allows database batch processes to take advantage of parallel processing capabilities.

This chapter presents flow diagrams for the RETL extraction RMS programs. The source system's program or output file is illustrated, along with the program or process that interfaces with the source. Note that the data flows are organized according to the logic (dimension data and table data) of Oracle Retail Data Warehouse (RDW), but you can use the data to suit your business needs.

For detailed information about dimensions and facts, see the Oracle Retail Data Warehouse Operations Guide.


For summary information about the configuration, architecture, and features of RETL programs utilized in RMS/ReSA extractions, see the Oracle Retail Merchandising System Operations Guide Volume 3—Backend Configuration and Operations. For more information about the RETL tool, see the current RETL Programmer's Guide.

Legend




Note:
The modules in this flow are RDW RETL scripts. If the retailer uses RDW, this flow must be completed before starting the pre-batch maintenance flow. If the retailer does not use RDW, these jobs are not required.

RDW Maintenance




Pre-Batch Maintenance




Note:
salmth.pc resets the last eom_date. Thus, it must be run after the system indicator is extracted by pre_dwi_extract.ksh.


Post-Batch Maintenance




Dimension Dataflows




Dimension Dataflows




Supplier Dimension



Item-Supplier-Location Matrix Dimension




Dimension Dataflows




Dimension Dataflows


Product Season Dimension




Tender Type Dimension





Reason Dimension




Regionality Dimension




Fact Dataflows



Fact Dataflows





Stock Ledger




Note:
Run stock ledger fact loads once weekly.


Fact Dataflows



Return to Vendor




Net Cost




Fact Dataflows

Exchange Rates




Sales Forecasts




Note:
Run sales forecast fact loads
once weekly.


Fact Dataflows




Replacement



Fact Dataflows



Fact Dataflows




Interface Diagram for RPM and RDW

This following program flow diagram shows the RETL extraction program that extracts the Promotion dimension from RPM through the Data Warehouse Interface (DWI). The diagram shows the output files and the scripts that interface with the source. Note that the outputs are based on the logic (dimension data and table data) of Oracle Retail Data Warehouse (RDW), but you can use the data to suit your business needs.


For detailed information about dimensions and facts, see the Oracle Retail Data Warehouse Operations Guide.


See the Oracle Retail Merchandising System Operations Guide Volume 1—Batch Overviews and Designs for more information about the modules shown in the following diagram.

Legend



Program Flow Diagram






Interface Diagram for ReIM and RDW

This following program flow diagram shows the RETL extraction program that extracts the Promotion dimension from ReIM through the Data Warehouse Interface (DWI). The diagram shows the output files and the scripts that interface with the source. Note that the outputs are based on the logic (dimension data and table data) of Oracle Retail Data Warehouse (RDW), but you can use the data to suit your business needs.

For detailed information about dimensions and facts, see the Retail Data Warehouse Operations Guide.


See the Oracle Retail Merchandising System Operations Guide Volume 1—Batch Overviews and Designs for more information about the modules shown in the following diagram.

Legend




Program Flow Diagram

Supplier Invoice Cost




RDW Maintenance

Note:
The modules in this flow are RDW RETL scripts. If the retailer uses RDW, this flow must be completed before starting the pre-batch maintenance flow. If the retailer does not use RDW, these jobs are not required.



Pre-Batch Maintenance



Note:
salmth.pc resets the last eom_date. Thus, it must be run after the system indicator is extracted by pre_dwi_extract.ksh.

Post-Batch Maintenance

