Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
auditprg	Audit	N	N/A	ad hoc	N/A	N/A	daily	N	auditprg userid/passwd
auditsys	Audit	N	N/A	ad hoc	N/A	N/A	daily	N	auditsys userid/passwd
batch_orpos_extract.ksh	Point of Sale Interface	Y	Store	4	If RPM pricing info is reqd then run after extraction script 'RPMtoORPOSPublishExport.sh'	N/A	daily	N	batch_orpos_extract.ksh userid/passwd [-p <no. of threads>] [DIR - location where extracts are to be generated]
ccprg	Costing	N	N/A	ad hoc	N/A	N/A	monthly	N	ccprg userid/passwd
cednld	Trade Management	Y	Broker	2	N/A	N/A	daily	R	cednld userid/passwd broker file_name
cmpprg	Pricing	N	N/A	ad hoc	N/A	N/A	daily	N	cmpprg userid/passwd
cmpupld	Pricing	N	N/A	ad hoc	N/A	All RPM batch modules	ad hoc	R	cmpupld userid/passwd input_file reject_file
cntrmain	Contracting	N	N/A	0	N/A	All Replenishment modules	daily	R	cntrmain userid/passwd
cntrordb	Contracting	Y	Contract	3	rpladj	prepost cntrordb post	daily	R	cntrordb userid/passwd
cntrprss	Contracting	Y	Dept	3	rplext	rplbld	daily	R	cntrprss userid/passwd
costcalc	Deals	Y	Supplier	2	ditinsrt precostcalc	prepost costcalc post	daily	R	costcalc userid/passwd supplier (May use the batch_costcalc.ksh for launching this program as it is created based on performance considerations)
cremhierdly	Reclassification	N	N/A	4	N/A	reclsdly	daily	R	cremhierdly userid/passwd
dealact	Deals	Y	Deal Id	3	salstage prepost dealact_nor pre prepost dealact_po pre prepost dealact_sales pre	N/A	daily	R	dealact userid/passwd
dealcls	Deals	N	N/A	3	N/A	N/A	daily	R	dealcls userid/passwd
dealday	Deals	Y	Location	3	dealinc	prepost dealday pos salmnth dealinc	monthly	R	dealday userid/passwd
dealex	Deals	Y	Deal Id	3	precostcalc dealinc	reclsdly	daily	N	dealex userid/passwd
dealfct	Deals	Y	Deal Id	3		salmth dealfct dealday	daily	R	dealfct userid/passwd [Y/N - EOM processing ind]
dealfinc	Deals	Y	Deal Id	3	dealact dealact	salmth	weekly/ad hoc	R	dealfinc userid/passwd
dealinc	Deals	Y	Deal Id	3	prepost dealinc pre	salmth (if monthly)	monthly	R	dealinc userid/passwd [Y/N -EOM processing ind]
dealprg	Deals	N	N/A	ad hoc	N/A	N/A	monthly	R	dealprg userid/passwd
dealupld	Deals	Y	File-based	0	(This program is the first one in Deals batch)	(All other deals programs)	daily	R	dealupld userid/passwd input_file reject_file
dfrtbld	Item Maintenance	Y	Dept	3	(This program will likely be run after sales information is uploaded into Oracle Retail)	(SQL*Load the output file)	daily	R	dfrtbld userid/passwd outfile
discotbapply	OTB	Y	Dept	4	orddscnt	N/A	daily	R	discotbapply userid/passwd
distropcpub	Pricing/Transfers/Allocation Publish	Y	Store	3	PriceEventExecutionBatch(RPM)	N/A	daily	R	distropcpub userid/passwd
ditinsrt	Deals	N	N/A	1	N/A	costcalc orddscnt	daily	R	ditinsrt userid/passwd (P or S) (supplier/partner). P or S = program is either run for deals set up by Partner or Supplier. Note: (May use the batch_ditinsrt.ksh for launching this program as it is created based on performance considerations)
dlyprg	Maintenance	N	N/A	0	N/A	(All other batch programs)	daily	N	dlyprg userid/passwd
docclose	Receiving	N	N/A	ad hoc	N/A	N/A	daily	R	docclose userid/passwd
dtesys	Calendar	N	N/A	date_set	sastdycr (This program should run at the end of the batch cycle)	prepost dtesys post	daily	N	dtesys userid/passwd [indate--YYYYMMDD format]
dummyctn	Receiving	N	N/A	ad hoc	N/A	N/A	daily	N	dummyctn userid/passwd
edidladd	Maintenance	N	N/A	ad hoc	N/A	N/A	ad hoc	N	edidladd userid/passwd ediadd_output ediadd_catalog
edidlcon	Contracting	N	N/A	ad hoc	N/A	N/A	ad hoc	N	edidlcon userid/passwd edidlcon_outfile
edidlinv	Invoice Matching	Y	Location	4	ordrev	N/A	daily	R	edidlinv userid/passwd output_filename
edidlord	Ordering	N	N/A	4	(and after replenishment)	N/A	ad hoc	R	edidlord userid/passwd filename
edidlprd	EDI Interface - Sales and Inventory	N	N/A	4	prepost edidlprd pre	prepost edidlprd post	daily	R	edidlprd userid/passwd filename
ediprg	EDI Interface - Purge	N	N/A	ad hoc	(Towards the end of the batch cycle)	N/A	monthly	R	ediprg userid/passwd
ediupadd	Maintenance	N	File-based	2	N/A	N/A	daily	N	ediupadd userid/passwd input_file reject_file
ediupack	EDI Interface - ordering	N	N/A	1	N/A	N/A	ad hoc	R	ediupack userid/passwd data_file reject_file
ediupavl	EDI Interface - Contracts	N	File-based	1	N/A	N/A	daily	R	ediupavl userid/passwd input_file reject_file
ediupcat	EDI Interface - Suppliers	N	File-based	ad hoc	N/A	N/A	daily	R	ediupcat userid/passwd edi_data_file error_file
fcstprg	Forecasting	Y	Domain Id	ad hoc	prepost fcstprg pre	prepost fcstprg post	daily	N	fcstprg userid/passwd domain
fcstrbld	Forecasting	Y	Domain Id	3	N/A	prepost fcstrbld post	weekly	R	fcstrbld userid/passwd
fcstrbld_sbc	Forecasting	Y	Domain Id	3	prepost fcstrbld post	prepost fcstrbld_sbc post	weekly	R	fcstrbld_sbc userid/passwd
fifgldn1	Financial Interface	Y	Dept	3	salstage	salapnd	daily	R	fifgldn1 userid/passwd
fifgldn2	Financial Interface	Y	Dept	3	salstage	salapnd	daily	R	fifgldn2 userid/passwd
fifgldn3	Financial Interface	Y	Store/Wh	3	salmth	N/A	monthly	R	fifgldn3 userid/passwd
ftmednld	Planing System Interface	N	N/A	ad hoc	N/A	N/A	ad hoc	R	ftmednld userid/passwd
gcupld	Misc Interface - Taxgeocode	N	N/A	ad hoc	N/A	N/A	ad hoc	R	gcupld <username/password@environment> <infile> <outfile>
genpreiss	Ordering	Y	Supplier	ad hoc	N/A	N/A	ad hoc	R	genpreiss userid/passwd
gradupld	Forecasting	N	File-based	ad hoc	N/A	N/A	ad hoc	R	gradupld userid/passwd input_file rej_file
hstbld	Sales	Y	Location	3	posupld prepost hstbld pre (for rebuild all)	prepost hstbld post	weekly	R	hstbld userid/passwd level(weekly/rebuild)
hstbld_diff	Sales	N	N/A	ad hoc	hstbld	N/A	ad hoc	N	hstbld_diff userid/passwd
hstbldmth	Sales	Y	Dept	3	posupld	prepost hstbldmth post	monthly	R	hstbldmth userid/passwd level(monthly/rebuild)
hstbldmth_diff	Sales	N	N/A	ad hoc	hstbldmth	prepost hstbld post	ad hoc	N	hstbldmth_diff userid/passwd
hstmthupd	Sales	Y	Location	3	(The program should be run on the last day of the month).	(Run SQL*Loader using the control file hstmthupd.ctl to load data from the output file written by HSTMTHUPD.PC for non-existent records on ITEM_LOC_HIST_MTH)	monthly	R	hstmthupd userid/passwd (out_file)
hstprg	Sales	N	N/A	ad hoc	N/A	N/A	monthly	N	hstprg userid/passwd
hstprg_diff	Sales	N	N/A	ad hoc	N/A	N/A	weekly	N	hstprg_diff userid/passwd
hstwkupd	Sales	Y	Store/Wh	3	N/A	Run SQL*Loader using the control file hstwkupd.ctl to load data from the output file written by HSTWKUPD.PC for non-existent records on ITEM_LOC_HIST	weekly	R	hstwkupd userid/passwd (out_file)
htsupld	Trade Management	Y	File-based	ad hoc	Hts240_to_2400 (perl script) Ushts2rms (perl script) prepost htsupld pre	N/A	ad hoc	R	htsupld userid/passwd input_file reject_file country_id ; perl hts_240_to_2400 inputfile outputfile ; perl ushts2rms inputfile outputfile rejectfile
ibcalc	Investment Buy	Y	Dept	3	ibexpl replext prepost ibcalc pre	rplbld	daily	R	ibcalc userid/passwd
ibexpl	Investment Buy	N	N/A	3	rplext	ibcalc	daily	N	ibexpl userid/passwd
invaprg	Inventory Adjustments	N	N/A	ad hoc	N/A	N/A	monthly	N	invaprg userid/passwd
invclshp	Invoice Matching	N	N/A	2	N/A	N/A	daily	N	invclshp userid/passwd
invprg	Invoice Matching	N	N/A	ad hoc	ordprg	N/A	monthly	R	invprg userid/passwd

Program	Functional Area	Wrap	Threading	Phase	Pre	Post	Freq	R/N	Syntax
lcadnld	Letter of Credit	N	N/A	4	N/A	lcmt700 (perl script)	daily	R	lcadnld userid/passwd output_file
lclrbld	Maintenance - Location	N	N/A	ad hoc	storeadd	N/A	monthly	R	lclrbld userid/passwd
lcmdnld	Letter of Credit	N	N/A	4	N/A	lcmt707 (perl script)	daily	R	lcmdnld userid/passwd output_file.
lcup798	Letter of Credit	N	N/A	2	lcmt798 (perl script)	N/A	daily	R	lcup798 userid/passwd input_file rej_file
lcupld	Letter of Credit	N	N/A	2	lcmt730 (perl script)	N/A	daily	R	lcupld userid/passwd input_file rej_file
lifstkup	Stock Ledger	N	File-based	1	inv_bal_upload.sh (warehouse mgmt program)	stkupld	daily	N	lifstkup userid/passwd input_file output_file
likestore	Maintenance - Location	Y	Dept	ad hoc	storeadd	prepost likestore pos	daily	R	likestore userid/passwd
mrp_upd_po	Ordering	N	N/A	2	N/A	prepost sccext pre mrtrtv	daily	N	mrp_upd_po userid/passwd
mrt	Mass Return Transfers	Y	Warehouse	2	N/A	mrtupd	daily	R	mrt userid/passwd
mrtprg	Mass Return Transfers	Y	Warehouse	ad hoc	N/A	N/A mrtupd	ad hoc	R	mrtprg userid/passwd
mrtrtv	Mass Return Transfers	Y	Warehouse	2	mrt		daily	R	mrtrtv userid/passwd
mrtupd	Mass Return Transfers	Y	Warehouse	2	mrtrtv	N/A	daily	R	mrtupd userid/passwd
nwppurge	Stock Ledger	N	N/A	ad hoc	N/A	N/A	ad hoc	N	nwppurge userid/passwd
nwpyearend	Stock Count	Y	Location	4	run on last day of yea prepost ociroq pre	N/A	yearly	R	nwpyearend userid/passwd
ociroq	Replenishment	N	N/A	3	repladj	N/A	daily	R	ociroq userid/passwd
onictext	Planing System Interface	Y	Transfer	4	onordnld	onorddnld	weekly	R	onictext userid/passwd datefile
onorddnld	Planing System Interface	Y	Store/Wh	4	onictext	N/A	daily	R	onorddnld userid/passwd
onordext	Planing System Interface	Y	Order	4	prepost onordext pre	onictext	daily	R	onordext userid/passwd datefile
ordautcl	Ordering	N	N/A	ad hoc	ditinsrt sccext	N/A	daily	N	ordautcl userid/passwd
orddscnt	Deals	Y	Supplier	4	reclsdly	discotbapply dealcls	daily	R	orddscnt userid/passwd
ordprg	Ordering	N	N/A	ad hoc	N/A	invprg	monthly	N	ordprg userid/passwd
ordrev	Ordering	N	N/A	4	orddscnt sccext (After RPM pricing change extraction	edidlord otbdnld otbdlsal	daily	R	ordrev userid/passwd
ordupd	Ordering	N	N/A	4	batch)	otbdlord	daily	N	ordupd userid/passwd
otbdlord	OTB	N	N/A	4	ordupd	N/A	daily	R	otbdlord userid/passwd output_file
otbdlsal	OTB	N	N/A	4	ordupd	N/A	daily	R	otbdlsal userid/passwd output_file
otbdnld	OTB	N	N/A	4	ordupd	N/A	daily	R	otbdnld userid/passwd output_file
otbprg	OTB	N	N/A	ad hoc	N/A	N/A	monthly	N	otbprg userid/passwd
otbupfwd	OTB	Y	File-based	ad hoc	N/A	N/A	daily	R	userid/passwd input_file reject_file
otbupld	OTB	Y	File-based	ad hoc	N/A	N/A	daily	R	otbupld userid/passwd input_file reject_file
poscdnld	Point of Sale Interface	N	N/A	4	posdnld	prepost poscdnld post	daily	R	poscdnld userid/passwd output_file
posdnld	Point of Sale Interface	Y	Store	ad hoc	N/A	prepost posdnld post	daily	R	posdnld userid/passwd output_filename
posdnld_tax	Point of Sale Interface	Y	Store	ad hoc	N/A	posdnld	daily	R	posdnld_tax userid/passwd output_file
posgpdld	Point of Sale Interface	N	N/A	4	reclsdly	prepost posupld post	daily	R	posgpdld userid/passwd output_file
posupld	Sales	Y	File-based	2	saexprms(ReSA) ditinsrt	salstage	daily	R	posupld userid/passwd infile rejfile vatfile itemfile lockfile
precostcalc	Deals	Y	Supplier	2	prepost precostcalc pre	costcalc	daily	R	precostcalc userid/passwd supplier (May use the batch_precostcalc.ksh for launching this program as it is created base on performance considerations)
prepost	Pre/post functionality	N	N/A	all phases	N/A	N/A	daily	N	prepost userid/passwd program pre_or_pos
rcv_mrprg	MRP	N	N/A	4	sccext	N/A	daily	N	rcv_mrprg userid/passwd
reclsdly	Item Maintenance	Y	Reclass no	4	cremhierdly	prepost reclsdly post reqext	daily	R	reclsdly userid/passwd process_mode
repladj	Replenishment	Y	Dept	3	rplatupd posupld rplatupd repladj prepost ociroq pre ociroq	rplext	daily	R	repladj userid/passwd
reqext	Replenishment	Y	Partition (Item)	3	prepost storeadd	prepost reqext post rplext prepost rilmaint post	daily	R	reqext userid/passwd partition_position (May use the batch_reqext.ksh for launching this program as it is created based on performance considerations)
rilmaint	Replenishment	Y	Location	3	rplatupd rplsplit supcnstr	repladj	daily	R	rilmaint username/password
rplapprv	Replenishment	N	N/A	3	prepost rplapprv pre	N/A prepost rplatupd post repladj rplext	daily	R	rplapprv userid/passwd
rplatupd	Replenishment	Y	Location	3	prepost rplatupd pre ibcalc rplext cntrprss vrplbld	reqext	daily	R	rplatupd userid/passwd
rplbld	Replenishment	Y	Supplier	3	prepost rpl pre rplatupd rilmaint repladj	supcnstr prepost rplext post cntrprss(if contracting is used, otherwise run … ibcxpl ibcalc	daily	R	rplbld username/password
rplext	Replenishment	Y	Dept	3	reqext		daily	R	rplext userid/passwd dept (May use the batch_rplext.ksh for launching this program as it is created based on performance considerations)
rplprg	Replenishment	N	N/A	ad hoc	N/A	N/A	daily	N	rplprg userid/passwd
rplprg_month	Replenishment	N	N/A	ad hoc	N/A	N/A	monthly	N	rplprg_month userid/passwd
rplsplit	Replenishment	Y	Supplier	3	supcnstr	rplapprv	daily	R	rplsplit userid/passwd
rpmmovavg	Pricing	Y	Store	3	salstage	N/A	daily	R	rpmmovavg userid/passwd business_date(YYYYMMDD) store(optiona
rtvprg	RTV	N	N/A	ad hoc	N/A	N/A	monthly	N	rtvprg userid/passwd
sacrypt	Sales Audit	Y	Store/Day	SA	sagetref satotals	N/A saexpim	daily	N	sacrypt userid/passwd infile outfile key_file e/d (Encryption/Decryption indicato Note: outfile generated by batch is infile for saimptlog.
saescheat	Sales Audit	N	N/A	SA	sarules satotals sarules	sapurge	monthly	R	saescheat userid/passwd
saexpach	Sales Audit	N	N/A	SA	sapreexp satotals sarules	N/A	daily	R	saexpach userid/passwd
saexpgl	Sales Audit	N	N/A	SA	sapreexp	N/A	daily	R	saexpgl userid/passwd
saexpim	Sales Audit	N	N/A	SA	saescheat	N/A	daily	R	saexpim userid/passwd
saexprdw	Sales Audit	Y	Store	SA	sapreexp satotals sarules	resa2rdw(perl script)	daily	R	saexprdw userid/passwd ; perl resa2rdw inputfile outputfil
saexprms	Sales Audit	Y	Store	SA	sapreexp satotals sarules	saprepost saexprms post	daily	R	saexprms userid/passwd
saexpuar	Sales Audit	N	N/A	SA	sapreexp	N/A	daily	R	saexpuar userid/passwd

Program	Functional Area	Flag	Grouping	Threads	Pre	Post	Frequency	Restart	Usage
sagetref	Sales Audit	N	N/A	SA	sastdycr	saimptlog	daily	R	(To prevent a file from being written, place a '-' in its place. Note: Item files must all be written together).
saimpadj	Sales Audit	N	N/A	SA	saimptlogfin	satotals	daily	R	saimpadj userid/passwd input_file rej_file
saimptlog	Sales Audit	Y	Store/Day	SA	sagetref / saprepost saimptlog pre	saimptlog (Use sql Loader to load data into ReSA tables)	daily	N	saimptlog user/pw infile badfile itemfile wastefile refitemfile primvariantfile varupcfile storedayfile promfile codesfile errorfile ccvalfile storeposfile tendertypefile merchcodefile partnerfile supplierfile employeefile bannerfile
saimptlogfin	Sales Audit	N	N/A	SA	saprepost saimptlog post / saimptlog salstage fifgldn1	satotals	daily	R	saimptlogfin userid/passwd store_day_file
salapnd	Stock Ledger	N	N/A	3	fifgldn2	N/A	daily	R	salapnd userid/passwd
saldly	Stock Ledger	Y	Store/Wh	3	salstage	salweek	daily	R	saldly userid/passwd
saleoh	Stock Ledger	Y	Dept	3	salmth	N/A	half yearly	N	saleoh userid/passwd
salins	Sales	N	N/A	0	N/A	N/A	daily	R	salins userid/passwd
salmaint	Stock Ledger	N	N/A	ad hoc	N/A / salweek	N/A	half yearly	N	salmaint userid/passwd pre_or_post
salmth	Stock Ledger	Y	Dept	3		prepost salmth post	monthly	R	salmth userid/passwd
salprg	Stock Ledger	N	N/A	ad hoc	N/A	N/A / saldly salapnd salweek dealfct rpmmovavg fifgldn1 fifgldn2	daily	N	salprg userid/passwd
salstage	Stock Ledger	N	N/A	3	posupld saldly stkdly salapnd prepost salweek pre dealfct dealinc vendinvc vendinvf	salmth	daily	N	salstage userid/passwd
salweek	Stock Ledger	Y	Dept	3		prepost salweek post	weekly	R	salweek userid/passwd
sapreexp	Sales Audit	N	N/A	SA	SA audit process	(Before any SA export process)	daily	R	sapreexp userid/passwd
saprepost	Sales Audit	N	N/A	SA	N/A	N/A	daily	N	saprepost userid/passwd program pre_or_post
sapurge	Sales Audit	Y	Store	SA	saprepost sapurge pre (This program should be run as the last program in the ReSA batch schedule)	saprepost sapurge post sapreexp	daily	R	sapurge userid/passwd deleted_items_file [optional list of store days to be deleted]
sarules	Sales Audit	N	N/A	SA	satotals (It should run before the DTESYS batch program and before the next store/day's transactions are received)	saescheat	daily	R	sarules userid/passwd store_no
sastdycr	Sales Audit	N	N/A	date_set		dtesys	daily	R	sastdycr userid/passwd [YYYYMMDD]
satotals	Sales Audit	N	N/A	SA	saimptlogfin	sarules	daily	R	satotals userid/passwd store_no
savouch	Sales Audit	N	N/A	SA	saimptlog (and its SQL Load process cstisldex.ksh (RMS to RDW RETL extract)	saimptlogfin	daily	R	savouch userid/passwd infile rejfile tendertype_fil
sccext	Costing	Y	Cost change	3	prepost sccext pre	prepost sccext post	daily	R	sccext userid/passwd
schedprg	Organizational Hierarchy	N	N/A	ad hoc	N/A	N/A	monthly	R	schedprg userid/passwd
sitmain	Item Maintenance	N	N/A	ad hoc	lclrbld	N/A	ad hoc	R	sitmain userid/passwd
soutdnld	Forecasting	Y	Domain Id	4	N/A	N/A	daily	R	soutdnld userid/passwd
stkdly	Stock Ledger	Y	Dept	3	stkvar	salweek	daily	R	stkdly userid/passwd
stkprg	Stock Ledger	N	N/A	ad hoc	N/A	prepost stkprg post	monthly	N	stkprg userid/passwd
stkschedxpld	Stock Ledger	Y	Location	0	N/A	stkxpld	daily	R	stkchedxpld userid/passwd
stkupd	Stock Ledger	Y	Location	3	prepost stkupd pre stkxpld	prepost stkupd post	daily	R	stkupd userid/passwd
stkupld	Stock Ledger	Y	Dept	1	lifstkup	N/A	daily	R	stkupld userid/passwd input_file reject_file
stkvar	Stock Ledger	Y	Dept	1	stkschedxpld	N/A	daily	R	stkvar userid/passwd [report_file_name
stkxpld	Stock Ledger	Y	Dept	3	wasteadj	stkupd	daily	R	stkxpld userid/passwd
stlgdnld	Stock Ledger	Y	Dept	4	N/A	N/A	weekly	R	stlgdnld userid/passwd input_file
storeadd	Maintenance - Location	N	N/A	ad hoc	N/A	likestore	daily	R	storeadd userid/passwd
supcnstr	Replenishment	N	N/A	3	rplbld	rplsplit	daily	R	supcnstr userid/passwd
supmth	Stock Ledger	Y	Dept	3	N/A	prepost supmth post	monthly	R	supmth userid/passwd
tamperctn	Receiving	N	N/A	ad hoc	N/A	N/A	ad hoc	N	tamperctn userid/passwd
tcktdnld	Maintenance	N	N/A	ad hoc	N/A	N/A	daily	R	tcktdnld userid/passwd filename print_online_ind days_in_advance [locatio
tifposdn	Sales Tax	N	N/A	4	txrposdn	prepost tifposdn post	daily	R	tifposdn userid/passwd output_file
tranupld	Trade Management	Y	File-based	ad hoc	N/A	N/A	daily	R	tranupld userid/passwd infile
tsfprg	Transfers	N	N/A	ad hoc	N/A	N/A	monthly	R	tsfprg userid/passwd
txrposdn	Point of Sale Intereface	N	N/A	4	N/A	tifposdn	daily	R	txrposdn userid/passwd
txrtupld	Sales Tax	N	N/A	4	N/A	N/A	ad hoc	R	txrtupld username/password input_file reject_fil
vatdlxpl	Maintenance - VAT	Y	Vat Region	0	N/A	prepost vatdlxpl pos	daily	R	vatdlxpl userid/passwd
vatrtchg	Maintenance - VAT	N	N/A	0	N/A	N/A	daily	N	vatrtchg userid/passwd
vendinvc	Deals	Y	Deal Id	3	prepost vendinvc pre	dealact salstage(if daily) salweek(if weekly) salmth (if monthly) prepost vendinvc post	daily	R	vendinvc userid/passwd
vendinvf	Deals	Y	Deal Id	3	prepost vendinvf pre	prepost vendinvf post salstage(if daily) salweek(if weekly) salmth (if monthly)	daily	R	vendinvf userid/passwd
vrplbld	Replenishment	Y	Supplier	2	ediupack	prepost vrplbld post stkxpld stkupd	daily	R	vrplbld userid/passwd
wasteadj	Stock Ledger	Y	Store	3	N/A	N/A	daily	R	wasteadj userid/passwd
whadd	Maintenance - Location	N	N/A	ad hoc	N/A	N/A	daily	R	whadd userid/passwd
whstrasg	Maintenance - Location	N	N/A	3	(Must be run after all replenishment batch programs).	prepost whstrasg post	daily	R	whstrasg userid/passwd

RPM Dependency and Scheduling Details

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
ItemReclassBatch	Future Retail	N	N/A	N/A	reclsdly(RMS)	NewItemLocBatch	daily/ad hoc	N	itemReclassBatch.sh rpm-app-userid password
NewItemLocBatch	Future Retail	N	N/A	N/A	storeadd(RMS), ItemReclassBatch	LocationMoveBatch PriceEventExecutionBatch	daily/ad hoc	N	newItemLocBatch.sh rpm-app-userid password [status [error-commit-count]
LocationMoveBatch	Zone Structure/Future Retail	Y	Location move	N/A	NewItemLocBatch LocationMoveBatch	daily	N	locationMoveBatch.sh rpm-app-userid password
PriceEventExecutionBatch	Price Change/Clearance/Promotion	Y	Pricing event	N/A	salstage (RMS) PriceEventExecutionBatch	PriceEventExecutionRMSBatch	daily	N	priceEventExecutionBatch.sh rpm-app-userid password
PriceEventExecutionRMSBatch	Price Change/Clearance/Promotion	Y	Pricing event	N/A		PriceEventExecutionDealsBatch	daily	N	priceEventExecutionRMSBatch.sh rpm-app-userid password
PriceEventExecutionDealsBatch	Price Change/Clearance/Promotion	Y	Pricing event	N/A	PriceEventExecutionRMSBatch	MerchExtractKickOffBatch	daily	N	priceEventExecutionDealsBatch.sh rpm-app-userid password
PriceStrategyCalendarBatch	Price Strategy	N	N/A	N/A	N/A	MerchExtractKickOffBatch	daily	N	priceStrategyCalendarBatch.sh rpm-app-userid password
WorksheetAutoApproveBatch	Pricing Worksheet	Y	Price strategy	N/A	N/A PriceEventExecutionBatch storeadd (RMS) WorksheetAutoApproveBatch	MerchExtractKickOffBatch	daily	N	worksheetAutoApproveBatch.sh rpm-app-userid password
MerchExtractKickOffBatch	Pricing Worksheet	Y	Price strategy	N/A	PriceStrategyCalendarBatch MerchExtractKickOffBatch	N/A	daily	N	merchExtractKickOffBatch.sh rpm-app-userid password
RPMtoORPOSPublishBatch.sh	Price Change/Clearance/Promotion	N	N/A	N/A	WorksheetAutoApproveBatch	N/A	daily	N	ksh RPMtoORPOSPublishBatch.sh <userid/passwd@sid > <log path> <error path>
RPMtoORPOSPublishExport.sh	Price Change/Clearance/Promotion	Y	Location	N/A	RPMtoORPOSPublishBatch.sh	N/A	daily	N	ksh RPMtoORPOSPublishExport.sh <userid/passwd@sid > <Numberof slots> <logpath> <error path> <Export path>
RegularPriceChangePublishBatch	Regular Price Changes	Y	Price event (item/loc)	N/A	WorksheetAutoApproveBatch	RegularPriceChangePublishExport	daily/ad hoc	N	regularPriceChangePublishBatch.sh rpm-app-userid password
regularPriceChangePublishExport	Regular Price Changes	N	N/A	N/A	RegularPriceChangePublishBatch		daily/ad hoc	N	regularPriceChangePublishExport.sh rpm-db-userid/pwd@database [export-path]
ClearancePriceChangePublishBatch	Clearances	Y	Price event (item/loc)	N/A	WorksheetAutoApproveBatch	ClearancePriceChangePublishExport	daily/ad hoc	N	clearancePriceChangePublishBatch.sh rpm-app-userid password
ClearancePriceChangePublishExport	Clearances	N	N/A	N/A	ClearancePriceChangePublishBatch	PromotionPriceChangePublishExport	daily/ad hoc	N	clearancePriceChangePublishExport.sh rpm-db-userid/pwd@database [export-path]
PromotionPriceChangePublishBatch	Promotions	Y	Price event (item/loc)	N/A	WorksheetAutoApproveBatch	PromotionPriceChangePublishBatch	daily/ad hoc	N	promotionPriceChangePublishBatch.sh rpm-app-userid password
PromotionPriceChangePublishExport	Promotions	N	N/A	N/A	PromotionPriceChangePublishBatch	N/A	daily/ad hoc	N	promotionPriceChangePublishExport.sh rpm-db-userid/pwd@database [export-path]
PriceChangeAutoApproveResultsPurgeBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	priceChangeAutoApproveResultsPurgeBatch.sh rpm-app-userid password
PriceChangePurgeBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	priceChangePurgeBatch.sh rpm-app-userid password
PriceChangePurgeWorkspaceBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	priceChangePurgeWorkspaceBatch.sh rpm-app-userid password
PromotionPurgeBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	promotionPurgeBatch.sh rpm-app-userid password
PurgeExpiredExecutedOrApprovedClearancesBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	purgeExpiredExecutedOrApprovedClearancesBatch.sh rpm-app-userid password
PurgeUnusedAndAbandonedClearancesBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	purgeUnusedAndAbandonedClearancesBatch.sh rpm-app-userid password
PurgeLocationMovesBatch	Purge	N	N/A	N/A	N/A	N/A	daily/ad hoc	N	purgeLocationMovesBatch.sh rpm-app-userid password
ZoneFutureRetailPurgeBatch	Purge	N	N/A	N/A	N/A	N/A	ad hoc	N	zoneFutureRetailPurgeBatch.sh rpm-app-userid password
ItemLocDeleteBatch	Purge	N	N/A	N/A	N/A	N/A	ad hoc	N	itemLocDeleteBatch.sh rpm-app-userid password
priceChangeAreaDifferentialBatch	Price Change	Y	N/A	N/A	N/A	N/A	ad hoc	N	priceChangeAreaDifferentialBatch rpm-app-userid password

ReIM Dependency and Scheduling Details

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
AutoMatch	Invoice Matching (ReIM)	Y	N/A	6	TermsRankingService	ReasonCodeActionRollup ResolutionPosting	daily	R	AutoMatch userid/passwd
BatchPurge	Invoice Matching (ReIM)	N	N/A	0	N/A	N/A	daily	R	BatchPurge userid/passwd
ComplexDealUpload	Invoice Matching (ReIM)	Y	N/A	5	vendinvc(RMS), vendinvf(RMS)	AutoMatch	daily	R	ComplexDealUpload userid/passwd BlockSize PartitionNo
DiscrepancyPurge	Invoice Matching (ReIM)	N	N/A	1	N/A	N/A	daily	R	DiscrepancyPurge userid/passwd
DisputedCreditMemoRollup	Invoice Matching (ReIM)	N	N/A	6	ReasonCodeActionRollup	ResolutionPosting	daily	R	DisputedCreditMemoRollup userid/passwd
EdiInvoiceUpload	Invoice Matching (ReIM)	Y	N/A	5	edidlinv(RMS)	AutoMatch	daily	R	EdiInvoiceUpload userid/passwd "EDI input file with path" "EDI reject file with path"
EdiInvoiceDownload	Invoice Matching (ReIM)	N	N/A	7	ResolutionPosting	N/A	daily	R	EdiInvoiceDownload userid/passwd
FixedDealUpload	Invoice Matching (ReIM)	Y	N/A	5	vendinvc(RMS), vendinvf(RMS)	AutoMatch	daily	R	FixedDealUpload userid/passwd BlockSize PartitionNo
ReasonCodeActionRollup	Invoice Matching (ReIM)	N	N/A	6	AutoMatch	DisputedCreditMemoRollup	daily	R	ReasonCodeActionRollup userid/passwd
ReceiptWriteoff	Invoice Matching (ReIM)	N	N/A	6	AutoMatch	N/A	daily	R	ReceiptWriteoff userid/passwd
ReceiverAdjustment	Invoice Matching (ReIM)	N	N/A	1	EdiInvoiceUpload ReasonCodeActionRollup,	ReasonCodeActionRollup ResolutionPosting	daily	R	ReceiverAdjustment userid/passwd
ResolutionPosting	Invoice Matching (ReIM)	N	N/A	6	DisputedCreditMemoRollup	N/A	daily	R	ResolutionPosting userid/passwd
TermsRankingService	Invoice Matching (ReIM)	N	N/A	6	N/A	AutoMatch	monthly	R	TermsRankingService userid/passwd

RMS to RPAS RETL Extracts Dependency and Scheduling Details (EXTRACTS_FOR_RPAS)

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
pre_rmse_rpas.ksh	Planning/Forecast System Interface	N	N/A	N/A	N/A. This is a pre setup script	N/A	daily	N	N/A
rmse_rpas.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh. (This is the launch script to run the extracts)	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_attributes.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_daily_sales.ksh	Planning/Forecast System Interface	N	N/A	N/A	saldly pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_domain.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh sitmain	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_item_master.ksh	Planning/Forecast System Interface	N	N/A	N/A	reclsdly reclsdly	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_merchhier.ksh	Planning/Forecast System Interface	N	N/A	N/A	dlyprg dlyprg	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_orghier.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_stock_on_hand.ksh	Planning/Forecast System Interface	N	N/A	N/A	stkdly pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	N/A

					storeadd				
rmse_rpas_store.ksh	Planning/Forecast System Interface	N	N/A	N/A	dlyprg	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_suppliers.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh hstwkupd	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_weekly_sales.ksh	Planning/Forecast System Interface	N	N/A	N/A	salweek whadd	Refer to RPAS Operations guide	daily	N	N/A
rmse_rpas_wh.ksh	Planning/Forecast System Interface	N	N/A	N/A	dlyprg	Refer to RPAS Operations guide	daily	N	N/A
rmsl_rpas_forecast.ksh	Planning/Forecast System Interface	N	N/A	N/A	pre_rmse_rpas.ksh	Refer to RPAS Operations guide	daily	N	rmsl_rpas_forecast.ksh daily or weekly
rmsl_rpas_update_retl_date.ksh	Planning/Forecast System Interface	N	N/A	N/A	After all RMS/Planning System Integration RETL scripts are run	Refer to RPAS Operations guide	daily	N	rmsl_rpas_update_retal_date.ksh CLOSED_ORDER or RECEIVED_QTY

RMS to RDW RETL Extracts Dependency and Scheduling Details (EXTRACTS_FOR_RDW)

Dimension source:

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
ccdedtlex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmptrex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmptrlmex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
cmptrlocex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
crncycdex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
emplyex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
orgaraex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lclrbld (RMS)	Refer to RDW operations guide	daily	N	N/A
orgchanex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lclrbld (RMS)	Refer to RDW operations guide	daily	N	N/A
orgchnex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lclrbld (RMS)	Refer to RDW operations guide	daily	N	N/A
orgdisex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lclrbld (RMS)	Refer to RDW operations guide	daily	N	N/A
orgllmex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lclrbld (RMS)	Refer to RDW operations guide	daily	N	N/A
orglocex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lclrbld (RMS)	Refer to RDW operations guide	daily	N	N/A
orglolex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lclrbld (RMS)	Refer to RDW operations guide	daily	N	N/A
orgltmex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lclrbld (RMS)	Refer to RDW operations guide	daily	N	N/A
orgltrex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lclrbld (RMS)	Refer to RDW operations guide	daily	N	N/A
orgrgrnex.ksh	RDW interface	N	N/A	N/A	A, B, storeadd (RMS), dlyprg (RMS), lclrbld (RMS)	Refer to RDW operations guide	daily	N	N/A
phasex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prdclsex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
prdcmpex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prddepex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
prddiffex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
prddivex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
prddtypex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
prdgrpex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
prdislex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prditmex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
prditmlex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
prditmlmex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
prditmltmex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prditmsmex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
prdpimex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
prdsbcex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
prdudaex.ksh	RDW interface	N	N/A	N/A	A, B, cremhierdly (RMS), reclsdly (RMS), dlyprg (RMS)	Refer to RDW operations guide	daily	N	N/A
regngrpex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
regnmtex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
rsnex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
seasnex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
subtrantypex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A
supctrex.ksh	RDW interface	N	N/A	N/A	A, B, cntrmain (RMS)	Refer to RDW operations guide	daily	N	N/A
supsupex.ksh	RDW interface	N	N/A	N/A	A, B, cntrmain (RMS)	Refer to RDW operations guide	daily	N	N/A
suptrmex.ksh	RDW interface	N	N/A	N/A	A, B, cntrmain (RMS)	Refer to RDW operations guide	daily	N	N/A
suptrtex.ksh	RDW interface	N	N/A	N/A	A, B, cntrmain (RMS)	Refer to RDW operations guide	daily	N	N/A
tndrtypex.ksh	RDW interface	N	N/A	N/A	A,B	Refer to RDW operations guide	daily	N	N/A
ttltypex.ksh	RDW interface	N	N/A	N/A	A, B	Refer to RDW operations guide	daily	N	N/A

Fact source:

Program Name	Functional Area	Threaded	Driver	Phase	Pre-dependency	Post-dependency	Timing	Uses Restart/Recovery	Run Parameters for Programs
cmptrprcildex.ksh	RDW interface	N	N/A	N/A	B	Refer to RDW operations guide	daily	N	cmptrprcildex.ksh output_file_path/output_file_name
cstisldex.ksh	RDW interface	N	N/A	N/A	C	Refer to RDW operations guide	daily	N	cstisldex.ksh output_file_path/output_file_name
exchngratex.ksh	RDW interface	N	N/A	N/A	B	Refer to RDW operations guide	daily	N	exchngratex.ksh output_file_path/output_file_name
invildex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS), ordrev (RMS	Refer to RDW operations guide	daily	Y	invildex.ksh output_file_path/output_file_name
ivaildex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivaildex.ksh output_file_path/output_file_name
ivrcpildex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivrcpildex.ksh output_file_path/output_file_name
ivrildex.ksh	RDW interface	N	N/A	N/A	C	Refer to RDW operations guide	daily	N	ivrildex.ksh output_file_path/output_file_name
ivtildex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivtildex.ksh output_file_path/output_file_name
ivuildex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS), mrt (RMS)	Refer to RDW operations guide	daily	N	ivuildex.ksh output_file_path/output_file_name
lptotcldex.ksh	RDW interface	N	N/A	N/A	C, saexprdw (ReSA), resa2rdw	Refer to RDW operations guide	daily	N	lptotcldex.ksh output_file_path/output_file_name
lptotldex.ksh	RDW interface	N	N/A	N/A	C, saexprdw (ReSA), resa2rdw	Refer to RDW operations guide	daily	N	lptotldex.ksh output_file_path/output_file_name
ncstuildex.ksh	RDW interface	N	N/A	N/A	C, costcalc (RMS)	Refer to RDW operations guide	daily	N	ncstuildex.ksh output_file_path/output_file_name
post_dwi_temp.ksh	RDW interface	N	N/A	N/A	All extract batches	Refer to RDW operations guide	daily	N	N/A
prcildex.ksh	RDW interface	N	N/A	N/A	N/A	Refer to RDW operations guide	daily	N	prcildex.ksh output_file_path/output_file_name
pre_dwi_extract.ksh	RDW interface	N	N/A	N/A	A	salmth(RMS). Also refer to RDW operations guide	daily	N	N/A
pre_dwi_temp.ksh	RDW interface	N	N/A	N/A	B	Refer to RDW operations guide	daily	N	N/A
rplcildex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	rplcildex.ksh output_file_path/output_file_name
savidex.ksh	RDW interface	N	N/A	N/A	C, cntrprss (RMS), ediupavl (RMS), rplapprv (RMS)	Refer to RDW operations guide	daily	N	savidex.ksh output_file_path/output_file_name
scmialdex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	scmialdex.ksh output_file_path/output_file_name
scmioldex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	scmioldex.ksh output_file_path/output_file_name
scrqtldex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	scrqtldex.ksh output_file_path/output_file_name
scrtlldex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	Y	scrtlldex.ksh output_file_path/output_file_name
sctidex.ksh	RDW interface	N	N/A	N/A	C, rplapprv (RMS), cntrprss (RMS), rplbld (RMS), cntrmain (RMS),	Refer to RDW operations guide	daily	N	sctidex.ksh output_file_path/output_file_name
sfcilwex.ksh	RDW interface	N	N/A	N/A	B, rmsl_rpas_forecast.ksh (RMS to RPAS extract)	Refer to RDW operations guide	daily	N	sfcilwex.ksh output_file_path/output_file_name
slsildmex.ksh	RDW interface	N	N/A	N/A	C, saexprdw (ReSA), resa2rdw	Refer to RDW operations guide	daily	Y	slsildmex.ksh output_file_path/output_file_name
slsmkdnildex.ksh	RDW interface	N	N/A	N/A	C, salstage (RMS)	Refer to RDW operations guide	daily	N	slsmkdnildex.ksh output_file_path/output_file_name
stlblmthex.ksh	RDW interface	N	N/A	N/A	C, salmth (RMS)	Refer to RDW operations guide	daily	N	stlblmthex.ksh output_file_path/output_file_name
stlblwex.ksh	RDW interface	N	N/A	N/A	C, salweek (RMS)	Refer to RDW operations guide	daily	N	stlblwex.ksh output_file_path/output_file_name
ttldmex.ksh	RDW interface	N	N/A	N/A	C, saexprdw (ReSA), resa2rdw	Refer to RDW operations guide	daily	N	ttldmex.ksh output_file_path/output_file_name
vchreschdex.ksh	RDW interface	N	N/A	N/A	B, savouch (ReSA)	Refer to RDW operations guide	daily	N	vchreschdex.ksh output_file_path/output_file_name
vchrmoveldsgex.ksh	RDW interface	N	N/A	N/A	B, savouch (ReSA)	Refer to RDW operations guide	daily	N	vchrmoveldsgex.ksh output_file_path/output_file_name
vchroutlwex.ksh	RDW interface	N	N/A	N/A	B, savouch (ReSA)	Refer to RDW operations guide	daily	N	vchroutlwex.ksh output_file_path/output_file_name

Notes:
A is a set of batch processes on the RDW system.
A consists of the following RDW batch modules
factopendm.ksh
medfactopendm.ksh
factclosedm.ksh
mt_prime.ksh
B is pre_dwi_extract.ksh DWI batch process.
C is pre_dwi_temp.ksh DWI batch process.

Integrated Merchandising Batch Schedule

RMS, ReIM, RTM

Phase 0
dealupld

dlyprg
BatchPurge(ReIM)
salins
cntrmain
vatdlxpl   post
atezcheckspld
vatrchg

Note: The prepost pre batch cycle should be run before
the batch cycle starts to turn off security.
The prepost post batch cycle should be run after the
entire batch cycle is finished to turn security back on.

Phase 1
ediupasvl

ediupack

stkvar

dtlmrt

lifstkup   stkupld
ReceiverAdjustment (ReIM) *
DiscrepancyPurge(ReIM)

* Running of ReceiverAdjustment (ReIM) should
correspond to the client running their own
programs to check for receiver unit adjustments
(RUA) and receiver cost adjustments (RCA).

Phase 2
saexprms (ReSA)   posqupld   post

ediupadd

pre   precostcalc   costcalc   post

invcldsp (IM) *

cadrtnl(RTM)
tcmf730(perl) tcupld
tcmf798(perl) ifcup798

mrt   mrtmv   mrtupd
          vrplbbl   post

mrp_upd_po

* Invoice Matching job in RMS

Phase 3
pre   ecoesl   post

pre *   hstbld (rebuild all)   post

pre   rplatupd   post   rtlmaint   post   replacij   cntrordb   post   rpl_pre   rplext   post   itlexpl   pre   ibcalc
hstbld/mth   post   pre   ociclcq   pre   reqext   post   rplbld   supcnstr   rplsplit   pre   rplappnv   whatmag   post

rstwkupd
(weekly)   (sqlbl)

rstmthupd   (sqlbl)   f

estesadj   stlxpld   pre   stkupd   post

dtlhbld   (sqlbl)

PriceEventExecutionBatch(RPM)   distropcpub

fcstrbld   post   fcstrbld_abc

salstage   saldly   sldldly   pre   vendinvc*   post   pre   salweek ** post   salimth   post
               rpmmoveug   fitgbtn3(FIF)
               fitgbtn1(FIF) post   pre   vendinvf*   post   salapnd   rolech
               fitgbtn2(FIF)

dealcls   dealss   pre   dealinc   pre   dealfct   pre   dealday   post
          pre †   dealact   dealfinc

suprmth   post

** Run after salstage for daily processing, before salweek for weekly processing, and before salmth for monthly processing.
** salweek is also dependent on dealfct and dealinc.
† prepost dealact_nor pre, prepost dealact_po pre, and prepost dealact_sales pre

Phase 4
cremhiendy

                reclsdly   post   posgldld   posgldld   ordrev   addldord
                                                                                      discontsapply
pre   addldprd   post
edidlinv(IM)
ordupd   stbdrld
                stbdlsal
                addldord
fcadrld   tcmf700 (perl)
tcmfdrld   tcmf707(perl)
batch_orpos_extract.ksh (shell)***   posodrld   post
terposdn   fifposdn   post
fefspld
pre   onordext   onicext   onorddrld
stkdrld
stgdrld
replyasered
rcv_mrprg

*** If RPM pricing info is reqd then run after extraction script 'RPMtoDRPOSPublishExport.sh'
*** This script should run before batch 'postrlid' is executed.

Date Set
vdateslycr   dlesys   post

Ad Hoc Batch
hstbld_diff

hstbldmth_diff

auditprg
auditsys
stgprg

dummy.ctn
sanpercin
saladdcol
editdlcon
edlprg
pre   fcatrprg   post
gcupld
genpreiss
gradupld
hstprg
hstprg_diff
cmpupld
invapog
stonedd   rlkestone   post
                        lcbfold   stlmain
mrtprg
rwppurge
ordprg   invprg(IM)
ordautcl
stltprg
stbupfwd
stfcupld
postrhid_text***
postrhid   post
cdprg_month
rhcprg
stldprg
schedprg
ediupcst
stltprg   post
stdmalcr
icedriold
trsmupld(RTM)
txtprg
wheatdl
cmpprg
dealprg

doccloss
Hts240_to_2
400 (perl)
Ltdhts2rms
(perl)_pre   hteupld(RTM)
prepost

* Only required before hstbld rebuild processing.
** Ad hoc running of stgdriold is meant for historic
downloads. See phase 4 for weekly stgdriold runs.
*** This batch should run before postrhid

Phase 5 (ReIM)
EdiUpload *
ComplexDealUpload **
FixedDealUpload **

* Runs after edidlinv has generated an EDI file
Can also run ad hoc but before phase6.
** Runs after vendinvc/vendinvf.

Phase 6 (ReIM)
AutoMatchService

ReasonCodeActionRollupService   DisputedCreditMemoResolutionRollupSet ResolutionPostingService
ReceiptWriteOffService

Phase 7 (ReIM)
EdiDownload

ReSA

Sales Audit
                                        saprepost   saprepost
(vaxldycr)   sagetref   saxcypt***   pre   saimplog   post   (sqlldr) ‡   savouch † saimplogfin saimpadj * satotals   savules   (Forms   saprepop   saexprms **   saprepost
                                                                                                                   Auditing)   saexpim **   post
                                                                                                                                            saexprde **   saprepost   saprepost
                                                                                                                                            saexpach **   resa2rdw(perl)   pre   sapurge   post
                                                                                                                                            saexpuar **
                                                                                                                                            saexpgl **

                                                                                                                                            saexcheat †

* Only if there are total adjustments from external systems.   **Forms Auditing** is an online process used to correct any errors found
** Only if the external system is used.   during the loading of the data, totaling, and rules checking.
*** Only if RTLOG file from POS is encrypted.
† Only if vouchers are being tracked, runs monthly
‡ Not required if saimplog is substituted for saimplog

RPM

Price Management
reclsdly(RMS) ItemReclassBatch   NewItemLocBatch   LocationMoveBatch   PriceEventExecutionBatch PriceEventExecutionRMSBatch   PriceEventExecutionDealsBatch   MerchExtractKickOffBatch
salstage(RMS) storeadd(RMS)

PriceStrategyCalendarBatch
WorksheetAutoApproveBatch
                              RPMtoDRPOSPublishBatch.sh   RPMtoDRPOSPublishExport.sh   RegularPriceChangePublishBatch   RegularPriceChangePublishExport
                                                                                         ClearancePriceChangePublishBatch   ClearancePriceChangePublishExport
                                                                                         PromotionPriceChangePublishBatch   PromotionPriceChangePublishExport

Ad Hoc Batch
PriceChangeAutoApproveResultsPurgeBatch
PriceChangePurgeBatch
PriceChangePurgeWorkspaceBatch
PromotionPurgeBatch
PurgeExpiredExecutedOrApprovedClearanceBatch
PurgeUnusedAndAbandonedClearancesBatch
PurgeLocationMovesBatch
ZoneFutureRetailPurgeBatch
ItemLocDeleteBatch
priceChangeAreaDifferentialBatch