

Oracle® Retail Price Management

Release Notes

Release 12.0.11.3

July 2011

Oracle Retail Price Management (RPM) Release 12.0.11.3 is a bundled hot fix release for RPM 12.0. RPM 12.0.11.3 includes selected defect fixes and enhancements for RPM 12.0 code.

Oracle Customer Support investigates submitted issues assuming that all released updates have been applied. It is the customer's decision when to apply a new release; however, delays in applying updates can complicate the support process.

About Bundled Hot Fix Releases

Oracle Retail bundled hot fix releases are the most frequent releases to update Oracle Retail applications. These releases typically contain only defect fixes; they may also include enhancements that address application performance or other issues. Bundled hot fix releases are of smaller scope than less-frequent patch releases, and they are intended to be easier and faster for the customer to install than major patch updates.

Each bundled hot fix release contains a unique set of defect fixes or enhancements. Note that bundled hot fix releases are not cumulative; that is, defect fixes from a previous bundled hot fix release are not also included in a later bundled hot fix release.

Bundled hot fix releases must be applied in sequential order. Before you can apply a new bundled hot fix release, you must first apply all previous bundled hot fix releases since the last patch release. The Release Notes for each Oracle Retail release identify whether a release is a bundled hot fix release or a patch release.

Periodic patch releases include all defect fixes that have been released through bundled hot fix releases since the last patch release. Patch releases may also include new defect fixes and enhancements that have not previously been included in any bundled hot fix release.

Running Scripts

Back up data before running any script, because the scripts provided *do not* preserve data. See defect reports for details.

Check with your database administrator to determine whether your database should be analyzed after a script is run. In many cases, analysis of the database is necessary to take advantage of new or modified indexes intended to improve performance of the application.

Defect Fixes and Documentation

A defect fix is a modification to the base Oracle Retail code (for example, a bug fix, a performance enhancement, or a functional enhancement). Each defect fix that is included in this patch has a corresponding defect report titled <defect-number>.PDF (for example, 1234567.PDF).

In the same folder, the file named DEFECT MODULE XREF RPM 12.0.11.3.XLS lists every defect number and the modules and scripts that are included in the release. Review each defect report carefully before implementing the defect fixes. Please note that scripts do not preserve data. Make sure that all data is backed up before you run any script.

Noteworthy Defect Fixes

The following defect fixes and enhancements are included in RPM 12.0.11.3. This is not a complete list; see the cross-reference spreadsheet and defect reports for a complete list and full details.

Defect Number	Summary
10423098	The deal records in DEAL_ITEMLOC table are not created for all items when they are approved separately.
10628825	Performance issue when deleting a location from a zone.
11928100	For a RPM price change in a secondary zone, the ITEM_PARENT UNIT_RETAIL value in RMS is not updated.
12312804	Conflict Checking does not purge old item.location records from RPM_FUTURE_RETAIL as expected.
12576614	When running taskPurgeBatch, the status of the batch (for example, completed) is not shown in the log.
12531129	For a VFP promotion approved for a promotion zone group, if a new location is added in that promotion zone group, records are added in DEAL_ITEMLOC table for each location in the affected deals, not just the new location as expected.

Dependencies

Defects 12531129 and 12641207

For the RPM 12.0.11.3. bundled hot fix release, RPM defect 12531129 has a dependency on RMS defect 12641207, as described below.

Defect Number	Summary
12531129	For a VFP promotion approved for a promotion zone group, if a new location is added in that promotion zone group, records are added in the DEAL_ITEMLOC table for each location in the affected deals, not just the new location as expected.
12641207	NewItemLocationBatch creates duplicate records in the DEAL_ITEMLOC table.

Installing the Bundled Hot Fix Release

Note: This procedure includes database installation (steps 3 and 4) and RPM application deployment (steps 5-10).

1. Download the .ZIP file from My Oracle Support.
2. Unzip the .ZIP file into a folder, such as RPM_HOTFIX.
3. Go to the DBSource folder inside RPM_HOTFIX to find the changed .SQL scripts and .PLS files.
4. Open a SQL*Plus session as an RPM database user and compile all the .PLS files and execute .SQL files.
5. There is another .ZIP file called RPMxxApplication.zip (where xx is the version number, such as 11, 12, and 13).

6. Expand the RPM application distribution.

- a. Log into the UNIX server as the user who owns the OracleAS 10g installation. Create a new staging directory for the RPM application distribution (rpm13application.zip).

For example, \$ORACLE_HOME/j2ee/rpm_oc4j/rpm-staging.

This location is referred to as INSTALL_DIR for the remainder of this chapter.

- b. Copy rpm13application.zip to INSTALL_DIR and extract its contents.

7. Provide the Hibernate jar file.

The RPM application requires the hibernate2.jar file to be installed. This file should be downloaded from <http://www.hibernate.org> and placed in the INSTALL_DIR/rpm/application/hibernate folder before the installer is launched. For RPM 13, Hibernate 2.1.8 should be used. Download the Hibernate distribution and extract the hibernate2.jar file from it.

The RPM application installer verifies that hibernate2.jar has been provided and that it is the correct version. If hibernate2.jar is missing or incorrect, the installer does not proceed.

The installer applies hibernate2.jar to the RPM application by placing it under the ORACLE_HOME/j2ee/<oc4j-instance-name>/applications/<app-name>/lib directory.

8. Run the RPM application installer.

Once the OC4J instance is configured and started, run the RPM application installer. This installer configures and deploys the RPM application and Java WebStart client files.

Note: It is recommended that the installer is run using the same UNIX account that owns the application server ORACLE_HOME files. Doing so takes full advantage of the installer's capabilities. If the installer is run as a different user, the Manual Deployment Option must be selected.

- a. Change directories to `INSTALL_DIR/rpm/application`.
- b. Set the `ORACLE_HOME` and `JAVA_HOME` environment variables. `ORACLE_HOME` should point to your OracleAS installation. `JAVA_HOME` should point to the Java 5.0 (1.5.0) JDK located at `$ORACLE_HOME/jdk`.

Note: Java 1.5 (SR7) is required if you are using AIX.

- c. If using an X server (such as Exceed), set the `DISPLAY` environment variable so that the installer can be run in GUI mode (recommended). If an X server is not used, or the GUI is too slow over the network, unset `DISPLAY` for text mode.
- d. Run the `install.sh` script to launch the installer. After installation is complete, a detailed installation log file is created (`rpm13install.<timestamp>.log`).

Note: For information about how to resolve errors, see "Resolving Errors Encountered during Application Installation" in the *Oracle Retail Price Management Installation Guide*.

9. For clustered installations, complete post-installation steps.

For installing the RPM application to a clustered Oracle Application Server environment, there are some extra steps required to complete the installation. In these instructions, the application server node from which the `ORACLE_HOME` was used for the RPM installer is referred to as the "master node." All other nodes are referred to as "remote nodes."

- a. The RPM client files should be copied from the master node to each of the remote nodes under the same path as on the master node. For example, take the files under `$ORACLE_HOME/Apache/Apache/rpm` and copy them onto the remote nodes under the same path.
- b. All `jnlp` files in the RPM client must be modified so that the correct host name is used on each node.
- c. The RPM batch files should be copied from the master node to each of the remote nodes under the same path as on the master node. Take the `$ORACLE_HOME/j2ee/<rpminstance>/rpm-batch` directory and copy it onto the remote nodes under the same path.
- d. The `launchRpmBatch.sh` script should be modified on each remote node to point to the local RPM instance. The RPM URL is set in the `PROVIDER_URL` variable. This script is located at `$ORACLE_HOME/j2ee/<rpminstance>/rpm-batch/scripts/launchRpmBatch.sh`.
- e. All of the OC4J instances in the group should be restarted to pick up the `jndi_providers.xml` changes. For example, `$ORACLE_HOME/opmn/bin/opmnctl @cluster restartproc ias-component=rpm_group`.

10. Sign the RPM client configuration jar file.

Some client-side configuration that the installer performs results in a modified `rpm_client_config.jar` file after installation. Because of this, the jar file cannot be pre-signed by Oracle. The user must sign this jar file after the installer has completed.

To create an example key called "foo," the following command can be run:

```
$JAVA_HOME/bin/keytool -genkey -alias foo
```

This command prompts for a keystore password and organizational information.

Once complete, the keystore alias resides in the default location in the user's home directory (for example, `~/.keystore`). If an error message is issued to indicate that the keystore has been tampered with, try renaming or deleting the `~/.keystore` file and running the `keytool` command again.

The `rpm_client_config.jar` is located in the `$ORACLE_HOME/j2ee/<oc4j-instance>/applications/<rpm-app-name>/JnlpLaunchServlet/lib` directory.

To sign the `rpm_client_config.jar` file using your alias and keystore, run the `jarsigner` utility.

For example, `$JAVA_HOME/bin/jarsigner rpm_client_config.jar foo`.

If clustering the application server, copy the signed `rpm_client_config.jar` file to the same path under `$ORACLE_HOME` on all remote nodes.

See the "jarsigner" documentation from Sun for information on the JAR signing process.

11. Restart the application.

Copyright © 2011, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

(i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.

(ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.

(iii) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.

(iv) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.