

Oracle® Retail Price Management
Operations Guide
Release 12.0.3

April 2007

Copyright © 2007, Oracle. All rights reserved.

Primary Author: Nathan Young

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software – Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Contents

Preface	ix
Audience	ix
Related Documents	ix
Customer Support	ix
Conventions	x
Third-Party Open-Source Applications	xi
1 Introduction	1
Overview – What Is RPM?	1
2 Backend System Administration and Configuration	3
Supported Environments	3
Exception Handling	3
Configuration Files	4
rpm.jnlp	4
Data Source Configuration in Container	4
rib_user.properties	4
Configuration for Oracle Retail Service Layer (RSL) with services_rpm.xml	5
RSM-related Configuration File	5
Logging	6
Jakarta Commons Logging	6
Log4j.xml	6
Logging Levels	6
Output Files	7
Hibernate Logging	7
Transaction Timeout and Client Inactivity Timeout	8
TaskMDB	8
EJBs Used by TaskMDB	8
Tables Used by TaskMDB	8
Simplified RPM	9
Simplified RPM Batch Program Notes	10
Configuring RPM without the RIB	10
Configurable RIB Batch Program Notes	11
Disabling RIB Publishing in RPM	11
Internationalization	12
Translation	13
Set the Client Operating System to the Applicable Locale	13
Price Management Status Page	14
Sample Output	14

3	Technical Architecture	19
	Overview	19
	The Layered Model.....	20
	Client	21
	Application Services Layer (Stateless Session Beans)	21
	Core Services Layer	22
	Persistence Layer	22
	Database Layer	22
	Security	22
	Asynchronous Processing.....	23
	Synchronous as Opposed to Asynchronous Processing.....	23
	Asynchronous Processing Flow	24
	RPM Cached Objects	25
	RPM-related Java Terms and Standards.....	26
	Conflict Checking.....	27
4	Integration Methods and Communication Flow	29
	Functional Dataflow	29
	A Note about the Merchandising System Interface	29
	Integration Interface Dataflow Diagram.....	30
	Integration Interface Dataflow Description.....	30
	From Oracle Retail Allocation to RPM.....	30
	From RPM to Oracle Retail Allocation.....	30
	From RPM to RMS.....	31
	From RMS to RPM.....	32
	From RPM to RSM.....	32
	From RSM to RPM.....	33
	From RPM to ReSA.....	33
	From RPM to SIM and from SIM to RPM.....	33
	From RPM to RDW	34
	Pricing Communication Flow Diagram.....	35
	Approved Price Events	35
	Price Events	35
	Price Inquiry	35
	Promotion Detail.....	36
	RPM and the Oracle Retail Integration Bus (RIB).....	36
	The XML Message Format.....	36
	Message Publication Processing	37
	Message Subscription Processing.....	38
	Publishers Mapping Table.....	38
	Subscribers Mapping Table	39
	Functional Descriptions of Messages	39

RPM and the Oracle Retail Service Layer (RSL)	43
Functional Description of the Class Using RSL	43
Persistence Layer Integration	44
RMS Tables Accessed through the Persistence Layer	44
RMS Packages and Methods Accessed through RPM's Persistence Layer	46
RPM Views Based on RMS Tables	46
RPM Packages Called by RMS	46
5 Functional Design	47
Overview	47
Functional assumptions	47
Functional Overviews	48
Zone Structures	48
Codes	49
Price Changes, Promotions, Clearances, and Promotion Constraint	49
Pricing Strategies	51
Price Inquiry	60
Worksheet	60
Calendar	63
Aggregation Level	64
Location Moves	64
Concurrency Considerations	65
Pessimistic Data Locking	65
Pessimistic Workflow Locking	65
Last User Wins	66
Optimistic Data Locking	66
Concurrency Solution/Functional Area Matrix	66

6 Java and RETL Batch Processes	69
Java Batch Processes	69
Java Batch Process Architectural Overview	69
Running a Java-based Batch Process.....	70
Script Catalog	70
Scheduler and the Command Line	71
Functional Descriptions and Dependencies.....	71
Batch Process Scheduling	73
Threading and the RPM_BATCH_CONTROL Table	73
Return Value Batch Standards	73
Return Values	73
Batch Logging.....	74
ClearancePriceChangePublishBatch Batch Design	74
ItemLocDeleteBatch Batch.....	76
itemReclassBatch Batch Design.....	78
LocationMoveBatch Batch Design.....	79
MerchExtractKickOffBatch Batch Design.....	80
NewItemLocBatch Batch Design	82
PriceChangeAutoApproveResultsPurgeBatch Batch Design	84
PriceChangePurgeBatch Batch Design	85
PriceChangePurgeWorkspaceBatch Batch Design.....	85
PriceEventExecutionBatch Batch Design.....	86
PriceStrategyCalendarBatch Batch Design.....	88
PromotionPriceChangePublishBatch batch design.....	89
PromotionPurgeBatch Batch Design.....	95
PurgeExpiredExecutedOrApprovedClearancesBatch Batch Design.....	97
PurgeLocationMovesBatch Batch Design.....	98
PurgeUnusedAndAbandonedClearancesBatch Batch Design	98
RegularPriceChangePublishBatch Batch Design.....	99
WorksheetAutoApproveBatch Batch Design.....	102
ZoneFutureRetailPurgeBatch Batch Design.....	103

RETL Program Overview for RPM Extractions	104
Architectural Design.....	104
RPM Extraction Architecture	105
Configuration	105
RETL	105
RETL User and Permissions	105
Environment Variables	105
dwi_config.env Settings.....	106
Program Features.....	106
Program Status Control Files	107
Restart and Recovery.....	107
Message Logging	108
Daily Log File	108
Format	108
Program Error File.....	108
Schema Files	109
Resource Files.....	109
Typical Run and Debugging Situations.....	109
RETL Extractions Program List.....	110
Application Programming Interface (API) Flat File Specifications.....	111
API Format.....	111
File Layout	111
General Business Rules and Standards Common to all APIs	112

Preface

Oracle Retail Operations Guides are designed so that you can view and understand the application's 'behind-the-scenes' processing, including such information as the following:

- Key system administration configuration settings
- Technical architecture
- Functional integration dataflow across the enterprise
- Batch processing

Audience

Anyone who has an interest in better understanding the inner workings of the RPM system can find valuable information in this guide. There are three audiences in general for whom this guide is written:

- System analysts and system operation personnel:
 - who are looking for information about RPM's processes internally or in relation to the systems across the enterprise.
 - who operate RPM on a regular basis.
- Integrators and implementation staff who have the overall responsibility for implementing RPM into their enterprise.
- Business analysts who are looking for information about processes and interfaces to validate the support for business scenarios within RPM and other systems across the enterprise.

Related Documents

For more information, see the following documents in the Oracle Retail Price Management Release 12.0.3 documentation set:

- Oracle Retail Price Management Release Notes
- Oracle Retail Price Management User Guide
- Oracle Retail Price Management Online Help
- Oracle Retail Price Management Data Model
- Oracle Retail Merchandising Batch Schedule
- Oracle Retail Merchandising Implementation Guide

Customer Support

- <https://metalink.oracle.com>

When contacting Customer Support, please provide:

- Product version and program/module name.
- Functional and technical description of the problem (include business impact).
- Detailed step-by-step instructions to recreate.
- Exact error message received.
- Screen shots of each step you take.

Conventions

Navigate: This is a navigate statement. It tells you how to get to the start of the procedure and ends with a screen shot of the starting point and the statement “the Window Name window opens.”

Note: This is a note. It is used to call out information that is important, but not necessarily part of the procedure.

This is a code sample
It is used to display examples of code

[A hyperlink appears like this.](#)

Third-Party Open-Source Applications

Oracle Retail Security Manager includes the following third-party open-source applications:

Software Provider: Object Web
Software Name: ASM
Software Version: 1.4.3
Jar File Name: asm-1.4.3.jar
Provider Web Site: <http://forge.objectweb.org/projects/asm>

Software Provider: Bouncy Castle
Software Name: JCE Provider
Software Version: JDK 1.4 v1.2.4
Jar File Name: bcprov-jdk14-124.jar
Provider Web Site: <http://www.bouncycastle.org>

Software Provider: Bean Shell
Software Name: Bean Shell
Software Version: 2.0
Jar File Name: bsh-2.0b1.jar
Provider Web Site: <http://www.beanshell.org/>

Software Provider: Intalio Inc., and others
Software Name: Castor
Software Version: 0.9.5.2
Jar File Name: castor-0.9.5.2.jar
Provider Web Site: <http://www.castor.org/>

Software Provider: Apache Software Foundation
Software Name: cglib
Software Version: 2.0.2
Jar File Name: cglib-2.0.2.jar
Provider Web Site: <http://cglib.sourceforge.net/>

Software Provider: Apache Software Foundation
Software Name: org.apache.commons.beanutils-bean-collections
Software Version: 1.6
Jar File Name: commons-beanutils-bean-collections.jar
Provider Web Site: <http://jakarta.apache.org/commons/>

Software Provider: Apache Software Foundation
Software Name: org.apache.commons.beanutils
Software Version: 1.6
Jar File Name: commons-beanutils-core.jar
Provider Web Site: <http://jakarta.apache.org/commons/>

Software Provider: Apache Software Foundation
Software Name: org.apache.commons.collections
Software Version: 2.1
Jar File Name: commons-collections.jar
Provider Web Site: <http://jakarta.apache.org/commons/>

Software Provider: Apache Software Foundation
Software Name: Commons Database Connection Pooling
Software Version: 1.1
Jar File Name: commons-dbcp-1.1.jar
Provider Web Site: <http://jakarta.apache.org/commons/>

Software Provider: Apache Software Foundation
Software Name: Jakarta Commons Digester
Software Version: 1.6
Jar File Name: commons-digester.jar
Provider Web Site: <http://jakarta.apache.org/commons/>

Software Provider: Apache Software Foundation
Software Name: Jakarta Commons Lang
Software Version: 2.0
Jar File Name: commons-lang.jar
Provider Web Site: <http://jakarta.apache.org/commons/>

Software Provider: Apache Software Foundation
Software Name: org.apache.commons.logging
Software Version: 1.0.4
Jar File Name: commons-logging.jar
Provider Web Site: <http://jakarta.apache.org/commons/>

Software Provider: Apache Software Foundation
Software Name: Commons Object Pooling Library
Software Version: 1.1
Jar File Name: commons-pool-1.1.jar
Provider Web Site: <http://jakarta.apache.org/commons/>

Software Provider: Apache Software Foundation
Software Name: Commons Validator
Software Version: 1.1.3
Jar File Name: commons-validator-1.1.3.jar
Provider Web Site: <http://jakarta.apache.org/commons/>

Software Provider: METASTUFF, LTD.
Software Name: dom4j
Software Version: 1.3
Jar File Name: dom4j.jar
Provider Web Site: <http://www.dom4j.org/>

Software Provider: Apache Software Foundation
Software Name: Ehcache
Software Version: 1.1
Jar File Name: ehcache-1.1.jar
Provider Web Site: <http://ehcache.sourceforge.net/>

Software Provider: JGoodies
Software Name: JGoodies Forms
Software Version: 1.0.3
Jar File Name: forms-1.0.3.jar
Provider Web Site: <http://www.jgoodies.com/freeware/forms/>

Software Provider: Hibernate
Software Name: Hibernate
Software Version: 2.1.7
Jar File Name: hibernate2.jar
Provider Web Site: <http://www.hibernate.org/>

Software Provider: IBM
Software Name: com.ibm.jvm.classloader
Software Version:
Jar File Name: ibmext.jar
Provider Web Site: www.ibm.com

Software Provider: Apache Software Foundation
Software Name: Jakarta Regexp
Software Version: n/a
Jar File Name: jakarta-regexp.jar
Provider Web Site: <http://jakarta.apache.org/regexp/>

Software Provider: JDOM.org
Software Name: JDOM
Software Version: 1.0beta9
Jar File Name: jdom.jar
Provider Web Site: <http://www.jdom.org/>

Software Provider: ObjectWeb
Software Name: JOTM
Software Version: 1.4.1
Jar File Name: jotm.jar
Provider Web Site: <http://www.objectweb.org/>

Software Provider: Apache Software Foundation
Software Name: org/apache/log4j/
Software Version: 1.2.13
Jar File Name: log4j.jar
Provider Web Site: <http://logging.apache.org/log4j/docs/>

Software Provider: JGoodies Karsten Lentzsch
Software Name: JGoodies Looks
Software Version: 1.1.3
Jar File Name: looks-1.1.3.jar
Provider Web Site: <http://www.jgoodies.com/freeware/looks/index.html>

Software Provider: P6Spy
Software Name: P6Spy
Software Version: n/a
Jar File Name: p6spy.jar
Provider Web Site: <http://www.p6spy.com/>

Software Provider: Manfred Duchrow Consulting & Software
Software Name: Programmer's Friend Java Libraries
Software Version: 2.2
Jar File Name: pf.jar
Provider Web Site: <http://www.programmers-friend.org/>

Software Provider: Manfred Duchrow Consulting & Software
Software Name: Programmer's Friend Java Object Inspector
Software Version: 2.0
Jar File Name: pf-joi-full.jar
Provider Web Site: <http://www.programmers-friend.org/>

Software Provider: IBM Corp.
Software Name: adapter
Software Version: 5.0
Jar File Name: rsadapterspi.jar
Provider Web Site: www.ibm.com

Software Provider: IBM Corp.
Software Name: adapter
Software Version: 5.0
Jar File Name: rsaexternal.jar
Provider Web Site: www.ibm.com

Software Provider: Apache Software Foundation
Software Name: Apache Xerces
Software Version: n/a
Jar File Name: xerces.jar
Provider Web Site: <http://xerces.apache.org/>

Introduction

Overview – What Is RPM?

RPM is a pricing and promotions execution system. RPM's functionality includes the definition, maintenance, and review of price changes, clearances and promotions. The system's capabilities range from simple item price changes at a single location to complex buy/get promotions across zones.

RPM contains three primary pricing execution dialogs for creating and maintaining regular price changes, clearances, and promotions. Although each of the three pricing activities is unique, the system displays these dialogs using a common look and feel. Each of these dialogs uses the conflict checking engine which leverages RPM's future retail table.

The future retail table provides a forward looking view of all pending approved pricing events affecting an item at a given location.

RPM pricing events are defined against the zone structure. The zone structure represents groups of locations organized to support a retailers pricing strategy. RPM allows the user to break out of the zone structure and create location level events as needed.

RPM supports the definition and application of price guides to these pricing events. Price guides allow the retailer to smooth retails and provide ends in logic to derive a final consumer price.

The system also supports area differential pricing strategies for regular retail price changes. This functionality allows a retailer to define pricing relationships that ease pricing maintenance across the organization.

Backend System Administration and Configuration

This chapter of the operations guide is intended for administrators who provide support and monitor the running system.

The content in this chapter is not procedural, but is meant to provide descriptive overviews of the key system parameters.

Supported Environments

See the RPM Installation Guide for information about requirements for the following:

- RDBMS operating system
- RDBMS version
- Middle tier server operating system
- Middle tier
- Compiler

Exception Handling

The two primary types of exceptions within the RPM system are the following:

- System exceptions
For example, server connection and/or database issues are system exceptions. System exceptions can bring the system to a halt. For example, the connection to the server is lost.
- Business exceptions
This exception indicates that a business rule has been violated. Most exceptions that arise in the system are business exceptions. For example, a user tries to approve a price change that causes a negative retail.

Configuration Files

Key system configuration parameters are described in this section. Many parameters have been omitted from this section that retailers should not have to change. When retailers install RPM into an environment, they must update these values to their specific settings.

rpm.jnlp

The Java Network Launching Protocol (JNLP) launch file is an XML document for Java Web Start. This file describes various locations of code and dynamically downloads updates. This file includes the web server information that is hosting port(s). This file also includes the RMI port on which the application server communicates. For example, if a retailer were to change a host name or change the port that the web server is running on, the retailer would make applicable changes to this file.

Data Source Configuration in Container

Data source settings for the RPM application in AS10g are kept inside of the ear file deployment. The RPM application installer configures all necessary settings for the data source. To change the data source settings for the RPM application after it has been deployed, you must perform the following steps:

1. Log into the Enterprise Manager web interface and then navigate to the OC4J instance running the RPM application.
2. Click the *Administration* tab.
3. Under *Services*, click *JDBC Resources*.
4. Under *Connection Pools*, click RPM Connection Pool.
5. Make any necessary changes to the JDBC URL, username, and password, and click Apply.
6. If you are changing the schema owner, you must also make this change in the rpm.properties file in the deployment. Log into the UNIX server and change directories to
`<ORACLE_HOME>/j2ee/<rpm_oc4j_instance>/applications/<rpm_app_name>/conf` and modify the rpm.properties file with the new schema_owner value. This value **must** be in all capital letters. Save the file.
7. Restart the OC4J instance running RPM.

rib_user.properties

There must be a rib_user.properties file located in conf/retek. This properties file is used to log on to the system at the beginning of each injector. Any data changes that happen as a result of the RIB has this user listed if users are tracked with regard to create/update/approve actions. The file is populated with the values below. For more information about the RIB, see “Chapter 4 – Integration Methods and Communication Flow” and RIB documentation.

- rib.user=valid user for the system
- rib.password=password for the above user

Configuration for Oracle Retail Service Layer (RSL) with services_rpm.xml

RPM's service factory configuration file, services_rpm.xml, specifies the mapping between RPM's application and its application services interfaces and their associated implementations. Within this file are flavorsets, which are used to configure the ServiceFactory. RSL requires a flavorset of businesslogic, which is used to distinguish the correct implementation of business logic to use for RPM. For more information about RSL, see "Chapter 4 – Integration Methods and Communication Flow."

For example:

```
retex/services_rpm.xml:
<?xml version="1.0" encoding="UTF-8"?>
<services-config>
  <customizations>
    <interface package="com.retek.rsl.rpm">
      <impl package="com.retek.rpm.app.core.service" />
    </interface>
  </customizations>
</services-config>

retex/service_flavors.xml:
<?xml version="1.0" encoding="UTF-8"?>
<services-config>
  <flavors set="businesslogic">
    <flavor name="java"
locator="com.retek.platform.service.SimpleServiceLocator" suffix="Java"/>
  </flavors>
</services-config>
```

RSM-related Configuration File

A configuration file called jndi_providers_rsm.xml is an RPM-configured file that must be present so that the application can communicate with RSM services and other underlying architecture components for authentication and authorization purposes. Beyond installation, a retailer does not have to change the settings in this file. For a general description of RSM, see "Chapter 3 – Technical Architecture" and RSM documentation.

Logging

Jakarta Commons Logging

The API that RPM components work with is built using Jakarta's Commons Logging package. Commons logging provides 'an ultra-thin bridge between different logging libraries', enabling the RPM application to remain reasonably 'pluggable' with respect to different logger implementations. Objects in RPM that require logging functionality maintain a handle to a Log object, which adapts logging requests to the (runtime configurable) logging provider.

In RPM, Log4j is the library under commons logging.

Additional information about Jakarta Commons Logging can be found at the following websites:

- <http://jakarta.apache.org/commons/logging/>
- <http://jakarta.apache.org/commons/logging/api/index.html>

Log4j.xml

The logging mechanism that is used for RPM is log4j.xml, which is the same as the server's flat text log file. This logging mechanism reveals errors and other significant events that occur during the system's runtime processing. In most cases, business exceptions and system exceptions 'rise' to the user interface. If an exception is displayed, it is logged. Log4j.xml is an open source product.

Significant application server logging occurs in RPM that should also be configured and monitored. See applicable application server documentation for more information.

Additional information about log4j can be found at the following website:

- <http://jakarta.apache.org/log4j/docs/index.html>

log4j.xml for RPM is found in the following location:

<ORACLE_HOME>/j2ee/<rpm_oc4j_instance>/applications/<rpm_app_name>/conf/

.

Logging Levels

The level setting established in log4j.xml instructs the system to log that level of error and errors above that level. The logging levels are the following:

- Fatal
- Error
- Warning
- Info
- Debug

Note: In a production environment, the logging setting should be set to Error or Warn, so that system performance is not adversely impacted.

The level is established in the log4j.xml file.

For example:

```
<!-- ===== -->
<!-- Setup the loggers -->
<!-- ===== -->

<logger name="com.retek">
  <level value="ERROR"/>
</logger>
```

Output Files

RPM's logging output is sent to the console, and is thus written to files by the application server. In a default AS10g configuration, the output is written to a file of the format OC4J~<rpm_oc4j_instance>~default_group~1 under <ORACLE_HOME>/opmn/logs. You can also configure the OC4J instance to write logs to a different location (for example: <ORACLE_HOME>/j2ee/<rpm_oc4j_instance>/log), and to roll them according to file size. For instructions related to this procedure, see the OC4J Configuration and Administration Guide.

Hibernate Logging

Hibernate's internal logging setting is established in log4j.xml. The commons-logging service directs output to log4j. To use log4j, the log4j.properties file must be in the classpath. An example properties file is distributed with Hibernate. The class to be logged and the logging level can be specified. For a general description of Hibernate, see "Chapter 3 – Technical Architecture".

For example:

```
!-- ===== -->
<!-- Hibernate trace at this level to log SQL parameters -->
<!-- ===== -->

<logger name="net.sf.hibernate.engine.QueryParameters">
  <level value="TRACE"/>
</logger>
```

Transaction Timeout and Client Inactivity Timeout

This section describes how to establish settings for a transaction timeout. A transaction timeout is the maximum duration, in seconds, for transactions on the application server. Any transaction that is not requested to complete before this timeout is rolled back.

To set up these timeouts, please follow these steps:

1. Log into the Enterprise Manager web interface and then navigate to the OC4J instance running the RPM application.
2. Click on the *Administration* tab.
3. Under *Services*, click the *Transaction Manager (JTA)*.
4. Click the *Administration* tab.
5. Under *General*, set the *Transaction Timeout* setting (for example, 600 seconds).

TaskMDB

TaskMDB is a message driven bean used to facilitate RPM's asynchronous processing capability. Message driven beans act as listeners to specified queues for messages. As soon as a message arrives in the queue, the container triggers execution of this bean.

When a background task is created by RPM, a message is published to the queue as a trigger to start processing of tasks.

By default, publishing is always on. However, to turn off the publishing of tasks to the queue, set the system property "task.publish" to "false".

The jndi names for queueName and ConnectionFactory are specified in retek/system.properties.

EJBs Used by TaskMDB

com.retek.platform.app.taskengine.service.impl.TaskEngineServiceEjb

Tables Used by TaskMDB

- TASK
Current, past, and pending tasks to be executed.
- TASK_ALERT_MODE, TASK_STATE
Lookup tables used by the TaskEngineServiceEjb.
- ALERTS, ALERT_RECEIVER, ALERT_STATUS, ALERT_STATUS_DSC
Tables used for sending alerts to users about task status.

Simplified RPM

In order to satisfy the needs of clients who want a less complex version of RPM and the lower costs of ownership associated with it, a simplified version of RPM is offered.

The simplified version of RPM has the amount of functionality it offers limited by the security settings in RSM (which is established at the time of installation).

Simplified RPM is configured through RSM seed scripts. Running the simplified version of the RSM seed scripts will populate the `named_permission` and `named_permission_dsc` tables with only the tasks that are available for Simplified RPM. Only those tasks are then available within RSM when assigning task permissions to roles. The configuration of the security settings is determined by install scripts that are available with the RSM installation:

- `RSM_RPM_SE_named_permission.sql` – This script defines the named permissions and actions associated with them for RSM. This script should be run when simplified RPM is installed.
- `RSM_RPM_named_permission.sql` – This script defines the named permissions and actions associated with them for RSM. This script should be run in addition to the `RSM_RPM_SE_named_permission.sql` script when a client is using enterprise RPM.
- `RSM_RPM_SE_named_permission_dsc.sql` – This set of scripts defines the named permission descriptions and the language settings for the named permissions. These scripts should be run when simplified RPM is installed. There is one script for each supported language. They are named “`RSM_RPM_SE_named_permission_dsc_*.sql`” where * is the language code with an optional country code.
- `RSM_RPM_named_permission_dsc.sql` – This set of scripts defines the named permission descriptions and the language settings for the named permissions. These scripts should be run in addition to the `RSM_RPM_SE_named_permission_dsc.sql` scripts when enterprise RPM is installed. There is one script for each supported language. They are named “`RSM_RPM_named_permission_dsc_*.sql`” where * is the language code with an optional country code.

The functionality offered by both versions of RPM is outlined below:

- System Options
- Foundation
- Link Codes
- Zone Structure
- Price Guides
- Price Changes
- Clearances
- Promotion Events
- Promotions
- Promotion Threshold
- Promotion Constraints
- Vendor Funding Defaults
- Conflict Checking Results
- Price Inquiry

Enhanced Pricing Functionality

This functionality is NOT available in simplified RPM:

- Pricing Strategies
- Worksheets
- Candidate Rules
- Calendars
- Market Basket Codes
- Aggregation Level

Simplified RPM Batch Program Notes

When Simplified RPM is enabled (RPM Simplified Indicator is enabled) then the following batch programs need to be turned off from the integrated batch schedule.

- PriceStrategyCalendarBatch
- WorksheetAutoApproveBatch
- MerchExtractKickOffBatch

Configuring RPM without the RIB

RPM integrates with RMS through the RIB. Since both RPM and RMS reside on the same database, the RIB integration may not be necessary for all clients. Therefore, the client can configure their system to either use the RIB or by-pass the RIB for RMS/RPM integration, depending on the value of the RPM_RIB_IND ('N' for the No-RIB configuration; 'Y' otherwise) parameter from the system_options table. See the RMS Installation Guide for additional information on setting the value of the system_options table.

Note: It is assumed that RibForRPM is not installed and does not need to be configured to stop processing incoming RIB messages from RMS.

1. Log into the UNIX server as the user who has write access under ORACLE_HOME.
2. Change directories to <ORACLE_HOME>/opmn/conf.
3. Make a backup of opmn.xml and then edit the file. Locate the process-type element for the OC4J instance running the RPM application.
4. Under the process-type, under start-parameters -> java-options, add the following value:

-Dretek.no.rib=true

For example:

```
<process-type id="rpm-oc4j-instance" module-id="OC4J" status="enabled">
  <module-data>
    <category id="start-parameters">
      <data id="java-options" value="-Dretek.no.rib=true ...
```

5. To publish price events using the Publish/Export batches, add the following property/value to rpm.properties on the server:
- delete_staged_rib_payloads=false

6. The following triggers need to be **enabled** so that data will be written to the staging table for RMS-RPM integration:

- RMS_TABLE_RPM_DEP_BIR (on DEPS table)
- RMS_TABLE_RPM_ITL_BIR (on ITEM_LOC table)

They can be enabled with the following syntax:

```
ALTER TRIGGER [schema.]trigger ENABLE
```

Configurable RIB Batch Program Notes

When the RIB is used for exchanging all messages between RMS and RPM, then the following batch programs need to be turned off from the integrated batch schedule.

- NewItemLocBatch
- ItemLocDeleteBatch

Disabling RIB Publishing in RPM

The steps below describe how a retailer can disable RIB publishing in RPM. One reason for this procedure is that a retailer may wish to run a test but not want results published to the RIB. For more information about the RIB, see “Chapter 4 – Integration Methods and Communication Flow” and RIB documentation.

1. Log into the UNIX server as the user who has write access under ORACLE_HOME.
2. Change directories to <ORACLE_HOME>/opmn/conf.
3. Make a backup of opmn.xml and then edit the file. Locate the process-type element for the OC4J instance running the RPM application.
4. Under the process-type, under start-parameters -> java-options, add the following value:

```
-Dretek.no.rib=true
```

For example:

```
<process-type id="rpm-oc4j-instance" module-id="OC4J" status="enabled">
  <module-data>
    <category id="start-parameters">
      <data id="java-options" value="-Dretek.no.rib=true ...
```

5. Save opmn.xml
6. Reload OPMN and restart the OC4J instance running the RPM application.

For example:

```
$ORACLE_HOME/opmn/bin/opmnctl reload
$ORACLE_HOME/opmn/bin/opmnctl restartproc process-type=rpm-oc4j-instance
```

Internationalization

RPM has been internationalized to handle multiple languages in the same instance. That is, the technical infrastructure of RPM supports languages other than English.

An application that can run in various languages must be transformed into somewhat of a 'generic' product. That is, the features of the application that could be specific to just one language or locale (such as text, date formatting and so on) must not be hard-coded into the software. Instead, locale-specific information is intentionally placed in files external to the application. The content of these files is interface related, as distinct from executable code.

The text in the .properties files below is translated so that the interface functions in local settings. When a country code other than the default is used, the retailer populates the _xx.properties files below, where the retailer's applicable country equals xx. Much of what is locale specific in RPM has been pulled out of the code and placed into the following files.

- messages.properties and messages_xx.properties
- resources.properties and resources_xx.properties
- codes.properties and codes_xx.properties
- application_definition_rpm_messages.properties (contains labels that are displayed in the RSM GUI for data security setup)
- worksheet_column_names.properties and worksheet_column_names_xx.properties (contains the labels from the worksheet details table's columns)

As shown below, the properties files can be found in rpm_client_properties.jar and rpm_server_properties.jar.

- rpm_client_properties.jar
 - rpm11-ui/src/com/retex/rpm/gui/Resources.properties
 - rpm11-ui/src/com/retex/rpm/gui/worksheet/Worksheet_column_names.properties
- rpm_server_properties.jar
 - rpm11-server/conf/retex/messages.properties
 - rpm11-server/conf/retex/codes.properties
 - rpm11-server/conf/retex/application_definition_rpm_messages.properties

RPM resides on platform code that has its own resource bundles. They are in the platform-resources.jar file. The fully-qualified names of the resources are the following:

- com.retek.platform.client.Resources.properties, default (US English)
- com.retek.platform.client.Resources_de.properties, German (Germany)
- com.retek.platform.client.Resources_en_AU.properties, English, Australia
- com.retek.platform.client.Resources_es.properties, Spanish (Spain)
- com.retek.platform.client.Resources_fr.properties, French (France)
- com.retek.platform.client.Resources_ja.properties, Japanese
- com.retek.platform.client.Resources_ko.properties, Korean
- com.retek.platform.client.Resources_pt.properties, Portuguese (Brazil)
- com.retek.platform.client.Resources_zh_CN.properties, Simplified Chinese
- com.retek.platform.client.Resources_zh_TW.properties, Traditional Chinese

- `com.retek.platform.nonclient.Resources.properties`, default (US English)
- `com.retek.platform.nonclient.Resources_de.properties`, German (Germany)
- `com.retek.platform.nonclient.Resources_es.properties`, Spanish (Spain)
- `com.retek.platform.nonclient.Resources_fr.properties`, French (France)
- `com.retek.platform.nonclient.Resources_ja.properties`, Japanese
- `com.retek.platform.nonclient.Resources_ko.properties`, Korean
- `com.retek.platform.nonclient.Resources_pt.properties`, Portuguese (Brazil)
- `com.retek.platform.nonclient.Resources_zh_CN.properties`, Simplified Chinese
- `com.retek.platform.nonclient.Resources_zh_TW.properties`, Traditional Chinese

Translation

Translation is the process of interpreting and adapting text from one language into another. Although the code itself is not translated, components of the application that are translated include the following, among others:

- Graphical user interface (GUI)
- Online help
- Some print documentation
- Error messages

Set the Client Operating System to the Applicable Locale

For a client machine to leverage internationalization, you should set the client machine's operating system to the appropriate locale. Below is the procedure for setting a Microsoft Windows XP OS to a particular language. For other operating systems, please consult the operating system's guide.

Note: You must install the required language according to Microsoft's instructions before setting regional and language options.

1. From the Control Panel, select Regional and Language Options. The Regional and Language Options window appears.
2. Select the Advanced tab.
3. Select the required language from the Language version of the non-Unicode programs drop-down field.
4. Click **Apply**.
5. Click **OK**. A dialog appears informing you that the required files are installed on your hard disk.
6. Click **Yes**. You are prompted to restart your computer.
7. Click **Yes**.

Price Management Status Page

Because RPM is dependent upon a number of servers, and a number of Oracle Retail products are dependent on RPM, a status page helps the retailer determine quickly whether RPM and the servers upon which it depends are up and running correctly. The privileges to this page can be set in Oracle Retail Security Manager and these privileges are typically reserved for administrators. The status page application displays the answers to the following questions:

- Is the RPM/RMS_Database up and running?
- Is the RPM JMS Server up and running?
- Is RSM up and running?
- Can the application get access to the RPM service?
- Can the application log in to RPM?
- Can RPM data be retrieved?
- Can RMS data be retrieved?
- Is the application able to publish to RIB each message type?

Sample Output

The text below represents a sample output. The example represents a case in which the questions above have all been answered in the affirmative.

Classpath ...

```
../lib/argus.jar:../lib/bootstrap.jar:../lib/castor-0.9.5.2.jar:../lib/commons-beanutils-bean-collections.jar:../lib/commons-beanutils-core.jar:../lib/commons-collections.jar:../lib/commons-lang.jar:../lib/commons-logging.jar:../lib/ecutils.jar:../lib/ffdc.jar:../lib/foxtrot.jar:../lib/fsm.jar:../lib/ibmext.jar:../lib/ibmorb.jar:../lib/idl.jar:../lib/iwsorb.jar:../lib/iwsorbutil.jar:../lib/j2ee.jar:../lib/jdom.jar:../lib/jtaPrivate.jar:../lib/jtsPrivate.jar:../lib/lmproxy.jar:../lib/log4j.jar:../lib/messagechannel.jar:../lib/naming.jar:../lib/namingclient.jar:../lib/oc4jclient.jar:../lib/ons.jar:../lib/opmnconfig.jar:../lib/optic.jar:../lib/placeholder.txt:../lib/platform-api.jar:../lib/platform-client.jar:../lib/platform-common.jar:../lib/platform-conf.jar:../lib/platform-resources.jar:../lib/platform-server.jar:../lib/pvxTable.jar:../lib/ras.jar:../lib/repositorycheck.jar:../lib/retek-payload-typed.jar:../lib/retek-rib-support.jar:../lib/rpm12-api.jar:../lib/rpm12-ui.jar:../lib/rpm12.jar:../lib/rpm_client_config.jar:../lib/rpm_client_properties.jar:../lib/rpm_server_properties.jar:../lib/rsm11-external-api.jar:../lib/sas.jar:../lib/txClient.jar:../lib/txClientPrivate.jar:../lib/utils.jar:../lib/wasprops.jar:../lib/wlmclient.jar:../lib/wse-exception.jar:../lib/xerces.jar
```

```

/usr/java14/jre/bin/java -Xmx512M -Xms128m -classpath
../lib/argus.jar:../lib/bootstrap.jar:../lib/castor-
0.9.5.2.jar:../lib/commons-beanutils-bean-
collections.jar:../lib/commons-beanutils-core.jar:../lib/commons-
collections.jar:../lib/commons-lang.jar:../lib/commons-
logging.jar:../lib/ecutils.jar:../lib/ffdc.jar:../lib/foxtrot.jar:../
lib/fsm.jar:../lib/ibmext.jar:../lib/ibmorb.jar:../lib/idl.jar:../lib
/iwsorb.jar:../lib/iwsorbutil.jar:../lib/j2ee.jar:../lib/jdom.jar:../
lib/jtaPrivate.jar:../lib/jtsPrivate.jar:../lib/lmproxy.jar:../lib/lo
g4j.jar:../lib/messagechannel.jar:../lib/naming.jar:../lib/namingclie
nt.jar:../lib/oc4jclient.jar:../lib/ons.jar:../lib/opmnconfig.jar:../
lib/optic.jar:../lib/placeholder.txt:../lib/platform-
api.jar:../lib/platform-client.jar:../lib/platform-
common.jar:../lib/platform-conf.jar:../lib/platform-
resources.jar:../lib/platform-
server.jar:../lib/pvxTable.jar:../lib/ras.jar:../lib/repositorycheck.
jar:../lib/retek-payload-typed.jar:../lib/retek-rib-
support.jar:../lib/rpm12-api.jar:../lib/rpm12-
ui.jar:../lib/rpm12.jar:../lib/rpm_client_config.jar:../lib/rpm_clien
t_properties.jar:../lib/rpm_server_properties.jar:../lib/rsm11-
external-
api.jar:../lib/sas.jar:../lib/txCClient.jar:../lib/txCClientPrivate.jar
:../lib/utils.jar:../lib/wasprops.jar:../lib/wlmclient.jar:../lib/wse
xception.jar:../lib/xerces.jar:../conf -
Djava.naming.provider.url=opmn:ormi://mspdev40.us.oracle.com:6006:rpm
oasint1/rpm12 -Djava.security.auth.login.config=jaas_client.conf -
Djavax.rmi.CORBA.UtilClass=com.ibm.ws.orb.WSUtilDelegateImpl -
Djava.naming.factory.initial=oracle.j2ee.rmi.RMIInitialContextFactory
com.retek.rpm.statuspage.StatusPageCommandLineApplication retek
alain.frecon

```

```
Started.
16:26:42,883 INFO [RpmBatch] Authenticating user: userName =
    alain.frecon
The following RpmRibMessageStatusException is normal.
We need to throw an exception to ensure that the test messages are rolled
back.
16:26:45,816 ERROR [ServiceAccessor] InvocationTargetException received
on a service call...
java.lang.reflect.InvocationTargetException
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at
    sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.
    java:85)
    at
    sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.
    java:58)
    at
    sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAcces
    sorImpl.java:60)
    at java.lang.reflect.Method.invoke(Method.java:Compiled Code))
    at
    org.apache.commons.beanutils.MethodUtils.invokeMethod(MethodUtils.jav
    a:216)
    at
    com.retek.platform.service.ServiceAccessor.callRemoteMethod(ServiceAc
    cessor.java:300)
    at
    com.retek.platform.service.ServiceAccessor.remoteTransaction(ServiceA
    ccessor.java:485)
    at
    com.retek.platform.service.ServiceAccessorProxy.invoke(ServiceAccesso
    rProxy.java:51)
    at $Proxy4.performRibMessageCheck(Unknown Source)
    at
    com.retek.rpm.statuspage.RpmRibMessageCheck.execute(RpmRibMessageChec
    k.java:24)
    at
    com.retek.rpm.statuspage.StatusPageCheck.runTest(StatusPageCheck.java
    :16)
    at
    com.retek.rpm.statuspage.StatusPageProcessor.execute(StatusPageProces
    sor.java:11)
    at
    com.retek.rpm.statuspage.StatusPageCommandLineApplication.performActi
    on(StatusPageCommandLineApplication.java:27)
    at
    com.retek.rpm.statuspage.StatusPageCommandLineApplication.main(Status
    PageCommandLineApplication.java:16)
```

Caused by:

```
<com.retek.rpm.app.statuspage.service.RpmRibMessageStatusException>
<message>
  No cause associated
</message>
</com.retek.rpm.app.statuspage.service.RpmRibMessageStatusException>
```

```

    at
com.evermind.server.rmi.RMICall.EXCEPTION_ORIGINATES_FROM_THE_REMOTE_
SERVER(RMICall.java:110)
    at
com.evermind.server.rmi.RMICall.throwRecordedException(RMICall.java:1
28)
    at
com.evermind.server.rmi.RMIClientConnection.obtainRemoteMethodRespons
e(RMIClientConnection.java:470)
    at
com.evermind.server.rmi.RMIClientConnection.invokeMethod(RMIClientCon
nection.java:414)
    at
com.evermind.server.rmi.RemoteInvocationHandler.invoke(RemoteInvocati
onHandler.java:63)
    at
com.evermind.server.rmi.RecoverableRemoteInvocationHandler.invoke(Rec
overableRemoteInvocationHandler.java:28)
    at
com.evermind.server.ejb.StatelessSessionRemoteInvocationHandler.invok
e(StatelessSessionRemoteInvocationHandler.java:43)
    at __Proxy5.executeCommand(Unknown Source)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.
java:85)
    at
sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.
java:58)
    at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAcces
sorImpl.java:60)
    at java.lang.reflect.Method.invoke(Method.java(Compiled Code))
    at
com.retek.platform.util.ForwardingProxy.invoke(ForwardingProxy.java:2
52)
    at
com.retek.platform.util.ForwardingProxy.invoke(ForwardingProxy.java:1
94)
    at
com.retek.platform.service.EjbServiceLocator$ServiceToEjbAdaptor.invo
ke(EjbServiceLocator.java:316)
    at $Proxy3.executeCommand(Unknown Source)
    ... 15 more

```

Starting Report

```
com.retek.rpm.statuspage.RsmServerCheck Passed
com.retek.rpm.statuspage.RpmLoginCheck Passed
com.retek.rpm.statuspage.RpmDataAccessCheck Passed
com.retek.rpm.statuspage.RpmRibMessageCheck Passed REGPRCCHG.REGPRCCHGCRE
is ON
com.retek.rpm.statuspage.RpmRibMessageCheck Passed REGPRCCHG.REGPRCCHGMOD
is ON
com.retek.rpm.statuspage.RpmRibMessageCheck Passed REGPRCCHG.REGPRCCHGDEL
is ON
com.retek.rpm.statuspage.RpmRibMessageCheck Passed CLRPRCCHG.CLRPRCCHGCRE
is ON
com.retek.rpm.statuspage.RpmRibMessageCheck Passed CLRPRCCHG.CLRPRCCHGMOD
is ON
com.retek.rpm.statuspage.RpmRibMessageCheck Passed CLRPRCCHG.CLRPRCCHGDEL
is ON
com.retek.rpm.statuspage.RpmRibMessageCheck Passed PRMPRCCHG.PRMPRCCHGCRE
is ON
com.retek.rpm.statuspage.RpmRibMessageCheck Passed PRMPRCCHG.PRMPRCCHGMOD
is ON
com.retek.rpm.statuspage.RpmRibMessageCheck Passed PRMPRCCHG.PRMPRCCHGDEL
is ON
RpmJmsServerCheck Passed
Done.
```

Technical Architecture

This chapter describes the overall software architecture for RPM. The chapter provides a high-level discussion of the general structure of the system, including the various layers of Java code. From the content, integrators can learn both about the pieces of the system and how they interact.

A description of RPM-related Java terms and standards is provided for your reference at the end of this chapter.

Overview

RPM's architecture is built upon a layered model. That is, layers of the application communicate with one another through an established hierarchy and are only able to communicate with neighboring layers. Any given layer need not be concerned with the internal functional tasks of any other layer.


Conceptually, RPM's J2EE architecture is built upon 4-layers and implements what is defined as a service-oriented architecture. Such an architecture is essentially a collection of services that pass data, perform business processing, coordinate system activities, and render data into abstract objects. Defined in the abstract, a service is a function that is well-defined, self-contained, and does not depend on the context or state of other services within the system.

The application's layered Java architecture has the following advantages, among others:

- The separation of presentation, business logic, and data makes the software cleaner, more maintainable, and easier to modify.
- The look and feel of the application can be updated more easily because the GUI is not tightly coupled to the backend.
- Java applications have enhanced portability which means the application is not 'locked' into a single platform. Upgrades are easier to implement, and hardware is easier to change.
- Logic is implemented using Java objects within a core services layer that is designed around proven architecture concepts.

The Layered Model

The following diagram, together with the explanations that follow, offer a high-level conceptual view of RPM's service-oriented architecture. The diagram highlights the separation of layers as well as their responsibilities within the overall architecture. Key areas of the diagram are described in more detail in the sections that follow.



RPM's technical architecture

Client

The application's client layer is comprised both of the GUI and interfaces. The GUI is responsible for presenting data to the user and for receiving data directly from the user through the 'front end'. The GUI was developed using a Java Swing framework, which is a toolkit for creating rich presentation in Java applications. A design library defines look and feel issues.

The Oracle Retail Service Layer (RSL) and batch processing interfaces also behave as clients to the application. They are interface points that interact with the system's application services layer.

For more information about how RSL integrates with RPM, see "Chapter 4 – Integration Methods and Communication Flow" For more information about batch processing, see "Chapter 6 – Java and RETL Batch Processes."

Application Services Layer (Stateless Session Beans)

Application services are designed to provide specific services and specific data requirements to a particular client. What application services a client calls depends upon its needs and the data formats it has. Application services are concerned with somewhat narrow processes. Not surprisingly, the names of application services often correspond to client-related processes.

The application services layer of RPM's architecture implements the enterprise Java bean (EJB) type called stateless session beans (SSB). An SSB is a type of EJB that provides stateless service to a client. For example, a stateless session bean could be designed for the GUI. The application services reside on the server side of the process boundary (also known as the remote call boundary).

The application-specific services layer provides an interface between a particular client and the adjacent core services layer. To solve a business problem, application services call one or more core services. (Note that application services could also call other application services. For example, one application service has a large granularity and needs another one to perform minor grain transformations, and so on.)

An important way that application services accept incoming data from a client is via value objects and/or payloads. A 'value object' is a data holder in a highly flat form (similar to a bean). Value objects facilitate improved system performance. For example, from the GUI, the value object data only has to be what is needed by an applicable screen or set of screens. A 'payload' holds the data that satisfies the needs of the applicable interface (RSL, for example).

The application services layer's primary function is to facilitate the conversion of value objects/payloads to business objects and business objects to value objects/payloads which are required by the adjacent layers. The value objects/payloads accepted from and returned to the application services layer are nothing more than data-centric classes which encapsulate closely related items. Value objects/payloads are used to provide a quick and lightweight method to transfer flat data items. The value objects/payloads passed between the application services layer and the application services layer contain very little, if any, data processing logic and in the context of the RPM are used solely to transfer data.

The application services depend upon both core services and business objects, translating back and forth between input from the client and business objects in the core services layer. The application services call the applicable core service at the applicable time.

Core Services Layer

This layer consists of a collection of separate and distinct services that encapsulate the RPM application's core business logic. Core services are 'core' in the sense that they work with the business object model, and they contain the business object rules for the application. Unlike application services, core services make no presumptions about how they might be used. In other words, core services contain generic views of business functionality as opposed to a narrow application service process.

Residing very close to the core services, business objects represent business problems. Business objects contain behaviors. For example, they perform validation and guard themselves from being used improperly. To ensure the atomicity, consistency, isolation, and durability (ACID) properties of state transitions, RPM implements some business logic using a state machine (a workflow engine). Each object that has a lifecycle has a state machine, which describes the object's lifecycle.

Sometimes core services drive processes with business objects, but more often, core services are responsible for finding the business objects and sending them back to the persistence layer. The core services layer is thus responsible for managing object persistence by interacting with the data access objects residing in the supporting persistence layer.

To summarize, the core service layer consists of a collection of Java classes that implement an application's business related logic via one or more high-level methods. The core services represent all logical tasks that can be performed on an application's business objects.

Persistence Layer

RPM uses Hibernate, an object/relational persistence and query service for Java. This object-relational framework provides the ability to map business objects residing in the core services layer to relational tables contained within the data store.

Conceptually, Hibernate encompasses most of the persistence layer. Hibernate interacts with core services by passing/accepting business objects to/from the core services layer. Internally, Hibernate manages the conversion of RPM's business object to relational data elements required by the supporting relational database management system (RDMS).

For information about Hibernate-related logging, see "Chapter 2 – Backend System Administration and Configuration."

Database Layer

The database tier is the application's storage platform, containing the physical data used throughout the application. The system is designed to include two RDMS datasources, RPM and RMS.

Security

The RSM application provides basic authorization and authentication functionality during user login. To perform authentication, RPM has a set of APIs that calls the API tier within Oracle Retail Security Manager (RSM). Using a remote EJB call, objects in RPM 'talk' with objects in RSM using Internet Inter-ORB Protocol (IIOP). See the RSM Operations Guide for information about how it performs authentication using Light Directory Access Protocol (LDAP) and a third-party directory server.

Asynchronous Processing

Conflict checking is done in RPM to ensure that rules are followed in order to avert potential pricing problems. Examples of conflict checks include ensuring that a given item/location does not have more than one retail value assigned for a given date, and ensuring that parameters of regular price change, clearance, and/or promotions are not causing the retail value of the item/location to go below zero.

The conflict check process in RPM can be either a synchronous or an asynchronous process. If processing is synchronous, it can be kicked off by itself or as part of another action, (for example, approving a price change), but it always blocks the user while it runs. When conflict checking is set as asynchronous, it is a mechanism by which applications can execute long running operations in the background while allowing work to be done simultaneously.

Three system options have been introduced in the RPM application to allow the choice of either synchronous or asynchronous processing during conflict checking. They are as follows:

- Price Changes/Clearances
- Promotions
- Worksheet

Note: By selecting any of the above options, you enable asynchronous conflict checking for that functional area.

Synchronous as Opposed to Asynchronous Processing

When conflict checking is performed *synchronously*, the system performs conflict checks immediately when the Conflict Check option is selected from the Price Change, Promotions, or Clearances workspaces. It also is performed when state changes occur that require conflict check. The system displays a pop-up dialog showing the conflicts whenever they are found.

Conflict checking is always done synchronously in the following situations:

- RSL calls
- RIB calls
- Location Move Batch
- Auto-generated price changes

When conflict checking is done *asynchronously*, the conflict check processing happens in a background task or when the system is not busy performing other tasks. You receive an alert once conflict checking is done.

The Conflict Check Results workspace allows you to review the results of background conflict checking for worksheets, price changes, promotions, and clearances. An alert appears in the Conflict column of the worksheet, price change, promotion, or clearance maintenance pane when conflict checking is complete. See the RPM User Guide for instructions on how to view the results of background conflict checking.

Conflict checking for location move scheduling is expected to operate on extremely large volume of data. It is not acceptable for the user to wait long periods of time for the processing of their request. Thus, conflict checking for location move scheduling is always done asynchronously.

Constraints are performed asynchronously at the same time as the conflict check. When you execute an action that kicks off a conflict check, you indicate whether you want constraints checked. If constraints are checked, they are handled just like conflict check errors.

Asynchronous Processing Flow

1. The client requests the application server to perform a process on a business object or set of business objects.
2. The server's application service layer extracts information about the request (type of business object, identifying ID, and requested action).
3. When RPM determines that a task is eligible for asynchronous processing:
 - A JMS message is published to the queue that contains specific information about the task.
 - A record is inserted into the TASK table. The task-specific information about the task is persisted as a Blob in the table. This task-specific information is a Java object that, when read from the database, is capable of calling an RPM application service to perform asynchronous processing and generate an alert when the processing is completed.
4. As soon as a message arrives in the queue, the container triggers execution of the TaskMDB. TaskMDB is a message driven bean used to facilitate RPM's asynchronous processing capability. Message Driven Beans acts as listeners to specified queues for messages.
5. The task passes information to the application service layer.
6. The application service layer performs a state transition on the requested business object (for example, approving a particular price change) based on the information passed by the task.
7. The results of this transition (for example, success or failure messages, conflict details) are recorded in the RPM_CONFLICT_CHECK_RESULT table.
8. The application service inserts a record into the ALERT table.
9. The client periodically polls the Alerts application service which looks for new alerts in the ALERTS table.

RPM Cached Objects

RPM can cache objects within the server in order to reduce repeated creation and loading of frequently accessed information from the database. This strategy helps in reducing database access latency and bottlenecks. The object caches are accessible across requests and users and are configured to be refreshed at configurable time intervals.

RPM caches certain types of business objects and database query results. The business objects that RPM caches are those that are frequently accessed but infrequently changed. RPM sets a cache for each of the following business objects:

- System Date (VDATE)
- System Options
- System Defaults
- Divisions
- Groups
- Departments
- Districts
- Stores
- Warehouses
- Suppliers
- Partners
- Dynamic Codes
- Units Of Measure
- Zone Groups
- Zones
- Differentiators
- Differentiator Types
- Reference Items
- Class Hierarchies
- Subclasses
- Deal Status Codes
- Deal Type Codes

RPM also caches results from non-parameterized database queries. Non-parameterized database queries usually happen when RPM needs data that are not of specific criteria. An example would be to retrieve all clearance information for the Clearance Workflow. In contrast, parameterized database queries retrieve data that fall under a specific criteria such as retrieving all clearances affecting a given location.

RPM uses an open-source product called **EHCache** as a caching framework. **EHCache** features both memory and disk cache storage options and flexible configuration. Further information about this framework can be found at <http://ehcache.sourceforge.net/>.

With the exception of the Virtual System Date, the cache for business objects and database query results are configured as follows:

- RPM can store in the memory cache up to 10,000 instances within a business object cache and 10,000 database query result sets. If there are more than 10,000 elements to be stored, the overflow is stored onto disk.

- A cache is refreshed if they have not been accessed for 3600 seconds.

The Virtual System Date (VDATE) differs in configuration in such a way that there is only one instance of a VDATE within its cache and there's no expiration of that instance.

RPM-related Java Terms and Standards

RPM is deployed using the J2EE-related technologies, coding standards, and design patterns defined in this section.

ACID

ACID represents the four properties of every transaction:

- Atomicity: Either all of the operations bundled in the transaction are performed successfully or none of them are performed.
- Consistency: The transaction must leave any and all datastores that are affected by the transaction in a consistent state.
- Isolation: From the application's perspective, the current transaction is independent, in terms of application logic, from all other transactions running concurrently.
- Durability: The transaction's operations against a datastore must persist.

Data access object (DAO)

This design pattern isolates data access and persistence logic. The rest of the component can thus ignore the persistence details (the database type or version, for example).

Java Development Kit (JDK)

Standard Java development tools from Sun Microsystems.

Enterprise Java Beans (EJB)

EJB technology is from Sun. See <http://java.sun.com/products/ejb/>. EJB refers to a specification for a server-side component model. RPM uses stateless, session EJBs, which are stateless and clusterable, and which offer a remotely accessible entry point to an application server.

Enterprise Java Beans (EJB) container

An EJB container is the physical context in which EJBs exist. A container is a physical entity responsible for managing transactions, connection pooling, clustering, and so on. This container manages the execution of enterprise beans for J2EE applications.

J2EE server

The runtime portion of a J2EE product. A J2EE server provides EJB and Web containers.

The Java 2 Enterprise Edition (J2EE)

The Java standard infrastructure for developing and deploying multi-tier applications. Implementations of J2EE provide enterprise-level infrastructure tools that enable such important features as database access, client-server connectivity, distributed transaction management, and security.

Naming conventions in Java

- Packages: The prefix of a unique package name is always written in all-lowercase letters.
- Classes: These descriptive names are unabbreviated nouns that have both lower and upper case letters. The first letter of each internal word is capitalized.
- Interfaces: These descriptive names are unabbreviated nouns that have both lower and upper case letters. The first letter of each internal word is capitalized.
- Methods: Methods begin with a lowercased verb. The first letter of each internal word is capitalized.

Persistence

The protocol for transferring the state of an entity bean between variables and an underlying database.

Remote interface

The client side interface to a service. This interface defines the server-side methods available in the client tier.

Conflict Checking

The major components of Conflict Checking in RPM will be performed by PL/SQL and will be executed on the database server instead of the application server. This addresses performance concerns around this functionality. A number of PL/SQL package files need to be installed on the database.

Integration Methods and Communication Flow

This chapter provides information that addresses how RPM integrates with other systems (including other Oracle Retail systems).

This chapter is divided into the following sections that address RPM's methods of integration:

- Functional dataflow
- Communication flow diagram and explanation
- Oracle Retail Integration Bus (RIB)-based integration
- Oracle Retail Service Layer (RSL)-based integration
- Persistence layer integration

Functional Dataflow


The diagram below details the overall direction of the dataflow among the various systems. The accompanying explanations of this diagram are written from a system-to-system perspective, illustrating the movement of data throughout the RPM-related portion of the enterprise. Note that this discussion focuses on a high-level functional use of data. For a technical description of the dataflow, see the sections later in this chapter.

A Note about the Merchandising System Interface

Many tables and functions within RPM are held in common with the Oracle Retail Merchandising System (RMS). This integration provides the following two important benefits:

- The number of interface points that need to be maintained is minimized.
- The amount of redundant data (required if the rest of the Oracle Retail product suite is installed) is limited.

Integration Interface Dataflow Diagram



RPM-related dataflow across the enterprise

Integration Interface Dataflow Description

From Oracle Retail Allocation to RPM

- Request for future retail price data
This request is based on information provided by Oracle Retail Allocation (for example, item, location, date).

From RPM to Oracle Retail Allocation

- Future retail price data
Oracle Retail Allocation uses this data to provide the user with the future retail price value of the entire allocation (based on its quantities). The future retail price data is stored in RPM and consists of approved pricing events (price change, clearance, promotion) that affect an item/location throughout its pricing life. These future retail price values are retrieved by location, date, and item. RPM provides the retail price, the currency and the price type (regular, clearance, promotion). RPM plans to provide this retail value in the location's currency.

From RPM to RMS

- **Price change approval/execution**
RPM publishes price change approvals to RMS so that RMS can generate a ticket request for the specified item/location. RPM also owns price change execution, which is the process of updating the retail information stored in RMS with the new regular retail prices determined by the regular price change going into effect. RPM processing asks: are there any price changes going into effect tomorrow? If there are, RPM notifies RMS, and RMS updates the retail information with the new regular retail prices. In other words, RMS table updates occur through RMS code.
- **Promotion execution**
RPM processing asks: are there any promotions (for example, 25% of the retail price of an item) going into effect tomorrow or ending today? If there are, RPM notifies RMS, and RMS updates the promotional retail information. In other words, RMS table updates occur through RMS code. The promotion of items is frequently driven by a particular event such as a holiday or the overstock of an item. RPM also provides promotion information to RMS so that RMS can associate promotions to orders and/or transfers.
- **Clearance execution**
Clearances in RPM are a series of markdowns designed to move inventory out of a store. Clearances always result in the price of an item going down. RPM processing asks: if there are any clearances going into effect tomorrow or resetting tomorrow? If there are, RPM notifies RMS, and RMS updates the clearance retail information. In other words, RMS table updates occur through RMS code.

Note: Price changes, clearances, and/or promotions are not applied to item/locations in RMS with a status of 'Deleted'.

- **Initial price data**
Initial retail prices in RMS are derived using various pieces of information stored in RPM. To successfully initially price items in RMS, a primary zone group must be defined in RPM for the merchandise hierarchy assigned to the new item. The primary zone group definition in RPM consists of the following elements:
 - **Primary zone group**
The primary zone group determines the structure that is used to initially price the item. When users access the retail by zone link in RMS, they see an initial price for each zone with the primary zone group.
 - **Markup percent**
The markup percent is the markup applied to the cost of the item.
 - **Markup percent type**
The markup percent type is either cost type or retail type and determines what formula to use when marking up the cost.
 - **Price guides**
Pricing guides are used to help create a uniform pricing strategy. They are used to smooth the proposed retails in order to maintain a consistent set of price points.

From RMS to RPM

There are several instances when RMS must notify RPM of actions that occur within RMS. These actions are as follows:

- **Store/Warehouse creation**
This message is used to notify RPM when stores and/or warehouses are added to RMS. RPM needs the new store/warehouse and its associated pricing location in order to assign the new store/warehouse to the zone structure. The message also contains the currency of the new store/warehouse in the event that the pricing location assigned does not share the same currency as the new store/warehouse.
- **Item/Location creation**
This message is used to notify RPM when a new item/location relationship has been created. RPM processes this message and makes sure that this item/location combination does not have existing future retail records. If the item is sellable, RPM then creates an initial future retail record for this item/location combination along with its retail value. If there are approved promotions/clearances/price changes at the intersection of any level between the merchandise and zone hierarchies, RPM proceeds to attach this new item/location to those price events, and, eventually, as new records in the RPM_FUTURE_RETAIL table.
- **Item modification**
This message is used to notify RPM when there is an item reclassification in RMS. RPM uses this information to update the department, class, and subclass information in the RPM_ITEM_MODIFICATION table. When the next scheduled batch process runs, the RPM_FUTURE_RETAIL table is updated with these new values.
- **Department creation**
This message is used to notify RPM when a new department is created in RMS. RPM creates aggregation level information for the new department using predefined system defaults. The user can modify these values via the Maintain Aggregation Levels workflow.

From RPM to RSM

Note: See the RSM Operations Guide for a discussion of its use of LDAP, 'named permissions' functionality, 'data permissions' functionality, and other RSM operations.

- **User and password data that requires authentication**
RPM sends RSM the user and password data that requires authentication. RSM calls the retailer's LDAP compliant directory service to authenticate username and password data. Once a user is authenticated, RSM creates an encrypted user signature (a ticket).

From RSM to RPM

- Encrypted user signature
The login credentials (user signature) are encrypted because the information is being sent 'over the wire'.
- Names permissions data
This data maps users to roles and roles to specific functionality ('named permissions').
- Data permissions data
RSM administers data level permissions. To facilitate this functionality, any Oracle Retail application utilizing RSM for data level permissions initially populates RSM tables with its hierarchy types (for example, merchandise and location).

From RPM to ReSA

ReSA needs to receive promotion data from RPM and ReSa retrieves this data via the RETL extract program. Included in this data is promotion detail, promotion events, and promotion headers. For more information regarding this, see 'RETL Program Overview for RPM Extractions' in "Chapter 6 – Java and RETL Batch Processes."

From RPM to SIM and from SIM to RPM

RPM publishes information to Retek Store Inventory Management (SIM) to communicate the status of price changes, clearances, and promotions within the application. The messages are published at a transaction item/location level and include the following price change events:

- Price changes
 - RPM publishes approved price changes at the location level and they are published as 'fixed price' price changes, with the price change type and the price guides already applied.
 - RPM publishes price changes that were once approved (published) but are now cancelled/deleted.
 - SIM requests new price changes. RPM checks the submitted price change for conflicts. If the conflict checking is successful, RPM assigns a reason code and price change ID and publishes the approved results. If the conflict checking is unsuccessful, RPM informs SIM of the failure.
 - SIM edits existing price changes. RPM validates the edits to ensure that they do not create conflicts or a negative retail. If conflict checking is successful, approved updates are published. If conflict checking is unsuccessful, RPM publishes a status record relating that the price change was unable to be updated.


- Clearances
 - RPM publishes approved clearance price changes at the location level and they are published as fixed price clearances with the change type and price guides already applied. Clearance changes include a markdown number.
 - RPM publishes the reset when a clearance price changes with a reset date is approved (and therefore the reset date record created).
 - SIM requests a new clearance price change. RPM checks the submitted clearance for conflicts and, if successful, assigns a sequence, reason code and ID and then publishes the approved result. If the conflict checking is unsuccessful, RPM informs SIM of the failure.
 - SIM edits existing clearance price changes. RPM validates the edits to ensure that they do not create conflicts, negative retails, or clearance price raises above the previous clearance retail. Approved updates are published, and SIM is able to implement the clearance. If RPM validation is unsuccessful, RPM informs SIM of the failure.
 - RPM publishes clearances that were once approved (published) but are now cancelled/deleted.
- Promotions
 - RPM publishes approved promotions, including the promotion details. Simple promotions are published with the promotional retail and change type so SIM can apply them to the current regular price or clearance based on the promotion settings. Complex promotions are published with their details, as a specific promotional retail cannot be calculated.
 - SIM creates simple promotions at the item/location level. RPM checks the submitted promotion for conflicts and overlaps. RPM also checks for negative retails to insure that the promo retail is not above the regular retail. Approved promotions are published, and SIM is able to implement the promotion. If RPM validation is unsuccessful, RPM informs SIM of the failure.
 - SIM edits existing simple promotions. RPM validates the edits to ensure they don't create conflicts, negative retails or promotional retails above the regular retail. Approved changes to promotions are published, and SIM is able to implement the changes to the promotion. If RPM validation is unsuccessful, RPM informs SIM of the failure.
 - RPM publishes promotions that were once approved (published) but are now cancelled/deleted.

From RPM to RDW

RDW needs to receive promotion data from RPM, and RDW retrieves this data via the RETL extract program. Included in this data is promotion detail, promotion events, and promotion headers. For more information regarding this, see 'RETL Program Overview for RPM Extractions' in "Chapter 6 – Java and RETL Batch Processes."

Pricing Communication Flow Diagram

Pricing detail is communicated from RPM to other applications through different means. The four primary communication components of pricing information are described in this section. A functional explanation of the data follows the diagram.



Pricing communication flow diagram

Approved Price Events

When a price change, clearance or promotion is approved in RPM, the system publishes those events to the Oracle Retail Integration Bus (RIB). Another application can subscribe to the message in order to pass the pricing event information on to the RIB. RPM also publishes messages when approved events are unapproved. This message informs the other application that the event previously sent will not take place.

Price Events

SIM has the ability to create, modify, or delete price changes, clearances and promotions on a store by store basis. SIM communicates these requests via the Oracle Retail Service Layer (RSL) and RPM runs the requests through conflict checking. If the requests pass conflict checking then they become approved price events. RPM sends a confirmation back to SIM for creation and modification requests, but not deletions. As stated above, the approved price events and details are then communicated via the RIB.

Price Inquiry

Oracle Retail Allocation must know the price of an item is on a given day for a given location. Oracle Retail Allocation usually requests a future date. The requests are communicated to RPM via RSL and processed by RPM from the future retail table. RPM sends back the price information for the requested item/location/date combination.

Promotion Detail


When Oracle Retail Allocation requires promotion detail, it is able to retrieve the data via RMS from RPM. There are two direct package calls involved – Oracle Retail Allocation calling the RMS package, and the RMS package calling an RPM package. This provides Oracle Retail Allocation with the promotional detail beyond what would be provided in a price inquiry request.

RPM and the Oracle Retail Integration Bus (RIB)

The flow diagrams and explanations in this section provide a brief overview of publication and subscription processing. See the latest Oracle Retail Integration documentation for additional information. For information about RIB-related configuration within the RPM application, see the sections 'rib_user.properties' and 'Disabling RIB Publishing in RPM' in "Chapter 2 – Backend System Administration and Configuration".

The XML Message Format


As shown by the diagram below, the messages to which RPM subscribes and which RPM publishes are in an XML format and have their data structure defined by document type definitions (DTDs) or XML schema documents.



Data across the RIB in XML format

Message Publication Processing

As shown by the diagram below, an event within RPM's core service layer (that is, an insert, update, or delete) leads it to write out a payload that is published to the RIB. The RIB engages in polling the JMS queue, searching for the existence of a message. A publishable message that appears on the queue is processed. The RIB is unconcerned about how RPM gets its message to the JMS queue table.




RPM message publication processing

Message Subscription Processing

As shown by the diagram below, based on the message family and the message type, an injector.properties file within RPM knows which injector to instantiate. Note that one injector can handle multiple .dtd messages. The injector ‘injects’ the data into the application’s core service layer, which is configured to act upon and/or validate the data.

Note: Under ordinary runtime conditions, the injector-related properties files shown in the diagram do not have to be modified.



RPM message subscription processing

Publishers Mapping Table

This table illustrates the relationship among the message family, message type and DTD/payload. For additional information, see the latest Oracle Retail Integration documentation.

Family	Type	DTD/Payload
regprcchg	regprcchgcre	RegPrcChgDtl
regprcchg	regprcchgmod	RegPrcChgDtl
regprcchg	regprcchgdel	RegPrcChgDtlRef
clrprcchg	clrprcchgcre	ClrPrcChgDtl
clrprcchg	clrprcchgmod	ClrPrcChgDtl
clrprcchg	clrprcchgdel	ClrPrcChgDtlRef
prmprcchg	prmprcchgcre	PrmPrcChgDtl
prmprcchg	prmprcchgmod	PrmPrcChgDtl
prmprcchg	prmprcchgdel	PrmPrcChgDtlRef

Subscribers Mapping Table

The following table lists the message family and message type name, the document type definition (DTD) that describes the XML message, and the subscribing classes that facilitate the data's entry into the application's core service layer. These classes are described in the code as 'injectors'. For additional information, see the latest Oracle Retail Integration documentation.

Family	Type	DTD/Payload	Injector (subscribing class)
store	storecre	StoreDesc	NewLocationInjector
wh	whcre	WHDesc	NewLocationInjector
itemloc	itemloccre	ItemLocDesc	NewItemLocInjector
merchHier	deptcre	MrchHrDeptDesc	NewDepartmentInjector
items	itemhdrmod	ItemHdrDesc	ItemModificationInjector

Functional Descriptions of Messages

The table below briefly describes the functional role that messages play with regard to RPM functionality. The table also illustrates whether RPM is publishing the message to the RIB or subscribing to the message from the RIB, and the Oracle Retail products that are involved with the RIB integration. For additional information, see the latest RIB documentation.

Functional Area	Subscription/ Publication	Integration to products	Description
Store Creation	Subscribe	RMS	This message is used to notify RPM when stores are added to RMS. RPM needs the new store and its associated pricing location in order to assign the new store to the zone structure. The message also contains the currency of the new store in the event that the pricing location assigned does not share the same currency as the new store.
Warehouse Creation	Subscribe	RMS	This message is used to notify RPM when warehouses are added to RMS. RPM needs the new warehouse and its associated pricing location in order to assign the new warehouse to the zone structure. The message also contains the currency of the new warehouse in the event that the pricing location assigned does not share the same currency as the new warehouse.

Functional Area	Subscription/ Publication	Integration to products	Description
Item/Location Creation	Subscribe	RMS	This message is used to notify RPM when a new item/location relationship has been created. RPM processes this message and makes sure that this item/location combination does not have existing future retail records. If the item is sellable, RPM then creates an initial future retail record for this item/location combination along with its retail value. If there are approved promotions/clearances/price changes at the intersection of any level between the merchandise and zone hierarchies, RPM proceeds to attach this new item/location to those price events, and, eventually, insert new records in the RPM_FUTURE_RETAIL table.
Item Modification	Subscribe	RMS	This message is used to notify RPM when there is an item reclassification in RMS. RPM uses this information to update the department, class, and subclass information in the RPM_ITEM_MODIFICATION table. When the next scheduled batch process runs, the RPM_FUTURE_RETAIL table is updated with these new values.
Department Creation	Subscribe	RMS	This message is used to notify RPM when a new department is created in RMS. RPM creates and sets default aggregation level data for the new department when the message is processed.
Price Change Creation	Publish	RMS, SIM	This message is used by RPM to communicate the approval of a price change within the application. This message is published at a transaction item/location level.
Price Change Modification	Publish	RMS, SIM	This message is used by RPM to communicate the modification of a new retail on an already approved price change. This message is published at a transaction item/location level.

Functional Area	Subscription/ Publication	Integration to products	Description
Price Change Deletion	Publish	RMS, SIM	This message is used by RPM to communicate the deletion (un-approval included) of an already approved price change. This message is published at a transaction item/location level.
Clearance Creation	Publish	SIM	These messages are used by RPM to communicate the approval of a clearance price change within the application. This message is published at a transaction item/location level, and is used by SIM for visibility to the new clearance retail on the effective date for the clearance price change.
Clearance Modification	Publish	SIM	This message is used by RPM to communicate the approval of a new retail on an already approved clearance price change. This message is published at a transaction item/location level. It is used by SIM for visibility to the modified clearance retail on the effective date for the clearance price change.
Clearance Deletion	Publish	SIM	This message is used by RPM to communicate the deletion (un-approval included) of an already approved clearance price change. This message is published at a transaction level/location level, and is used to notify SIM of the deletion of the clearance price change.
Promotion Creation	Publish	SIM	These messages are used by RPM to communicate the approval of a promotion within the application. This message is published at a transaction item/location level, and is used by SIM for visibility to the new promotional retail on the effective date for the promotion.
Promotion Modification	Publish	SIM	This message is used by RPM to communicate the modification of a new retail on an already approved promotion. This message is at a transaction item/location level. It is used by SIM for visibility to the modified promotional retail on the effective date for the the promotion.


Functional Area	Subscription/ Publication	Integration to products	Description
Promotion Deletion	Publish	SIM	This message is used by RPM to communicate the deletion (un-approval included) of an already approved promotion. This message is published at a transaction item/location level, and is used to notify SIM of the deletion of a promotion.

RPM and the Oracle Retail Service Layer (RSL)

RSL is a framework that allows Oracle Retail applications to expose APIs to other Oracle Retail applications. As shown in the diagram below, in RSL terms, there is a 'client application layer' and a 'service provider layer'. RPM includes the 'service provider layer' that owns the business logic.

The RPM implementation of RSL exposes a *synchronous* method to communicate with other applications (RIB-facilitated processing is asynchronous). All RSL services are contained within an interface offered by a Stateless Session Bean (SSB). To a client application, each service appears to be merely a method call.

For information about RSL-related configuration within the RPM application, see "Chapter 2 – Backend System Administration and Configuration."



Client application and service provider processing through RSL

Functional Description of the Class Using RSL

The table below briefly describes the functional role that RPM's RSL class has within the application.

Class	Description
PriceInquiryServiceJava.java	This service, provided by RPM, allows an inquiring system to request the effective retail for an item at a specified location on a given date. RPM provides the retail value and indicates whether the value is promotional, clearance or regular.

Persistence Layer Integration

The system is designed to include two RDMS datasources, RPM and RMS. RPM and RMS share certain database tables and processing logic. RPM exchanges data and processing with RMS in four ways:

- By reading directly from RMS tables.
- By directly calling RMS packages.
- By reading RPM views based on RMS tables.
- RMS utilizes RPM packages in order to access processing and information available only in RPM. This type of interaction is only done through package calls.

For more information about RPM's persistence layer and database layer, see "Chapter 3 – Technical Architecture."

RMS Tables Accessed through the Persistence Layer

RPM uses the tables shown below through the persistence layer:

RMS tables accessed through the persistence layer

AREA
CHAIN
CLASS
CODE_DETAIL
CODE_HEAD
COMP_PRICE_HIST
COMP_STORE
COMPETITOR
DEAL_COMP_PROM
DEAL_DETAIL
DEAL_HEAD
DEAL_ITEMLOC
DEPS
DIFF_GROUP_DETAIL
DIFF_GROUP_HEAD
DIFF_IDS
DIFF_TYPE
DISTRICT
DIVISION
FUTURE_COST
GROUPS
ITEM_LOC
ITEM_MASTER

RMS tables accessed through the persistence layer

ITEM_SEASONS
ITEM_SUPPLIER
LOC_LIST_DETAIL
LOC_LIST_HEAD
PARTNER
PHASES
REGION
SEASONS
SKULIST_DETAIL
SKULIST_HEAD
STORE
SUBCLASS
SUPS
SYSTEM_OPTIONS
UDA
UDA_ITEM_FF
UDA_ITEM_LOV
UDA_ITEMDATE
UDA_VALUES
UOM_CLASS
WH

RMS Packages and Methods Accessed through RPM's Persistence Layer

RPM uses the packages and methods shown in the table below through the persistence layer:

RMS packages	RMS methods
RPM_WRAPPER	uom_convert_value
	valid_uom_for_items
	get_vat_rate_include_ind
	currency_convert_value
PM_DEALS_API_SQL	create_deal
	new_deal_comp
RMSSUB_PRICECHANGE	get_price_change

RPM Views Based on RMS Tables

RPM Views	RMS Tables
rpm_item_diff	ITEM_MASTER
	DIFF_GROUP_DETAIL
	DIFF_GROUP_HEAD
rpm_deal_head	DEAL_HEAD
rpm_primary_ref_item	ITEM_MASTER
rpm_future_cost	FUTURE_COST
	SUPS
	ITEM_LOC
rpm_rms_system_options	SYSTEM_OPTIONS
rpm_uda_view	UDA
	UDA_ITEM_DATE
	UDA_ITEM_FF
	UDA_ITEM_LOV

RPM Packages Called by RMS

Packages
MERCH_API_SQL
MERCH_DEALS_API_SQL
MERCH_RETAIL_API_SQL

Functional Design

Overview

This chapter provides information concerning the various aspects of RPM's functional areas. Topics include:

- Functional assumptions
- Functional overviews
- Concurrency considerations

Functional assumptions

- Initial price setting does not respect link codes.
- The conflict review list is displayed when the user approves a primary area of an area differential price change. The only way to determine if the primary area caused the conflict or the secondary area caused the conflict is by the price change ID.
- RPM uses RMS's VDATE to represent today's date rather than the server's system date.
- Reason codes for price changes and clearances should be no longer than 2 characters in length.
- RPM only recognizes sellable items.
- If the retailer includes VAT as part of the retail, VAT regions, VAT items, and VAT codes must be set up in the merchandising system (such as RMS).
- The price change dialog area differential functionality has *not* been modified to perform immediate price adjustments for secondary areas based on changes to the primary area, which is new functionality that has been added to the worksheet. In addition, the area differential competitor logic has not been incorporated in the price change dialog.
- All market basket codes (competitive and margin) must be entered and maintained in a codes table by a database administrator (DBA). There is no associated user interface (UI) to enter and/or maintain the codes.
- Item/locations automatically added to a price change, clearance, or promotion due to a new item/location relationship do not have any promotion constraint checks performed. In addition, when a location moves from one zone to another zone, or a location is added to a zone, there are no promotion constraint checks performed when the new location is added to the existing zone level events.
- Promotion constraint checks are not performed against price changes requested by SIM.

Functional Overviews

Zone Structures

Zone structures in RPM allow you to define groupings of locations for pricing purposes and eliminate the need to manage pricing at a location level. At the highest level, these groupings are divided into categories called 'zone groups'. While these zone groups may be flexibly defined, they are primarily defined by their pricing scheme. The three types of zone groups in RPM are regular zone groups, clearance zone groups, and promotion zone groups.

In addition to being defined by pricing, zone groups are defined by the item(s) being priced. The following are examples of zone groups:

- Regular price beverage zone group
- Regular price footwear zone group
- Promotion price beverage zone group

Within zone groups in RPM are groupings of locations (stores and/or warehouses) called 'zones'. The function of these zones is to group locations together in a manner that best facilitates company pricing strategies. These zones may be flexibly defined. For example, you may choose to create zones based on geographic regions such as the following:

- US East region
- US West region
- Mexico stores

Similarly, you may create zones with locations that share similar characteristics such as the following:

- US urban stores
- US rural stores

Contained within zones are 'locations'. These locations can be stores or warehouses.

There are no restrictions on the number of locations a zone can contain. However, there are two rules that apply to the relationship between locations and zones.

1. A location cannot exist in more than one zone within a zone group. A location can, however, exist in multiple zone groups. For example, a New York City store might exist in the US urban stores zone group as well as the US East region zone group.
2. All locations within the same zone must use the same currency.

Note: When locations are deleted from an existing zone, RPM handles this processing in the same way that it handles location moves processing and deletes all future retail data for that zone/location. See 'Location Moves' in this chapter for further information.

Once zone groups have been created in RPM, users are able to assign them to primary zone group definitions. The primary zone group definition allows the user to specify the zone structure to use when pricing merchandise hierarchies, and how to initially price items in these hierarchies (markup %, markup type). These definitions can be created at the department, class, or subclass level.

Codes

Market Basket Codes

A market basket code is a mechanism for grouping items within a hierarchy level in order to apply similar pricing rules (margin target or competitiveness). Market basket codes cannot vary across locations in a zone. RPM thus assigns and stores market basket codes against an item/zone. An RPM user can set up the following two market basket codes per item/zone:

- One used in conjunction with the competitive pricing strategy (competitive market basket code).
- One used in conjunction with the margin and maintain margin pricing strategy (margin market basket code).

When the merchandise extract batch process runs, the program identifies the pricing strategy being executed and uses the items extracted, the zone information on the strategy, and the type of strategy to determine what market basket codes to use when proposing retails.

Link Codes

Link codes are used to associate items to each other at a location and price them exactly the same. RPM users set up and maintain item/location link code assignments.

Price Changes, Promotions, Clearances, and Promotion Constraint

Overview

Pricing events in RPM are broken into three primary categories. Although these pricing activities are unique, they have a common look and feel. The three primary pricing events in RPM are discussed in this section and include:

- Price changes
- Promotions
- Clearances

This section also addresses promotion constraint functionality, where users are warned if they are creating a price change within a set number of days of the start of an approved promotion.

Price Changes

Price changes are the pricing events in RPM that affect the regular retail price. There are several factors, such as competitor pricing and desired profit margin, that compel retailers to create a manual price change. When a price change is created, you are specifying the following:

- What item is receiving the price change
- Where the price change is occurring
- How the price of the item is changing
- When the price change will take effect

The highest item level that a price change can be applied to is the parent level, and the highest location level that a price change can be applied to is the zone level. You have the option of creating exceptions to price changes created at one of these higher levels (such as, mark all men's turtleneck sweaters down 10%, but mark the large size down 5%).

When price changes are approved in RPM, they are published to RMS for ticketing purposes. The night before an approved price change is scheduled to go into effect, RMS pricing information is updated with the new regular retail resulting from the price change.

Promotions

Promotions is another pricing event in RPM and while it shares similar characteristics to that of price changes, there are several factors that distinguish promotions from price changes and clearances. The promotion of items is frequently driven by a particular event such as a holiday or the overstock of an item.

When a promotion is entered in RPM, you specify the duration of the promotional price, what kind of promotion will take effect, and to which item(s)/location(s) you will apply the promotional price. Unlike price changes, where the highest item level you can specify is parent, the highest level a promotion can be set is at the department level (for example, Men's clothing). Promotions can be set up to apply to the regular retail price, the clearance retail price, or both, and when the promotion ends, the price reverts back to the retail price that existed prior to the promotion.

You also have the option of creating exceptions to promotions created at one of these higher levels (such as, mark all men's turtleneck sweaters down 10%, except mark down the large size 5%). You also have the option to exclude item/locations from a promotion.

Some examples of promotion types in RPM are:

- Complex promotion: Buy 3 shirts, get 1 free
- Simple promotion: 25% off the retail price of an item
- Threshold promotion: Spend \$100, get \$10 off.

Clearances

Clearances in RPM are defined as a markdown or a series of markdowns designed to increase demand and therefore move inventory out of a store. Subsequent clearances always result in the price of an item decreasing. When a clearance is created, you are specifying the item(s) and locations where the clearance is in effect and the discount or set price for the markdown.

Clearances can be applied at the following item levels: parent, parent/differentiator, and transaction level. Clearances can be applied at the location or price zone level.

When a clearance price is created, you can specify a reset date on which the clearance price reverts back to regular retail price. Reset dates are optional.

Note: Promotion and clearance events are not communicated to RMS for the purpose of ticketing.

Promotion Constraint

Users are warned if they are creating a price change within a set number of days of the start of an approved promotion or vice versa. This warning does *not* stop the user from creating the price change or promotion. The number of days is determined by a promotion constraint variable that is stored at the subclass/location level.

When the user runs conflict checking on a price change record, promotion record, or worksheet status record, promotion constraint checks are run. If a promotion constraint is violated, the user has the option to either ignore the constraint, or have the system help suggest a date that does not violate the constraint (price change and worksheet dialogs only). The user is also able to optionally select to ignore promotion constraints on individual price change and worksheet detail records so promotion constraint checks are never performed when conflict checking is run.

Pricing Strategies

The pricing strategies frontend allows you to define how item retails are proposed when pricing worksheets are generated. The strategies can be defined at department, class or subclass in order to represent which items are affected. The strategies are grouped into two categories, regular and clearance. An item/location can be on one maintain margin strategy and one other strategy.

When setting up pricing strategies, the first task is to specify what type of pricing strategy is to be applied, and at what merchandise hierarchy/location hierarchy combination it is applied to. The pricing strategy types are described in this functional overview and include the following:

- Area differentials and competitor strategies
- Clearance
- Competitive
- Margin
- Maintain margin

When determining what merchandise level a pricing strategy will be applied to, the lowest definable level (from aggregation) is taken into consideration.

Other contributing factors when establishing pricing strategies include attaching price guides to the strategy, specifying a calendar to run against the pricing strategy, and attaching warehouses (if they are not recognized as pricing locations), to a strategy for the purpose of inventory visibility.

Area Differentials and Competitor Strategies

Area differential pricing allows a buyer to perform the following:

- Set prices for items against a primary zone.
- Price other zones 'off of' the primary zone using a defined differential.

This functionality allows the user to focus on establishing a primary retail, which drives system generated prices for other secondary areas.

Secondary area retails can change based on primary area changes, regardless of the status of the primary areas. All secondary area proposed price changes are created in worksheet status to allow for immediate updates. To allow the user to work through multiple zone worksheets at the same time (primary zone included), the system provides a dynamic update of the worksheet changes from the primary area to the secondary area. Following the same logic as that which resides in a 'what if' scenario, price changes are not actually created in the worksheet dialog until the user approves a worksheet. This approach is only available in the Worksheet status and Worksheet detail dialogs. A system option signifies whether this process is used. This functionality does not exist in the price change dialog.

Layered Competitive Pricing Comparisons in the Worksheet

In the worksheet, competitive pricing comparisons are 'layered' on top of the area differential pricing rules for secondary areas. Note that layering is **not** carried out throughout the RPM application. The area differentials front end allows the user to set up and maintain competitive pricing strategies that are specifically associated to the differential.

The area differential price acts as a guide. The retail proposed based on the defined area differential is compared to the proposed retail based on the competitor rules defined. The lower of the two retails is the retail that RPM proposes. After the resulting retails are compared and the lower chosen, the pricing guidelines are applied.

Scenarios

This section illustrates the retails that are derived under various scenarios.

Setup Data

The following setup data applies to all the scenarios.

	Zone Group ID	Zone	Rule	%
Primary	1000	1000		
Secondary	1000	2000	Percent Higher	5
Secondary	1000	3000	Percent Lower	5

Scenario 1

Note that the proposed retails are displayed based on the percent higher or lower for the secondary zones.

Primary	Margin Strategy:	10%
	Item A Cost:	4.55
Secondary	Competitor Strategy:	None
	Pricing Guide:	None

	Item	Zone	Basis Retail	Proposed Retail
Primary	A	1000	4.7	5
Secondary	A	2000	4.8	5.25
Secondary	A	3000	4.9	4.75

Scenario 2

Note that because the basis retail for Item A in zone 1000 was already \$5.00, no proposed retail is displayed. The secondary area proposed retail was calculated using the current retail of the primary area.

Primary	Margin Strategy:	10%
	Item A Cost:	4.55
Secondary	Competitor Strategy:	None
	Pricing Guide:	None

	Item	Zone	Basis Retail	Proposed Retail
Primary	A	1000	5	
Secondary	A	2000	4.8	5.25
Secondary	A	3000	4.9	4.75

Scenario 3

Note that the proposed retails all end in 6 due to the pricing rule in place.

Primary	Margin Strategy:	10%
	Item A Cost:	4.55
Secondary	Competitor Strategy:	None
	Pricing Guide:	Ends in 6

	Item	Zone	Basis Retail	Proposed Retail
Primary	A	1000	4.7	5.06
Secondary	A	2000	4.8	5.26
Secondary	A	3000	4.9	4.76

Scenario 4

Note the proposed retails for the secondary areas are equal to the competitor price due to the competitor strategy in place.

Primary	Margin Strategy:	10%
	Item A Cost:	4.55
Secondary	Competitor Strategy:	Match
	Pricing Guide:	None
	Competitor Retail:	4.7

	Item	Zone	Basis Retail	Proposed Retail
Primary	A	1000	4.7	5
Secondary	A	2000	4.8	4.7
Secondary	A	3000	4.9	4.7

Scenario 5

Note the proposed retail for zone 3000 did not change to \$4.85 even though the competitive strategy is match and the competitor retail is \$4.85. The competitor strategy should never cause a price to increase.

Primary	Margin Strategy:	10%
	Item A Cost:	4.55
Secondary	Competitor Strategy:	Match
	Pricing Guide:	None
	Competitor Retail:	4.85

	Item	Zone	Basis Retail	Proposed Retail
Primary	A	1000	4.7	5
Secondary	A	2000	4.8	4.85
Secondary	A	3000	4.9	4.75

Scenario 6

Note the pricing rule was applied after the competitive strategy causing the competitor price to be matched to the \$4.85 and then adjusted to \$4.86 to account for the pricing guide.

Primary	Margin Strategy:	10%
	Item A Cost:	4.55
Secondary	Competitor Strategy:	Match
	Pricing Guide:	Ends in 6
	Competitor Retail:	4.85

	Item	Zone	Basis Retail	Proposed Retail
Primary	A	1000	4.7	5
Secondary	A	2000	4.8	4.86
Secondary	A	3000	4.9	4.76

Clearance Strategy

The clearance strategy allows you to define the markdowns that should be proposed for items in the specified merchandise hierarchy/location hierarchy level. Each markdown specified in the strategy has an associated markdown percent, and the strategy also details to what retail the markdown percent should be applied (regular retail or clearance retail). This section illustrates the retails that are derived under various scenarios.

Scenario 1

Markdown Number	Markdown Percent
1	20
2	30
3	50
4	75

Item/Zone is currently not on clearance.

Regular Retail: \$35.00

Clearance Retail: n/a

Proposed Markdown/Retail for Item/Zone: Markdown 1/\$28.00

Item/Zone is currently on its first markdown.

Regular Retail: \$35.00

Clearance Retail: \$28.00

Proposed Markdown/Retail for Item/Zone: Markdown 2/\$24.50

Item/Zone is currently on its second markdown.

Regular Retail: \$35.00

Clearance Retail: \$24.50

Proposed Markdown/Retail for Item/Zone: Markdown 3/\$17.50

Item/Zone is currently on its third markdown.

Regular Retail: \$35.00

Clearance Retail: \$17.50

Proposed Markdown/Retail for Item/Zone: Markdown 4/\$8.75

Scenario 2

Apply To Type: Clearance Retail

Markdown Number	Markdown Percent
1	25
2	10
3	10
4	10

Item/Zone is currently not on clearance.

Regular Retail: \$35.00

Clearance Retail: n/a

Proposed Markdown/Retail for Item/Zone: Markdown 1/\$26.25

Item/Zone is currently on its first markdown.

Regular Retail: \$35.00

Clearance Retail: \$26.25

Proposed Markdown/Retail for Item/Zone: Markdown 2/\$23.63

Item/Zone is currently on its second markdown.

Regular Retail: \$35.00

Clearance Retail: \$23.63

Proposed Markdown/Retail for Item/Zone: Markdown 3/\$21.27

Item/Zone is currently on its third markdown.

Regular Retail: \$35.00

Clearance Retail: \$21.27

Proposed Markdown/Retail for Item/Zone: Markdown 4/\$19.14

Competitive Strategy

This strategy allows you to define which competitor's retails to reference and how to make comparisons to those retails when proposing new retails.

In other words, the competitive strategy allows you to define the following:

- A primary competitor retail that should be referenced when proposing retails for items in the specified merchandise hierarchy/location hierarchy level.
- How to propose new retails based on that primary competitor's retail (for example, price above a certain percent, price below a certain percent, or match the competitor's retail).

This section illustrates the retails that are derived under various scenarios.

Scenario 1

Regular Retail for Item/Zone: \$26.00
 Primary Competitor Retail for Item: \$25.00
 Strategy: Price Above - 10%
 Acceptable Range: 8% - 12% Above
 Proposed Retail: 27.50

Scenario 2

Regular Retail for Item/Zone: \$27.50
 Primary Competitor Retail for Item: \$25.00
 Strategy: Price Above - 10%
 Acceptable Range: 8% - 12% Above
 Proposed Retail: No proposal

Scenario 3

Regular Retail for Item/Zone: \$22.50
 Primary Competitor Retail for Item: \$25
 Strategy: Price Below - 10%
 Acceptable Range: 8% - 12% Below
 Proposed Retail: No proposal

Scenario 4

Regular Retail for Item/Zone: \$21.00
 Primary Competitor Retail for Item: \$25
 Strategy: Price Below - 10%
 Acceptable Range: 8% - 12% Above
 Proposed Retail: 22.50

Scenario 5

Regular Retail for Item/Zone: \$28.00
 Primary Competitor Retail for Item: \$25
 Strategy: Match
 Acceptable Range: n/a
 Proposed Retail: \$25.00

Margin Strategy

This strategy allows you to define the target amount of markup you want to have above the cost (margin target). The system uses this value to propose new retails for the items in the specified merchandise hierarchy/location hierarchy level. This section illustrates the retails that are derived under various scenarios

Scenario 1

Regular Retail for Item/ Zone: \$25.00
Cost of the Item: \$18.00
Margin Target: 25%
Acceptable Range: 23% - 27%
Markup Type: Retail
Proposed Retail: \$24.00

Scenario 2

Regular Retail for Item/ Zone: \$23.50
Cost of the Item: \$18.00
Margin Target: 25%
Acceptable Range: 23% - 27%
Markup Type: Retail
Proposed Retail: No proposal

Maintain Margin Strategy and Auto Approve

The maintain margin strategy allows a retailer to receive proposed retail changes based upon impending cost changes. Proposed retail changes are dependant on either the retail margin or cost margin. The formulas and calculations for both methods are illustrated later in this overview.

The maintain margin strategy retrieves all cost changes related to a specified zone/merchandise hierarchy on a 'look forward' basis and generates proposed retail changes. In the unlikely event that there are multiple cost changes in the forward looking review period, the system bases the proposed retail on the last cost change to occur during that forward looking review period. The retail changes proposed can be based on the current margin percent between the item's retail and the cost, or the market basket code margin associated with the item. The user also has the ability to specify how to apply the increase/decrease in retail in one of two ways:

- As a margin percent (current or market basket) applied to the new cost.
- As the monetary amount change to the cost applied to the retail (for example, a 5 cent increase in cost results in a 5 cent increase in retail).

Reference competitors can be attached to the maintain margin strategy. Note, however, that these competitors do not drive price proposals. They are visible via the worksheet once a price change proposal has been created.

Merch Extract Calculations

Note: For all calculations below, if price guides are assigned to the strategy, they are applied after the above stated calculations have been completed.

Market basket margin

Cost method:

Proposed retail = ((New Cost * Margin Target%) + New Cost) + VAT rate if applicable.

Retail method:

Proposed retail = (New Cost / (1- Margin Target%)) + VAT rate if applicable

Current margin

Current margin % =

Cost method: (Retail on Review period start date – Cost on review period start date) /
Cost on review period start date

Retail method: (Retail on Review period start date – Cost on review period start date) /
Retail on review period start date

Using the current margin % calculated above, the retail can be proposed.

Cost Method

Proposed retail = ((New Cost * Current Margin %) + New Cost) + VAT rate if applicable.

Retail Method:

Proposed retail = (New Cost / (1- Current Margin%)) + VAT rate if applicable

Change by cost change amount

Proposed retail = (New cost – Cost on the day before the New Cost date) + Retail on day before the New Cost Date. This retail value will include VAT if applicable.

Examples:

Market Basket %	40
Current Margin % (cost)	50%
Current Margin % (retail)	33%
Current Retail	0.75
Current Cost	0.5

Cost method

Method		Application Option		Future		Calculation
Market Basket %	Current Margin %	Margin %	Change by Cost Change Amount	Future Cost	Future Retail	
X		X		0.55	0.77	(0.55*40%) + 0.55
	X	X		0.55	0.61	(0.55*50%) + 0.55
	X		X	0.55	0.8	(0.55-0.5) + 0.75

Retail method

Method		Application Option		Future		Calculation
Market Basket %	Current Margin %	Margin %	Change by Cost Change Amount	Future Cost	Future Retail	
X		X		0.55	0.92	$(0.55/(1-.4))$
	X	X		0.55	0.61	$(0.55/(1-.33))$
	X		X	0.55	0.80	$(0.55-0.5) + 0.75$

Price Inquiry

Price inquiry is designed to allow retailers to retrieve the price of an item at an exact point in time. This price may be the current price of a particular item or the future price. You can search for prices based on the following search criteria:

- Merchandise hierarchy
- Item
- Zone group
- Zone
- Location
- Location (warehouse or store)
- Date

After the search criteria has been specified, a list of item/location combinations are displayed with their corresponding dates, and prices on those dates. Included in the display are the item/location regular, clearance, and promotion prices. Items can be retrieved at the parent, parent/differential, or transaction level, and valid locations are price zone or location. After you have retrieved the desired pricing information, you have the option of exporting the information outside of the system. For more information regarding the Price inquiry dialog, please see the Oracle Retail Price Management User Guide.

Worksheet

The RPM worksheet functionality is designed to allow for the maintenance of automatically generated price change and clearance proposals resulting from the RPM merchandise extract batch program. These proposed price changes/clearances are the product of existing strategies, calendars and item/location information. The merchandise extract program outputs them to worksheet at the transaction item level for zone. Worksheet groups these values together and while not all items have a proposed price change, each item in the pricing strategy is represented.

The worksheet dialog has two main screens: the worksheet status screen and the worksheet detail screen. In the worksheet status screen, a table is displayed with each row of the table representing an individual worksheet. You will be able to access these worksheets and depending on the status of the worksheet and the records within the worksheet, you are able to perform the following:

- Submit
- Approve
- Reject
- Reset
- Delete

Note: When an action is taken and applied, that action is only be taken against the detail records within the worksheet that can have that specific action applied. For example, if a detail is in 'approved' status, if the action 'submit' is taken, it will not be applied to the record in 'approved' status.

The Worksheet detail form displays information about the records contained in a given worksheet. Among the information displayed is the proposed price change generated by the merchandise extract program and other information that can assist you in making determinations on whether to accept, reject, or modify proposed pricing in the worksheet. After these determinations have been made, you can submit the worksheet for approval, rejection, and so on.

A worksheet does not exist until the merchandise extract program has run. These worksheets then have a 'new' status. However, the exception to this process is for those items/zones involved in an area differential pricing strategy. The locations that are part of a secondary area have a worksheet and corresponding rows in either 'pending' or 'new' status based on the Dynamic Area Differential system option. If the system option is unchecked, the secondary areas contain no detailed information for individual rows until price changes for the primary area are approved. If the system option is checked, the secondary areas contain detailed retail information derived from the retails proposed for the primary area.

Merchandise Extract

The merchandise extract batch process is responsible for creating worksheets based on calendars and pricing strategies.

This is a three-step process:

1. Identify the work to be processed.
2. Extract RMS data into RPM.
3. Use extracted data to propose retails (based on strategies) and build the worksheets.

The merchandise extract batch program will initially find calendars with review periods that start tomorrow and the pricing strategies that use those calendars. This processing determines which item/locations are pulled into the worksheet. There are attributes associated with calendar review periods, and these help to determine whether candidate rules or exceptions are run for that particular review period.

Candidate rules: This set of rules is run against the items/locations being extracted from the merchandise system to determine if they should be flagged for review. They are defined at the corporate level and can contain variables at the department level.

Candidate rules can be inclusive or exclusive. If they are inclusive, and the candidate rule is met, the item/location is flagged in the worksheet. When exclusive candidate rules are met, the item/location is excluded from the review when the merchandise extract program builds the worksheet. Candidate rules can also be active or inactive, allowing the user to suspend rules that are only needed at certain times of the year. Candidate rules are only run against the worksheet the first time the worksheet is created.

Exceptions: Each review period has an indicator stating whether or not to run exceptions. If the indicator is set to 'Y'es, the merchandise extract should tag those Item/Location records that are pulled into the worksheet with an exception flag if any of the following occur during a review period where exceptions are processed: competitor regular retail price changes, cost changes, and new item/location relationships.

For every item/location pulled into the worksheet, RPM attempts to propose a new retail based on the strategy attached to that item/location. When the worksheet is first created, the details of the strategy are saved. Updates to the strategy do not affect any worksheets that are currently being reviewed. The updates are only reflected in worksheets generated after the updates to the strategy are made. Until the worksheet has been locked, new retails should continue to be proposed using the strategy details every night the batch program is run.

Below is a list of reasons why item/locations are not included in the worksheet.

- Any item that does not have a record on the future cost table for the location on a margin strategy.
- If there are varying link codes across the item/locations.
- If the strategy is set up at a zone level, and the unit of measure for the item varies across the locations in the zone.
- If the merchandise extract program is running a margin strategy or competitive strategy against a zone, and all of the locations within the zone do not share the same market basket code.
- If the merchandise extract program is running against a strategy setup at the zone level (where the zone is not the primary zone for the item) and all of the locations within that zone do not share the same BASIS selling unit of measure.
- If there is an exclusion candidate rule that is met.
- If the item is not ranged in the location or if the strategy is at the zone level and the item is not ranged to any location in that zone.
- Items are on the exclude list of an area differential strategy.

See "Chapter 6 – Java and RETL Batch Processes" for additional information about this batch process.

Calendar

Calendars are set up in RPM for the primary purpose of attaching them to pricing strategies. When you create a calendar in RPM, initially select a start date. This date can be no earlier than tomorrow's date. In addition, for the calendar to be valid, you must specify an end date that is later than the start date.

Once the time frame of the calendar has been established, you can specify review periods for the calendar, which is comprised of numbers of days. You can also specify the number of days between those review periods. Collectively, these completely span the date range of the new calendar. When establishing the review period duration, the review periods and the time between them must exactly reach the specified end date. If these actions are not performed properly, RPM suggests an end date that makes this calendar valid. The following is an example of a valid calendar:

Start Date: 01/01/04

End Date: 01/20/04

Review Period Duration: 3 Days

Days Between Review Periods: 3 Days

Start Date	End Date
01/01/04	01/03/04
01/07/04	01/09/04
01/13/04	01/15/04
01/19/04	01/21/04

Aggregation Level

Aggregation level functionality is used in RPM to define parameters that vary at the department level. Within this functional area, you select a department and specify the 'lowest definable level' at which the pricing strategies can be defined. The merchandise hierarchy levels at which a pricing strategy can be defined are department, class, and subclass.

When the merchandise extract runs to generate worksheets the 'Worksheet Level' setting is used to determine the level at which the worksheets should be generated. Merchandise hierarchy levels with varying strategies can be aggregated into the same worksheet based on this aggregation level setting. For example, the strategies for a worksheet may be defined at the class level but if the worksheet level for the department that class is in is set to department then a single worksheet status row exists per zone with all the classes rolled up to the department.

The sales settings on the aggregation level screen determine the sales types that are pulled during the extract process and represented in the worksheet as historical sales. The inventory settings determine how warehouse inventory is utilized and which inventory the sell through calculations use.

Location Moves

Location moves in RPM allow you to select a location that exists in a zone and schedule it to move to a different zone within a zone group on that scheduled date. The process of moving a location contains conflict checking to fix potential pricing problems. After conflict checking is complete, the process also allows the location to persist most valid pricing events through the move and to smoothly transition out of their old zone pricing strategies into the new zones' pricing strategies. Conflict checking involves the following:

- Checking for strategies with the old zone/new zone attached
- Checking for other scheduled location moves for that location
- Checking for promotions at the old zone/new zone that span the location move

Note: If any of the above is found during conflict checking, the location move fails.

When a location move is successfully scheduled in RPM, all future retail data for the old zone/ location is removed. Location level pricing events remain intact but exclusions are created if the new zone's pricing events create conflicts such as a negative retail.

A location's retail does not change when it moves into the new zone but the new zone's pending pricing events will be applied to the location after the location move date.

Concurrency Considerations

This section contains concurrency considerations and solutions within the RPM system. If multiple users are using the same data, RPM has concurrency solutions to prevent the persistence of invalid or inaccurate data in the RPM database.

Pessimistic Data Locking

Pessimistic locking prevents data integrity issues that are missed by business rules/validation due to overlapping transactions.

For example, suppose two users working on the same set of data kick off the approval process for a price event. If the second user's process is started after the first user's process has completed, the application business rules will handle the concurrency issues.

Although this scenario only arises in a very specific case within a specific time window, ramifications of the resulting overwrites can be quite severe due to the loss of data integrity (especially with respect to retails going below zero, events at locations that have been moved or are scheduled to be moved, incorrect basis value retails, and so on).

With pessimistic locking, the first user locks the data until he or she is finished with that transaction's processing. If a second user tries to lock the same data, he or she receives a message notifying them that the data is currently locked by another user. Because a user can only update data that he or she has locked, data integrity is guaranteed.

Pessimistic Workflow Locking

With pessimistic workflow locking, you will not be allowed to edit within a workflow that is currently in use by another user.

Scenario:

Two pricing managers have security access to the same department for price change decisions. User one selects a worksheet in the worksheet status screen for Dept 100 in Zone 100 and enters into the detail screen. User two enters the worksheet status screen and decides to review the same worksheet. When user two selects and attempts to enter that worksheet, the system stops them. They are informed that user one is currently in the worksheet and they are not able to access it at this time.

Last User Wins

Data submitted by the second user will overwrite data submitted by the first user. With *Last User Wins*, there will be no warning or message to notify the second user that they overwrote data modified by the first user.

If the second user's changes are incompatible with the first user's changes, business validation/rules will protect data integrity. In this case, the second user will receive the appropriate business exception message.

Scenario:

Two users have been told to update a pricing strategy. User one enters the strategy and changes the value. User two enters the strategy. Since user one has not saved their change yet, user two still sees the original value and makes the change. User one then saves the change and leaves the dialog. User two then saves their change. Since there is no validation that has been broken, the second user's change is also saved resulting in no difference from the first user. If the second user changed the value and validation failed, they are prompted with an error to fix the problem, just as though they created the validation error themselves.

Optimistic Data Locking

The second user receives an error message if they attempt to overwrite data modified by the first user. The message notifies the user that they have been working with stale data, so they should re-load and re-process their changes. With, Optimistic Data Locking, the first user wins; therefore, it is the opposite of the Last User Wins approach.

Concurrency Solution/Functional Area Matrix

	Pessimistic Data Locking	Pessimistic Workflow Locking	Last User Wins	Optimistic Data Locking
Clearance Price Changes	√		√	
Price Changes	√		√	
Promotions	√		√	
Future Retail/Conflict Checking	√		√	
Location Moves	√		√	
Worksheet		√		
Aggregation Level			√	
Area Differentials			√	
Calendar			√	
Candidate Rules			√	
Foundation			√	
Initial Price Settings			√	
Pricing Attributes			√	
Pricing Guides			√	
Pricing Strategies			√	

	Pessimistic Data Locking	Pessimistic Workflow Locking	Last User Wins	Optimistic Data Locking
Promotional Funding			√	
Security			√	
System Options			√	
Zone Structure			√	
Link Codes			√	
Merch Extract			√	
Zone Future Retail			√	

Java and RETL Batch Processes

This chapter is divided into two sections. The first section reflects Java-based batch processing within RPM. The second section concerns RETL extract batch processing (for a data warehouse such as RDW, for example)

Java Batch Processes

This section provides the following:

- An overview of RPM's batch processing
- A description of how to run batch processes, along with key parameters
- A functional summary of each batch process, along with its dependencies
- A description of some of the features of the batch processes (batch return values, and so on)

Java Batch Process Architectural Overview

The goal of much of RPM's Java batch processing is to select business objects from the persisted mechanism (for example, a database) by a certain criteria and then to transform them by their state. These RPM Java-based batch processes remove some of the processing load from the real-time online system and are run periodically.

Note the following characteristics of RPM's batch processes:

- RPM's batch processes are run in Java. For the most part, batch processes engage in their own primary processing.
- They are not accessible through a graphical user interface (GUI).
- They are scheduled by the retailer.
- They are designed to process large volumes of data, depending upon the circumstances and process.
- They are *not* file-based batch processes.

Running a Java-based Batch Process

Java processes are scheduled through executable shell scripts (.sh files). Oracle Retail provides each of these shell scripts. During the installation process, the batch shell scripts and the .jar files on which they depend are copied to a client-specified directory structure. See the Installation Guide for details. The batch shell scripts must be run from within that directory structure.

Each script performs the following internally:

- sets up the Java runtime environment before the Java process is run.
- triggers the Java batch process.

To use the scripts, confirm that the scripts are executable (using `ls -l`) and run `"chmod +x *.sh"` if necessary. The shell scripts take two arguments: username and password. The output can be redirected to a log file (as shown in the example below).

Note: The script `launchRpmBatch.sh` must be modified to include the correct environment information before any of the batch scripts run correctly.

The following is an example of how to use a batch shell script:

```
./locationMoveBatch.sh MyUsername MyPassword > log 2>&1
```

Additional Notes

- All the output (including errors) is sent to the log file.
- The scripts are meant to run in Bash. They have problems with other shells.
- If the scripts are edited on a Windows computer and then transferred to UNIX, they may have carriage returns (^M) added to the line ends. These carriage returns (^M) cause problems and should be removed.

Script Catalog

Script	Batch program executed
<code>clearancePriceChangePublishBatch.sh</code>	<code>ClearancePriceChangePublishBatch</code>
<code>itemLocDeleteBatch.sh</code>	<code>ItemLocDeleteBatch</code>
<code>itemReclassBatch.sh</code>	<code>itemReclassBatch</code>
<code>locationMoveBatch.sh</code>	<code>LocationMoveBatch</code>
<code>merchExtractKickOffBatch.sh</code>	<code>MerchExtractKickOffBatch</code>
<code>newItemLocationBatch.sh</code>	<code>NewItemLocationBatch</code>
<code>priceChangeAutoApproveResultsPurgeBatch.sh</code>	<code>PriceChangeAutoApproveResultsPurgeBatch</code>
<code>priceChangePurgeBatch.sh</code>	<code>PriceChangePurgeBatch</code>
<code>priceChangePurgeWorkspaceBatch.sh</code>	<code>PriceChangePurgeWorkspaceBatch</code>
<code>priceEventExecutionBatch.sh</code>	<code>PriceEventExecutionBatch</code>
<code>priceStrategyCalendarBatch.sh</code>	<code>PriceStrategyCalendarBatch</code>
<code>promotionPriceChangePublishBatch.sh</code>	<code>PromotionPriceChangePublishBatch</code>
<code>promotionPurgeBatchbatch.sh</code>	<code>PromotionPurgeBatchbatch</code>

Script	Batch program executed
purgeExpiredExecutedOrApprovedClearancesBatch.sh	PurgeExpiredExecutedOrApprovedClearancesBatch
purgeLocationMovesBatch.sh	PurgeLocationMovesBatch
purgeUnusedAndAbandonedClearancesBatch.sh	PurgeUnusedAndAbandonedClearancesBatch
regularPriceChangePublishBatch.sh	RegularPriceChangePublishBatch
worksheetAutoApproveBatch.sh	WorksheetAutoApproveBatch
launchRpmBatch.sh	The retailer does not schedule this script. Other batch programs call this script behind the scenes. Note that this script sets up environment information and takes as a parameter the name of the batch program to run.
zoneFutureRetailPurgeBatch.sh	ZoneFutureRetailPurgeBatch

Scheduler and the Command Line

If the retailer uses a scheduler, arguments are placed into the scheduler.

If the retailer does *not* use a scheduler, arguments must be passed in at the Unix command line.

The Java batch processes are to be called via the shell scripts. These scripts take any and all arguments that their corresponding batch process would take when executing.

Functional Descriptions and Dependencies

The following table summarizes RPM's batch processes and includes a description of each batch process's business functionality.

Batch processes	Details
ClearancePriceChangePublishBatch	This batch process formats and stages output of clearance price change price events.
ItemLocDeleteBatch	This batch program handles RMS deletions of item locations.
itemReclassBatch	When items are moved from one department/class/subclass to another in the merchandising system, this batch process accordingly sets the correct department/class/subclass for these items in the RPM_FUTURE_RETAIL table.
LocationMoveBatch	This batch process moves locations between zones in a zone group.
MerchExtractKickOffBatch	This batch process builds worksheets in RPM. MerchExtractKickOffBatch.java either creates or updates worksheets based on price strategies and the calendars attached to them.

Batch processes	Details
NewItemLocationBatch	The NewItemLocationBatch process is utilized when you are operating RPM without the RIB. This batch process replaces the Item/Location Creation RIB message. It ranges item locations by putting them into the future retail table. Item and location are fed to this program via the RPM_STAGE_ITEM_LOC table, which is populated by an RMS process.
PriceChangeAutoApproveResultsPurgeBatch	This batch process deletes old error message from the price change auto approve batch program.
PriceChangePurgeBatch	This batch process deletes past price changes.
PriceChangePurgeWorkspaceBatch	This batch process deletes abandoned price change workspace records.
PriceEventExecutionBatch	This batch process performs the necessary work to start (regular price change, clearance price change, promotions) and end (price change, promotions) pricing events.
PriceStrategyCalendarBatch	This batch process maintains calendars assigned to price strategies.
PromotionPriceChangePublishBatch	This batch process formats and stages output of promotion price change price events.
PromotionPurgeBatchbatch	This batch process deletes old and rejected promotions.
PurgeExpiredExecutedOrApprovedClearancesBatch	This batch process deletes expired clearances in 'Executed' or 'Approved' statuses.
PurgeLocationMovesBatch	This batch process cleans up expired/executed location moves
PurgeUnusedAndAbandonedClearancesBatch	This batch process deletes unused and rejected clearances.
RegularPriceChangePublishBatch	This batch process formats and stages output of regular price change price events.
WorksheetAutoApproveBatch	This batch process approves maintain margin strategy worksheets that have not been acted upon by the end of the review period. The strategies must be marked as auto-approve in order to be processed.
ZoneFutureRetailPurgeBatch	This batch process deletes past zone/item price change actions.

Batch Process Scheduling

Before setting up an RPM process schedule, familiarize yourself with Batch Schedule document published in conjunction with this release.

Threading and the RPM_BATCH_CONTROL Table

Some RPM batch processes use the RPM_BATCH_CONTROL table, which is a database administrator (DBA) maintained table and is populated by the retailer. This table defines the following:

- The batch process that is to be threaded.
- The number of threads that should be run at a time.
- How much data each thread should process (for example, 2 strategies per thread, 500 item/location/price changes by thread, and so on).

Each batch design later in this chapter states the following in its 'Threading' section:

- Whether the batch process utilizes the RPM_BATCH_CONTROL table.
- Whether or not the batch process is threaded.
- How the batch process is threaded (by strategy, by department, and so on).

Return Value Batch Standards

All batch processes in RPM conform to the Oracle Retail batch standards. They are executed and terminated in the same manner as other batch processes in the Oracle Retail suite of products. The following guidelines describe the return values that RPM's batch processes utilize:

Return Values

- 0** - The function completed without error.
- 1** - A fatal error occurred. The error messages are logged, and the process is halted.

Batch Logging

Relevant progress messages are logged with regard to batch program runtime information. The setting for these log messages is at the Info level in log4j.

For more information, see “Chapter 2 – Backend System Administration and Configuration”.

ClearancePriceChangePublishBatch Batch Design

Overview

The ClearancePriceChangePublishBatch program formats and stages output of clearance price change price events.

The corresponding clearancePriceChangePublishExport shell script produces a pipe (‘|’) delimited flat-file export based on the output of the ClearancePriceChangePublishBatch.

Usage

The following command runs the ClearancePriceChangePublishBatch job:

```
ClearancePriceChangePublishBatch userid password
```

Where the first argument is the RPM user id and the second argument is the password.

The following command runs the clearancePriceChangePublishExport job:

```
clearancePriceChangePublishExport.sh database-connect-string path
```

Where the first argument is the database connect string (user/pwd@database) and the second argument is the path where the file should be written. The path is optional and if not supplied, the path ../output will be used.

Detail

The batch looks for price events in the RPM_PRICE_EVENT_PAYLOAD table with a RIB_FAMILY of “CLRPRCCHG” and distributes those events to multiple threads based on the settings in the RPM_BATCH_CONTROL table. Each thread reads in its set of clearance price change events from tables RPM_PRICE_EVENT_PAYLOAD and RPM_CLEARANCE_PAYLOAD and generates output in RPM_PRICE_PUBLISH_DATA. After the flat file is successfully generated by the Export script (see format below), the associated records in the payload tables are deleted.

A single flat-file is created with the name: CLRPC_<timestamp>.pub

Where <timestamp> is the current system time stamp.

Output File

FHEAD – REQUIRED: File identification, one line per file.

FDETL – OPTIONAL: Price Change Event (Create or Modify)

FDELE – OPTIONAL: Price Change Event (Delete)

FTAIL – REQUIRED: End of file marker, one line per file.

Output File Layout

Record Name	Field Name	Field Type	Default Value	Description
FHEAD	Record Descriptor	Char(5)	FHEAD	File head marker
	Line id	Number(10)	1	Unique line id
	File Type	Char(5)	CLRPC	Clearance Price Changes
	Export timestamp	Timestamp		System clock timestamp (YYYYMMDDHHMISS)
	Format Version	Char(5)	1.0	File Format Version
FDETL	Record Descriptor	Char(5)	FDETL	File Detail Marker (1 per clearance create or modify)
	Line id	Number(10)		Unique line id
	Event Type	Char(3)		“CRE” = Create, “MOD” = Modify
	Id	Number(15)		Clearance identifier
	Item	Char(25)		Item identifier
	Location	Number(10)		Location identifier
	Location Type	Char(1)		‘S’ = Store, ‘W’ = Warehouse
	Effective Date	Date		Clearance Effective Date (DD-MMM-YY)
	Selling Retail	Number(20,4)		Selling retail with price change applied
	Selling Retail UOM	Char(4)		Selling retail unit of measure
	Selling Retail Currency	Char(3)		Selling retail currency
	Reset Clearance Id	Number(15)		Id of clearance reset
FDELE	Record Descriptor	Char(5)	FDELE	File Detail Delete Marker (1 per clearance delete)
	Line id	Number(10)		Unique line id
	Id	Number(15)		Clearance identifier
	Item	Char(25)		Item identifier
	Location	Number(10)		Location identifier
	Location Type	Char(1)		‘S’ = Store, ‘W’ = Warehouse
FTAIL	Record Descriptor	Char(5)	FTAIL	File tail marker
	Line id	Number(10)		Unique line id
	Number of lines	Number(10)		Number of lines in file not counting FHEAD and FTAIL

Assumptions and scheduling notes

ClearancePriceChangePublishBatch should be run after the WorksheetAutoApproveBatch.

ClearancePriceChangePublishExport should be run after every successful run of ClearancePriceChangePublishBatch.

Primary tables involved

- RPM_PRICE_EVENT_PAYLOAD
- RPM_CLEARANCE_PAYLOAD

Threading

This program is threaded. The LUW is a single clearance price change event.

Configuration

The following property must be set in rpm.properties on the application server when using this batch program to publish clearance price events:

delete_staged_rib_payloads=false

ItemLocDeleteBatch Batch

The ItemLocDeleteBatch program handles RMS deletions of item locations. When RMS deletes an item location, RPM now removes the Item/Location rows from the RPM_FUTURE_RETAIL table so that pricing events are no longer published out of RPM.

These item location deletions can be processed through either of two methods:

- The RMS_TABLE_RPM_ITL_AIR trigger
- A RIB message

These two options work the same as the batch and RIB modes for the New Item Location batch introduced in release 11.0.8.3. Documentation for switching between batch or RIB modes is found in the Release Notes for 11.0.8.3.

In the batch mode, the RPM_STAGE_DELETED_ITEM_LOC table is populated by the trigger RMS_TABLE_RPM_ITL_AIR. In RIB mode, the RPM_STAGE_DELETED_ITEM_LOC table is populated by subscribing to the itemlocmod and itemlocdel messages from RMS.

Usage

The following command runs the ItemLocDeleteBatch job:

```
ItemLocDeleteBatch.sh userid password
```

The first argument is the user ID and the second argument is the password.

Follow these steps to prepare to use this batch when the RIB is turned off:

1. Delete existing records from the table RPM_STAGE_DELETED_ITEM_LOC.
2. Enable the new trigger RMS_TABLE_RPM_ITL_AIR on table ITEM_LOC.
3. Stop the listener for Item/Location Creation RIB messages, as follows:
4. Log in to the Websphere administration console.
5. Select the RIBforRPM server from Servers > Application Servers.
6. Click the Message Listener Service link.
7. Click the Listener Ports link.
8. Select the check box next to ItemLocToRPMPort.
9. Click Stop. The listener is now stopped.
10. Click the ItemLocToRPMPort link to configure the port.
11. Select "Stopped" from the Initial State combo box.
12. Click OK.
13. Restart the RIBforRPM application server and verify that ItemLocToRPMPort is stopped.
14. Delete JMS subscriber in Egate, as follows:
15. Log in to the Egate Schema Manager.
16. Click the JMS Administrator button in the toolbar.
17. Expand the item etItmLocFromRMS.
18. Right-click on the RPM subscriber (it should have "RPM" in its name) and select "delete subscriber."

To reconfigure the system to process Item/Location deletion and modification messages through the RIB, follow these steps:

Modify the filter in the rib.properties file for RIBforRPM as follows, for RPM to subscribe to itemlocmod and itemlocdel:

```
tafr.types.filter.itemloc=ItemLocCre,ItemLocMod,ItemLocDel
```

1. Start the listener for Item/Location Creation RIB messages, as follows:
2. Log in to the Websphere administration console.
3. Select the RIBforRPM server from Servers > Application Servers.
4. Click the Message Listener Service link.
5. Click the Listener Ports link.
6. Select the check box next to ItemLocToRPMPort.
7. Click Start. The listener is now started.
8. Click the ItemLocToRPMPort link to configure the port.
9. Select "Started" from the Initial State combo box.
10. Click OK.
11. Restart the RIBforRPM app server and verify that ItemLocToRPMPort is started.

12. Create a JMS subscriber in Egate.

Note: No action is needed.

13. Disable the new trigger RMS_TABLE_RPM_ITL_AIR on ITEM_LOC.
14. Run the new batch (ItemLocDeleteBatch.sh) one time to process any records remaining in the RPM_STAGE_DELETED_ITEM_LOC table.

Scheduling Notes

This batch can be run ad hoc.

itemReclassBatch Batch Design

Overview

When items are moved from one department/class/subclass to another in the merchandising system, this batch process accordingly sets the correct department/class/subclass for these items in the RPM_FUTURE_RETAIL table.

Usage

The following command runs the ItemReclassBatch job:

```
ItemReclassBatch userid password
```

Where the first argument is the user id and the second argument is the password.

Detail

The batch calls the package RPM_ITEM_RECLASS_SQL.RECLASS_FUTURE_RETAIL. This package looks for items in the RPM_ITEM_MODIFICATION table and updates the table RPM_FUTURE_RETAIL with the new department/class/subclass. The package then subsequently deletes all the records in the RPM_ITEM_MODIFICATION table.

Assumptions and Scheduling Notes

The RPM_ITEM_MODIFICATION table must have been already populated with the reclassified items by the ItemModification injector.

Primary Tables Involved

- RPM_ITEM_MODIFICATION
- RPM_FUTURE_RETAIL

Threading

This program is not threaded.

PL/SQL Interface Point

- Package: RPM_ITEM_RECLASS

LocationMoveBatch Batch Design

Overview

The LocationMoveBatch program moves locations between zones in a zone group.

Usage

The following command runs the LocationMoveBatch job:

```
LocationMoveBatch userid password
```

Where the first argument is the user id and the second argument is the password.

Detail

The batch looks for scheduled zone location move and updates the zone structure tables with the new zone structure.

- Remove the location from the old zone.
- Add the location to the new zone.

Update FUTURE_RETAIL table to reflect the location move.

- Price events (standard price change, clearance price change, promotion) scheduled for item/locations effected by the move at the old zone level are removed from FUTURE_RETAIL
- Price events (standard price change, clearance price change, promotion) scheduled for item/locations effected by the move at the new zone are added to FUTURE_RETAIL
- Conflict checking is run on FUTURE_RETAIL after event from the old zone are removed and events from the new zone are added. If conflicts are encountered during conflict checking, exceptions / exclusions are pulled off the conflicting event.

Report any exception / exclusions that were created during the FUTURE_RETAIL update process. Changes made are held on:

- RPM_LOC_MOVE_PRC_CHNG_EX
- RPM_LOC_MOVE_CLEARANCE_EX
- RPM_LOC_MOVE_PROMO_COMP_DTL_EX

Update the status of the location move to 'Executed'.

Assumptions and Scheduling Notes

LocationMoveBatch must run before the following programs:

- PriceEventExecutionBatch,
- MerchExtractKickOffBatch

Primary Tables Involved

- RPM_FUTURE_RETAIL

Threading

This program is threaded. Each location move request is given its own thread.

MerchExtractKickOffBatch Batch Design

Overview

The MerchExtractKickOffBatch.java batch program builds worksheets in RPM. MerchExtractKickOffBatch.java either creates or updates worksheets based on price strategies and the calendars attached to them.

Usage

The following command runs the MerchExtractKickOffBatch job:

```
MerchExtractKickOffBatch userid password
```

Where the first argument is the user id and the second argument is the password.

Detail

Setup: clean up expired worksheets and prepare for creation of new worksheets.

- Delete worksheets that are at the end of their review period.
- Get list of all strategies that need to be processed today. Create copies of the strategies as needed.
- Determine what strategies need to be grouped together based on the RPM_DEPT_AGGREGATION. WORKSHEET_LEVEL.
- Deal with overlapping strategies. Strategies can be setup at the DEPT, CLASS, or SUBCLASS. MerchExtractKickOffBatch.java ensures that only one strategy affects a given item.
- Start threads based on the values in RPM_BATCH_CONTRL for MerchExtractKickOffBatch.java.

Worksheet Creation:

- Call RPM_EXT_SQL, a PL/SQL package, to extract RPM information. The package is called at the strategy and RPM_DEPT_AGGREGATION. WORKSHEET_LEVEL. level. It pulls large amounts of data from various RMS tables and populates the RPM_WORKSHEET_DATA table. The RPM_MERCH_EXTRACT_CONFIG table is used to exclude certain families of data from being included in the population. If this table is not populated all values are included in the population of RPM_WORKSHEET_DATA.
- Read in the RPM_WORKSHEET_DATA records created by RPM_EXT_SQL. For each RPM_WORKSHEET_DETAIL record perform the following:
- Use the price strategy to propose a retail value.
- Apply candidate rules.
- Apply price guides.

Potential reasons item/locations do not make it into a worksheet:

- The item/location falls under an exclusion type candidate rule.
- The item/location does not have a cost on RMS's FUTURE_COST table.
- The item's market basket codes vary across locations in a zone.
- The item's link code varies across locations in a zone.
- If a link code is identified on an item/location, and there is any item within that link code (at that location) that has not been brought into the worksheet, all of the item/locations with that link code are excluded from the worksheet.
- The item's selling unit of measure varies across locations in a zone.

- The item is part of an area differential item exclusion.
- Item/locations in a single link code have varying selling unit of measures.

If an item does not make it into a worksheet, a row is inserted into the RPM_MERCH_EXTRACT_DELETIONS table for each item location along with a reason that the item location was not included in the worksheet.

Assumptions and Scheduling Notes

The following programs must run before PriceStrategyCalendarBatch:

- PriceStrategyCalendarBatch
- LocationMoveBatch

Primary (RPM) Tables Involved

- RPM_WORKSHEET_STATUS
- RPM_WORKSHEET_DATA
- RPM_STRATEGY
- RPM_STRATEGY_CLEARANCE
- RPM_STRATEGY_CLEARANCE_MKDN
- RPM_STRATEGY_COMPETITIVE
- RPM_STRATEGY_DETAIL
- RPM_STRATEGY_MARGIN
- RPM_STRATEGY_REF_COMP
- RPM_STRATEGY_WH
- RPM_AREA_DIFF
- RPM_AREA_DIFF_EXCLUDE
- RPM_AREA_DIFF_PRIM
- RPM_AREA_DIFF_WH
- RPM_CALENDAR
- RPM_CALENDAR_PERIOD
- RPM_CANDIDATE_RULE
- RPM_CONDITION
- RPM_VARIABLE
- RPM_VARIABLE_DEPT_LINK
- RPM_PRICE_GUIDE
- RPM_PRICE_GUIDE_DEPT
- RPM_PRICE_GUIDE_INTERVAL

Threading

MerchExtractKickOffBatch.java is threaded. The RPM_BATCH_CONTROL table must include a record for MerchExtractKickOffBatch.java for it to run in threaded mode.

MerchExtractKickOffBatch.java is threaded by strategies and the RPM_DEPT_AGGREGATION.WORKSHEET_LEVEL setting.

PL/SQL Interface Point

- Package: RPM_EXT_SQL

NewItemLocBatch Batch Design

Overview

The NewItemLocBatch program replaces the Item/Location Creation RIB message. It ranges item locations by putting them into the future retail table. Item and location are fed to this program via the RPM_STAGE_ITEM_LOC table, which is populated by an RMS process.

Usage

The following command runs the NewItemLocBatch job:

```
NewItemLocBatch userid password [E [errorCommitCount]]
```

Where the first argument is the user id and the second argument is the password. The last two arguments are optional and direct the application to process the rows in the stage table with a status of E (error). The error commit count is also optional. This allows the user to indicate a different logical unit of work value from that used to process N (new) staged rows. If none is indicated we use logical unit of work for processing new rows.

Since this batch is a replacement for the Item/Location Creation RIB message, the following steps should be followed in preparation for using this batch in place of the RIB:

- Delete existing records from table RPM_STAGE_ITEM_LOC
- Enable the new trigger RMS_TABLE_RPM_ITL_AIUDR on table ITEM_LOC.
- Stop the listener for Item/Location Creation RIB messages:
 - Login to Websphere admin console
 - Select the RIBforRPM server from *Servers* → *Application Servers*.
 - Click the “Message Listener Service” link.
 - Click the “Listener Ports” link.
 - Click the checkbox next to “ItemLocToRPMPort”
 - Click the “Stop” button. The listener is now stopped.
 - Click the “ItemLocToRPMPort” link to configure the port.
 - Select “Stopped” from the “Initial State” combo-box.
 - Click “OK”
 - Restart the RIBforRPM app server and verify that “ItemLocToRPMPort” is stopped.

- Delete JMS subscriber in Egate
 - Login to the Egate Schema Manager
 - Click the “JMS Administrator” button in the toolbar.
 - Expand item “etItmLocFromRMS”
 - Right click on the RPM subscriber (it should have “RPM” in its name) and select “delete subscriber”
- Add a record to table RPM_BATCH_CONTROL with PROGRAM_NAME of ‘com.retek.rpm.batch.NewItemLocBatch’ to control threading.

To reconfigure the system to process Item/Location Creation messages through the RIB, follow these steps:

- Start the listener for Item/Location Creation RIB messages:
 - Login to Websphere admin console
 - Select the RIBforRPM server from *Servers* → *Application Servers*.
 - Click the “Message Listener Service” link.
 - Click the “Listener Ports” link.
 - Click the checkbox next to “ItemLocToRPMPort”
 - Click the “Start” button. The listener is now started.
 - Click the “ItemLocToRPMPort” link to configure the port.
 - Select “Started” from the “Initial State” combo-box.
 - Click “OK”
 - Restart the RIBforRPM app server and verify that “ItemLocToRPMPort” is stopped.
- Create JMS subscriber in Egate
 - No action is needed.
- Disable the new trigger RMS_TABLE_RPM_ITL_AIUDR on ITEM_LOC.
- Run the new batch (NewItemLocBatch.sh) one time to process any records remaining in RPM_STAGE_ITEM_LOC.

Detail

The batch selects rows from the stage table and updates the FUTURE_RETAIL table to reflect the new item/location combination. If any approved price changes/promotions/clearances exist at a parent/zone level that encompasses the new item/location, these are also added to the FUTURE_RETAIL table for the new item/location.

Assumptions and Scheduling Notes

This batch may be run ad-hoc.

Primary Tables Involved

- RPM_STAGE_ITEM_LOC
- RPM_STAGE_ITEM_LOC_CLEAN
- RPM_STAGE_ITEM_LOC_EVENT
- RPM_FUTURE_RETAIL

Threading

This program is threaded. If no row exists in the RPM_BATCH_CONTROL table for com.retek.rpm.batch.NewItemLocBatch, then the application is executed with one thread and transactions are committed for each item-loc combination.

PriceChangeAutoApproveResultsPurgeBatch Batch Design

Overview

The PriceChangeAutoApproveResultsPurgeBatch program deletes old error message from the price change auto approve batch program.

Usage

The following command runs the PriceChangeAutoApproveResultsPurgeBatch job:

```
PriceChangeAutoApproveResultsPurgeBatch userid password
```

Where the first argument is the user id and the second argument is the password.

Detail

The PriceChangeAutoApproveResultsPurgeBatch program deletes price change auto approve errors. These errors are generated when the WorksheetAutoApproveBatch cannot approve a price change that it has created. The price change auto approve errors are deleted based on the effective dates of the price changes associated with the error. The price change auto approve errors are delete when the effective date of the price changes attempted to be approved is less than or equal to the vdate.

Assumptions and Scheduling Notes

PriceChangeAutoApproveResultsPurgeBatch can be run ad hoc.

Primary Tables Involved

- RPM_MAINT_MARGIN_ERR
- RPM_MAINT_MARGIN_ERR_DTL

Threading

This program is not threaded.

PriceChangePurgeBatch Batch Design

Overview

The PriceChangePurgeBatch program deletes past price changes.

Usage

The following command runs the PriceChangePurgeBatch job:

```
PriceChangePurgeBatch userid password
```

Where the first argument is the user id and the second argument is the password.

Detail

The PriceChangePurgeBatch program deletes price changes that have an effective date that is less than the vdate.

Assumptions and Scheduling Notes

PriceChangePurgeBatch can be run ad hoc.

Primary Tables Involved

- RPM_PRICE_CHANGE

Threading

This program is not threaded.

PriceChangePurgeWorkspaceBatch Batch Design

Overview

The PriceChangePurgeWorkspaceBatch program deletes abandoned price change workspace records.

Usage

The following command runs the PriceChangePurgeWorkspaceBatch job:

```
PriceChangePurgeWorkspaceBatch userid password
```

Where the first argument is the user id and the second argument is the password.

Detail

When users access the price change dialogue, records are created in workspace tables. These records are typically removed when the user exits the price change dialogue. However, it is possible that the workspace records may be abandoned. When this action occurs, the PriceChangePurgeWorkspaceBatch deletes them. The PriceChangePurgeWorkspaceBatch deletes records in the workspace table that are over n days old, where n is a system defined number of days.

Assumptions and Scheduling Notes

PriceChangePurgeWorkspaceBatch can be run ad hoc.

Primary Tables Involved

- RPM_PRICE_WORKSPACE
- RPM_PRICE_WORKSPACE_DETAIL

Threading

This program is not threaded.

PriceEventExecutionBatch Batch Design

Overview

The price event execution batch processes perform the necessary work to start (regular price change, clearance price change, promotions) and end (price change, promotions) pricing events.

Executing price events require running three batch programs. These are:

- PriceEventExecutionBatch.java identifies the events that need to be executed and stages the affected item-locations for the next batch to process.
- PriceEventExecutionRMSBatch.java processes the item-locations affected by the price events being executed RMS.
- PriceEventExecutionDealsBatch.java processes the deals affected by the price events being executed.

Usage

The following commands will need to be executed in order:

PriceEventExecutionBatch userid password

PriceEventExecutionRMSBatch userid password

PriceEventExecutionDealsBatch userid password

Where the first argument is the user id and the second argument is the password.

Detail

The batch programs process regular price changes, clearance price changes, and promotions events that are scheduled for the run date.

- • Promotions:
 - 15. Promotions that are scheduled to start are activated.
 - 16. Promotions that are scheduled to end are completed.
- • Clearances:
 - 17. Clearance markdowns that are scheduled to take place are executed.
 - 18. Clearances that are scheduled to be completed (reset) are completed.
- • Regular price changes:
 - 19. Regular price changes that are scheduled to take place are executed.

Assumptions and Scheduling Notes

The batch processes must run in the following order:

- PriceEventExecutionBatch
- PriceEventExecutionRMSBatch
- PriceEventExecutionDealsBatch

These batch processes must run before the following programs:

- Storeadd (RMS)
- MerchExtractKickOffBatch

The following programs must run before these batch processes:

- Salstage (RMS)
- LocationMoveBatch

Primary tables involved

- RPM_PRICE_CHANGE
- RPM_CLEARANCE
- RPM_PROMO_COMP_DETAIL

RMS interface point

The PriceEventExecutionRMSBatch interfaces with the RMS price change subscription package RMSSUB_PRICE_CHANGE. All price change, clearance, and promotion prices will be passed along to this RMS package at the item location level and will be applied in RMS.

Threading

Two of the three batch programs involved in price event execution utilize concurrent processing. These are PriceEventExecutionBatch and PriceEventExecutionRMSBatch. The threading strategies for these two batch programs are different from each other.

PriceEventExecutionBatch is threaded by a variable number of pricing events to be executed (i.e., price changes, clearances, and promotions).

PriceEventExecutionRMSBatch is threaded by a variable number of item-locations affected by the pricing events to be executed.

PriceStrategyCalendarBatch Batch Design

Overview

The calendar expiration batch process (PriceStrategyCalendarBatch.java) maintains calendars assigned to price strategies.

Usage

The following command runs the PriceStrategyCalendarBatch job:

```
PriceStrategyCalendarBatch userid password
```

Where the first argument is the user id and the second argument is the password.

Detail

The batch looks at price strategies that have expired or suspended calendars.

If a strategy has new calendars setup, the batch replaces the strategies' current calendar with the new calendar.

If a strategy does not have a new calendars setup and the expired calendar has a replacement calendar specified, the batch replaces the strategies' current calendar with the current calendar's replacement calendar.

Assumptions and Scheduling Notes

PriceStrategyCalendarBatch must run before the following programs:

- PriceEventExecutionBatch,
- MerchExtractKickOffBatch

Primary Tables Involved

- RPM_STRATEGY
- RPM_CALENDAR
- RPM_CALENDAR_PERIOD

Threading

This program is not threaded.

PromotionPriceChangePublishBatch batch design

Overview

The PromotionPriceChangePublishBatch program formats and stages output of promotion price change price events.

The corresponding promotionPriceChangePublishExport shell script produces a pipe ('|') delimited flat-file export based on the output of the PromotionPriceChangePublishBatch.

Usage

The following command runs the PromotionPriceChangePublishBatch job:

```
PromotionPriceChangePublishBatch userid password
```

Where the first argument is the RPM user id and the second argument is the password.

The following command runs the promotionPriceChangePublishExport job:

```
promotionPriceChangePublishExport.sh database-connect-string path
```

Where the first argument is the database connect string (user/pwd@database) and the second argument is the path where the file should be written. The path is optional and if not supplied, the path ../output will be used.

Detail

The batch looks for price events in the RPM_PRICE_EVENT_PAYLOAD table with a RIB_FAMILY of "PRMPRCCHG" and distributes those events to multiple threads based on the settings in the RPM_BATCH_CONTROL table. Each thread reads in its set of promotion price change events from tables RPM_PRICE_EVENT_PAYLOAD and the related promotion payload tables (see below) and generates output in RPM_PRICE_PUBLISH_DATA. After the flat file is successfully generated by the Export script (see format below), the associated records in the payload tables are deleted.

A single flat-file is created with the name: PRMPC_<timestamp>.pub

Where <timestamp> is the current system time stamp.

Input Tables

RPM_PRICE_EVENT_PAYLOAD

RPM_PROMO_DTL_PAYLOAD

RPM_PROMO_DTL_SMP_PAYLOAD

RPM_PROMO_DTL_THR_PAYLOAD

RPM_THRESHOLD_DTL_PAYLOAD

RPM_PROMO_DTL_BG_PAYLOAD

RPM_PROMO_DTL_BGI_PAYLOAD

Output File Record Types

FHEAD – REQUIRED: File identification, one line per file.

TSMPP – OPTIONAL: Simple Promotion (transaction head)

TSDTL – REQUIRED: Simple Promotion Detail (1 or more per TSMPL)

TTAIL – REQUIRED: Transaction tail (1 per promotion)

FSDEL – OPTIONAL: Simple Promotion Delete

TTHRP – OPTIONAL: Threshold Promotion (transaction head)

TTLVL – REQUIRED: Threshold Level (1 or more per TTHRP)

TTDTL – REQUIRED: Threshold Detail (1 or more per TTHRP)

TTAIL – REQUIRED: Transaction Tail (1 per promotion)

FTDEL – OPTIONAL: Threshold Promotion Delete

TBGTP – OPTIONAL: Buy/Get Promotion (transaction head)

TBITM – REQUIRED: Buy Item (1 or more per TBGTP)

TGITM – REQUIRED: Get Item (1 or more per TBGTP)

TLOCN – REQUIRED: Location (1 or more per TBGTP)

TTAIL – REQUIRED: Transaction tail (1 per promotion)

FBDEL – OPTIONAL: Buy/Get Promotion Delete

FTAIL – REQUIRED: End of file marker, one line per file.

Output File Layout

Record Name	Field Name	Field Type	Default Value	Description
FHEAD	Record Descriptor	Char(5)	FHEAD	File head marker
	Line id	Number(10)	1	Unique line id
	File Type	Char(5)	REGPC	Regular Price Changes
	Export timestamp	Timestamp		System clock timestamp (YYYYMMDDHHMISS)
	Format Version	Char(5)	1.0	File Format Version
TSMPP	Record Descriptor	Char(5)	TSMPP	Simple Promotion (transaction head)
	Line id	Number(10)		Unique line id
	Event Type	Char(3)		“CRE” = Create, “MOD” = Modify
	Promotion Id	Number(10)		Promotion Id
	Promo Comp Id	Number(10)		Promotion Component Id
	Promo Comp Detl Id	Number(10)		Promotion Component Detail Id
	Start Date	Date		Start Date of Promotion Component Detail (DD-MMM-YY)
	End Date	Date		End Date of Promotion Component Detail (DD-MMM-YY)

Record Name	Field Name	Field Type	Default Value	Description
TSDTL	Promo Name	Char(160)		Promotion Header Name
	Promo Desc	Char(640)		Promotion Header Description
	Promo Comp Name	Char(160)		Promotion Component Name
	Apply Order	Number(1)		Application Order of the Promotion
	Change Type	Char(1)		Retail Change Type ['A'mount Off or 'P'ercent Off or 'F'ixed Price or 'N'one]
	Change Value	Number(20,4)		Retail Change Value [Value of the promotion]
	Change Value UOM	Char(4)		Unit of Measure of the change value [if supplied]
	Record Descriptor	Char(5)	TSDTL	Simple Promotion Detail
	Line id	Number(10)		Unique line id
	Item Id	Char(25)		Transaction Item Identifier
	Location Id	Number(10)		Org Node [Store or Warehouse] identifier
	Location Type	Char(1)		Org Node Type ['S'tore or 'W'arehouse]
TTAIL	Selling Retail	Number(20,4)		Selling Retail with promotion applied
	Selling Retail UOM	Char(4)		Unit of Measure of Selling Retail
	Record Descriptor	Char(5)	TTAIL	Transaction Tail
FSDEL	Line id	Number(10)		Unique line id
	Record Descriptor	Char(5)	FSDEL	Simple Promotion Delete (file detail)
	Line id	Number(10)		Unique line id
TTHRP	Promo Comp Detail Id	Number(10)		Promotion Component Detail Id
	Item Id	Char(25)		Transaction Item Identifier
	Location Id	Number(10)		Org Node [Store or Warehouse] identifier
	Location Type	Char(1)		Org Node Type [Store or Warehouse]
	Record Descriptor	Char(5)	TTHRP	Threshold Promotion (transaction head)
	Line id	Number(10)		Unique line id
	Event Type	Char(3)		"CRE" = Create, "MOD" = Modify

Record Name	Field Name	Field Type	Default Value	Description
	Promotion Id	Number(10)		Promotion Id
	Promo Comp Id	Number(10)		Promotion Component Id
	Promo Comp Detl Id	Number(10)		Promotion Component Detail Id
	Start Date	Date		Start Date of Promotion Component Detail (DD-MMM-YY)
	End Date	Date		End Date of Promotion Component Detail (DD-MMM-YY)
	Promo Name	Char(160)		Promotion Header Name
	Promo Desc	Char(640)		Promotion Header Description
	Promo Comp Name	Char(160)		Promotion Component Name
	Apply Order	Number(1)		Application Order of the Promotion
	Threshold Id	Number(6)		Threshold Id
	Threshold Name	Char(120)		Threshold Name
	Threshold Qual Type	Number(1)		Threshold Qualification Type [0=Item, 1=Threshold]
	Threshold Type	Char(1)		Threshold Type ['Q'uantity or 'A'mount]
	Change Type	Char(1)		Change Type ['A'mount Off or 'P'ercent Off or 'F'ixed Price]
TTLVL	Record Descriptor	Char(5)	TTLVL	Threshold Level Detail
	Line id	Number(10)		Unique line id
	Threshold Value	Number(20,4)		Threshold Value [Amount or Quantity] needed to hit threshold
	Change Value	Number(20,4)		Retail Change Value [Value of the promotion threshold detail]
	Change Value UOM	Char(4)		Unit of Measure of the change value [if supplied]
TTDTL	Record Descriptor	Char(5)	TTDTL	Threshold Detail
	Line id	Number(10)		Unique line id
	Item Id	Char(25)		Transaction Item Identifier
	Location Id	Number(10)		Org Node [Store or Warehouse] identifier
	Location Type	Char(1)		Org Node Type ['S'tore or 'W'arehouse]
TTAIL	Record Descriptor	Char(5)	TTAIL	Transaction Tail

Record Name	Field Name	Field Type	Default Value	Description
FTDEL	Line id	Number(10)		Unique line id
	Record Descriptor	Char(5)	FTDEL	Threshold Promotion Delete (file detail)
	Line id	Number(10)		Unique line id
	Promo Comp Detail Id	Number(10)		Promotion Component Detail Id
	Item Id	Char(25)		Transaction Item Identifier
	Location Id	Number(10)		Org Node [Store or Warehouse] identifier
TBGTP	Location Type	Char(1)		Org Node Type ['S'tore or 'W'arehouse]
	Record Descriptor	Char(5)	TBGTP	Buy/Get Promotion (transaction head)
	Line id	Number(10)		Unique line id
	Event Type	Char(3)		"CRE" = Create, "MOD" = Modify
	Promotion Id	Number(10)		Promotion Id
	Promo Comp Id	Number(10)		Promotion Component Id
	Promo Comp Detl Id	Number(10)		Promotion Component Detail Id
	Start Date	Date		Start Date of Promotion Component Detail (DD-MMM-YY)
	End Date	Date		End Date of Promotion Component Detail (DD-MMM-YY)
	Promo Name	Char(160)		Promotion Header Name
	Promo Desc	Char(640)		Promotion Header Description
	Promo Comp Name	Char(160)		Promotion Component Name
	Apply Order	Number(1)		Application Order of the Promotion
	All Indicator	Number(1)		Buy Get all indicator [1=buy all, 0=any]
	Buy Quantity	Number(20,4)		Quantity needed for buy - get
	Change Type	Char(1)		Retail Change Type ['A'mount Off or 'P'ercent Off or 'F'ixed Price]
	Change Value	Number(20,4)		Retail Change Value [Value of the promotion]
	Change Value UOM	Char(4)		Unit of Measure of the change value [if supplied]
TBITM	Record Descriptor	Char(5)	TBITM	Buy Item
	Line id	Number(10)		Unique line id

Record Name	Field Name	Field Type	Default Value	Description
TGITM	Buy Item Id	Char(25)		Transaction Item Identifier for buy item
	Record Descriptor	Char(5)	TGITM	Get Item
	Line id	Number(10)		Unique line id
	Get Item Id	Char(25)		Transaction Item Identifier for get item
TLOCN	Record Descriptor	Char(5)	TLOCN	Location
	Line id	Number(10)		Unique line id
	Location Id	Number(10)		Org Node [Store or Warehouse] identifier
	Location Type	Char(1)		Org Node Type ['S'tore or 'W'arehouse]
TTAIL	Record Descriptor	Char(5)	TTAIL	Transaction Tail
	Line id	Number(10)		Unique line id
FBDEL	Record Descriptor	Char(5)	FBDEL	Buy/Get Promotion Delete (file detail)
	Line id	Number(10)		Unique line id
	Promo Comp Detail Id	Number(10)		Promotion Component Detail Id
	Item Id	Char(25)		Transaction Item Identifier
	Location Id	Number(10)		Org Node [Store or Warehouse] identifier
	Location Type	Char(1)		Org Node Type ['S'tore or 'W'arehouse]
FTAIL	Record Descriptor	Char(5)	FTAIL	File tail marker
	Line id	Number(10)		Unique line id
	Number of lines	Number(10)		Number of lines in file not counting FHEAD and FTAIL

Assumptions and scheduling notes

PromotionPriceChangePublishBatch should be run after the WorksheetAutoApproveBatch.

PromotionPriceChangePublishExport should be run after every successful run of PromotionPriceChangePublishBatch.

Primary tables involved

- RPM_PRICE_EVENT_PAYLOAD
- RPM_PROMO_DTL_PAYLOAD
- RPM_PROMO_DTL_SMP_PAYLOAD
- RPM_PROMO_DTL_THR_PAYLOAD
- RPM_THRESHOLD_DTL_PAYLOAD
- RPM_PROMO_DTL_BG_PAYLOAD
- RPM_PROMO_DTL_BGI_PAYLOAD

Threading

This program is threaded. The LUW is a single rpm_price_event_payload record. (Buy/Get promotions will not be split across threads but Simple and Threshold promotions may be.)

Configuration

The following property must be set in rpm.properties on the application server when using this batch program to publish promotion price events:

delete_staged_rib_payloads=false

PromotionPurgeBatch Batch Design**Overview**

The PromotionPurgeBatch program deletes old and rejected promotions.

Usage

The following command runs the PromotionPurgeBatch job:

PromotionPurgeBatch userid password

Where the first argument is the user id and the second argument is the password.

Detail

PromotionPurgeBatch deletes promotions based on two system options.

RPM_SYSTEM_OPTIONS.PROMOTION_HIST_MONTHS and

RPM_SYSTEM_OPTIONS.REJECT_HOLD_DAYS_PROMO.

RPM_SYSTEM_OPTIONS.PROMOTION_HIST_MONTHS controls how long non-

rejected promotions are held. RPM_SYSTEM_OPTIONS.REJECT_HOLD_DAYS_PROMO controls how long rejected promotions are held.

Assumptions and Scheduling Notes

PromotionPurgeBatch can be run ad hoc.

Primary Tables Involved

- RPM_PROMO_EVENT
- RPM_PROMO
- RPM_PROMO_DEAL_LINK
- RPM_PROMO_COMP
- RPM_PROMO_COMP_THRESH_LINK
- RPM_PROMO_DEAL_COMP_LINK
- RPM_PROMO_COMP_DETAIL
- RPM_PROMO_COMP_SIMPLE
- RPM_PROMO_COMP_THRESHOLD
- RPM_PROMO_COMP_BUY_GET
- RPM_PROMO_BUY_GET_ZONE
- RPM_PROMO_BUY_ITEM
- RPM_PROMO_GET_ITEM
- RPM_PENDING_DEAL
- RPM_PENDING_DEAL_DETAIL

Threading

This program is threaded.

PurgeExpiredExecutedOrApprovedClearancesBatch Batch Design

Overview

The PurgeExpiredExecutedOrApprovedClearancesBatch program deletes expired clearances in 'Executed' or 'Approved' statuses.

Usage

The following command runs the PurgeExpiredExecutedOrApprovedClearancesBatch job:

```
PurgeExpiredExecutedOrApprovedClearancesBatch userid password
```

Where the first argument is the user id and the second argument is the password.

Detail

The PurgeExpiredExecutedOrApprovedClearancesBatch deletes clearances that meet the following criteria:

- Clearance effective date is older than the CLEARANCE_HIST_MONTHS system option.
- Clearance is on a valid future retail timeline (RPM_FUTURE_RETAIL).
- Clearance is in an Approved or Executed status.

Assumptions and Scheduling Notes

PurgeExpiredExecutedOrApprovedClearancesBatch can be run ad hoc.

Primary Tables Involved

- RPM_CLEARANCE

Threading

This program is not threaded.

PurgeLocationMovesBatch Batch Design

Overview

The PurgeLocationMovesBatch program deletes old expired and executed zone location moves.

Usage

The following command runs the PurgeLocationMovesBatch job:

```
PurgeLocationMovesBatch userid password
```

Where the first argument is the user id and the second argument is the password.

Detail

The PurgeLocationMovesBatch program deletes location moves based on their effective date. Location moves are purged regardless whether or not they have been executed. Location moves are purged when their effective date is RPM_SYSTEM_OPTIONS.LOCATION_MOVE_PURGE_DAYS days in the past.

Assumptions and Scheduling Notes

PurgeLocationMovesBatch can be run ad hoc.

Primary Tables Involved

- RPM_LOCATION_MOVE
- RPM_LOC_MOVE_PROMO_ERROR
- RPM_LOC_MOVE_PRC_STRT_ERR
- RPM_LOC_MOVE_PRC_CHNG_EX
- RPM_LOC_MOVE_CLEARANCE_EX
- RPM_LOC_MOVE_PROMO_COMP_DTL_EX

Threading

PurgeLocationMovesBatch.java is not threaded.

PurgeUnusedAndAbandonedClearancesBatch Batch Design

Overview

The PurgeUnusedAndAbandonedClearancesBatch program deletes unused and rejected clearances.

Usage

The following command runs the PurgeUnusedAndAbandonedClearancesBatch job:

```
PurgeUnusedAndAbandonedClearancesBatch userid password
```

Where the first argument is the user id and the second argument is the password.

Detail

The `PurgeUnusedAndAbandonedClearancesBatch` program deletes clearances from the `RPM_CLEARANCE` table that meet one of the following three criteria:

- Clearance effective date is older than the `CLEARANCE_HIST_MONTHS` system option.
- Clearance is in 'Worksheet' or 'Submitted' status.

Or

- Clearance effective date is older than the `CLEARANCE_HIST_MONTHS` system option.
- Clearance is in 'Execute' or 'Approved' status.
- Clearance is not on a future retail timeline

Or

- Clearance effective date is older than the `REJECT_HOLD_DAYS_PC_CLEAR` system option.
- Clearance is in 'Rejected' status.

Assumptions and Scheduling Notes

`PurgeUnusedAndAbandonedClearancesBatch` can be run ad hoc.

Primary Tables Involved

- `RPM_CLEARANCE`

Threading

This program is not threaded.

RegularPriceChangePublishBatch Batch Design**Overview**

The `RegularPriceChangePublishBatch` program formats and stages output of regular price change price events.

The corresponding `regularPriceChangePublishExport` shell script produces a pipe ('|') delimited flat-file export based on the output of the `RegularPriceChangePublishBatch`.

Usage

The following command runs the `RegularPriceChangePublishBatch` job:

```
RegularPriceChangePublishBatch userid password
```

Where the first argument is the RPM user id and the second argument is the password.

The following command runs the `regularPriceChangePublishExport` job:

```
regularPriceChangePublishExport.sh database-connect-string path
```

Where the first argument is the database connect string (user/pwd@database) and the second argument is the path where the file should be written. The path is optional and if not supplied, the path `../output` will be used.

Detail

The batch looks for price events in the RPM_PRICE_EVENT_PAYLOAD table with a RIB_FAMILY of "REGPRCCHG" and distributes those events to multiple threads based on the settings in the RPM_BATCH_CONTROL table. Each thread reads in its set of regular price change events from tables RPM_PRICE_EVENT_PAYLOAD and RPM_PRICE_CHG_PAYLOAD and generates output in RPM_PRICE_PUBLISH_DATA. After the flat file is successfully generated by the Export script (see format below), the associated records in the payload tables are deleted.

A single flat-file is created with the name: REGPC_<timestamp>.pub

Where <timestamp> is the current system time stamp.

Output File

FHEAD - REQUIRED: File identification, one line per file.

FDETL - OPTIONAL: Price Change Event (Create or Modify)

FDELE - OPTIONAL: Price Change Event (Delete)

FTAIL - REQUIRED: End of file marker, one line per file.

Output File Layout

Record Name	Field Name	Field Type	Default Value	Description
FHEAD	Record Descriptor	Char(5)	FHEAD	File head marker
	Line id	Number(10)	1	Unique line id
	File Type	Char(5)	REGPC	Regular Price Changes
	Export timestamp	Timestamp		System clock timestamp (YYYYMMDDHHMISS)
	Format Version	Char(5)	1.0	File Format Version
FDETL	Record Descriptor	Char(5)	FDETL	File Detail Marker (1 per price change create or modify)
	Line id	Number(10)		Unique line id
	Event Type	Char(3)		"CRE" = Create, "MOD" = Modify
	Id	Number(15)		Price Change identifier
	Item	Char(25)		Item identifier
	Location	Number(10)		Location identifier
	Location Type	Char(1)		'S' = Store, 'W' = Warehouse
	Effective Date	Date		Effective Date of price change (DD-MMM-YY)
	Selling Unit Change Ind	Number(1)		Did selling unit retail change with this price event (0 = no change, 1 = changed)
	Selling Retail	Number(20,4)		Selling retail with price change applied

Record Name	Field Name	Field Type	Default Value	Description
	Selling Retail UOM	Char(4)		Selling retail unit of measure
	Selling Retail Currency	Char(3)		Selling retail currency
	Multi-Unit Change Ind	Number(1)		Did multi unit retail change with this price event (0 = no change, 1 = changed)
	Multi-Units	Number(12,4)		Number Multi Units
	Multi-Unit Retail	Number(20,4)		Multi Unit Retail
	Multi-Unit UOM	Char(4)		Multi Unit Retail Unit Of Measure
	Multi-Unit Currency	Char(3)		Multi Unit Retail Currency
FDELE	Record Descriptor	Char(5)	FDELE	File Detail Delete Marker (1 per price change delete)
	Line id	Number(10)		Unique line id
	Id	Number(15)		Price Change identifier
	Item	Char(25)		Item identifier
	Location	Number(10)		Location identifier
	Location Type	Char(1)		'S' = Store, 'W' = Warehouse
FTAIL	Record Descriptor	Char(5)	FTAIL	File tail marker
	Line id	Number(10)		Unique line id
	Number of lines	Number(10)		Number of lines in file not counting FHEAD and FTAIL

Assumptions and Scheduling Notes

RegularPriceChangePublishBatch should be run after the WorksheetAutoApproveBatch. RegularPriceChangePublishExport should be run after every successful run of RegularPriceChangePublishBatch.

Primary Tables Involved

- RPM_PRICE_EVENT_PAYLOAD
- RPM_PRICE_CHG_PAYLOAD

Threading

This program is threaded. The LUW is a single regular price change event.

Configuration

The following property must be set in rpm.properties on the application server when using this batch program to publish regular price events:

delete_staged_rib_payloads=false

WorksheetAutoApproveBatch Batch Design

Overview

The WorksheetAutoApproveBatch program approves maintain margin strategy worksheets that have not been acted upon by the end of the review period. The strategies must be marked as auto-approve in order to be processed.

Usage

The following command runs the WorksheetAutoApproveBatch job:

```
worksheetAutoApproveBatch userid password
```

Where the first argument is the user id and the second argument is the password.

Detail

The WorksheetAutoApproveBatch first finds strategies to process. In order to qualify the strategies must meet the below criteria:

- The strategies must be a maintain margin strategy with its auto-approve indicator set.
- The strategies must be associated with a calendar review period that is ending.

For each strategy that qualifies, worksheet detail records are processed. In order to be processed the worksheet detail records must meet the following criteria:

- The worksheet detail must be marked as either undecided or take.
- The worksheet detail record must be represent an actual change in the retail
- The worksheet detail must be in one of the below states:
 - New
 - In progress
 - Pending
 - Submitted
 - Submit rejected
 - Updated

Each worksheet detail that meets the above criteria will have run through the approval logic. The approval logic will attempt to create and approve a price change. If the price change cannot be approved, the reason is written to the Conflict Check Results Dialogue. Additionally, area differential logic is executed.

If dynamic area differentials are being used in the system, any secondary area worksheet detail records that exist will also be processed. If the secondary area is marked as auto approve, the secondary worksheet detail record will go through the same logic as the original worksheet detail (depending on its state). If the secondary area is not marked as auto approve, the secondary worksheet detail record have a retail proposed for it and will move into new status and become available for review by online users.

After all the worksheet details for the working strategy have been run through their approval logic, the worksheet status is updated to reflect the changes made to the details.

Assumptions and Scheduling Notes

WorksheetAutoApproveBatch can be run ad hoc.

Primary Tables Involved

- RPM_STRATEGY_MAINT_MARGIN
- RPM_WORKSHEET_STATUS
- RPM_WORKSHEET_DATA
- RPM_PRICE_CHANGE
- RPM_CLEARANCE
- RPM_FUTURE_RETAIL
- RPM_AREA_DIFF_PRIM
- RPM_AREA_DIFF
- RPM_MAINT_MARGIN_ERR
- RPM_MAINT_MARGIN_ERR_DTL

Threading

This program is threaded by strategy. Each strategy that is found is processed in its own thread (when threading is set to run on RPM_BATCH_CONTROL).

ZoneFutureRetailPurgeBatch Batch Design**Overview**

The ZoneFutureRetailPurgeBatch program deletes old error message from the price change auto approve batch program.

Usage

The following command runs the PriceChangeAutoApproveResultsPurgeBatch job:
ZoneFutureRetailPurgeBatch userid password

Where the first argument is the user id and the second argument is the password.

Detail

The ZoneFutureRetailPurgeBatch program deletes all zone/item price change actions which:

- Have an ACTION_DATE value prior to VDATE, and
- Have been superseded by at least one other change action whose ACTION_DATE is also prior to VDATE.

The effect is that, for each zone/item with a price change history, the most recent such action, prior to VDATE, will remain after the purge is complete.

Assumptions and Scheduling Notes

ZoneFutureRetailPurgeBatch can be run ad hoc.

Primary Tables Involved

- RPM_ZONE_FUTURE_RETAIL

Threading

This program is not threaded.

RETL Program Overview for RPM Extractions

To facilitate the extraction of data from RPM (that could be eventually loaded into a data warehouse for reporting purposes, for example), RPM works in conjunction with the Oracle Retail Extract Transform and Load (RETL) framework. This architecture optimizes a high performance data processing tool that can let database batch processes take advantage of parallel processing capabilities. The RETL framework runs and parses through the valid operators composed in XML scripts.

Oracle Retail's streamlined RETL code provides for less data storage, easier implementation, and reduced maintenance requirements through decreased code volume and complexity. The RETL scripts are Korn shell scripts that are executable from a Unix prompt. A typical run and debugging situation is provided later in this chapter.

These extractions were initially designed for Oracle Retail Data Warehouse (RDW) but can be used for some other application in the retailer's enterprise.

For more information about the RETL tool, see the latest RETL Programmer's Guide.

Architectural Design


The diagram below illustrates the extraction processing architecture for RPM. Instead of managing the change captures as they occur in the source system during the day, the process involves extracting the current data from the source system. The extracted data is output to flat files. These flat files are then available for consumption by a product such as Oracle Retail Data Warehouse (RDW).

The target system, (RDW, for example), has its own way of completing the transformations and loading the necessary data into its system, where it can be used for further processing in the environment.

RPM modules use the same libraries, resource files and configuration files as RMS. All these libraries, resource files and configuration files are packed with RMS. An RPM retailer must install RMS first, before 'kicking off' any RPM RETL scripts.

RPM Extraction Architecture

The architecture relies upon the use of well-defined flows specific to the RPM database. The resulting output is comprised of data files written in a well-defined schema file format. This extraction includes no destination specific code.



RETL extraction processing for RPM

Configuration

RETL

Before trying to configure and run RPM RETL, install RETL version 12.0 or later, which is required to run RPM RETL. Run the 'verify_retl' script (included as part of the RETL installation) to ensure that RETL is working properly before proceeding.

RETL User and Permissions

RPM ETL is installed and run as the RETL user. Additionally, the permissions are set up as per the RETL Programmer's Guide. RPM ETL reads data, creates, deletes and updates tables. If these permissions are not set up properly, extractions fail.

Environment Variables

See the RETL Programmer's Guide for RETL environment variables that must be set up for your version of RETL. You will need to set MMHOME to your base directory for RPM RETL. This is the top level directory that you selected during the installation process. In your .kshrc, you should add a line such as the following:

```
export MMHOME=<base directory for RMS ETL>\dwi12.0\dev
```

Note: Because RPM modules share the same libraries and configure files with RMS, the MMHOME is the same as the one defined in RMS.

dwi_config.env Settings

Make sure to review the environmental parameters in the dwi_config.env file before executing batch modules. There are several variables you must change depending upon your local settings:

For example:

```
export DBNAME=int9i
export RPM_OWNER=steffej_RPM1101
export BA_OWNER=rmsint1101
export ORACLE_PORT="1524"
export ORACLE_HOST="mspdev38"
```

You can set up the environment variable PASSWORD in dwi_config.env or in a different location specified by the retailer. In the example below, adding the line to the dwi_config.env causes the password 'mypasswd' to be used to log into the database:

```
export PASSWORD=mypasswd
```

Steps to Configure RETL

1. Log in to the Unix server with a Unix account that will run the RETL scripts.
2. Change directories to \$MMHOME/rfx/etc.
3. Modify the dwi_config.env script:
 - a. Change the DBNAME variable to the name of the RPM database.
 - b. Change the RPM_OWNER variable to the username of the RPM schema owner.
 - c. Change the BA_OWNER variable to the username of the RPME batch user.
 - d. Change the ORACLE_HOST variable to the database server name.
 - e. Change the ORACLE_PORT variable to the database port number
 - f. Change the MAX_NUM_COLS variable to modify the maximum number of columns from which RETL selects records.

Note: All RPM tables have to be under the RMS database. It has the same BA_OWNER as RMS. Thus, the only piece that RPM must modify in the dwi_config.env file is to assign a value to RPM_OWNER. The configuration file, dwi_config.env, as well as all other configure files are packed with RMS.

Program Features

RETL programs use one return code to indicate successful completion. If the program successfully runs, a zero (0) is returned. If the program fails, a non-zero is returned.

Program Status Control Files

To prevent a program from running while the same program is already running against the same set of data, the RPME code utilizes a program status control file. At the beginning of each module, `dwi_config.env` is run. It checks for the existence of the program status control file. If the file exists, then a message stating, '`{PROGRAM_NAME}` has already started', is logged and the module exits. If the file does not exist, a program status control file is created and the module executes.

If the module fails at any point, the program status control file is not removed, and the user is responsible for removing the control file before re-running the module.

File Naming Conventions

The naming convention of the program status control file allows a program whose input is a text file to be run multiple times at the same time against different files.

The name and directory of the program status control file is set in the configuration file (`dwi_config.env`). The directory defaults to `$MMHOME/error`. The naming convention for the program status control file itself defaults to the following dot separated file name:

- The program name
- The first filename, if one is specified on the command line
- 'status'
- The business virtual date for which the module was run

For example, the program status control file for the `prmevtex.ksh` program would be named as follows for the VDATE of March 21, 2004:

`$MMHOME/error/prmevtex.status.20040321`

Restart and Recovery

Because RETL processes all records as a set, as opposed to one record at a time, the method for restart and recovery must be different from the method that is used for Pro*C. The restart and recovery process serves the following two purposes:

- It prevents the loss of data due to program or database failure.
- It increases performance when restarting after a program or database failure by limiting the amount of reprocessing that needs to occur.

The RPME extract modules extract from a source transaction database and write to a text file.

Most modules use a single RETL flow and do not require the use of restart and recovery. If the extraction process fails for any reason, the problem can be fixed, and the entire process can be run from the beginning without the loss of data.

There is no restart/recovery logic in any RPM RETL extraction module.

Message Logging

Message logs are written daily in a format described in this section.

Daily Log File

Every RETL program writes a message to the daily log file when it starts and when it finishes. The name and directory of the daily log file is set in the configuration file (`dwi_config.env`). The directory defaults to `$MMHOME/log`. All log files are encoded UTF-8.

The naming convention of the daily log file defaults to the following 'dot' separated file name:

- The business virtual date for which the modules are run
- '.log'

For example, the location and the name of the log file for the business virtual date (VDATE) of March 21, 2004 would be the following:

`$MMHOME/log/20040321.log`

Format

As the following examples illustrate, every message written to a log file has the name of the program, a timestamp, and either an informational or error message:

`prmevtex 15:47:14: Program started...`

`prmevtex 15:47:18: Program completed successfully`

If a program finishes unsuccessfully, an error file is usually written that indicates where the problem occurred in the process. There are some error messages written to the log file, such as 'No output file specified', that require no further explanation written to the error file.

Program Error File

In addition to the daily log file, each program also writes its own detail flow and error messages. Rather than clutter the daily log file with these messages, each program writes out its errors to a separate error file unique to each execution.

The name and directory of the program error file is set in the configuration file (`dwi_config.env`). The directory defaults to `$MMHOME/error`. All errors and *all routine processing messages* for a given program on a given day go into this error file (for example, it will contain both the `stderr` and `stdout` from the call to RETL). All error files are encoded UTF-8.

The naming convention for the program's error file defaults to the following 'dot' separated file name:

- The program name
- The first filename, if one is specified on the command line
- The business virtual date for which the module was run

For example, all errors and detail log information for the `prmevtex.ksh` program would be placed in the following file for the batch run of March 21, 2004:

`$MMHOME/error/prmevtex.20040321`

Schema Files

RETL uses schema files to specify the format of incoming or outgoing datasets. The schema file defines each column's data type and format, which is then used within RETL to format/handle the data. For more information about schema files, see the latest RETL Programmer's Guide. Schema file names are hard-coded within each module since they do not change on a day-to-day basis. All schema files end with ".schema" and are placed in the "rfx/schema" directory.

Resource Files

RPME Kornshell programs use resource files so that the same RETL programs can run in various language environments. For each language, there is one resource file.

Resource files contain hard-coded strings that are used by extract programs. The name and directory of the resource file is set in the configuration file (dwi_config.env). The default directory is \${MMHOME}/rfx/include.

The naming convention for the resource file follows the two-letter SIM code standard abbreviation for languages (for example, en for English, fr for French, ja for Japanese, es for Spanish, de for German, and so on).

Note: Resource files are only packed with RMS.

Typical Run and Debugging Situations

The following examples illustrate typical run and debugging situations for types of programs. The log, error, and so on file names referenced below assume that the module is run on the business virtual date of March 9, 2004. See the previously described naming conventions for the location of each file.

For example:

To run prmevtex.ksh:

1. Change directories to \$MMHOME/rfx/src.
2. At a Unix prompt enter the following:

```
%prmevtex.ksh
```

If the module runs successfully, the following results:

- Log file
Today's log file, 20040309.log, contains the messages "Program started ..." and "Program completed successfully" for prmevtex.ksh.
- Data
The prmevtdm.txt file exists in the \$MMHOME/data directory and contains the extracted records.
- Error file
The program's error file, prmevtex.20040309, contains the standard RETL flow (ending with "All threads complete" and "Flow ran successfully") and no additional error messages.
- Program status control
The program status control file, prmevtex.status.20040309, does not exist.

If the module does *not* run successfully, the following results:

- **Log file**
Today's log file, 20040309.log, does not contain the "Program completed successfully" message for prmevtex.ksh.
- **Data**
The prmevtdm.txt file may exist in the data directory but may not contain all the extracted records.
- **Error file**
The program's error file, prmevtex.txt.20040309, may contain an error message.
- **Program status control**
The program status control file, prmevtex.status.20040309, exists.

To re-run a module from the beginning, perform the following actions:

1. Determine and fix the problem causing the error.
2. Remove the program's status control file.
3. Change directories to \$MMHOME/rfx/src. At a Unix prompt, enter:
%prmevtex.ksh

Note: To understand how to engage in the restart and recovery process, see the section, 'Restart and recovery' earlier in this chapter.

RETL Extractions Program List

This section serves as a reference to the RETL extraction RPM programs.

Note: See the Oracle Retail Merchandising Batch Schedule for information on the batch schedule and program flow diagrams.

Program	Functional Area	Source Table or File	Schema File	Target File or Table
prmdtlex.ksh	Promotion	RPM_PROMO_COMP, RPM_PROMO_COMP_BU Y_GET, RPM_PROMO_COMP_DET AIL, RPM_PROMO, RPM_PROMO_COMP_TH RESHOLD, RPM_PROMO_COMP_SIM PLE	prmdtldm.s chema	prmdtldm.txt
prmevtex.ksh	Promotion	RPM_PROMO_EVENT	prmevtdm.s chema	prmevtdm.txt
prmhdx.ksh	Promotion	RPM_PROMO	prmhdxrdrdm. schema	prmhdxrdrdm.txt

Application Programming Interface (API) Flat File Specifications

This section contains APIs that describe the file format specifications for all text files.

In addition to providing individual field description and formatting information, the APIs provide basic business rules for the incoming data.

API Format

Each API contains a business rules section and a file layout. Some general business rules and standards are common to all APIs. The business rules are used to ensure the integrity of the information held within RDW. In addition, each API contains a list of rules that are specific to that particular API.

File Layout

- **Field Name:** Provides the name of the field in the text file.
- **Description:** Provides a brief explanation of the information held in the field.
- **Data Type/Bytes:** Includes both data type and maximum column length. Data type identifies one of three valid data types: character, number, or date. Bytes identifies the maximum bytes available for a field. A field may not exceed the maximum number of bytes (note that ASCII characters usually have a ratio of 1 byte = 1 character)
 - **Character:** Can hold letters (a,b,c...), numbers (1,2,3...), and special characters (\$,#,&...)
 - **Numbers:** Can hold only numbers (1,2,3...)
 - **Date:** Holds a specific year, month, day combination. The format is "YYYYMMDD", unless otherwise specified.
- **Any required formatting for a field is conveyed in the Bytes section.** For example, Number(18,4) refers to number precision and scale. The first value is the precision and always matches the maximum number of digits for that field; the second value is the scale and specifies, of the total digits in the field, how many digits exist to the right of the decimal point. For example, the number -12345678901234.1234 would take up twenty ASCII characters in the flat file; however, the overall precision of the number is still (18,4).
- **Field Order:** Identifies the order of the field in the schema file.
- **Required Field:** Identifies whether the field can hold a null value. This section holds either a 'yes' or a 'no'. A 'yes' signifies the field may not hold a null value. A 'no' signifies that the field may, but is not required, to hold a null value.

General Business Rules and Standards Common to all APIs

- Complete 'snapshot' (of what RDW refers to as dimension data):
A majority of RDW's dimension code requires a complete view of all current dimensional data (regardless of whether the dimension information has changed) once at the end of every business day. If a complete view of the dimensional data is not provided in the text file, invalid or incorrect dimensional data can result. For instance, not including an active item in the prditmdm.txt file causes that item to be closed (as of the extract date) in the data warehouse. When a sale for the item is processed, the fact program will not find a matching 'active' dimension record. Therefore, it is essential, unless otherwise noted in each API's specific business rules section, that a complete snapshot of the dimensional data be provided in each text file.

If there are no records for the day, an empty flat file must still be provided.

- Updated and new records of (what RDW refers to as fact data):
Facts being loaded to RDW can either be new or updated facts. Unlike dimension snapshots, fact flat files will only contain new/updated facts exported from the source system once per day (or week, in some cases). Refer to each API's specific business rules section for more details.

If there are no new or changed records for the day, an empty flat file must still be provided.

- Primary and local currency amount fields
Amounts will be stored in both primary and local currencies for most fact tables. If the source system uses multi-currency, then the primary currency column holds the primary currency amount, and the local currency column holds the local currency amount. If the location happens to use the primary currency, then both primary and local amounts hold the primary currency amount. If the source system does not use multi-currency, then only the primary currency fields are populated and the local fields hold NULL values.
- Leading/trailing values:
Values entered into the text files are the exact values processed and loaded into the datamart tables. Therefore, the values with leading and/or trailing zeros, characters, or nulls are processed as such. RDW does not strip any of these leading or trailing values, unless otherwise noted in the individual API's business rules section.
- Indicator columns:
Indicator columns are assumed to hold one of two values, either "Y" for yes or "N" for no.

- Delimiters:

Note: Make sure the delimiter is never part of your data.

- Dimension Flat File Delimiter Standards (as defined by RDW): Within dimension text files, each field must be separated by a pipe (|) character, for example a record from prddivdm.txt may look like the following:

1000 | 1 | Homewares | 2006 | Henry Stubbs | 2302 | Craig Swanson

- Fact Flat File Delimiter Standards (as defined by RDW): Within facts text files, each field must be separated by a semi-colon character (;). For example a record from exchngratedm.txt may look like the following:

WIS;20010311;1.73527820592648544918

See the latest RETL Programmer's Guide for additional information.

- End of Record Carriage Return:
Each record in the text file must be separated by an end of line carriage return. For example, the three records below, in which each record holds four values, should be entered as:

```
1|2|3|4
5|6|7|8
9|10|11|12
```

and not as a continuous string of data, such as:

```
1|2|3|4|5|6|7|8|9|10|11|12
```

prmdtldm.txt

Business rules:

- This interface file cannot contain duplicate records for an event_idnt, head_idnt, prmtn_dtl_idnt combination.
- This interface file contains the complete snapshot of active information.
- If a dimension identifier is required but is not available, a value of -1 is needed.
- This interface file follows the dimension flat file interface layout standard.
- event_idnt will be -2 for promotion without event.

Name	Description	Data Type/Bytes	Field order	Required field
PRMTN_DTL_IDNT	The unique identifier of a promotion detail.	VARCHAR2(10)	1	Yes
HEAD_IDNT	The unique identifier of a promotion head.	VARCHAR2(10)	2	Yes
EVENT_IDNT	The unique identifier of a promotion event.	VARCHAR2(10)	3	Yes

Name	Description	Data Type/Bytes	Field order	Required field
PRMTN_TRIG_TYPE_IDNT	The unique identifier of the promotion trigger type. Valid values can be 'offer code', 'media code', and so on.	NUMBER(10)	4	Yes
PRMTN_SRC_CDE	The unique identifier of a promotion source. Valid values can be 'DTC', 'RPM' or any other promotion source chosen by client.	VARCHAR2(6)	5	Yes
PRMTN_SVC_TYPE_IDNT	The unique identifier of a promotion service type.	VARCHAR2(10)	6	Yes
PRMTN_FMT_IDNT	The unique identifier of a promotion format.	VARCHAR2(10)	7	Yes
BEG_DT	The date the promotion begins.	DATE	8	Yes
PRMTN_DTL_DESC	Description for the promotion detail identifier.	VARCHAR2(160)	9	No
PRMTN_SVC_TYPE_DESC	Description for the promotion service type.	VARCHAR2(120)	10	No
PRMTN_FMT_DESC	Description for the promotion format.	VARCHAR2(120)	11	No
END_DT	The date the promotion ends.	DATE	12	No

prmevtdm.txt

Business rules:

- This interface file contains promotion events and related attributes. Events are time periods used to group promotions for analysis.
- This interface file cannot contain duplicate records for an event_idnt.
- This interface file follows the dimension flat file interface layout standard.
- This interface file contains the complete snapshot of active information.

Name	Description	Data Type/Bytes	Field order	Required field
EVENT_IDNT	The unique identifier of a promotion event.	VARCHAR2(10)	1	Yes
EVENT_DESC	Description for the promotion event.	VARCHAR2(1000)	2	No
THEME_DESC	Description for the promotion theme.	VARCHAR2(120)	3	No

prmhdrdm.txt

Business rules:

- This interface file contains promotion headers and their attributes. Headers define a promotion and its start/end dates.
- This interface file cannot contain duplicate records for a head_idnt.
- All promotion head_idnt records require a beginning date, even if they are 'dummy' values such as 4444-04-04.
- This interface file follows the dimension flat file interface layout standard.
- This interface file contains the complete snapshot of active information.
- event_idnt is -2 for promotion without event.

Name	Description	Data Type/Bytes	Field order	Required field
HEAD_IDNT	The unique identifier of a promotion head.	VARCHAR2(10)	1	Yes
EVENT_IDNT	The unique identifier of a promotion event.	VARCHAR2(10)	2	Yes
HEAD_NAME	Name for the promotion head.	VARCHAR2(120)	3	No
HEAD_DESC	Description for the promotion head.	VARCHAR2(255)	4	No
BEG_DT	The date the promotion begins.	DATE	5	Yes
END_DT	The date the promotion ends.	DATE	6	No