
PeopleSoft Enterprise eSupplier Connection 9.0 PeopleBook

September 2006

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are “commercial computer software” or “commercial technical data” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee’s responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Open Source Disclosure

Oracle takes no responsibility for its use or distribution of any open source or shareware software or documentation and disclaims any and all liability or damages resulting from use of said software or documentation. The following open source software may be used in Oracle’s PeopleSoft products and the following disclaimers are provided.

Apache Software Foundation

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Copyright © 2000-2003. The Apache Software Foundation. All rights reserved. Licensed under the Apache License, Version 2.0 (the “License”); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

OpenSSL

Copyright © 1998-2005 The OpenSSL Project. All rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>).

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Loki Library

Copyright © 2001 by Andrei Alexandrescu. This code accompanies the book: Alexandrescu, Andrei. “Modern C++ Design: Generic Programming and Design Patterns Applied”. Copyright © 2001 Addison-Wesley. Permission to use, copy, modify, distribute and sell this software for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

Helma Project

Copyright © 1999-2004 Helma Project. All rights reserved. THIS SOFTWARE IS PROVIDED “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE HELMA PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Helma includes third party software released under different specific license terms. See the licenses directory in the Helma distribution for a list of these license.

Sarissa

Copyright © 2004 Manos Batsis.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA.

ICU

ICU License - ICU 1.8.1 and later COPYRIGHT AND PERMISSION NOTICE Copyright © 1995-2003 International Business Machines Corporation and others. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation. THE SOFTWARE IS PROVIDED "AS IS," WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

Sun's JAXB Implementation – JSDK 1.5 relaxngDatatype.jar 1.0 License

Copyright © 2001, Thai Open Source Software Center Ltd, Sun Microsystems. All rights reserved.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

W3C IPR SOFTWARE NOTICE

Copyright © 2000 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/copyright-software-19980720>.

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS. COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

Contents

General Preface

About This PeopleBook Preface	.xi
PeopleSoft Enterprise Application Prerequisites.....	.xi
Application Fundamentals.....	.xi
Documentation Updates and Printed Documentation.....	.xii
Obtaining Documentation Updates.....	.xii
Downloading and Ordering Printed Documentation.....	.xii
Additional Resources.....	.xiii
Typographical Conventions and Visual Cues.....	.xiv
Typographical Conventions.....	.xiv
Visual Cues.....	.xv
Country, Region, and Industry Identifiers.....	.xv
Currency Codes.....	.xvi
Comments and Suggestions.....	.xvi
Common Elements Used in PeopleBooks.....	.xvi

Preface

PeopleSoft eSupplier Connection Preface.....	.xix
Oracle's PeopleSoft Enterprise Products.....	.xix
PeopleSoft Application Fundamentals.....	.xix
Pages With Deferred Processing.....	.xx
Common Elements Used in This PeopleBook.....	.xx

Chapter 1

Getting Started with PeopleSoft eSupplier Connection.....	1
PeopleSoft eSupplier Connection Overview.....	1
PeopleSoft eSupplier Connection Integrations.....	2
PeopleSoft eSupplier Connection Implementation.....	2

Chapter 2

Maintaining Vendor Information.....	3
Understanding Vendor Information Maintenance.....	3
Prerequisites.....	3

Establishing Self-Service Security for Vendors.....	4
Maintaining Users.....	7
Pages Used to Maintain Users.....	8
Performing Vendor User Setup.....	8
Maintaining External Users.....	10
Maintaining Vendor Address Information.....	10
Pages Used to Maintain Vendor Address Information.....	11
Maintaining Vendor Contact Information.....	11
Pages Used to Maintain Vendor Contact Information.....	12
Configuring Supplier Self-Registration.....	12
Understanding Supplier Self-Registration.....	12
Pages Used to Configure Supplier Self-Registration.....	13
Setting Up Supplier Self-Registration.....	13
Managing Supplier Users.....	15
Self-Registering Suppliers.....	16
Understanding Supplier Self-Registration.....	16
Pages Used to Self-Register Suppliers.....	17
Signing On to the System.....	17
Registering as a Supplier.....	18
Sending Email Messages.....	19

Chapter 3

Maintaining RFQ Responses.....	21
Understanding the eRFQ Feature.....	21
eRFQ Process Flow.....	21
Common Elements Used in This Chapter.....	22
Alerting Vendors About Dispatched RFQs.....	22
Automatically Emailing RFQ Alerts.....	22
Sending Workflow Task List Alerts.....	23
Reviewing and Responding to RFQs.....	24
Pages Used to Review and Respond to RFQs.....	24
Searching for RFQs.....	25
Reviewing RFQ Lists.....	26
Viewing RFQ Details.....	26
Responding to RFQs.....	26
Reviewing RFQ Response History.....	28

Chapter 4

Acknowledging Purchase Orders Online.....	31
Understanding Online POAs.....	31
POA Status.....	33
Creating Online POAs (Suppliers).....	35
Pages Used to Create Online POAs.....	36
Searching for POAs.....	37
Creating Online POAs.....	37
Viewing and Changing Acknowledgement Details.....	39
Reviewing and Approving Online POAs (Buyers).....	41
Pages Used to Review and Approve Online POAs.....	42
Searching for Online POAs.....	43
Reviewing and Approving Online POAs.....	43
Responding on Behalf of the Supplier (Buyers).....	45
Pages Used to Respond on Behalf of the Supplier.....	45
Responding On Behalf of the Supplier.....	45

Chapter 5

Creating Advanced Shipping Notices.....	47
Understanding Supplier ASNs.....	47
Creating Supplier ASNs.....	48
Pages Used to Create Supplier ASNs.....	48
Creating Supplier ASNs.....	49
Reviewing ASN History by Suppliers.....	50
Pages Used to Review ASN History by Suppliers.....	51
Reviewing ASN History by Employees.....	51
Pages Used to Review ASN History by Employees.....	52

Chapter 6

Reviewing Supplier Account Activity.....	53
Understanding Supplier Account Activity.....	53
Common Element Used in This Chapter.....	53
Setting Up Supply Side Print Capability.....	53
Pages Used to Set Up Supply Side Print Capability.....	54
Setting Up Security.....	54
Configuring External Access.....	55
Reviewing POs.....	55
Pages Used to Review POs.....	55

Using the Purchase Order List.....	57
Reviewing PO Details.....	58
Reviewing Order Summaries.....	61
Pages Used to Review Order Summaries.....	62
Viewing Schedule Information.....	62
Viewing Change Order Information.....	63
Reviewing Receipts.....	63
Pages Used to Review Receipts.....	63
Reviewing Receipt Details.....	63
Reviewing Invoices.....	64
Pages Used to Review Invoices.....	65
Reviewing Invoice Details.....	65
Reviewing Receipt Line Information.....	66
Reviewing Payments.....	66
Pages Used to Review Payments.....	67
Viewing Payment Details.....	67
Reviewing Account Balances.....	67
Pages Used to Review Account Balances.....	68
Viewing Account Balances by Currency.....	68
Viewing Invoice Account Balance Details.....	68

Chapter 7

Reviewing Supplier Performance.....	71
Understanding Supplier Performance Metrics.....	71
Supplier Metric Access.....	71
On-Time Metric.....	72
Quantity Metric.....	72
Quantity Ordered Versus Received Metric.....	72
Quality Metric.....	72
Prerequisites.....	73
Defining Supplier Performance Targets and Tolerances.....	74
Understanding Metric Display.....	74
Pages Used to Define Supplier Performance Targets and Tolerances.....	75
Defining System Targets and Tolerances.....	75
Defining Vendor-Specific Targets and Tolerances.....	76
Viewing Supplier Performance Metrics.....	76
Understanding Viewing Supplier Performance Metrics.....	76
Common Elements Used in This Section.....	77
Pages Used to View Supplier Performance Metrics.....	78

Viewing On-Time Performance Details.....	78
Viewing Quantity Performance Details.....	81
Viewing Quality Performance Details.....	82
Viewing PO Versus Receipt Performance.....	83

Chapter 8

Using PeopleSoft eSupplier Connection Pagelets	85
Understanding PeopleSoft eSupplier Connection Pagelets.....	85
Pagelet Security.....	85
Understanding Pagelets by Role.....	86
Supplier - Application Administrator Pagelets.....	86
Supplier - Customer Service Rep.....	87
Supplier- Production Manager Role.....	87
Supplier - Warehouse Personnel.....	87
Personalizing Supplier-Facing Pagelets.....	87
Pages Used to Personalize Supplier-Facing Pagelets.....	88
Personalizing Supplier Pagelet User Defaults.....	88
Viewing Supplier Activities.....	88
Pagelets Used to View Supplier Activities.....	89
Recently Dispatched POs Pagelet	90
Recently Dispatched RFQs Pagelet.....	91
Recent ASNs Pagelet.....	92
Recently Dispatched Schedules Pagelet.....	92
Remaining Quantity Balances Pagelet.....	93
Viewing Supplier Performance.....	93
Pagelets Used to View Supplier Performance.....	94
On-Time Performance Pagelet.....	94
Quantity Performance Pagelet.....	95
Quality Performance Pagelet.....	96
PO/Receipt Quantity Performance Pagelet.....	97

Appendix A

Delivered Workflows for PeopleSoft eSupplier Connection.....	99
Delivered Workflows for PeopleSoft eSupplier Connection.....	99
PO RFQ Dispatch.....	99
Notify Vendor.....	99
PO Acknowledgement.....	100

Glossary of PeopleSoft Enterprise Terms.....101

Index 127

About This PeopleBook Preface

PeopleSoft Enterprise PeopleBooks provide you with the information that you need to implement and use PeopleSoft Enterprise applications from Oracle.

This preface discusses:

- PeopleSoft Enterprise application prerequisites.
- Application fundamentals.
- Documentation updates and printed documentation.
- Additional resources.
- Typographical conventions and visual cues.
- Comments and suggestions.
- Common elements in PeopleBooks.

Note. PeopleBooks document only elements, such as fields and check boxes, that require additional explanation. If an element is not documented with the process or task in which it is used, then either it requires no additional explanation or it is documented with common elements for the section, chapter, PeopleBook, or product line. Elements that are common to all PeopleSoft Enterprise applications are defined in this preface.

PeopleSoft Enterprise Application Prerequisites

To benefit fully from the information that is covered in these books, you should have a basic understanding of how to use PeopleSoft Enterprise applications.

You might also want to complete at least one introductory training course, if applicable.

You should be familiar with navigating the system and adding, updating, and deleting information by using PeopleSoft Enterprise menus, pages, or windows. You should also be comfortable using the World Wide Web and the Microsoft Windows or Windows NT graphical user interface.

These books do not review navigation and other basics. They present the information that you need to use the system and implement your PeopleSoft Enterprise applications most effectively.

Application Fundamentals

Each application PeopleBook provides implementation and processing information for your PeopleSoft Enterprise applications.

For some applications, additional, essential information describing the setup and design of your system appears in a companion volume of documentation called the application fundamentals PeopleBook. Most product lines have a version of the application fundamentals PeopleBook. The preface of each PeopleBook identifies the application fundamentals PeopleBooks that are associated with that PeopleBook.

The application fundamentals PeopleBook consists of important topics that apply to many or all PeopleSoft Enterprise applications. Whether you are implementing a single application, some combination of applications within the product line, or the entire product line, you should be familiar with the contents of the appropriate application fundamentals PeopleBooks. They provide the starting points for fundamental implementation tasks.

Documentation Updates and Printed Documentation

This section discusses how to:

- Obtain documentation updates.
- Download and order printed documentation.

Obtaining Documentation Updates

You can find updates and additional documentation for this release, as well as previous releases, on Oracle's PeopleSoft Customer Connection website. Through the Documentation section of Oracle's PeopleSoft Customer Connection, you can download files to add to your PeopleBooks Library. You'll find a variety of useful and timely materials, including updates to the full line of PeopleSoft Enterprise documentation that is delivered on your PeopleBooks CD-ROM.

Important! Before you upgrade, you must check Oracle's PeopleSoft Customer Connection for updates to the upgrade instructions. Oracle continually posts updates as the upgrade process is refined.

See Also

Oracle's PeopleSoft Customer Connection, http://www.oracle.com/support/support_peoplesoft.html

Downloading and Ordering Printed Documentation

In addition to the complete line of documentation that is delivered on your PeopleBook CD-ROM, Oracle makes PeopleSoft Enterprise documentation available to you via Oracle's website. You can:

- Download PDF files.
- Order printed, bound volumes.

Downloading PDF Files

You can download PDF versions of PeopleSoft Enterprise documentation online via the Oracle Technology Network. Oracle makes these PDF files available online for each major release shortly after the software is shipped.

See Oracle Technology Network, <http://www.oracle.com/technology/documentation/psftent.html>.

Ordering Printed, Bound Volumes

You can order printed, bound volumes of selected documentation via the Oracle Store.

See Oracle Store, http://oraclestore.oracle.com/OA_HTML/ibeCCtpSctDspRte.jsp?section=14021

Additional Resources

The following resources are located on Oracle's PeopleSoft Customer Connection website:

Resource	Navigation
Application maintenance information	Updates + Fixes
Business process diagrams	Support, Documentation, Business Process Maps
Interactive Services Repository	Support, Documentation, Interactive Services Repository
Hardware and software requirements	Implement, Optimize + Upgrade; Implementation Guide; Implementation Documentation and Software; Hardware and Software Requirements
Installation guides	Implement, Optimize + Upgrade; Implementation Guide; Implementation Documentation and Software; Installation Guides and Notes
Integration information	Implement, Optimize + Upgrade; Implementation Guide; Implementation Documentation and Software; Pre-Built Integrations for PeopleSoft Enterprise and JD Edwards EnterpriseOne Applications
Minimum technical requirements (MTRs)	Implement, Optimize + Upgrade; Implementation Guide; Supported Platforms
Documentation updates	Support, Documentation, Documentation Updates
PeopleBooks support policy	Support, Support Policy
Prerelease notes	Support, Documentation, Documentation Updates, Category, Release Notes
Product release roadmap	Support, Roadmaps + Schedules
Release notes	Support, Documentation, Documentation Updates, Category, Release Notes
Release value proposition	Support, Documentation, Documentation Updates, Category, Release Value Proposition
Statement of direction	Support, Documentation, Documentation Updates, Category, Statement of Direction
Troubleshooting information	Support, Troubleshooting
Upgrade documentation	Support, Documentation, Upgrade Documentation and Scripts

Typographical Conventions and Visual Cues

This section discusses:

- Typographical conventions.
- Visual cues.
- Country, region, and industry identifiers.
- Currency codes.

Typographical Conventions

This table contains the typographical conventions that are used in PeopleBooks:

Typographical Convention or Visual Cue	Description
Bold	Indicates PeopleCode function names, business function names, event names, system function names, method names, language constructs, and PeopleCode reserved words that must be included literally in the function call.
<i>Italics</i>	Indicates field values, emphasis, and PeopleSoft Enterprise or other book-length publication titles. In PeopleCode syntax, italic items are placeholders for arguments that your program must supply. We also use italics when we refer to words as words or letters as letters, as in the following: Enter the letter <i>O</i> .
KEY+KEY	Indicates a key combination action. For example, a plus sign (+) between keys means that you must hold down the first key while you press the second key. For ALT+W, hold down the ALT key while you press the W key.
Monospace font	Indicates a PeopleCode program or other code example.
“ ” (quotation marks)	Indicate chapter titles in cross-references and words that are used differently from their intended meanings.
. . . (ellipses)	Indicate that the preceding item or series can be repeated any number of times in PeopleCode syntax.
{ } (curly braces)	Indicate a choice between two options in PeopleCode syntax. Options are separated by a pipe ().

Typographical Convention or Visual Cue	Description
[] (square brackets)	Indicate optional items in PeopleCode syntax.
& (ampersand)	When placed before a parameter in PeopleCode syntax, an ampersand indicates that the parameter is an already instantiated object. Ampersands also precede all PeopleCode variables.

Visual Cues

PeopleBooks contain the following visual cues.

Notes

Notes indicate information that you should pay particular attention to as you work with the PeopleSoft Enterprise system.

Note. Example of a note.

If the note is preceded by *Important!*, the note is crucial and includes information that concerns what you must do for the system to function properly.

Important! Example of an important note.

Warnings

Warnings indicate crucial configuration considerations. Pay close attention to warning messages.

Warning! Example of a warning.

Cross-References

PeopleBooks provide cross-references either under the heading “See Also” or on a separate line preceded by the word *See*. Cross-references lead to other documentation that is pertinent to the immediately preceding documentation.

Country, Region, and Industry Identifiers

Information that applies only to a specific country, region, or industry is preceded by a standard identifier in parentheses. This identifier typically appears at the beginning of a section heading, but it may also appear at the beginning of a note or other text.

Example of a country-specific heading: “(FRA) Hiring an Employee”

Example of a region-specific heading: “(Latin America) Setting Up Depreciation”

Country Identifiers

Countries are identified with the International Organization for Standardization (ISO) country code.

Region Identifiers

Regions are identified by the region name. The following region identifiers may appear in PeopleBooks:

- Asia Pacific
- Europe
- Latin America
- North America

Industry Identifiers

Industries are identified by the industry name or by an abbreviation for that industry. The following industry identifiers may appear in PeopleBooks:

- USF (U.S. Federal)
- E&G (Education and Government)

Currency Codes

Monetary amounts are identified by the ISO currency code.

Comments and Suggestions

Your comments are important to us. We encourage you to tell us what you like, or what you would like to see changed about PeopleBooks and other Oracle reference and training materials. Please send your suggestions to your product line documentation manager at Oracle Corporation, 500 Oracle Parkway, Redwood Shores, CA 94065, U.S.A. Or email us at appsdoc@us.oracle.com.

While we cannot guarantee to answer every email message, we will pay careful attention to your comments and suggestions.

Common Elements Used in PeopleBooks

As of Date	The last date for which a report or process includes data.
Business Unit	An ID that represents a high-level organization of business information. You can use a business unit to define regional or departmental units within a larger organization.
Description	Enter up to 30 characters of text.
Effective Date	The date on which a table row becomes effective; the date that an action begins. For example, to close out a ledger on June 30, the effective date for the ledger closing would be July 1. This date also determines when you can view and change the information. Pages or panels and batch processes that use the information use the current row.

Once, Always, and Don't Run	Select Once to run the request the next time the batch process runs. After the batch process runs, the process frequency is automatically set to Don't Run. Select Always to run the request every time the batch process runs. Select Don't Run to ignore the request when the batch process runs.
Process Monitor	Click to access the Process List page, where you can view the status of submitted process requests.
Report Manager	Click to access the Report List page, where you can view report content, check the status of a report, and see content detail messages (which show you a description of the report and the distribution list).
Request ID	An ID that represents a set of selection criteria for a report or process.
Run	Click to access the Process Scheduler request page, where you can specify the location where a process or job runs and the process output format.
SetID	An ID that represents a set of control table information, or TableSets. TableSets enable you to share control table information and processing options among business units. The goal is to minimize redundant data and system maintenance tasks. When you assign a setID to a record group in a business unit, you indicate that all of the tables in the record group are shared between that business unit and any other business unit that also assigns that setID to that record group. For example, you can define a group of common job codes that are shared between several business units. Each business unit that shares the job codes is assigned the same setID for that record group.
Short Description	Enter up to 15 characters of text.
User ID	An ID that represents the person who generates a transaction.

PeopleSoft eSupplier Connection Preface

This preface discusses:

- Oracle's PeopleSoft Enterprise products.
- PeopleSoft application fundamentals.
- Pages with deferred processing.
- Common elements used in this PeopleBook.

Note. This PeopleBook documents only page elements that require additional explanation. If a page element is not documented with the process or task in which it is used, then it either requires no additional explanation or is documented with the common elements for the section, chapter, or PeopleBook.

Oracle's PeopleSoft Enterprise Products

This PeopleBook refers to these products:

- PeopleSoft Services Procurement
- PeopleSoft Purchasing

PeopleSoft Application Fundamentals

The *PeopleSoft Enterprise eSupplier Connection 9.0 PeopleBook* provides you with implementation and processing information for your PeopleSoft eSupplier Connection system. However, additional, essential information describing the setup and design of your system resides in companion documentation. The companion documentation consists of important topics that apply to many or all PeopleSoft applications across the Financials, Enterprise Service Automation, and Supply Chain Management product lines. You should be familiar with the contents of these PeopleBooks.

These companion PeopleBooks contain information that applies specifically to PeopleSoft eSupplier Connection.

- *PeopleSoft Enterprise Application Fundamentals PeopleBook*
- *PeopleSoft Enterprise Services Procurement PeopleBook*
- *PeopleSoft Enterprise Managing Items PeopleBook*
- *PeopleSoft Enterprise Purchasing PeopleBook*

Pages With Deferred Processing

Several pages in PeopleSoft eSupplier Connection operate in deferred processing mode. Most fields on these pages are not updated or validated until you save the page or refresh it by clicking a button, link, or tab. This delayed processing has various implications for the field values on the page. For example, if a field contains a default value, any value you enter before the system updates the page overrides the default. Another implication is that the system updates quantity balances or totals only when you save or otherwise refresh the page.

See Also

Enterprise PeopleTools 8.48 PeopleBook: PeopleSoft Process Scheduler

Common Elements Used in This PeopleBook

Business Unit	Enter an identification code that represents a high-level organization of business information. You can use a business unit to define regional or departmental units within a larger organization.
Effective Date	Enter the date on which a table row becomes effective; the date that an action begins. For example, if you want to close out a ledger on June 30, the effective date for the ledger closing would be July 1. This date also determines when you can view and change the information. Pages or panels and batch processes that use the information use the current row.
SetID	An identification code that represents a set of control table information or TableSets. A TableSet is a group of tables (records) necessary to define your organization's structure and processing options.
Statistic Amount	Converted cost using a standard unit of measure associated with a Statistic Code, for example, rental cost per square foot.
Wthd Hold	Indicates whether the payment is withheld due to missing information for a withholding vendor.

See Also

Enterprise PeopleTools 8.48 PeopleBook: PeopleSoft Application Designer

CHAPTER 1

Getting Started with PeopleSoft eSupplier Connection

This chapter provides an overview of PeopleSoft eSupplier Connection and discusses PeopleSoft eSupplier Connection integrations and implementation.

PeopleSoft eSupplier Connection Overview

In today's business world, relationships between you and your suppliers are closer and more critical. Clear communication with suppliers about what you need and when you need it is a basic business requirement. PeopleSoft eSupplier Connection makes strategic information from back-end enterprise management systems available to suppliers, thus improving business collaboration, supplier response capability, and employee productivity. This internet-enabled collaboration enables buyers and sellers to work interactively, sharing the same view of data across the Internet. The benefits include faster and more accurate decisions, which result in improved customer service from suppliers, lower inventory in the supply chain, and total cost optimization.

Your suppliers can use PeopleSoft eSupplier Connection's self-service web applications to view and modify their own business information (company address, phone, and contact data) at their convenience. They can change or add office locations and change or add information about the individuals in their organization that handle your business relationship.

PeopleSoft eSupplier Connection also enables your suppliers to review schedule, invoice, payment, order, and receipt activity as well as view their account balances and the invoices related to those balances.

Suppliers can also provide you with transactional information, online and in realtime, by responding to request for quotes (RFQs), creating Purchase Order Acknowledgements and entering Advance Shipping Notices.

Before your suppliers can use the self-service transactions, they need access to the system. PeopleSoft self-service security for suppliers enables suppliers to give their own employees access to vendor self-service transactions, and frees your administrators from this task. At the same time, your employees retain the power to maintain vendor employees if necessary. Of course, you always control which suppliers have access to your PeopleSoft site, and which data they can view and change. You can also use PeopleSoft self-service security for suppliers to enable transaction access that matches the needs of different functional roles within the vendor organizations.

PeopleSoft eSupplier Connection is a supplier-based internet application that is both simple and easy to understand for the casual user. Suppliers need not be familiar or trained in using PeopleSoft software to use PeopleSoft eSupplier Connection.

PeopleSoft eSupplier Connection Integrations

PeopleSoft eSupplier Connection integrates with PeopleSoft Purchasing, PeopleSoft Payables, and PeopleSoft Supply Planning.

We discuss integration considerations in the implementation chapters in this PeopleBook.

PeopleSoft Purchasing and PeopleSoft eProcurement

PeopleSoft eSupplier Connection uses PeopleSoft Purchasing information for the purchase order, purchase order schedule, and receipt inquiries. This includes purchasing information created from integrations with PeopleSoft eProcurement or PeopleSoft Strategic Sourcing.

PeopleSoft Payables

Your suppliers can use PeopleSoft eSupplier Connection to retrieve information from PeopleSoft Payables about existing invoices, receipts, payments, and account balances using the review activity pages.

PeopleSoft Supply Planning

If you have PeopleSoft Supply Planning installed, suppliers can use the View Schedule transaction to view Planned Purchase Orders updates.

PeopleSoft eSupplier Connection Implementation

PeopleSoft Setup Manager enables you to review a list of setup tasks for your organization for the products that you are implementing. The setup tasks include the components that you must set up, listed in the order in which you must enter data into the component tables, and links to the corresponding PeopleBook documentation.

Other Sources of Information

In the planning phase of your implementation, take advantage of all PeopleSoft sources of information, including the installation guides, table-loading sequences, data models, and business process maps. A complete list of these resources appears in the preface in the *PeopleSoft Enterprise Application Fundamentals 9.0 PeopleBook*, with information about where to find the most current version of each.

See Also

PeopleSoft Enterprise Application Fundamentals 9.0 PeopleBook, “PeopleSoft Enterprise Application Fundamentals PeopleBook Preface”

Enterprise PeopleTools 8.48 PeopleBook: PeopleSoft Setup Manager

CHAPTER 2

Maintaining Vendor Information

This chapter provides an overview of vendor information maintenance, lists prerequisites, and discusses how to:

- Establish self-service security for vendors.
- Maintain users.
- Maintain vendor address information.
- Maintain vendor contact information.
- Configure supplier self-registration.
- Self-register suppliers.
- Send email messages.

Understanding Vendor Information Maintenance

PeopleSoft eSupplier Connection is a self-service web application that features employee-facing (internal) and supplier-facing (external) transactions that enable your suppliers to view and modify their own business information at their convenience.

Suppliers can add and update their own vendor addresses, email, and phone information in the system. They can also review, edit, and add contact information.

As soon as suppliers save their changes, your PeopleSoft database is updated.

Your suppliers can self-register, whether or not they are an existing vendor. You can set up standard roles and accessible pages for self-registered users, and track the logins and account usage for self-registered supplier users.

See Also

PeopleSoft Enterprise Source to Settle Common Information 9.0 PeopleBook, “Maintaining Vendor Information”

Prerequisites

Before suppliers can use PeopleSoft self-service transactions, they need access to the system. PeopleSoft self-service security enables vendor administrators to give their employees access to vendor self-service transactions.

You can also enable transaction access for different functional roles within the supplier organizations.

Establishing Self-Service Security for Vendors

You establish overall security for PeopleSoft eSupplier Connection just as you do for any other PeopleSoft application: by associating a permission list (which controls access to the system's web page components) with a role and associating the role with a user profile (user ID). Each user has one user profile but can be assigned multiple roles.

Note. Your PeopleSoft users are internal, while your vendors' users are external.

Self-Service Security Sample Data

PeopleSoft delivers sample permission lists, roles, and a user profile (SUPPLIER) as examples of how to set up vendor data and control self-service transactions. This example shows the sample roles that PeopleSoft provides for supplier-facing transactions:

Roles

Enter any information you have and click Search. Leave fields blank for a list of all values.

[Find an Existing Value](#)
[Add a New Value](#)

Search by: Role Name begins with

☐ **Case Sensitive**

[Search](#) [Advanced Search](#)

Search Results

[View All](#)
First 1-15 of 15 Last

Role Name	Description
Supplier Contract Agree Update	Sample - Supplier Cntrct Agree
Supplier Contract Clause Apprv	Sample - Supply Contract Apprv
Supplier Contract Hrdware Appr	Sample - Supplier Cntrct Hrdw
Supplier Contract Interested	Sample - Supply Cntrct Intrest
Supplier Contract Librarian	Sample - Supplier Contract Lib
Supplier Cntrct Administrator	Sample - Supply Contract Admin
Supplier-Account Manager	Sample - Account Manager
Supplier-Application Admin	Sample - Application Admin
Supplier-AR Specialist	Sample - A/R Specialist
Supplier-Customer Service Rep	Sample - Customer Service Rep
Supplier-Engineer	Sample - Engineer
Supplier-External-User	Sample - Required Supp Role
Supplier-Guest	Sample - Supplier Guest role
Supplier-Production Manager	Sample - Production Manager
Supplier-Warehouse Personnel	Sample - Warehouse Personnel

Example of provided roles

Note. All external supplier users must be assigned the Supplier - External User role (or one with similar permissions) to access the PeopleSoft system; it features PeopleTools-related permissions that control personalization and navigation access. In addition, if your installation includes the PeopleSoft Enterprise Portal, all external supplier users must also be assigned the PAPP_USER role (or one with similar permissions). The role contains the permissions that are necessary for homepage personalization and configurations.

To view the sample permission lists that are associated with the provided supplier roles:

1. Access the Roles component in PeopleTools Security.
2. Select a sample supplier role from the list on the Roles search page.
The Permission Lists page in the Roles component displays the associated sample permission lists.
3. Click View Definition to access the Permission List component, where you can view the pages that are enabled by the selected permission list.

Internal Supplier Administrators

To set up security for external PeopleSoft eSupplier Connection users, at least one internal user, the supplier application administrator, must be assigned the PeopleSoft Supplier-Application Admin role. With this role, the administrator can create and update user IDs (except his or her own) to grant external vendor access to PeopleSoft eSupplier Connection. Vendors must first be assigned at least one vendor ID as part of user ID creation.

To set up external users, use the internal Vendor User pages (Vendors, Vendor Setup/Maintenance, and Vendor User).

External Supplier Administrators

To enable external users to administer security, the internal supplier application administrator must assign the Supplier-Application Admin role to at least one external user who belongs to each vendor ID.

External vendor administrators can:

- Create and update users within the vendor ID to which they have access.
- Grant self-service transaction access to the vendor IDs to which they have administrative access.

You can assign a variety of roles to the vendors' users. To enable an administrative user to create new users and grant new user roles, that user must have role grant capabilities, which you define on the Role Grant page within PeopleTools.

General	Permission Lists	Members	Dynamic Members	Workflow	Role Grant	Links
---------	------------------	---------	-----------------	----------	-------------------	-------

Role Name: Supplier-Application Admin
 Description: Sample - Application Admin


Roles That Can Be Granted By This Role		
Role Name	Description	View Definition
Event Customer	Sample - Sourcing Customer Rol	View Definition
Event Vendor	Sample - Sourcing Vendor Role	View Definition
PAPP_USER	Enterprise Portal User	View Definition

Roles That Can Grant This Role		
Role Name	Description	View Definition
		View Definition

Role Grant page

User Maintenance Example

This diagram shows an example of internal and external-based user maintenance flow:



User maintenance example

See Also

PeopleSoft Enterprise Source to Settle Common Information 9.0 PeopleBook, “Maintaining Vendor Information,” Vendor Profiles

Enterprise PeopleTools 8.48 PeopleBook: Workflow Technology

Enterprise PeopleTools 8.48 PeopleBook: Security Administration

Maintaining Users

To set up vendor users, use the Define Vendor User (UM_DISTR_INTVND) component.

Once your supplier application administrators define them, your suppliers’ administrators can perform their own user maintenance.

This section discusses how to:

- Perform vendor user setup.
- Maintain external users.

Pages Used to Maintain Users

Page Name	Object Name	Navigation	Usage
Vendor User Setup	UM_DISTR_VNDR_INT	Vendors, Vendor Information, Add/Update, Define Vendor User (internal)	Internal users with the Supplier Application Administrator role can create external administrators, give other internal users access to vendor IDs, and create or update vendors' users.
Security - Setup User	UM_DISTR_VNDR_EXT	Maintain Supplier Information, User Profiles (external)	External vendor administrators can create and maintain their own vendor users and give them access to vendor data.
Add Vendor	EXT_VND_SELECT	Click the Add A Supplier button on the Security - Setup User page.	Suppliers can add new vendors to be assigned to vendors' users.
Vendor User	VENDOR_USER	Vendors, Vendor Information, Add/Update, Vendor User	Associate users with vendors.

Performing Vendor User Setup

Access the Vendor User Setup page.

Logon Information

User ID:

SUPPLIER

☒ **Account Locked Out?**
(Click here to disable the access to the system for this user)

Description:

Supplier

Email ID:

peoplesoft@peoplesoft.com

Operator Password (Encrypted):

Confirm Password:

*Access Profile

sa1

Symbolic Id:

Language Code:

English

Currency Code:

USD

Rate Type:

Current Rate

User Roles

Role Name	Description		
EOPP_USER	Common Portal User	+	-
PAPP_USER	Enterprise Portal User	+	-
Supplier-Application Admin	Sample - Application Admin	+	-
Supplier-Customer Service Rep	Sample - Customer Service Rep	+	-
Supplier-External-User	Sample - Required Supp Role	+	-

Vendor Access

SetID	Vendor ID	Name		
SHARE	SCM0000004	ERNIE'S BIKE SHOP	+	-

Vendor User Setup page

To set up vendor users:

1. Enter logon information, completing these fields in particular:

Account Locked Out? Select to disable this user's access to the PeopleSoft system.

Access Profile Symbolic ID Each user ID has an encrypted access profile. Select a symbolic ID to use as a search key or intermediary between the user ID and the access ID.

See *Enterprise PeopleTools 8.48 PeopleBook: Security Administration*

Language Code Select a base language for the user.

Rate Type PeopleSoft MarketPay uses this field.

2. Assign roles to the user.

Note. To set up security for external users, you must assign the PeopleSoft Supplier Application Administrator role to internal users. See *Self Service Security for Vendors*.

See [Chapter 2, "Maintaining Vendor Information," Establishing Self-Service Security for Vendors, page 4.](#)

3. Associate (existing) vendor IDs to the user.

Each user ID can be associated with one or multiple vendor codes. This enables the user to view and, with the proper permissions, maintain data for the associated vendors. When the user logs in to PeopleSoft eSupplier Connection, the system determines to which vendor the user is associated. If the user is associated with multiple vendors, the Select Vendor page lists the vendors.

See *Enterprise PeopleTools 8.48 PeopleBook: Security Administration*

Maintaining External Users

Access the Security - Setup User page.

The values on this page duplicate the fields on the Vendor User Setup page, but they apply to external users only and are designed for the casual self-service user.

See Also

[Chapter 2, "Maintaining Vendor Information," Establishing Self-Service Security for Vendors, page 4](#)

Maintaining Vendor Address Information

This section lists the pages used to maintain vendor address information.

Pages Used to Maintain Vendor Address Information

Page Name	Object Name	Navigation	Usage
Maintain Addresses - Select Vendor	PO_SS_VND_LIST	Maintain Supplier Information, Addresses	Suppliers select a vendor to navigate to its inquiry or maintenance pages. This page is available only if more than one vendor is associated with the user.
Maintain Addresses - Current Addresses	PO_SSVNDR_CURADDR	Maintain Supplier Information, Addresses Select a vendor on the Maintain Addresses - Select Vendor page.	Suppliers access pages to view, add, or maintain address, email, and phone information.
Maintain Addresses - Address Information	PO_SSVNDR_ADDRDTL	Click one of the following on the Maintain Addresses - Current Addresses page: • A Description link to view detailed address information. • The Edit button to access the page in Correction mode. • The Add a New Address button to access the page in Update mode.	Suppliers can view, add, or maintain address, email, and phone information. Note. The fields on this page vary according to the country that is selected.
Maintain Addresses - Future Address Information	PO_SSVNDR_ADDRFDTL	Click the Future Addresses link on the Maintain Addresses - Address Information page.	Suppliers can review addresses that are not yet in effect and add or edit future addresses. Note. The fields on this page vary according to the country that is selected.

Maintaining Vendor Contact Information

This section lists the pages used to maintain vendor contact information.

Pages Used to Maintain Vendor Contact Information

Page Name	Object Name	Navigation	Usage
Maintain Contacts - Select Vendor	PO_SS_VND_LIST	Maintain Supplier Information, Contacts	Suppliers select a vendor to navigate to its inquiry or maintenance pages. This page is available only if more than one vendor is associated with the user.
Maintain Contacts - Current Contacts	PO_SSVNDR_CURCNTCT	Maintain Supplier Information, Contacts Select a vendor on the Maintain Contacts - Select Vendor page.	Access pages to view, add, or maintain current contact information.
Maintain Contacts - Contact Information	PO_SSVNDR_CNTCTDTL	Click one of the following on the Maintain Contacts - Current Contact page: • A Description link to view detailed address information. • The Edit button to access the page in Correction mode. • The Add a New Contact button to access the page in Update mode.	View, add, or maintain current contact information.
Maintain Contacts - Future Contacts	PO_SSVNDR_CNTFTDTL	Click the Future Contacts link on the Maintain Contacts - Contact Information page.	View, add, or edit contacts to go into effect on a future date.

Configuring Supplier Self-Registration

This section describes how to:

- Set up supplier self-registration.
- Manage supplier users.

Understanding Supplier Self-Registration

If your company has large numbers of suppliers which you need to provide user accounts and provide external access to, having an administrator register many users is not efficient. You can set up the system to allow supplier users to create accounts individually by defining a registration code which can be sent manually to external users to create their own account. The supplier will need to know the registration code and their vendor ID to create a supplier user account. The registration code can be set up to expire base on a date to limit the time that an external user can create the account. In addition new component assists the internal administrator to monitor these supplier side accounts.

Note. To enable external suppliers to self register you must set up a URL and external web server that is configured for guest signon access.

It is recommended that you create a separate web server for the self-registration process than the web server you are using for standard supplier access. Also, please refer to the AUC_GUEST user profile as an example of the roles and permissions lists that you might want to use for the guest signon you set up.

Pages Used to Configure Supplier Self-Registration

Page Name	Object Name	Navigation	Usage
Registration Setup	WV_REG_SETUP	Set Up Financials/Supply Chain, Common Definitions, Suppliers, Supplier Registration Setup	Configure the self-registration process for suppliers.
Supplier User Management	WV_USR_MGMT	Set Up Financials/Supply Chain, Common Definitions, Suppliers, Supplier User Management	Maintain supplier users and search for information on supplier usage and new accounts.

Setting Up Supplier Self-Registration

Access the Supplier Registration Setup page.

Registration Setup

Define a code that will be used by Suppliers to self register. Suppliers will not be able to self register without knowing this code.

*Registration Code: *Effective Until:

Setup Default Supplier Profile

Select a UserID from the prompt below. This user's settings will be used as the default values when creating a new Supplier user. (The roles and permissions assigned to this user will be used as default roles for any subsequent users.)

*User ID: *SetID:

[View Associated Roles](#)

Role Name	Description
ANALYST	Analyst
Employee	Sample - Employee
EMPLOYEE	Company Employee
EOPP_USER	Common Portal User
PAPP_USER	Enterprise Portal User
PeopleSoft User	PeopleSoft User
UPG_APPNLS	

[View List of Pages Accessible](#) ☒ Exclude PeopleTools Pages

Portal Label
Pagelet Wizard - User Pref

Registration Setup page

Registration Code

Enter a code that the supplier must enter to create an account. You will need to send this code to suppliers when you invite them to register. Creating a list of proper emails you wish to send this code to is a manual process external to the PeopleSoft system. This email should include a URL for a web server with guest signon access as well as the registration code.

Effective Until

Enter the date until which the registration code will be effective. Once this date passes the suppliers can no longer create a user account.

User ID

Enter a sample user ID that determines the roles and security available for any self-registered users when they create an account. Any role that is defined for that user ID will get assigned to any supplier that self registers. This User ID should contain the minimum access to supplier side components you wish to enable as the roles tied to this user are copied to the new user that is created.

Default SetID

Enter the SetID used for your vendor table. The system uses this to verify the vendor ID when users self-register.

View Associated Roles

Click to display the list of roles associated with the sample user ID. These are the roles that all self-registered users will have at the time the user is created.

- View List of Pages Accessible** Click to display a list of pages accessible to the sample user ID. These are the pages to which all self-registered users will have access.
- Exclude PeopleTools Pages** Select to exclude PeopleTools pages from the list of pages that suppliers can access, showing only the functional pages

Managing Supplier Users

Access the Supplier User Management page.

Supplier User Management

Search

Use any of the fields below to narrow your results and then click on the Search button to retrieve your results.

User ID:

SetID: Vendor ID:

Component: Role Name:

Account Create Date

From Date: To Date:

Last Login Date

From Date: To Date:

☐ Include Deactivated Accounts

Supplier Users [Customize](#) | [Find](#) | [View All](#) | [First](#) 1 of 1 [Last](#)

	User ID	Vendor ID	Last Signon Date Time	Created Date/time	Locked Out?
☐					

☒ [Select All](#) ☐ [Clear All](#)

Supplier User Management page

This page is designed for the internal administrator to monitor external supplier users of the system.

You can use multiple search methods to narrow the supplier users search results. For example, you can enter a vendor ID and then search on how many user accounts have been created for that vendor in a given date range, or show the last login date for all the users at a given vendor.

Search Criteria

- User ID, SetID, and Vendor ID** Select to filter search results.
- Component** Select to filter search results by components users have access to.
- Role Name** Select to filter search results by roles associated with users.

Account Create Date

From Date and To Date Enter a date range and click Search. The system returns the names of the users that have created accounts within the date range.

Last Login Date

From Date and To Date Enter a date range and click Search. The system returns the names of the users that have logged in within the date range.

Include Deactivated Accounts Select to include deactivated accounts in the search.

Supplier Users

Deactivate Selected Users Click to deactivate the user's accounts that you have selected after searching.

Activate Selected Users Click to activate the user's accounts that you have selected after searching.

Self-Registering Suppliers

This section provides an overview of supplier self-registration and discusses how suppliers can:

- Sign on to the system.
- Register as a supplier.

Understanding Supplier Self-Registration

To use PeopleSoft eSupplier Connection, a supplier user needs to:

1. Receive a code from their supplier administrator.
2. Access the self-registration pages on PeopleSoft eSupplier Connection.
3. Enter the self registration information, including a valid code and vendor ID.

Pages Used to Self-Register Suppliers

Page Name	Object Name	Navigation	Usage
Login pagelet (external)	AUC_LOGIN_PGLT	Opens on login.	Login to PeopleSoft eSupplier Connection or create an account. Important! This pagelet needs to be configured for the homepage by the administrator, who must also configure the web server URL to bypass signon setup. To enable a supplier user to create their own account it is necessary to use a webserver with bypass signon because prior to creating an account, the URL logs them on as a guest to access the self registration pagelet the first time.
Supplier Registration (external)	WV_REGISTER	Click the Register as a Supplier link on the Login pagelet.	Register as a supplier and create an account.

Signing On to the System

Access the Login pagelet.

Note. This pagelet is accessible from a URL on the email you send to suppliers to self-register. Suppliers use the ID *AUC_GUEST* and password *AUC_GUEST* to sign on to the system and then access the Login pagelet to register as a supplier.



Login

Login here as an existing User.

User ID:

Password:

Sign In

 [Register as a Sourcing Bidder](#)
Click here to register as a bidder and to be able to bid on events.

 [Register as a Supplier](#)
Click here to register as a supplier user and to be able to see purchasing details


 [I forgot my password](#)
Click here to reset your password

Login pagelet

Register as a Supplier Click to access the Supplier Registration page and self-register as a supplier.

Registering as a Supplier

Access the Supplier Registration page.



Supplier Registration

Fill in the following information and click on the Create button to create a Supplier account. In order to self register you must have received a predefined code and know your corresponding vendor id.

Code:

***User ID:** **Description:**

Email ID:

Password:

Confirm:

Language: **Currency:** 

[Customize](#) | [Find](#) | [View All](#) |  First  1 of 1  Last

Vendor ID

Create

Supplier Registration page

Code Enter the supplier registration code. This code is required for registration.

Note. The buyer sets up this code on the Registration Setup page, and provides it to the supplier.

See [Chapter 2, “Maintaining Vendor Information,” Setting Up Supplier Self-Registration, page 13](#).

Vendor ID Enter the valid vendor ID. This is required for registration.

Note. The buyer provides this code to the supplier if needed.

Sending Email Messages

The Email Message page is accessible from several supplier- and employee-facing pages. Users can send an email that contains a link to the page from which the Email Message page was accessed.

The body of the message contains two URLs: one that an internal recipient uses to access the referenced page through the PeopleSoft Enterprise Portal, and one that an external recipient uses to access the page through an external portal (in this case, the supplier portal registry). Even though the recipients get a URL, they need the correct privileges to access the system.

Note. This email messaging is not intended to be the facility for sending out self registration emails, which should be done manually.

For example, a supplier who sends email notification from one of the pages in the View Vendor Shipment Performance component would use this version of the Email Message page:

View Vendor Shipment Performance

Email Message

TO:

CC:

BCC:

Email Subject:

Message:

To view Shipment Performance, click on the link below:

http://rtas021.peoplesoft.com:7001/psp/e880r43ant/SUPPLIER/ERP/c/MAINTAIN_SUPPLIER_PORTAL.WV_PE_METRIC_3.GBL?Action=C&ViaEmail=Y&SETID=SHARE&VENDOR_ID=SCM0000004&METRIC_ID=03&PRCR_PERIOD=7&VENDOR_ID_SEL=SCM0000004

or click on the link below if you are an internal PeopleSoft user:

Email Message page example

CHAPTER 3

Maintaining RFQ Responses

This chapter provides an overview of the eRFQ feature, lists common elements, and discusses how to:

- Alert vendors about dispatched requests for quotes (RFQs).
- Review and respond to RFQs.

Understanding the eRFQ Feature

Complex quoting and contracting procurement processes require extensive communication, collaboration, and negotiation between buying and selling organizations, and are critical to establishing long-term partnerships with trusted suppliers. In today's environment, traditional applications do not facilitate realtime communications and collaboration between trading partners. In PeopleSoft eSupplier Connection, the eRFQ feature enables your suppliers to use an internet browser to review and respond to RFQs that are generated in PeopleSoft Purchasing.

eRFQ Process Flow

The buyer:

1. Creates and dispatches the RFQ in PeopleSoft Purchasing.

Before a supplier can view and respond to an RFQ in PeopleSoft eSupplier Connection, you must create it, use the Dispatch Vendor List or the Item Supply Vendor List to assign the RFQ to the vendor, and dispatch it to the vendor. When dispatching by email, the email includes a link which returns the supplier back to the RFQ to respond.

2. Alerts the vendor to the RFQ.

You can set up automatic workflow notification if your installation includes PeopleSoft Enterprise Portal, or you can generate an email that contains a URL to send the supplier directly to the RFQ details as part of the dispatch process.

The supplier:

1. Accesses the RFQ in PeopleSoft eSupplier Connection.

If the supplier accesses the RFQ component using the portal menu, the Request for Quote List page displays the RFQs that meet the search criteria. The supplier can also access the component using the RFQ pagelet.

2. Reviews new RFQs and submits responses.

The supplier can review requested items and submit responses by item regarding information such as quantity, price, date, and lead time.

When the supplier submits a response, the system captures and date- and time-stamps the current RFQ details and the supplier's response. This enables the buyer to review supplier responses even if the RFQ or response information subsequently changes. The RFQ response status also changes in PeopleSoft eSupplier Connection to *Responded*, and now you can view or maintain the RFQ response in PeopleSoft Purchasing.

Note. The buyer can view or maintain the RFQ or RFQ responses after the RFQ is dispatched; the buyer does not need to await supplier response to access it through PeopleSoft Purchasing.

RFQ Response Modification

The buyer can propose a change to the quote by reopening the RFQ line (by clearing the Responded check box) and directly changing the price, quantity, due date, or other fields on the RFQ Response (request for quote response) page in PeopleSoft Purchasing.

Upon saving the changes, the system changes the RFQ status back to *New* (as seen by the vendor), and now the vendor can enter a new response to the RFQ.

Note. The system does not capture buyer changes to RFQ responses in the RFQ history.

See Also

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, "Understanding Requisitions"

Common Elements Used in This Chapter

Item ID and Vendor Item ID

These are the vendor item identifiers, if defined for the selected vendor-item combination on the Purchasing Attributes - Item Vendor page. If no vendor-item information exists, then your item ID appears.

Alerting Vendors About Dispatched RFQs

You can alert suppliers by email (or, if your installation includes PeopleSoft Enterprise Portal, by a task list entry using the Integrated Task List pagelet) that you have dispatched a new RFQ to them.

This section discusses how to:

- Automatically email RFQ alerts.
- Send workflow task list alerts.

Automatically Emailing RFQ Alerts

To set up automatic RFQ dispatch alert emails to your suppliers:

1. Ensure that the supplier contact is specified on the RFQ and that the contact's email address is specified on the Vendor Information - Contacts page.

If you do not specify the contact on the RFQ, or if the contact email address is missing, the system sends an email to the supplier's email address that you specify on the Vendor Information - Address page.

2. Run the RFQ Print/Dispatch SQR process (PORFQ01) and the Email Application Engine process (PO_RFQ_EMAIL) in PeopleSoft Purchasing.

Note. Because you must run the RFQ Print/Dispatch process before sending an alert with the Email process, run RFQDISP job, which runs both processes sequentially.

An email that is sent to a supplier regarding a dispatched RFQ contains a link that points to the Request For Quote List page (bypassing the search page) so that your supplier can view the RFQ. The email can also include the RFQ as an attachment.

See Also

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, "Understanding Requisitions"

Sending Workflow Task List Alerts

While the task list processes function independently of PeopleSoft self-service applications and dispatch-based alerts, you can optionally use workflow to add a task item to the Integrated Task List pagelet if:

1. You are using PeopleSoft Workflow and:
 - a. You have set up the PO_RFQ_DISPATCH business process.
 - b. Workflow activity is *Active*.
2. Your installation includes PeopleSoft Enterprise Portal.

When the supplier selects a task item, the Request for Quote List page opens, displaying the quote. The system marks the task item as *worked*, and it no longer appears on the Integrated Task List pagelet.

Note. If you give vendors the appropriate privileges, they can access task list entries or worklists through PeopleTools.

Enabling Users to See Task List Items for Specific Vendors

To view task list entries for demonstration purposes, the workflow activity (PO_RFQ_DISPATCH) is set up to use the Supplier-Customer Service Rep role. In addition, this role routes the control profiles that include the required route control types or the role that you define within the PO_RFQ_DISPATCH business process workflow activity.

Use two route control profiles:

1. Supplier includes three route control types:
 - a. Vendor.
 - b. Vendor_Loc (vendor location).
 - c. TableSet ID.
2. Admin Area PO includes Administrative Area.

Before a task list item appears on the Integrated Task List pagelet, the PO_RFQ_DISPATCH workflow activity validates that ROLENAME = Supplier-Customer Service Rep (or role that you defined and assign to the activity). It also validates that these route control type values (for the route control profile for the user) match these values:

- Administrative Area = PO.
- TableSet ID = VENDOR_SETID.
- Vendor = VENDOR_ID.
- Vendor_Loc = VNDR_LOC of RFQ.

See [Appendix A, “Delivered Workflows for PeopleSoft eSupplier Connection,” page 99](#).

Note. The SetID, vendor, and vendor location are defined on the RFQ.

If all of these conditions are met, the system creates a task list item for the user. Depending on the setup, a task list item for the same RFQ-supplier-item combination might appear in multiple user task lists.

See Also

Enterprise PeopleTools 8.48 PeopleBook: Workflow Technology

Enterprise PeopleTools 8.48 PeopleBook: Security Administration

Reviewing and Responding to RFQs

This section discusses how to:

- Search for RFQs.
- Review RFQ lists.
- View RFQ details.
- Respond to RFQs.
- Review RFQ response history.

Pages Used to Review and Respond to RFQs

Page Name	Object Name	Navigation	Usage
Request for Quotes - Select Vendor	PO_SS_VND_LIST	Process Quotes, Respond to Quote	Suppliers select a vendor to navigate to its RFQ inquiry pages. This page is available only if more than one vendor is associated with the user.
Request for Quotes - Filter Options	PO_SSSRCH_RFQ	Process Quotes, Respond to Quote Click the Show all/Enhanced link on the Recently Dispatched RFQs pagelet.	Search for specific RFQs. This is the initial search page that the supplier sees when associated with only one vendor.

Page Name	Object Name	Navigation	Usage
Request for Quotes - Request for Quote List	PO_SSRFQ_RESP_LINE	- Click the Search button on the Request for Quotes - Filter Options page. - Click an RFQ ID link on the Recently Dispatched RFQs pagelet.	View general RFQ information and a list of items by RFQ to which to respond.
Request for Quotes - Request for Quote Detail	PO_SSRFQ_LN	Select an RFQ ID on the Request for Quotes - Request for Quote List page.	Review RFQ details for a specific item.
Billing Address	PO_SSSEC_BILL_ADDR	Select a billing location on the Request For Quote Detail page.	View billing address and telephone details.
Shipping Address	PO_SSSEC_SHIP_ADDR	Select a ship to location on the Request For Quote Detail page.	View shipping address and telephone details.
Request For Quote Response	PO_SSRFQ_RESP	Click the New or Responded button on the Requests For Quote List page.	View or respond to RFQs. This is the primary page that a supplier uses to respond to a specific RFQ item.
Email Message	WV_PE_EMAIL_SP	Click the Send Email link on the Request For Quote Response page.	Send an email to someone regarding the quote. This email includes links that can take a supplier to the Request for Quote List page or take you (an internal PeopleSoft user) to the PeopleSoft Purchasing Request For Quotes page or the RFQ Response page.
Request for Quote History	PO_SSRFQ_RESPONSE	The supplier clicks the View History link on the Request for Quote Response page; the buyer clicks the Supplier History button on the RFQ Response page	View original RFQ details and supplier responses.

Searching for RFQs

Access the Request for Quotes - Filter Options page.

Note. Your suppliers can review only those RFQs for which they have security. Also, the system retrieves only dispatched RFQs with a status of *Approved* or *Closed*; it ignores RFQs with *Open*, *On Hold*, and *Canceled* statuses.

See *PeopleSoft Enterprise Purchasing 9.0 PeopleBook*, “Managing Requests for Quotes,” Dispatching RFQs.

The supplier selects the criteria with which to filter the search. In particular:

View Current Quotes	The system retrieves RFQs based on whether the supplier selects this or View Closed Quotes and on which values the supplier selects in the Include Quotes field. If the supplier selects this option and the New (Dispatched) field, the system displays all of the approved open RFQs (whose bidding dates haven't passed) to which this supplier has not responded. If the supplier also selects Responded, then the system displays all of the approved open RFQs to which this supplier has responded. If the supplier also selects New (Dispatched) and Responded, then the system displays all of the approved open RFQs that are assigned to the supplier.
View Closed Quotes	If the supplier selects this option and New (Dispatched), then the system displays closed RFQs to which the supplier has not responded. If the supplier also selects Responded, the system displays all of the closed RFQs to which this supplier has responded. If the supplier also selects New (Dispatched) and Responded, the system displays all of the closed RFQs.
Search	Click to initiate the search and view the results on the Request for Quotes - Request for Quote List page.

Reviewing RFQ Lists

Access the Request for Quotes - Request for Quote List page.

The system displays any RFQs that are associated with the vendor.

RFQ ID	Click an RFQ ID to access the Request For Quote Detail page.
Respond	This button label changes depending on the RFQ status (<i>New</i> or <i>Responded</i>). Once the supplier submits a response per RFQ item, the label changes to Responded, and the response is visible on the buyer side.

Viewing RFQ Details

Access the Request for Quotes - Request for Quote Detail page.

The system displays RFQ details.

Billing Location	Click to view specific billing address and phone information.
Ship To Location	Click to view specific shipping location and phone information.
Comments and Attachments	If you want your suppliers to see any comment or attachments, you must specify that they can view them as you enter them on the RFQ. You make this specification on the RFQ Header and Line Comments page (select the Send to Vendor check box) in the Requests for Quotes component in PeopleSoft Purchasing.

Responding to RFQs

Access the Request For Quotes - Request For Quote Response page.

The status of the RFQ response (by item) determines the mode of this page:

- When the supplier accesses this page by clicking New on the Request for Quote List page, several supplier response fields are available for modification, including Quantity, Price, and Schedule Date.

The New button appears when an RFQ item requires a response from the buyer.

- When the supplier clicks the Responded button, this page is display-only.

The Responded button appears when this supplier has previously entered a response for the RFQ item.

Submitting RFQ Responses

To respond to an RFQ:

1. On the Request for Quote List page, click the New button for the RFQ ID to which you want to respond to access the Request for Quote Response page.

Note. An RFQ's *New* status can be the result of the buyer reopening the line for further response; it does not necessarily indicate that this is the first time that the supplier has received or responded to the RFQ. See Reviewing RFQ Response History.

2. Many of the following field values appear by default from the actual RFQ.

In addition to the fields to which suppliers would most commonly respond (such as Price, Quantity, Unit of Measure, Lead Time Days, and Schedule Date), they can also respond to related fields, including:

Salesperson	The supplier's employee who is responsible for your purchase.
Date Time Responded	The date and time that the supplier submitted a response for this item. The system maintains this field.
Vendor Item ID	Suppliers can use this field to notify buyers of new or changed vendor item IDs.

Note. This does not automatically update the Vendor Item ID table in the PeopleSoft system.

Description	Notifies the buyer of the supplier's item description.
Minimum Quantity	The minimum quantity that the supplier is willing to quote.

Note. Supplier responses are made on an item-by-item basis. However, several editable fields on the Request for Quote Response page include header values and vendor comments. When the supplier changes these values during an RFQ item response, the system stores them at the header level of the RFQ response. Thus any changes of the most recent item response are present on the buyer side. The response history displays any changes to these values as they occur response by response.

3. After entering any changes or comments, submit the response.

Submit	Click to submit the response so that it can be viewed on the internal RFQ pages in PeopleSoft Purchasing. After clicking Submit, if the supplier chooses to continue, he or she can no longer edit the RFQ response but can still view it in read-only mode. Upon submission, the system stores supplier response history for the RFQ item to which the supplier is responding.
---------------	---

Send Email

Click to open the Email Messages page and send an email to an internal or external party about the quote.

See [Chapter 2, “Maintaining Vendor Information,” Sending Email Messages, page 19.](#)

Reviewing RFQ Response History

Access the Request for Quote History page.

[Request For Quotes](#)

Request for Quote History

ERNIE'S BIKE SHOP

RFQ ID: 0000000012 **Line Number:** 1

Request for Quote History		Find View All	First	1 of 1	Last
Response Date Time:	10/29/2003 3:40PM				
User ID:	VP1				
		Response			
Buyer:		Contact:			
RFQ Reference:		Salesperson:			
Requested:	10/29/2003	Vendor Ref:			
Date RFQ Opened:	10/29/03 3:38PM	Payment Terms: Net 30			
Date RFQ Closed:					
Billing Location:	USA - New York				
Payment Terms:	Net 30				
Attachments					

Request for Quotes - Request for Quote History page (1 of 2)

Buyer's Comments:			
Vendor's Header Comments:			More Comments...
We can meet this demand in the time frame needed. Please let us know if this is acceptable			
			More Comments...
	Original Quote		Response
Item ID:	10000	Vendor Item ID:	
Description:	Long Sleeve Biking Jersey, Men	Description:	Long Sleeve Biking Jersey, Men
Qty Request for Quote:	250.0000 UOM: EA	Quantity:	250.0000 UOM: EA Each
Currency:	Dollar	Price:	12.00000 Min Qty:
Schedule Date:	11/08/2003	Currency:	Dollar
Freight Terms:	Destination	Schedule Date:	11/08/2003
Ship Via Code:	Common Carrier	Freight Terms:	Destination
Lead Time Days:	10	Ship Via Code:	Common Carrier
Manufacturer ID:	BICYCLES MC	Lead Time Days:	10
Manufacturer's Item ID:	BICY-10000	Manufacturer ID:	BICYCLES MC
Ship To Location:	US001	Manufacturer's Item ID:	BICY-10000
		Vendor's Catalog:	
Return to Current Response			

Request for Quotes - Request for Quote History page (2 of 2)

To view RFQ response history, the supplier clicks View History on the Request for Quote Response page; the buyer clicks the Supplier History button on the RFQ Response page.

The Request for Quote History page displays RFQ header details, the line details from the original RFQ at the time that the response was made, and the vendor's response. (There can be multiple vendor responses for the same RFQ line.)

Buyer's Comments	Displays the comments that the buyer entered on the RFQ Header Comments page when submitting the original RFQ.
Vendor's Header Comments	The vendor can enter multiple comments on the Request for Quote Response page (for each time the vendor responds to an RFQ). The system stores these comments at the header level, not the item level, of the RFQ.
Return to Current Response	The buyer clicks this link to return to the RFQ Response page in PeopleSoft Purchasing; the supplier clicks it to return to the Request for Quote Response page in PeopleSoft eSupplier Connection.

Note. You can also view a single RFQ response using the Response By Vendor inquiry page in PeopleSoft Purchasing.

See Also

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, "Understanding Requisitions"

CHAPTER 4

Acknowledging Purchase Orders Online

This chapter provides an overview of online purchase order acknowledgements (POAs) and discusses how to:

- Create online POAs (suppliers).
- Review and approve online POAs (buyers).
- Respond on behalf of the supplier (buyers).

See Also

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, “Creating Purchase Orders Online,” Using Purchase Order Acknowledgements

Understanding Online POAs

PeopleSoft eSupplier Connection enables your suppliers to enter POAs directly into the system, bypassing the need to perform the transaction using an electronic data exchange (EDX) method. This online POA feature enables buyers and suppliers to collaborate on any acknowledgement issues in realtime and capture the supplier response history and purchase order details at the time acknowledgements are made.

The online POA business process follows these general steps:

1. (Optional) The buyer establishes POA settings.

POA alert criteria and POA tolerance settings are defined by the buyer for the purchasing business unit using the POA Settings page in the Processing Options component or for a vendor location using the Procurement Options page in the Vendor component. When the system retrieves the settings, it first looks in the vendor location and only if not specifically defined there does it use the general purchasing business unit settings.

2. The purchase order is dispatched to the vendor.

When PeopleSoft eSupplier Connection is installed and the email dispatch method is used, an URL is provided to bring your suppliers back into your supplier portal and to the specific POA. This is done for initial dispatching of purchase orders as well as change order dispatches. When a change order is dispatched, the email indicates that the order is a change order including the change order number. Within the POA, the latest changes associated to the change order number are shown to the supplier for review and acknowledgement.

3. The supplier creates an online acknowledgement using the Purchase Order Acknowledgement component, and can:
 - a. Accept or reject the purchase order in its entirety, or at the line item level.
 - b. Suggest changes to prices, quantities, shipping methods, or delivery dates.
 - c. Indicate backorder schedules and suggest splitting schedule lines if required.

- d. Save a POA in progress for later submission.
- e. Submit the POA for buyer approval.

Note. If there are no changes to the POA or if there are changes made to a POA but they do not exceed the POA tolerance settings defined, the status is automatically set to *Buyer Accepted* since there is either nothing for the buyer to approve or the buyer wishes to have the system automatically approve changes that are within the tolerance settings defined for the supplier.

Note. A workflow option is included which sends notification to the buyer when a supplier creates a POA specifying changes. To enable this workflow, activate the event Buyer Notify within activity PO_ACKNOWLEDGEMENT; this adds worklist entries for the buyer user associated to the purchase order that link to the buyer side PO Acknowledgement page.

See [Appendix A, “Delivered Workflows for PeopleSoft eSupplier Connection,” page 99.](#)

- f. Send an ad hoc email to the buyer or other external users containing a link to access the POA directly (the recipient must have proper security to the page).
- g. Collaborate on any further issues with the buyer.

For example, if the buyer is not satisfied with the vendor response, they can enter comments and reset the status back to *Supplier Review* so that they can continue to collaborate until the issues are resolved.

4. The buyer uses the Acknowledge Purchase Orders component in PeopleSoft Purchasing to view supplier-entered POAs, and can:

- a. Review the changes suggested by the supplier.
- b. Acknowledge on behalf of the supplier. For example, the supplier called them with changes and the buyer wants to log them as acknowledgements.
- c. Approve a POA and if desired, submit the PO Auto Change Order process immediately.

The PO Auto Change Order Application Engine process (PO_AUTO_CHNG) is a process that runs the Load Change Request process and the Process Change Orders process sequentially. If you want to run those processes individually you still can.

The POA can be changed at any time before the Load Change Request process is run. Once the process runs, the POA is not editable. Approved POAs feed suggested changes such as quantity, price, and schedule date into the Change Request Load tables, which when approved update the original purchase order.

Note. You can set up automatic approval for online POA change requests on the Purchasing Definitions - Business Unit Options page. Once approved using the Purchase Order Acknowledgement pages, the changes won't need to be approved again between the Load Change Request and Process Change Orders processes. You must have this set up to automatically approve online POA change requests if you wish to submit the PO Auto Change process directly from the Maintain Purchase Order pages.

- d. Return the POA with changes for supplier review.
- e. Send an ad hoc email to the supplier or other internal users containing a link to access the POA directly.

Additional Processing Actions

You can perform an additional process to assist buyers when purchase orders have not been acknowledged by the supplier.

To notify buyers that POAs have not been received, the buyer runs the POA Alerts Application Engine process (POA_ALERTS) optionally.

If the buyer specifies alert criteria for the purchasing business unit using the POA Settings page in the Processing Options component or for a vendor location using the Procurement Options page in the Vendor component, this process will create worklist entries for the buyer specifying which purchase orders have not been acknowledged by the supplier with a POA.

POA Status

POA status is defined at several levels in PeopleSoft eSupplier Connection.

Note. POAs that are submitted to PeopleSoft Purchasing from EDX use a status structure (header, line, and schedule) that refers to the action taken in the POA rather than the collaboration status the POA is in between the buyer and vendor. EDX POAs use a similar approval flow as those submitted online.

See *PeopleSoft Enterprise Purchasing 9.0 PeopleBook*, “Creating Purchase Orders Online,” Reviewing Acknowledgement Header Information.

Acknowledgement Status

The stage of the dispatched purchase order, and its subsequent acknowledgement by the supplier, applies to the entire POA and determines the following:

New	The purchase order has not been acknowledged, or has been redispached because of a change order and requires new acknowledgement.
Supplier Review	The supplier is working on the POA, which cannot be viewed or edited by anyone else at this stage.
Supplier Responded	The supplier has saved and submitted the POA with changes, which can now be viewed by the supplier, or edited by the buyer.
Buyer Accepted	Both buyer and supplier can only view the POA, which is ready to be processed by Change Request Load process if it includes changes. This is also the default status when a supplier submits the POA without any changes.

This status appears on the:

- Search/Filter Options pages.
- Header section of the Acknowledgement Details pages.
- Recently Dispatched POs pagelet.

Header POA Response

The action the supplier has taken; applies to the entire POA and indicates to the buyer the following:

Accepted	The supplier has accepted entire purchase order without changes. This is the default response status for new POAs.
Reject With Detail	The supplier has rejected the entire purchase order. All editable fields on the Acknowledgement Details page are reset to the current purchase order values and the quantity is reset to zero. If approved by the buyer this will cancel the entire purchase order.

Accepted - Changes Made The supplier has made changes to the purchase order. This may include changes to line items or schedules, and rejected lines.

This POA response status appears on the Header section of the Acknowledgement Details pages.

Line POA Response

Indicates the following:

- Accepted** The supplier has accepted the line item without changes. This is the default response status for new POAs.
- Reject with Detail** The supplier has rejected the entire line item. The editable fields for the line and schedules are reset to the current purchase order values and the quantity is reset to zero. If approved by the buyer, this cancels the purchase order line.
- Accepted - Changes Made** The supplier has made changes at the line item or schedule level.

Schedule POA Status

The action the supplier has taken; applies to the selected schedule, and indicates the following:

- New** The schedule is added when supplier splits a row.
- Canceled** Caused when a line is rejected or by changing the schedule quantity to zero.
- Changed** Any changes to the schedule fields (due date, quantity, shipping method, and price).

POA Status Example

This table shows the different statuses that occur when a POA is required and change order acknowledgements are required during the processing of a POA.

Action	PO Status	POA Status on PO	POA Status in Acknowledgment	POA Required (on purchase order)
Initial purchase order is created.	Open, Approved, or Pending Approval	Awaiting Dispatch (WD)	Won't see in POA at this time.	Y
Purchase order is dispatched.	Dispatched	Awaiting POA (WR) Note. Dispatch process moves the status because it was awaiting dispatch.	New	Y
Supplier responds with changes.	Dispatched	Responded, Awaits Review (SR)	Supplier Responded (SRP)	Y
Buyer accepts POA.	Dispatched	Approved, Changes Pending (BA)	Buyer Accepted (BAC)	Y
Change order is processed.	Open or Approved	Acknowledged, with Changes (AC)	Can only see in history mode.	N

Action	PO Status	POA Status on PO	POA Status in Acknowledgment	POA Required (on purchase order)
Purchase order is redispached.	Dispatched	Acknowledged, with Changes (AC) Note. Dispatch won't change status because not awaiting dispatch.	New (change order 1) Note. POA not required for this one, because this is actually the change order reflecting the changes that the supplier made above.	N
Buyer makes more changes to the purchase order.	Open or Approved	Awaiting PO Dispatch (WD)	Won't see in POA because purchase order is not dispatched.	Y
Purchase order is dispatched again.	Dispatched	Awaiting POA (WR)	New (change order 2) Note. POA required now, because it contains changes that are new to the supplier (that didn't come from the last round).	Y
Supplier responds with no changes	Dispatched	Acknowledged (AK)	Buyer Accepted (BAC)	N

Creating Online POAs (Suppliers)

Suppliers can enter POAs directly into the PeopleSoft system.

This section discusses how the suppliers:

- Search for POAs.
- Create online POAs.
- View and change acknowledgement details.

Pages Used to Create Online POAs

Page Name	Object Name	Navigation	Usage
Acknowledge Purchase Orders - Select Vendor	WV_SS_VND_LIST	Manage Orders, Acknowledge Purchase Order	Suppliers select a vendor to navigate to its POA pages. Available only if more than one vendor is associated with the user.
Acknowledge Purchase Orders - Search/Filter Acknowledgements	PO_SS_POA_SEARCH	- Manage Orders, Acknowledge Purchase Orders. Optionally select a vendor on the Acknowledge Purchase Orders - Select Vendor page. - Click the Show All Acknowledgements link on the Recently Dispatched POs pagelet.	Search for dispatched purchase orders awaiting acknowledgement, or existing supplier-entered or EDX-submitted POAs. Also, view past POAs.
Acknowledge Purchase Orders - Acknowledgement Summary	PO_SS_POA_SUMMARY	- Click a linked purchase order number value on the Acknowledge Purchase Orders - Search/Filter Acknowledgements page. - Click a linked Acknowledge Status value on the Recently Dispatched POs pagelet.	Create new POAs, maintain existing POAs, or view accepted POAs. Note. EDX POAs are shown in the results as information, but can not be changed online. (They can be seen in history as well.)
Acknowledge Purchase Orders - Acknowledgement Details	PO_SS_POA	Click a line number link on the Acknowledge Purchase Orders - Acknowledgement Summary page.	View POA line details.
PO Changes - Details	PO_SSPOLNCHG_SP	Click the Change Order link for changed order lines on the Acknowledge Purchase Orders - Acknowledgement Details page. This link only appears for change order purchase orders.	Review the purchase order line changes for a selected purchase order line.
Ship to Comments	PO_SS_SHIPCOMM_SP	Click the Comments button on the Acknowledge Purchase Orders - Acknowledgement Details page.	Review Ship To comments or attachments for a selected purchase order schedule. This button only appears if there are Ship To comments.
Acknowledge Purchase Orders - Acknowledgement Summary - History	PO_SS_POA_SUMMARY	Click a linked purchase order number value in history mode on the Acknowledge Purchase Orders - Search/Filter Acknowledgements page.	View the history of a POA.

Searching for POAs

Access the Acknowledge Purchase Orders - Search/Filter Acknowledgements page.

This page essentially duplicates the Manage PO Acknowledgements page (as documented later in this chapter), with these exceptions.

See [Chapter 4, “Acknowledging Purchase Orders Online,” Searching for Online POAs, page 43](#).

The supplier selects the criteria with which to filter the search. In particular:

From Date and To Date	Select the purchase order dispatch date range.
Current Acknowledgements	Select a status of the POAs you want to search on. Values are <i>New/Supplier Review</i> and <i>Supplier Respond/Buyer Accepted</i>. See Chapter 4, “Acknowledging Purchase Orders Online,” POA Status, page 33.
View History	If you select this option, the system displays the supplier responded history for past POAs.
PO Status	Displays the change order revision if the line is a change order; otherwise, it indicates that the purchase order is being dispatched for the first time.
Source of Acknowledgement	Displays the source of the acknowledgment. Values are <i>Online</i> or <i>EDX</i>. POAs created using PeopleSoft eSupplier Connection POAs are always created as source of Online. (On the buyer side, within PeopleSoft Purchasing, online and EDX POAs are consolidated for review and approval on this page by the buyer.) If you are viewing current acknowledgements, depending on the Source of the POA, clicking the purchase order number takes the supplier to the Acknowledge Purchase Orders - Acknowledgement Summary page for online collaborative POAs. POAs with a source of EDX can not be changed by the supplier, they are shown for informational purposes. (However, on the buyer sided POAs with a source of EDX will take the buyer to the Review POA page for EDX which is not collaborative. If you are viewing history, clicking the purchase order number takes the supplier to the Acknowledge Purchase Order - Acknowledgement Summary - History page. Using the history page you can view the POA history. See <i>PeopleSoft Enterprise Purchasing 9.0 PeopleBook</i>, “Creating Purchase Orders Online,” Using Purchase Order Acknowledgements. See <i>PeopleSoft Enterprise Purchasing 9.0 PeopleBook</i>, “Creating Purchase Orders Online,” Reviewing Acknowledgement Header Information.

Creating Online POAs

Access the Acknowledge Purchase Orders - Acknowledgement Summary page.

Acknowledge Purchase Orders

Acknowledgement Summary

ERNIE'S BIKE SHOP

PO Number: 0000000095

PO Date: 12/15/2004

Acknowledgement Status: New

Acknowledge Date:

POA Response: Accepted

▶ PO Header Detail

▶ Standard BU Comments

Click on the purchase order line number to see more details and to make any modifications.

POA Lines

Customize | Find | View All |

First ◀ 1-2 of 2 ▶ Last

Line Details

Extension

Line	Item ID	Description	PO Qty	Acknowledge Quantity	UOM	POA Response
1	10000	Long Sleeve Biking Jersey, Men's	5.0000	5.0000	EA	Accepted
2	10002	Long Sleeve T-Shirt, Mens	5.0000	5.0000	EA	Accepted

▶ Comments

[Return to Search Acknowledgement](#)

Acknowledge Purchase Orders - Acknowledgement Summary

The fields on this page essentially duplicate those on the Managing PO Acknowledgements - Acknowledgement Summary page, although the suppliers always access this page in *create* mode, while buyers can create, review, and approve POAs.

See *PeopleSoft Enterprise Purchasing 9.0 PeopleBook*, “Creating Purchase Orders Online,” Reviewing Acknowledgement Header Information.

The system displays purchase order or POA history details in view-only fields. The supplier can accept or reject the entire purchase order or the selected line item, or enter changes in the editable fields. In particular:

Line	Click the linked line number to review and modify the details of the line such as quantity or date.
Reset to PO Values	Click this button to restore all POA values to the values specified on the current purchase order, forgoing any changes made on the POA.
PO Header Detail	Click the arrow to expand this section. This section displays the purchase order header details.
Standard BU Comments	Click this arrow to expand this section. This section displays any comments that are associated to the PeopleSoft Purchasing business unit. If there are no business unit level comments, the system doesn't display this section.
PO Header Comments	Click this arrow to expand this section. This section displays any purchase order header comments or attachments associated with the selected purchase order. If there are no header comments or attachments, the system doesn't display this section. If there are multiple rows of header comments/attachments, you can scroll through them or click View All to display all of them.

PO Qty (purchase order quantity)	Displays the sum of all schedule quantities for this line on the purchase order that is being requested.
Acknowledge Quantity	Displays the sum of all schedule acknowledge quantities being replied. The purchase order quantity appears as the default when you first view the purchase order acknowledgement.
Change Order	Click this link for each line that has a change order to access more detail about the change. This shows the details of what changes were made from the last time this purchase order was dispatched. (For example, if this purchase order is on change order 3, it shows the changes made from change order 2 to change order 3.) This link will only appear when viewing a purchase order revision.
Comments	Click this arrow to expand this section. The supplier can enter comments for the buyer, and in subsequent sessions, view any buyer responses.
Save	Click this button to save any changes and have the system set the acknowledgement status to <i>Supplier Review</i> . This will indicate to the system that this POA is in process and still under review.
Save & Send Acknowledgement	Click this button to save any changes and: • Change the POA mode for the vendor from editable to view-only. • Set the acknowledgement status to <i>Buyer Accepted</i> if there is no change or the changes that are made do not exceed the tolerances specified for the supplier. • Sets the acknowledgement status to <i>Supplier Responded</i> if there are changes the buyer needs to approve. If workflow is enabled, this also sends notification to the buyer for the POA with changes needing review. • Updates the Purchasing EC tables (PO_POA_HDR_HIST, PO_POA_LN_HIST, PO_POA_SHIPHIST) to capture supplier response history and pertinent purchase order values at the time the response is made.
Send Email	Click this link to access the Acknowledge Purchase Orders - Email Message page. Using this page the supplier can send an ad hoc email containing URLs to access the POA directly.

See Also

Chapter 2, “Maintaining Vendor Information,” Sending Email Messages, page 19

Viewing and Changing Acknowledgement Details

Access the Acknowledgement Purchase Orders-Acknowledgement Details page by clicking a purchase order line number.

Acknowledge Purchase Orders

Acknowledgement Details

ERNIE'S BIKE SHOP

Item Detail Find | View All First 1 of 2 Last

Line Number: 1 Reset Item to PO values Reject Item

Unit of Measure: Each Item Response: Accepted

Item ID: 10000 Vendor Item ID:

Extension:

Description: Long Sleeve Biking Jersey, Men's

► More Item Details

Schedules Customize | Find | View All First 1 of 1 Last

Order Sched	Sched	Order Due Date	Order Due Time	Order Quantity	Acknowledge Due Date	Acknowledge Quantity	POA Status	Split Line
1	1	12/24/2004		5.0000	12/24/2004	5.0000		

Return

Acknowledgement Purchase Orders - Acknowledgement Details page

Change Order

Click the Change Order link to access more detail about changes to schedules. This shows the details of what changes were made from the last time this purchase order was dispatched. For example, if this purchase order is on change order 3, it shows the changes made from change order 2 to change order 3.

Change Order check box

The system displays the check box if there is a change order for this schedule. To view these changes, you must click the Change Order link. This is a visual indicator to help identify which schedules were modified from the last dispatch.

Acknowledge Due Date and Quantity

The system provides these fields as a default to the Purchase Order. Suppliers can modify Due Date, Quantity, and other values for the line/schedule to indicate a change.



Click the Split Line button to split the schedule if the scheduled quantity is to be backordered between two or more dates. After clicking the split line button, adjust the quantities between the original and new line and enter a new acknowledge due date for the new schedules quantity.

Comments

Click this button for each schedule that includes Ship To comments or attachments to view the comments. The comments and attachments are specific to each ship to location, so if all lines and schedules have the same ship to address, all the ship to comments and attachments will be the same.

Reviewing and Approving Online POAs (Buyers)

Once the supplier has created an online POA, the buyer can review the information, and accept, reject, or change the acknowledgement.

This section discusses how the buyers:

- Search for online POAs.
- Review and approve online POAs.

Pages Used to Review and Approve Online POAs

Page Name	Object Name	Navigation	Usage
Manage PO Acknowledgements	PO_SS_POA_SEARCH	Purchasing, Purchase Orders, Acknowledgements, Manage PO Acknowledgements	Buyers can search for online POAs and POAs received using EDX. <i>See PeopleSoft Enterprise Purchasing 9.0 PeopleBook, "Creating Purchase Orders Online," Using Purchase Order Acknowledgements.</i>
Manage PO Acknowledgements - Acknowledgement Summary	PO_SS_POA_SUMMARY	Click a linked purchase order number on the Manage PO Acknowledgements search page.	Use to view the acknowledgement information for the selected purchase order.
Manage PO Acknowledgements - Acknowledgement Details	PO_SS_POA	Click a linked purchase order line on the Manage PO Acknowledgements - Acknowledgement Summary page.	Review and approve supplier-entered POAs.
POA Alerts	PO_POA_ALERTS	Purchasing, Purchase Orders, Acknowledgements, Run Acknowledgement Alerts, POA Alerts	Initiate the Purchase Order Acknowledgements Alert Application Engine process (POA_ALERTS), which will generate worklist entries (alerts) for the buyer. Buyers will receive a worklist entry for each purchase order that is violating the defined rules for when a POA should be received by the supplier. <i>See PeopleSoft Enterprise Purchasing 9.0 PeopleBook, "Delivered Workflows for PeopleSoft Enterprise Purchasing".</i>
Run PO AutoChange	RUN_PO_AUTOCHNG	Purchasing, Purchase Orders, Acknowledgements, Process Change Orders, Run PO AutoChange	Initiate the Purchase Order Automatic Change Application Engine process (PO_AUTO_CHNG). This process will initiate the Load Change Requests process and then the Process Change Orders process to create change orders for all POAs that have been approved by the Buyer (or automatically approved based on tolerances) that are pending in the system.

Searching for Online POAs

Access the Manage PO Acknowledgements page.

This page essentially duplicates the Acknowledged Purchase Orders - Search/Filter Acknowledgements page, with these exceptions:

Vendor Set ID and Vendor ID	The buyer can search for a vendor within a specific setID.
Current Acknowledgements	The buyer can search for awaiting acknowledgement, supplier responded, or buyer accepted POAs. They can not see any in-process POAs with a status of <i>Supplier Review</i> .
Note. The buyer can create a POA on behalf of the supplier by using the Awaiting Acknowledgement check box on this page.	
View History	If you select this option, the system displays the supplier responded history for past POAs.
Processed	Indicates whether the (changed) POA has been included in a Load Change Request process run.

See Also

Chapter 4, “Acknowledging Purchase Orders Online,” Searching for POAs, page 37

Reviewing and Approving Online POAs

Once the supplier submits a POA online, the buyer can access this page to review information such as acknowledged dates and quantities for the given purchase order. From here your buyers can:

- Review overall POA response at the header level.
- Review any line level exceptions.
- Modify and react to them accordingly within this page, which includes changing the POA information or sending the POA back to the supplier for further review.
- Approve the POA so that it can be passed to the Change Order processes and update the purchase order.

If using workflow, this action also marks the entry as worked in the worklist for the buyer associated to the purchase order.

See *PeopleSoft Enterprise Purchasing 9.0 PeopleBook*, “Creating Purchase Orders Online,” Reviewing Acknowledgement Header Information.

Access the Manage PO Acknowledgements - Acknowledgement Summary page for online POAs.

Manage PO Acknowledgements

Acknowledgement Summary

PO Number:

0000000092

PO Date:

12/14/2004

Acknowledgement Status:

Supplier Responded

Acknowledge Date:

12/14/2004

POA Response:

Accepted - Changes Made

Reset to PO Values

Reject All

PO Header Detail

Contact:

Currency Code:

US Dollar

Payment Terms:

Net 30

Rate Type:

Current Rate

Reference Information:

Vendor:

SCM0000004

ERNIE'S BIKE SHOP

Standard BU Comments

Click on the purchase order line number to see more details and to make any modifications.

POA Lines

Customize | Find | View All | 1-2 of 2 | Last

Line Details

Extension

BB

Line	Item ID	Description	PO Qty	Acknowledge Quantity	UOM	POA Response
1	10000	Long Sleeve Biking Jersey, Men's	5.0000	8.0000	EA	Accepted - Changes Made
2	10002	Long Sleeve T-Shirt, Mens	5.0000	8.0000	EA	Accepted - Changes Made

Comments

Save

Save & Approve

Return for Supplier Review

Run PO Auto Change

Manage PO Acknowledgements - Acknowledgement Summary page

The fields on this page essentially duplicate those on the Acknowledge Purchase Orders - Acknowledgement Summary page, although the suppliers always access this page in “create” mode, while your buyers are able to use “create, review, modify, and approve” mode.

In addition, the buyers have the option to immediately create change orders by selecting the Run PO Auto Change check box and then saving and approving the POA.

See Chapter 4, “Acknowledging Purchase Orders Online,” Creating Online POAs (Suppliers), page 35.

Note. POAs that are created by way of EDX are visible in the summary results but not visible within this collaborative POA page. Clicking a POA that was created from EDX will transfer the buyer to the EDX review pages discussed in the purchasing section.

See *PeopleSoft Enterprise Purchasing 9.0 PeopleBook*, “Creating Purchase Orders Online,” Using Purchase Order Acknowledgements.

Reset to PO Values

Click this button to revert the POA to the values submitted on the original purchase order.

Save

Click this button to save any changes; acknowledgement status remains as *Supplier Responded* or *Buyer Accepted*.

Save & Approve

Click this button to save any changes and set the acknowledgement status to *Buyer Accepted*. This enables the POA to be processed by the PeopleSoft Purchasing Load Change Request process. This also marks any worklist entry

as worked for the buyer associated to the purchase order, if workflow is enabled.

- Return for Supplier Review** Routes the POA back to the supplier. Acknowledgement status is changed to *Supplier Review*. Buyer can include comments for the supplier, which the supplier can review as part of an iterative review and acknowledgement process on the supply side.
- Run PO Auto Change** Select this check box if you want the system to automatically create change orders that are reflected on the POA. Once you select this check box and click the Save & Approve button the system will automatically run the Purchase Order Auto Change process. This process runs the Load Change Requests process and then the Process Change Order process in the background. You should have the PO Business Unit setting to enable auto approval of buyer approved POAs turned on, for this to work successfully. Otherwise the changes will stop in between the two jobs pending another approval step.

Responding on Behalf of the Supplier (Buyers)

This section discusses how to respond on behalf of the supplier.

Pages Used to Respond on Behalf of the Supplier

Page Name	Object Name	Navigation	Usage
Manage PO Acknowledgements	PO_SS_POA_SEARCH	Purchasing, Purchase Orders, Acknowledgements, Manage PO Acknowledgements	Buyers can search for online POAs and POAs received using EDX. See <i>PeopleSoft Enterprise Purchasing 9.0 PeopleBook</i> , "Creating Purchase Orders Online," Using Purchase Order Acknowledgements.
Manage PO Acknowledgements - Acknowledgement Summary	PO_SS_POA_SUMMARY	Click a linked purchase order number on the Manage PO Acknowledgements search page.	Use to view the acknowledgement information for the selected purchase order.
Manage PO Acknowledgements - Acknowledgement Details	PO_SS_POA	Click a linked purchase order line on the Manage PO Acknowledgements - Acknowledgement Summary page.	Review and approve supplier-entered POAs.

Responding On Behalf of the Supplier

Access the Manage PO Acknowledgements page.

The buyer can accept and create acknowledgements for the supplier against a purchase order. For example, the supplier called them with changes and the buyer wants to log them as acknowledgements.

This process basically functions the same as that discussed in the section Reviewing and Approving Online POAs (Buyers) except the buyer will search for POAs with an *Awaiting Acknowledgement* status.

Select the Awaiting Acknowledgement check box on this page under the Current Acknowledgements option to retrieve the POAs that you want to address for the supplier.

See Chapter 4, “Acknowledging Purchase Orders Online,” Reviewing and Approving Online POAs (Buyers), page 41.

CHAPTER 5

Creating Advanced Shipping Notices

This chapter provides an overview of supplier advanced shipping notices (ASNs) and discusses how to:

- Create supplier ASNs.
- Review ASN history by suppliers.
- Review ASN history by employees.

Understanding Supplier ASNs

In most PeopleSoft documentation, *ASN* refers to internal PeopleSoft system users sending notification of shipment to an external party, and *advance shipping receipt (ASR)* refers to internal PeopleSoft users receiving or entering information that is derived from an external source.

In PeopleSoft eSupplier Connection, ASN refers to the shipment notification that helps your internal users in the receiving process, and that the supplier enters directly into the PeopleSoft system. Suppliers can use the Recent ASNs (recent advanced shipment notifications) pagelet to enable suppliers to navigate to shipment and receipt line information as well as create ASNs from your extranet homepage.

Supplier ASNs Are Created Against Your Purchase Orders

Suppliers view the lines and schedules for one or more purchase orders (POs), select specific records, and create ASNs that communicate shipment number, bill of lading, PO number, Invoice number, carrier ID, expected arrival date, and carrier information. For evaluated receipt settlement related invoices (ERS) the Invoice information entered by the supplier is required and utilized for payment processing. Online ASNs also include line information such as item, revision, lot, serial, quantity shipped, and related supplier (sales) order numbers.

When suppliers perform searches for available PO schedules, the system returns all dispatched PO lines with an *Active* status that are not included in:

- Direct (drop) shipment POs.
- Flow-based kanban POs.

Once Supplier ASNs Are Submitted

When suppliers submit their ASNs, they are treated internally (and referred to in the PeopleSoft Purchasing documentation) as ASRs. Upon submission, the system:

- Assigns an enterprise integration point (EIP) control ID.
- Populates the EC staging tables:
 - RECV_ASHD_EC (ASN header table).
 - RECV_AOHD_EC (ASN Inventory header table).

- RECV_AOLN_EC (ASN Inventory order line table).
- RECV_AOLS_EC (ASN Inventory order lot serial table).
- Treats the advance shipment information, during Receive Load processing, as if it were an ASR that the system received electronically by EDX using the ASR EIP.

Note. Your suppliers cannot change or cancel ASNs once they submit the ASNs. However, your employees can maintain them using the ASR Review component in PeopleSoft Purchasing. Your employees can also use the ASN History component to search for supplier ASNs using a variety of search criteria.

See Also

Chapter 8, “Using PeopleSoft eSupplier Connection Pagelets,” page 85

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, “Receiving Shipments,” Using ASRs

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, “Receiving Shipments,” Loading Receipts Received Using EIPs and EDC

Creating Supplier ASNs

This section discusses how to create supplier ASNs.

Pages Used to Create Supplier ASNs

Page Name	Object Name	Navigation	Usage
Advance Shipment Notification - Select Vendor	PO_SS_VND_LIST	Manage Orders, Create ASNs	Suppliers select a vendor to navigate to its ASN creation pages. This page is available only if more than one vendor is associated with the user, and if the user uses the menu to log on.
Advance Shipment Notification - Advance Shipment Creation	PO_SSASN_CREATION	Manage Orders, Create ASNs Click the Create ASNs link on the Recent ASNs pagelet.	Create supplier ASNs.
Advance Shipment Notification - Purchase Order Schedule Selection	PO_SSASN_SHIPMENTS	Enter a shipment number on the Advance Shipment Creation page, and click the Add Lines button.	Select PO lines and schedules for ASNs.
Advance Shipment Notification - Lot/Serial Information (inquiry)	PO_SSASN_LOTSERIAL	Select a lot- or serial-controlled item, and click the Lot/Serial link on the Advance Shipment Creation page.	Assign lot IDs or serial IDs to selected item IDs.

Creating Supplier ASNs

Access the Advance Shipment Creation page.

To create an online ASN:

1. Enter the ASN header information including any defaults (such as order number) which will be applied to all ASN lines as they are added.

The shipment number is required.

2. Click Add Lines to access the Purchase Order Schedule Selection page and search for the appropriate (dispatched) PO lines to include in the ASN.

- a. Enter a vendor location if the vendor is associated to more than one (if not, the location appears by default), a purchase order number, and an item ID or vendor item ID; and optionally change the default date range to further control the search.

Select the Exclude Received Schedules check box to prevent previously received schedules from being included in the search.

To ease data entry on the supplier side, you can enter a date range and item number to identify which POs are awaiting shipment for the item.

- b. Click Search.

The system returns all PO lines and schedules that meet the search criteria and are available to be shipped. If the page was already populated with data from a different PO, the system doesn't refresh the page until you click this button.

3. Select one or more resulting PO Schedule lines to indicate the line is to be included with the ASN.

Note. You can select a PO schedule for inclusion more than once, but the system adds it only once to the ASN. Also, the from and to dates narrow down the expected shipment based on scheduled due date on the purchase order schedule lines.

4. Add the selected PO schedule to the ASN:

- a. Click Include in ASN (include in advance shipment notice) to clear the search results, transfer the selected PO lines to the Advance Shipment Creation page, and remain on the Purchase Order Schedule Selection page to perform another search and add more lines to the ASN.
 - b. Click Include/View ASN (include and return to advance shipment notice) to access and transfer the selected PO lines to the Advance Shipment Creation page (or return to the page without selecting more lines).

5. Now that the Advance Shipment Creation page is now populated with current information for the selected schedules:

- a. You can modify the shipment line number, revision, shipped quantity, ship unit of measure (UOM), invoice ID, bill of lading, pro number, and vendor sales order number.

Note. The Shipped quantity field displays *outstanding* quantities: the quantity ordered minus any previous receipts for the purchase order schedule in the vendor UOM.

If the ERS Action on the PO Matching page is set to Yes, the system requires an invoice ID from the supplier.

- b. The supplier can associate lot or serial numbers to lot- or serial-controlled items by selecting the radio button on the appropriate line and clicking the Lot/Serial link to access the Lot/Serial Information page.

Enter the lot or serial ID for the selected item and click Return to return to the Advance Shipment Creation page.

6. Click Submit ASN (submit advanced shipping notice) to create the ASN.

The system saves the ASN data to the EC staging tables and, from this point on, processes the data as if it were an ASR that was entered using the ASR EIP.

See [Chapter 5, “Creating Advanced Shipping Notices,” Understanding Supplier ASNs, page 47](#).

7. To send an email containing a URL to the ASN, click ASN History to access the ASN History component.

Note. The Send Email link is located on the ASN History - Summary and Line Details pages; the ad hoc email function automatically generates a URL to the page from which it is generated.

Reviewing ASN History by Suppliers

This section lists the pages used to review ASN history by suppliers.

See Also

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, “Receiving Shipments,” Using ASRs

Pages Used to Review ASN History by Suppliers

Page Name	Object Name	Navigation	Usage
ASN History - Select Vendor	PO_SS_ASN_VND_LIST	Manage Orders, View ASN History	Suppliers select a vendor to navigate to its ASN inquiry pages. This page is available only if more than one vendor is associated with the user.
ASN History - Filter Options	PO_SSASN_HIST_SRCH	Manage Orders, View ASN History Click the ASN History link on the Advance Shipment Creation page. If you are utilizing the Recent ASNs pagelet your suppliers can click the Show all/Enhanced link within the Recent ASNs pagelet to review ASNs.	Suppliers search for specific ASNs.
ASN History - Summary	PO_SSASN_HDRHIST	Suppliers who are using menu navigation select a vendor (if necessary), enter search criteria, and click the Search button on the ASN History - Filter Options page.	Suppliers and employees view purchase order and shipment information for supplier ASNs.
ASN History - Line Details	PO_SSASN_LNHIST	Click a shipment number on the ASN History - Summary page. If you are utilizing the Recent ASNs pagelet, your suppliers can click a shipment number to view shipment details.	Suppliers and employees view line details for selected shipments.
Advance Shipment Notification - Lot/Serial Information (inquiry)	PO_SSASN_LOTSERIAL	Click a shipment quantity on the ASN History - Line Details page.	View lot or serial information for selected items.
Email Message	WV_PE_EMAIL_SP	Click Send Email on the ASN History - Summary or ASN History - Line Details page.	Suppliers can send an email to a supplier or an internal PeopleSoft user regarding the ASN. The email includes links that take the recipient to the page from which the email was sent.

Reviewing ASN History by Employees

This section lists pages used to review ASN history by employees.

See Also

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, “Receiving Shipments,” Using ASRs

Pages Used to Review ASN History by Employees

Page Name	Object Name	Navigation	Usage
ASN History - Filter Options	PO_SSASN_HISE_SRCH	Purchasing, Shipments, ASN History	Employees search for supplier ASNs.
ASN History - Summary	PO_SSASN_HDRHIST	From the Purchasing menu, click the Search button on the ASN History - Filter Options page.	View purchase order and shipment information for the supplier ASN. Suppliers also use this page.
ASN History - Line Details	PO_SSASN_LNHIST	Click a shipment number on the ASN History - Summary page.	View line details for selected shipments. Suppliers also use this page.
Advance Shipment Notification - Lot/Serial Information (inquiry)	PO_SSASN_LOTSERIAL	Click a shipment quantity on the ASN History - Line Details page.	View lot or serial information for selected items.
Email Message	WV_PE_EMAIL_SP	Click the Send Email link on the ASN History - Summary or ASN History - Line Details page.	Employees can send an email to a supplier or an internal PeopleSoft user regarding the ASN. This email includes links that take the recipient to the page from which the email was sent.

CHAPTER 6

Reviewing Supplier Account Activity

This chapter provides an overview of supplier account activity, lists common elements, and discusses how to:

- Set up supply side print capability.
- Review POs.
- Review order summaries.
- Review receipts.
- Review invoices.
- Review payments.
- Review account balances.

Understanding Supplier Account Activity

Review activity transactions permit your accounts payable employees to spend their time more efficiently by enabling your suppliers to answer their own questions about existing invoices, purchase orders (POs), receipts, payments, and account balances.

Common Element Used in This Chapter

Item ID	Displays the vendor item identifier, if defined for the selected vendor-item combination on the Purchasing Attributes - Item Vendor page. If no vendor-item information exists, then your item ID appears.
----------------	--

Setting Up Supply Side Print Capability

To configure the setup and defaults of external access for suppliers, use the Configure External Access component (PO_SUPP_SETUP).

For users created prior to release 8.8, you may need to set up security so that suppliers can use the print functionality with PeopleSoft eSupplier Connection. You need to:

- Edit the permission list supplied to all external Supplier users to enable permission for supply side print.

If you are using the delivered EPSS8000 permission list (recommended), then you will not need to do this step as the permission list will already be modified.

- Edit any existing Supplier Portal User profiles to which you wish to add the PO Print capability.

Edit user profiles in the PeopleTools User Profile component.

This section discusses how to:

- Set up security.
- Configure external access.

Pages Used to Set Up Supply Side Print Capability

Page Name	Object Name	Navigation	Usage
Permission Lists - Process	ACL_PROCESS	PeopleTools, Security, Permissions & Roles, Permission Lists. Select the Process tab.	Set the attributes and system defaults.
Permission Lists - Permission	ACL_PROCESS_GROUPS	PeopleTools, Security, Permissions & Roles, Permission Lists Click the Process Group Permissions link on the Permission List - Process page.	Specify to what capacity a user, or Role, can modify certain Process Scheduler settings.
User Profile	USER_GENERAL	PeopleTools, Security, User Profiles, User Profiles	Set general user profile attributes.
Configure External Access	PO_SUPP_SETUP	Set Up Financials/Supply Chain, Common Definitions, Suppliers, Configure External Access	Make the View PDF/Print option available to suppliers and indicate the default server.

Setting Up Security

Access the Permission List - Process page.

This step enables the supply side permission list to allow for printing POs. If you are using the delivered permission list EPSS8000, then this step will already be done for you.

1. Enter permission list that is equivalent to the *EPSS8000-All user access*, permission list that you are using for suppliers and select the Process page.
2. Click the Process Group Permissions link on the Process page. Access the Permission List - Permission page.
3. Add *POALL* to the grid, and click OK. The *POALL* Process group is required on this page so that the supplier user has security to run the PO Print report.

Note. This does not allow suppliers to run other internal buyer side PO processes.

4. Access the User Profile page in PeopleTools for any existing supplier users added in prior releases for which you want to enable print capability, and if the Process Profile field is blank, enter the permission list you modified, *EPSS8000*, in the Process Profile and Primary Permission Lists fields.

Note. For any external users already created in the system, you must edit the user profile if you want them to have print capability. This will be done automatically for any new external user as long as they are created using the Distributed Vendor User pages. If you aren't already using the delivered permission lists, you only need to make sure there is a permission list called *EPSS8000* defined in the system. It can be an empty permission list, but it does need to exist so that the Distributed Vendor User page can automatically enable printing for new users.

Configuring External Access

Access the Configure External Access page.

Allow Supplier access to launch/print PO report

Select to allow suppliers to view and print POs.

Print Options

Options include creating the report *via REN Server* or *via Report Repository*.

If you are using REN server capability, the system displays a separate window to monitor the report status when the supplier clicks the button to print the PO, enabling your supplier to go on to other transactions. When the report is ready, the system displays it in a separate window.

If you are using the Report Repository, the system initiates the print process immediately when the supplier clicks the button to print the PO. If the print process takes more than several seconds, the system generates a message that they can continue within the same transaction and return to the button later when the report is completed.

Note. If you are using REN server capability, you must set up a REN server that users outside your firewall can access. The Report Repository requires less setup. We recommend trying the Report Repository method first and migrating to REN server technology if needed.

Reviewing POs

This section discusses how suppliers can:

- Use the purchase order list.
- Review PO details.

Pages Used to Review POs

Page Name	Object Name	Navigation	Usage
Purchase Orders - Select Vendor	PO_SS_VND_LIST	Manage Orders, Purchase Orders	Suppliers select a vendor to navigate to its PO inquiry pages. This page is available only if more than one vendor is associated with the user.

Page Name	Object Name	Navigation	Usage
Purchase Orders - Filter Options	PO_SSSRCH_POS	Manage Orders, Purchase Orders Optionally select a vendor on the Review Purchase Orders - Select Vendor page.	Search for POs.
Purchase Orders - Purchase Order List	PO_SSPO_LIST	Enter selection criteria and click the Search button on the Review Purchase Orders - Filter Options page.	View general PO information and select from the list of available POs for greater detail.
Purchase Orders - Download Purchase Orders	PO_SSPO_DOWNLOAD	Click the View Selected POs in Downloadable Format button on the Purchase Order List page.	Use to determine which columns you want to include when downloading purchase order information to an excel spreadsheet.
Purchase Orders - Purchase Order Details	PO_SSPO_DETAILS	- Click a PO number link on the Purchase Order List page. - Click a PO ID link on the Recent Purchase Orders pagelet.	Review line item details and access invoices that are related to a selected PO.
Purchase Orders - Purchase Order History	PO_SS_POHIST_SP	Click the View PO Change History link on the Purchase Order Details page.	View the revision history for the purchase order. This will take you to another page that displays a listing of all the Purchase Order change history and will enable you to drill into previous purchase orders to see past changes.
PO Changes - Details	PO_SSPOLNCHG_SP	Click the View Changes link on the Purchase Order History page or the View PO Changes link for the changed order lines on the Purchase Order Details page.	View the line and schedule changes for a purchase order change order.
Purchase Orders - Line Comments	PO_SS_LNCOMM_SP	Click the Comments button on the Purchase Order Details page.	Review line comments or attachments for a selected purchase order line.
Purchase Orders - Purchase Order Schedule	PO_SSPO_SCHEDULE	Click a line number link on the Review Purchase Orders - Purchase Order Details page.	Review PO schedule details and drill into receipt line information. This page is a duplicate of the Review Invoices - Purchase Order Schedule page.
Purchase Orders - Receipt Lines	PO_SSRECV_LINES	Click the due date link on the Purchase Order Schedule page.	View lines received against the purchase order schedule.

Page Name	Object Name	Navigation	Usage
Purchase Orders - Ship to Comments	PO_SS_SHIPCOMM_SP	Click the Comments button for a selected purchase order schedule on the Purchase Order Schedule page.	Review Ship To comments or attachments for a selected purchase order schedule.
Purchase Orders - Invoice Details	PO_SSINVC_LINES	Click an invoice number link on the Review Purchase Orders - Purchase Order Details page.	This page is a duplicate of the Review Invoices - Invoice Details page.

Using the Purchase Order List

Access the Review Purchase Orders - Purchase Order List page.

Purchase Order List

ERNIE'S BIKE SHOP

[Set filter options](#)
[Return to Vendor List](#)
Default View for Change Orders: Latest changes only

Purchase Order List
[Customize](#) | [Find](#) | [View All](#) | [First](#) | [1-8 of 8](#) | [Last](#)

[PO Details](#) | [Header Details](#)

	Purchase Order	Status	Last Dispatched Date/Time	Lines	Total Amount		Acknowledge Status		
☐	0000000103	Dispatched	10/27/2003 4:51:05PM	1	21,000.00 USD	New	Create ASN	View PDF	
☐	0000000102	Dispatched	10/27/2003 4:45:53PM	2	70,000.00 USD	New	Create ASN	View PDF	
☐	0000000101	Dispatched	10/27/2003 4:43:19PM	1	35,000.00 USD	New	Create ASN	View PDF	
☐	0000000099	Dispatched	10/27/2003 4:36:48PM	1	14,000.00 USD	New	Create ASN	View PDF	
☐	0000000100	Dispatched	10/27/2003 4:36:01PM	2	56,000.00 USD	New	Create ASN	View PDF	
☐	0000000098	Dispatched	10/27/2003 4:06:30PM	1	35,000.00 USD	New	Create ASN	View PDF	
☐	0000000097	Dispatched	10/24/2003 3:12:32PM	1	7,774.66 USD	New	Create ASN	View PDF	
☐	0000000095	Dispatched	10/24/2003 2:34:28PM	1	2.09 USD	New	Create ASN	View PDF	

☒ [Select All](#)
☐ [Clear All](#)

[View Selected POs in Downloadable Format](#)

The View PDF button allows you to generate a printable version of the purchase order. Using the Default View for Change Orders options you can control if the report generated shows all lines or only the latest changes. (This same option is also used to control the online view of the PO.)

Purchase Orders - Purchase Order List page

Use this page to move between various supplier activities related to purchase orders including inquiry, printing, downloading, acknowledgements, and entering advanced shipment notifications.

Default View for Change Orders

If your purchase order list includes a PO with a change order, you can view *All lines* or *Latest changes only* when you view PO details for a PO. When viewing or printing a purchase order in PDF format, *All lines* prints all lines on the PO, and *Latest changes only* prints only the changes on the report.

Lines

Equals the total number of lines on each PO. Supplier users can use this information to help evaluate and prioritize which POs need to be actioned first.

Total Amount

Equals the merchandise amount plus the adjusted amount for each PO.

Acknowledge Status

The text of this link indicates the current POA status. Click the linked status to create or access the purchase order acknowledgement for the selected purchase

order. Each time a PO or change order for a PO is dispatched, the system changes its default status to New.

Create ASN

Click to access the Advanced Shipment Notification - Purchase Order Schedule Selection page to choose lines to create an advanced shipping notification. The system transfers the PO ID you selected to the ASN.

View ASN

Click to display any ASNs that are tied to the purchase order. This button only appears if ASNs exist for the purchase order.

View PDF

Click to initiate the PO report process, which runs in the background. You can then print the purchase order from the PDF. You must select the printing option on the Configure External Access page for suppliers to view and print PDFs.

Note. When REN Server method is not used for viewing the PDF and ten seconds has passed but the PDF has not opened, the system displays a message explaining that the process is taking longer, wait a few seconds and then click the button again. The system then checks to see if the report is finished and when it is, pulls the PDF up immediately.

You must stay within the transaction or else clicking the button again will regenerate the report. You can navigate to other pages and look at other POs, and so forth, but leaving the transaction loses the “link” to the report.

When the REN Server method is used for viewing the PDF, a new window will open when the report has finished.

View Selected PDFs in Downloadable Format

For every row selected, the system displays the PO information in a grid that you can then use to download to an excel spreadsheet.

See Also

Chapter 6, “Reviewing Supplier Account Activity,” Configuring External Access, page 55

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, “Defining Purchasing Item Information,” Defining Purchasing Item Attributes

Reviewing PO Details

Access the Review Purchase Orders - Purchase Order Details page.

Purchase Orders

Purchase Order Details

ERNIE'S BIKE SHOP

PO Number: 0000000103 **Purchase Order Date:** 10/27/2003
PO Status: Dispatched **Last Dispatch:** 10/27/03 4:51:05PM
Buyer: Kenneth Schumacher
Billing Location: US001
Payment Terms: Net 30

Purchase Order Total	
Merchandise Amt:	21,000.00
Freight/Tax/Misc.:	0.00
Total Amount:	21,000.00 USD

► Standard BU Comments

Purchase Order Lines [Customize](#) | [Find](#) | [View All](#) | First 1 of 1 Last

Line	Status	Item ID	Description	Quantity	EA	Amount
1	Active	AP-001	Desktop CPU 450Mhz, 128 Mb RAM, DVD Drive	3.0000	EA	21,000.00 USD

Invoice List [Customize](#) | [Find](#) | [View All](#) | First 1 of 1 Last

Invoice	Invoice Date	Amount	Due Date	Appr Stat	Voucher
		0.000			

No Invoices Found
[Return to Purchase Order List](#)

Purchase Order Details page

The system displays PO line item details.

View PO Change History

This link shows the history of initial dispatch any subsequent change order dispatch information for the purchase order

View

If your purchase order list includes a PO with a change order, you can view *All lines* or *Latest changes only* when you view PO details for a PO. The system provides the value selected on the Purchase Order List page as a default.

Purchase Order Total

Includes the merchandise amount totalled for each line added to any freight, tax, and any miscellaneous charges. This excludes any canceled lines.

Purchase Order Lines

Line

Click a line link to access the Purchase Order Schedule page, which displays schedule details for the line item.

Status

Values are *Active*, *Closed*, *Hold*, and *Canceled*. (Approved POs do not appear.)



Click to access the Line Comments/Attachments page.

Express Forms



If the Purchase Order line was sourced from a PeopleSoft eProcurement Requisition Express Form item, the system displays a button to display the Express Form information pertaining to the line.

Business Card

Express Form Type: BCRD **Express Form ID:** 24

Name: VP1
Title: Mike Schumacher
DIVISION:
Address Line 1: 12345 Main Street
Address Line 2:
City: Pleasanton
Country: USA
State: CA
Postal Code: 94011
Telephone: 925-123-4567
Telephone:
Submitted By: mschumacher@peoplesoft.com
URL:

PeopleSoft.
First Last Name
Select a Title
Select a Division
PeopleSoft USA, Inc.
12345 Main Street
City, California 99999-9999
Tel 512 999 9999 Voice 512 555 5555
Fax 512 888 8888
first_last@peoplesoft.com
http:www.peoplesoft.com

Business Card Style ID: US Standard

***Business Card Quantity:** 250
Total Amount: \$25.00

[Message Not Found](#)

Express Form page

See *PeopleSoft Enterprise eProcurement 9.0 PeopleBook*, “Using Special Requests and Express Forms to Create Requisitions”.

Change Orders

Change Order

When change orders are present for the line item click here to access the PO Changes - Details to see the change order information pertaining to the line.

PO Changes - Details

This page shows the differences between the prior PO and this PO revision. For new or canceled lines/schedules only one row will appear stating "New" or "Canceled" for that line/schedule, since there is nothing to compare too. For all other changes, the prior value and new value are displayed for each field that changed.

Line Details		Find View All First  1 of 1  Last	
Line Number:	1	Change Order Number:	1
Item ID:	WH1002		
	Wheel Rim, Box		
Schedule Changes		Find View All First  1-2 of 2  Last	
Schedule	Value Changed	Prior Value	New Value
1	Merchandise Amt	140.000	170.00000
1	Purchase Order Quantity	70.000	85.00000

[Return](#)

PO Changes - Details page

Invoice List

Invoice Click an invoice link to access the Invoice Details page.

See Also

[Chapter 6, "Reviewing Supplier Account Activity," Reviewing Invoices, page 64](#)

Reviewing Order Summaries

This section discusses how to:

- View schedule information.
- View change order information.

Pages Used to Review Order Summaries

Page Name	Object Name	Navigation	Usage
View Order Summary - Select Vendor	PO_SS_VND_LIST	Manage Orders, View Order Summary	Suppliers select a vendor to navigate to its order summary inquiry pages. This page is available only if more than one vendor is associated with the user.
View Order Summary - Filter Options	PO_SSSRCH_SCHEDULE	Manage Orders, View Order Summary Optionally select a vendor on the View Order Summary - Select Vendor page.	Search for orders based on PO search criteria. Note. Leaving all criteria fields blank results in no returned orders.
View Order Summary - Order Schedule	PO_SSSUPP_SCHED	Enter selection criteria and click the Search button on the View Order Summary - Filter Options page.	Review existing PO schedules, change orders, and planned POs. To view planned POs, you must have PeopleSoft Supply Planning installed, and you must have run the Receive Planning Messages process.
View Order Summary - Shipping Address	PO_SSSHIPTO_ADDR	Click a ship to link on the View Order Summary - Order Schedule page.	Review ship to addresses for a PO schedule.
View Order Summary - Change Order Details page	PO_SSSUPP_SCH_CHOR	Click a change order link on the View Order Summary - Order Schedule page.	Review any change order details.

Viewing Schedule Information

Access the View Order Summary - Order Schedule page.

The system displays details for the order line's selected schedule. In particular:

Type	<i>PO:</i> Existing PO. <i>Plan:</i> Planned PO.
Status	Planned PO: <i>Approved</i> or <i>Not Approved</i> . Existing PO: <i>Initial, Open, Approved, Pending Approval, Canceled, Complete, or Dispatched</i> .
Ship To	Click a value to access the Shipping Address page, which displays shipping address details.
Change Order	Click a value to access the Change Order Details page, which displays details of any applicable change orders. If a change order is suggested by planning, either the PO schedule can be canceled, or its due date can be changed. This link does not appear if there are no change orders.

Viewing Change Order Information

Access the View Order Summary - Change Order Details page.

The system displays details for the changed order.

Change Type Values are *Change*, *Hold*, *Inserted*, and *Canceled*.

Source The source planning system.

Reviewing Receipts

This section discusses how to review receipt details.

Pages Used to Review Receipts

Page Name	Object Name	Navigation	Usage
Review Receipts - Select Vendor	PO_SS_VND_LIST	Manage Orders, View Receipts	Suppliers select a vendor to navigate to its receipt inquiry pages. This page is available only if more than one vendor is associated with the user.
Review Receipts - Filter Options	PO_SSSRCH_RECEIPTS	Manage Orders, View Receipts Optionally select a vendor on the Review Receipts - Select Vendor page.	Search for vendor receipts.
Review Receipts - Receipt Lines	PO_SSRECVLST	Enter selection criteria and click the Search button on the Review Receipts - Filter Options page.	Review receipt information and access receipt line details.
Review Receipts - Receipt Details	PO_SSRECV_DETAILS	Click a receiver ID link on the Review Receipts - Receipt Lines page.	Review receipt line details.

Reviewing Receipt Details

Access the Review Receipts - Receipt Details page.

The system displays details for the selected receipt.

Receipt Status Values are *Fully Received*, *Canceled*, *Closed Receipt*, *Hold Receipt*, *Moved to Destination*, *Open*, *PO Not Received* (purchase order not received), or *PO Partially Received* (purchase order partially received).

Net Receipt Quantity Net shipment quantity that was received (determined by the quantity received minus the quantity rejected minus the quantity returned).

Reviewing Invoices

This section discusses how to:

- Review invoice details.
- Review receipt line information.

Pages Used to Review Invoices

Page Name	Object Name	Navigation	Usage
Review Invoices - Select Vendor	PO_SS_VND_LIST	Review Payment Information, Invoices	Suppliers select a vendor to navigate to its invoice inquiry pages. This page is available only if more than one vendor is associated with the user.
Review Invoices - Filter Options	PO_SSSRCH_INVOICES	Review Payment Information, Invoices Optionally select a vendor on the Review Invoices - Select Vendor page.	Search for vendor invoices.
Review Invoices - Invoice List	PO_SSREV_INVOICES	Enter selection criteria and click the Search button on the Review Invoices - Filter Options page.	Review general invoice information and access details for a specific invoice.
Review Invoices - Invoice Details	PO_SSINVC_DETAILS	Click an invoice number link on the Review Invoices - Invoice List page.	Review invoice details and access other detail pages.
Review Invoices - Payment Details	PO_SSPYMNT_DETAILS	Click a reference ID link on the Review Invoices - Invoice Details page.	This page is a duplicate of the Review Payments - Payment Details page. <u>See Chapter 2, "Maintaining Vendor Information," Establishing Self-Service Security for Vendors, page 4.</u>
Review Invoices - Purchase Order Lines	PO_SSPO_LINES	Click a PO number link on the Review Invoices - Invoice Details page.	Review PO line details for the invoice and access other detail pages.
Review Invoices - Purchase Order Schedule	PO_SSPO_SCHEDULE	Click a line number link on the Review Invoices - Purchase Order Lines page.	Review schedule details for the selected line.
Review Invoices - Receipt Lines	PO_SSRECV_LINES	Click a received date link on the Review Invoices - Invoice Details page.	This page is a duplicate of the Review Purchase Orders - Receipt Lines page.
Review Invoices - Receipt Details	PO_SSRECV_DETAILS	Click a receiver ID link on the Review Invoices - Receipt Lines page.	This page is a duplicate of the Review Receipts - Receipt Details page. <u>See Chapter 6, "Reviewing Supplier Account Activity," Reviewing Receipt Details, page 63.</u>

Reviewing Invoice Details

Access the Review Invoices - Invoice Details page.

The system displays details for the selected invoice.

Invoice Header Details

Payment Status Values are *To be Paid*, *Paid in Full*, or *Approved for Payment*.

Invoice Line Details

Static Amount Converted cost using a standard unit of measure (for example, rental cost per square foot) that is associated with a statistic code.

Payment Schedule

Status Payment selection status. Values are *Selected*, *Unselected*, *Paid*, *Canceled*, *Prepaid*, *Convert Error*, *Closed*, *Negative Voucher Sum*, or *In Process*.

Payments Made

Reference Click a value to access the Payment Details page, which displays additional payment information.

Purchase Orders

Purchase Order Click a value to access the Purchase Order Lines page, which displays item details.

Status Values are *Initial*, *Open*, *Complete*, *Canceled*, *Dispatched*, *Approved*, or *Pending Approval*.

Receipts

Received Date Click a value to access the Receipt Lines page, which displays additional receipt details.

Reviewing Receipt Line Information

Access the Review Invoices - Receipt Lines page.

The system displays details for the selected receipt line.

Status Values are *Fully Received*, *Canceled*, *Closed Receipt*, *Hold Receipt*, *Moved to Destination*, *Open*, *PO Not Received*, and *PO Partially Received*.

Rej Reason (reject reason) *DAM* (damaged goods), *FAL* (failed inspection), *INC* (incomplete shipment), *LAT* (late shipment), *RLY* (early shipment), or *WRG* (wrong goods or services).

Reviewing Payments

This section discusses how to view payment details.

Pages Used to Review Payments

Page Name	Object Name	Navigation	Usage
Review Payments - Select Vendor	PO_SS_VND_LIST	Review Payment Information, Payments	Suppliers select a vendor to navigate to its payment inquiry pages. This page is available only if more than one vendor is associated with the user.
Review Payments - Filter Options	PO_SS_SEARCH	Review Payment Information, Payments Optionally select a vendor on the Review Payments - Select Vendor page.	Search for vendor payments.
Review Payments - Payments Made	PO_SSPYMNTLST	Enter selection criteria and click the Search button on the Review Payments - Filter Options page.	View a list of payment information that meets the search criteria and access details for a specific payment.
Review Payments - Payment Details	PO_SSPYMNT_DETAILS	Click a reference link on the Review Payments - Payments Made page.	Review payment details. This page is a duplicate of the Review Invoices - Payment Details page.

Viewing Payment Details

Access the Review Payments - Payment Details page.

The system displays details for the selected payment.

Method

Payment methods include:

- *ACH*: Automated clearinghouse.
- *Direct DB*: Direct debit.
- *Check System*: Check.
- *Draft*: Promissory payment issued by a supplier or customer.
- *EFT*: Electronic funds transfer.
- *Manual*: Manual check.
- *Wire*: Wire report.

Pay Status

Values are *To be Paid*, *Paid in Full*, or *Approve for Payment*.

Reviewing Account Balances

This section discusses how to:

- View account balances by currency.

- View invoice account balance details.

Pages Used to Review Account Balances

Page Name	Object Name	Navigation	Usage
Account Balances - Select Vendor	PO_SS_VND_LIST	Review Payment Information, Account Balances	Suppliers select a vendor to navigate to its account balance inquiry pages. This page is available only if more than one vendor is associated with the user.
Account Balances - Balances by Currency	PO_SSVNDRBALST	This page appears only if the supplier has outstanding vouchers in different currencies. Otherwise, the Account Balances - Invoice List page appears.	View account balances, including the currency in which each balance is shown.
Account Balances - Invoice List	PO_SSVNDRBAL_DTL	Select a vendor on the Account Balances - Select Vendor page. Click a gross amount link on the Account Balances - Balances by Currency page.	Review general invoice account balance information and access details for a specific invoice.
Account Balances - Invoice Details	PO_SSINVC_LINES	• Click an invoice number link on the Account Balances - Invoice List page. • Click an invoice number link on the Purchase Order Details page.	Review account balance details.

Viewing Account Balances by Currency

Access the Account Balances - Balances by Currency page.

Gross Amount

For all outstanding vouchers for the selected vendor. Click a gross amount link to access the Account Balances - Invoice List page, which displays the invoices that are included in the gross amount for this vendor and currency.

Viewing Invoice Account Balance Details

Access the Account Balances - Invoice Details page.

The vendor name and gross amount appear if you selected them on the Account Balances - Balance by Currency page. Otherwise, the vendor from the Account Balances - Select Vendor page appears.

The system displays detailed information for each invoice in the list.

Payment Schedule

Status

Payment selection status. Values are *Selected*, *Unselected*, *Paid*, *Canceled*, *Prepaid*, *Convert Error*, *Closed*, *Negative Voucher Sum*, and *In Process*.

CHAPTER 7

Reviewing Supplier Performance

This chapter provides an overview of supplier performance metrics, lists prerequisites, and discusses how to:

- Define supplier performance targets and tolerances.
- View supplier performance metrics.

See Also

Chapter 8, “Using PeopleSoft eSupplier Connection Pagelets ,” page 85

Understanding Supplier Performance Metrics

Supplier performance is crucial to your ongoing relationship with your suppliers. Problems (such as poor quality or late delivery) with supplier shipments can lead to additional expense, a breakdown in the relationship, and, ultimately, exclusion of the supplier.

You can provide your employees (and your suppliers) with ongoing performance measurements against various metrics and provide instant feedback (against predefined targets) if there are delivery or quality problems.

You can generate metrics to track a vendor’s on-time, quantity, quality, and quantity ordered versus received performance.

This section discusses:

- Supplier metric access.
- On-time metric.
- Quantity metric.
- Quantity ordered versus received metric.
- Quality metric.

Supplier Metric Access

Supplier performance metrics are available to your internal users as a regular PeopleSoft eSupplier Connection feature. Your suppliers can use the supplier performance pagelets to view these metrics for the vendors to whom they have access in a graphical display and navigate to the performance detail pages.

All users can navigate from one metric to another by changing their selections in the Metric field on any performance detail page, provided that their security settings allow access to all of the pages.

See Also

Chapter 8, “Using PeopleSoft eSupplier Connection Pagelets ,” page 85

On-Time Metric

The On-Time metric tracks the percentage and actual number of vendor shipments that are on time, early, and late for all of the items within a period. You can base your measurements on one of two methods:

- The number of receipts in relation to the schedule date.

For example, if you expect one shipment of 100 pieces on February 15 but, instead, you receive the following, the calculation would reflect a 75 percent early metric:

1. Receiver ID 1, 10 items received on February 11.
2. Receiver ID 2, 10 items received on February 12.
3. Receiver ID 3, 10 items received on February 13.
4. Receiver ID 4, 70 items received on February 15.

- The aggregate receipt quantity in relation to the schedule date.

Using the previous example, this calculation would reflect a 30 percent early metric.

See Also

[Chapter 7, “Reviewing Supplier Performance,” Defining Supplier Performance Targets and Tolerances, page 74](#)

[Chapter 7, “Reviewing Supplier Performance,” Viewing On-Time Performance Details, page 78](#)

Quantity Metric

The Quantity metric tracks the percentage and actual number of vendor shipments (receipts) with correct quantities, over-shipment quantities, and under-shipment quantities by period.

Using the previous example for on-time metrics, the calculation would reflect a 75 percent under metric (three of four receipts were less than the correct scheduled quantity).

See Also

[Chapter 7, “Reviewing Supplier Performance,” Viewing Quantity Performance Details, page 81](#)

Quantity Ordered Versus Received Metric

The PO/Received Quantity (purchase order/received quantity) metric tracks the percentage and actual quantity of the receipts against purchase order (PO) quantity by period.

Using the previous example, the calculation would reflect a 100 percent received metric (100 were scheduled, and 100 were received, regardless of the number of receipts).

See Also

[Chapter 7, “Reviewing Supplier Performance,” Viewing PO Versus Receipt Performance, page 83](#)

Quality Metric

The Quality metric tracks the percentage and actual number of vendor shipment quantities that are inspected, accepted, rejected, and returned by period.

The system calculates a percentage rejected and a percentage returned as part of the quality performance metric. This calculation uses only return-to-vendor records that have a receiver ID and ignores canceled receipts.

You can exempt (or include) certain receiving reject or return reason codes from the percentage of defectives that your supplier performance metrics reflect.

For example, you may not want to use incomplete shipments as a performance measurement for product quality. You can use the Return/Reject Reasons page to remove the Include in Quality Metric flag from that particular reason code.

See Also

Chapter 7, “Reviewing Supplier Performance,” Viewing Quality Performance Details, page 82

PeopleSoft Enterprise Source to Settle Common Information 9.0 PeopleBook, “Defining Procurement Options”

Prerequisites

Before the system can calculate performance metrics, you must:

1. Build a calendar using the Calendar Builder page in the Common Definitions menu.
2. Set up a procurement analysis reporting entity using the Define Procurement Controls page in the Analyze Procurement menu.

In particular, you must:

- a. Select the Include Receiver Data and Include PO Data check boxes.
- b. Enter at least one receiving and one purchasing business unit.

Note. Your business unit selections must include all of the business units that contain the data that you want your suppliers to view. The metrics that appear to suppliers are related only to the reporting entity that you attach to the PeopleSoft eSupplier Performance setup record.

3. Define system targets and tolerances for the reporting entity.
4. (Optional) Define vendor-specific targets and tolerances for the setID.
5. Run the Procurement History Update process (FS_PRCRUPD).

See Also

PeopleSoft Enterprise Application Fundamentals 9.0 PeopleBook, “Defining Financials and Supply Chain Management Common Definitions”

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, “Analyzing Procurement History,” Configuring Procurement Analysis Inquiries

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, “Analyzing Procurement History,” Generating Procurement History

Defining Supplier Performance Targets and Tolerances

To define supplier performance targets and tolerance levels, use the Supplier Performance Setup component (WV_PE_METRIC_SETUP). To vendor supplier performance targets and tolerance levels, use the Supplier Performance Vendor component (WV_PE_METRIC_VNDR).

You can define how the system derives and displays supplier performance metrics by setting performance targets and tolerances.

This section provides an overview of metric display and discusses how to:

- Define system targets and tolerances.
- Define vendor-specific targets and tolerances.

Understanding Metric Display

This section discusses the appearance of the charts that display supplier metrics.

Graph Colors

The target and tolerance percentages that you enter on the metrics setup pages determine certain performance graph bar colors. Values that are:

- Equal to or greater than the target percentage are green (acceptable).
- Less than the target percentage but greater than the target percentage minus the tolerance percentage are yellow (warning).
- Less than this difference between the target percentage and the tolerance percentage are red (unacceptable).

Performance graph bars can also represent *particular* metric values; for example, the percentage of early shipments is expressed in blue on the On-Time Performance graph.

We use a PeopleTools 2D Bar chart type.

See *Enterprise PeopleTools 8.48 PeopleBook: PeopleCode Language Reference*

Metrics

The system displays metrics against a specific target and tolerance for a particular vendor within a reporting entity if you define targets and tolerances on the Supplier Performance Vendor page. Otherwise, the system uses the general system-level targets and tolerances, which you define on the Supplier Performance Setup page.

Periods

The data (percentages) that appear are an aggregation of the items and units of measure for which receipts have been made. For each period shown, the user must navigate to view the underlying data that supports the chart.

The number of periods that appear is determined at the system level. The periods that appear in the performance detail pages (and their associated supplier pagelets) are based on the date ranges that the calendar ID that is associated with the reporting entity ID in PeopleSoft Purchasing defines.

See *PeopleSoft Enterprise Purchasing 9.0 PeopleBook*, “Analyzing Procurement History,” Defining Reporting Entities.

Pages Used to Define Supplier Performance Targets and Tolerances

Page Name	Object Name	Navigation	Usage
Supplier Performance Setup	WV_PE_METRIC_SETUP	Set Up Financials/Supply Chain, Product Related, Procurement Options, Purchasing, Supplier Performance Setup	Define system targets and tolerances for the Purchasing reporting entity.
Supplier Performance Vendor	WV_PE_METRIC_VNDR	Set Up Financials/Supply Chain, Product Related, Procurement Options, Purchasing, Supplier Performance Vendor	Define vendor-specific targets and tolerances for a setID.

Defining System Targets and Tolerances

Access the Supplier Performance Setup page.

To set up system targets and tolerances for the reporting entity:

1. Determine the reporting entity:

Reporting Entity ID

Select to establish system targets and tolerances for this reporting entity. Define reporting entities on the Define Procurement Controls page in PeopleSoft Purchasing.

See *PeopleSoft Enterprise Purchasing 9.0 PeopleBook*, “Analyzing Procurement History,” Defining Reporting Entities.

2. Establish performance targets and tolerances (these metrics are expressed in percentages):

On-Time Performance Target

The optimal percentage of on-time deliveries (quantity or receipts) for the given period.

See [Chapter 7, “Reviewing Supplier Performance,” Viewing On-Time Performance Details, page 78.](#)

Quantity Performance Target

The optimal percentage of correct shipments in terms of quantity received versus scheduled quantity for the given period.

See [Chapter 7, “Reviewing Supplier Performance,” Viewing Quantity Performance Details, page 81.](#)

Quality Performance Target

The optimal percentage of receipts that are received without being rejected due to quality for the given period.

See [Chapter 7, “Reviewing Supplier Performance,” Viewing Quality Performance Details, page 82.](#)

PO/Receipt Qty Perf. Target (purchase order/receipt quantity performance target)

The optimal percentage of ordered versus received quantities for the given period.

See [Chapter 7, “Reviewing Supplier Performance,” Viewing PO Versus Receipt Performance, page 83.](#)

3. Set the chart and grid settings:

Number of Periods to Display	The number of periods that you want to appear in the graphical charts. The calendar definition determines a period's length.
Max Rows to Return (maximum rows to return)	The maximum number of rows that the system retrieves when the supplier selects detail for a period. This limits how much data the system retrieves to conserve web server resources.

4. Select early and late metric display settings.

You can calculate early and late metrics in one of two ways:

Early/Late Metrics by Receipts	Bases the metric on the total number of receipts in relation to the schedule date. You may prefer this method when you want to measure timing of shipments regardless of quantity.
---------------------------------------	--

Early/Late Metrics by Quantity	Bases the metric on the aggregated receipt quantity in relation to the schedule date. You may prefer this method when you typically have several receipts for a given PO schedule line (versus the metric based on receipt count only).
---------------------------------------	---

See [Chapter 7, “Reviewing Supplier Performance,” Understanding Supplier Performance Metrics, page 71](#).

Defining Vendor-Specific Targets and Tolerances

Access the Supplier Performance Vendor page.

This page is nearly identical to the Supplier Performance Setup page with the exception that you are defining values for a specific vendor in a SetID rather than system-wide reporting entity values.

Viewing Supplier Performance Metrics

Your employees and your suppliers can access the supplier performance detail pages.

This section provides an overview of viewing supplier performance metrics, lists common elements, and discusses how to:

- View on-time performance details.
- View quantity performance details.
- View quality performance details.
- View PO versus receipt performance.

Understanding Viewing Supplier Performance Metrics

The internal-facing versions of the supplier performance detail pages are identical to the external-facing versions, with one exception: internal-facing pages include a SetID field with which internal users can access all vendors that are associated with the setID. However, vendors who use the external-facing pages can access only the vendors to whom you have granted them access. Vendors don't have access to the internal-facing detail pages.

Common Elements Used in This Section

Metric	Select <i>On-Time Performance</i> , <i>Quality Performance</i> , <i>Quantity Over/Under Performance</i> , or <i>PO/Receipt Qty Performance</i> (purchase order/receipt quality performance). Available options depend on whether the user has security for the pages.
Vendor	This field appears when the user is associated with more than one vendor. Internal users can select a vendor that is associated with the setID. The system displays only setID-vendor combinations for which there is data in the PRCR_ITEM_HST table.
Period/Year	Click a value to append complete procurement analysis data to the page that you are viewing. This summarizes the metrics for the item ID during the period. See Viewing On-Time Performance Details for an example. The periods that appear are based on the date ranges that the calendar ID that is associated with the report ID in PeopleSoft Purchasing defines. When you select a period or year on a performance page, the system appends performance detail information and redisplay the page with the following information, which you can filter using several criteria. From Percentage/To Percentage displays all items where the on-time, quantity, or quality percentage falls in a specific percentage range. Initially, From Percentage is set to 0, and To Percentage is set to the target percentage for the metric. If the from and to criteria don't return any data, the system changes the To Percentage to 100, and the system displays the selection again so that at least one row is returned in the grid. If the from and to criteria return more rows than the Max Rows setting allows, the system displays an error message prompting the user to modify the from and to percentages to reduce the number of returned rows.
Performance Detail	Once you refresh a performance detail page, the system redisplay the page and adds further detail for the selected period. In particular:
Item ID and Vendor Item ID	Click a value to access the Review Receipts - Receipt Lines page, which displays individual receipt line details. Note. For the PO/Receipt metric, this link takes you to the Review Purchase Orders - Purchase Order List page; you can access the Receipt pages by drilling into the associated PO pages. See Chapter 6, “Reviewing Supplier Account Activity,” Reviewing Receipts, page 63.
Ship To	The ship to business unit. Click a value to access the Ship To Details page.
Send Email	Click to send an email that includes links that external and internal users can click to return to the specific pages that they were viewing.
	Note. The web server must be configured for email.


See [Chapter 2, “Maintaining Vendor Information,” Sending Email Messages, page 19.](#)

Pages Used to View Supplier Performance Metrics

Page Name	Object Name	Navigation	Usage
View Vendor Shipment Performance - On-Time Performance	WV_PE_METRIC_DTL	- Internal users: Purchasing, Analyze Procurement, Review Supplier Performance Select a setID, the appropriate metric, and vendor. - External users: Click the Detail link on the appropriate pagelet.	Track the percentage and actual number of shipments that are on time, early, and late for all items within the period.
View Vendor Shipment Performance - Quantity Performance	WV_PE_METRIC_DTL	See above.	Track the percentage and actual number of vendor shipments with correct quantities, over-shipment quantities, and under-shipment quantities by period.
View Vendor Shipment Performance - Quality Performance	WV_PE_METRIC_DTL	See above.	Track the percentage and actual number of vendor shipment quantities that are inspected, accepted, rejected, and returned by period.
View Vendor Shipment Performance - PO/Receipt Qty Performance	WV_PE_METRIC_DTL	See above.	Track the percentage and actual number of vendor shipment quantities that are inspected, accepted, rejected, and returned by period.
View Vendor Shipment Performance - Ship To Details	IN_SSQBALBUNIT_DET	Click a ship to business unit link on the Ship To/Category tab of any performance detail page.	View ship to details.
Email Message	WV_PE_EMAIL	Click the Send Email link on any performance detail page.	Send an email from within the detail page about the data that you or the supplier are reviewing.

Viewing On-Time Performance Details

Access the View Vendor Shipment Performance - On-Time Performance page.



Example of the View Vendor Shipment Performance - On-Time Performance page before clicking the Period/Year link

Detail Information for Period: 7 - 07/01/2000 thru 07/31/2000

From Percentage: To Percentage:

Category: Ship To: [Refresh](#)

Performance Detail [Customize](#) | [Find](#) | [View All](#) | [First](#) | [1-4 of 4](#) | [Last](#)

Item ID	Description	% On Time	% Early	% Late
VNDR000001	Patch Kit	0.00	100.00	0.00
WHEEL	Wheel Tire, 700x23	0.00	100.00	0.00
MT3000	Mountain Bike, Woman's	50.00	50.00	0.00
MT3000	Mountain Bike, Woman's	50.00	50.00	0.00

[Send Email](#)

Example of the appended Detail Information section after clicking the Period/Year link

The system displays on-time performance summary information. This table displays the equations that the system uses to derive this page's metric fields:

Metric Name	Equation Used to Derive Metric
% On Time	Depending on the early/late metric display setting that you select, the number of receipts minus early ships minus late ships divided by: The total number of receipts. The total receipt quantity.
% Early	Depending on the early/late metric display setting that you select, the early ships divided by: The total number of receipts. The total receipt quantity.
% Late	Depending on the early/late metric display setting that you select, the late ships divided by: The total number of receipts. The total receipt quantity.
	These columns appear when you select Early/Late Metrics by Receipts when setting system-wide or vendor-specific targets and tolerances.
Number of Receipts	Total number of receipts for a specific item and vendor for a period (includes all items).
Early Ships	Number of receipts (by period) that are marked as received early. Note. A receipt is marked <i>early</i> when the receipt date from the receipt header is less than the due date from the PO schedule, minus the reject days from PURCH_ITEM_ATTRIB. Technically the system updates the PS_RECV_LN_SHIP.SHIP_DATE_STATUS field with the value 2.
Late Ships	Number of receipts (by period) that are marked as received late. Note. A receipt is marked <i>late</i> when the receipt date from the receipt header is greater than the due date from the PO schedule, plus the reject days from PURCH_ITEM_ATTRIB. Technically the system updates the PS_RECV_LN_SHIP.SHIP_DATE_STATUS field with the value 3.

Metric Name	Equation Used to Derive Metric
	These columns appear when you select Early/Late Metrics by Quantity when setting system-wide or vendor-specific targets and tolerances:
Receipt Quantity	Total quantity received for a specific item and vendor for a period (includes all items).
Qty Early	Quantity received (by period) that is marked as received early. Note. A receipt is marked <i>early</i> when the receipt date from the receipt header is less than the due date from the PO schedule, minus the reject days from PURCH_ITEM_ATTRIB. Technically the system updates the PS_RECV_LN_SHIP.SHIP_DATE_STATUS field with the value 2.
Qty Late	Quantity received (by period) that is marked as received late. Note. A receipt is marked <i>late</i> when the receipt date from the receipt header is greater than the due date from the PO schedule, plus the reject days from PURCH_ITEM_ATTRIB. Technically the system updates the PS_RECV_LN_SHIP.SHIP_DATE_STATUS field with the value 3.

See Also

[Chapter 7, “Reviewing Supplier Performance,” Viewing On-Time Performance Details, page 78](#)

[Chapter 7, “Reviewing Supplier Performance,” Common Elements Used in This Section, page 77](#)

Viewing Quantity Performance Details

Access the View Vendor Shipment Performance - Quantity Performance detail page.

The system displays quantity performance summary information. This table displays the equations that the system uses to derive this page’s metric fields:

Metric Name	Equation Used to Derive Metric
% Correct	Number of receipts minus overships minus underships divided by number of receipts.
% Over	Overships divided by number of receipts.

Metric Name	Equation Used to Derive Metric
% Under	Undershops divided by number of receipts.
Number of Receipts	Total number of receipts for a specific item and vendor for a period (includes all items).
Over Ships	Number of receipts (by period) that are marked as over-received. Note. A receipt is marked <i>over-received</i> when the total quantity that is received for the PO schedule is greater than the PO quantity plus the receipt tolerance percent from PO_LINE_SHIP (obtained by default from PURCH_ITEM_BU or PURCH_ITEM_ATTRIB). Technically the system updates the PS_RECV_LN_SHIP.SHIP_QTY_STATUS field with the value 2.
Under Ships	Number of receipts (by period) marked as under-received. Note. A receipt is marked as <i>under-received</i> when the total quantity that is received for the PO schedule is less than the PO quantity minus the receipt tolerance percent from PO_LINE_SHIP (obtained by default from PURCH_ITEM_BU or PURCH_ITEM_ATTRIB.) Technically the system updates the PS_RECV_LN_SHIP.SHIP_QTY_STATUS field with the value 3.

See Also

[Chapter 7, “Reviewing Supplier Performance,” Viewing Quantity Performance Details, page 81](#)

[Chapter 7, “Reviewing Supplier Performance,” Common Elements Used in This Section, page 77](#)

Viewing Quality Performance Details

Access the View Vendor Shipment Performance - Quality Performance page.

The system displays quality performance summary information. This table displays the equations that the system uses to derive this page’s metric fields:

Metric Name	Equation Used to Derive Metric
% Reject	Rejected quantity divided by receipt quantity.
% Return	Returned quantity divided by receipt quantity.

Metric Name	Equation Used to Derive Metric
% Net Received	Receipt quantity minus rejected quantity minus returned quantity divided by receipt quantity.
% Defective	Rejected and returned quantities that you tag to be included in the quality metric (on the Return/Reject Reasons page in the Procurement Options menu).
Receipt Quantity	Sum of quantity that is received for all receipts for a specific item and vendor combination within a period.
Rejected Quantity	Sum of quantity that is rejected for all receipts for a specific item and vendor combination within a period.
Returned Quantity	Sum of quantity that is returned for all receipts for a specific item and vendor combination within a period.
Net Received Quantity	Receipt quantity minus rejected quantity minus returned quantity. This is a derived field and is not stored on any table within the system: it is available through the WV_PRCR_AAA_VW view.
Quantity Defective	Sum of rejected and returned quantities that you tag to be included in the quality metric (on the Return/Reject Reasons page in the Procurement Options menu).

Note. You can control at the setID level which return or reject reason codes are included in these equations.

See Also

[Chapter 7, “Reviewing Supplier Performance,” Viewing Quality Performance Details, page 82](#)

[Chapter 7, “Reviewing Supplier Performance,” Common Elements Used in This Section, page 77](#)

Viewing PO Versus Receipt Performance

Access the View Vendor Shipment Performance - PO/Receipt Quantity Performance Detail page.

The system displays quantity performance summary information based on the difference between the PO schedule quantities and the actual receipt quantities. This table displays the equations that the system uses to derive this page's metric fields:

Metric Name	Equation Used to Derive Metric
% Received	QTY_PO (quantity ordered) minus QTY_OPEN (quantity open), divided by QTY_PO-derived from the PRCR_ITEM_HST table.
PO Quantity	Quantity ordered (as shown on the PO schedules) for x period in the graph and x item (on PRCR_ITEM_HST). The particular period that shows the ordered quantity is based on the PO schedule due date.
Open Quantity	This is the nonreceived quantity of the ordered quantity that is stored on PRCR_ITEM_HST and is determined regardless of when the receipts were made. In other words, it was the quantity received or not. Therefore a PO schedule for 100 could be due in June, and there are receipts in July for 25 and August for 25. The PRCR_ITEM_HST table should show a line for June with a QTY_PO of 100 and QTY_OPEN of 50.

See Also

Chapter 7, “Reviewing Supplier Performance,” Viewing PO Versus Receipt Performance, page 83

Chapter 7, “Reviewing Supplier Performance,” Common Elements Used in This Section, page 77

CHAPTER 8

Using PeopleSoft eSupplier Connection Pagelets

This chapter provides overviews of PeopleSoft eSupplier Connection pagelets and pagelets by role and discusses how to:

- Personalize supplier-facing pagelets.
- View supplier activities.
- View supplier performance.

Understanding PeopleSoft eSupplier Connection Pagelets

PeopleSoft eSupplier Connection provides portal pagelets for your corporate intranet or extranet home pages. These pagelets provide access to key data and transactions within PeopleSoft eSupplier Connection for use in supplier portal registries.

You and the suppliers can personalize the portal homepage by adding the pagelets that the suppliers need. Standards PeopleSoft role-based security ensures that users can access only the pagelets appropriate to their roles.

Suppliers can configure their portal home page with three narrow columns or one narrow and one wide column. Some pagelets have both a narrow and a wide version, each with its own object name. When you see two object names for a pagelet, the first one refers to the narrow version.



Click to refresh the pagelet data.



Click to customize the pagelet.

You can also design your own pagelets when your installation includes PeopleSoft Enterprise Portal.

See Also

PeopleSoft Enterprise Portal Solutions 9.0 PeopleBook: Enterprise Portal Pagelet Development

Pagelet Security

Similar to page access, you control pagelet security at the component level by associating it with a permission list (which is then associated with a role); each pagelet has its own component to enable more granular access. (You can ascertain a pagelet's component name in PeopleSoft Application Designer by searching for definition references to the page's system, or object, name.)

We group our pagelets into functional roles as an example of how to organize access. You need to create the proper permission lists and associate them with actual role definitions before your users can access them, or use the permission list definitions that we provide in our delivered sample data. We deliver sample data security objects (roles and permission lists) that you can use as an example of how to set up pagelet access.

Understanding Pagelets by Role

We provide these supplier-oriented role groupings as examples of how to organize pagelet access by function.

In this section, we organize supplier-facing pagelets by these sample roles:

- Supplier - Application Administrator.
- Supplier - Customer Service Rep (supplier-customer representative).
- Supplier - Production Manager.
- Supplier - Warehouse Personnel.

Based on your corporate needs and willingness to share information externally, carefully consider which data (applications) as well as pagelets you want to make available to your suppliers.

Note. The Supplier-External User role is associated with PeopleTools-related permissions that grant access to features such as personalization and navigation. This role (or one with similar permissions) must be present for any external-facing supplier user.

See Also

PeopleSoft Enterprise Supply Chain Portal Pack 9.0 PeopleBook, “Introducing the PeopleSoft Supply Chain Portal Pack,” Pagelet Security

Supplier - Application Administrator Pagelets

The Supplier - Supplier Administrator is an external facing role that has access to the core set of PeopleSoft eSupplier Connection functions, as well as functions related to PeopleSoft Collaborative Supply Management and PeopleSoft Engineering. In addition, it enables the capability to create external users.

An internal or external user with the Supplier - Application Administrator role and its associated permissions can access all of these PeopleSoft eSupplier Connection product pagelets:

- On-Time Performance
- PO/Receipt Qty Performance (purchase order/receipt quantity performance)
- Quality Performance
- Quantity Performance
- Recent ASNs (recent advanced ship notices)
- Recently Dispatched POs (recently dispatched purchase orders)
- Recently Dispatched RFQs (recently dispatched request for quotes)
- Recently Dispatched Schedules
- Remaining Quantity Balances

Supplier - Customer Service Rep

The Supplier - Customer Service Rep role has general access to RFQ and Purchase order information including purchase order lookups, receipts, and purchase order acknowledgements in PeopleSoft eSupplier Connection.

An external user with this role and its associated permissions can access these PeopleSoft eSupplier Connection and Collaborative Supply Management pagelets:

- On-Time Performance
- PO/Receipt Qty Performance
- Quality Performance
- Quantity Performance
- Recently Dispatched POs
- Recently Dispatched RFQs

Supplier- Production Manager Role

The Supplier-Production Manager role is an external facing role that can access these PeopleSoft Collaborative Supply Management pagelets:

- Recently Dispatched Schedules.
- Remaining Quantity Balances.

Supplier - Warehouse Personnel

The Supplier-Warehouse Personnel role enables a user to create advanced ship notices (ASNs) during the shipment process. An external user with the Supplier - Warehouse Personnel role and its associated permissions can access the Recent ASNs pagelet.

Personalizing Supplier-Facing Pagelets

In this section, we discuss how to personalize supplier pagelet user defaults.

Note. Suppliers can personalize some of the supplier-facing pagelets.

Pages Used to Personalize Supplier-Facing Pagelets

Page Name	Object Name	Navigation	Usage
<Pagelet Name> - Personalize User Defaults	WV_PE_USR_DEF	Click the Customize button on the following supplier-facing pagelets: On-Time Performance Quantity Performance Quality Performance PO/Receipt Qty Performance Recent ASNs Recently Dispatched POs Recently Dispatched RFQs Recently Dispatched Schedules Remaining Quantity Balances	Users associated with multiple vendor IDs can select a default vendor and where applicable, define the maximum number of retrieved records (rows) to display on the pagelet.
Personalize User Defaults - Save Confirmation	WV_PE_SAVE_CONFIRM	Click the Save button on the Personalize User Defaults page.	Confirm the changed user defaults.

Personalizing Supplier Pagelet User Defaults

Suppliers can select default vendors, and in some cases, the number of rows to display on a pagelet.

Note. Your system administrator can further control the content and appearance of the supplier performance pagelets at the reporting entity or vendor-setID level.

Select a default vendor (this option is only available when the user is associated with multiple vendor IDs).

If the pagelet displays transaction IDs, select the maximum number of records (rows) to appear on the pagelet.

See Also

Chapter 7, “Reviewing Supplier Performance,” Defining Supplier Performance Targets and Tolerances, page 74

Viewing Supplier Activities

This section discusses how the suppliers can view their associated vendor account activities and access the source application pages using these pagelets:

- Recently Dispatched POs
- Recently Dispatched RFQs
- Recent ASNs
- Recently Dispatched Schedules

- Remaining Quantity Balances

Pagelets Used to View Supplier Activities

This table provides details on supplier activity pagelets.

Pagelet Name	Roles	Audience	Usage	Enabling Applications
Recent ASNs (WV_PE_ASN_LIST)	Supplier - Applications Administrator, Supplier - Warehouse Personnel	Supplier	Displays shipment IDs from supplier-entered advance shipping notifications, shipping dates, and receipt lines.	PeopleSoft eSupplier Connection, PeopleSoft Purchasing
Recently Dispatched POs (WV_PE_ORD_STAT)	Supplier - Applications Administrator, Supplier - Customer Service Rep	Supplier	Displays recent purchase orders, dates, status, and acknowledgement status.	PeopleSoft eSupplier Connection, PeopleSoft Purchasing
Recently Dispatched RFQs (WV_PE_RFQ_PGLT)	Supplier - Applications Administrator, Supplier - Customer Service Rep	Supplier	Displays recently dispatched RFQs. You must first create RFQs in PeopleSoft Purchasing, and assign the RFQ to the vendor using the Dispatch Vendor List or the Item Supply Vendor List.	PeopleSoft eSupplier Connection, PeopleSoft Purchasing

Pagelet Name	Roles	Audience	Usage	Enabling Applications
Recently Dispatched Schedules (WV_PE_DISP_SCHS)	Supplier-Applications Administrator, Supplier-Production Manager	Employee	Displays the most recently dispatched schedules.	Requires these products: PeopleSoft Collaborative Supply Management, PeopleSoft Inventory, and PeopleSoft Purchasing
Remaining Quantity Balances (WV_PE_QTY_BAL)	Supplier-Applications Administrator, Supplier-Production Manager	Employee	Displays the remaining quantities (and percentages) available, the quantity vendor-owned, and reorder point for consigned items.	Requires these products: PeopleSoft Collaborative Supply Management, PeopleSoft Inventory, and PeopleSoft Purchasing

Recently Dispatched POs Pagelet

Access the Recently Dispatched POs pagelet.

Recently Dispatched POs			
ERNIE'S BIKE SHOP			
PO ID	Dispatched Date/Time	Status	Acknowledge Status
0000000108	10/29/2003 3:26:30PM	Dispatched	New
0000000107	10/29/2003 3:24:56PM	Dispatched	New
0000000103	10/27/2003 4:51:05PM	Dispatched	New
0000000102	10/27/2003 4:45:53PM	Dispatched	New
0000000101	10/27/2003 4:43:19PM	Dispatched	New
Show all/Enhanced... Show All Acknowledgements			

Recently Dispatched POs

Displays recent purchase orders, dates, status, and acknowledgement status.

PO ID (purchase order ID)	Click a linked value to access the Purchase Order Details page.
Acknowledge Status	Click a linked value to access the Acknowledge Purchase Orders - Acknowledgement Details page and view or edit dispatched purchase order or online purchase order acknowledgements (POAs).
Show all/Enhanced	Click to access the purchase order Filter Options page and enter the criteria to search for purchase orders.
Show All Acknowledgements	Click to access the Acknowledge Purchase Orders - Search/Filter Acknowledgements page and search for specific POAs.

See Also

[Chapter 4, “Acknowledging Purchase Orders Online,” page 31](#)

[Chapter 6, “Reviewing Supplier Account Activity,” Using the Purchase Order List, page 57](#)

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, “Dispatching and Printing Purchase Orders”

Recently Dispatched RFQs Pagelet

Access the Recently Dispatched RFQs pagelet.



Recently Dispatched RFQs			
ERNIE'S BIKE SHOP			
RFQ ID	DtTm Open	DtTm Close	Status
0000000012	10/29/2003 3:38PM		Responded
0000000011	10/29/2003 3:37PM		New
0000000010	10/29/2003 3:34PM		New
0000000007	02/03/2003 8:19AM		New
0000000006	02/03/2003 8:14AM		New
Show all/Enhanced...			

Recently Dispatched RFQs

Displays recently dispatched RFQs. You must first create RFQs in PeopleSoft Purchasing, and assign the RFQ to the vendor using the Dispatch Vendor List or the Item Supply Vendor List.

RFQ ID	Click a linked RFQ ID value to access the Request For Quote List page.
DtTm Open (date and time open) and DtTm Close (date and time close)	The date and time when the RFQ becomes open or closed for vendor response.

- Status** Displays the status of the RFQ. Statuses are:
- *New*: The vendor has not entered a response.
 - *Partially Responded*: The vendor has responded to some but not all of the line items on the RFQ.
 - *Responded*: The vendor has responded to all of the RFQ's lines.
- Show all/Enhanced** Click to access the Review Request for Quotes Filter Options page.

See Also

Chapter 3, “Maintaining RFQ Responses,” page 21

PeopleSoft Enterprise Purchasing 9.0 PeopleBook, “Dispatching and Printing Purchase Orders”

Recent ASNs Pagelet

Access the Recent ASNs pagelet.

Recent ASNs		
ERNIE'S BIKE SHOP		
Shipment No	Ship Date	Receipt Lines
SHIP-123A	10/29/2003	Receipt Lines
SHIP-555B	10/29/2003	Receipt Lines
SHP-4404	01/17/2002	Receipt Lines

[Show all/Enhanced...](#) [Create ASN](#)

Recent ASNs

Displays shipment IDs from supplier-entered advance shipping notifications, shipping date, and receipt lines.

- Shipment No** (shipment number) Click a linked value to access the ASN History - Line Details page.
- Receipt Lines** Click a linked value to access the Review Receipts - Receipt Lines page.
- Create ASN** Click a linked value to access the Advance Shipment Notification - Advance Shipment Creation page.

See Also

Chapter 5, “Creating Advanced Shipping Notices,” Understanding Supplier ASNs, page 47

Chapter 6, “Reviewing Supplier Account Activity,” Reviewing Receipts, page 63

Recently Dispatched Schedules Pagelet

Access the Recently Dispatched Schedules pagelet.

This pagelet displays the most recently dispatched schedules.

Show all/Enhanced

Click to navigate to the Approve Schedules Filter Options page, and enter the criteria to search for a schedule.

Note. Collaborative planning schedules use workflow to send scheduling task notification to the supplier. Using the PeopleSoft Enterprise Portal Integrated Task List pagelet, a supplier receives task details by clicking a link for a supplier schedule work item. This link takes the supplier directly to the supplier workbench schedule/item list, where the supplier can then click an item to access the Item Summary page. When satisfied with the schedule quantities, the supplier can approve the schedule.

See Also

PeopleSoft Enterprise Portal Solutions 9.0 PeopleBook: Enterprise Portal Application Technology

Remaining Quantity Balances Pagelet

Access the Remaining Quantity Balances pagelet.

This pagelet displays the remaining quantities (and percentages) available, the quantity vendor-owned, and reorder point for consigned items. The system first displays the items that are closest to their reorder points.

Note. If the homepage layout is three-column, this pagelet displays up to four graphs. A two-column layout restricts the number of graphs that appear to one or two.

% Remaining (percent remaining)

Displays the percentage remaining, derived by this equation:

$$(\text{quantity available} - \text{reorder point}) / \text{restock value} \times 100$$

The restock value depends on the replenishment type used: *EOQ*, *Reorder Qty* (static reorder quantity) or *Min/Max* [the restock value equals (Max – reorder point)].

If the restock value is set to 0, then the percentage remaining is set to zero on the pagelet.

Show all/enhanced

Click to view the inventory quantity balances transaction using the PeopleSoft Collaborative Supply Management Quantity Details page.

Viewing Supplier Performance

This section discusses how the suppliers view performance metrics using these pagelets:

- On-Time Performance
- Quantity Performance
- Quality Performance
- PO/Receipt Qty Performance

You can also control the content and appearance of the performance pagelets at the reporting entity or vendor level.

See Also

[Chapter 7, “Reviewing Supplier Performance,” Defining Supplier Performance Targets and Tolerances, page 74](#)

[Chapter 7, “Reviewing Supplier Performance,” Viewing Supplier Performance Metrics, page 76](#)


Pagelets Used to View Supplier Performance

This table provides details on PeopleSoft eSupplier Connection pagelets.

Pagelet Name	Roles	Audience	Usage	Enabling Applications
On-Time Performance (WV_PE_METRIC_1)	Supplier - Applications Administrator, Supplier - Customer Service Rep	Supplier	Displays the percentage and actual number of shipments that are on time, early, and late for all items within the period.	PeopleSoft eSupplier Connection, PeopleSoft Purchasing
PO/Receipt Qty Performance (WV_PE_METRIC_4)	Supplier - Applications Administrator, Supplier - Customer Service Rep	Supplier	Displays the percentage and actual number of vendor shipment quantities inspected, accepted, rejected, and returned by period.	PeopleSoft eSupplier Connection, PeopleSoft Purchasing
Quality Performance (WV_PE_METRIC_2)	Supplier - Applications Administrator, Supplier - Customer Service Rep	Supplier	Displays the percentage and actual number of vendor shipment quantities inspected, accepted, rejected, and returned by period.	PeopleSoft eSupplier Connection, PeopleSoft Purchasing
Quantity Performance (WV_PE_METRIC_3)	Supplier - Applications Administrator, Supplier - Customer Service Rep	Supplier	Displays the percentage and actual number of vendor shipments with correct quantities, over-shipment quantities, and under-shipment quantities by period.	PeopleSoft eSupplier Connection, PeopleSoft Purchasing

On-Time Performance Pagelet

Access the On-Time Performance pagelet.



On-Time Performance pagelet

Displays the percentage and actual number of shipments that are on time, early, and late for all items within the period. The pagelet features a graph that displays the percentage on time metric, the vendor name, and target percentages by period.


Click the Detail link to access the On-Time Performance page, and view the metrics used to derive this graph.

See Also

Chapter 6, "Reviewing Supplier Account Activity," Reviewing Receipts, page 63

Quantity Performance Pagelet

Access the Quantity Performance pagelet.



Quantity Performance pagelet

Displays the percentage and actual number of vendor shipments with correct quantities, over-shipment quantities, and under-shipment quantities by period. The pagelet features a graph that displays the vendor name, percentage correct, percentage under, percentage over, and target percentage.


Click the Detail link to access the Quantity Performance page, and view the metrics used to derive this graph.

See Also

Chapter 7, “Reviewing Supplier Performance,” Viewing Supplier Performance Metrics, page 76

Quality Performance Pagelet

Access the Quality Performance pagelet.



Quality Performance pagelet

Displays the percentage and actual number of vendor shipment quantities inspected, accepted, rejected, and returned by period. The pagelet features a quality performance graph that displays the percentage net received metric, vendor name, and target percentage.


Click the Detail link to access the Quantity Performance page, and view the metrics used to derive this graph.

See Also

Chapter 7, “Reviewing Supplier Performance,” Viewing Quality Performance Details, page 82

PO/Receipt Quantity Performance Pagelet

Access the PO/Receipt Quantity Performance pagelet.



PO/Receipt Quantity Performance pagelet

Displays the percentage and actual number of vendor shipment quantities inspected, accepted, rejected, and returned by period. The pagelet features a purchase order-versus-receipt quantity performance graph that displays the percentage open receipt quantity metric, vendor name, and target percentage by period.

Click the Detail link to access the PO/Receipt Quantity Performance page, and view the metrics used to derive this graph.

See Also

Chapter 7, "Reviewing Supplier Performance," Viewing PO Versus Receipt Performance, page 83

APPENDIX A

Delivered Workflows for PeopleSoft eSupplier Connection

This appendix discusses delivered workflows for PeopleSoft eSupplier Connection.

See Also

Enterprise PeopleTools 8.48 PeopleBook: Workflow Technology

Enterprise PeopleTools 8.48 PeopleBook: Using PeopleSoft Applications

Delivered Workflows for PeopleSoft eSupplier Connection

This section discusses eSupplier Connection workflows. The workflows are listed alphabetically by workflow name.

PO RFQ Dispatch

The section discusses the PO RFQ Dispatch workflow.

Description

Event Description	An RFQ is dispatched.
Action Description	Worklist Notification to a supplier user related to the vendor/location of the RFQ who is linked to the role Supplier - Customer Service Rep when the RFQ is dispatched. Note. This is in addition to an email dispatch.
Notification Method	Worklist

Workflow Objects

Business Process	PO_RFQ_DISPATCH
Activity	PO_RFQ_DISPATCH
Role	Supplier - Customer Service Rep

Notify Vendor

The section discusses the Notify Vendor workflow.

Description

Event Description	A PO is dispatched.
Action Description	Notifies vendor of PO dispatch if dispatch method is email. A link is included for supplier to access PeopleSoft Purchasing.
Notification Method	Email

Workflow Objects

Business Process	PO_EMAIL_DISP
Activity	NOTIFY_VENDOR
Role	Vendor

PO Acknowledgement

The section discusses the PO Acknowledgement workflow.

Description

Event Description	A purchase order is changed or rejected by a supplier and needs buyer review. Event can be triggered from EDI or the Supplier Portal.
Action Description	This provides confirmation to the buyer that the vendor has received a purchase order and that the vendor is suggesting changes to the purchase order. The buyer is directed to the Purchase Order Acknowledgements page to review/approve the PO.
Notification Method	Worklist

Workflow Objects

Business Process	PO_ACKNOWLEDGEMENT
Activity	PO_ACKNOWLEDGEMENT
Role	Buyer

Glossary of PeopleSoft Enterprise Terms

absence entitlement	This element defines rules for granting paid time off for valid absences, such as sick time, vacation, and maternity leave. An absence entitlement element defines the entitlement amount, frequency, and entitlement period.
absence take	This element defines the conditions that must be met before a payee is entitled to take paid time off.
academic career	In PeopleSoft Enterprise Campus Solutions, all course work that a student undertakes at an academic institution and that is grouped in a single student record. For example, a university that has an undergraduate school, a graduate school, and various professional schools might define several academic careers—an undergraduate career, a graduate career, and separate careers for each professional school (law school, medical school, dental school, and so on).
academic institution	In PeopleSoft Enterprise Campus Solutions, an entity (such as a university or college) that is independent of other similar entities and that has its own set of rules and business processes.
academic organization	In PeopleSoft Enterprise Campus Solutions, an entity that is part of the administrative structure within an academic institution. At the lowest level, an academic organization might be an academic department. At the highest level, an academic organization can represent a division.
academic plan	In PeopleSoft Enterprise Campus Solutions, an area of study—such as a major, minor, or specialization—that exists within an academic program or academic career.
academic program	In PeopleSoft Enterprise Campus Solutions, the entity to which a student applies and is admitted and from which the student graduates.
accounting class	In PeopleSoft Enterprise Performance Management, the accounting class defines how a resource is treated for generally accepted accounting practices. The Inventory class indicates whether a resource becomes part of a balance sheet account, such as inventory or fixed assets, while the Non-inventory class indicates that the resource is treated as an expense of the period during which it occurs.
accounting date	The accounting date indicates when a transaction is recognized, as opposed to the date the transaction actually occurred. The accounting date and transaction date can be the same. The accounting date determines the period in the general ledger to which the transaction is to be posted. You can only select an accounting date that falls within an open period in the ledger to which you are posting. The accounting date for an item is normally the invoice date.
accounting split	The accounting split method indicates how expenses are allocated or divided among one or more sets of accounting ChartFields.
accumulator	You use an accumulator to store cumulative values of defined items as they are processed. You can accumulate a single value over time or multiple values over time. For example, an accumulator could consist of all voluntary deductions, or all company deductions, enabling you to accumulate amounts. It allows total flexibility for time periods and values accumulated.
action reason	The reason an employee's job or employment information is updated. The action reason is entered in two parts: a personnel action, such as a promotion, termination, or change from one pay group to another—and a reason for that action. Action reasons are used by PeopleSoft Enterprise Human Resources, PeopleSoft Enterprise Benefits

	Administration, PeopleSoft Enterprise Stock Administration, and the COBRA Administration feature of the Base Benefits business process.
action template	In PeopleSoft Enterprise Receivables, outlines a set of escalating actions that the system or user performs based on the period of time that a customer or item has been in an action plan for a specific condition.
activity	In PeopleSoft Enterprise Learning Management, an instance of a catalog item (sometimes called a class) that is available for enrollment. The activity defines such things as the costs that are associated with the offering, enrollment limits and deadlines, and waitlisting capacities. In PeopleSoft Enterprise Performance Management, the work of an organization and the aggregation of actions that are used for activity-based costing. In PeopleSoft Enterprise Project Costing, the unit of work that provides a further breakdown of projects—usually into specific tasks. In PeopleSoft Workflow, a specific transaction that you might need to perform in a business process. Because it consists of the steps that are used to perform a transaction, it is also known as a step map.
address usage	In PeopleSoft Enterprise Campus Solutions, a grouping of address types defining the order in which the address types are used. For example, you might define an address usage code to process addresses in the following order: billing address, dormitory address, home address, and then work address.
adjustment calendar	In PeopleSoft Enterprise Campus Solutions, the adjustment calendar controls how a particular charge is adjusted on a student's account when the student drops classes or withdraws from a term. The charge adjustment is based on how much time has elapsed from a predetermined date, and it is determined as a percentage of the original charge amount.
administrative function	In PeopleSoft Enterprise Campus Solutions, a particular functional area that processes checklists, communication, and comments. The administrative function identifies which variable data is added to a person's checklist or communication record when a specific checklist code, communication category, or comment is assigned to the student. This key data enables you to trace that checklist, communication, or comment back to a specific processing event in a functional area.
admit type	In PeopleSoft Enterprise Campus Solutions, a designation used to distinguish first-year applications from transfer applications.
agreement	In PeopleSoft Enterprise eSettlements, provides a way to group and specify processing options, such as payment terms, pay from a bank, and notifications by a buyer and supplier location combination.
allocation rule	In PeopleSoft Enterprise Incentive Management, an expression within compensation plans that enables the system to assign transactions to nodes and participants. During transaction allocation, the allocation engine traverses the compensation structure from the current node to the root node, checking each node for plans that contain allocation rules.
alternate account	A feature in PeopleSoft Enterprise General Ledger that enables you to create a statutory chart of accounts and enter statutory account transactions at the detail transaction level, as required for recording and reporting by some national governments.
analysis database	In PeopleSoft Enterprise Campus Solutions, database tables that store large amounts of student information that may not appear in standard report formats. The analysis database tables contain keys for all objects in a report that an application program can use to reference other student-record objects that are not contained in the printed report. For instance, the analysis database contains data on courses that are considered

	for satisfying a requirement but that are rejected. It also contains information on courses captured by global limits. An analysis database is used in PeopleSoft Enterprise Academic Advisement.
Application Messaging	PeopleSoft Application Messaging enables applications within the PeopleSoft Enterprise product family to communicate synchronously or asynchronously with other PeopleSoft Enterprise and third-party applications. An application message defines the records and fields to be published or subscribed to.
AR specialist	Abbreviation for <i>receivables specialist</i> . In PeopleSoft Enterprise Receivables, an individual in who tracks and resolves deductions and disputed items.
arbitration plan	The arbiter when multiple price rules match the transaction. This plan determines the order in which the price rules are applied to the transaction base price.
assessment rule	In PeopleSoft Enterprise Receivables, a user-defined rule that the system uses to evaluate the condition of a customer's account or of individual items to determine whether to generate a follow-up action.
asset class	An asset group used for reporting purposes. It can be used in conjunction with the asset category to refine asset classification.
attribute/value pair	In PeopleSoft Enterprise Directory Interface, relates the data that makes up an entry in the directory information tree.
auction event	In PeopleSoft Strategic Sourcing, a sourcing event where bidders actively compete against one another to achieve the best price or score.
audience	In PeopleSoft Enterprise Campus Solutions, a segment of the database that relates to an initiative, or a membership organization that is based on constituent attributes rather than a dues-paying structure. Examples of audiences include the Class of '65 and Undergraduate Arts & Sciences.
authentication server	A server that is set up to verify users of the system.
base time period	In PeopleSoft Enterprise Business Planning, the lowest level time period in a calendar.
benchmark job	In PeopleSoft Enterprise Workforce Analytics Solution, a benchmark job is a job code for which there is corresponding salary survey data from published, third-party sources.
bid response	In PeopleSoft Strategic Sourcing, the response by a bidder to an event.
billing career	In PeopleSoft Enterprise Campus Solutions, the one career under which other careers are grouped for billing purposes if a student is active simultaneously in multiple careers.
bio bit or bio brief	In PeopleSoft Enterprise Campus Solutions, a report that summarizes information stored in the system about a particular constituent. You can generate standard or specialized reports.
book	In PeopleSoft Enterprise Asset Management, used for storing financial and tax information, such as costs, depreciation attributes, and retirement information on assets.
branch	A tree node that rolls up to nodes above it in the hierarchy, as defined in PeopleSoft Tree Manager.
budgetary account only	An account used by the system only and not by users; this type of account does not accept transactions. You can only budget with this account. Formerly called "system-maintained account."

budget check	In commitment control, the processing of source transactions against control budget ledgers, to see if they pass, fail, or pass with a warning.
budget control	In commitment control, budget control ensures that commitments and expenditures don't exceed budgets. It enables you to track transactions against corresponding budgets and terminate a document's cycle if the defined budget conditions are not met. For example, you can prevent a purchase order from being dispatched to a vendor if there are insufficient funds in the related budget to support it.
budget period	The interval of time (such as 12 months or 4 quarters) into which a period is divided for budgetary and reporting purposes. The ChartField allows maximum flexibility to define operational accounting time periods without restriction to only one calendar.
business activity	The name of a subset of a detailed business process. This might be a specific transaction, task, or action that you perform in a business process.
business event	In PeopleSoft Enterprise Receivables, defines the processing characteristics for the Receivable Update process for a draft activity. In PeopleSoft Enterprise Sales Incentive Management, an original business transaction or activity that may justify the creation of a PeopleSoft Enterprise Incentive Management event (a sale, for example).
business process	A standard set of 17 business processes are defined and maintained by the PeopleSoft Enterprise product families and are supported by the Business Process Engineering group. An example of a business process is Order Fulfillment, which is a business process that manages sales orders and contracts, inventory, billing, and so forth. See also <i>detailed business process</i>.
business unit constraints	In PeopleSoft Strategic Sourcing, these constraints apply to a selected Strategic Sourcing business unit. Spend is tracked across all of the events within the selected Strategic Sourcing business unit.
business task	The name of the specific function depicted in one of the business processes.
business unit	A corporation or a subset of a corporation that is independent with regard to one or more operational or accounting functions.
buyer	In PeopleSoft Enterprise eSettlements, an organization (or business unit, as opposed to an individual) that transacts with suppliers (vendors) within the system. A buyer creates payments for purchases that are made in the system.
buy event	In PeopleSoft Strategic Sourcing, for event creators, the purchase of goods or services, most typically associated with a request for quote, proposal, or reverse auction. For bidders, the sale of goods or services.
campus	In PeopleSoft Enterprise Campus Solutions, an entity that is usually associated with a distinct physical administrative unit, that belongs to a single academic institution, that uses a unique course catalog, and that produces a common transcript for students within the same academic career.
cash drawer	A repository for monies and payments taken locally.
catalog item	In PeopleSoft Enterprise Learning Management, a specific topic that a learner can study and have tracked. For example, "Introduction to Microsoft Word." A catalog item contains general information about the topic and includes a course code, description, categorization, keywords, and delivery methods. A catalog item can have one or more learning activities.
catalog map	In PeopleSoft Enterprise Catalog Management, translates values from the catalog source data to the format of the company's catalog.

catalog partner	In PeopleSoft Enterprise Catalog Management, shares responsibility with the enterprise catalog manager for maintaining catalog content.
categorization	Associates partner offerings with catalog offerings and groups them into enterprise catalog categories.
category	In PeopleSoft Enterprise Campus Solutions, a broad grouping to which specific comments or communications (contexts) are assigned. Category codes are also linked to 3C access groups so that you can assign data-entry or view-only privileges across functions.
channel	In PeopleSoft MultiChannel Framework, email, chat, voice (computer telephone integration [CTI]), or a generic event.
ChartField	A field that stores a chart of accounts, resources, and so on, depending on the PeopleSoft Enterprise application. ChartField values represent individual account numbers, department codes, and so forth.
ChartField balancing	You can require specific ChartFields to match up (balance) on the debit and the credit side of a transaction.
ChartField combination edit	The process of editing journal lines for valid ChartField combinations based on user-defined rules.
ChartKey	One or more fields that uniquely identify each row in a table. Some tables contain only one field as the key, while others require a combination.
checkbook	In PeopleSoft Enterprise Promotions Management, enables you to view financial data (such as planned, incurred, and actual amounts) that is related to funds and trade promotions.
checklist code	In PeopleSoft Enterprise Campus Solutions, a code that represents a list of planned or completed action items that can be assigned to a staff member, volunteer, or unit. Checklists enable you to view all action assignments on one page.
claimback	In the wholesale distribution industry, a contract between supplier and distributor, in which monies are paid to the distributor on the sale of specified products or product groups to targeted customers or customer groups.
class	In PeopleSoft Enterprise Campus Solutions, a specific offering of a course component within an academic term. See also <i>course</i> .
Class ChartField	A ChartField value that identifies a unique appropriation budget key when you combine it with a fund, department ID, and program code, as well as a budget period. Formerly called <i>sub-classification</i> .
clearance	In PeopleSoft Enterprise Campus Solutions, the period of time during which a constituent in PeopleSoft Enterprise Contributor Relations is approved for involvement in an initiative or an action. Clearances are used to prevent development officers from making multiple requests to a constituent during the same time period.
clone	In PeopleCode, to make a unique copy. In contrast, to <i>copy</i> may mean making a new reference to an object, so if the underlying object is changed, both the copy and the original change.
cohort	In PeopleSoft Enterprise Campus Solutions, the highest level of the three-level classification structure that you define for enrollment management. You can define a cohort level, link it to other levels, and set enrollment target numbers for it. See also <i>population</i> and <i>division</i> .

collection	To make a set of documents available for searching in Verity, you must first create at least one collection. A collection is set of directories and files that allow search application users to use the Verity search engine to quickly find and display source documents that match search criteria. A collection is a set of statistics and pointers to the source documents, stored in a proprietary format on a file server. Because a collection can only store information for a single location, PeopleTools maintains a set of collections (one per language code) for each search index object.
collection rule	In PeopleSoft Enterprise Receivables, a user-defined rule that defines actions to take for a customer based on both the amount and the number of days past due for outstanding balances.
comm key	See <i>communication key</i> .
communication key	In PeopleSoft Enterprise Campus Solutions, a single code for entering a combination of communication category, communication context, communication method, communication direction, and standard letter code. Communication keys (also called <i>comm keys</i> or <i>speed keys</i>) can be created for background processes as well as for specific users.
compensation object	In PeopleSoft Enterprise Incentive Management, a node within a compensation structure. Compensation objects are the building blocks that make up a compensation structure's hierarchical representation.
compensation structure	In PeopleSoft Enterprise Incentive Management, a hierarchical relationship of compensation objects that represents the compensation-related relationship between the objects.
component interface	A component interface is a set of application programming interfaces (APIs) that you can use to access and modify PeopleSoft Enterprise database information using a program instead of the PeopleSoft client.
condition	In PeopleSoft Enterprise Receivables, occurs when there is a change of status for a customer's account, such as reaching a credit limit or exceeding a user-defined balance due.
configuration parameter catalog	Used to configure an external system with PeopleSoft Enterprise. For example, a configuration parameter catalog might set up configuration and communication parameters for an external server.
configuration plan	In PeopleSoft Enterprise Incentive Management, configuration plans hold allocation information for common variables (not incentive rules) and are attached to a node without a participant. Configuration plans are not processed by transactions.
constituents	In PeopleSoft Enterprise Campus Solutions, friends, alumni, organizations, foundations, or other entities affiliated with the institution, and about which the institution maintains information. The constituent types delivered with PeopleSoft Enterprise Contributor Relations Solutions are based on those defined by the Council for the Advancement and Support of Education (CASE).
constraint	A business policy or rule that affects how a sourcing event is awarded. There are three types of constraints: business, global, and event.
content reference	Content references are pointers to content registered in the portal registry. These are typically either URLs or iScripts. Content references fall into three categories: target content, templates, and template pagelets.
context	In PeopleCode, determines which buffer fields can be contextually referenced and which is the current row of data on each scroll level when a PeopleCode program is running. In PeopleSoft Enterprise Campus Solutions, a specific instance of a comment or communication. One or more contexts are assigned to a category, which you link to

	3C access groups so that you can assign data-entry or view-only privileges across functions.
	In PeopleSoft Enterprise Incentive Management, a mechanism that is used to determine the scope of a processing run. PeopleSoft Enterprise Incentive Management uses three types of context: plan, period, and run-level.
control table	Stores information that controls the processing of an application. This type of processing might be consistent throughout an organization, or it might be used only by portions of the organization for more limited sharing of data.
cost plus contract line	A rate-based contract line associated with a fee component of Award, Fixed, Incentive, or Other. Rate-based contract lines associated with a fee type of None are not considered cost-plus contract lines.
cost plus pricing	In PeopleSoft Enterprise Pricer, a pricing method that begins with cost of goods as the basis.
cost profile	A combination of a receipt cost method, a cost flow, and a deplete cost method. A profile is associated with a cost book and determines how items in that book are valued, as well as how the material movement of the item is valued for the book.
cost row	A cost transaction and amount for a set of ChartFields.
counter sale	A face-to-face customer transaction where the customer typically selects items from the storefront or picks up products that they ordered ahead of time. Customers pay for the goods at the counter and take the goods with them instead of having the goods shipped from a warehouse.
course	In PeopleSoft Enterprise Campus Solutions, a course that is offered by a school and that is typically described in a course catalog. A course has a standard syllabus and credit level; however, these may be modified at the class level. Courses can contain multiple components such as lecture, discussion, and lab. See also <i>class</i> .
course share set	In PeopleSoft Enterprise Campus Solutions, a tag that defines a set of requirement groups that can share courses. Course share sets are used in PeopleSoft Enterprise Academic Advisement.
current learning	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's in-progress learning activities and programs.
data acquisition	In PeopleSoft Enterprise Incentive Management, the process during which raw business transactions are acquired from external source systems and fed into the operational data store (ODS).
data cube	In PeopleSoft Analytic Calculation Engine, a data cube is a container for one kind of data (such as Sales data) and works with in tandem with one or more dimensions. Dimensions and data cubes in PeopleSoft Analytic Calculation Engine are unrelated to dimensions and online analytical processing (OLAP) cubes in PeopleSoft Cube Manager.
data elements	Data elements, at their simplest level, define a subset of data and the rules by which to group them. For Workforce Analytics, data elements are rules that tell the system what measures to retrieve about your workforce groups.
dataset	A data grouping that enables role-based filtering and distribution of data. You can limit the range and quantity of data that is displayed for a user by associating dataset rules with user roles. The result of dataset rules is a set of data that is appropriate for the user's roles.

delivery method	In PeopleSoft Enterprise Learning Management, identifies the primary type of delivery method in which a particular learning activity is offered. Also provides default values for the learning activity, such as cost and language. This is primarily used to help learners search the catalog for the type of delivery from which they learn best. Because PeopleSoft Enterprise Learning Management is a blended learning system, it does not enforce the delivery method. In PeopleSoft Enterprise Supply Chain Management, identifies the method by which goods are shipped to their destinations (such as truck, air, and rail). The delivery method is specified when creating shipment schedules.
delivery method type	In PeopleSoft Enterprise Learning Management, identifies how learning activities can be delivered—for example, through online learning, classroom instruction, seminars, books, and so forth—in an organization. The type determines whether the delivery method includes scheduled components.
detailed business process	A subset of the business process. For example, the detailed business process named Determine Cash Position is a subset of the business process called Cash Management.
dimension	In PeopleSoft Analytic Calculation Engine, a dimension contains a list of one kind of data that can span various contexts, and it is a basic component of an analytic model. Within the analytic model, a dimension is attached to one or more data cubes. In PeopleSoft Cube Manager, a dimension is the most basic component of an OLAP cube and specifies the PeopleSoft metadata to be used to create the dimension's rollup structure. Dimensions and data cubes in PeopleSoft Analytic Calculation Engine are unrelated to dimensions and OLAP cubes in PeopleSoft Cube Manager.
direct receipt	Items shipped from a warehouse or vendor to another warehouse.
direct ship	Items shipped from the vendor or warehouse directly to the customer (formerly referred to as <i>drop ship</i>).
directory information tree	In PeopleSoft Enterprise Directory Interface, the representation of a directory's hierarchical structure.
division	In PeopleSoft Enterprise Campus Solutions, the lowest level of the three-level classification structure that you define in PeopleSoft Enterprise Recruiting and Admissions for enrollment management. You can define a division level, link it to other levels, and set enrollment target numbers for it. See also <i>population</i> and <i>cohort</i>.
document sequencing	A flexible method that sequentially numbers the financial transactions (for example, bills, purchase orders, invoices, and payments) in the system for statutory reporting and for tracking commercial transaction activity.
dynamic detail tree	A tree that takes its detail values—dynamic details—directly from a table in the database, rather than from a range of values that are entered by the user.
edit table	A table in the database that has its own record definition, such as the Department table. As fields are entered into a PeopleSoft Enterprise application, they can be validated against an edit table to ensure data integrity throughout the system.
effective date	A method of dating information in PeopleSoft Enterprise applications. You can predate information to add historical data to your system, or postdate information in order to enter it before it actually goes into effect. By using effective dates, you don't delete values; you enter a new value with a current effective date.
EIM ledger	Abbreviation for <i>Enterprise Incentive Management ledger</i> . In PeopleSoft Enterprise Incentive Management, an object to handle incremental result gathering within the scope of a participant. The ledger captures a result set with all of the appropriate traces to the data origin and to the processing steps of which it is a result.

elimination set	In PeopleSoft Enterprise General Ledger, a related group of intercompany accounts that is processed during consolidations.
entry event	In PeopleSoft Enterprise General Ledger, Receivables, Payables, Purchasing, and Billing, a business process that generates multiple debits and credits resulting from single transactions to produce standard, supplemental accounting entries.
equitization	In PeopleSoft Enterprise General Ledger, a business process that enables parent companies to calculate the net income of subsidiaries on a monthly basis and adjust that amount to increase the investment amount and equity income amount before performing consolidations.
equity item limit	In PeopleSoft Enterprise Campus Solutions, the amounts of funds set by the institution to be awarded with discretionary or gift funds. The limit could be reduced by amounts equal to such things as expected family contribution (EFC) or parent contribution. Students are packaged by Equity Item Type Groups and Related Equity Item Types. This limit can be used to assure that similar student populations are packaged equally.
event	A predefined point either in the Component Processor flow or in the program flow. As each point is encountered, the event activates each component, triggering any PeopleCode program that is associated with that component and that event. Examples of events are FieldChange, SavePreChange, and RowDelete. In PeopleSoft Enterprise Human Resources, also refers to an incident that affects benefits eligibility.
event constraints	In PeopleSoft Strategic Sourcing, these constraints are associated with a specific sourcing event. Spend is tracked within the selected event.
event propagation process	In PeopleSoft Enterprise Sales Incentive Management, a process that determines, through logic, the propagation of an original PeopleSoft Enterprise Incentive Management event and creates a derivative (duplicate) of the original event to be processed by other objects. PeopleSoft Enterprise Enterprise Sales Incentive Management uses this mechanism to implement splits, roll-ups, and so on. Event propagation determines who receives the credit.
exception	In PeopleSoft Enterprise Receivables, an item that either is a deduction or is in dispute.
exclusive pricing	In PeopleSoft Enterprise Order Management, a type of arbitration plan that is associated with a price rule. Exclusive pricing is used to price sales order transactions.
fact	In PeopleSoft Enterprise applications, facts are numeric data values from fields from a source database as well as an analytic application. A fact can be anything you want to measure your business by, for example, revenue, actual, budget data, or sales numbers. A fact is stored on a fact table.
financial aid term	In PeopleSoft Enterprise Campus Solutions, a combination of a period of time that the school determines as an instructional accounting period and an academic career. It is created and defined during the setup process. Only terms eligible for financial aid are set up for each financial aid career.
financial sanctions	For U.S. based companies and their foreign subsidiaries, a federal regulation from the Office of Foreign Assets Control (OFAC) requires that vendors be validated against a Specially Designated Nationals (SDN) list prior to payment. For PeopleSoft Payables, eSettlements, Cash Management, and Order to Cash, you can validate your vendors against any financial sanctions list (for example, the SDN list, a European Union list, and so on).
forecast item	A logical entity with a unique set of descriptive demand and forecast data that is used as the basis to forecast demand. You create forecast items for a wide range of uses, but they ultimately represent things that you buy, sell, or use in your organization and for which you require a predictable usage.

fund	In PeopleSoft Enterprise Promotions Management, a budget that can be used to fund promotional activity. There are four funding methods: top down, fixed accrual, rolling accrual, and zero-based accrual.
gap	In PeopleSoft Enterprise Campus Solutions, an artificial figure that sets aside an amount of unmet financial aid need that is not funded with Title IV funds. A gap can be used to prevent fully funding any student to conserve funds, or it can be used to preserve unmet financial aid need so that institutional funds can be awarded.
generic process type	In PeopleSoft Process Scheduler, process types are identified by a generic process type. For example, the generic process type SQR includes all SQR process types, such as SQR process and SQR report.
gift table	In PeopleSoft Enterprise Campus Solutions, a table or so-called <i>donor pyramid</i> describing the number and size of gifts that you expect will be needed to successfully complete the campaign in PeopleSoft Enterprise Contributor Relations. The gift table enables you to estimate the number of donors and prospects that you need at each gift level to reach the campaign goal.
GDS	Abbreviation for <i>Global Distribution System</i> . Broad-based term to describe all computer reservation systems for making travel plans.
GL business unit	Abbreviation for <i>general ledger business unit</i> . A unit in an organization that is an independent entity for accounting purposes. It maintains its own set of accounting books. See also <i>business unit</i> .
GL entry template	Abbreviation for <i>general ledger entry template</i> . In PeopleSoft Enterprise Campus Solutions, a template that defines how a particular item is sent to the general ledger. An item-type maps to the general ledger, and the GL entry template can involve multiple general ledger accounts. The entry to the general ledger is further controlled by high-level flags that control the summarization and the type of accounting—that is, accrual or cash.
GL Interface process	Abbreviation for <i>General Ledger Interface process</i> . In PeopleSoft Enterprise Campus Solutions, a process that is used to send transactions from PeopleSoft Enterprise Student Financials to the general ledger. Item types are mapped to specific general ledger accounts, enabling transactions to move to the general ledger when the GL Interface process is run.
global constraints	In PeopleSoft Strategic Sourcing, these constraints apply across multiple Strategic Sourcing business units. Spend is tracked across all of the events from the multiple Strategic Sourcing business units.
group	In PeopleSoft Enterprise Billing and Receivables, a posting entity that comprises one or more transactions (items, deposits, payments, transfers, matches, or write-offs). In PeopleSoft Enterprise Human Resources Management and Supply Chain Management, any set of records that are associated under a single name or variable to run calculations in PeopleSoft business processes. In PeopleSoft Enterprise Time and Labor, for example, employees are placed in groups for time reporting purposes.
ideal response	In PeopleSoft Strategic Sourcing, a question that requires the response to match the ideal value for the bid to be considered eligible for award. If the response does not match the ideal value, you can still submit the bid, but it will be disqualified and ineligible for award.
incentive object	In PeopleSoft Enterprise Incentive Management, the incentive-related objects that define and support the PeopleSoft Enterprise Incentive Management calculation process and results, such as plan templates, plans, results data, and user interaction objects.

incentive rule	In PeopleSoft Enterprise Sales Incentive Management, the commands that act on transactions and turn them into compensation. A rule is one part in the process of turning a transaction into compensation.
incur	In PeopleSoft Enterprise Promotions Management, to become liable for a promotional payment. In other words, you owe that amount to a customer for promotional activities.
initiative	In PeopleSoft Enterprise Campus Solutions, the basis from which all advancement plans are executed. It is an organized effort targeting a specific constituency, and it can occur over a specified period of time with specific purposes and goals. An initiative can be a campaign, an event, an organized volunteer effort, a membership drive, or any other type of effort defined by the institution. Initiatives can be multipart, and they can be related to other initiatives. This enables you to track individual parts of an initiative, as well as entire initiatives.
inquiry access	In PeopleSoft Enterprise Campus Solutions, a type of security access that permits the user only to view data. See also <i>update access</i> .
institution	In PeopleSoft Enterprise Campus Solutions, an entity (such as a university or college) that is independent of other similar entities and that has its own set of rules and business processes.
integration	A relationship between two compatible integration points that enables communication to take place between systems. Integrations enable PeopleSoft Enterprise applications to work seamlessly with other PeopleSoft Enterprise applications or with third-party systems or software.
integration point	An interface that a system uses to communicate with another PeopleSoft Enterprise application or an external application.
integration set	A logical grouping of integrations that applications use for the same business purpose. For example, the integration set <code>ADVANCED_SHIPPING_ORDER</code> contains all of the integrations that notify a customer that an order has shipped.
item	In PeopleSoft Enterprise Inventory, a tangible commodity that is stored in a business unit (shipped from a warehouse). In PeopleSoft Enterprise Demand Planning, Inventory Policy Planning, and Supply Planning, a noninventory item that is designated as being used for planning purposes only. It can represent a family or group of inventory items. It can have a planning bill of material (BOM) or planning routing, and it can exist as a component on a planning BOM. A planning item cannot be specified on a production or engineering BOM or routing, and it cannot be used as a component in a production. The quantity on hand will never be maintained. In PeopleSoft Enterprise Receivables, an individual receivable. An item can be an invoice, a credit memo, a debit memo, a write-off, or an adjustment.
item shuffle	In PeopleSoft Enterprise Campus Solutions, a process that enables you to change a payment allocation without having to reverse the payment.
itinerary	In PeopleSoft Expenses, a collection of travel reservations. Itineraries can have reservations that are selected and reserved with the travel vendor. These itineraries are not yet paid for and can be referred to as <i>pending reservations</i> . Reservations that have been paid for are referred to as <i>confirmed reservations</i> .
joint communication	In PeopleSoft Enterprise Campus Solutions, one letter that is addressed jointly to two people. For example, a letter might be addressed to both Mr. Sudhir Awat and Ms. Samantha Mortelli. A relationship must be established between the two individuals in the database, and at least one of the individuals must have an ID in the database.

keyword	In PeopleSoft Enterprise Campus Solutions, a term that you link to particular elements within PeopleSoft Enterprise Student Financials, Financial Aid, and Contributor Relations. You can use keywords as search criteria that enable you to locate specific records in a search dialog box.
KPI	An abbreviation for <i>key performance indicator</i> . A high-level measurement of how well an organization is doing in achieving critical success factors. This defines the data value or calculation upon which an assessment is determined.
KVI	Abbreviation for <i>Known Value Item</i> . Term used for products or groups of products where the selling price cannot be reduced or increased.
landlord	In PeopleSoft Real Estate Management, an entity that owns real estate and leases the real estate to tenants.
LDIF file	Abbreviation for <i>Lightweight Directory Access Protocol (LDAP) Data Interchange Format file</i> . Contains discrepancies between PeopleSoft Enterprise data and directory data.
learner group	In PeopleSoft Enterprise Learning Management, a group of learners who are linked to the same learning environment. Members of the learner group can share the same attributes, such as the same department or job code. Learner groups are used to control access to and enrollment in learning activities and programs. They are also used to perform group enrollments and mass enrollments in the back office.
learning components	In PeopleSoft Enterprise Learning Management, the foundational building blocks of learning activities. PeopleSoft Enterprise Learning Management supports six basic types of learning components: web-based, session, webcast, test, survey, and assignment. One or more of these learning component types compose a single learning activity.
learning environment	In PeopleSoft Enterprise Learning Management, identifies a set of categories and catalog items that can be made available to learner groups. Also defines the default values that are assigned to the learning activities and programs that are created within a particular learning environment. Learning environments provide a way to partition the catalog so that learners see only those items that are relevant to them.
learning history	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's completed learning activities and programs.
lease	In PeopleSoft Real Estate Management, a legally binding agreement between a landlord and a tenant, where the tenant rents all or part of a physical property from the landlord.
lease abstract	In PeopleSoft Real Estate Management, a summarized version of the complete lease contract with only the important terms. The lease abstract usually fits on one page and does not include legal terminology.
ledger mapping	You use ledger mapping to relate expense data from general ledger accounts to resource objects. Multiple ledger line items can be mapped to one or more resource IDs. You can also use ledger mapping to map dollar amounts (referred to as <i>rates</i>) to business units. You can map the amounts in two different ways: an actual amount that represents actual costs of the accounting period, or a budgeted amount that can be used to calculate the capacity rates as well as budgeted model results. In PeopleSoft Enterprise Warehouse, you can map general ledger accounts to the EW Ledger table.
library section	In PeopleSoft Enterprise Incentive Management, a section that is defined in a plan (or template) and that is available for other plans to share. Changes to a library section are reflected in all plans that use it.
line	In PeopleSoft Strategic Sourcing, an individual item or service upon which there can be a bid.

linked section	In PeopleSoft Enterprise Incentive Management, a section that is defined in a plan template but appears in a plan. Changes to linked sections propagate to plans using that section.
linked variable	In PeopleSoft Enterprise Incentive Management, a variable that is defined and maintained in a plan template and that also appears in a plan. Changes to linked variables propagate to plans using that variable.
LMS	Abbreviation for <i>learning management system</i> . In PeopleSoft Enterprise Campus Solutions, LMS is a PeopleSoft Enterprise Student Records feature that provides a common set of interoperability standards that enable the sharing of instructional content and data between learning and administrative environments.
load	In PeopleSoft Enterprise Inventory, identifies a group of goods that are shipped together. Load management is a feature of PeopleSoft Enterprise Inventory that is used to track the weight, the volume, and the destination of a shipment.
local functionality	In PeopleSoft Enterprise HRMS, the set of information that is available for a specific country. You can access this information when you click the appropriate country flag in the global window, or when you access it by a local country menu.
location	Locations enable you to indicate the different types of addresses—for a company, for example, one address to receive bills, another for shipping, a third for postal deliveries, and a separate street address. Each address has a different location number. The primary location—indicated by a <i>1</i> —is the address you use most often and may be different from the main address.
logistical task	In PeopleSoft Enterprise Services Procurement, an administrative task that is related to hiring a service provider. Logistical tasks are linked to the service type on the work order so that different types of services can have different logistical tasks. Logistical tasks include both preapproval tasks (such as assigning a new badge or ordering a new laptop) and postapproval tasks (such as scheduling orientation or setting up the service provider email). The logistical tasks can be mandatory or optional. Mandatory preapproval tasks must be completed before the work order is approved. Mandatory postapproval tasks, on the other hand, must be completed before a work order is released to a service provider.
market template	In PeopleSoft Enterprise Incentive Management, additional functionality that is specific to a given market or industry and is built on top of a product category.
mass change	In PeopleSoft Enterprise Campus Solutions, mass change is a SQL generator that can be used to create specialized functionality. Using mass change, you can set up a series of Insert, Update, or Delete SQL statements to perform business functions that are specific to the institution. See also <i>3C engine</i> .
match group	In PeopleSoft Enterprise Receivables, a group of receivables items and matching offset items. The system creates match groups by using user-defined matching criteria for selected field values.
MCF server	Abbreviation for <i>PeopleSoft MultiChannel Framework server</i> . Comprises the universal queue server and the MCF log server. Both processes are started when <i>MCF Servers</i> is selected in an application server domain configuration.
merchandising activity	In PeopleSoft Enterprise Promotions Management, a specific discount type that is associated with a trade promotion (such as off-invoice, billback or rebate, or lump-sum payment) that defines the performance that is required to receive the discount. In the industry, you may know this as an offer, a discount, a merchandising event, an event, or a tactic.

meta-SQL	Meta-SQL constructs expand into platform-specific SQL substrings. They are used in functions that pass SQL strings, such as in SQL objects, the SQLExec function, and PeopleSoft Application Engine programs.
metastring	Metastrings are special expressions included in SQL string literals. The metastrings, prefixed with a percent (%) symbol, are included directly in the string literals. They expand at run time into an appropriate substring for the current database platform.
multibook	In PeopleSoft Enterprise General Ledger, multiple ledgers having multiple-base currencies that are defined for a business unit, with the option to post a single transaction to all base currencies (all ledgers) or to only one of those base currencies (ledgers).
multicurrency	The ability to process transactions in a currency other than the business unit's base currency.
national allowance	In PeopleSoft Enterprise Promotions Management, a promotion at the corporate level that is funded by nondiscretionary dollars. In the industry, you may know this as a national promotion, a corporate promotion, or a corporate discount.
NDP	Abbreviation for <i>Non-Discountable Products</i> . Term used for products or groups of products where the selling price cannot be decreased.
need	In PeopleSoft Enterprise Campus Solutions, the difference between the cost of attendance (COA) and the expected family contribution (EFC). It is the gap between the cost of attending the school and the student's resources. The financial aid package is based on the amount of financial need. The process of determining a student's need is called <i>need analysis</i> .
node-oriented tree	A tree that is based on a detail structure, but the detail values are not used.
Optimization Engine	A PeopleTools component that Strategic Sourcing leverages to evaluate bids and determine an ideal award allocation. The award recommendation is based on maximizing the value while adhering to purchasing and company objectives and constraints.
pagelet	Each block of content on the home page is called a pagelet. These pagelets display summary information within a small rectangular area on the page. The pagelet provide users with a snapshot of their most relevant PeopleSoft Enterprise and non-PeopleSoft Enterprise content.
participant	In PeopleSoft Enterprise Incentive Management, participants are recipients of the incentive compensation calculation process.
participant object	Each participant object may be related to one or more compensation objects. See also <i>compensation object</i> .
partner	A company that supplies products or services that are resold or purchased by the enterprise.
pay cycle	In PeopleSoft Enterprise Payables, a set of rules that define the criteria by which it should select scheduled payments for payment creation.
payment shuffle	In PeopleSoft Enterprise Campus Solutions, a process allowing payments that have been previously posted to a student's account to be automatically reapplied when a higher priority payment is posted or the payment allocation definition is changed.
pending item	In PeopleSoft Enterprise Receivables, an individual receivable (such as an invoice, a credit memo, or a write-off) that has been entered in or created by the system, but hasn't been posted.

PeopleCode	PeopleCode is a proprietary language, executed by the PeopleSoft Enterprise component processor. PeopleCode generates results based on existing data or user actions. By using various tools provided with PeopleTools, external services are available to all PeopleSoft Enterprise applications wherever PeopleCode can be executed.
PeopleCode event	See <i>event</i> .
PeopleSoft Pure Internet Architecture	The fundamental architecture on which PeopleSoft 8 applications are constructed, consisting of a relational database management system (RDBMS), an application server, a web server, and a browser.
performance measurement	In PeopleSoft Enterprise Incentive Management, a variable used to store data (similar to an aggregator, but without a predefined formula) within the scope of an incentive plan. Performance measures are associated with a plan calendar, territory, and participant. Performance measurements are used for quota calculation and reporting.
period context	In PeopleSoft Enterprise Incentive Management, because a participant typically uses the same compensation plan for multiple periods, the period context associates a plan context with a specific calendar period and fiscal year. The period context references the associated plan context, thus forming a chain. Each plan context has a corresponding set of period contexts.
person of interest	A person about whom the organization maintains information but who is not part of the workforce.
personal portfolio	In PeopleSoft Enterprise Campus Solutions, the user-accessible menu item that contains an individual's name, address, telephone number, and other personal information.
phase	A level 1 task, meaning that if a task had subtasks, the level 1 task would be considered the phase.
pickup quantity	The product quantity that the customer is taking with them from the counter sales environment.
plan	In PeopleSoft Enterprise Sales Incentive Management, a collection of allocation rules, variables, steps, sections, and incentive rules that instruct the PeopleSoft Enterprise Incentive Management engine in how to process transactions.
plan context	In PeopleSoft Enterprise Incentive Management, correlates a participant with the compensation plan and node to which the participant is assigned, enabling the PeopleSoft Enterprise Incentive Management system to find anything that is associated with the node and that is required to perform compensation processing. Each participant, node, and plan combination represents a unique plan context—if three participants are on a compensation structure, each has a different plan context. Configuration plans are identified by plan contexts and are associated with the participants that refer to them.
plan template	In PeopleSoft Enterprise Incentive Management, the base from which a plan is created. A plan template contains common sections and variables that are inherited by all plans that are created from the template. A template may contain steps and sections that are not visible in the plan definition.
planned learning	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's planned learning activities and programs.
planning instance	In PeopleSoft Enterprise Supply Planning, a set of data (business units, items, supplies, and demands) constituting the inputs and outputs of a supply plan.
population	In PeopleSoft Enterprise Campus Solutions, the middle level of the three-level classification structure that you define in PeopleSoft Enterprise Recruiting and

	Admissions for enrollment management. You can define a population level, link it to other levels, and set enrollment target numbers for it. See also <i>division</i> and <i>cohort</i> .
portal registry	In PeopleSoft Enterprise applications, the portal registry is a tree-like structure in which content references are organized, classified, and registered. It is a central repository that defines both the structure and content of a portal through a hierarchical, tree-like structure of folders useful for organizing and securing content references.
predecessor task	A task that you must complete before you start another task.
price breaks	In PeopleSoft Strategic Sourcing, a price discount or surcharge that a bidder may apply based on the quantity awarded.
price components	In PeopleSoft Strategic Sourcing, the various components, such as material costs, labor costs, shipping costs, and so on that make up the overall bid price.
price list	Enables you to select products and conditions for which the price list applies to a transaction. During a transaction, the system either determines the product price based on the predefined search hierarchy for the transaction or uses the product's lowest price on any associated, active price lists. This price is used as the basis for any further discounts and surcharges.
price rule	The conditions that must be met for adjustments to be applied to the base price. Multiple rules can apply when conditions of each rule are met.
price rule conditions	Conditions that select the price-by fields, the values for the price-by fields, and the operator that determines how the price-by fields relate to the transaction.
price rule key	The fields that are available to define price rule conditions (which are used to match a transaction) on the price rule.
primacy number	In PeopleSoft Enterprise Campus Solutions, a number that the system uses to prioritize financial aid applications when students are enrolled in multiple academic careers and academic programs at the same time. The Consolidate Academic Statistics process uses the primacy number indicated for both the career and program at the institutional level to determine a student's primary career and program. The system also uses the number to determine the primary student attribute value that is used when you extract data to report on cohorts. The lowest number takes precedence.
primary name type	In PeopleSoft Enterprise Campus Solutions, the name type that is used to link the name stored at the highest level within the system to the lower-level set of names that an individual provides.
process category	In PeopleSoft Process Scheduler, processes that are grouped for server load balancing and prioritization.
process group	In PeopleSoft Enterprise Financials, a group of application processes (performed in a defined order) that users can initiate in real time, directly from a transaction entry page.
process definition	Process definitions define each run request.
process instance	A unique number that identifies each process request. This value is automatically incremented and assigned to each requested process when the process is submitted to run.
process job	You can link process definitions into a job request and process each request serially or in parallel. You can also initiate subsequent processes based on the return code from each prior request.

process request	A single run request, such as a Structured Query Report (SQR), a COBOL or Application Engine program, or a Crystal report that you run through PeopleSoft Process Scheduler.
process run control	A PeopleTools variable used to retain PeopleSoft Process Scheduler values needed at runtime for all requests that reference a run control ID. Do not confuse these with application run controls, which may be defined with the same run control ID, but only contain information specific to a given application process request.
product	A PeopleSoft Enterprise or third-party product. PeopleSoft organizes its software products into product families and product lines. Interactive Services Repository contains information about every release of every product that PeopleSoft sells, as well as products from certified third-party companies. These products appear with the product name and release number.
product adds	The pricing functionality where buying product A gets product B for free or at a price (formerly referred to as <i>giveaways</i>).
product bidding	In PeopleSoft Strategic Sourcing, the placing of a bid on behalf of the bidder, up or down to the bidder's specified amount, so that the bidder can be the leading bidder.
product category	In PeopleSoft Enterprise Incentive Management, indicates an application in the PeopleSoft Enterprise Incentive Management suite of products. Each transaction in the PeopleSoft Enterprise Incentive Management system is associated with a product category.
product family	A group of products that are related by common functionality. The family names that can be searched using Interactive Service Repository are Oracle's PeopleSoft Enterprise, PeopleSoft EnterpriseOne, PeopleSoft World, and third-party, certified partners.
product line	The name of a PeopleSoft Enterprise product line or the company name of a third-party certified partner. Integration Services Repository enables you to search for integration points by product line.
programs	In PeopleSoft Enterprise Learning Management, a high-level grouping that guides the learner along a specific learning path through sections of catalog items. PeopleSoft Enterprise Learning Systems provides two types of programs—curricula and certifications.
progress log	In PeopleSoft Enterprise Services Procurement, tracks deliverable-based projects. This is similar to the time sheet in function and process. The service provider contact uses the progress log to record and submit progress on deliverables. The progress can be logged by the activity that is performed, by the percentage of work that is completed, or by the completion of milestone activities that are defined for the project.
project transaction	In PeopleSoft Enterprise Project Costing, an individual transaction line that represents a cost, time, budget, or other transaction row.
promotion	In PeopleSoft Enterprise Promotions Management, a trade promotion, which is typically funded from trade dollars and used by consumer products manufacturers to increase sales volume.
prospects	In PeopleSoft Enterprise Campus Solutions, students who are interested in applying to the institution. In PeopleSoft Enterprise Contributor Relations, individuals and organizations that are most likely to make substantial financial commitments or other types of commitments to the institution.
proxy bidding	In PeopleSoft Strategic Sourcing, the placing of a bid on behalf of the bidder, up or down to the bidder's specified amount, so that the bidder can be the leading bidder.

publishing	In PeopleSoft Enterprise Incentive Management, a stage in processing that makes incentive-related results available to participants.
rating components	In PeopleSoft Enterprise Campus Solutions, variables used with the Equation Editor to retrieve specified populations.
record group	A set of logically and functionally related control tables and views. Record groups help enable TableSet sharing, which eliminates redundant data entry. Record groups ensure that TableSet sharing is applied consistently across all related tables and views.
record input VAT flag	Abbreviation for <i>record input value-added tax flag</i> . Within PeopleSoft Enterprise Purchasing, Payables, and General Ledger, this flag indicates that you are recording input VAT on the transaction. This flag, in conjunction with the record output VAT flag, is used to determine the accounting entries created for a transaction and to determine how a transaction is reported on the VAT return. For all cases within Purchasing and Payables where VAT information is tracked on a transaction, this flag is set to Yes. This flag is not used in PeopleSoft Enterprise Order Management, Billing, or Receivables, where it is assumed that you are always recording only output VAT, or in PeopleSoft Enterprise Expenses, where it is assumed that you are always recording only input VAT.
record output VAT flag	Abbreviation for <i>record output value-added tax flag</i> . See <i>record input VAT flag</i> .
recname	The name of a record that is used to determine the associated field to match a value or set of values.
recognition	In PeopleSoft Enterprise Campus Solutions, the recognition type indicates whether the PeopleSoft Enterprise Contributor Relations donor is the primary donor of a commitment or shares the credit for a donation. Primary donors receive hard credit that must total 100 percent. Donors that share the credit are given soft credit. Institutions can also define other share recognition-type values such as memo credit or vehicle credit.
reference data	In PeopleSoft Enterprise Sales Incentive Management, system objects that represent the sales organization, such as territories, participants, products, customers, and channels.
reference object	In PeopleSoft Enterprise Incentive Management, this dimension-type object further defines the business. Reference objects can have their own hierarchy (for example, product tree, customer tree, industry tree, and geography tree).
reference transaction	In commitment control, a reference transaction is a source transaction that is referenced by a higher-level (and usually later) source transaction, in order to automatically reverse all or part of the referenced transaction's budget-checked amount. This avoids duplicate postings during the sequential entry of the transaction at different commitment levels. For example, the amount of an encumbrance transaction (such as a purchase order) will, when checked and recorded against a budget, cause the system to concurrently reference and relieve all or part of the amount of a corresponding pre-encumbrance transaction, such as a purchase requisition.
regional sourcing	In PeopleSoft Enterprise Purchasing, provides the infrastructure to maintain, display, and select an appropriate vendor and vendor pricing structure that is based on a regional sourcing model where the multiple ship to locations are grouped. Sourcing may occur at a level higher than the ship to location.
relationship object	In PeopleSoft Enterprise Incentive Management, these objects further define a compensation structure to resolve transactions by establishing associations between compensation objects and business objects.
remote data source data	Data that is extracted from a separate database and migrated into the local database.

REN server	Abbreviation for <i>real-time event notification server</i> in PeopleSoft MultiChannel Framework.
requester	In PeopleSoft Enterprise eSettlements, an individual who requests goods or services and whose ID appears on the various procurement pages that reference purchase orders.
reservations	In PeopleSoft Expenses, travel reservations that have been placed with the travel vendor.
reversal indicator	In PeopleSoft Enterprise Campus Solutions, an indicator that denotes when a particular payment has been reversed, usually because of insufficient funds.
RFI event	In PeopleSoft Strategic Sourcing, a request for information.
RFx event	In PeopleSoft Strategic Sourcing, a request for proposal or request for a quote event when bidders submit their overall best bids and during which bidders do not actively compete against one another.
role	Describes how people fit into PeopleSoft Workflow. A role is a class of users who perform the same type of work, such as clerks or managers. Your business rules typically specify what user role needs to do an activity.
role user	A PeopleSoft Workflow user. A person's role user ID serves much the same purpose as a user ID does in other parts of the system. PeopleSoft Workflow uses role user IDs to determine how to route worklist items to users (through an email address, for example) and to track the roles that users play in the workflow. Role users do not need PeopleSoft user IDs.
roll up	In a tree, to roll up is to total sums based on the information hierarchy.
run control	A run control is a type of online page that is used to begin a process, such as the batch processing of a payroll run. Run control pages generally start a program that manipulates data.
run control ID	A unique ID to associate each user with his or her own run control table entries.
run-level context	In PeopleSoft Enterprise Incentive Management, associates a particular run (and batch ID) with a period context and plan context. Every plan context that participates in a run has a separate run-level context. Because a run cannot span periods, only one run-level context is associated with each plan context.
saved bid	In PeopleSoft Strategic Sourcing, a bid that has been created but not submitted. Only submitted bids are eligible for award.
score	In PeopleSoft Strategic Sourcing, the numerical sum of answers (percentages) to bid factors on an event. Scores appear only to bidders on auction events.
SCP SCBM XML message	Abbreviation for <i>Supply Chain Planning Supply Chain Business Modeler Extensible Markup Language message</i> . Supply Chain Business Modeler uses XML as the format for all data that it imports and exports.
search query	You use this set of objects to pass a query string and operators to the search engine. The search index returns a set of matching results with keys to the source documents.
search/match	In PeopleSoft Enterprise Campus Solutions and PeopleSoft Enterprise Human Resources Management Solutions, a feature that enables you to search for and identify duplicate records in the database.
seasonal address	In PeopleSoft Enterprise Campus Solutions, an address that recurs for the same length of time at the same time of year each year until adjusted or deleted.

section	In PeopleSoft Enterprise Incentive Management, a collection of incentive rules that operate on transactions of a specific type. Sections enable plans to be segmented to process logical events in different sections.
security event	In commitment control, security events trigger security authorization checking, such as budget entries, transfers, and adjustments; exception overrides and notifications; and inquiries.
sell event	In PeopleSoft Strategic Sourcing, for event creators, the sale of goods or services most typically associated with forward auctions. For bidders, the purchase of goods or services.
serial genealogy	In PeopleSoft Enterprise Manufacturing, the ability to track the composition of a specific, serial-controlled item.
serial in production	In PeopleSoft Enterprise Manufacturing, enables the tracing of serial information for manufactured items. This is maintained in the Item Master record.
service impact	In PeopleSoft Enterprise Campus Solutions, the resulting action triggered by a service indicator. For example, a service indicator that reflects nonpayment of account balances by a student might result in a service impact that prohibits registration for classes.
service indicator	In PeopleSoft Enterprise Campus Solutions, indicates services that may be either withheld or provided to an individual. Negative service indicators indicate holds that prevent the individual from receiving specified services, such as check-cashing privileges or registration for classes. Positive service indicators designate special services that are provided to the individual, such as front-of-line service or special services for disabled students.
session	In PeopleSoft Enterprise Campus Solutions, time elements that subdivide a term into multiple time periods during which classes are offered. In PeopleSoft Enterprise Contributor Relations, a session is the means of validating gift, pledge, membership, or adjustment data entry. It controls access to the data entered by a specific user ID. Sessions are balanced, queued, and then posted to the institution's financial system. Sessions must be posted to enter a matching gift or pledge payment, to make an adjustment, or to process giving clubs or acknowledgements. In PeopleSoft Enterprise Learning Management, a single meeting day of an activity (that is, the period of time between start and finish times within a day). The session stores the specific date, location, meeting time, and instructor. Sessions are used for scheduled training.
session template	In PeopleSoft Enterprise Learning Management, enables you to set up common activity characteristics that may be reused while scheduling a PeopleSoft Enterprise Learning Management activity—characteristics such as days of the week, start and end times, facility and room assignments, instructors, and equipment. A session pattern template can be attached to an activity that is being scheduled. Attaching a template to an activity causes all of the default template information to populate the activity session pattern.
setup relationship	In PeopleSoft Enterprise Incentive Management, a relationship object type that associates a configuration plan with any structure node.
share driver expression	In PeopleSoft Enterprise Business Planning, a named planning method similar to a driver expression, but which you can set up globally for shared use within a single planning application or to be shared between multiple planning applications through PeopleSoft Enterprise Warehouse.
short-term customer	A customer not in the system who is entered during sales order entry using a template.

single signon	With single signon, users can, after being authenticated by a PeopleSoft Enterprise application server, access a second PeopleSoft Enterprise application server without entering a user ID or password.
source key process	In PeopleSoft Enterprise Campus Solutions, a process that relates a particular transaction to the source of the charge or financial aid. On selected pages, you can drill down into particular charges.
source transaction	In commitment control, any transaction generated in a PeopleSoft Enterprise or third-party application that is integrated with commitment control and which can be checked against commitment control budgets. For example, a pre-encumbrance, encumbrance, expenditure, recognized revenue, or collected revenue transaction.
sourcing objective	For constraints, the option to designate whether a business rule is required (mandatory) or is only recommended (target).
speed key	See <i>communication key</i> .
SpeedChart	A user-defined shorthand key that designates several ChartKeys to be used for voucher entry. Percentages can optionally be related to each ChartKey in a SpeedChart definition.
SpeedType	A code representing a combination of ChartField values. SpeedTypes simplify the entry of ChartFields commonly used together.
staging	A method of consolidating selected partner offerings with the offerings from the enterprise's other partners.
standard letter code	In PeopleSoft Enterprise Campus Solutions, a standard letter code used to identify each letter template available for use in mail merge functions. Every letter generated in the system must have a standard letter code identification.
statutory account	Account required by a regulatory authority for recording and reporting financial results. In PeopleSoft Enterprise, this is equivalent to the Alternate Account (ALTACCT) ChartField.
step	In PeopleSoft Enterprise Sales Incentive Management, a collection of sections in a plan. Each step corresponds to a step in the job run.
storage level	In PeopleSoft Enterprise Inventory, identifies the level of a material storage location. Material storage locations are made up of a business unit, a storage area, and a storage level. You can set up to four storage levels.
subcustomer qualifier	A value that groups customers into a division for which you can generate detailed history, aging, events, and profiles.
Summary ChartField	You use summary ChartFields to create summary ledgers that roll up detail amounts based on specific detail values or on selected tree nodes. When detail values are summarized using tree nodes, summary ChartFields must be used in the summary ledger data record to accommodate the maximum length of a node name (20 characters).
summary ledger	An accounting feature used primarily in allocations, inquiries, and PS/nVision reporting to store combined account balances from detail ledgers. Summary ledgers increase speed and efficiency of reporting by eliminating the need to summarize detail ledger balances each time a report is requested. Instead, detail balances are summarized in a background process according to user-specified criteria and stored on summary ledgers. The summary ledgers are then accessed directly for reporting.
summary time period	In PeopleSoft Enterprise Business Planning, any time period (other than a base time period) that is an aggregate of other time periods, including other summary time periods and base time periods, such as quarter and year total.

summary tree	A tree used to roll up accounts for each type of report in summary ledgers. Summary trees enable you to define trees on trees. In a summary tree, the detail values are really nodes on a detail tree or another summary tree (known as the <i>basis</i> tree). A summary tree structure specifies the details on which the summary trees are to be built.
syndicate	To distribute a production version of the enterprise catalog to partners.
system function	In PeopleSoft Enterprise Receivables, an activity that defines how the system generates accounting entries for the general ledger.
system source	The system source identifies the source of a transaction row in the database. For example, a transaction that originates in PeopleSoft Enterprise Expenses contains a system source code of BEX (Expenses Batch). When PeopleSoft Enterprise Project Costing prices the source transaction row for billing, the system creates a new row with a system source code of PRP (Project Costing pricing), which represents the system source of the new row. System source codes can identify sources that are internal or external to the PeopleSoft Enterprise system. For example, processes that import data from Microsoft Project into PeopleSoft Enterprise applications create transaction rows with a source code of MSP (Microsoft Project).
TableSet	A means of sharing similar sets of values in control tables, where the actual data values are different but the structure of the tables is the same.
TableSet sharing	Shared data that is stored in many tables that are based on the same TableSets. Tables that use TableSet sharing contain the SETID field as an additional key or unique identifier.
target currency	The value of the entry currency or currencies converted to a single currency for budget viewing and inquiry purposes.
task	A deliverable item on the detailed sourcing plan.
tax authority	In PeopleSoft Enterprise Campus Solutions, a user-defined element that combines a description and percentage of a tax with an account type, an item type, and a service impact.
template	A template is HTML code associated with a web page. It defines the layout of the page and also where to get HTML for each part of the page. In PeopleSoft Enterprise, you use templates to build a page by combining HTML from a number of sources. For a PeopleSoft Enterprise portal, all templates must be registered in the portal registry, and each content reference must be assigned a template.
tenant	In PeopleSoft Real Estate Management, an entity that leases real estate from a landlord.
territory	In PeopleSoft Enterprise Sales Incentive Management, hierarchical relationships of business objects, including regions, products, customers, industries, and participants.
third party	A company or vendor that has extensive PeopleSoft Enterprise product knowledge and whose products and integrations have been certified and are compatible with PeopleSoft Enterprise applications.
tiered pricing	Enables different portions of a schedule to be priced differently from one another.
time span	A relative period, such as year-to-date or current period, that various PeopleSoft General Ledger functions and reports can use when a rolling time frame, rather than a specific date, is required.
total cost	In PeopleSoft Strategic Sourcing, the estimated dollar cost (sum of real price dollars and potential “soft” or non-price dollars) of a particular award approach.

travel group	In PeopleSoft Expenses, the organization's travel rules and policies that are associated with specific business units, departments, or employees. You must define at least one travel group when setting up the PeopleSoft Expenses travel feature. You must define and associate at least one travel group with a travel vendor.
travel partner	In PeopleSoft Expenses, the travel vendor with which the organization has a contractual relationship.
3C engine	Abbreviation for <i>Communications, Checklists, and Comments engine</i> . In PeopleSoft Enterprise Campus Solutions, the 3C engine enables you to automate business processes that involve additions, deletions, and updates to communications, checklists, and comments. You define events and triggers to engage the engine, which runs the mass change and processes the 3C records (for individuals or organizations) immediately and automatically from within business processes.
3C group	Abbreviation for <i>Communications, Checklists, and Comments group</i> . In PeopleSoft Enterprise Campus Solutions, a method of assigning or restricting access privileges. A 3C group enables you to group specific communication categories, checklist codes, and comment categories. You can then assign the group inquiry-only access or update access, as appropriate.
trace usage	In PeopleSoft Enterprise Manufacturing, enables the control of which components will be traced during the manufacturing process. Serial- and lot-controlled components can be traced. This is maintained in the Item Master record.
transaction allocation	In PeopleSoft Enterprise Incentive Management, the process of identifying the owner of a transaction. When a raw transaction from a batch is allocated to a plan context, the transaction is duplicated in the PeopleSoft Enterprise Incentive Management transaction tables.
transaction state	In PeopleSoft Enterprise Incentive Management, a value assigned by an incentive rule to a transaction. Transaction states enable sections to process only transactions that are at a specific stage in system processing. After being successfully processed, transactions may be promoted to the next transaction state and "picked up" by a different section for further processing.
Translate table	A system edit table that stores codes and translate values for the miscellaneous fields in the database that do not warrant individual edit tables of their own.
tree	The graphical hierarchy in PeopleSoft Enterprise systems that displays the relationship between all accounting units (for example, corporate divisions, projects, reporting groups, account numbers) and determines roll-up hierarchies.
tuition lock	In PeopleSoft Enterprise Campus Solutions, a feature in the Tuition Calculation process that enables you to specify a point in a term after which students are charged a minimum (or <i>locked</i>) fee amount. Students are charged the locked fee amount even if they later drop classes and take less than the normal load level for that tuition charge.
unclaimed transaction	In PeopleSoft Enterprise Incentive Management, a transaction that is not claimed by a node or participant after the allocation process has completed, usually due to missing or incomplete data. Unclaimed transactions may be manually assigned to the appropriate node or participant by a compensation administrator.
universal navigation header	Every PeopleSoft Enterprise portal includes the universal navigation header, intended to appear at the top of every page as long as the user is signed on to the portal. In addition to providing access to the standard navigation buttons (like Home, Favorites, and signoff) the universal navigation header can also display a welcome message for each user.
update access	In PeopleSoft Enterprise Campus Solutions, a type of security access that permits the user to edit and update data.

See also *inquiry access*.

user interaction object	In PeopleSoft Enterprise Sales Incentive Management, used to define the reporting components and reports that a participant can access in his or her context. All PeopleSoft Enterprise Sales Incentive Management user interface objects and reports are registered as user interaction objects. User interaction objects can be linked to a compensation structure node through a compensation relationship object (individually or as groups).
variable	In PeopleSoft Enterprise Sales Incentive Management, the intermediate results of calculations. Variables hold the calculation results and are then inputs to other calculations. Variables can be plan variables that persist beyond the run of an engine or local variables that exist only during the processing of a section.
VAT exception	Abbreviation for <i>value-added tax exception</i> . A temporary or permanent exemption from paying VAT that is granted to an organization. This term refers to both VAT exoneration and VAT suspension.
VAT exempt	Abbreviation for <i>value-added tax exempt</i> . Describes goods and services that are not subject to VAT. Organizations that supply exempt goods or services are unable to recover the related input VAT. This is also referred to as exempt without recovery.
VAT exoneration	Abbreviation for <i>value-added tax exoneration</i> . An organization that has been granted a permanent exemption from paying VAT due to the nature of that organization.
VAT suspension	Abbreviation for <i>value-added tax suspension</i> . An organization that has been granted a temporary exemption from paying VAT.
warehouse	A PeopleSoft Enterprise data warehouse that consists of predefined ETL maps, data warehouse tools, and DataMart definitions.
weight or weighting	In PeopleSoft Strategic Sourcing, how important the line or question is to the overall event. Weighting is used to score and analyze bids. For RFx and RFI events, weightings may or may not appear to bidders.
work order	In PeopleSoft Enterprise Services Procurement, enables an enterprise to create resource-based and deliverable-based transactions that specify the basic terms and conditions for hiring a specific service provider. When a service provider is hired, the service provider logs time or progress against the work order.
worker	A person who is part of the workforce; an employee or a contingent worker.
workset	A group of people and organizations that are linked together as a set. You can use worksets to simultaneously retrieve the data for a group of people and organizations and work with the information on a single page.
worksheet	A way of presenting data through a PeopleSoft Enterprise Business Analysis Modeler interface that enables users to do in-depth analysis using pivoting tables, charts, notes, and history information.
worklist	The automated to-do list that PeopleSoft Workflow creates. From the worklist, you can directly access the pages you need to perform the next action, and then return to the worklist for another item.
XML link	The XML Linking language enables you to insert elements into XML documents to create a links between resources.
XML schema	An XML definition that standardizes the representation of application messages, component interfaces, or business interlinks.
XPI	Abbreviation for <i>eXtended Process Integrator</i> . PeopleSoft XPI is the integration infrastructure that enables both real-time and batch communication with JD Edwards EnterpriseOne applications.

yield by operation

In PeopleSoft Enterprise Manufacturing, the ability to plan the loss of a manufactured item on an operation-by-operation basis.

zero-rated VAT

Abbreviation for *zero-rated value-added tax*. A VAT transaction with a VAT code that has a tax percent of zero. Used to track taxable VAT activity where no actual VAT amount is charged. Organizations that supply zero-rated goods and services can still recover the related input VAT. This is also referred to as exempt with recovery.

Index

A

- Access the Account Balances - Invoice
 - Details page 68
- account activity, reviewing 53
- account balances
 - reviewing 67
 - viewing by currency 68
 - viewing details of 68
- Account Balances - Balances by Currency
 - page 68
- Account Balances - Invoice Details
 - page 68
- Account Balances - Invoice List page 68
- Account Balances - Select Vendor
 - page 68
- accounts, disabling 9
- Acknowledge Purchase Orders -
 - Acknowledgement Summary page 36, 37
- Acknowledge Purchase Orders -
 - Search/Filter Acknowledgments
 - page 36
- Acknowledge Purchase Orders - Select Vendor page 36
- Add Vendor page 8
- additional documentation xii
- addresses, maintaining 10
- administrators, external 5, 8
- Advance Shipment Notification - Advance Shipment Creation page 48
- Advance Shipment Notification - Lot/Serial Information (inquiry) page 48, 51
- Advance Shipment Notification - Purchase Order Schedule Selection page 48
- Advance Shipment Notification - Select Vendor page 48
- Advance Shipment Notification pages -
 - Lot/Serial Information (inquiry) 52
- advance shipping notifications (ASNs) 92
- advanced shipping notices 47
 - See Also* ASNs
- application fundamentals xi
- ASN History - Filter Options page 51, 52
- ASN History - Line Details page 51, 52
- ASN History - Summary page 51, 52

- ASN History- Select Vendor page 51
- ASNs
 - creating 48
 - understanding 47
 - viewing history 50, 51

B

- Billing Address page 25

C

- comments, submitting xvi
- common elements xvi
- Configure External Access component (PO_SUPP_SETUP) 55
- Configure External Access component (PO_SUPP_SETUP.GBL) 53
- contact information xvi
- contacts 12
- cross-references xv
- Customer Connection website xii

D

- documentation
 - printed xii
 - related xii
 - updates xii
- documentation, related xix, 2

E

- EDX
 - acknowledging status 36
 - status structure 33
- effective date xx
- electronic data exchange, *See* EDX
- email alerts 22
- Email Message page 19, 25, 51, 52, 78
- eRFQ 21
 - See Also* RFQs

F

- fields, common descriptions xx, 22, 53, 77

G

- glossary 101

graph colors 74

I

integrations

PeopleSoft eProcurement 2

PeopleSoft Payables 2

PeopleSoft Purchasing 2

PeopleSoft Supply Planning 2

invoices, reviewing 64

L

language, selecting base 9

Login pagelet (external) 17

M

Maintain Addresses - Address Information
page 11

Maintain Addresses - Current Addresses
page 11

Maintain Addresses - Select Vendor
Page 11

Maintain Contacts - Contacts Information
page 12

Maintain Contacts - Current Contacts
page 12

Maintain Contacts - Select Vendor
page 12

N

notes xv

O

on-time performance details 78

On-Time Performance pagelet 94

order summaries

reviewing 61

viewing change order information 63

viewing schedule information 62

P

pagelet personalization 87

pagelet types, supplier 85

pagelets

On-Time Performance 94

PO/Receipt Qty Performance 97

Quality Performance 96

Quantity Performance 95

Recent ASNs 92

Recently Dispatched POs 90

Recently Dispatched RFQs 91

pages, employee-facing

used to maintain online POAs 41

pages, supplier-facing

used to review order summaries 61

payments, reviewing 66

PeopleBooks

ordering xii

PeopleCode, typographical

conventions xiv

PeopleSoft Purchasing pagelets

Recently Dispatched Schedules 92

Remaining Quantity Balances 93

performance, *See* supplier performance

performance metric types

On-Time 72, 78

PO/Received Quantity 72, 83

Quality 72, 82

Quantity 72, 81

performance metrics

equations for determining 79, 81, 82,
83

periods for determining 74, 77

prerequisites 73

targets and tolerances 74

understanding 71

viewing 76

periods 74, 77

permission lists 4

Personalize User Defaults - Save

Confirmation page 88

Personalize User Defaults page 88

PO versus receipt quantity performance
details 83

PO/Receipt Qty Performance pagelet 97

PO_SUPP_SETUP component 55

POA Alerts page 42

POAs

acknowledgement details, viewing and
changing 39

creating online POAs 35

recently dispatched 90

reviewing and approving 43

searching for 37, 43

status, acknowledging 33

understanding online POAs 31

prerequisites xi

performance metrics 73

security 3

printed documentation xii

printing, setting up supply side
 capability 53
 processing, deferred xx
 purchase order acknowledgements, *See*
 POAs
 Purchase Order Acknowledgements
 page 100
 Purchase Orders - Invoice Details page 57
 Purchase Orders - Purchase Order Details
 page 56
 Purchase Orders - Purchase Order List
 page 56
 Purchase Orders - Purchase Order Schedule
 page 56
 purchase orders, reviewing 55, 58

Q

quality performance details 82
 Quality Performance pagelet 96
 quantity performance details 81
 Quantity Performance pagelet 95

R

receipts, reviewing 63, 66
 Recent ASNs pagelet 92
 Recently Dispatched POs pagelet 90
 Recently Dispatched RFQs
 pagelets 91
 Recently Dispatched Schedules
 pagelet 92
 Registration Setup page 13
 related documentation xii
 Remaining Quantity Balances pagelet 93
 reporting entities 75
 Request for Quote History page 25, 28
 Request For Quote Response page 25
 Request for Quotes - Filter Options
 page 24, 25
 Request for Quotes - Request for Quote
 Details page 26
 Request for Quotes - Request for Quote List
 page 25, 26
 Request for Quotes - Request for Quote
 Response Page 26
 Request for Quotes - Select Vendor
 page 24
 Request for Quotes- Request for Quote
 Detail page 25
 requests for quotes, *See* RFQs
 response history, RFQs 28
 Review Invoices - Filter Options page 65
 Review Invoices - Invoice Details page 65
 Review Invoices - Invoice List page 65
 Review Invoices - Payment Details
 page 65
 Review Invoices - Purchase Order Lines
 page 65
 Review Invoices - Purchase Order Schedule
 page 65
 Review Invoices - Receipt Details
 page 65
 Review Invoices - Receipt Lines page 65,
 66
 Review Invoices - Select Vendor page 65
 Review Payments - Filter Options page 67
 Review Payments - Payment Detail
 page 67
 Review Payments - Payments Made
 page 67
 Review Payments - Select Vendor page 67
 Review Purchase Orders - Filter Options
 page 56
 Review Purchase Orders - Purchase Order
 Details page 58
 Review Purchase Orders - Select Vendor
 page 55
 Review Receipts - Filter Options page 63
 Review Receipts - Receipt Details
 page 63
 Review Receipts - Receipt Lines page 63
 Review Receipts - Select Vendor page 63
 RFQs
 alerting vendors 22
 process flow 21
 recently dispatched 91
 responding to 26
 response maintenance 21
 response modification 22
 reviewing and responding to 24
 reviewing history 28
 searching for 25, 26
 task alert workflow, sending 23
 understanding 21
 viewing details of 26
 roles
 Application Administrator 9
 Buyer 100
 delivered, supplier 86
 pagelet security 85

- self-service security 4
- Supplier - Applications
 - Administrator 5, 89, 90, 94
- Supplier - Customer Service Rep 23, 87, 89, 94, 99
- Supplier - Production Manager 90
- Supplier - Supplier Administrator 86
- Supplier - Warehouse Personnel 87, 89
- Vendor 100
- Run PO AutoChange page 42

S

- sample data 4
- security
 - self-service for vendors 4
 - Setup User page 8
- Security - Setup User page 8, 10
- self-service
 - functional overview 1
 - security 10
 - security prerequisites 4
- setID xx
- setup tasks 2
- Shipping Address page 25
- Signing on 17
- statistic amount xx
- suggestions, submitting xvi
- supplier 53
 - See Also* vendor
 - registering 18
- supplier activities, viewing 88
- supplier pagelets 85
- Supplier Performance Setup component (WV_PE_METRIC_SETUP) 75
- Supplier Performance Setup page 75
- Supplier Performance Vendor component (WV_PE_METRIC_VNDR) 76
- Supplier Performance Vendor page 75, 76
- supplier performance, viewing 93
- Supplier Portal POAs - Acknowledgement
 - Details page 42, 45
- Supplier Portal POAs page 42, 45
- Supplier registration 18
- Supplier Registration Setup page 13
- Supplier User Management page 13, 15
- System
 - signon 17

T

- targets and tolerances
 - defining 74
 - system-wide 75
 - vendor-specific 76
- tasklist alerts 22, 23
- terms 101
- typographical conventions xiv

U

- UM_DISTR_INTVND component 8
- user profiles 4, 6
- users, external
 - maintaining 10
 - setup 8
 - supplier administrators 5
- users, internal
 - supplier administrators 5
- users, maintaining 7

V

- Vendor User Maintenance component (UM_DISTR_INTVND) 8
- Vendor User page 8
- Vendor User Setup page 8
- vendors
 - account activity 53
 - address information, maintaining 10
 - creating users 10
 - dispatched RFQs, alerting about 22
 - information maintenance,
 - understanding 3
 - online POAs, creating 37
 - self-service security 4
 - targets and tolerances, defining 76
 - task list items 23
 - user setup 8
 - vendor codes 10
- View Order Summary - Change Order
 - Details page 62
- View Order Summary - Filter Options
 - page 62
- View Order Summary - Order Schedule
 - page 62
- View Order Summary - Select Vendor
 - page 62
- View Order Summary - Shipping Address
 - page 62

View Vendor Shipment Performance -
 On-Time Performance page 78
 View Vendor Shipment Performance -
 On-Time Performance page 78
 View Vendor Shipment Performance -
 PO/Receipt Qty Performance page 78
 View Vendor Shipment Performance -
 PO/Receipt Quantity Performance Detail
 page
 PO/Receipt Qty Performance page 83
 View Vendor Shipment Performance -
 Quality Performance page 78, 82
 View Vendor Shipment Performance -
 Quantity Performance detail page 81
 View Vendor Shipment Performance -
 Quantity Performance page 78
 View Vendor Shipment Performance - Ship
 To Details page 78
 visual cues xv

W

warnings xv
 workflow
 adding a task item to Integrated Task List
 pagelet 23
 Notify Vendor 99
 PO Acknowledgement 32, 45, 100
 PO RFQ Dispatch 23, 99
 withd hold field xx

