
PeopleSoft Enterprise Mobile Time and Expense 9.0 PeopleBook

September 2006

PeopleSoft Enterprise Mobile Time and Expense 9.0 PeopleBook
SKU FSCM9MTE-B 0806
Copyright © 1992-2006, Oracle. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are “commercial computer software” or “commercial technical data” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee’s responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Open Source Disclosure

Oracle takes no responsibility for its use or distribution of any open source or shareware software or documentation and disclaims any and all liability or damages resulting from use of said software or documentation. The following open source software may be used in Oracle’s PeopleSoft products and the following disclaimers are provided.

Apache Software Foundation

This product includes software developed by the Apache Software Foundation (<http://www.apache.org/>). Copyright © 2000-2003. The Apache Software Foundation. All rights reserved. Licensed under the Apache License, Version 2.0 (the “License”); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>.

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

OpenSSL

Copyright © 1998-2005 The OpenSSL Project. All rights reserved.

This product includes software developed by the OpenSSL Project for use in the OpenSSL Toolkit (<http://www.openssl.org/>).

THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Loki Library

Copyright © 2001 by Andrei Alexandrescu. This code accompanies the book: Alexandrescu, Andrei. “Modern C++ Design: Generic Programming and Design Patterns Applied”. Copyright © 2001 Addison-Wesley. Permission to use, copy, modify, distribute and sell this software for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

Helma Project

Copyright © 1999-2004 Helma Project. All rights reserved. THIS SOFTWARE IS PROVIDED “AS IS” AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE HELMA PROJECT OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Helma includes third party software released under different specific license terms. See the licenses directory in the Helma distribution for a list of these license.

Sarissa

Copyright © 2004 Manos Batsis.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA.

ICU

ICU License - ICU 1.8.1 and later COPYRIGHT AND PERMISSION NOTICE Copyright © 1995-2003 International Business Machines Corporation and others. All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation. THE SOFTWARE IS PROVIDED "AS IS," WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE. Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

Sun's JAXB Implementation – JSDK 1.5 relaxngDatatype.jar 1.0 License

Copyright © 2001, Thai Open Source Software Center Ltd, Sun Microsystems. All rights reserved.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

W3C IPR SOFTWARE NOTICE

Copyright © 2000 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved.

Note: The original version of the W3C Software Copyright Notice and License could be found at <http://www.w3.org/Consortium/Legal/copyright-software-19980720>.

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS. COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

Contents

General Preface

About This PeopleBook Preface	.xi
PeopleSoft Enterprise Application Prerequisites.....	.xi
Application Fundamentals.....	.xi
Documentation Updates and Printed Documentation.....	.xii
Obtaining Documentation Updates.....	.xii
Downloading and Ordering Printed Documentation.....	.xii
Additional Resources.....	.xiii
Typographical Conventions and Visual Cues.....	.xiv
Typographical Conventions.....	.xiv
Visual Cues.....	.xv
Country, Region, and Industry Identifiers.....	.xv
Currency Codes.....	.xvi
Comments and Suggestions.....	.xvi
Common Elements Used in PeopleBooks.....	.xvi

Preface

PeopleSoft Enterprise Mobile Time and Expense Preface.....	.xix
Oracle's PeopleSoft Products.....	.xix
PeopleSoft Application Fundamentals.....	.xix
Common Elements Used in This PeopleBook.....	.xx

Chapter 1

Getting Started With PeopleSoft Enterprise Mobile Time and Expense.....	1
Understanding PeopleSoft Mobile Time and Expense.....	1
PeopleSoft Mobile Time and Expense Business Processes.....	1
PeopleSoft Mobile Time and Expense Integrations.....	2
PeopleSoft Mobile Time and Expense Implementation.....	3

Chapter 2

Working with Mobile Applications.....	5
Understanding Mobile Device Initialization.....	5
Understanding Synchronization Options.....	5

Initializing Mobile Devices.....	6
Performing Bootstrap Synchronizations.....	6
Performing PDA Initializations.....	6
Navigating Within Mobile Transactions.....	7

Chapter 3

Filtering Mobile Data.....	9
Understanding Mobile Data Filters.....	9
Setting Up Mobile Data Filters.....	10
Pages Used to Set Up Mobile Data Filters.....	11
Setting Up Filters for Countries.....	11
Setting Up Filters for States and Provinces.....	12
Setting Up Filters for Localities.....	13
Setting Up Filters for Currencies.....	14
Setting Up Filters for Expense Locations.....	15
Setting Up Filters for Projects.....	16

Chapter 4

Maintaining User Profile Information.....	19
Understanding User Profiles.....	19
Viewing Employee Personal Data.....	19
Understanding Employee Personal Data.....	19
Page Used to View Employee Personal Data.....	20
Viewing Employee Organizational Data.....	20
Understanding Employee Organizational Data.....	20
Pages Used to View Employee Organizational Data.....	20
Viewing Employee Organizational Data.....	20
Maintaining User Defaults.....	21
Understanding Maintenance of User Defaults.....	21
Page Used to Maintain User Defaults.....	21
Adding or Modifying User Defaults.....	21
Viewing Employee Bank Account Information.....	24
Understanding Employee Bank Account Information.....	24
Page Used to View Employee Bank Account Information.....	25
Viewing Employee Bank Account Information.....	25
Viewing Employee Credit Card Information.....	25
Understanding Employee Credit Card Information.....	25
Page Used to View Employee Credit Card Information.....	25

Viewing Employee Credit Card Information.....	25
Maintaining Employee Transportation Information.....	26
Understanding Employee Transportation Information.....	26
Page Used to Maintain Employee Transportation Information.....	26
Viewing or Modifying Transportation Information.....	27

Chapter 5

Managing My Wallet Transactions.....	29
Understanding My Wallet Transactions Management in PeopleSoft Mobile Time and Expense.....	29
Viewing, Adding, and Deleting My Wallet Transactions.....	30
Pages Used to View, Add, and Delete My Wallet Transactions.....	30

Chapter 6

Preparing and Managing Expense Reports.....	31
Understanding Expense Report Processing.....	31
Creating or Modifying Expense Reports.....	32
Page Used to Create or Modify Expense Reports.....	32
Modifying or Creating New Reports.....	32
Entering Expense Report Data.....	32
Understanding Expense Report Data.....	32
Page Used to Enter Expense Report Data.....	33
Entering Expense Report Data.....	33
Adding or Modifying Expense Line Details.....	35
Understanding Adding and Modifying Expense Line Details.....	36
Pages Used to Add or Modify Expense Line Details.....	37
Adding or Modifying Expense Line Details.....	37
Copying Expense Line Details.....	38
Adding Attendees for an Expense Type.....	39
Viewing or Modifying Accounting Information.....	39
Understanding Default Accounting.....	39
Pages Used to View or Modify Default Accounting.....	40
Viewing or Modifying Default Accounting.....	40
Adding or Modifying Expense Line Accounting Details.....	40
Adding Transactions From My Wallet.....	41
Understanding My Wallet Transactions.....	41
Page Used to Add Transactions From My Wallet.....	42
Applying My Wallet Transactions to an Expense Report.....	42
Splitting Receipts.....	42

Understanding Receipt Splits.....	42
Page Used to Split Receipts.....	43
Splitting Receipts.....	43
Saving and Submitting Expense Reports.....	44
Viewing Expense Reports.....	44
Understanding Viewing Expense Reports.....	44
Pages Used to View Expense Reports.....	44

Chapter 7

Processing Time Reports.....	45
Understanding Time Reports.....	45
Creating and Modifying Time Reports.....	46
Pages Used to Create and Modify Time Reports.....	46
Creating or Modifying Time Reports.....	46
Adding or Modifying General Information on Time Reports.....	47
Entering Time and Details on Time Reports.....	47
Page Used to Enter Time and Details on Time Reports.....	47
Entering Project and Personal Time Details.....	47
Viewing Time Reports.....	49
Pages Used to View Time Reports.....	50
Viewing Time Reports.....	50

Chapter 8

Using PeopleSoft Mobile Time and Expense for PDA.....	51
Understanding PeopleSoft Mobile Time and Expense For PDAs.....	51
Synchronizing Data Between Your PDA and PeopleSoft Expenses.....	51
Uploading Changes to PeopleSoft Expenses.....	51
Updating Business Data.....	52
Updating Applications.....	52
Viewing Synchronization Results, Error Lists, and Notifications.....	52
Viewing User Profile Information.....	53
Page Used to View User Profile Information.....	53
Entering Expense Data for Expense Reporting.....	53
Understanding Expense Reporting Data.....	53
Page Used to Enter Expense Data for Expense Reporting.....	54
Selecting or Adding Expense Transactions.....	54
Entering Expense Data.....	54
Entering Time Data for Time Reporting.....	56

Understanding Time Reporting.....	56
Common Elements Used in This Section.....	56
Pages Used to Enter Time Data for Time Reporting.....	56
Selecting or Adding Time Entries.....	57
Entering Project Times.....	57
Entering Personal Time.....	58
Setting Up Receipt and Time Capture Defaults.....	58
Understanding Receipt and Time Entry Default Setup.....	58
Common Elements Used in This Section.....	59
Pages Used to Set Up Receipt and Time Capture Defaults.....	59
Setting Up Defaults for Receipt Entry.....	59
Setting Up Defaults for Time Entry.....	60

Appendix A

Configuring ChartFields for PeopleSoft Mobile Time and Expense.....	61
Understanding Configuring ChartFields.....	61
Adding New ChartFields.....	62
Deleting ChartFields.....	78
Changing the Order of ChartFields.....	80
Renaming ChartFields.....	83
Understanding Dynamic Prompting.....	83
Mobile Objects Related to ChartFields.....	84
Mobile Pages That Use ChartFields.....	86
Mobile Transactions.....	87

Glossary of PeopleSoft Enterprise Terms.....	89
---	-----------

Index	115
--------------------	------------

About This PeopleBook Preface

PeopleSoft Enterprise PeopleBooks provide you with the information that you need to implement and use PeopleSoft Enterprise applications from Oracle.

This preface discusses:

- PeopleSoft Enterprise application prerequisites.
- Application fundamentals.
- Documentation updates and printed documentation.
- Additional resources.
- Typographical conventions and visual cues.
- Comments and suggestions.
- Common elements in PeopleBooks.

Note. PeopleBooks document only elements, such as fields and check boxes, that require additional explanation. If an element is not documented with the process or task in which it is used, then either it requires no additional explanation or it is documented with common elements for the section, chapter, PeopleBook, or product line. Elements that are common to all PeopleSoft Enterprise applications are defined in this preface.

PeopleSoft Enterprise Application Prerequisites

To benefit fully from the information that is covered in these books, you should have a basic understanding of how to use PeopleSoft Enterprise applications.

You might also want to complete at least one introductory training course, if applicable.

You should be familiar with navigating the system and adding, updating, and deleting information by using PeopleSoft Enterprise menus, pages, or windows. You should also be comfortable using the World Wide Web and the Microsoft Windows or Windows NT graphical user interface.

These books do not review navigation and other basics. They present the information that you need to use the system and implement your PeopleSoft Enterprise applications most effectively.

Application Fundamentals

Each application PeopleBook provides implementation and processing information for your PeopleSoft Enterprise applications.

For some applications, additional, essential information describing the setup and design of your system appears in a companion volume of documentation called the application fundamentals PeopleBook. Most product lines have a version of the application fundamentals PeopleBook. The preface of each PeopleBook identifies the application fundamentals PeopleBooks that are associated with that PeopleBook.

The application fundamentals PeopleBook consists of important topics that apply to many or all PeopleSoft Enterprise applications. Whether you are implementing a single application, some combination of applications within the product line, or the entire product line, you should be familiar with the contents of the appropriate application fundamentals PeopleBooks. They provide the starting points for fundamental implementation tasks.

Documentation Updates and Printed Documentation

This section discusses how to:

- Obtain documentation updates.
- Download and order printed documentation.

Obtaining Documentation Updates

You can find updates and additional documentation for this release, as well as previous releases, on Oracle's PeopleSoft Customer Connection website. Through the Documentation section of Oracle's PeopleSoft Customer Connection, you can download files to add to your PeopleBooks Library. You'll find a variety of useful and timely materials, including updates to the full line of PeopleSoft Enterprise documentation that is delivered on your PeopleBooks CD-ROM.

Important! Before you upgrade, you must check Oracle's PeopleSoft Customer Connection for updates to the upgrade instructions. Oracle continually posts updates as the upgrade process is refined.

See Also

Oracle's PeopleSoft Customer Connection, http://www.oracle.com/support/support_peoplesoft.html

Downloading and Ordering Printed Documentation

In addition to the complete line of documentation that is delivered on your PeopleBook CD-ROM, Oracle makes PeopleSoft Enterprise documentation available to you via Oracle's website. You can:

- Download PDF files.
- Order printed, bound volumes.

Downloading PDF Files

You can download PDF versions of PeopleSoft Enterprise documentation online via the Oracle Technology Network. Oracle makes these PDF files available online for each major release shortly after the software is shipped.

See Oracle Technology Network, <http://www.oracle.com/technology/documentation/psftent.html>.

Ordering Printed, Bound Volumes

You can order printed, bound volumes of selected documentation via the Oracle Store.

See Oracle Store, http://oraclestore.oracle.com/OA_HTML/ibeCCtpSctDspRte.jsp?section=14021

Additional Resources

The following resources are located on Oracle's PeopleSoft Customer Connection website:

Resource	Navigation
Application maintenance information	Updates + Fixes
Business process diagrams	Support, Documentation, Business Process Maps
Interactive Services Repository	Support, Documentation, Interactive Services Repository
Hardware and software requirements	Implement, Optimize + Upgrade; Implementation Guide; Implementation Documentation and Software; Hardware and Software Requirements
Installation guides	Implement, Optimize + Upgrade; Implementation Guide; Implementation Documentation and Software; Installation Guides and Notes
Integration information	Implement, Optimize + Upgrade; Implementation Guide; Implementation Documentation and Software; Pre-Built Integrations for PeopleSoft Enterprise and JD Edwards EnterpriseOne Applications
Minimum technical requirements (MTRs)	Implement, Optimize + Upgrade; Implementation Guide; Supported Platforms
Documentation updates	Support, Documentation, Documentation Updates
PeopleBooks support policy	Support, Support Policy
Prerelease notes	Support, Documentation, Documentation Updates, Category, Release Notes
Product release roadmap	Support, Roadmaps + Schedules
Release notes	Support, Documentation, Documentation Updates, Category, Release Notes
Release value proposition	Support, Documentation, Documentation Updates, Category, Release Value Proposition
Statement of direction	Support, Documentation, Documentation Updates, Category, Statement of Direction
Troubleshooting information	Support, Troubleshooting
Upgrade documentation	Support, Documentation, Upgrade Documentation and Scripts

Typographical Conventions and Visual Cues

This section discusses:

- Typographical conventions.
- Visual cues.
- Country, region, and industry identifiers.
- Currency codes.

Typographical Conventions

This table contains the typographical conventions that are used in PeopleBooks:

Typographical Convention or Visual Cue	Description
Bold	Indicates PeopleCode function names, business function names, event names, system function names, method names, language constructs, and PeopleCode reserved words that must be included literally in the function call.
<i>Italics</i>	Indicates field values, emphasis, and PeopleSoft Enterprise or other book-length publication titles. In PeopleCode syntax, italic items are placeholders for arguments that your program must supply. We also use italics when we refer to words as words or letters as letters, as in the following: Enter the letter <i>O</i> .
KEY+KEY	Indicates a key combination action. For example, a plus sign (+) between keys means that you must hold down the first key while you press the second key. For ALT+W, hold down the ALT key while you press the W key.
Monospace font	Indicates a PeopleCode program or other code example.
“ ” (quotation marks)	Indicate chapter titles in cross-references and words that are used differently from their intended meanings.
. . . (ellipses)	Indicate that the preceding item or series can be repeated any number of times in PeopleCode syntax.
{ } (curly braces)	Indicate a choice between two options in PeopleCode syntax. Options are separated by a pipe ().

Typographical Convention or Visual Cue	Description
[] (square brackets)	Indicate optional items in PeopleCode syntax.
& (ampersand)	When placed before a parameter in PeopleCode syntax, an ampersand indicates that the parameter is an already instantiated object. Ampersands also precede all PeopleCode variables.

Visual Cues

PeopleBooks contain the following visual cues.

Notes

Notes indicate information that you should pay particular attention to as you work with the PeopleSoft Enterprise system.

Note. Example of a note.

If the note is preceded by *Important!*, the note is crucial and includes information that concerns what you must do for the system to function properly.

Important! Example of an important note.

Warnings

Warnings indicate crucial configuration considerations. Pay close attention to warning messages.

Warning! Example of a warning.

Cross-References

PeopleBooks provide cross-references either under the heading “See Also” or on a separate line preceded by the word *See*. Cross-references lead to other documentation that is pertinent to the immediately preceding documentation.

Country, Region, and Industry Identifiers

Information that applies only to a specific country, region, or industry is preceded by a standard identifier in parentheses. This identifier typically appears at the beginning of a section heading, but it may also appear at the beginning of a note or other text.

Example of a country-specific heading: “(FRA) Hiring an Employee”

Example of a region-specific heading: “(Latin America) Setting Up Depreciation”

Country Identifiers

Countries are identified with the International Organization for Standardization (ISO) country code.

Region Identifiers

Regions are identified by the region name. The following region identifiers may appear in PeopleBooks:

- Asia Pacific
- Europe
- Latin America
- North America

Industry Identifiers

Industries are identified by the industry name or by an abbreviation for that industry. The following industry identifiers may appear in PeopleBooks:

- USF (U.S. Federal)
- E&G (Education and Government)

Currency Codes

Monetary amounts are identified by the ISO currency code.

Comments and Suggestions

Your comments are important to us. We encourage you to tell us what you like, or what you would like to see changed about PeopleBooks and other Oracle reference and training materials. Please send your suggestions to your product line documentation manager at Oracle Corporation, 500 Oracle Parkway, Redwood Shores, CA 94065, U.S.A. Or email us at appsdoc@us.oracle.com.

While we cannot guarantee to answer every email message, we will pay careful attention to your comments and suggestions.

Common Elements Used in PeopleBooks

As of Date	The last date for which a report or process includes data.
Business Unit	An ID that represents a high-level organization of business information. You can use a business unit to define regional or departmental units within a larger organization.
Description	Enter up to 30 characters of text.
Effective Date	The date on which a table row becomes effective; the date that an action begins. For example, to close out a ledger on June 30, the effective date for the ledger closing would be July 1. This date also determines when you can view and change the information. Pages or panels and batch processes that use the information use the current row.

Once, Always, and Don't Run	Select Once to run the request the next time the batch process runs. After the batch process runs, the process frequency is automatically set to Don't Run. Select Always to run the request every time the batch process runs. Select Don't Run to ignore the request when the batch process runs.
Process Monitor	Click to access the Process List page, where you can view the status of submitted process requests.
Report Manager	Click to access the Report List page, where you can view report content, check the status of a report, and see content detail messages (which show you a description of the report and the distribution list).
Request ID	An ID that represents a set of selection criteria for a report or process.
Run	Click to access the Process Scheduler request page, where you can specify the location where a process or job runs and the process output format.
SetID	An ID that represents a set of control table information, or TableSets. TableSets enable you to share control table information and processing options among business units. The goal is to minimize redundant data and system maintenance tasks. When you assign a setID to a record group in a business unit, you indicate that all of the tables in the record group are shared between that business unit and any other business unit that also assigns that setID to that record group. For example, you can define a group of common job codes that are shared between several business units. Each business unit that shares the job codes is assigned the same setID for that record group.
Short Description	Enter up to 15 characters of text.
User ID	An ID that represents the person who generates a transaction.

PeopleSoft Enterprise Mobile Time and Expense Preface

This preface discusses:

- PeopleSoft products.
- PeopleSoft application fundamentals.
- Common elements used in this PeopleBook.

Oracle's PeopleSoft Products

This PeopleBook refers to these PeopleSoft Enterprise products:

- PeopleSoft Expenses
- PeopleSoft Project Costing
- PeopleSoft Time and Labor

PeopleSoft Application Fundamentals

The *PeopleSoft Enterprise Mobile Time and Expense 9.0 PeopleBook* provides implementation and processing information for your PeopleSoft Mobile Time and Expense application. Additional essential information describing the setup and design of your system resides in companion documentation. The companion documentation consists of important topics that apply to many or all of Oracle's PeopleSoft applications across the PeopleSoft Enterprise Financials, Enterprise Service Automation (ESA), and Supply Chain Management (SCM) product lines.

Note. The *PeopleSoft Enterprise Mobile Time and Expense 9.0 PeopleBook* discusses setup and functionality that is unique to the PeopleSoft Mobile Time and Expense application. We do not define pages that are already discussed in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*, but we do discuss fields that are unique to PeopleSoft Mobile Time and Expense or fields that act differently than the online PeopleSoft Expenses application.

The following companion PeopleBooks apply specifically to PeopleSoft Mobile Time and Expense:

- *Enterprise PeopleTools 8.48 PeopleBook: PeopleSoft Mobile Agent*
- *Enterprise PeopleTools 8.48 PeopleBook: Security Administration*
- *PeopleSoft Application Fundamentals for HRMS PeopleBook*
- *PeopleSoft Enterprise Expenses 9.0 PeopleBook*
- *PeopleSoft Enterprise Application Fundamentals 9.0 PeopleBook*
- *PeopleSoft Enterprise Global Options and Reports PeopleBook*

Common Elements Used in This PeopleBook

**Personal digital assistants
(PDAs)**

A handheld computing device.

PeopleSoft Mobile Agent

PeopleSoft Mobile Agent enables users to work with Oracle's PeopleSoft applications on laptop computers or PDAs while they are disconnected from the Internet or local network. PeopleSoft Mobile Agent uses standard internet tools and protocols—web browsers, HTTP, and XML—to access a mobile database containing application definitions and data. Changes that you make while disconnected are distributed across the network when you reconnect.

CHAPTER 1

Getting Started With PeopleSoft Enterprise Mobile Time and Expense

This chapter provides an overview of PeopleSoft Mobile Time and Expense and introduces:

- PeopleSoft Mobile Time and Expense business processes.
- PeopleSoft Mobile Time and Expense integration touchpoints.
- PeopleSoft Mobile Time and Expense implementation tasks.

Understanding PeopleSoft Mobile Time and Expense

PeopleSoft Mobile Time and Expense integrates directly with PeopleSoft Expenses and enables users to store time and expense report data in a detached client that operates independently from the network. PeopleSoft Expenses is used to define time and expense report control data for download to PeopleSoft Mobile Time and Expense, and PeopleSoft Mobile Time and Expense is used to synchronize time and expense report data directly into PeopleSoft Expenses at a time that is convenient to the user.

Through administrative and user level filtering, you synchronize a predefined set of control data down to the mobile device to support time and expense entry.

PeopleSoft Mobile Time and Expense Business Processes

PeopleSoft Mobile Time and Expense provides the following business processes for a mobile device:

- Expense reports
- Time reports

We cover these processes in the business process chapters of this PeopleBook.

Note. You cannot enter expense transactions on a mobile device on behalf of other employees.


See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Expense Reports”

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Time Reports and Time Adjustments”

PeopleSoft Mobile Time and Expense Integrations

PeopleSoft Mobile Time and Expense integrates directly with PeopleSoft Expenses and integrates indirectly with PeopleSoft Project Costing and PeopleSoft Time and Labor.



Integrating PeopleSoft Mobile Time and Expense with other PeopleSoft applications

PeopleSoft Expenses

Serves as PeopleSoft Mobile Time and Expense gatekeeper, downloading control data directly from PeopleSoft Expenses to PeopleSoft Mobile Time and Expense. Time and expense reports synchronize directly to PeopleSoft Expenses.

PeopleSoft Project Costing

Indirectly exchanges ChartFields and time data for project costing. This is an indirect integration through PeopleSoft Expenses.

PeopleSoft Time and Labor

Processes time reporting data used to create pay sheets. This is an indirect integration through PeopleSoft Expenses.

We cover integration considerations for PeopleSoft Mobile Time and Expense in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Integrating With Other PeopleSoft Products”

PeopleSoft Mobile Time and Expense Implementation

PeopleSoft Mobile Time and Expense is a mobile application designed for maximum convenience and portability. There is very little installation or implementation required; however, you must install and implement PeopleSoft Expenses before you can use PeopleSoft Mobile Time and Expense.

Required data is obtained from PeopleSoft Expenses and configured for the mobile application when PeopleSoft Mobile Time and Expense is set up on your network. When you download the mobile application to your mobile device, the installation process automatically loads the required files. These files refresh when run a full synchronization and update application synchronization.

PeopleSoft Setup Manager enables you to review a list of setup tasks for your organization for the products that you are implementing. The setup tasks include the components that you must set up, listed in the order in which you must enter data into the component tables, and links to the corresponding PeopleBook documentation.

PeopleSoft Expenses also provides component interfaces to help you load data from your existing system into PeopleSoft Expenses tables. Use the Excel to Component Interface utility with the component interfaces to populate the tables:

Expenses Components	Component Interface	Reference
Distance Rate (EX_AUTO_RT_TBL)	EX_AUTO_RATE_SETUP	See <i>PeopleSoft Enterprise Expenses 9.0 PeopleBook</i> , “Defining Location and Rates for PeopleSoft Expenses,” Setting Up Distance Rates.
Expense Location (EX_LOCATION)	EX_LOCATION_SETUP	See <i>PeopleSoft Enterprise Expenses 9.0 PeopleBook</i> , “Defining Location and Rates for PeopleSoft Expenses,” Setting Up Expense Locations and Amounts.
Expense Types 1 (EX_EXPENSE_TYPES1)	EX_TYPES_SETUP	See <i>PeopleSoft Enterprise Expenses 9.0 PeopleBook</i> , “Defining Accounting Data for PeopleSoft Expenses,” Setting Up Expense Types.
Expenses Types 2 (EX_EXPENSE_TYPES2)	EX_TYPES_SETUP	See <i>PeopleSoft Enterprise Expenses 9.0 PeopleBook</i> , “Defining Accounting Data for PeopleSoft Expenses,” Setting Up Expense Types.
Local Tax Table (LOCAL_TAX_TBL)	EX_LOCAL_TAX_SETUP	See <i>PeopleSoft Enterprise Expenses 9.0 PeopleBook</i> , “Defining Accounting Data for PeopleSoft Expenses,” Setting Up Local Tax Tables.

Other Sources of Information

In the implementation planning phase, take advantage of all of Oracle’s PeopleSoft sources of information, including the installation guides, data models, business process maps, and troubleshooting guidelines. A complete list of these resources is in the preface of *About These PeopleBooks*, with information on where to find the most up-to-date version of each.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Getting Started with PeopleSoft Expenses,” PeopleSoft Expenses Implementation

Enterprise PeopleTools 8.48 PeopleBook: PeopleSoft Setup Manager

Enterprise PeopleTools 8.48 PeopleBook: PeopleSoft Component Interfaces

About These PeopleBooks

CHAPTER 2

Working with Mobile Applications

This chapter provides overviews of mobile device initialization and synchronization options and discusses how to:

- Initialize mobile devices.
- Navigate within mobile transactions.

Understanding Mobile Device Initialization

Mobile device initialization is the process by which you install application metadata and business data to the mobile device for the first time. Although an administrator may install PeopleSoft Mobile Agent to the device, only the Mobile Agent user (defined by user ID and user role) can synchronize application metadata and business instance data from the server to the device.

Before you can initialize and begin using PeopleSoft Mobile Time and Expense, you must install PeopleSoft Mobile Agent on the mobile device. We describe the installation process in the *Enterprise PeopleTools 8.48 PeopleBook: PeopleSoft Mobile Agent*.

Note. Instance data is synonymous with business data, and metadata is synonymous with application metadata.

See Also

Enterprise PeopleTools 8.48 PeopleBook: PeopleSoft Mobile Agent

Understanding Synchronization Options

After device initialization (bootstrap synchronization), there are three synchronization options:

- Upload Changes
- Update Business Data
- Update Applications

Perform synchronization with the mobile device connected, and logged onto, the internet or local network. You can be connected directly to your local area network, through dialup, or through the internet.

See Also

Enterprise PeopleTools 8.48 PeopleBook: PeopleSoft Mobile Agent

Initializing Mobile Devices

Initializing a mobile device requires a bootstrap synchronization.

This section discusses how to:

- Perform bootstrap synchronizations.
- Perform personal digital assistant (PDA) initializations.

Performing Bootstrap Synchronizations

To initialize a mobile device:

1. Install the PeopleSoft Mobile Agent software on the device.
2. Perform a bootstrap synchronization.

This requires that you sign in, to identify the appropriate application metadata (the application definitions) and instance data (business data) to be downloaded to the device.

Generally, subsequent synchronizations do not require a complete synchronization of both metadata and instance data, but will upload changes only from the device to the server and reconcile changes between the device and server. You can, however, choose to update applications as well as data.

To initialize a mobile device (bootstrap synchronization):

1. If PeopleSoft Mobile Agent is not installed to start automatically, from the computer's Start menu, select Programs, PeopleSoft Mobile Agent, Start PeopleSoft Mobile Agent.
2. From the computer's Start menu, select Programs, PeopleSoft Mobile Agent, PS Mobile Application.
If you haven't initialized the device previously, the PeopleSoft Mobile Device Bootstrap page appears.
3. Enter your user ID and password.
4. Click Synchronize.

The PeopleSoft Mobile Synchronization Results page appears, showing the bootstrap synchronization progress.

5. When the bootstrap synchronization is complete, check for alerts or notifications.

Performing PDA Initializations

If PeopleSoft Mobile Agent is installed to a PDA, you use the processing power of the connected computer to perform initialization.

To perform PDA initialization from your desktop or laptop:

1. If PeopleSoft Mobile Agent is not installed to start automatically, from the Start menu of the computer that is connected to the PDA, select Programs, PeopleSoft Mobile Agent, Start PeopleSoft Mobile Agent.
2. From the same Start menu, select Programs, PeopleSoft Mobile Agent, PS Sync PDA.
The PeopleSoft Mobile Device Bootstrap page appears.
3. Enter your user ID and password.
4. Click Synchronize and view the bootstrap synchronization progress.

5. After Update PDA Applications completes successfully, open the PDA PeopleSoft program folder to use the application.

Navigating Within Mobile Transactions

Oracle's PeopleSoft mobile applications use familiar navigation methods, including a menu, tabbed pages, links, and buttons. However, data that is available on the mobile device may be limited to a subset of the data that you expect when connected to the server.

On some PDA devices, the familiar menu structure cannot appear on every page due to space limitations; click Menu to return to the menu.

Note. The Menu link applies only to the PDA device, not to a laptop computer.

CHAPTER 3

Filtering Mobile Data

This chapter provides an overview of mobile data filters and discusses how to set up filters for mobile devices.

Understanding Mobile Data Filters

The Filter Mobile Data feature enables PeopleSoft Mobile Time and Expense users to control the amount of data that they synchronize down to mobile devices—laptop computers and personal digital assistants (PDAs). The filters speed up the synchronization process and consolidate information that is specific to each mobile user.

The Filter Mobile Data feature filters:

- Country codes.
- States and provinces.
- Localities.
- Currencies.
- Expense locations.
- PeopleSoft Project Costing data (My Projects, project teams, and open projects).

Note. It is recommended that you define your filters before using PeopleSoft Mobile Time and Expense.

If you do not have filters in place through the Filter Mobile Data process, PeopleSoft Mobile Time and Expense enforces a generic filter using these rules:

Data Type	Rules
Country Codes	If there is no user defined in the country code filter, PeopleSoft Mobile Time and Expense uses by default the employee's base country code only.
States/Provinces	If there is no user-defined state code filter, PeopleSoft Mobile Time and Expense uses by default all state and provinces within the employee's base country.
Locality	If there is no user-defined locality filter, PeopleSoft Mobile Time and Expense does not synchronize any locality data.
Currency	If there is no user-defined currency code filter, PeopleSoft Mobile Time and Expense uses by default the employee's base currency.

Data Type	Rules
Expense Location	If there is no user-defined expense location filter, PeopleSoft Mobile Time and Expense: 1. Filters all expense locations where the location country matches the employee's base country. 2. If the previous rule returns no rows, PeopleSoft Mobile Time and Expense brings down a preset maximum number of expense locations. You define the preset maximum number of rows on the Installation - Mobile page.
Project Costing	If there is no user-defined project filter, PeopleSoft Mobile Time and Expense: 1. Selects all projects where the employee is a team member of those projects. 2. If the total projects returned from the above rule does not exceed the preset maximum number, PeopleSoft Mobile Time and Expense filters additional open projects until it reaches the maximum number. You define the preset maximum number of projects on the Installation - Mobile page.

Setting Up Mobile Data Filters

To set up mobile data filters, use the Filter Mobile Data (TE_FILTER) component.

This section discusses how to:

- Set up filters for countries.
- Set up filters for states and provinces.
- Set up filters for localities.
- Set up filters for currencies.
- Set up filters for expense locations.
- Set up filters for projects.

Note. Use PeopleSoft Expenses navigation to access the pages used to set up mobile data filters.

Pages Used to Set Up Mobile Data Filters

Page Name	Object Name	Navigation	Usage
Filter Mobile Data - [type] Device	TE_FILT_CNTRY	Employee Self-Service, Travel and Expense Center, Profiles and Preferences, Filter Mobile Data	Set up filters for countries.
Filter Mobile Data - [type] Device	TE_FILT_STATE	Employee Self-Service, Travel and Expense Center, Profiles and Preferences, Filter Mobile Data Click the State/Provinces link on the page.	Set up filters for states and provinces.
Filter Mobile Data - [type] Device	TE_FILT_LOCAL	Employee Self-Service, Travel and Expense Center, Profiles and Preferences, Filter Mobile Data Click the Localities link on the page.	Set up filters for localities. This link is only available if you selected United States as a country filter.
Filter Mobile Data - [type] Device	TE_FILT_CURR	Employee Self-Service, Travel and Expense Center, Profiles and Preferences, Filter Mobile Data Click the Currency link on the page.	Set up filters for currencies.
Filter Mobile Data - [type] Device	TE_FILT_LOC	Employee Self-Service, Travel and Expense Center, Profiles and Preferences, Filter Mobile Data Click the Expense Location link on the page.	Set up filters for expense locations.
Filter Mobile Data - [type] Device	TE_FILT_PROJ	Employee Self-Service, Travel and Expense Center, Profiles and Preferences, Filter Mobile Data Click the Projects link on the page.	Set up filters for projects.

Setting Up Filters for Countries

Access the Filter Mobile Data - [type] Device page. Click the Country link.

Mobile Time and Expense

Filter Mobile Data - Laptop Device

Kenneth Schumacher

Country
[State/Provinces](#)
[Currency](#)
[Expense Location](#)
[Projects](#)

Country Selection

Click on the Search button to retrieve the latest rows.

Search

Select All

Deselect All

Country

Find | View 100 | First 1-5 of 239 Last

Selected	Country	Description
☒	AUS	Australia
☒	GBR	United Kingdom
☒	USA	United States
☐	ABW	Aruba
☐	AFG	Afghanistan

Filter Mobile Data - [type] Device: Country page

Select country codes to synchronize down to your laptop or PDA. PeopleSoft Expenses filters data for states and provinces, localities, and currencies based on your country code selections. For example, if you select the country code for France (FRF), all the provinces and currencies associated with FRF are available to you on the pages used to set up filters for provinces and currencies.

Setting Up Filters for States and Provinces

Access the Filter Mobile Data - [type] Device page. Click the State/Provinces link.

Mobile Time and Expense

Filter Mobile Data - Laptop Device

Kenneth Schumacher

[Country](#)
[State/Provinces](#)
[Locality](#)
[Currency](#)
[Expense Location](#)
[Projects](#)

Country/State (Provinces) Selection

*Country: United States Search

Select All Deselect All

State/Provinces
Find | View All | First 1-2 of 2 Last

Selected	State	Description
☒	CO	Colorado
☒	PA	Pennsylvania

Filter Mobile Data - [type] Device: State/Provinces page

Select the state or province codes to synchronize down to your laptop or PDA. To set up filters for another country, select from the Country drop-down list box. PeopleSoft Expenses displays previously selected states and provinces for the selected country. Click Search to list more available states and provinces.

Setting Up Filters for Localities

Access the Filter Mobile Data - [type] Device page. Click the Locality link.

Mobile Time and Expense

Filter Mobile Data - Laptop Device

Kenneth Schumacher

[Country](#)
[State/Provinces](#)
[Locality](#)
[Currency](#)
[Expense Location](#)
[Projects](#)

Country Selection

Country: United States

Country/State/Locality Selection

State: Colorado
Locality Name:

Select All
Deselect All
Search

Locality
Find | View All | First 1-3 of 3 Last

Selected	Locality	Locality Name
☒	04000	AURORA
☒	04000ER	AURORA
☒	20000	DENVER

Filter Mobile Data - [type] Device: Locality page

Select the tax locality codes to synchronize down to your laptop or PDA. PeopleSoft Expenses displays a maximum of 300 locality code rows. If more than 300 rows exist, PeopleSoft Expenses displays a warning message and a request to narrow your search criteria by entering a locality name.

State Select from the drop-down list box to set up filters for another state.

Locality Name Enter a full or partial name of a locality to narrow down the locality list.

Note. Locality is specific to the United States. The Locality link is not available for other countries.

Setting Up Filters for Currencies

Access the Filter Mobile Data - [type] Device page. Click the Currency link.

Mobile Time and Expense

Filter Mobile Data - Laptop Device

Kenneth Schumacher

[Country](#)
[State/Provinces](#)
[Currency](#)
[Expense Location](#)
[Projects](#)

Currency Selection

*Country:
Australia
Search

Select All
Deselect All
☒ Include Currency codes that are not specific to a country.

Selected	Currency	Description
☐	AUD	Australian Dollar
☐	EUR	euro
☐	XAG	Silver
☐	XAU	GOLD
☐	XBA	European Composite Unit

Filter Mobile Data - [type] Device: Currency page

Select currency codes to synchronize down to your laptop or PDA.

Include Currency codes that are not specific to a country.

Select for Expenses to display all currency codes with no specific country associations.

Setting Up Filters for Expense Locations

Access the Filter Mobile Data - [type] Device page. Click the Expense Location link.

Mobile Time and Expense

Filter Mobile Data - Laptop Device

Kenneth Schumacher

[Country](#)
[State/Provinces](#)
[Currency](#)
Expense Location
[Projects](#)

Location Selection

Expense Location:

Expense Location	Find View All	First	1-6 of 6	Last
Selected	Location	Description		
☒	AGANA	AGANA, Guam		
☒	AIRES	BUENOS AIRES, Argentina		
☒	AKRON	AKRON, Ohio		
☒	ALBNY	ALBANY, New York		
☒	ALSK	Alaska		
☒	DENV	Denver, Colorado		

Filter Mobile Data - [type] Device: Expense Location page

Select expense locations to synchronize down to your laptop or PDA. PeopleSoft Expenses displays a maximum of 300 expense location rows. If more than 300 rows exist, PeopleSoft Expenses displays a warning message and a request to narrow the search criteria by entering an expense location.

Expense Location Enter a full or partial name of an expense location. PeopleSoft Expenses searches against the expense location description.

Setting Up Filters for Projects

Access the Filter Mobile Data - [type] Device page. Click the Projects link.

Mobile Time and Expense

Filter Mobile Data - Laptop Device

Kenneth Schumacher

[Country](#)
[State/Provinces](#)
[Locality](#)
[Currency](#)
[Expense Location](#)
[Projects](#)

Projects Selection

Criteria:
My Projects

Project:

Description:

Search

Select All for Time

Deselect All for Time

Select All for Expense

Deselect All for Expense

Projects

Find | View All |

First
1-2 of 2
Last

Time	Expense	PC Bus Unit	Project	Description
☐	☐	US001	ALLPROJECTS	All Projects
☐	☐	US004	IMPLEMENT	Implementation

Filter Mobile Data - [type] Device: Projects page

Projects Selection

Criteria

Select a type of project filter to use. Options are:

- *My Projects*: If selected, PeopleSoft Expenses displays a list of projects within the My Projects list.

See *PeopleSoft Enterprise Project Costing 9.0 PeopleBook*, “Creating and Maintaining Projects,” Tracking Your Projects.

- *Project Team*: If selected, PeopleSoft Expenses displays a list of projects where the employee is a team member.
- *Open Projects*: If selected, PeopleSoft Expenses displays a list of all active projects.

PeopleSoft Expenses displays a maximum of 300 project rows. If more than 300 rows exist, PeopleSoft Expenses displays a warning message and a request to narrow the list by entering a project ID or a description.

Project

Enter a project ID to narrow the search criteria for open projects. PeopleSoft Expenses searches for an exact match on project ID.

Description

Enter a project description to narrow the search criteria for open projects. You can enter a partial description for PeopleSoft Expenses to search on.

Projects

Time

Select if this project is for time entries.

Expense

Select if this project is for expense entries.

Note. The Select All for Expense and Deselect All for Expense buttons display only on laptop mobile devices.

CHAPTER 4

Maintaining User Profile Information

This chapter provides an overview of user profiles and discusses how to:

- View employee personal data.
- View employee organizational data.
- Maintain user defaults.
- View employee bank account information.
- View employee credit card information.
- Maintain employee transportation information.

Understanding User Profiles

During synchronization, PeopleSoft Mobile Time and Expense downloads user profile information from PeopleSoft Expenses to the mobile device. The User Profile Component Interfaces for PeopleSoft Mobile Time and Expense are based on the PeopleSoft Expenses Employee Profile component.

The user profile information includes employee data, organizational data, user defaults, bank account information, credit card information, and transportation information. On the mobile device, you can enter new information or modify existing information on the User Defaults and Transportation Information pages; all other pages are display-only.

Note. When PeopleSoft Mobile Time and Expense is deployed on a personal digital assistant (PDA) device, only the employee information is available. PDA users do not have access to organizational data, users defaults, bank account information, credit card information, or transportation information.

Viewing Employee Personal Data

This section provides an overview of employee personal data and lists the page used to view employee personal data.

Understanding Employee Personal Data

Information on the Employee Data page is maintained and updated by the online expenses system and is display-only on the mobile device. The page displays information about the employee, such as telephone number, address, and where the employee is based. This page is the same as the online Employee Profile - Employee Data page, and the fields are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Maintaining Employee Profiles,” Maintaining Employee Personal Data

Page Used to View Employee Personal Data

Page Name	Object Name	Navigation	Usage
Employee Data	TE_PROF_PERSONAL	User Profile, Employee Data	View personal employee information.

Viewing Employee Organizational Data

This section provides an overview of employee organizational data and discusses how to view employee organizational data.

Understanding Employee Organizational Data

To process an expense reimbursement, an employee must be assigned to a general ledger business unit and a department—fields populated from PeopleSoft Expenses. The employee’s general ledger business unit determines accounts to charge, allowable mileage rates, and cash advance limits.

Information on the Organizational Data page is display-only on the mobile device. This page is similar to the online Employee Profile - Organizational Data page, and the fields are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*. The system does not display these fields on the mobile device:

- Business Unit Limit Amount and Currency.
- Supervisor ID and Name.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Maintaining Employee Profiles,” Maintaining Employee Organizational Data

Pages Used to View Employee Organizational Data

Page Name	Object Name	Navigation	Usage
Organizational Data	TE_PROF_ORG	User Profile, Organizational Data	View employee organizational information.
Expenses Processing Data	TE_PROF_ORG	Click the Expenses Processing Data button on the Organizational Data page.	View organizational data and default ChartField values.

Viewing Employee Organizational Data

Access the Organizational Data page.

Kenneth Schumacher

GL Unit: US001 US001 NEW YORK OPERATIONS

HR and Expenses Information Find | View All | First 1-1 of 1 Last

Valid for Expenses	Reason for Status	Default Profile	Department	Department Description	Ignore Authorized Amounts	Cash Advance Level
Yes	Passed All Validation Edits		41000	Engineering		Business Unit

Role:

Organizational Data page



Click the Expenses Processing Data button to view default ChartField values for the employee's business unit.

Maintaining User Defaults

This section provides an overview of maintaining user defaults and discusses how to add or modify user defaults.

Understanding Maintenance of User Defaults

You can set up user defaults to minimize the amount of data entry and ensure accurate reporting on project-based costs. The User Defaults page is where you define general default preferences, expense type specific preferences, time report specific preferences, and project ChartField preferences.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, "Maintaining Employee Profiles," Maintaining User Defaults

Page Used to Maintain User Defaults

Page Name	Object Name	Navigation	Usage
User Defaults	TE_PROF_DFLT	User Profile, User Defaults	View or modify general default preferences for expense and time reports.

Adding or Modifying User Defaults

Access the User Defaults page.

User Defaults

Name:

Default Creation Method

Online Expense Report:

Online Time Report:

Online Travel Authorization:

Mobile Expense Report:

Mobile Time Report:

Expense Defaults

Report Description:

Business Purpose:

***Billing Type:**

Originating Location:

Expense Location:

Number of Nights:

Payment Type:

Credit Card:

Per Diem Range:

Transportation ID:

User Defaults page (1 of 2)

Expense Type Defaults

[Find](#) | [View All](#) |

Expense Type	Payment Type	Billing Type	Preferred Merchant	Merchant
Air Travel	Check	Billable	American Airlines	
Hotel/Lodging	Check	Billable	Marriott	
Conference/Meeting	Prepaid Expenditures	Internal		

Project Defaults for Expenses

[Find](#) | [View All](#) |

Enabled	PC Bus Unit	Project	Activity
☒	US001	FININTPROJ	FININTACT

Time Defaults

Country:

State:

Locality:

Billing Action:

Project Defaults for Time

[Find](#) | [View All](#) |

Enabled	PC Bus Unit	Project	Activity
---------	-------------	---------	----------

User Defaults page (2 of 2)

Default Creation Methods

Online Expense Report, Online Time Report, and Online Travel Authorization	These creation methods do not apply to PeopleSoft Mobile Time and Expense. If you change the online creation methods on the mobile device, the changes are made to online expenses the next time that you synchronize.
Mobile Expense Report and Mobile Time Report	These fields are not editable in PeopleSoft Mobile Time and Expense or online. <i>Open a Blank Report</i> is always the default value.

Expense Defaults

The fields in this region are the same as on the online Employee Profile - User Default page and are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

Get Range ID	Click to access the per diem range page, where you select a range to use for the default value on per diem expense transactions.
---------------------	--

Expense Type Defaults

When you add an expense line on an expense report, the defaults that you set up here for a particular expense type prepopulate the expense line, based on the expense type edit and the required fields that are tied to the expense type. For example, if you select *Airfare* as the expense type, the Preferred Merchant list only displays airlines.

The fields in this region are the same as on the online Employee Profile - User Default page and are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

Project Defaults for Expenses

This region label changes from Project Defaults for Expenses to Project Defaults, if PeopleSoft Project Costing is not installed. The system hides the Resource Category, Resource Type, and Resource Subcategory fields, and the percent split column if PeopleSoft Project Costing is not installed.

The appearance of the project default grid changes based on the following criteria:

- If PeopleSoft Project Costing is installed, then:
 - The title of the grid is Project Defaults for Expenses.
 - The system displays the percentage split field.
 - The system displays the Resource Category, Resource Type, and Resource Subcategory fields.
- If PeopleSoft Project Costing is not installed:
 - The title of the grid displays as Project Defaults.
 - The system hides the Resource Category, Resource Type, and Resource Subcategory fields.
 - The system hides the percentage split field.

The fields in this region are the same as on the online Employee Profile - User Default page and are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

Note. The percentage split for enabled projects must equal 100 percent, or PeopleSoft Mobile Time and Expense does not allow you to save the User Default page.

Time Defaults

The fields in this region are the same as on the online Employee Profile - User Default page and are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

Project Defaults for Time

This region label changes from Project Defaults for Time to Project Defaults, if PeopleSoft Project Costing is not installed. The system hides the Resource Category, Resource Type, and Resource Subcategory fields, and the percent split column if PeopleSoft Project Costing is not installed.

The appearance of the project default grid changes based on the following criteria:

- If PeopleSoft Project Costing is installed, then:
 - The title of the grid displays as Project Defaults for Time.
 - The system displays the Time Quantity field.
 - The system displays the Resource Category, Resource Type, and Resource Subcategory fields.
- If PeopleSoft Project Costing is not installed, then:
 - The title of the grid displays as Time Report Project Defaults.
 - The system hides the Resource Category, Resource Type, and Resource Subcategory fields.
 - The system hides the Time Quantity field.

The fields in this region are the same as on the online Employee Profile - User Default page and are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

Note. Time quantity must be a number between 0 and 24, and the total for all enabled rows cannot be greater than 24, or PeopleSoft Mobile Time and Expense does not allow you to save the User Default page.

Viewing Employee Bank Account Information

This section provides an overview of employee bank account information and discusses how to view employee bank account information.

Understanding Employee Bank Account Information

Information about employee bank accounts tells the system how and where to send expense reimbursements if an employee chooses direct deposit. Information on the Default Bank Profile page is display-only on the mobile device, and you maintain the information on the Employee Profile - Bank Accounts page in PeopleSoft Expenses.

All the fields that appear on the mobile device for bank account information are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*; however, not all fields that appear on the online page appear on the mobile device, such as fields under the Prenote Info (prenote information) tab. On the mobile device, you cannot access information that appears on the Pay to Bank Accounts, Intermediary Bank Routings, or Employee EFT Options (employee electronic funds transfer options) pages; you must access this information through the online PeopleSoft Expenses system.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Maintaining Employee Profiles,” Maintaining Employee Bank Account Data

Page Used to View Employee Bank Account Information

Page Name	Object Name	Navigation	Usage
Default Bank Profile	TE_PROF_BANK	User Profile, Bank Accounts	View employee bank account information.

Viewing Employee Bank Account Information

Access the Default Bank Profile page.

Kenneth Schumacher

Default Bank Profile				
GL Unit	Department	Default Profile	Payment Method	Hold Payment
US001	41000	☒	System Check	☐

Default Bank Profile page



Click the Default Bank Profile button and view bank account information.

Viewing Employee Credit Card Information

This section provides an overview of employee credit card information and discusses how to view employee credit card information.

Understanding Employee Credit Card Information

Information on the Card Data page is display-only on the mobile device and is maintained and updated by the system administrator in the online system. The mobile page displays information about credit cards that the employee uses. The system masks the card member number, except the last four digits, for security reasons.

The fields on this page are the same as on the online Employee Profile - Corporate Card Information (CC_CARD_DATA) page and are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Maintaining Employee Profiles,” Maintaining Employee Credit Card Data

Page Used to View Employee Credit Card Information

Page Name	Object Name	Navigation	Usage
Card Data	TE_PROF_CARD	User Profile, Corporate Card Information	View employee credit card information.

Viewing Employee Credit Card Information

Access the Card Data page.

Kenneth Schumacher							
Card Data							
				Find View All 		First	1-5 of 7  Last
Business Unit	Card Issuer	Cardmember Number	Limit Amount	Currency	Date Issued	Expiry Date	Charge Function
US001	AMEX	*****0099	1,000.000	USD	01/01/2001	01/01/2006	Corporate Card
US001	DINER	*****5123	1,000.000	USD	01/01/2001	01/01/2015	Corporate Card
US001	MC	*****8521	6,000.000	USD	01/01/2001	01/01/2015	Corporate Card
US001	USB	*****9870	2,000.000	USD	01/01/2001	01/01/2015	Corporate Card
US001	VISA	*****4319	5,000.000	USD	01/01/2001	01/01/2015	Corporate Card

Card Data page

Cardmember Number Displays the employee's credit card number in an encrypted format.

Maintaining Employee Transportation Information

This section provides an overview of employee transportation information and discusses how to view or modify transportation information.

Understanding Employee Transportation Information

Mobile users can add, update, or delete their transportation information if no miles or kilometers have been accrued. After miles or kilometers are accrued for a transportation ID, the system does not allow you to modify the transportation type, transportation ID, or date acquired information. You can update the Lease and Car Allowance check boxes. PeopleSoft Mobile Time and Expense displays this page only if your organization is configured for variable rate mileage.

Note. To ensure that the distance rates are accurate for expense report reimbursements, the online system accumulates the distance traveled and validates the mobile distance rates during synchronizations. The mobile system accumulates the distance values on the mobile device; however, during synchronization, the online system recalculates the distance values. If the server side has changed, auto mileage is recalculated during synchronization for lines entered on the mobile device.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, "Maintaining Employee Profiles," Maintain Employee Transportation Data

Page Used to Maintain Employee Transportation Information

Page Name	Object Name	Navigation	Usage
Transportation Identification	TE_PROF_TRANSPORT	User Profile, Transportation Information	Review, add, modify, or delete transportation type data for an employee.

Viewing or Modifying Transportation Information

Access the Transportation Identification page.

Michael Buhler

Transportation Identification							
Transportation ID	Transportation Type	Date Acquired	Status	Status Date	Lease	Car Allowance	Delete
TRUCK	5 HP	11/04/2003	Active	11/01/2003	☐	☒	Delete

Add

Distances Traveled			
Transportation ID	Calendar Year	Distance Type	Total Distance

Save

Transportation Identification page

The fields in this region are the same as on the online Transportation Information page and are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*. These are exceptions for the mobile application:

Transportation ID

You can edit the transportation ID on the Mobile Transportation Information page. If you change this field, the system updates the transportation ID in PeopleSoft Expenses during the next synchronization. However, if the Transportation ID field is changed both online and on the mobile device and you synchronize, the server updates the mobile device.

CHAPTER 5

Managing My Wallet Transactions

This chapter provides an overview of My Wallet transactions management in PeopleSoft Mobile Time and Expense and discusses how to view, add, and delete My Wallet transactions.

Note. Managing My Wallet transactions in PeopleSoft Mobile Time and Expense is similar to managing My Wallet transactions in PeopleSoft Expenses. The My Wallet functionality and the fields on the Review My Wallet Receipts page are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*. This chapter discusses only the functionality and page elements that are unique to the mobile application.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Expense Reports,” Managing My Wallet Transactions

Understanding My Wallet Transactions Management in PeopleSoft Mobile Time and Expense

My Wallet stores corporate credit card transactions, personal digital assistant (PDA) transactions, and user-entered expense transactions. You can apply these transactions to an expense report, thus saving data-entry time. Credit card feeds from a credit card company (such as Visa International, American Express, and US Bank) send corporate credit card transactions directly to the My Wallet databases in PeopleSoft Expenses. The system downloads these credit card transactions during synchronization from PeopleSoft Expenses to PeopleSoft Mobile Time and Expense. You cannot modify transactions from a PDA. You cannot modify transactions from a feeder system except for expense types. In addition, the system sends all PDA receipt capture transactions to the My Wallet databases.

Select My Wallet, Create/Modify to view a list of My Wallet transactions. Select the Mark For Delete check box if you want a transaction excluded from subsequent synchronizations. Deleted receipts can be retrieved using the Restore My Wallet feature in PeopleSoft Expenses.

All transaction rows in My Wallet for the employee ID are copied to the mobile device. These rows are the same as those that you access on the online My Wallet application. After a synchronization, you can add more transaction rows to My Wallet or process transaction rows in the mobile expense report system. When you perform another synchronization, the system copies all changes back to the server side and new rows, along with changed rows, back to the mobile device.

During synchronization between PeopleSoft Expenses and PeopleSoft Mobile Time and Expense, the system downloads all My Wallet transactions to the mobile device. Also, after the system populates the My Wallet transactions into an expense report, those transactions no longer appear on the Populate From My Wallet Receipts selection entry page.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Expense Reports,” Managing My Wallet Transactions

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Expense Reports,” Restoring Deleted My Wallet Receipts

Viewing, Adding, and Deleting My Wallet Transactions

This section lists the pages used to view, add, and delete My Wallet transactions.

Pages Used to View, Add, and Delete My Wallet Transactions

Page Name	Object Name	Navigation	Usage
Review My Wallet Receipts	TE_MYWALLET	My Wallet, Create/Modify	View, add, and delete receipts in My Wallet.
Transaction Detail	TE_MYWALLET	- Click the Transaction Detail button on the Review My Wallet Receipts page. - Click the Add button on the Review My Wallet Receipts page.	- Review details of existing expense transactions. - Add expense transactions to My Wallet.

CHAPTER 6

Preparing and Managing Expense Reports

This chapter provides an overview of expense report processing and discusses how to:

- Create or modify expense reports.
- Enter expense report data.
- Add or modify expense line details.
- View or modify expense line accounting information.
- Add transactions from My Wallet.
- Split receipts.
- Save and submit expense reports.
- View expense reports.

Understanding Expense Report Processing

With PeopleSoft Mobile Time and Expense, you can enter expense data daily, avoiding the need to remember such details as which customers you took to lunch, where you ate breakfast, or how much you spent on entertainment. When you complete your business trip, you can submit the expense report and any required receipts to PeopleSoft Expenses.

As part of the core PeopleSoft Mobile Time and Expense functionality, you can:

- Create expense reports.
- Modify reports that originate in PeopleSoft Expenses or PeopleSoft Mobile Time and Expense.
- Correct expense reports that were returned by an approver.
- Synchronize and submit pending expense reports to the online system for approvals and payment.
- View submit errors during synchronization.
- View submitted expense reports and monitor their progress.

Note. Approve and delete expense reports only in PeopleSoft Expenses. If you delete an expense report online, PeopleSoft Expenses returns wallet entries, decrements mileage, and handles other issues that may arise.

Note. You can print an HTML-based version of the expense report through a browser. Use the Expense Report/View Summary navigation to print a copy of your expense report.

Creating or Modifying Expense Reports

This section discusses how to create or modify expense reports.

Page Used to Create or Modify Expense Reports

Page Name	Object Name	Navigation	Usage
Create/Modify Expense Report	TE_EXPENSE_REPORT	Expense Report, Create/Modify	Select an expense report to modify or click the Add button to create a new expense report.

Modifying or Creating New Reports

Access the Create/Modify Expense Report page.

Create/Modify Expense Report

Find View All First 1-3 of 3 Last			
Report ID	Report Description	Report Status	Created On
0000000057	test	Pending	10/23/2003
NEXT	Trip to Albany	Pending	10/28/2003
NEXT	Trip to Albany	Pending	10/27/2003

Add

Search

Create/Modify Expense Report page

PeopleSoft Mobile Time and Expense displays a list of the existing expense reports that are in pending or marked for submit status. Click the link in the Report ID column to modify an existing expense report or click Add to create a new expense report. After selecting an existing report or clicking Add, PeopleSoft Mobile Time and Expense displays the Expense Report Detail page.

Entering Expense Report Data

This section provides an overview of expense reports and discusses how to enter expense report data.

Understanding Expense Report Data

After you select an existing expense report to view or modify on the Create/Modify Expense Report page, PeopleSoft Mobile Time and Expense displays the Expense Report Detail page that is populated with data from the selected report. If you add an expense report, the system creates a blank report and displays the Expense Report Detail page with the Report Description and Business Purpose fields populated with information from the user default table, if it exists.

On the Expense Report Detail page, you can add or modify expense report data and flag the expense report for submittal to PeopleSoft Expenses. From this page, you access pages to:

- View, add, or modify expense transaction lines.
- View or modify the default accounting.

- Populate expenses from My Wallet.
- Split receipts.

Page Used to Enter Expense Report Data

Page Name	Object Name	Navigation	Usage
Expense Report Detail	TE_EXPENSE_REPORT	Select an expense report or click the Add button on the Create/Modify Expense Report page.	• Add or modify expense report data. • View expense lines. • Flag the expense report for submittal to PeopleSoft Expenses. • Navigate to additional pages to populate expenses from My Wallet, add expense lines, split receipts, view or modify default accounting, and view or modify expense line details.

Entering Expense Report Data

Access the Expense Report Detail page.

Expense Report Detail
View Default Accounting

*Report Description: Trip to Albany
*Business Purpose: General Travel and Expense
Default Location: ALBANY, New York
Reference:
Report Status: Pending
Comment:
Populate From My Wallet

View Expense Lines
Find | View All | First 1-2 of 2 Last

Copy Line	Expense Type	Expense Date	Reimbursement Amt			
 ☐	Air Travel	10/20/2003	222.00	USD	Split	Delete
 ☐	Hotel/Lodging	10/20/2003	555.00	USD	Split	Delete

Add

Expense Report Detail page (1 of 2)

Employee Expenses:	200.00	USD
Non-Reimbursable Expenses:		USD
Prepaid Expenses:		USD
Employee Credits:		USD
Vendor Credits:		USD
Cash Advances Applied:		USD
Due Employee:	200.00	USD
Due Vendor:		USD
Due Company:		USD

☐ Submit during next synchronization

Approval History					Find View All 	First	0-0 of 0	Last
Seq Nbr	Routing	Name	Action	Date/Time				
Save Return to List								

Expense Report Detail page (2 of 2)

The fields on the Expense Report Detail page that are the same as the fields on the Expense Report - Expense Report Entry page in the online system are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

View Default Accounting

Click the View Default Accounting tab to view the general ledger (GL) business unit and department that are associated with the expense report. From this page, you can drill down to view the default accounting details.

Note. The View Default Accounting tab is not available if the Accounting Display option for the business unit or the employee's role is set to *Hide*. Employees cannot edit the distribution or ChartFields if this option is set to *Display Only*.

See *PeopleSoft Enterprise Expenses 9.0 PeopleBook*, "Preparing Expense Reports," Viewing or Modifying Accounting Information.

Populate From My Wallet

Click to access the Populate From My Wallet page and select expenses to copy into the expense report.

View Expense Lines



Click the Expense Line Detail button to access the Expense Line Detail page and view details about the expense transaction line.

Copy Line

Select to copy existing expense lines. After you select an expense line, the Copy Selected Expense Lines button appears.

Split

Click to access the Expense Report Detail page with the View Receipt Split Lines grid and divide a receipt into multiple expense lines.

Delete

Click to delete the expense transaction line.

Add

Click to access the Expense Line Detail page and add a new expense transaction line to the expense report.

Copy Selected Expense Lines

Click to access the Expense Report Detail page in the Copy Line view and copy an expense transaction line.

Submit During Next Synchronization

Submit during next synchronization

Select to set the expense report status to *Marked for Submit*, which is a state between pending and submitted. The next time that you synchronize with PeopleSoft Expenses, the system submits the expense report to the online system.

If you decide that you do not want to submit the report before you synchronize with PeopleSoft Expenses, clear the check box to change the expense report status back to *Pending*.

Note. A submit in PeopleSoft Mobile Time and Expense takes place only when you select the Submit during next synchronization check box on the Expense Report Detail page. The synchronization process performs a check to see whether the submitting employee is active. If the submitting employee is not active, you receive an error that this employee is not an active employee and the synchronization process stops.

Approval History

PeopleSoft Mobile Time and Expense uses the approval history tables to show approval and workflow related information. The table contains information about the actions already taken on a transaction. Therefore, no approval information is contained on a newly created pending report. A report has approval information after the approval has taken an action related to the report. The approval grid on this page shows all of the actions taken on a particular transaction. If there are comments from more than one approver, only the last comment is displayed in the grid.

Save

Click to save the expense report, at which time the system validates the data to ensure a successful synchronization and submission to PeopleSoft Expenses. If the system encounters an edit error, it displays an error message page that details the error condition and possible solution. The system then returns you to the Expense Line Detail page, where you can make corrections or add missing information.

Note. You cannot save an expense report if errors exist.

Return to List

Click to return to the Create/Modify Expense Report page. The system prompts you if you have unsaved information.

Adding or Modifying Expense Line Details

This section provides an overview of adding and modifying expense line details and discusses how to:

- Add or modify expense line details.
- Copy expense line details.
- Add attendees for an expense type.

Understanding Adding and Modifying Expense Line Details

PeopleSoft Mobile Time and Expense enables you to add expense lines one at a time or copy from an existing expense line.

Add Expense Lines

The Expense Line Detail page shows the detail information regarding the expense transaction line. On the initial page, you select an expense type and then click Continue. Based on the expense type that you select, PeopleSoft Mobile Time and Expense displays fields that are applicable for the expense type.

Note. To add a new expense transaction line while on the Expense Line Detail page, click the Go Back link to access the Expense Report Detail page and click Add in the view Expense Lines grid.

Copy Expense Lines

When you select expense lines to copy and you click Copy Selected Expense Lines, the Expense Report Detail page displays only the information about the expense lines that you want to copy. On this page, select the Copy to One Date to copy each selected line just one time using the To Date as the new expense date, or select Copy to Range of Dates to copy each line multiple times with the expense date for the new lines set to each day within the specified date range. After you enter a date or date range to copy, you can select to include holidays and weekends and whether to copy attendees.

The copy functionality is the same as PeopleSoft Expenses and is for all expense types, including per diem expense types. When you copy an expense line to create new expense lines, the system populates the new expense lines with the same ChartField and VAT account information as the original line item.

Note. The Copy Selected Expense Lines button appears only after you select an expense line to copy.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Expense Reports,” Copying or Adding Expense Lines

Pages Used to Add or Modify Expense Line Details

Page Name	Object Name	Navigation	Usage
Expense Line Detail	TE_EXPENSE_REPORT	- Click Add on the Expense Report Detail page. - Click the Expense Line Detail button on the Expense Report Detail page.	- Add new expense transaction lines to an expense report. - Modify or view existing transaction lines on an expense report.
Expense Report Detail - Copy Line	TE_EXPENSE_REPORT	Select an expense type line to copy and click the Copy Selected Expense Lines button on the Expense Report Detail page in the View Expense Lines grid.	Copy expense transaction lines within an expense export.
View Attendees	TE_EXPENSE_REPORT	Click the View Attendees tab on the Expense Line Detail page	Add attendees for an expense line. This tab appears only for expense types with an edit type of <i>ATT</i> (attendees).

Adding or Modifying Expense Line Details

Access the Expense Line Detail page.

Expense Line Detail | View Attendees | View Line Accounting

Expense Type: Dinner

*Expense Date: 10/20/2003

*Payment Type: American Express

*Billing Type: Internal

*Location: ALBANY, New York

*Description:

☐ Non-Reimbursable ☐ No Receipt

*Amount Spent: 555.00 USD

Exchange Rate: 1.00000000 ☒ Default Rate

Reimbursement Amt: 555.00 USD

Save Cancel [Return to List](#) [Go Back](#)

Expense Line Detail page

View Line Accounting

Click the tab to access the View Line Accounting page and the Line Accounting Detail page where you can view, add, or modify accounting details for the expense line.

Note. The View Line Accounting tab is not available if the Accounting Display option for the business unit or the employee's role is set to *Hide*. If the Accounting Display option is *Display Only* or *Editable*, PeopleSoft Expenses does not display the View Line Accounting tab until you enter an expense type, billing type, amount spent, and currency code. You cannot edit the distribution or ChartFields if the Accounting Display option is set to *Display Only*.

Refresh Per Diem Amounts	Click to calculate the per diem amounts.
Estimated Tax and Total Distribution	These amounts represent an estimate of the tax burden to the company and do not affect the employee's reimbursement total. The actual tax burden is calculated by your payroll system. These fields appear only if the gross up indicator for the expense type is selected.
Exchange Rate	You can override the system-supplied exchange rate. However, if you deviate more than 2.5% (upward or downward) from the supplied rate, you will receive an error message at synchronization time.
Save	Click to save the expense line detail and validate the information. PeopleSoft Mobile Time and Expense prompts you if the expense line has missing or invalid information. If there are no errors, click Go Back to return to the Expense Report Detail page.
Cancel	Click to access the Expense Report Detail page without saving the changes that you made.
Return to List	Click to access the Create/Modify Expense Report page. PeopleSoft Mobile Time and Expense prompts you if you have unsaved transaction lines.
Go Back	Click to access the Expense Report Detail page. PeopleSoft Mobile Time and Expense enables you to return to the Expense Report Detail page even if the expense line detail has missing or invalid information.

Copying Expense Line Details

Access the Expense Report Detail - Copy Line page.

Expense Report Detail

View Expense Lines
Find | View All
First 1-1 of 1 Last

Copy Line	Expense Type	Expense Date	Amount		Split
☒	Air Travel	02/03/2003	150.000	USD	Split -

Add

Copy Options: Copy to Range of Dates
From Date: 02/04/2003
To Date: 02/07/2003

Include Weekends: ☐
Include Holidays: ☐

Copy Selected Expense Lines
Cancel Copy

Expense Report Detail - Copy Line page

This page is similar to the online Expense Report - Copy Selected Expenses page. The fields are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

Add Not used for this release.

Note. Clicking the Add button interrupts the copy function and takes you to Expense Line Detail page. Click Go Back on the Expense Line Detail page to return to Expense Report Detail - Copy Line page (copy mode).

Copy Options

Select Copy to One Date to copy each selected line just once using the To Date as the new expense date.

Select Copy to Range of Dates to copy each line multiple times with the expense date for the new lines set to each day within the date range that you specify.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Expense Reports,” Copying or Adding Expense Lines

Adding Attendees for an Expense Type

Access the View Attendees page.

View Attendees			
Name	Company	Title	
Buhler, Michael	FRANCE OPERATIONS		-
Schneadecker, Mary	Schneadecker & Shumacher	CEO	-

Add

View Attendees page

Viewing or Modifying Accounting Information

This section provides an overview of default accounting in PeopleSoft Mobile Time and Expense and discusses how to:

- Review or modify default accounting.
- Add or modify expense line accounting details.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Understanding Accounting in PeopleSoft Expenses”

Understanding Default Accounting

When you create a new expense report, the system establishes the default accounting distribution (split distribution) based on the default ChartField values that you set up on the Employee Profile - Organizational Data page and the project defaults that you set up on the User Defaults page. The minimum information that the system requires is the GL business unit and department ID; if other accounting distribution fields are in the employee’s profile, they automatically appear in the expense report.

Note. Combination edits do not occur on the mobile device. PeopleSoft Mobile Time and Expense defers these edits until you synchronize the expense report back to PeopleSoft Expenses. Also, PeopleSoft Mobile Time and Expense supports only intraunit accounting for account distributions.

Pages Used to View or Modify Default Accounting

Page Name	Object Name	Navigation	Usage
View Default Accounting	TE_EXPENSE_REPORT	Click the View Default Accounting tab on the Expense Report Detail page.	View or edit the distribution or ChartFields for the expense report.
Default Accounting Detail	TE_EXPENSE_REPORT	Click the Default Accounting Detail button on the View Default Accounting page.	View or edit the default accounting ChartFields for the expense line item.

Viewing or Modifying Default Accounting

Access the View Default Accounting page.

View Default Accounting page



Click the Default Accounting Detail button and drill down to the Default Accounting Detail page.

% to Allocate (percent to allocate)

The accounting split is 100 percent for the set of default ChartFields, and it applies to the entire expense report. When you add a new row, enter the percentage of expense to charge to the ChartFields that you select in this section. The sum of all the lines must equal 100 percent, otherwise the system displays an error message. If you add additional default accounting lines, you must manually reduce the original default percentages; the system does not calculate this for you.

Reset All Defaults

Select for the system to reset the default accounting for this expense report.

Add

Click to access the Default Accounting Detail page where you can add a new default account line.

Adding or Modifying Expense Line Accounting Details

Access the Line Accounting Detail page.

Line Accounting Detail		
Amount:	155.00	
*General Ledger Unit:	US001	
Account:	650020	
Alt Acct:		
Operating Unit:		
Fund:		
Dept:	41000	
Program:		
Class:		
Bud Ref:		
Product:		
Affiliate:		
PC Bus Unit:	US001	
Project:	PROJECTS01	
Activity:	ACTIVITY1	
Source Type:		
Category:		
SubCat:		
Monetary Amount:	155.00	USD

Line Accounting Detail page.

Adding Transactions From My Wallet

This section provides an overview of My Wallet transactions and discusses how to add transactions from My Wallet to expense reports.

Understanding My Wallet Transactions

Click Populate From My Wallet on the Expense Report Detail page to view and select My Wallet expense transactions to apply to the expense report. The Populate From My Wallet page is similar to the Review My Wallet Receipts page. You can select one transaction at a time or select all the transactions appearing on the page. You can also drill down to My Wallet Transaction Detail to view additional details of the transaction.

After My Wallet transactions have been populated into an expense report, those transactions no longer appear in the Populate From My Wallet selection page; however, the transactions still show up in the Review My Wallet Receipts page.

If you delete an expense report or an expense line, the system releases those transactions and they will appear again on the Populate from My Wallet list.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Expense Reports,” Managing My Wallet Transactions

Page Used to Add Transactions From My Wallet

Page Name	Object Name	Navigation	Usage
Populate From My Wallet	TE_EXPENSE_REPORT	Click Populate From My Wallet on the Expense Report Detail page.	Select expense transactions from My Wallet to apply to the expense report.

Applying My Wallet Transactions to an Expense Report

Access the Populate From My Wallet page.

Populate From My Wallet page



Click the Wallet Transaction Detail button to view more details about the transaction, including expense type and location.

Done

Click to return to the expense report.

Return to List

Click to access the Create/Modify Expense Report page. The system prompts you if you have unsaved information.

Splitting Receipts

This section provides an overview of receipt splitting and discusses how to split receipts.

Understanding Receipt Splits

Receipt split allows you to split a receipt into multiple expense lines. For example, a hotel bill might enter the expenses system through a credit card feed as one expense transaction; however, the bill may include charges for telephone calls, laundry service, room service, and parking. Some companies want to track, report, and book these items individually.

Here are some receipt split functions:

- Create a receipt split and go back and edit a receipt split.

- Allow multiple expense types to be added to the receipt split.
- Correct the original receipt amount.

On the View Receipt Split Lines page, PeopleSoft Mobile Time and Expense adjusts the first expense amount of the receipt for each line that you add or delete. For example, if the original hotel expense transaction was for 150 USD and you add an expense transaction for 25 USD for dinner, the system automatically reduces the hotel expense transaction line to 125 USD.

Note. You cannot split a split. Also, if the expense transaction line originated from a credit card feed, you can split that expense line; however, PeopleSoft Mobile Time and Expense does not enable you to modify the original receipt amount and it hides the Correct Original Receipt Amount button.

Page Used to Split Receipts

Page Name	Object Name	Navigation	Usage
View Receipt Split Lines	TE_EXPENSE_REPORT	Click Split on the expense line on the Expense Report Detail page.	• Add expenses to a receipt. • Change total amount of a receipt.

Splitting Receipts

Access the View Receipt Split Lines page.

The added expense line is part of a Receipt.

View Receipt Split Lines Find | View All | First 1-2 of 2 Last

Expense Type	Expense Date	Reimbursement Amt	
Hotel/Lodging	05/01/2003	438.00	USD
Parking	05/01/2003	12.00	USD

Add

Current Total Listed: 450.000

Balance to Reconcile:

Total Receipt Amount: 450.000 **Correct Original Receipt Total**

[Return from Receipt Split](#)

View Receipt Split Lines page

Add

Click to add expenses to the receipt. The system adjusts the first expense amount in the receipt for each line that you add or delete.

Correct Original Receipt Total and Save Corrected Receipt Amount

Click to change the Total Receipt Amount field and to save the change. PeopleSoft Mobile Time and Expense does not display the Correct Original Receipt Total button if the transaction came from a credit card feed.

Return from Receipt Split

To complete the split, click to access the Expense Report Detail page.

Saving and Submitting Expense Reports

When you mark the expense report to submit during next synchronization, the system changes the expense report status to *Marked for Submit*, a state between pending and submitted. If the expense report is synchronized in this state, it triggers the submit process. If you decide before synchronization that you do not want to submit the report, click to undo the submit. A report in this new status is still accessible from the Create/Modify portal entry point.

Viewing Expense Reports

This section provides an overview of viewing expense reports and discusses how to:

- View expense report details.
- View expense report summaries.

Understanding Viewing Expense Reports

There are two navigations you can use to view expenses reports, and PeopleSoft Mobile Time and Expense displays both pages in a display-only view. PeopleSoft Mobile Time and Expense displays all reports except those in *Pending* or *Marked for Submit* status.

Pages Used to View Expense Reports

Page Name	Object Name	Navigation	Usage
View Expense Report	TE_EXPENSE_REPORT_INQ	Expense Report, View Details	View details and default accounting for the expense report or drill down to view details and accounting for expense lines.
Expense Report Summary	TE_EXPENSE_REPORT_SUM	Expense Report, View Summary	View a summary of the expense report, which includes general information about the report, expense lines, and amounts.

CHAPTER 7

Processing Time Reports

This chapter provides an overview of time reports and discusses how to:

- Create and modify time reports.
- Enter time and details on time reports.
- View time reports.

Understanding Time Reports

PeopleSoft Mobile Time and Expense provides a time reporting system that enables you to track time that employees spend on projects. Time reports replace written time sheets and spreadsheets, which require manual monitoring. With PeopleSoft Mobile Time and Expense, you can create, modify, and view time reports. As you go through the preparation process, you can:

- Create time reports for billing purposes.
- Enter the daily hours worked on various projects.
- Enter the daily hours for personal time, such as vacations and sick leave.
- Submit the report to your organization.

On the Installation Options - Mobile page, you set up the number of days of information that you want PeopleSoft Expenses to download to the mobile client. When you access the Create/Modify Time Report page, the system displays a list of existing time reports that you can modify, or you can add a new time report. You cannot create a time report if one already exists on the mobile client for the same period end date. When you add a time report, the system creates a blank report and displays the Time General Information view with the default country, state, locality, and billing action fields prepopulated with information from the user default table, if it exists. When you continue to the Time Summary view, the system also prepopulates project data from the user default table; however, only selected or enabled projects that are active at the time of the last synchronization with PeopleSoft Expenses appear on the time sheet.

See *PeopleSoft Enterprise Application Fundamentals 9.0 PeopleBook*, “Setting Installation Options for PeopleSoft Applications,” Defining Mobile Time and Expense Installation Options.

Time Report Processing Differences Between PeopleSoft Mobile Time and Expense and PeopleSoft Expenses

Processing time reports on a mobile application differs slightly from processing time reports in PeopleSoft Expenses. For example, the time limits that you establish in PeopleSoft Expenses at the business unit or employee level do not apply to the time reports that you create on a mobile device. Navigation to the PeopleSoft Mobile Time and Expense time report pages is different from the navigation in PeopleSoft Expenses. Also, with time report processing in PeopleSoft Mobile Time and Expense, you cannot:

- Perform prior period adjustments.
- Integrate directly with forecasting.
- Perform approvals.
- Delete time reports.

Creating and Modifying Time Reports

This section discusses how to:

- Create or modify time reports.
- Add or modify general information on time reports.

Pages Used to Create and Modify Time Reports

Page Name	Object Name	Navigation	Usage
Create/Modify Time Report	TE_TIME_MAIN	Time Report, Create/Modify	Modify existing time reports or add new time reports.
Time General Information	TE_TIME_MAIN	Select an existing time report or add a new time report on the Create/Modify Time Report page.	Enter general information about the time entry.

Creating or Modifying Time Reports

Access the Create/Modify Time Report page.

Create/Modify Time Report

Find View All First 4 1-3 of 3 Last			
Period End Date	Version	Time Report ID	Status
03/04/2005	Original Version	NEXT	Marked for Submit
04/29/2005	Original Version	NEXT	Marked for Submit
05/06/2005	Original Version	NEXT	Pending

Add

Search

Create/Modify Time Report page

The system displays existing time reports that have a status of *Pending* or *Marked For Submit*. Select a time report ID to modify the corresponding time report, or click Add to create a new time report.

Note. If you synchronize a report that is in *Marked For Submit* status using Upload Changes, the report appears as *Submitted*, and you cannot open the report to edit. You must run Update Business Data to view the submitted report.

Adding or Modifying General Information on Time Reports

When you select an existing time report or if you add a new report on the Create/Modify Time Report page, the system displays the Time General Information page, where you view, modify, or add descriptive information about the time report.

The fields on this page and view are the same as on the Time Report - General Time Report Information page and are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Time Reports and Time Adjustments,” Entering General Information on a Time Report

Entering Time and Details on Time Reports

This section discusses how to enter project and personal time details.

Page Used to Enter Time and Details on Time Reports

Page Name	Object Name	Navigation	Usage
Time Summary	TE_TIME_ENTRY	Click the Continue button in the Time General Information view of the Create/Modify Time Report page.	View, modify, or add project time and personal time, and indicate if you want to submit the report to PeopleSoft Expenses during the next synchronization.

Entering Project and Personal Time Details

Access the Time Summary page.

Time Summary

Kenneth Schumacher

Period End Date: 03/04/2005

Time Report ID: NEXT

Project Time		Find View All First 1-1 of 1 Last								
PC Bus Unit	Project	Activity	Sa 26	Su 27	Mo 28	Tu 1	We 2	Th 3	Fr 4	Total
US003	BUILDING	FOUNDATION			2.00	3.00	2.00	5.00	4.00	16.00

Add Refresh Default Projects

Personal Time		Find View All First 1-6 of 6 Last							
		Sa 26	Su 27	Mo 28	Tu 1	We 2	Th 3	Fr 4	Total
	Contract holiday								
	Floating Holiday								
	Illness - Paid			8.00					8.00
	Jury Duty								
	Personal - Paid					8.00			8.00
	Vacation								

Total Project Related Hours: 16.00

Total Personal Hours: 16.00

Grand Total: 32.00 Update

Time Summary page (1 of 2)

Go To: [General Report Information](#)

☒ Submit during next synchronization
☐ Submit for Partial Month

Approval History				Find View All First 0-0 of 0 Last		
Routing	Name	Action	Date/Time			

Save Return to List

Time Summary page (2 of 2)

Note. For a weekly or daily time reporting frequency, PeopleSoft Mobile Time and Expense displays all days on a single page. For other frequencies, scroll through the pages by using the Next or Previous buttons.

Update

Click to obtain totals, as PeopleSoft Mobile Time and Expense does not automatically update the page.

Submit during next synchronization

Select to set the time report status to *MFS* (marked for submit), which is a state between pending and submitted. The next time that you synchronize with PeopleSoft Expenses, the system submits the time report to the online system.

Before you synchronize with PeopleSoft Expenses, if you decide that you do not want to submit the report, clear this check box to change the time report status from *MFS* back to *Pending*.

Note. A submit in PeopleSoft Mobile Time and Expense takes place only when you select the Submit during next synchronization check box on the Time Summary page. The synchronization process performs a check to see whether the submitting employee is active. If the submitting employee is not active, you receive an error that this employee is not an active employee and the synchronization process stops.

Submit for Partial Month

Select to submit a report for part of a month.

This check box appears only if the project time spans two months.

Note. If you submit a partial report from a mobile device, you can only modify the report for that time period from within PeopleSoft Expenses. After the next successful synchronization you can see that report in view mode only.

Approval History

PeopleSoft Mobile Time and Expense uses the approval history tables to show approval and workflow related information. The table contains information about the actions already taken on a transaction. Therefore, no approval information is contained on a newly created pending report. A report has approval information after the approval has taken an action related to the report. The approval grid on this page shows all of the actions taken on a particular transaction. If there are comments from more than one approver, only the last comment is displayed in the grid.

Save

Click for PeopleSoft Mobile Time and Expense to validate the time report. The system issues an error or warning if it finds a problem. The system does not allow you to save a time report that has errors on it.

Return to List

Click to return to the Create/Modify Time Report page. The system prompts you if you have unsaved information.

The remaining fields on this page and view are the same as on the Time Report - Time Report Summary page and are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

Viewing Time Reports

This section discusses how to view time reports.

Pages Used to View Time Reports

Page Name	Object Name	Navigation	Usage
View Time Report	TE_TIME_MAIN_INQ	Time Report, View Details	Select to view time reports that are not pending.
Time General Information	TE_TIME_MAIN_INQ	Select an existing time report on the View Time Report page.	View general information about the time entry.
Time Summary	TE_TIME_ENTRY_INQ	Click Continue on the Time General Information page.	View project time and personal time.
Summarize Time Report	TE_TIME_REPORT	Time Report, View Summary	View summarized project data. Print from the browser.

Viewing Time Reports

Access the View Time Report or Summarize Time Report page.

To view a time report, click a report in the list view. Only reports that are not in pending status appear.

CHAPTER 8

Using PeopleSoft Mobile Time and Expense for PDA

This chapter provides an overview of PeopleSoft Mobile Time and Expense for personal digital assistant (PDA) and discusses how to:

- Synchronize data between your PDA and PeopleSoft Expenses.
- View user profile information.
- Enter expense data for expense reporting.
- Enter time data for time reporting.
- Set up receipt and time capture defaults.

Understanding PeopleSoft Mobile Time and Expense For PDAs

PeopleSoft Mobile Time and Expense for PDA provides a quick way to record expenses, time spent working on projects, and personal time, such as vacation and jury duty. PeopleSoft Mobile Time and Expense supports capturing expenses and time on a PDA.

Synchronizing Data Between Your PDA and PeopleSoft Expenses

This section discusses how to:

- Upload changes to PeopleSoft Expenses.
- Update business data.
- Update applications.
- View synchronization results, error lists, and notifications.

Uploading Changes to PeopleSoft Expenses

The Upload Changes option provides the fastest synchronization.

To synchronize time and receipt entries to PeopleSoft Expenses:

1. Click Synchronize from the PeopleSoft menu on your PDA.
2. Click Upload Changes.
3. Enter a user ID and password.
4. Click the Synchronize button.

Updating Business Data

The Update Business Data option provides a complete refresh of all business data. Update changes are pushed to the server, and error messages are received from the server. All new and modified business data is received from the server.

To update business data:

1. Click Synchronize from the PeopleSoft menu on your PDA.
2. Click Update Business Data.
3. Enter a user ID and password.
4. Click the Synchronize button.

Updating Applications

The Update Applications option provides a complete refresh of all application and business data. Update changes are pushed to the server, and error responses are received from the server. The synchronization is aborted if any errors occur while updating. The Update Applications option removes all application and business data. All application definitions and business data are received from the server.

Note. You can take advantage of the processing power of your ActiveSync computer to load your PDA by selecting PS Sync PDA.

See [Chapter 2, “Working with Mobile Applications,” page 5](#).

See *Enterprise PeopleTools 8.48 PeopleBook: PeopleSoft Mobile Agent*

To update applications:

1. Click Synchronize from the PeopleSoft menu on your PDA.
2. Click Update Applications.
3. Enter a user ID and password.
4. Click the Synchronize button.

Viewing Synchronization Results, Error Lists, and Notifications

To view synchronization results:

1. Click Synchronize from the PeopleSoft menu on your PDA.
2. Click Last Results.

You can also view errors and notifications on this page.

To view the error list:

1. Click Alerts from the PeopleSoft menu on your PDA.

2. Click Error List.

To view notifications:

1. Click Alerts from the PeopleSoft menu on your PDA.
2. Click Notifications.

Viewing User Profile Information

This section discusses how to view employee data.

Note. The Employee Data page is display-only. This page is similar to the online Employee Profile - Employee Data page, and the fields are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Maintaining Employee Profiles,” Maintaining Employee Personal Data

Page Used to View User Profile Information

Page Name	Object Name	Navigation	Usage
Employee Data	TE_PROF_PERSONAL	User Profile, Employee Data	View employee personal information.

Entering Expense Data for Expense Reporting

This section provides an overview of expense reporting data and discusses how to:

- Select or add expense transactions.
- Enter expense data.

Understanding Expense Reporting Data

PeopleSoft Mobile Time and Expense for PDA provides a quick way to record expenses. Create expense reporting data on your PDA and synchronize the data to Expenses. The expense reporting data becomes My Wallet entries in PeopleSoft Expenses. On the Expense Report - Expense Report Entry page, select *Entries From My Wallet* or *Expenses From My Wallet* to populate your expense report with PDA expense reporting data.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Expense Reports,” Entering Expense Report Information and Transaction Lines


PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Expense Reports,” Managing My Wallet Transactions

Page Used to Enter Expense Data for Expense Reporting

Page Name	Object Name	Navigation	Usage
Capture Receipt (Select/Add), Capture Receipt (Entry)	TE_RECEIPT_CAPTURE	Expenses, Capture Receipt	Select an existing expense transaction to view or modify, or click the Add button to enter new expense transactions.

Selecting or Adding Expense Transactions

Access the Capture Receipt (Select/Add) page.



Capture Receipt (Select/Add) page

PeopleSoft Mobile Time and Expense for PDA displays a list of existing receipt entries. To modify an existing expense transaction, click the link in the Date column. Click Add to add a new entry.

Entering Expense Data

Access the Capture Receipt (Entry) page.

The screenshot shows a mobile application window titled 'Pocket_BJM' running on an Internet Explorer browser. The interface is designed for data entry on a PDA. It features a menu bar with 'File', 'Zoom', 'Tools', and 'Help'. Below the menu, there are links for 'Menu', 'Home', 'Status', and 'Help'. The main content area contains several labeled input fields: 'Date' with the value '10/20/2003', 'Expense' with 'Entertainment -', 'Repeat Until' with '10/20/2003', 'Amount' with '123.00', 'Currency' with 'USD', 'Location' with 'Denver, Colorado', 'Payment' with 'Cash', and a 'Comments' field. At the bottom of the form, there is a 'Save' button and a 'Return to List' link. The browser's status bar at the very bottom shows 'View Tools' and several navigation icons.

Capture Receipt (Entry) page

If you clicked the Add button on the Capture Receipt (Select/Add) page, the system first prompts you to enter a date and select an expense transaction type before displaying the remaining page elements.

Date	Enter the date on which you incurred the expense.
Expense	Select the expense transaction type. The expense type determines which fields PeopleSoft Mobile Time and Expense for PDA displays on the page.
Repeat Until	Enter a date for PeopleSoft Mobile Time and Expense for PDA to create a new expense transaction line entry for each day between the date entered in the Date field and this field.
Status	Indicates the status of the expense transaction.
Save	Click to save the information about the expense transaction.
Return to List	Click to return to the Capture Receipt (Select/Add) page. If you did not save the information, the system prompts you before continuing.

The system displays additional fields, depending on the expense type that you selected. The Receipt Capture (Entry) page is similar to the online Expense Report - Expense Detail for [expense type] page, and the fields are documented in the *PeopleSoft Enterprise Expenses 9.0 PeopleBook*. Enter as much data as possible to streamline the data entry in the online expense report.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Expense Reports,” Entering Expense Report Information and Transaction Lines

Entering Time Data for Time Reporting

This section provides an overview of time reporting, lists common elements, and discusses how to:

- Select or add time entries.
- Enter project times.
- Enter personal time.

Understanding Time Reporting

PeopleSoft Mobile Time and Expense for PDA provides a quick way to record project and personal time. Create time entries on your PDA and synchronize them to PeopleSoft Expenses. When you create a time report in PeopleSoft Expenses, PDA time entries are automatically populated into the time report that fall within the selected reporting period.

See Also

PeopleSoft Enterprise Expenses 9.0 PeopleBook, “Preparing Time Reports and Time Adjustments”

Common Elements Used in This Section


Date	Enter a date to which the time entry pertains.
Type	Select <i>Project</i> or <i>Personal</i> . The system changes the fields for the page based on your selection.
Repeat Until	Enter a date for PeopleSoft Mobile Time and Expense for PDA to create a new time entry for each day between the date entered in the Date field and this field.
Status	Indicates the status of the time entry.
Save	Click to save the time entry.
Return to List	Click to return to the Time Report (Select/Add) page. The system displays a message if you have not saved the current time entry.

Pages Used to Enter Time Data for Time Reporting

Page Name	Object Name	Navigation	Usage
Time Entry (Select/Add)	TE_TIME_CAPTURE	Time Report, Create/Modify	Select a time entry to modify, or click Add to create a new time entry.
Time Entry (Project)	TE_TIME_CAPTURE	Time Report, Create/Modify Select <i>Project</i> in the Type field.	Enter project-related time.
Time Entry (Personal)	TE_TIME_CAPTURE	Time Report, Create/Modify Select <i>Personal</i> in the Type field.	Enter personal-related time.

Selecting or Adding Time Entries

Access the Time Entry (Select/Add) page.



Time Entry (Select/Add) page

PeopleSoft Mobile Time and Expense for PDA displays a list of existing time entries. To modify an existing time entry, click the link in the Date column. Click Add to add a new entry.

Entering Project Times

Access the Time Entry (Project) page.

The screenshot shows a PDA interface for entering time. The window title is 'Pocket_BJM'. The menu bar includes 'File', 'Zoom', 'Tools', and 'Help'. Below the menu bar is an 'Internet Explorer' header with a status bar showing '5:53'. The main content area contains the following fields:

- Date: 10/06/2003
- Type: Project
- Repeat Until: 10/10/2003
- PC BU: US003
- Project: BUILDING
- Activity: SURVEY
- Action: Billable
- Hours: 8.00
- Country: United States

At the bottom, there is a 'View Tools' bar with various icons.

Time Entry (Project) page

Entering Personal Time

Access the Time Entry (Personal) page.

Personal Select the type of personal time taken.

Setting Up Receipt and Time Capture Defaults

This section provides an overview of receipt and time entry default setup, lists common elements, and discusses how to:

- Set up defaults for receipt entry.
- Set up defaults for time entry.

Understanding Receipt and Time Entry Default Setup

To reduce the amount of data entry in a PDA, PeopleSoft Mobile Time and Expense for PDA provides a default feature for receipt and time report entry. There are two options: use either the last saved or the user selected. In either case, when you create a new receipt entry, any field with a default value is preset to that value.

Common Elements Used in This Section

Use Last Saved

Select so that each time that you save a receipt or time entry, the system saves the entry values. The next time that you add a receipt or time entry, the system populates the fields with the saved values.

Pages Used to Set Up Receipt and Time Capture Defaults

Page Name	Object Name	Navigation	Usage
(Expenses) Defaults	TE_REC_CAP_DEFAULTS	Expenses, Defaults	Set up defaults to use when entering new receipt data.
(Time Entry) Defaults	TE_TIME_CAP_DEFAULTS	Time Entry, Defaults	Set up defaults to use when entering new time entry data.

Setting Up Defaults for Receipt Entry

Access the (Expenses) Defaults page.

The screenshot shows a mobile application interface for setting defaults. At the top, there's a 'Use Last Saved' checkbox. Below it are several input fields: 'Location' (Denver, Colorado), 'Payment' (American Express), 'Credit Card' (masked with asterisks), 'Currency' (USD), and 'Nbr of Nights' (4). A section titled 'Preferred Merchants' contains a table with two columns: 'Expense' and 'Merchant'. The table has one row: 'Air Travel' and 'American Airlines'. Below the table are navigation icons: a magnifying glass (Find), a double arrow (View All), and a list icon (1-1 of 1). At the bottom, there are more icons: a left arrow, a right arrow, a home icon, a folder icon, and a keyboard icon.

(Expenses) Defaults page

Preferred Merchants



Click to view or modify an existing preferred merchant for an expense type.



Click to delete a preferred merchant for an expense type.

Add


Click to add a new preferred merchant for an expense type.

Edit/Display

Click to edit all Expense and Merchant fields on the page or click to return to the display-only mode.

Setting Up Defaults for Time Entry

Access the (Time Entry) Defaults page.



The screenshot shows a web browser window titled "Pocket_BJM" with a menu bar (File, Zoom, Tools, Help) and a status bar (5:20). The page content includes a "Menu" bar with links to Home, Status, and Help. A checkbox labeled "Use Last Saved" is present. Below this are several form fields with search icons: "PC BU:" with value "US003", "Project:" with value "BUILDING", "Activity:" with value "SURVEY", "Personal:" (empty), "Hours:" with value "8.00", "Country:" with value "United States", "State:" with value "Colorado", and "Action:" with a dropdown menu showing "Billable". The bottom of the browser window shows a "View Tools" bar with various icons.

(Time Entry) Defaults page

APPENDIX A

Configuring ChartFields for PeopleSoft Mobile Time and Expense

This appendix provides an overview of configuring ChartFields for PeopleSoft Mobile Time and Expense and:

- Discusses how to add new ChartFields.
- Discusses how to delete ChartFields.
- Discusses how to change the order of ChartFields.
- Discusses how to rename ChartFields.
- Discusses dynamic prompting.
- Lists mobile objects that are related to ChartFields.
- Lists mobile pages that use ChartFields.
- Lists mobile transactions.

Understanding Configuring ChartFields

This appendix discusses the additional steps required to complete certain ChartField configuration actions for PeopleSoft Mobile Time and Expense. Only the configuration actions discussed in this appendix require additional steps in PeopleSoft Mobile Time and Expense. To benefit fully from the information covered in this appendix, you should have a thorough understanding of Oracle's PeopleSoft Mobile technology. You should also be familiar with PeopleSoft Expenses and with the Configuring ChartFields chapter of the *PeopleSoft Enterprise Application Fundamentals 9.0 PeopleBook*.

Configuring ChartFields includes one or more of the following types and actions:

Configuration Type	Configuration Actions
Configurations requiring no manual changes.	• Changing the field size of ChartFields. • Relabeling ChartFields. • Activating ChartFields. • Inactivating ChartFields. • Changing the display length of ChartFields.
Configurations requiring manual changes.	• Adding new ChartFields. • Deleting ChartFields. • Renaming ChartFields. • Changing the display order of ChartFields.

Adding New ChartFields

When you add a new ChartField using the Advanced ChartField Configuration process, you must also make the new ChartField visible in PeopleSoft Mobile Time and Expense. This section discusses how to add a new ChartField, using FUND ChartField as our example in the steps detailed below, and includes making modifications or additions to all of the components, component interfaces, PeopleSoft Mobile Time and Expense pages, and application packages.

New component, component interfaces, and mobile pages need to be added for every new ChartField. Changes to the existing application packages are also required for the new ChartFields to take effect.

Below are steps that explain how to add a new ChartField. We use the FUND ChartField as our example in all of the steps, which include all the components, component interfaces, mobile pages, and application packages where you need to make changes or additions.

To add a new ChartField:

1. Define a new component and component pages.
2. Define a new component interface.
3. Define new mobile pages.
4. Add a new setID for the ChartField.
5. Add SETID_FUND to PeopleSoft Expenses pages.
6. Add a ChartField to existing mobile pages.
7. Perform PeopleCode changes to component and component interface.
8. Perform PeopleCode changes to AppPackage.
9. Add component interfaces and mobile pages to ALLPAGES permission list.

Define a New Component and Component Pages

To add a new ChartField, you must first add a new component page (TE_FUND) to use in the new component, which you will use in PeopleSoft Expenses for the FUND values:


TE_FUND (Page): Layout tab

Next, add a new component (TE_FUND.GBL) and add the TE_FUND component page to it, as shown below:

	Page Name	Item Name	Hidden	Item Label	Folder Tab Label	Allow Def
1	TE_FUND	TE_FUND	☐	Te Fund		

TE_FUND.GBL (Component) page: Definition tab

You may need to write a new search view for the TE_FUND component so that PeopleCode in the record is not triggered. To set up a search view, access the Component Properties page, Use tab.




Component Properties page: Use tab

To create a new search view for the component:

1. Enter the name of the search record (FUND_BUGL_VW in our example) in the Access group box.
2. Select Update/Display in the Actions group box.
3. Select Include in Navigation.

Define a New Component Interface

The second step to adding a ChartField is to define a new component interface for the component that you just added. Using FUND ChartField as our example, add a component interface named TE_FUND:



TE_FUND (Component Interface) page

Access the Properties page and select the Synchronization tab.

The screenshot shows a 'Properties' dialog box with three tabs: 'General', 'Standard Methods', and 'Synchronization'. The 'Synchronization' tab is selected. Inside the dialog, there is a checked checkbox for 'Synchronizable'. Below it is a 'Conflict Resolution' group box containing three radio buttons: 'Server Wins' (selected), 'Device Wins', and 'Custom'. Further down is an 'Application Messages' group box with a 'Message Set Number' text field. Below that is an 'Upload changes from mobile device?' group box with three radio buttons: 'Yes' (selected), 'No, restore server values at synchronization time', and 'No, retain current device values'. At the bottom, there is a 'Related Content Project' label, a 'Select...' button, and a 'Clear' button. The 'OK' and 'Cancel' buttons are at the very bottom of the dialog.

Properties page: Synchronization tab

On the Properties page, Synchronization tab, do the following:

- Select the Synchronizable check box.
- Select Server Wins in the Conflict Resolution group box.
- Select Yes to upload changes from a mobile device.

Access the Edit Property pages for FUND_CODE for all keys and properties. (To access the Edit Property page, right-click FUND_CODE on the Component Interface page and select Edit Property.)

The screenshot displays the configuration interface for the **TE_FUND** component. On the left, a tree view shows the component structure, including **FUND_BUGL_VW** (View) and **Scroll - Level 0**. The main area shows a table of properties for **TE_FUND**.

Name	Record	Field	Rea...
TE_FUND			
FINDKEYS			
SETID	FUND_BUGL_VW	SETID	
FUND_CODE	FUND_BUGL_VW	FUND_CODE	
GETKEYS			
SETID	FUND_BUGL_VW	SETID	
FUND_CODE	FUND_BUGL_VW	FUND_CODE	
PROPERTIES			
SETID	FUND_BUGL_VW	SETID	
FUND_CODE	FUND_BUGL_VW	FUND_CODE	
DESCR	FUND_BUGL_VW	DESCR	
SYNCID	FUND_BUGL_VW	SYNCID	
SYNCDTTM	FUND_BUGL_VW	SYNCDTTM	
METHODS			
Cancel			
Find			
Get			
Save			

An **Edit Property** dialog box is open, showing the configuration for the **FUND_CODE** property:

- Name: **FUND_CODE**
- Record: **FUND_BUGL_VW**
- Field: **FUND_CODE**
- Comment: (empty text box)
- ☐ Read Only Access
- Mobile Property Persistence:
 - ☒ Send Updates
 - ☐ Do not Send Updates
 - ☐ Derived

Edit Property page

On the Edit Property page, verify that all keys and properties on the component interface have the Mobile Property Persistence option set to *Send Updates*.

Define New Mobile Pages

After you define a component interface, add mobile pages to it. In our example, we added **TE_FUND** and **TE_FUND_REF**. The **TE_FUND** page is used to obtain the list of **FUND** codes with their descriptions. The **TE_FUND_REF** page ties in the value selected on the prompt and populates the **FUND_CODE** value.

The screenshot shows the **TE_FUND (Mobile Page)** configuration window. It displays a tree view with the following structure:

- TE_FUND
 - FUND_CODE
 - DESCR

TE_FUND (Mobile Page)

The screenshot shows the **TE_FUND_REF (Mobile Page)** configuration window. It displays a tree view with the following structure:

- TE_FUND_REF
 - FUND_CODE

TE_FUND_REF (Mobile Page)

When you add new pages for PeopleSoft Mobile Time and Expense using the component interface, the component interface has additional fields that are not required for prompting or description display functionality. You must remove these fields. In our example, FUND_CODE and DESCR are required in the TE_FUND mobile page and only FUND_CODE is required on the TE_FUND_REF mobile page.

Access the Mobile Page Content Properties page for TE_FUND:

The screenshot shows the 'Mobile Page Content Properties' dialog box. At the top, there are tabs for 'Laptop' and 'PDA'. Below the tabs, the 'Content Name' is set to 'FUND_CODE'. The 'General' section is expanded, showing a 'Suppress on this Device' checkbox which is unchecked. Under the 'Label' section, the 'Type' is set to 'RFT Short' (selected with a radio button). The 'Label Text' section contains a 'Text' field with the value 'Fund' and a 'Label ID' dropdown menu showing 'Use Default Label'. There is an 'Insert Line Feed' button below the 'Label ID' field. At the bottom of the dialog, there are checkboxes for 'Display Time Zone' and 'Insert Line Feed', both of which are unchecked. Below these checkboxes are two input fields: 'Help Message Set' with the value '0' and 'Help Message Number' with the value '0'. There is also an empty text box at the very bottom of the dialog.

Mobile Page Content Properties page for TE_FUND (1 of 2)

List View

☒ List Box Item

☒ HyperLink

Custom Column Percentage:

Detail View

☒ Display Only

☐ Invisible

☐ Include In Header

☐ Horizontal Layout

☐ Show Lookup Icon

☐ Group Label

Custom Size:

Height In Lines:

☐ Phone Number

☐ Push Button

☐ Show Detail Icon

HTML Area

☐ Render as HTML Area

☐ Display Inline on Same Page

☐ Time Picker

Interval:

Detail Mobile Page Object:

OK Cancel

Mobile Page Content Properties page for TE_FUND (2 of 2)

On the Mobile Page Content Properties page for TE_FUND, make the following changes:

- For FUND_CODE, select the List Box Item and HyperLink check boxes in the List View group box.
- For DESCR, select the List Box Item check box in the List View group box.

Access the Mobile Page Content Properties page for TE_FUND_REF:

Mobile Page Content Properties

Laptop | PDA

Content Name: FUND_CODE

General

☐ Suppress on this Device

Label

Type: ☐ None ☐ Text ☒ RFT Short ☐ RFT Long

Label Text:

Text: Fund

Label ID: Use Default Label

Insert Line Feed

☐ Display Time Zone ☐ Insert Line Feed

Help Message Set: 0 Help Message Number: 0

Mobile Page Content Properties page for TE_FUND_REF (1 of 2)

List View

☒ List Box Item

☐ HyperLink

Custom Column Percentage: 0

Detail View

☐ Display Only Custom Size: 15

☐ Invisible Height In Lines: 3

☐ Include In Header ☐ Phone Number

☐ Horizontal Layout ☐ Push Button

☒ Show Lookup Icon ☐ Show Detail Icon

☐ Group Label

HTML Area

☐ Render as HTML Area

☐ Display Inline on Same Page

Time Picker

Interval: 5 Minutes

Detail Mobile Page Object: TE_FUND

OK Cancel

Mobile Page Content Properties page for TE_FUND_REF (2 of 2)

On the Mobile Page Content Properties page for TE_FUND_REF mobile page, make the following changes for FUND_CODE:


1. Select the List Box Item check box in the List View group box.

2. Select the Show Lookup Icon check box in the Detail View group box.
3. Select *TE_FUND* page as the Detail Mobile Page Object.

After these additions, you should see the ChartField and its corresponding prompt values in PeopleSoft Mobile Time and Expense.

Add New SetID for the ChartField

To add a new setID field for the ChartField, access the EX_LABELS_WRK Record page:



Num	Field Name	Type	Len	Format	Short Name	Long Name
167	SETID_EXPENSE_TYPE	Char	5	Upper	ExpTyp Setid	Setid for Expense T
168	SETID_FUND	Char	5	Upper	Fund Setid	Setid for Fund
169	SETID_LOCATION	Char	5	Upper	Location SetID	Location SetID
170	SETID_MERCHANT	Char	5	Upper	Merchant Setid	Setid for Merchant

EX_LABELS_WRK (Record) page: Record Fields tab

On the EX_LABELS_WRK Record page, add the new SETID_FUND field.

Add SETID_FUND to PeopleSoft Expenses Pages

After you add a new setID for the FUND ChartField, you can add the SETID_FUND field to PeopleSoft Expenses pages so that the field is available for PeopleSoft Mobile Time and Expense pages. The TE_SHEET_DIST and TE_SHEET_SPLIT pages belong to the TE_EXPENSE_SHEET component for PeopleSoft Expenses. Add the SETID_FUND field to the component, the component interface, and then to the mobile page.

Access the Edit Box Properties page for the TE_SHEET_DIST and TE_SHEET_SPLIT pages.

Note. To access the Edit Box Properties page, right-click SETID_FUND on the page and select Page Field Properties.

Edit Box Properties

Record | Label | Use | General

Field

Record Name: EX_LABELS_WRK

Field Name: SETID_FUND

Style: Use Default Style

Size

☐ Average

☐ Maximum

☒ Custom

Alignment

☒ Auto

☐ Left

☐ Right

Family Name:

Display Name:

Display Options

☐ Display Zero

☐ Display Century

☐ Password

☐ Currency Symbol

☒ Show Prompt Button

☐ 1000 Separator

☐ Auto Fill

☐ Auto Decimal

☐ Display Time Zone

☐ Enable Spell Check

Fill Character:

OK Cancel

Edit Box Properties page: Record tab

On the Edit Box Properties pages for both TE_SHEET_DIST and TE_SHEET_SPLIT component pages, add SETID_FUND as a *Display Only* and *Invisible* field.


See Refer to Mobile Transactions for pages where the setID fields need to be added for each Mobile page mentioned in the next step.

Add ChartField to Existing Mobile Pages

After you add SETID_FUND field to PeopleSoft Expenses pages, you are ready to add the ChartField to the existing PeopleSoft Mobile pages:

- TE_EXPENSE_REPORT
- TE_EXPENSE_REPORT_INQ
- TE_TIME_ENTRY
- TE_TIME_ENTRY_INQ
- TE_PROF_ORG


Add the new ChartField and the related setID field to the component interfaces and their associated mobile pages:



Application Designer-TE_EXPENSE_REPORT Component Interface page for FUND_CODE

Follow these steps to add the new ChartField and the related setID to the component interfaces and their associated mobile pages:

1. Add the field FUND_CODE and SETID_FUND to the properties of the TE_EXPENSE_REPORT component interface.
2. Add FUND_CODE reference tag at the split level.
 - Identify the FUND_CODE field in the TE_EXPENSE_SHEET component under the EX_SHEET_SPLIT record at Level 1.
 - Verify that the FUND_CODE field is in the same level under properties of TE_EXPENSE_REPORT component interface.
 - Verify that the SETID_FUND field in the EX_LABELS_WRK record in TE_EXPENSE_SHEET component is present at the same level under the properties of TE_EXPENSE_REPORT component interface.
3. Add FUND_CODE reference tag at the distribution level.
 - Identify the FUND_CODE field in the TE_EXPENSE_SHEET component under the EX_SHEET_DIST record at Level 2 under EX_SHEET_LINE at Level 1.
 - Verify that the FUND_CODE field is in the same level under properties of TE_EXPENSE_REPORT component interface.
 - Verify that the SETID_FUND field in the EX_SHEET_WRK record in TE_EXPENSE_SHEET component is present at the same level under the properties of TE_SHEET_DIST of the TE_EXPENSE_REPORT component interface.



After FUND_CODE and SETID_FUND are in the component interface at the split and distribution levels, create the FundCode reference tags. To create the reference tags, highlight FUND_CODE and SETID_FUND and select the Create Reference menu option on the Application Designer Component Interface page.

Create Reference

Name:

Related Component Interface:

Comments:

Related Key Mapping:

CI Property	Related CI Property
FUND_CODE	FUND_CODE
SETID_FUND	SETID

Valid Reference Path:

From Object	Using Reference
TE_EXPENSE_REPORT.EX_SHEET_S	

Reference Backpointer:

OK Cancel

Create Reference page

On the Create Reference page, verify that the reference properties are populated as shown in the above example. Complete these fields for both EX_SHEET_DIST and EX_SHEET_SPLIT:

Name	Enter the name of the reference, which is the same on each component interface that you add the reference to.
Related Component Interface	Enter the name of the component interface that you defined for the ChartField used for the prompt.
Related Key Mapping	Match the field name from this component interface to the same field defined in the Related Component Interface field.
Valid Reference Path	Match the field name from this component interface to the same field defined in the Related Component Interface field.

After you create the reference, the FundCode reference appears in the TE_EXPENSE_REPORT component interface.

Access the Mobile Page Reference Properties page to add Fund_Code to the TE_EXPENSE_REPORT mobile page:

Mobile Page Reference Properties

Laptop | PDA

Reference Name: FundCode

General

☐ Suppress on this Device

Label

Type: ☐ None ☒ Text

Label Text

Text: FundCode

Insert Line Feed

List View

☐ List Box Item

☐ HyperLink

Custom Column Percentage: 0

Detail View

☐ Display Only ☐ Invisible

Related Mobile Page Object: TE_FUND_REF

OK Cancel

Mobile Page Reference Properties page

On the Mobile Page Reference Properties page, the FundCode field reference on the TE_EXPENSE_REPORT mobile page is tied to the TE_FUND_REF mobile page object. This is the same for the TE_EXPENSE_REPORT_INQ mobile page with the exception that the field is display-only. The TE_TIME_ENTRY and TE_TIME_ENTRY_INQ mobile pages also have the FundCode field.

FundCode ChartField is a display-only field on the Organizational Data page under the User Profile. It gets the value from the TE_FUND_REF mobile page object.

Perform PeopleCode Changes to Component and Component Interface

Add PeopleCode at the component interface level for synchronization-related activities as noted below:

Component Interface	PeopleCode
TE_FUND	TE_FUND.OnSelect

Look for FUND_CODE in the PeopleCode in the following components and change PeopleCode as needed for the new ChartField:

Component	PeopleCode
TE_EXPENSE_SHEET	- TE_EXPENSE_SHEET.GBL.EX_SHEET_DIST.RowInit - TE_EXPENSE_SHEET.GBL.EX_SHEET_SPLIT.RowInit
EX_EE_PROFILE	EX_EE_PROFILE.GBL.EX_EE_ORG_DTL.RowInit
TE_EXP_SHEET_INQ	- TE_EXP_SHEET_INQ.EX_SHEET_DIST.RowInit - TE_EXP_SHEET_INQ.EX_SHEET_SPLIT.RowInit
TE_EXP_TYPE_GRP_CF	TE_EXP_TYPE_GRP_CF.EX_LABELS_WRK.RowInit
TE_EXPENSE_TYPE_CF	TE_EXPENSE_TYPE_CF.EX_LABELS_WRK.RowInit
TE_MBL_TIME_ENTRY	TE_MBL_TIME_ENTRY.EX_TIME_DTL.RowInit
TE_MBL_TIME_ENTRY	TE_MBL_TIME_ENTRY.GBL.SavePreChange Note. This change is only applicable to Mobile Time Entry.

Perform PeopleCode Changes to AppPackage

Change PeopleCode in the following AppPackages:

AppPackage	Class	Methods
TE_MOBILE	ChartFields	- ChartFields (includes basic ChartField properties). - DisplayCFRow (ChartField display).
TE_EXPENSE	SheetHeader	CopyLines (Copy functionality).
TE_EXPENSE	SheetDist	- SetNewDist (copy the current line data to a new line). - ReplaceDistCFs (inserts new distribution records equal to number of split records).
TE_EXPENSE	SheetSplit	SetDefaults (copy the User Profile defaults to the split row).
TE_TIME	Time Report	AddLineToProject (default ChartField values from User Profile are populated into references).

Add Component Interfaces and Mobile Page to ALLPAGES Permission List

Add all the new component interfaces and the mobile pages to the ALLPAGES permission list and any other permission list to be used. Oracle's PeopleSoft delivers LAPTOP and PDA permission lists for PeopleSoft Mobile Time and Expense.

Deleting ChartFields

When you delete a ChartField using the Advanced ChartField Configuration process, we recommend that the related PeopleSoft Mobile Time and Expense objects and PeopleCode be removed to keep PeopleSoft Expenses and PeopleSoft Mobile Time and Expense synchronized.

When deleting a ChartField, exercise caution when you remove PeopleSoft Mobile Time and Expense objects and PeopleCode. Each ChartField has an associated component, component page, component interface, and one or more pages used by PeopleSoft Mobile Time and Expense. There can also be a reference to the ChartField in Component and AppClass PeopleCode.

Remove PeopleSoft Mobile Time and Expense objects only after you verify that there are no references to the objects in the PeopleSoft Mobile Time and Expense application. We suggest that you comment out all the PeopleCode related to the deleted ChartField, being careful to not delete PeopleCode that may impact other functionality.

The example steps that follow use the FUND ChartField to illustrate the objects and places where you need to delete PeopleCode. Steps include all the components, Component Interfaces, mobile pages, and application packages where the you need to make changes or additions.

1. Delete PeopleCode at the AppPackage level that is related to the FUND ChartField:

AppPackage	Class	Methods
TE_MOBILE	ChartFields	• ChartFields (includes basic ChartField properties). • Display CFRow (ChartField display).
TE_EXPENSE	SheetHeader	CopyLines (Copy functionality).
TE_EXPENSE	SheetDist	• SetNewDist (copy the current line data to a new line). • ReplaceDistCFs (inserts new distribution records equal to number of split records).
TE_EXPENSE	SheetSplit	SetDefaults (copy the user profile defaults to the split row).
TE_TIME	Time Report	AddLineToProject (Default ChartField values from User Profile are populated into references).

2. Delete PeopleCode at the Component level:

Component	PeopleCode
TE_EXPENSE_SHEET	- TE_EXPENSE_SHEET.GBL.EX_SHEET_DIST.RowInit - TE_EXPENSE_SHEET_GBL.EX_SHEET_SPLIT.RowInit
EX_EE_PROFILE	EX_EE_PROFILE_GBL.EX_EE_ORG_DTL.RowInit
TE_EXP_SHEET_INQ	- TE_EXP_SHEET_INQ_EX_SHEET_DIST.RowInit - TE_EXP_SHEET_INQ_EX_SHEET_SPLIT.RowInit
TE_EXP_TYPE_GRP_CF	TE_EXP_TYPE_GRP_CF.EX_LABELS_WRK.RowInit
TE_EXPENSE_TYPE_CF	TE_EXPENSE_TYPE_CF_EX_LABELS_WRK.RowInit
TE_MBL_TIME_ENTRY	- TE_MBL_TIME_ENTRY_EX_TIME_DTL.RowInit - TE_MBL_TIME_ENTRY_GBL.SavePreChange Note. TE_MBL_TIME_ENTRY_GBL.SavePreChange is only applicable to PeopleSoft Mobile Time Entry. Use this instruction only if applicable.

3. Delete PeopleCode at the Component Interface level:

Component Interface	PeopleCode
TE_FUND	TE_FUND.OnSelect

4. Remove the references to FUND from the ALLPAGES permission list or other mobile permission lists:


Component Interface	Mobile Pages
TE_FUND	- TE_FUND - TE_FUND_REF

- Delete the reference (FundCode) in the TE_EXPENSE_REPORT mobile page at EX_SHEET_DIST and EX_SHEET_SPLIT level.
- Delete the fields FUND_CODE and SETID_FUND from EX_SHEET_DIST and EX_SHEET_SPLIT from the TE_EXPENSE_REPORT Component Interface.
- Delete the SETID_FUND field from the TE_SHEET_DIST and TE_SHEET_SPLIT pages in Expenses.
- Delete the SETID_FUND field from the EX_LABELS_WRK record.
- Delete the SETID_FUND field.
- Delete the TE_FUND and TE_FUND_REF mobile pages.
- Delete the TE_FUND component interface.
- Delete the TE_FUND page.
- Delete the TE_FUND component.

Changing the Order of ChartFields

Changing the order of ChartFields using the Standard ChartField Configuration process has a significant impact on PeopleSoft Mobile Time and Expense pages. If you change the order of ChartFields, you must also modify the PeopleSoft Mobile Time and Expense pages because the mobile page layout is dependent on the physical ordering of the ChartFields. If you do not modify the PeopleSoft Mobile Time and Expenses pages to mirror the order of ChartFields, then the ChartFields might show incorrect values and, subsequently, PeopleSoft Mobile Time and Expense might show incorrect amounts.

For example, notice that the ChartFields on the Line Accounting Detail (TE_EXPENSE_REPORT) page in PeopleSoft Mobile Time and Expense appear in the same order as the fields listed in the AppDesigner:



Expense Line Distribution section of TE_EXPENSE_REPORT Mobile page

Line Accounting Detail		
Amount:	500.00	
GL Business Unit:	FRA01	
Account:	650055	
Alt Acct:	625000	
Operating Unit:		
Fund:		
Dept:	41000	
Program:		
Class:		
Bud Ref:		
Product:		
Affiliate:		
PC Bus Unit:		
Project:		
Activity:		
Source Type:		
Monetary Amount:	500.00	FRF

Mobile Time and Expense: Line Accounting Detail page

If you change the order of ChartFields using the Standard ChartField Configuration process, you may need to modify the physical order of ChartFields on the following PeopleSoft Mobile Time and Expense pages:

Page	Page Description
TE_PROF_ORG	For general ledger-related ChartFields.
TE_PROF_DFLT	For project-related ChartFields only.
TE_TIME_ENTRY	For creating and modifying time reports on the mobile device.
TE_EXPENSE_REPORT	For creating and modifying expense reports on the mobile device. If necessary, perform changes at the EX_SHEET_DIST and EX_SHEET_SPLIT levels.
TE_EXPENSE_REPORT_INQ	Inquiry for expense reports on the mobile device. If necessary, perform changes at the EX_SHEET_DIST and EX_SHEET_SPLIT levels.
TE_EXPENSE_REPORT_SUM	Inquiry for summary project data on an expense report. If necessary, perform changes at the EX_SHEET_DIST and EX_SHEET_SPLIT levels.

Renaming ChartFields

Renaming a ChartField using the standard configuration process impacts PeopleSoft Mobile Time and Expense. Although the configuration process automatically handles the majority of changes, you need to handle a change manually in PeopleSoft Mobile Time and Expense. In the AppPackage TE_MOBILE class ChartFields.OnExecute, you must perform a change in the ChartFields method. Each ChartField field name is hard coded as a string in this method; therefore, the renamed ChartField needs its associated string changed. There is an entry for each ChartField in PeopleSoft Mobile Time and Expense. For example, if you change the ChartField FUND_CODE to FUNDCODE, then you need to change the string “FUND_CODE” to “FUNDCODE”.

Understanding Dynamic Prompting

Usually, a ChartField has one view or a table from which it looks up or stores its value. There are cases where a ChartField might have more than one view or table to look up, depending on a range of factors. This feature is known as *dynamic prompting*. Some ChartFields that use dynamic prompting are Account, Alternate Account, Project ID, and Activity.

PeopleCode takes care of picking up or storing values in the correct view or table, depending on various factors. These factors are different for each ChartField mentioned above. More than one reference are defined on PeopleSoft Mobile Time and Expense pages for each field from different views and tables.

PeopleCode defines work fields required for synchronizing values. These work fields are required due to the behavior of PeopleTools where it overwrites values read from the first reference with the values from the second reference. It is possible that the second reference values might be blank or invalid, resulting in the wrong data getting synchronized. Because the PeopleTools field synchronization sequence is random, the ChartField functionality maintains work fields that update the correct value after synchronization is completed.

The following is an example of the PeopleCode changes for the work fields:

Object Type	Object PeopleCode
Component	TE_EXPENSE_SHEET
Events	• PreBuild • SavePreChange
AppPackage	TE_MOBILE
AppClass	ChartFields
Methods	• ChangeAccountFields • ChangeAccount • ChangeCategory • ChangeSubCat • ChangeAltAcct • ChangeProject

Object Type	Object PeopleCode
Component Interface	TE_EXPENSE_REPORT
Record	EX_SHEET_DIST
Field or Property	• Account • AccountX • AltAcct • AltAcctX • IndependentCategory • IndependentSubCategory • RelatedCategory • RelatedSubCategory
Event	OnChange

Mobile Objects Related to ChartFields

The following table shows the PeopleSoft Mobile Time and Expense objects related to each ChartField:

General Ledger ChartFields	Component	Component Interface	Mobile Pages
Account	• TE_ACCOUNT • TE_ACCOUNTX	• TE_ACCOUNT • TE_ACCOUNTX	• TE_ACCOUNT • TE_ACCOUNT_REF • TE_ACCOUNTX • TE_ACCOUNTX_REF
Alternate Account	• TE_ALTACCT • TE_ALTACCTX	• TE_ALTACCT • TE_ALTACCTX	• TE_ALTACCT • TE_ALTACCT_REF • TE_ALTACCTX • TE_ALTACCTX_REF
Operating Unit	TE_OPER_UNIT	TE_OPER_UNIT	• TE_OPER_UNIT • TE_OPER_UNIT_REF
Fund Code	TE_FUND	TE_FUND	• TE_FUND • TE_FUND_REF
Department	TE_DEPARTMENT	TE_DEPARTMENT	• TE_DEPARTMENT • TE_DEPARTMENT_REF

General Ledger ChartFields	Component	Component Interface	Mobile Pages
Program Code	TE_PROGRAM	TE_PROGRAM	• TE_PROGRAM • TE_PROGRAM_REF
Class Field	TE_CLASS	TE_CLASS	• TE_CLASS • TE_CLASS_REF
Budget Reference	TE_BUDGET_REF	TE_BUDGET_REF	• TE_BUDGET_REF • TE_BUDGET_REF_REF
Product	TE_PRODUCT	TE_PRODUCT	• TE_PRODUCT • TE_PRODUCT_REF
Project ID	TE_PROJ_SETID	TE_PROJ_SETID	• TE_PROJ_SETID • TE_PROJ_SETID_REF • TE_PROJ_SETID_DSP
ChartField1	TE_CHARTFIELD1	TE_CHARTFIELD1	• TE_CHARTFIELD1 • TE_CHARTFIELD1_REF
ChartField2	TE_CHARTFIELD2	TE_CHARTFIELD2	• TE_CHARTFIELD2 • TE_CHARTFIELD2_REF
ChartField3	TE_CHARTFIELD3	TE_CHARTFIELD3	• TE_CHARTFIELD3 • TE_CHARTFIELD3_REF
Affiliate	TE_AFFILIATE	TE_AFFILIATE	• TE_AFFILIATE • TE_AFFILIATE_REF

The following table shows the PeopleSoft Project Costing objects related to each ChartField:

General Ledger ChartFields	Component	Component Interface	Mobile Pages
Project ID	TE_PROJECT TE_PROJECT_TR	TE_PROJECT TE_PROJECT_TR	• TE_PROJECT • TE_PROJECT_REF • TE_PROJECT_TR • TE_PROJECT_TR_REF

General Ledger ChartFields	Component	Component Interface	Mobile Pages
Activity	TE_PROJ_ACTIVITY TE_PROJACTIVITY_TR	TE_PROJ_ACTIVITY TE_PROJACTIVITY_TR	• TE_PROJ_ACTIVITY • TE_PROJ_ACTIVITY_REF • TE_PROJACTIVITY_TR • TE_PROJACTIVITY_TR_REF
Resource Category	TE_RES_CATEGORY	TE_RES_CATEGORY	• TE_RES_CATEGORY • TE_RES_CATEGORY_REF
Related Resource Category	TE_RES_CAT_REL	TE_RES_CAT_REL	• TE_RES_CAT_REL • TE_RES_CAT_REL_REF
Resource SubCategory	TE_RES_SUBCAT	TE_RES_SUBCAT	• TE_RES_SUBCAT • TE_RES_SUBCAT_REF
Related Resource SubCategory	TE_RES_SUBCAT_REL	TE_RES_SUBCAT_REL	• TE_RES_SUBCAT_REL • TE_RES_SUBCAT_REL_REF
Resource Type	TE_RESOURCE_TYPE	TE_RESOURCE_TYPE	• TE_RESOURCE_TYPE • TE_RESOURCE_TYPE_REF

Mobile Pages That Use ChartFields

The following table lists common PeopleSoft Mobile Time and Expense pages that may be impacted by configurations requiring manual changes:

Mobile Page	Change ChartField Order	Add New ChartField	Delete ChartField
TE_EXPENSE_TYPES_CF		X	X
TE_EXP_TYPE_GRP_CF		X	X
TE_TIME_ENTRY	X	X	X
TE_TIME_ENTRY_INQ	X	X	X
TE_EXPENSE_REPORT	X	X	X

Mobile Page	Change ChartField Order	Add New ChartField	Delete ChartField
TE_EXPENSE_REPORT_INQ	X	X	X
TE_EXPENSE_REPORT_SUM	X	X	X
TE_PROF_ORG	X	X	X
TE_PROF_DFLT	X	X	X

Mobile Transactions

The following table shows online pages and component interfaces where setID work fields are added or deleted for corresponding PeopleSoft Mobile Time and Expense pages:

Mobile Page	Expenses Page	Component Interface
TE_EXPENSE_REPORT	- TE_SHEET_DIST (hidden) - TE_SHEET_SPLIT (hidden)	TE_EXPENSE_REPORT
TE_EXPENSE_REPORT_INQ	- TE_SHEET_DIST (hidden) - TE_SHEET_SPLIT (hidden)	TE_EXPENSE_REPORT_INQ
TE_TIME_ENTRY	TE_TIME_LINES (hidden)	TE_TIME_ENTRY
TE_TIME_ENTRY_INQ	TE_TIME_LINES (hidden)	TE_TIME_ENTRY_INQ
TE_PROF_ORG	TE_MBL_ORG_PROF	TE_PROF_DFLT

Glossary of PeopleSoft Enterprise Terms

absence entitlement	This element defines rules for granting paid time off for valid absences, such as sick time, vacation, and maternity leave. An absence entitlement element defines the entitlement amount, frequency, and entitlement period.
absence take	This element defines the conditions that must be met before a payee is entitled to take paid time off.
academic career	In PeopleSoft Enterprise Campus Solutions, all course work that a student undertakes at an academic institution and that is grouped in a single student record. For example, a university that has an undergraduate school, a graduate school, and various professional schools might define several academic careers—an undergraduate career, a graduate career, and separate careers for each professional school (law school, medical school, dental school, and so on).
academic institution	In PeopleSoft Enterprise Campus Solutions, an entity (such as a university or college) that is independent of other similar entities and that has its own set of rules and business processes.
academic organization	In PeopleSoft Enterprise Campus Solutions, an entity that is part of the administrative structure within an academic institution. At the lowest level, an academic organization might be an academic department. At the highest level, an academic organization can represent a division.
academic plan	In PeopleSoft Enterprise Campus Solutions, an area of study—such as a major, minor, or specialization—that exists within an academic program or academic career.
academic program	In PeopleSoft Enterprise Campus Solutions, the entity to which a student applies and is admitted and from which the student graduates.
accounting class	In PeopleSoft Enterprise Performance Management, the accounting class defines how a resource is treated for generally accepted accounting practices. The Inventory class indicates whether a resource becomes part of a balance sheet account, such as inventory or fixed assets, while the Non-inventory class indicates that the resource is treated as an expense of the period during which it occurs.
accounting date	The accounting date indicates when a transaction is recognized, as opposed to the date the transaction actually occurred. The accounting date and transaction date can be the same. The accounting date determines the period in the general ledger to which the transaction is to be posted. You can only select an accounting date that falls within an open period in the ledger to which you are posting. The accounting date for an item is normally the invoice date.
accounting split	The accounting split method indicates how expenses are allocated or divided among one or more sets of accounting ChartFields.
accumulator	You use an accumulator to store cumulative values of defined items as they are processed. You can accumulate a single value over time or multiple values over time. For example, an accumulator could consist of all voluntary deductions, or all company deductions, enabling you to accumulate amounts. It allows total flexibility for time periods and values accumulated.
action reason	The reason an employee's job or employment information is updated. The action reason is entered in two parts: a personnel action, such as a promotion, termination, or change from one pay group to another—and a reason for that action. Action reasons are used by PeopleSoft Enterprise Human Resources, PeopleSoft Enterprise Benefits

	Administration, PeopleSoft Enterprise Stock Administration, and the COBRA Administration feature of the Base Benefits business process.
action template	In PeopleSoft Enterprise Receivables, outlines a set of escalating actions that the system or user performs based on the period of time that a customer or item has been in an action plan for a specific condition.
activity	In PeopleSoft Enterprise Learning Management, an instance of a catalog item (sometimes called a class) that is available for enrollment. The activity defines such things as the costs that are associated with the offering, enrollment limits and deadlines, and waitlisting capacities. In PeopleSoft Enterprise Performance Management, the work of an organization and the aggregation of actions that are used for activity-based costing. In PeopleSoft Enterprise Project Costing, the unit of work that provides a further breakdown of projects—usually into specific tasks. In PeopleSoft Workflow, a specific transaction that you might need to perform in a business process. Because it consists of the steps that are used to perform a transaction, it is also known as a step map.
address usage	In PeopleSoft Enterprise Campus Solutions, a grouping of address types defining the order in which the address types are used. For example, you might define an address usage code to process addresses in the following order: billing address, dormitory address, home address, and then work address.
adjustment calendar	In PeopleSoft Enterprise Campus Solutions, the adjustment calendar controls how a particular charge is adjusted on a student's account when the student drops classes or withdraws from a term. The charge adjustment is based on how much time has elapsed from a predetermined date, and it is determined as a percentage of the original charge amount.
administrative function	In PeopleSoft Enterprise Campus Solutions, a particular functional area that processes checklists, communication, and comments. The administrative function identifies which variable data is added to a person's checklist or communication record when a specific checklist code, communication category, or comment is assigned to the student. This key data enables you to trace that checklist, communication, or comment back to a specific processing event in a functional area.
admit type	In PeopleSoft Enterprise Campus Solutions, a designation used to distinguish first-year applications from transfer applications.
agreement	In PeopleSoft Enterprise eSettlements, provides a way to group and specify processing options, such as payment terms, pay from a bank, and notifications by a buyer and supplier location combination.
allocation rule	In PeopleSoft Enterprise Incentive Management, an expression within compensation plans that enables the system to assign transactions to nodes and participants. During transaction allocation, the allocation engine traverses the compensation structure from the current node to the root node, checking each node for plans that contain allocation rules.
alternate account	A feature in PeopleSoft Enterprise General Ledger that enables you to create a statutory chart of accounts and enter statutory account transactions at the detail transaction level, as required for recording and reporting by some national governments.
analysis database	In PeopleSoft Enterprise Campus Solutions, database tables that store large amounts of student information that may not appear in standard report formats. The analysis database tables contain keys for all objects in a report that an application program can use to reference other student-record objects that are not contained in the printed report. For instance, the analysis database contains data on courses that are considered

	for satisfying a requirement but that are rejected. It also contains information on courses captured by global limits. An analysis database is used in PeopleSoft Enterprise Academic Advisement.
Application Messaging	PeopleSoft Application Messaging enables applications within the PeopleSoft Enterprise product family to communicate synchronously or asynchronously with other PeopleSoft Enterprise and third-party applications. An application message defines the records and fields to be published or subscribed to.
AR specialist	Abbreviation for <i>receivables specialist</i> . In PeopleSoft Enterprise Receivables, an individual in who tracks and resolves deductions and disputed items.
arbitration plan	The arbiter when multiple price rules match the transaction. This plan determines the order in which the price rules are applied to the transaction base price.
assessment rule	In PeopleSoft Enterprise Receivables, a user-defined rule that the system uses to evaluate the condition of a customer's account or of individual items to determine whether to generate a follow-up action.
asset class	An asset group used for reporting purposes. It can be used in conjunction with the asset category to refine asset classification.
attribute/value pair	In PeopleSoft Enterprise Directory Interface, relates the data that makes up an entry in the directory information tree.
auction event	In PeopleSoft Strategic Sourcing, a sourcing event where bidders actively compete against one another to achieve the best price or score.
audience	In PeopleSoft Enterprise Campus Solutions, a segment of the database that relates to an initiative, or a membership organization that is based on constituent attributes rather than a dues-paying structure. Examples of audiences include the Class of '65 and Undergraduate Arts & Sciences.
authentication server	A server that is set up to verify users of the system.
base time period	In PeopleSoft Enterprise Business Planning, the lowest level time period in a calendar.
benchmark job	In PeopleSoft Enterprise Workforce Analytics Solution, a benchmark job is a job code for which there is corresponding salary survey data from published, third-party sources.
bid response	In PeopleSoft Strategic Sourcing, the response by a bidder to an event.
billing career	In PeopleSoft Enterprise Campus Solutions, the one career under which other careers are grouped for billing purposes if a student is active simultaneously in multiple careers.
bio bit or bio brief	In PeopleSoft Enterprise Campus Solutions, a report that summarizes information stored in the system about a particular constituent. You can generate standard or specialized reports.
book	In PeopleSoft Enterprise Asset Management, used for storing financial and tax information, such as costs, depreciation attributes, and retirement information on assets.
branch	A tree node that rolls up to nodes above it in the hierarchy, as defined in PeopleSoft Tree Manager.
budgetary account only	An account used by the system only and not by users; this type of account does not accept transactions. You can only budget with this account. Formerly called "system-maintained account."

budget check	In commitment control, the processing of source transactions against control budget ledgers, to see if they pass, fail, or pass with a warning.
budget control	In commitment control, budget control ensures that commitments and expenditures don't exceed budgets. It enables you to track transactions against corresponding budgets and terminate a document's cycle if the defined budget conditions are not met. For example, you can prevent a purchase order from being dispatched to a vendor if there are insufficient funds in the related budget to support it.
budget period	The interval of time (such as 12 months or 4 quarters) into which a period is divided for budgetary and reporting purposes. The ChartField allows maximum flexibility to define operational accounting time periods without restriction to only one calendar.
business activity	The name of a subset of a detailed business process. This might be a specific transaction, task, or action that you perform in a business process.
business event	In PeopleSoft Enterprise Receivables, defines the processing characteristics for the Receivable Update process for a draft activity. In PeopleSoft Enterprise Sales Incentive Management, an original business transaction or activity that may justify the creation of a PeopleSoft Enterprise Incentive Management event (a sale, for example).
business process	A standard set of 17 business processes are defined and maintained by the PeopleSoft Enterprise product families and are supported by the Business Process Engineering group. An example of a business process is Order Fulfillment, which is a business process that manages sales orders and contracts, inventory, billing, and so forth. See also <i>detailed business process</i>.
business unit constraints	In PeopleSoft Strategic Sourcing, these constraints apply to a selected Strategic Sourcing business unit. Spend is tracked across all of the events within the selected Strategic Sourcing business unit.
business task	The name of the specific function depicted in one of the business processes.
business unit	A corporation or a subset of a corporation that is independent with regard to one or more operational or accounting functions.
buyer	In PeopleSoft Enterprise eSettlements, an organization (or business unit, as opposed to an individual) that transacts with suppliers (vendors) within the system. A buyer creates payments for purchases that are made in the system.
buy event	In PeopleSoft Strategic Sourcing, for event creators, the purchase of goods or services, most typically associated with a request for quote, proposal, or reverse auction. For bidders, the sale of goods or services.
campus	In PeopleSoft Enterprise Campus Solutions, an entity that is usually associated with a distinct physical administrative unit, that belongs to a single academic institution, that uses a unique course catalog, and that produces a common transcript for students within the same academic career.
cash drawer	A repository for monies and payments taken locally.
catalog item	In PeopleSoft Enterprise Learning Management, a specific topic that a learner can study and have tracked. For example, "Introduction to Microsoft Word." A catalog item contains general information about the topic and includes a course code, description, categorization, keywords, and delivery methods. A catalog item can have one or more learning activities.
catalog map	In PeopleSoft Enterprise Catalog Management, translates values from the catalog source data to the format of the company's catalog.

catalog partner	In PeopleSoft Enterprise Catalog Management, shares responsibility with the enterprise catalog manager for maintaining catalog content.
categorization	Associates partner offerings with catalog offerings and groups them into enterprise catalog categories.
category	In PeopleSoft Enterprise Campus Solutions, a broad grouping to which specific comments or communications (contexts) are assigned. Category codes are also linked to 3C access groups so that you can assign data-entry or view-only privileges across functions.
channel	In PeopleSoft MultiChannel Framework, email, chat, voice (computer telephone integration [CTI]), or a generic event.
ChartField	A field that stores a chart of accounts, resources, and so on, depending on the PeopleSoft Enterprise application. ChartField values represent individual account numbers, department codes, and so forth.
ChartField balancing	You can require specific ChartFields to match up (balance) on the debit and the credit side of a transaction.
ChartField combination edit	The process of editing journal lines for valid ChartField combinations based on user-defined rules.
ChartKey	One or more fields that uniquely identify each row in a table. Some tables contain only one field as the key, while others require a combination.
checkbook	In PeopleSoft Enterprise Promotions Management, enables you to view financial data (such as planned, incurred, and actual amounts) that is related to funds and trade promotions.
checklist code	In PeopleSoft Enterprise Campus Solutions, a code that represents a list of planned or completed action items that can be assigned to a staff member, volunteer, or unit. Checklists enable you to view all action assignments on one page.
claimback	In the wholesale distribution industry, a contract between supplier and distributor, in which monies are paid to the distributor on the sale of specified products or product groups to targeted customers or customer groups.
class	In PeopleSoft Enterprise Campus Solutions, a specific offering of a course component within an academic term. See also <i>course</i> .
Class ChartField	A ChartField value that identifies a unique appropriation budget key when you combine it with a fund, department ID, and program code, as well as a budget period. Formerly called <i>sub-classification</i> .
clearance	In PeopleSoft Enterprise Campus Solutions, the period of time during which a constituent in PeopleSoft Enterprise Contributor Relations is approved for involvement in an initiative or an action. Clearances are used to prevent development officers from making multiple requests to a constituent during the same time period.
clone	In PeopleCode, to make a unique copy. In contrast, to <i>copy</i> may mean making a new reference to an object, so if the underlying object is changed, both the copy and the original change.
cohort	In PeopleSoft Enterprise Campus Solutions, the highest level of the three-level classification structure that you define for enrollment management. You can define a cohort level, link it to other levels, and set enrollment target numbers for it. See also <i>population</i> and <i>division</i> .

collection	To make a set of documents available for searching in Verity, you must first create at least one collection. A collection is set of directories and files that allow search application users to use the Verity search engine to quickly find and display source documents that match search criteria. A collection is a set of statistics and pointers to the source documents, stored in a proprietary format on a file server. Because a collection can only store information for a single location, PeopleTools maintains a set of collections (one per language code) for each search index object.
collection rule	In PeopleSoft Enterprise Receivables, a user-defined rule that defines actions to take for a customer based on both the amount and the number of days past due for outstanding balances.
comm key	See <i>communication key</i> .
communication key	In PeopleSoft Enterprise Campus Solutions, a single code for entering a combination of communication category, communication context, communication method, communication direction, and standard letter code. Communication keys (also called <i>comm keys</i> or <i>speed keys</i>) can be created for background processes as well as for specific users.
compensation object	In PeopleSoft Enterprise Incentive Management, a node within a compensation structure. Compensation objects are the building blocks that make up a compensation structure's hierarchical representation.
compensation structure	In PeopleSoft Enterprise Incentive Management, a hierarchical relationship of compensation objects that represents the compensation-related relationship between the objects.
component interface	A component interface is a set of application programming interfaces (APIs) that you can use to access and modify PeopleSoft Enterprise database information using a program instead of the PeopleSoft client.
condition	In PeopleSoft Enterprise Receivables, occurs when there is a change of status for a customer's account, such as reaching a credit limit or exceeding a user-defined balance due.
configuration parameter catalog	Used to configure an external system with PeopleSoft Enterprise. For example, a configuration parameter catalog might set up configuration and communication parameters for an external server.
configuration plan	In PeopleSoft Enterprise Incentive Management, configuration plans hold allocation information for common variables (not incentive rules) and are attached to a node without a participant. Configuration plans are not processed by transactions.
constituents	In PeopleSoft Enterprise Campus Solutions, friends, alumni, organizations, foundations, or other entities affiliated with the institution, and about which the institution maintains information. The constituent types delivered with PeopleSoft Enterprise Contributor Relations Solutions are based on those defined by the Council for the Advancement and Support of Education (CASE).
constraint	A business policy or rule that affects how a sourcing event is awarded. There are three types of constraints: business, global, and event.
content reference	Content references are pointers to content registered in the portal registry. These are typically either URLs or iScripts. Content references fall into three categories: target content, templates, and template pagelets.
context	In PeopleCode, determines which buffer fields can be contextually referenced and which is the current row of data on each scroll level when a PeopleCode program is running. In PeopleSoft Enterprise Campus Solutions, a specific instance of a comment or communication. One or more contexts are assigned to a category, which you link to

	3C access groups so that you can assign data-entry or view-only privileges across functions.
	In PeopleSoft Enterprise Incentive Management, a mechanism that is used to determine the scope of a processing run. PeopleSoft Enterprise Incentive Management uses three types of context: plan, period, and run-level.
control table	Stores information that controls the processing of an application. This type of processing might be consistent throughout an organization, or it might be used only by portions of the organization for more limited sharing of data.
cost plus contract line	A rate-based contract line associated with a fee component of Award, Fixed, Incentive, or Other. Rate-based contract lines associated with a fee type of None are not considered cost-plus contract lines.
cost plus pricing	In PeopleSoft Enterprise Pricer, a pricing method that begins with cost of goods as the basis.
cost profile	A combination of a receipt cost method, a cost flow, and a deplete cost method. A profile is associated with a cost book and determines how items in that book are valued, as well as how the material movement of the item is valued for the book.
cost row	A cost transaction and amount for a set of ChartFields.
counter sale	A face-to-face customer transaction where the customer typically selects items from the storefront or picks up products that they ordered ahead of time. Customers pay for the goods at the counter and take the goods with them instead of having the goods shipped from a warehouse.
course	In PeopleSoft Enterprise Campus Solutions, a course that is offered by a school and that is typically described in a course catalog. A course has a standard syllabus and credit level; however, these may be modified at the class level. Courses can contain multiple components such as lecture, discussion, and lab. See also <i>class</i> .
course share set	In PeopleSoft Enterprise Campus Solutions, a tag that defines a set of requirement groups that can share courses. Course share sets are used in PeopleSoft Enterprise Academic Advisement.
current learning	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's in-progress learning activities and programs.
data acquisition	In PeopleSoft Enterprise Incentive Management, the process during which raw business transactions are acquired from external source systems and fed into the operational data store (ODS).
data cube	In PeopleSoft Analytic Calculation Engine, a data cube is a container for one kind of data (such as Sales data) and works with in tandem with one or more dimensions. Dimensions and data cubes in PeopleSoft Analytic Calculation Engine are unrelated to dimensions and online analytical processing (OLAP) cubes in PeopleSoft Cube Manager.
data elements	Data elements, at their simplest level, define a subset of data and the rules by which to group them. For Workforce Analytics, data elements are rules that tell the system what measures to retrieve about your workforce groups.
dataset	A data grouping that enables role-based filtering and distribution of data. You can limit the range and quantity of data that is displayed for a user by associating dataset rules with user roles. The result of dataset rules is a set of data that is appropriate for the user's roles.

delivery method	In PeopleSoft Enterprise Learning Management, identifies the primary type of delivery method in which a particular learning activity is offered. Also provides default values for the learning activity, such as cost and language. This is primarily used to help learners search the catalog for the type of delivery from which they learn best. Because PeopleSoft Enterprise Learning Management is a blended learning system, it does not enforce the delivery method. In PeopleSoft Enterprise Supply Chain Management, identifies the method by which goods are shipped to their destinations (such as truck, air, and rail). The delivery method is specified when creating shipment schedules.
delivery method type	In PeopleSoft Enterprise Learning Management, identifies how learning activities can be delivered—for example, through online learning, classroom instruction, seminars, books, and so forth—in an organization. The type determines whether the delivery method includes scheduled components.
detailed business process	A subset of the business process. For example, the detailed business process named Determine Cash Position is a subset of the business process called Cash Management.
dimension	In PeopleSoft Analytic Calculation Engine, a dimension contains a list of one kind of data that can span various contexts, and it is a basic component of an analytic model. Within the analytic model, a dimension is attached to one or more data cubes. In PeopleSoft Cube Manager, a dimension is the most basic component of an OLAP cube and specifies the PeopleSoft metadata to be used to create the dimension's rollup structure. Dimensions and data cubes in PeopleSoft Analytic Calculation Engine are unrelated to dimensions and OLAP cubes in PeopleSoft Cube Manager.
direct receipt	Items shipped from a warehouse or vendor to another warehouse.
direct ship	Items shipped from the vendor or warehouse directly to the customer (formerly referred to as <i>drop ship</i>).
directory information tree	In PeopleSoft Enterprise Directory Interface, the representation of a directory's hierarchical structure.
division	In PeopleSoft Enterprise Campus Solutions, the lowest level of the three-level classification structure that you define in PeopleSoft Enterprise Recruiting and Admissions for enrollment management. You can define a division level, link it to other levels, and set enrollment target numbers for it. See also <i>population</i> and <i>cohort</i>.
document sequencing	A flexible method that sequentially numbers the financial transactions (for example, bills, purchase orders, invoices, and payments) in the system for statutory reporting and for tracking commercial transaction activity.
dynamic detail tree	A tree that takes its detail values—dynamic details—directly from a table in the database, rather than from a range of values that are entered by the user.
edit table	A table in the database that has its own record definition, such as the Department table. As fields are entered into a PeopleSoft Enterprise application, they can be validated against an edit table to ensure data integrity throughout the system.
effective date	A method of dating information in PeopleSoft Enterprise applications. You can predate information to add historical data to your system, or postdate information in order to enter it before it actually goes into effect. By using effective dates, you don't delete values; you enter a new value with a current effective date.
EIM ledger	Abbreviation for <i>Enterprise Incentive Management ledger</i> . In PeopleSoft Enterprise Incentive Management, an object to handle incremental result gathering within the scope of a participant. The ledger captures a result set with all of the appropriate traces to the data origin and to the processing steps of which it is a result.

elimination set	In PeopleSoft Enterprise General Ledger, a related group of intercompany accounts that is processed during consolidations.
entry event	In PeopleSoft Enterprise General Ledger, Receivables, Payables, Purchasing, and Billing, a business process that generates multiple debits and credits resulting from single transactions to produce standard, supplemental accounting entries.
equitization	In PeopleSoft Enterprise General Ledger, a business process that enables parent companies to calculate the net income of subsidiaries on a monthly basis and adjust that amount to increase the investment amount and equity income amount before performing consolidations.
equity item limit	In PeopleSoft Enterprise Campus Solutions, the amounts of funds set by the institution to be awarded with discretionary or gift funds. The limit could be reduced by amounts equal to such things as expected family contribution (EFC) or parent contribution. Students are packaged by Equity Item Type Groups and Related Equity Item Types. This limit can be used to assure that similar student populations are packaged equally.
event	A predefined point either in the Component Processor flow or in the program flow. As each point is encountered, the event activates each component, triggering any PeopleCode program that is associated with that component and that event. Examples of events are FieldChange, SavePreChange, and RowDelete. In PeopleSoft Enterprise Human Resources, also refers to an incident that affects benefits eligibility.
event constraints	In PeopleSoft Strategic Sourcing, these constraints are associated with a specific sourcing event. Spend is tracked within the selected event.
event propagation process	In PeopleSoft Enterprise Sales Incentive Management, a process that determines, through logic, the propagation of an original PeopleSoft Enterprise Incentive Management event and creates a derivative (duplicate) of the original event to be processed by other objects. PeopleSoft Enterprise Enterprise Sales Incentive Management uses this mechanism to implement splits, roll-ups, and so on. Event propagation determines who receives the credit.
exception	In PeopleSoft Enterprise Receivables, an item that either is a deduction or is in dispute.
exclusive pricing	In PeopleSoft Enterprise Order Management, a type of arbitration plan that is associated with a price rule. Exclusive pricing is used to price sales order transactions.
fact	In PeopleSoft Enterprise applications, facts are numeric data values from fields from a source database as well as an analytic application. A fact can be anything you want to measure your business by, for example, revenue, actual, budget data, or sales numbers. A fact is stored on a fact table.
financial aid term	In PeopleSoft Enterprise Campus Solutions, a combination of a period of time that the school determines as an instructional accounting period and an academic career. It is created and defined during the setup process. Only terms eligible for financial aid are set up for each financial aid career.
financial sanctions	For U.S. based companies and their foreign subsidiaries, a federal regulation from the Office of Foreign Assets Control (OFAC) requires that vendors be validated against a Specially Designated Nationals (SDN) list prior to payment. For PeopleSoft Payables, eSettlements, Cash Management, and Order to Cash, you can validate your vendors against any financial sanctions list (for example, the SDN list, a European Union list, and so on).
forecast item	A logical entity with a unique set of descriptive demand and forecast data that is used as the basis to forecast demand. You create forecast items for a wide range of uses, but they ultimately represent things that you buy, sell, or use in your organization and for which you require a predictable usage.

fund	In PeopleSoft Enterprise Promotions Management, a budget that can be used to fund promotional activity. There are four funding methods: top down, fixed accrual, rolling accrual, and zero-based accrual.
gap	In PeopleSoft Enterprise Campus Solutions, an artificial figure that sets aside an amount of unmet financial aid need that is not funded with Title IV funds. A gap can be used to prevent fully funding any student to conserve funds, or it can be used to preserve unmet financial aid need so that institutional funds can be awarded.
generic process type	In PeopleSoft Process Scheduler, process types are identified by a generic process type. For example, the generic process type SQR includes all SQR process types, such as SQR process and SQR report.
gift table	In PeopleSoft Enterprise Campus Solutions, a table or so-called <i>donor pyramid</i> describing the number and size of gifts that you expect will be needed to successfully complete the campaign in PeopleSoft Enterprise Contributor Relations. The gift table enables you to estimate the number of donors and prospects that you need at each gift level to reach the campaign goal.
GDS	Abbreviation for <i>Global Distribution System</i> . Broad-based term to describe all computer reservation systems for making travel plans.
GL business unit	Abbreviation for <i>general ledger business unit</i> . A unit in an organization that is an independent entity for accounting purposes. It maintains its own set of accounting books. See also <i>business unit</i> .
GL entry template	Abbreviation for <i>general ledger entry template</i> . In PeopleSoft Enterprise Campus Solutions, a template that defines how a particular item is sent to the general ledger. An item-type maps to the general ledger, and the GL entry template can involve multiple general ledger accounts. The entry to the general ledger is further controlled by high-level flags that control the summarization and the type of accounting—that is, accrual or cash.
GL Interface process	Abbreviation for <i>General Ledger Interface process</i> . In PeopleSoft Enterprise Campus Solutions, a process that is used to send transactions from PeopleSoft Enterprise Student Financials to the general ledger. Item types are mapped to specific general ledger accounts, enabling transactions to move to the general ledger when the GL Interface process is run.
global constraints	In PeopleSoft Strategic Sourcing, these constraints apply across multiple Strategic Sourcing business units. Spend is tracked across all of the events from the multiple Strategic Sourcing business units.
group	In PeopleSoft Enterprise Billing and Receivables, a posting entity that comprises one or more transactions (items, deposits, payments, transfers, matches, or write-offs). In PeopleSoft Enterprise Human Resources Management and Supply Chain Management, any set of records that are associated under a single name or variable to run calculations in PeopleSoft business processes. In PeopleSoft Enterprise Time and Labor, for example, employees are placed in groups for time reporting purposes.
ideal response	In PeopleSoft Strategic Sourcing, a question that requires the response to match the ideal value for the bid to be considered eligible for award. If the response does not match the ideal value, you can still submit the bid, but it will be disqualified and ineligible for award.
incentive object	In PeopleSoft Enterprise Incentive Management, the incentive-related objects that define and support the PeopleSoft Enterprise Incentive Management calculation process and results, such as plan templates, plans, results data, and user interaction objects.

incentive rule	In PeopleSoft Enterprise Sales Incentive Management, the commands that act on transactions and turn them into compensation. A rule is one part in the process of turning a transaction into compensation.
incur	In PeopleSoft Enterprise Promotions Management, to become liable for a promotional payment. In other words, you owe that amount to a customer for promotional activities.
initiative	In PeopleSoft Enterprise Campus Solutions, the basis from which all advancement plans are executed. It is an organized effort targeting a specific constituency, and it can occur over a specified period of time with specific purposes and goals. An initiative can be a campaign, an event, an organized volunteer effort, a membership drive, or any other type of effort defined by the institution. Initiatives can be multipart, and they can be related to other initiatives. This enables you to track individual parts of an initiative, as well as entire initiatives.
inquiry access	In PeopleSoft Enterprise Campus Solutions, a type of security access that permits the user only to view data. See also <i>update access</i> .
institution	In PeopleSoft Enterprise Campus Solutions, an entity (such as a university or college) that is independent of other similar entities and that has its own set of rules and business processes.
integration	A relationship between two compatible integration points that enables communication to take place between systems. Integrations enable PeopleSoft Enterprise applications to work seamlessly with other PeopleSoft Enterprise applications or with third-party systems or software.
integration point	An interface that a system uses to communicate with another PeopleSoft Enterprise application or an external application.
integration set	A logical grouping of integrations that applications use for the same business purpose. For example, the integration set <code>ADVANCED_SHIPPING_ORDER</code> contains all of the integrations that notify a customer that an order has shipped.
item	In PeopleSoft Enterprise Inventory, a tangible commodity that is stored in a business unit (shipped from a warehouse). In PeopleSoft Enterprise Demand Planning, Inventory Policy Planning, and Supply Planning, a noninventory item that is designated as being used for planning purposes only. It can represent a family or group of inventory items. It can have a planning bill of material (BOM) or planning routing, and it can exist as a component on a planning BOM. A planning item cannot be specified on a production or engineering BOM or routing, and it cannot be used as a component in a production. The quantity on hand will never be maintained. In PeopleSoft Enterprise Receivables, an individual receivable. An item can be an invoice, a credit memo, a debit memo, a write-off, or an adjustment.
item shuffle	In PeopleSoft Enterprise Campus Solutions, a process that enables you to change a payment allocation without having to reverse the payment.
itinerary	In PeopleSoft Expenses, a collection of travel reservations. Itineraries can have reservations that are selected and reserved with the travel vendor. These itineraries are not yet paid for and can be referred to as <i>pending reservations</i> . Reservations that have been paid for are referred to as <i>confirmed reservations</i> .
joint communication	In PeopleSoft Enterprise Campus Solutions, one letter that is addressed jointly to two people. For example, a letter might be addressed to both Mr. Sudhir Awat and Ms. Samantha Mortelli. A relationship must be established between the two individuals in the database, and at least one of the individuals must have an ID in the database.

keyword	In PeopleSoft Enterprise Campus Solutions, a term that you link to particular elements within PeopleSoft Enterprise Student Financials, Financial Aid, and Contributor Relations. You can use keywords as search criteria that enable you to locate specific records in a search dialog box.
KPI	An abbreviation for <i>key performance indicator</i> . A high-level measurement of how well an organization is doing in achieving critical success factors. This defines the data value or calculation upon which an assessment is determined.
KVI	Abbreviation for <i>Known Value Item</i> . Term used for products or groups of products where the selling price cannot be reduced or increased.
landlord	In PeopleSoft Real Estate Management, an entity that owns real estate and leases the real estate to tenants.
LDIF file	Abbreviation for <i>Lightweight Directory Access Protocol (LDAP) Data Interchange Format file</i> . Contains discrepancies between PeopleSoft Enterprise data and directory data.
learner group	In PeopleSoft Enterprise Learning Management, a group of learners who are linked to the same learning environment. Members of the learner group can share the same attributes, such as the same department or job code. Learner groups are used to control access to and enrollment in learning activities and programs. They are also used to perform group enrollments and mass enrollments in the back office.
learning components	In PeopleSoft Enterprise Learning Management, the foundational building blocks of learning activities. PeopleSoft Enterprise Learning Management supports six basic types of learning components: web-based, session, webcast, test, survey, and assignment. One or more of these learning component types compose a single learning activity.
learning environment	In PeopleSoft Enterprise Learning Management, identifies a set of categories and catalog items that can be made available to learner groups. Also defines the default values that are assigned to the learning activities and programs that are created within a particular learning environment. Learning environments provide a way to partition the catalog so that learners see only those items that are relevant to them.
learning history	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's completed learning activities and programs.
lease	In PeopleSoft Real Estate Management, a legally binding agreement between a landlord and a tenant, where the tenant rents all or part of a physical property from the landlord.
lease abstract	In PeopleSoft Real Estate Management, a summarized version of the complete lease contract with only the important terms. The lease abstract usually fits on one page and does not include legal terminology.
ledger mapping	You use ledger mapping to relate expense data from general ledger accounts to resource objects. Multiple ledger line items can be mapped to one or more resource IDs. You can also use ledger mapping to map dollar amounts (referred to as <i>rates</i>) to business units. You can map the amounts in two different ways: an actual amount that represents actual costs of the accounting period, or a budgeted amount that can be used to calculate the capacity rates as well as budgeted model results. In PeopleSoft Enterprise Warehouse, you can map general ledger accounts to the EW Ledger table.
library section	In PeopleSoft Enterprise Incentive Management, a section that is defined in a plan (or template) and that is available for other plans to share. Changes to a library section are reflected in all plans that use it.
line	In PeopleSoft Strategic Sourcing, an individual item or service upon which there can be a bid.

linked section	In PeopleSoft Enterprise Incentive Management, a section that is defined in a plan template but appears in a plan. Changes to linked sections propagate to plans using that section.
linked variable	In PeopleSoft Enterprise Incentive Management, a variable that is defined and maintained in a plan template and that also appears in a plan. Changes to linked variables propagate to plans using that variable.
LMS	Abbreviation for <i>learning management system</i> . In PeopleSoft Enterprise Campus Solutions, LMS is a PeopleSoft Enterprise Student Records feature that provides a common set of interoperability standards that enable the sharing of instructional content and data between learning and administrative environments.
load	In PeopleSoft Enterprise Inventory, identifies a group of goods that are shipped together. Load management is a feature of PeopleSoft Enterprise Inventory that is used to track the weight, the volume, and the destination of a shipment.
local functionality	In PeopleSoft Enterprise HRMS, the set of information that is available for a specific country. You can access this information when you click the appropriate country flag in the global window, or when you access it by a local country menu.
location	Locations enable you to indicate the different types of addresses—for a company, for example, one address to receive bills, another for shipping, a third for postal deliveries, and a separate street address. Each address has a different location number. The primary location—indicated by a <i>1</i> —is the address you use most often and may be different from the main address.
logistical task	In PeopleSoft Enterprise Services Procurement, an administrative task that is related to hiring a service provider. Logistical tasks are linked to the service type on the work order so that different types of services can have different logistical tasks. Logistical tasks include both preapproval tasks (such as assigning a new badge or ordering a new laptop) and postapproval tasks (such as scheduling orientation or setting up the service provider email). The logistical tasks can be mandatory or optional. Mandatory preapproval tasks must be completed before the work order is approved. Mandatory postapproval tasks, on the other hand, must be completed before a work order is released to a service provider.
market template	In PeopleSoft Enterprise Incentive Management, additional functionality that is specific to a given market or industry and is built on top of a product category.
mass change	In PeopleSoft Enterprise Campus Solutions, mass change is a SQL generator that can be used to create specialized functionality. Using mass change, you can set up a series of Insert, Update, or Delete SQL statements to perform business functions that are specific to the institution. See also <i>3C engine</i> .
match group	In PeopleSoft Enterprise Receivables, a group of receivables items and matching offset items. The system creates match groups by using user-defined matching criteria for selected field values.
MCF server	Abbreviation for <i>PeopleSoft MultiChannel Framework server</i> . Comprises the universal queue server and the MCF log server. Both processes are started when <i>MCF Servers</i> is selected in an application server domain configuration.
merchandising activity	In PeopleSoft Enterprise Promotions Management, a specific discount type that is associated with a trade promotion (such as off-invoice, billback or rebate, or lump-sum payment) that defines the performance that is required to receive the discount. In the industry, you may know this as an offer, a discount, a merchandising event, an event, or a tactic.

meta-SQL	Meta-SQL constructs expand into platform-specific SQL substrings. They are used in functions that pass SQL strings, such as in SQL objects, the SQLExec function, and PeopleSoft Application Engine programs.
metastring	Metastrings are special expressions included in SQL string literals. The metastrings, prefixed with a percent (%) symbol, are included directly in the string literals. They expand at run time into an appropriate substring for the current database platform.
multibook	In PeopleSoft Enterprise General Ledger, multiple ledgers having multiple-base currencies that are defined for a business unit, with the option to post a single transaction to all base currencies (all ledgers) or to only one of those base currencies (ledgers).
multicurrency	The ability to process transactions in a currency other than the business unit's base currency.
national allowance	In PeopleSoft Enterprise Promotions Management, a promotion at the corporate level that is funded by nondiscretionary dollars. In the industry, you may know this as a national promotion, a corporate promotion, or a corporate discount.
NDP	Abbreviation for <i>Non-Discountable Products</i> . Term used for products or groups of products where the selling price cannot be decreased.
need	In PeopleSoft Enterprise Campus Solutions, the difference between the cost of attendance (COA) and the expected family contribution (EFC). It is the gap between the cost of attending the school and the student's resources. The financial aid package is based on the amount of financial need. The process of determining a student's need is called <i>need analysis</i> .
node-oriented tree	A tree that is based on a detail structure, but the detail values are not used.
Optimization Engine	A PeopleTools component that Strategic Sourcing leverages to evaluate bids and determine an ideal award allocation. The award recommendation is based on maximizing the value while adhering to purchasing and company objectives and constraints.
pagelet	Each block of content on the home page is called a pagelet. These pagelets display summary information within a small rectangular area on the page. The pagelet provide users with a snapshot of their most relevant PeopleSoft Enterprise and non-PeopleSoft Enterprise content.
participant	In PeopleSoft Enterprise Incentive Management, participants are recipients of the incentive compensation calculation process.
participant object	Each participant object may be related to one or more compensation objects. See also <i>compensation object</i> .
partner	A company that supplies products or services that are resold or purchased by the enterprise.
pay cycle	In PeopleSoft Enterprise Payables, a set of rules that define the criteria by which it should select scheduled payments for payment creation.
payment shuffle	In PeopleSoft Enterprise Campus Solutions, a process allowing payments that have been previously posted to a student's account to be automatically reapplied when a higher priority payment is posted or the payment allocation definition is changed.
pending item	In PeopleSoft Enterprise Receivables, an individual receivable (such as an invoice, a credit memo, or a write-off) that has been entered in or created by the system, but hasn't been posted.

PeopleCode	PeopleCode is a proprietary language, executed by the PeopleSoft Enterprise component processor. PeopleCode generates results based on existing data or user actions. By using various tools provided with PeopleTools, external services are available to all PeopleSoft Enterprise applications wherever PeopleCode can be executed.
PeopleCode event	See <i>event</i> .
PeopleSoft Pure Internet Architecture	The fundamental architecture on which PeopleSoft 8 applications are constructed, consisting of a relational database management system (RDBMS), an application server, a web server, and a browser.
performance measurement	In PeopleSoft Enterprise Incentive Management, a variable used to store data (similar to an aggregator, but without a predefined formula) within the scope of an incentive plan. Performance measures are associated with a plan calendar, territory, and participant. Performance measurements are used for quota calculation and reporting.
period context	In PeopleSoft Enterprise Incentive Management, because a participant typically uses the same compensation plan for multiple periods, the period context associates a plan context with a specific calendar period and fiscal year. The period context references the associated plan context, thus forming a chain. Each plan context has a corresponding set of period contexts.
person of interest	A person about whom the organization maintains information but who is not part of the workforce.
personal portfolio	In PeopleSoft Enterprise Campus Solutions, the user-accessible menu item that contains an individual's name, address, telephone number, and other personal information.
phase	A level 1 task, meaning that if a task had subtasks, the level 1 task would be considered the phase.
pickup quantity	The product quantity that the customer is taking with them from the counter sales environment.
plan	In PeopleSoft Enterprise Sales Incentive Management, a collection of allocation rules, variables, steps, sections, and incentive rules that instruct the PeopleSoft Enterprise Incentive Management engine in how to process transactions.
plan context	In PeopleSoft Enterprise Incentive Management, correlates a participant with the compensation plan and node to which the participant is assigned, enabling the PeopleSoft Enterprise Incentive Management system to find anything that is associated with the node and that is required to perform compensation processing. Each participant, node, and plan combination represents a unique plan context—if three participants are on a compensation structure, each has a different plan context. Configuration plans are identified by plan contexts and are associated with the participants that refer to them.
plan template	In PeopleSoft Enterprise Incentive Management, the base from which a plan is created. A plan template contains common sections and variables that are inherited by all plans that are created from the template. A template may contain steps and sections that are not visible in the plan definition.
planned learning	In PeopleSoft Enterprise Learning Management, a self-service repository for all of a learner's planned learning activities and programs.
planning instance	In PeopleSoft Enterprise Supply Planning, a set of data (business units, items, supplies, and demands) constituting the inputs and outputs of a supply plan.
population	In PeopleSoft Enterprise Campus Solutions, the middle level of the three-level classification structure that you define in PeopleSoft Enterprise Recruiting and

	Admissions for enrollment management. You can define a population level, link it to other levels, and set enrollment target numbers for it. See also <i>division</i> and <i>cohort</i> .
portal registry	In PeopleSoft Enterprise applications, the portal registry is a tree-like structure in which content references are organized, classified, and registered. It is a central repository that defines both the structure and content of a portal through a hierarchical, tree-like structure of folders useful for organizing and securing content references.
predecessor task	A task that you must complete before you start another task.
price breaks	In PeopleSoft Strategic Sourcing, a price discount or surcharge that a bidder may apply based on the quantity awarded.
price components	In PeopleSoft Strategic Sourcing, the various components, such as material costs, labor costs, shipping costs, and so on that make up the overall bid price.
price list	Enables you to select products and conditions for which the price list applies to a transaction. During a transaction, the system either determines the product price based on the predefined search hierarchy for the transaction or uses the product's lowest price on any associated, active price lists. This price is used as the basis for any further discounts and surcharges.
price rule	The conditions that must be met for adjustments to be applied to the base price. Multiple rules can apply when conditions of each rule are met.
price rule conditions	Conditions that select the price-by fields, the values for the price-by fields, and the operator that determines how the price-by fields relate to the transaction.
price rule key	The fields that are available to define price rule conditions (which are used to match a transaction) on the price rule.
primacy number	In PeopleSoft Enterprise Campus Solutions, a number that the system uses to prioritize financial aid applications when students are enrolled in multiple academic careers and academic programs at the same time. The Consolidate Academic Statistics process uses the primacy number indicated for both the career and program at the institutional level to determine a student's primary career and program. The system also uses the number to determine the primary student attribute value that is used when you extract data to report on cohorts. The lowest number takes precedence.
primary name type	In PeopleSoft Enterprise Campus Solutions, the name type that is used to link the name stored at the highest level within the system to the lower-level set of names that an individual provides.
process category	In PeopleSoft Process Scheduler, processes that are grouped for server load balancing and prioritization.
process group	In PeopleSoft Enterprise Financials, a group of application processes (performed in a defined order) that users can initiate in real time, directly from a transaction entry page.
process definition	Process definitions define each run request.
process instance	A unique number that identifies each process request. This value is automatically incremented and assigned to each requested process when the process is submitted to run.
process job	You can link process definitions into a job request and process each request serially or in parallel. You can also initiate subsequent processes based on the return code from each prior request.

process request	A single run request, such as a Structured Query Report (SQR), a COBOL or Application Engine program, or a Crystal report that you run through PeopleSoft Process Scheduler.
process run control	A PeopleTools variable used to retain PeopleSoft Process Scheduler values needed at runtime for all requests that reference a run control ID. Do not confuse these with application run controls, which may be defined with the same run control ID, but only contain information specific to a given application process request.
product	A PeopleSoft Enterprise or third-party product. PeopleSoft organizes its software products into product families and product lines. Interactive Services Repository contains information about every release of every product that PeopleSoft sells, as well as products from certified third-party companies. These products appear with the product name and release number.
product adds	The pricing functionality where buying product A gets product B for free or at a price (formerly referred to as <i>giveaways</i>).
product bidding	In PeopleSoft Strategic Sourcing, the placing of a bid on behalf of the bidder, up or down to the bidder's specified amount, so that the bidder can be the leading bidder.
product category	In PeopleSoft Enterprise Incentive Management, indicates an application in the PeopleSoft Enterprise Incentive Management suite of products. Each transaction in the PeopleSoft Enterprise Incentive Management system is associated with a product category.
product family	A group of products that are related by common functionality. The family names that can be searched using Interactive Service Repository are Oracle's PeopleSoft Enterprise, PeopleSoft EnterpriseOne, PeopleSoft World, and third-party, certified partners.
product line	The name of a PeopleSoft Enterprise product line or the company name of a third-party certified partner. Integration Services Repository enables you to search for integration points by product line.
programs	In PeopleSoft Enterprise Learning Management, a high-level grouping that guides the learner along a specific learning path through sections of catalog items. PeopleSoft Enterprise Learning Systems provides two types of programs—curricula and certifications.
progress log	In PeopleSoft Enterprise Services Procurement, tracks deliverable-based projects. This is similar to the time sheet in function and process. The service provider contact uses the progress log to record and submit progress on deliverables. The progress can be logged by the activity that is performed, by the percentage of work that is completed, or by the completion of milestone activities that are defined for the project.
project transaction	In PeopleSoft Enterprise Project Costing, an individual transaction line that represents a cost, time, budget, or other transaction row.
promotion	In PeopleSoft Enterprise Promotions Management, a trade promotion, which is typically funded from trade dollars and used by consumer products manufacturers to increase sales volume.
prospects	In PeopleSoft Enterprise Campus Solutions, students who are interested in applying to the institution. In PeopleSoft Enterprise Contributor Relations, individuals and organizations that are most likely to make substantial financial commitments or other types of commitments to the institution.
proxy bidding	In PeopleSoft Strategic Sourcing, the placing of a bid on behalf of the bidder, up or down to the bidder's specified amount, so that the bidder can be the leading bidder.

publishing	In PeopleSoft Enterprise Incentive Management, a stage in processing that makes incentive-related results available to participants.
rating components	In PeopleSoft Enterprise Campus Solutions, variables used with the Equation Editor to retrieve specified populations.
record group	A set of logically and functionally related control tables and views. Record groups help enable TableSet sharing, which eliminates redundant data entry. Record groups ensure that TableSet sharing is applied consistently across all related tables and views.
record input VAT flag	Abbreviation for <i>record input value-added tax flag</i> . Within PeopleSoft Enterprise Purchasing, Payables, and General Ledger, this flag indicates that you are recording input VAT on the transaction. This flag, in conjunction with the record output VAT flag, is used to determine the accounting entries created for a transaction and to determine how a transaction is reported on the VAT return. For all cases within Purchasing and Payables where VAT information is tracked on a transaction, this flag is set to Yes. This flag is not used in PeopleSoft Enterprise Order Management, Billing, or Receivables, where it is assumed that you are always recording only output VAT, or in PeopleSoft Enterprise Expenses, where it is assumed that you are always recording only input VAT.
record output VAT flag	Abbreviation for <i>record output value-added tax flag</i> . See <i>record input VAT flag</i> .
recname	The name of a record that is used to determine the associated field to match a value or set of values.
recognition	In PeopleSoft Enterprise Campus Solutions, the recognition type indicates whether the PeopleSoft Enterprise Contributor Relations donor is the primary donor of a commitment or shares the credit for a donation. Primary donors receive hard credit that must total 100 percent. Donors that share the credit are given soft credit. Institutions can also define other share recognition-type values such as memo credit or vehicle credit.
reference data	In PeopleSoft Enterprise Sales Incentive Management, system objects that represent the sales organization, such as territories, participants, products, customers, and channels.
reference object	In PeopleSoft Enterprise Incentive Management, this dimension-type object further defines the business. Reference objects can have their own hierarchy (for example, product tree, customer tree, industry tree, and geography tree).
reference transaction	In commitment control, a reference transaction is a source transaction that is referenced by a higher-level (and usually later) source transaction, in order to automatically reverse all or part of the referenced transaction's budget-checked amount. This avoids duplicate postings during the sequential entry of the transaction at different commitment levels. For example, the amount of an encumbrance transaction (such as a purchase order) will, when checked and recorded against a budget, cause the system to concurrently reference and relieve all or part of the amount of a corresponding pre-encumbrance transaction, such as a purchase requisition.
regional sourcing	In PeopleSoft Enterprise Purchasing, provides the infrastructure to maintain, display, and select an appropriate vendor and vendor pricing structure that is based on a regional sourcing model where the multiple ship to locations are grouped. Sourcing may occur at a level higher than the ship to location.
relationship object	In PeopleSoft Enterprise Incentive Management, these objects further define a compensation structure to resolve transactions by establishing associations between compensation objects and business objects.
remote data source data	Data that is extracted from a separate database and migrated into the local database.

REN server	Abbreviation for <i>real-time event notification server</i> in PeopleSoft MultiChannel Framework.
requester	In PeopleSoft Enterprise eSettlements, an individual who requests goods or services and whose ID appears on the various procurement pages that reference purchase orders.
reservations	In PeopleSoft Expenses, travel reservations that have been placed with the travel vendor.
reversal indicator	In PeopleSoft Enterprise Campus Solutions, an indicator that denotes when a particular payment has been reversed, usually because of insufficient funds.
RFI event	In PeopleSoft Strategic Sourcing, a request for information.
RFx event	In PeopleSoft Strategic Sourcing, a request for proposal or request for a quote event when bidders submit their overall best bids and during which bidders do not actively compete against one another.
role	Describes how people fit into PeopleSoft Workflow. A role is a class of users who perform the same type of work, such as clerks or managers. Your business rules typically specify what user role needs to do an activity.
role user	A PeopleSoft Workflow user. A person's role user ID serves much the same purpose as a user ID does in other parts of the system. PeopleSoft Workflow uses role user IDs to determine how to route worklist items to users (through an email address, for example) and to track the roles that users play in the workflow. Role users do not need PeopleSoft user IDs.
roll up	In a tree, to roll up is to total sums based on the information hierarchy.
run control	A run control is a type of online page that is used to begin a process, such as the batch processing of a payroll run. Run control pages generally start a program that manipulates data.
run control ID	A unique ID to associate each user with his or her own run control table entries.
run-level context	In PeopleSoft Enterprise Incentive Management, associates a particular run (and batch ID) with a period context and plan context. Every plan context that participates in a run has a separate run-level context. Because a run cannot span periods, only one run-level context is associated with each plan context.
saved bid	In PeopleSoft Strategic Sourcing, a bid that has been created but not submitted. Only submitted bids are eligible for award.
score	In PeopleSoft Strategic Sourcing, the numerical sum of answers (percentages) to bid factors on an event. Scores appear only to bidders on auction events.
SCP SCBM XML message	Abbreviation for <i>Supply Chain Planning Supply Chain Business Modeler Extensible Markup Language message</i> . Supply Chain Business Modeler uses XML as the format for all data that it imports and exports.
search query	You use this set of objects to pass a query string and operators to the search engine. The search index returns a set of matching results with keys to the source documents.
search/match	In PeopleSoft Enterprise Campus Solutions and PeopleSoft Enterprise Human Resources Management Solutions, a feature that enables you to search for and identify duplicate records in the database.
seasonal address	In PeopleSoft Enterprise Campus Solutions, an address that recurs for the same length of time at the same time of year each year until adjusted or deleted.

section	In PeopleSoft Enterprise Incentive Management, a collection of incentive rules that operate on transactions of a specific type. Sections enable plans to be segmented to process logical events in different sections.
security event	In commitment control, security events trigger security authorization checking, such as budget entries, transfers, and adjustments; exception overrides and notifications; and inquiries.
sell event	In PeopleSoft Strategic Sourcing, for event creators, the sale of goods or services most typically associated with forward auctions. For bidders, the purchase of goods or services.
serial genealogy	In PeopleSoft Enterprise Manufacturing, the ability to track the composition of a specific, serial-controlled item.
serial in production	In PeopleSoft Enterprise Manufacturing, enables the tracing of serial information for manufactured items. This is maintained in the Item Master record.
service impact	In PeopleSoft Enterprise Campus Solutions, the resulting action triggered by a service indicator. For example, a service indicator that reflects nonpayment of account balances by a student might result in a service impact that prohibits registration for classes.
service indicator	In PeopleSoft Enterprise Campus Solutions, indicates services that may be either withheld or provided to an individual. Negative service indicators indicate holds that prevent the individual from receiving specified services, such as check-cashing privileges or registration for classes. Positive service indicators designate special services that are provided to the individual, such as front-of-line service or special services for disabled students.
session	In PeopleSoft Enterprise Campus Solutions, time elements that subdivide a term into multiple time periods during which classes are offered. In PeopleSoft Enterprise Contributor Relations, a session is the means of validating gift, pledge, membership, or adjustment data entry . It controls access to the data entered by a specific user ID. Sessions are balanced, queued, and then posted to the institution's financial system. Sessions must be posted to enter a matching gift or pledge payment, to make an adjustment, or to process giving clubs or acknowledgements. In PeopleSoft Enterprise Learning Management, a single meeting day of an activity (that is, the period of time between start and finish times within a day). The session stores the specific date, location, meeting time, and instructor. Sessions are used for scheduled training.
session template	In PeopleSoft Enterprise Learning Management, enables you to set up common activity characteristics that may be reused while scheduling a PeopleSoft Enterprise Learning Management activity—characteristics such as days of the week, start and end times, facility and room assignments, instructors, and equipment. A session pattern template can be attached to an activity that is being scheduled. Attaching a template to an activity causes all of the default template information to populate the activity session pattern.
setup relationship	In PeopleSoft Enterprise Incentive Management, a relationship object type that associates a configuration plan with any structure node.
share driver expression	In PeopleSoft Enterprise Business Planning, a named planning method similar to a driver expression, but which you can set up globally for shared use within a single planning application or to be shared between multiple planning applications through PeopleSoft Enterprise Warehouse.
short-term customer	A customer not in the system who is entered during sales order entry using a template.

single signon	With single signon, users can, after being authenticated by a PeopleSoft Enterprise application server, access a second PeopleSoft Enterprise application server without entering a user ID or password.
source key process	In PeopleSoft Enterprise Campus Solutions, a process that relates a particular transaction to the source of the charge or financial aid. On selected pages, you can drill down into particular charges.
source transaction	In commitment control, any transaction generated in a PeopleSoft Enterprise or third-party application that is integrated with commitment control and which can be checked against commitment control budgets. For example, a pre-encumbrance, encumbrance, expenditure, recognized revenue, or collected revenue transaction.
sourcing objective	For constraints, the option to designate whether a business rule is required (mandatory) or is only recommended (target).
speed key	See <i>communication key</i> .
SpeedChart	A user-defined shorthand key that designates several ChartKeys to be used for voucher entry. Percentages can optionally be related to each ChartKey in a SpeedChart definition.
SpeedType	A code representing a combination of ChartField values. SpeedTypes simplify the entry of ChartFields commonly used together.
staging	A method of consolidating selected partner offerings with the offerings from the enterprise's other partners.
standard letter code	In PeopleSoft Enterprise Campus Solutions, a standard letter code used to identify each letter template available for use in mail merge functions. Every letter generated in the system must have a standard letter code identification.
statutory account	Account required by a regulatory authority for recording and reporting financial results. In PeopleSoft Enterprise, this is equivalent to the Alternate Account (ALTACCT) ChartField.
step	In PeopleSoft Enterprise Sales Incentive Management, a collection of sections in a plan. Each step corresponds to a step in the job run.
storage level	In PeopleSoft Enterprise Inventory, identifies the level of a material storage location. Material storage locations are made up of a business unit, a storage area, and a storage level. You can set up to four storage levels.
subcustomer qualifier	A value that groups customers into a division for which you can generate detailed history, aging, events, and profiles.
Summary ChartField	You use summary ChartFields to create summary ledgers that roll up detail amounts based on specific detail values or on selected tree nodes. When detail values are summarized using tree nodes, summary ChartFields must be used in the summary ledger data record to accommodate the maximum length of a node name (20 characters).
summary ledger	An accounting feature used primarily in allocations, inquiries, and PS/nVision reporting to store combined account balances from detail ledgers. Summary ledgers increase speed and efficiency of reporting by eliminating the need to summarize detail ledger balances each time a report is requested. Instead, detail balances are summarized in a background process according to user-specified criteria and stored on summary ledgers. The summary ledgers are then accessed directly for reporting.
summary time period	In PeopleSoft Enterprise Business Planning, any time period (other than a base time period) that is an aggregate of other time periods, including other summary time periods and base time periods, such as quarter and year total.

summary tree	A tree used to roll up accounts for each type of report in summary ledgers. Summary trees enable you to define trees on trees. In a summary tree, the detail values are really nodes on a detail tree or another summary tree (known as the <i>basis</i> tree). A summary tree structure specifies the details on which the summary trees are to be built.
syndicate	To distribute a production version of the enterprise catalog to partners.
system function	In PeopleSoft Enterprise Receivables, an activity that defines how the system generates accounting entries for the general ledger.
system source	The system source identifies the source of a transaction row in the database. For example, a transaction that originates in PeopleSoft Enterprise Expenses contains a system source code of BEX (Expenses Batch). When PeopleSoft Enterprise Project Costing prices the source transaction row for billing, the system creates a new row with a system source code of PRP (Project Costing pricing), which represents the system source of the new row. System source codes can identify sources that are internal or external to the PeopleSoft Enterprise system. For example, processes that import data from Microsoft Project into PeopleSoft Enterprise applications create transaction rows with a source code of MSP (Microsoft Project).
TableSet	A means of sharing similar sets of values in control tables, where the actual data values are different but the structure of the tables is the same.
TableSet sharing	Shared data that is stored in many tables that are based on the same TableSets. Tables that use TableSet sharing contain the SETID field as an additional key or unique identifier.
target currency	The value of the entry currency or currencies converted to a single currency for budget viewing and inquiry purposes.
task	A deliverable item on the detailed sourcing plan.
tax authority	In PeopleSoft Enterprise Campus Solutions, a user-defined element that combines a description and percentage of a tax with an account type, an item type, and a service impact.
template	A template is HTML code associated with a web page. It defines the layout of the page and also where to get HTML for each part of the page. In PeopleSoft Enterprise, you use templates to build a page by combining HTML from a number of sources. For a PeopleSoft Enterprise portal, all templates must be registered in the portal registry, and each content reference must be assigned a template.
tenant	In PeopleSoft Real Estate Management, an entity that leases real estate from a landlord.
territory	In PeopleSoft Enterprise Sales Incentive Management, hierarchical relationships of business objects, including regions, products, customers, industries, and participants.
third party	A company or vendor that has extensive PeopleSoft Enterprise product knowledge and whose products and integrations have been certified and are compatible with PeopleSoft Enterprise applications.
tiered pricing	Enables different portions of a schedule to be priced differently from one another.
time span	A relative period, such as year-to-date or current period, that various PeopleSoft General Ledger functions and reports can use when a rolling time frame, rather than a specific date, is required.
total cost	In PeopleSoft Strategic Sourcing, the estimated dollar cost (sum of real price dollars and potential “soft” or non-price dollars) of a particular award approach.

travel group	In PeopleSoft Expenses, the organization's travel rules and policies that are associated with specific business units, departments, or employees. You must define at least one travel group when setting up the PeopleSoft Expenses travel feature. You must define and associate at least one travel group with a travel vendor.
travel partner	In PeopleSoft Expenses, the travel vendor with which the organization has a contractual relationship.
3C engine	Abbreviation for <i>Communications, Checklists, and Comments engine</i> . In PeopleSoft Enterprise Campus Solutions, the 3C engine enables you to automate business processes that involve additions, deletions, and updates to communications, checklists, and comments. You define events and triggers to engage the engine, which runs the mass change and processes the 3C records (for individuals or organizations) immediately and automatically from within business processes.
3C group	Abbreviation for <i>Communications, Checklists, and Comments group</i> . In PeopleSoft Enterprise Campus Solutions, a method of assigning or restricting access privileges. A 3C group enables you to group specific communication categories, checklist codes, and comment categories. You can then assign the group inquiry-only access or update access, as appropriate.
trace usage	In PeopleSoft Enterprise Manufacturing, enables the control of which components will be traced during the manufacturing process. Serial- and lot-controlled components can be traced. This is maintained in the Item Master record.
transaction allocation	In PeopleSoft Enterprise Incentive Management, the process of identifying the owner of a transaction. When a raw transaction from a batch is allocated to a plan context, the transaction is duplicated in the PeopleSoft Enterprise Incentive Management transaction tables.
transaction state	In PeopleSoft Enterprise Incentive Management, a value assigned by an incentive rule to a transaction. Transaction states enable sections to process only transactions that are at a specific stage in system processing. After being successfully processed, transactions may be promoted to the next transaction state and "picked up" by a different section for further processing.
Translate table	A system edit table that stores codes and translate values for the miscellaneous fields in the database that do not warrant individual edit tables of their own.
tree	The graphical hierarchy in PeopleSoft Enterprise systems that displays the relationship between all accounting units (for example, corporate divisions, projects, reporting groups, account numbers) and determines roll-up hierarchies.
tuition lock	In PeopleSoft Enterprise Campus Solutions, a feature in the Tuition Calculation process that enables you to specify a point in a term after which students are charged a minimum (or <i>locked</i>) fee amount. Students are charged the locked fee amount even if they later drop classes and take less than the normal load level for that tuition charge.
unclaimed transaction	In PeopleSoft Enterprise Incentive Management, a transaction that is not claimed by a node or participant after the allocation process has completed, usually due to missing or incomplete data. Unclaimed transactions may be manually assigned to the appropriate node or participant by a compensation administrator.
universal navigation header	Every PeopleSoft Enterprise portal includes the universal navigation header, intended to appear at the top of every page as long as the user is signed on to the portal. In addition to providing access to the standard navigation buttons (like Home, Favorites, and signoff) the universal navigation header can also display a welcome message for each user.
update access	In PeopleSoft Enterprise Campus Solutions, a type of security access that permits the user to edit and update data.

See also *inquiry access*.

user interaction object	In PeopleSoft Enterprise Sales Incentive Management, used to define the reporting components and reports that a participant can access in his or her context. All PeopleSoft Enterprise Sales Incentive Management user interface objects and reports are registered as user interaction objects. User interaction objects can be linked to a compensation structure node through a compensation relationship object (individually or as groups).
variable	In PeopleSoft Enterprise Sales Incentive Management, the intermediate results of calculations. Variables hold the calculation results and are then inputs to other calculations. Variables can be plan variables that persist beyond the run of an engine or local variables that exist only during the processing of a section.
VAT exception	Abbreviation for <i>value-added tax exception</i> . A temporary or permanent exemption from paying VAT that is granted to an organization. This term refers to both VAT exoneration and VAT suspension.
VAT exempt	Abbreviation for <i>value-added tax exempt</i> . Describes goods and services that are not subject to VAT. Organizations that supply exempt goods or services are unable to recover the related input VAT. This is also referred to as exempt without recovery.
VAT exoneration	Abbreviation for <i>value-added tax exoneration</i> . An organization that has been granted a permanent exemption from paying VAT due to the nature of that organization.
VAT suspension	Abbreviation for <i>value-added tax suspension</i> . An organization that has been granted a temporary exemption from paying VAT.
warehouse	A PeopleSoft Enterprise data warehouse that consists of predefined ETL maps, data warehouse tools, and DataMart definitions.
weight or weighting	In PeopleSoft Strategic Sourcing, how important the line or question is to the overall event. Weighting is used to score and analyze bids. For RFx and RFI events, weightings may or may not appear to bidders.
work order	In PeopleSoft Enterprise Services Procurement, enables an enterprise to create resource-based and deliverable-based transactions that specify the basic terms and conditions for hiring a specific service provider. When a service provider is hired, the service provider logs time or progress against the work order.
worker	A person who is part of the workforce; an employee or a contingent worker.
workset	A group of people and organizations that are linked together as a set. You can use worksets to simultaneously retrieve the data for a group of people and organizations and work with the information on a single page.
worksheet	A way of presenting data through a PeopleSoft Enterprise Business Analysis Modeler interface that enables users to do in-depth analysis using pivoting tables, charts, notes, and history information.
worklist	The automated to-do list that PeopleSoft Workflow creates. From the worklist, you can directly access the pages you need to perform the next action, and then return to the worklist for another item.
XML link	The XML Linking language enables you to insert elements into XML documents to create a links between resources.
XML schema	An XML definition that standardizes the representation of application messages, component interfaces, or business interlinks.
XPI	Abbreviation for <i>eXtended Process Integrator</i> . PeopleSoft XPI is the integration infrastructure that enables both real-time and batch communication with JD Edwards EnterpriseOne applications.

yield by operation

In PeopleSoft Enterprise Manufacturing, the ability to plan the loss of a manufactured item on an operation-by-operation basis.

zero-rated VAT

Abbreviation for *zero-rated value-added tax*. A VAT transaction with a VAT code that has a tax percent of zero. Used to track taxable VAT activity where no actual VAT amount is charged. Organizations that supply zero-rated goods and services can still recover the related input VAT. This is also referred to as exempt with recovery.

Index

A

- accounting
 - default 39
 - line details 40
- additional documentation xii
- application fundamentals xi

B

- business processes 1

C

- Capture Receipt page
 - entry 54
 - select/add 54
- Card Data page 25
- comments, submitting xvi
- common elements xvi
- component interfaces, listing of 3
- contact information xvi
- Create/Modify Expense Report page 32
- Create/Modify Time Report page 46
- cross-references xv
- Customer Connection website xii

D

- Default Accounting Detail page 40
- Default Bank Profile page 25
- default creation methods 23
- Defaults page
 - expense data 59
 - time data 59
- defaults, PDA
 - preferred merchants 59
 - receipt entry 59
 - setting up 58
 - time entry 60
- documentation
 - printed xii
 - related xii
 - updates xii

E

- Employee Data page
 - laptop 20

- PDA 53

- Excel to Component Interface utility 3
- Expense Line Detail page 37
- expense lines
 - adding 36
 - copying 36
- Expense Report Detail - Copy Line page 37
- Expense Report Summary page 44
- expense reports
 - adding 32
 - approving 31
 - creating 32
 - deleting 31
 - entering report data 32
 - printing 31
 - saving and submitting 44
 - viewing 44
- expense reports, PDA
 - entering data 53
 - entering expense data 54
 - selecting or adding reports 54
- Expenses Processing Data page 20

F

- Filter Mobile Data - [type] Device page
 - country 11
 - currency 11, 14
 - expense location 11, 15
 - locality 11, 13
 - project 11, 16
 - state/province 11, 12
- filters, mobile 9

G

- glossary 89

I

- initializing
 - mobile devices 6
 - PDA 6
- installing PeopleSoft Mobile Time and Expense 3
- integrations 2

M

- Mobile Agent xx
- mobile devices, initializing 6
- mobile filters 9
- My Wallet, laptop
 - adding transactions 41
 - mark for delete 29
 - synchronizing 29
 - understanding 29

N

- navigation, mobile transactions 7
- notes xv

O

- Organizational Data page 20

P

- PDA, initializing 6
- PDAs, *See* personal digital assistants (PDAs)
- PeopleBooks
 - ordering xii
- PeopleCode, typographical conventions xiv
- PeopleSoft Enterprise Mobile Time and Expense for PDA
 - entering expense report data 53
 - selecting or adding expense reports 54
 - setting up defaults 58
 - Use Last Saved option 59
 - user profiles 53
- PeopleSoft Expenses
 - integrating with 2
 - setting up mobile data filters 9
- PeopleSoft Mobile Agent xx
- PeopleSoft Mobile Time and Expense
 - business processes 1
 - core functionality 31
 - installing 3
 - integrations 2
- PeopleSoft Mobile Time and Expense for PDA
 - entering expense report data 54
 - entering personal time 58
 - entering project times 57
 - entering time report data 56
 - preferred merchant defaults 59
 - receipt entry defaults 59

- selecting or adding time entries 57
- synchronizations 51
- time entry defaults 60

- PeopleSoft Project Costing, integrating with 2
- PeopleSoft Setup Manager 3
- PeopleSoft Time and Labor, integrating with 2
- PeopleTools Mobile Agent, *See* PeopleSoft Mobile Agent
- personal digital assistants (PDAs)
 - synchronizations 51
 - user profiles 53
- Populate From My Wallet page 42
- prerequisites xi
- printed documentation xii

R

- receipts, splitting 42
- related documentation xii
- Review My Wallet Receipts page 30
- Review Receipt Split Lines page 43

S

- Submit during next synchronization
 - expense reports 35
 - time reports 48
- Submit for Partial Month, time reports 49
- suggestions, submitting xvi
- Summarize Time Report page 50
- synchronizations
 - bootstrap 6
 - options 5
 - PDA 51

T

- TE_EXPENSE_REPORT page
 - Create/Modify Expense Report view 32
 - Default Accounting Detail view 40
 - Expense Line Detail view 37
 - Expense Report Detail - Copy Line view 37
 - Expense Report Detail view 33
 - Populate From My Wallet view 42
 - Review Receipt Split Lines view 43
 - View Attendees view 37
 - View Default Accounting view 40
- TE_EXPENSE_REPORT_INQ page 44

TE_EXPENSE_REPORT_SUM page 44
 TE_FILT_CNTRY page 11
 TE_FILT_CURR page 11, 14
 TE_FILT_LOC page 11, 15
 TE_FILT_LOCAL page 11, 13
 TE_FILT_PROJ page 11, 16
 TE_FILT_STATE page 11, 12
 TE_MYWALLET page 30
 TE_PROF_BANK page 25
 TE_PROF_CARD page 25
 TE_PROF_DFLT page 21
 TE_PROF_ORG page 20
 TE_PROF_PERSONAL page
 laptop 20
 PDA 53
 TE_PROF_TRANSPORT page 26
 TE_REC_CAP_DEFAULTS page 59
 TE_RECEIPT_CAPTURE page 54
 TE_TIME_CAP_DEFAULTS page 59
 TE_TIME_CAPTURE page 56
 TE_TIME_ENTRY page 47
 TE_TIME_MAIN page 46
 TE_TIME_MAIN_INQ page 50
 TE_TIME_REPORT page 50
 terms 89
 Time Entry (Select/Add) page 56
 Time General Information page 45, 46,
 47, 50
 time report entries, PDA
 entering data 56
 entering personal time 58
 entering project times 57
 selecting or adding 57
 time reports
 creating 46
 entering general information 47
 entering personal time 47
 entering project time 47
 entering time and details 47
 modifying 46
 processing 45
 submit for partial month 49
 viewing 49
 Time Summary page 47
 Transaction Detail page 30
 transportation ID field 27
 Transportation Identification page 26
 typographical conventions xiv

U

Use Last Saved option, PDA 59
 User Defaults page 21
 user profiles, PDA 53

V

View Attendees page 37
 View Default Accounting page 40
 View Default Accounting tab 34
 View Expense Report page 44
 View Time Report page 50
 visual cues xv

W

warnings xv

